

Oracle® Retail Advanced Inventory Planning

Release Notes

Release 15.0.1

May 2016

This document highlights the major changes for Release 15.0.1 of Oracle Retail Advanced Inventory Planning (AIP).

Overview

Oracle Retail Advanced Inventory Planning is a suite of modules designed to manage the supply chains of large retailers at the supplier, warehouse, store, and e-commerce levels. The system couples time-phased replenishment and allocation algorithms to produce an actionable receipt plan over time. This plan is based on demand forecasts, replenishment parameters, and inventory availability at the numerous supply points within the supply chain.

The user interacts with the AIP system through a number of modules:

- Store Replenishment Planning (SRP) Workbooks are used to maintain the replenishment characteristics for stores. These workbooks allow the user to analyze system output and perform what-if style analysis when replenishment parameters are changed.
- Warehouse Replenishment Planning (WRP) Workbooks are used to maintain the replenishment characteristics for warehouses. These workbooks allow the user to analyze system output and perform What-if style analysis when replenishment parameters are changed.
- Data Management is used to maintain the supply chain and network flow information. Sourcing links, lead times, and other data are managed in this module.
- The Network Replenishment Workbook combines worksheets containing warehouse-specific replenishment data with those containing store-specific replenishment data into one workbook. This allows users to view a more complete picture of the replenishment plan within a supply chain without having to switch between workbooks. Users are also able to perform What-if analysis on the replenishment plan by changing various replenishment parameters.
- AIP Dashboard for the Fusion Client allows users to view AIP receipt plan data without having to build a workbook.

- Using the receipt plan, Order Management formally prepares those orders that need to be fulfilled. This preparation includes the assignment of an order number.

Note: AIP Java/Oracle, AIP on Oracle, and AIP Oracle are often used interchangeably to refer to those parts of AIP that access the Oracle relational database. This includes the Data Management and Order Management GUI components and a host of UNIX shell scripts and PL/SQL modules.

AIP Within the Oracle Retail Suite

AIP is one of several integrated applications within the Oracle Retail Suite. The suite allows a retailer to manage its supply chain from demand forecasting to the generation of orders, which can then be shared with collaborative planning partners.

Viewed at a high level, the process across the Oracle Retail Suites takes the following form:

1. Oracle Retail Demand Forecasting (RDF) provides a forecast of consumer demand. This data is made available to AIP.
2. The AIP batch run produces an actionable receipt plan using replenishment parameters maintained inside AIP. Hierarchy and inventory data are provided by a merchandising system such as Oracle Retail Merchandising System (RMS).
3. The receipt plan is then sent to the Order Management module within AIP, where those orders that need to be fulfilled are formally prepared for execution. This preparation includes the assignment of an order number.
4. Order Management then submits the appropriate orders to the merchandising system, where purchase orders and transfers are communicated to other systems. These orders are returned to AIP in subsequent batch runs as on-order or in-transit quantities.
5. Sales forecasts and order plans can then be shared at the appropriate level with suppliers by using a collaborative planning, forecasting, and replenishment (CPFR) product, so that trading partners can prepare for the forthcoming orders.

AIP Versions and Corresponding RPAS Versions

The following table provides a history of AIP since the 13.0 release. The table lists each version of AIP together with the version of the Retail Predictive Application Server (RPAS) foundation to which it is tied.

Date	Version Category	AIP Version	RPAS Version
June 9, 2008	Full Release	13.0	12.1.2.21
August 15, 2008	Patch Update (AIX, HP-UX)	13.0.1 Patch	13.0.1.2
August 22, 2008	Full Release (Solaris)	13.0.1	13.0.1.2
October 31, 2008	Patch Update (AIX)	13.0.1.1	13.0.1.11

Date	Version Category	AIP Version	RPAS Version
December 19, 2008	Patch Update (AIX)	13.0.2	13.0.2.1
August 7, 2009	Full Release (Solaris, OEL, AIX, HP-UX)	13.1.1	13.0.4
March 31, 2010	Full Release and Patch Update (AIX 5.3, AIX 6.1, HP-UX 11.31, OEL 5.2, Solaris 10)	13.1.2	13.1.2.3
August 31, 2010	Patch Update (AIX 5.3, AIX 6.1, HP-UX 11.31, Linux 5.2, Solaris 10)	13.1.3	13.1.2.19
October 29, 2010	Full Release (AIX 5.3, AIX 6.1, HP-UX 11.31, OEL 5.3, Solaris 10)	13.2	13.2
January 31, 2011	Hot Fix (AIX 5.3, AIX 6.1, HP-UX 11.31, OEL 5.3, Solaris 10)	13.2.0.2	13.2.1
July 8, 2011	Full Release (AIX 5.3, AIX 6.1, HP-UX 11.31, OEL 5.3, Solaris 10)	13.2.2	13.2.2.9
November 4, 2011	Patch Update (AIX 6.1, HP-UX 11.31, OEL 5.5, Solaris 10)	13.2.3	13.2.3
April 13, 2012	Patch Update (AIX 6.1, HP-UX 11.31, OEL 5.5, Solaris 10)	13.2.4	13.3
May 3, 2012	Full Release (AIX 6.1, HP-UX 11.31, OEL 5.5, Solaris 10)	13.3	13.3
December 21, 2012	Full Release (AIX 6.1, HP-UX 11.31, OEL 5.8, Solaris 10)	13.4	13.4.0.1
August 23, 2013	Patch Update (AIX 6.1, HP-UX 11.31, OEL 5.8, Solaris 10)	13.4.1	13.4.1
December 14, 2013	Full Release (AIX 6.1, 7.1, HP-UX 11.31, OEL 6.3, Solaris 11)	14.0	14.0
August 15, 2014	Patch Update (AIX 6.1, 7.1, HP-UX 11.31, OEL 6.3, Solaris 11)	14.0.1	14.0
December 19, 2014	Full Release (AIX 7.1, HP-UX 11.31, OEL 6.3, Solaris 11)	14.1	14.1

Date	Version Category	AIP Version	RPAS Version
August 21, 2015	Patch Update (AIX 7.1,HP-UX 11.31, OEL 6.3, Solaris 11)	14.1.1	14.1.1
December 15, 2015	Full Release (AIX 7.1,HP-UX 11.31, OEL 6.x, OEL 7.x, Solaris 11.2)	15.0	15.0
May 20, 2016	Patch Update AIX 7.1, OEL 6.x, OEL 7.x	15.0.1	15.0.1

Hardware and Software Requirements

Note: The AIP 15.0 Dashboard installer files are compatible with AIP 15.0.1.

See the *Oracle Retail Advanced Inventory Planning Installation Guide* for information about the following:

- Hardware and software requirements
- Oracle Retail application software compatibility information

Noteworthy Defect Fixes

The following table contains issues that have been fixed for the current release.

Affected Component	Fixed Issue/Defect	Defect Number
Batch	Unapproved purchase orders are not being scaled in advance of their release date/wave.	22365906
Batch	Store schedule is not generating correctly when the Store source is set at the daily level.	23049999
Batch	Unapproved orders not being sent to AIP-Online.	23070390
Batch	The script, <code>pre_release.sh</code> , fails during a batch run. This issue has been corrected.	23074955
Cross-dock	Some DBMS_stats calls refer to User schema instead of <code>aip_util.get_schema_owner</code> .	22889800
Workbook	The Order Review & Approval workbook displays pre-scaled receipt plan instead of receipts after scaling	23084268

Known Issues

The following table contains known issues for the current release.

Affected Component	Known Issue/Defect	Defect Number
Batch Process	Warehouse inventory is not cleared after store reconciliation,	19767480
Batch Process	The ULR is not cleared after the Working Plan is set as the Receipt Plan,	22157758
Batch Process	The purging script, aip_purge.sh on. fails to remove SKU pack-sizes.	22191130
WebLogic	<p>Language Bundle files for AIP Fusion clients are in Native character encoding. After configuring the AIP-RPAS Fusion Client solutions, use the following steps and command for conversion from Native to ASCII.</p> <ol style="list-style-type: none">1. Create a directory and copy all the language aipBundle_xx.properties files (where xx=language extensions).2. Ensure that environment variable JAVA_HOME is pointing to JDK instead of JRE.3. Navigate to the new directory created in Step 1.4. Use the following command per language to convert Native to ASCII: native2ascii -encoding UTF8 aipBundle_xx.properties multisolutionBundle_xx.properties5. Copy the new ASCII converted language files (multisolutionBundle_xx.properties) to the \${FUSION_CLIENT_INSTALL_DIR}/config/MultiSolution/resources directory.6. Restart the WebLogic server.	21614034
Translation	Text received from the RPAS Fusion platform files displays English instead of Spanish.	23298809

Related Documents

For more information, see the following documents in the Oracle Retail Advanced Inventory Planning Release 15.0.1 documentation set:

- *Oracle Retail Advanced Inventory Planning Data Management User Guide*
- *Oracle Retail Advanced Inventory Planning Implementation Guide*
- *Oracle Retail Advanced Inventory Planning Installation Guide*
- *Oracle Retail Advanced Inventory Planning Operations Guide*

The following documentation may also be needed when implementing AIP:

- Oracle Retail Planning Batch Script Architecture (BSA) Implementation Guide
- Oracle Retail Integration Bus (RIB) documentation, based on type of deployment
- Oracle Retail Extract Transform and Load (RETL) documentation
- Oracle Retail Predictive Application Server (RPAS) documentation

My Oracle Support Documents

These Oracle Retail Advanced Inventory Planning Release 15.0 documents are available on My Oracle Support:

<https://support.oracle.com>

- *Oracle Retail Advanced Inventory Planning Calculations for Store and Warehouse Replenishment Planning* (Doc ID 2075628.1)
- *Oracle Retail Advanced Inventory Planning Order Review and Approval* (Doc ID 2076972.1)
- *Oracle Retail Advanced Inventory Planning Supply Chain Creation 15.x* (Doc ID 2081101.1)

Enterprise Integration Guide (located in the Oracle Retail Integration Suite Library on the Oracle Technology Network)

The Enterprise Integration Guide is an HTML document that summarizes Oracle Retail integration. This version of the Integration Guide is concerned with the two integration styles that implement messaging patterns: Asynchronous JMS Pub/Sub Fire-and-Forget and Web Service Request Response. The Enterprise Integration Guide addresses the Oracle Retail Integration Bus (RIB), a fully distributed integration infrastructure that uses Message Oriented Middleware (MOM) to integrate applications, and the Oracle Retail Service Backbone (RSB), a productization of a set of Web Services, ESBs and Security tools that standardize the deployment.

Supplemental Training on My Oracle Support

The following document is available on the My Oracle Support Web site. Access My Oracle Support at the following URL:

<https://support.oracle.com>

Transfer of Information (TOI) Material (ID 732026.1)

Online training is available to Oracle supported customers at product release. These online courses provide release-specific product knowledge that enables your functional and technical teams to plan, implement and/or upgrade and support Oracle Retail applications effectively and efficiently.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Copyright © 2016, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

(i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.

(ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.

(iii) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.

(iv) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.