

Oracle® Tuxedo

Known Issues

12c Release 2 (12.2.2)

April 2016

Copyright © 1996, 2016, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Known Issues

Known Issues1

Known Issues

The following sections describe known issues with the Oracle Tuxedo software and include recommended workarounds. The problems are listed by the BugDB Request (BugDB) number.

Contact your Oracle Customer Support Center for assistance in the tracking of any unresolved problems. When contacting the Oracle Customer Support Center, please refer to the BugDB number.

- [Known Issues](#)

Known Issues

[Table 1](#) describes the known issues for Oracle Tuxedo and provides recommended workarounds.

Table 1 Known Issues

1. Bug 22955140 - Service call fails after changing a service name and reloading the module.	
Description	After changing a service name and reloading the corresponding module, a service call fails with the error TPESVCFAIL - application-level service failure.
Platforms	All
Workaround	Reload the entire configuration file.
2. Bug 22986073 - Java Server could not log detailed error messages in Tuxedo ULOG	

Table 1 Known Issues

Description	If an exception is thrown to a Java server from a user java application in Tuxedo Java Server, the detailed error message could not be logged in ULOG by Java Server. Only <code>ERROR: Caught exception [null]</code> is logged.
Platforms	AIX only
Workaround	Catch all exceptions in your Java classes and invoke <code>userlog(<MyEx>.toString())</code> to log the detailed error messages.
3. Bug 24397397 - Java Server could not update a jar file using dynamic reloading on Windows.	
Description	When you perform the reloading operation on Windows platforms, the jar file is locked and cannot be replaced with new jar file.
Platforms	Windows only
Workaround	There are two ways to solve it: <ul style="list-style-type: none">• Place the new jar file into a different directory, and then perform the reloading operation.• Separate the reloading operation into two steps.<ul style="list-style-type: none">– 1. Perform deletion operation to the server module depending on the jar file.– 2. Perform adding operation to add the server module depending on the new jar file.