

STPKS_STDCUSAC_UTILS_1 Package

Extensible Hook Details

12.3

December 2016

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_CHECK_SWIFTFORMAT/6/0	1
2. FN_CHECK_SWIFTFORMAT/6/0	1
3. FN_DEPOSIT_DEF_VALIDATE/4/1	2
4. FN_DEPOSIT_DEF_VALIDATE/4/2	2
5. FN_DEPOSIT_DEF_VALIDATE/4/3	3
6. FN_DEPOSIT_DEF_VALIDATE/4/4	3
7. FN_DEPOSIT_DEF_VALIDATE/4/5	4
8. FN_GET_CUM_AMT/4/1	4
9. FN_PAYINOUT_DEFAULT/7/1	4
10. FN_PAYINOUT_DEFAULT/7/2	5
11. FN_PAYINOUT_DEFAULT/7/3	5
12. FN_PAYINOUT_DEFAULT/7/4	6
13. FN_PAYINOUT_VALIDATE/6/1	6
14. FN_PAYINOUT_VALIDATE/6/2	7
15. FN_PAYINOUT_VALIDATE/6/3	7
16. FN_POPULATE_IC_DETAILS/4/1	8
17. FN_POPULATE_IC_DETAILS/4/2	8
18. FN_POPULATE_IC_DETAILS/4/3	9
19. FN_POPULATE_IC_DETAILS/4/4	9
20. FN_POPULATE_IC_DETAILS/4/5	10
21. FN_UPLOAD/8/1	10
22. FN_UPLOAD/8/2	11
23. FN_UPLOAD/8/3	11
24. FN_UPLOAD_IC_DETAILS/6/1	12
25. FN_VALIDATE_ATM_AC_NO/5/1	12
26. FN_VALIDATE_IBAN/5/1	13
27. FN_VALIDATE_IBAN_ACC/5/1	13
28. FN_VALIDATE_ITEMS/8/1	14
29. FN_VALIDATE_JOINT_ACCOUNT/5/1	14
30. FN_VALIDATE_JOINT_HOLDERS/4/1	14
31. FN_VALIDATE_NOTICE_PREFERENCE/4/1	15
32. FN_VALIDATE_RECORDS/8/1	15

Parameter	Description
Function	FN_CHECK_SWIFTFORMAT
No of Parameters	6
Function Call Id	0
Cluster/Custom Function Name	FN_POST_CHECK_SWIFTFORMAT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to resolve error while open an account and input Chinese in description column.
Description	<p>Hook provided to resolve error while open an account and input Chinese in description column.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	14676088

Parameter	Description
Function	FN_CHECK_SWIFTFORMAT
No of Parameters	6
Function Call Id	0
Cluster/Custom Function Name	FN_PRE_CHECK_SWIFTFORMAT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to resolve error while open an account and input Chinese in description column.
Description	<p>Hook provided to resolve error while open an account and input Chinese in description column.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	14676088

Parameter	Description
Function	FN_DEPOSIT_DEF_VALIDATE
No of Parameters	4
Function Call Id	1

Cluster/Custom Function Name	FN_DEPOSIT_DEF_VALIDATE
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to check check if the total TD amount is greater than the Special/Fixed amount during rollover
Description	<p>Hook provided to check check if the total TD amount is greater than the Special/Fixed amount during rollover</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19060483

Parameter	Description
Function	FN_DEPOSIT_DEF_VALIDATE
No of Parameters	4
Function Call Id	2
Cluster/Custom Function Name	FN_DEPOSIT_DEF_VALIDATE
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that NAB can handle DCD which is not through option.
Description	<p>Hook provided so that NAB can handle DCD which is not through option.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19055389

Parameter	Description
Function	FN_DEPOSIT_DEF_VALIDATE
No of Parameters	4
Function Call Id	3
Cluster/Custom Function Name	FN_DEPOSIT_DEF_VALIDATE
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None

Hook Description	Hook provided so that The user is be able to key in the tenor for a TD account
Description	<p>Hook provided so that The user is be able to key in the tenor for a TD account</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19069981

Parameter	Description
Function	FN_DEPOSIT_DEF_VALIDATE
No of Parameters	4
Function Call Id	4
Cluster/Custom Function Name	FN_DEPOSIT_DEF_VALIDATE
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to check check if the total TD amount is greater than the Special/Fixed amount during rollover
Description	<p>Hook provided to check check if the total TD amount is greater than the Special/Fixed amount during rollover</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19007412

Parameter	Description
Function	FN_DEPOSIT_DEF_VALIDATE
No of Parameters	4
Function Call Id	5
Cluster/Custom Function Name	FN_DEPOSIT_DEF_VALIDATE
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to enter profit booking account as GL in IADCUSAC & IADCUSTD in Special Condition.

Description	<p>Hook provided to enter profit booking account as GL in IADCUSAC & IADCUSTD in Special Condition.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23652153

Parameter	Description
Function	FN_GET_CUM_AMT
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_GET_CUM_AMT
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to specify minimum deposit amount that should be kept in order to enjoy the cumulative rate benefit.
Description	<p>Hook provided to specify minimum deposit amount that should be kept in order to enjoy the cumulative rate benefit.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	22014462

Parameter	Description
Function	FN_PAYINOUT_DEFAULT
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_PAYINOUT_DEFAULT
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(i)
Received from Extensible layer	I_Tb_Cluster_Data(l_gl_code)
Hook Description	Hook provided to customize the PAY IN option in TD
Description	<p>Hook provided to customize the PAY IN option in TD</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19052955

Parameter	Description
Function	FN_PAYINOUT_DEFAULT
No of Parameters	7
Function Call Id	2
Cluster/Custom Function Name	FN_PAYINOUT_DEFAULT
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(i)
Received from Extensible layer	I_Tb_Cluster_Data(I_gl_code)
Hook Description	Hook provided to facilitate the PAY on Option based on Currency.
Description	<p>Hook provided to facilitate the PAY on Option based on Currency.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19140332

Parameter	Description
Function	FN_PAYINOUT_DEFAULT
No of Parameters	7
Function Call Id	3
Cluster/Custom Function Name	FN_PAYINOUT_DEFAULT
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(i)
Received from Extensible layer	I_Tb_Cluster_Data(I_gl_code)
Hook Description	Hook provided to facilitate the PAY on Option based on Currency.
Description	<p>Hook provided to facilitate the PAY on Option based on Currency.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19140332

Parameter	Description
Function	FN_PAYINOUT_DEFAULT
No of Parameters	7
Function Call Id	4
Cluster/Custom Function Name	FN_PAYINOUT_DEFAULT
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(i)

Received from Extensible layer	I_Tb_Cluster_Data(l_cnt)
Hook Description	Hook is provided
Description	<p>Hook is provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23664536

Parameter	Description
Function	FN_PAYINOUT_VALIDATE
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_PAYINOUT_VALIDATE
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to customize the PAY IN option in TD
Description	<p>Hook provided to customize the PAY IN option in TD</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19052955

Parameter	Description
Function	FN_PAYINOUT_VALIDATE
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_PAYINOUT_VALIDATE
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	<p>Hook provided so that While opening TD account from</p> <p>Current account, cheque no. for the Pay-in account should be captured</p>

Description	<p>Hook provided so that While opening TD account from Current account, cheque no. for the Pay-in account should be captured</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23651887
Parameter	Description
Function	FN_PAYINOUT_VALIDATE
No of Parameters	6
Function Call Id	3
Cluster/Custom Function Name	FN_PAYINOUT_VALIDATE
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(i) I_Tb_Cluster_Data(OFFSET_XRATE)
Received from Extensible layer	I_Tb_Cluster_Data(OFFSET_XRATE)
Hook Description	Inline hook given in FN_PAYINOUT_VALIDATE for modification of OFFSET_XRATE
Description	<p>Inline hook given in FN_PAYINOUT_VALIDATE for modification of OFFSET_XRATE</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24931246

Parameter	Description
Function	FN_POPULATE_IC_DETAILS
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_POPULATE_IC_DETAILS
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that The user is be able to key in the tenor for a TD account

Description	<p>Hook provided so that The user is be able to key in the tenor for a TD account</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19069981

Parameter	Description
Function	FN_POPULATE_IC_DETAILS
No of Parameters	4
Function Call Id	2
Cluster/Custom Function Name	FN_POPULATE_IC_DETAILS
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that The user is be able to key in the tenor for a TD account
Description	<p>Hook provided so that The user is be able to key in the tenor for a TD account</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19069981

Parameter	Description
Function	FN_POPULATE_IC_DETAILS
No of Parameters	4
Function Call Id	3
Cluster/Custom Function Name	FN_POPULATE_IC_DETAILS
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that The user is be able to key in the tenor for a TD account

Description	<p>Hook provided so that The user is be able to key in the tenor for a TD account</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19069981

Parameter	Description
Function	FN_POPULATE_IC_DETAILS
No of Parameters	4
Function Call Id	4
Cluster/Custom Function Name	FN_POPULATE_IC_DETAILS
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that The user is be able to key in the tenor for a TD account
Description	<p>Hook provided so that The user is be able to key in the tenor for a TD account</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19069981

Parameter	Description
Function	FN_POPULATE_IC_DETAILS
No of Parameters	4
Function Call Id	5
Cluster/Custom Function Name	FN_POPULATE_IC_DETAILS
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that The user is be able to key in the tenor for a TD account

Description	<p>Hook provided so that The user is be able to key in the tenor for a TD account</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19069981

Parameter	Description
Function	FN_UPLOAD
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_UPLOAD
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that The user is be able to key in the tenor for a TD account
Description	<p>Hook provided so that The user is be able to key in the tenor for a TD account</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19069981

Parameter	Description
Function	FN_UPLOAD
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_UPLOAD
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that The user is be able to key in the tenor for a TD account

Description	<p>Hook provided so that The user is be able to key in the tenor for a TD account</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19069981

Parameter	Description
Function	FN_UPLOAD
No of Parameters	8
Function Call Id	3
Cluster/Custom Function Name	FN_UPLOAD
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that The user is be able to key in the tenor for a TD account
Description	<p>Hook provided so that The user is be able to key in the tenor for a TD account</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19069981

Parameter	Description
Function	FN_UPLOAD_IC_DETAILS
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_UPLOAD_IC_DETAILS
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to handle additional custom functionality for FN_UPLOAD_IC_DETAILS

Description	<p>Hook provided to handle additional custom functionality for FN_UPLOAD_IC_DETAILS</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24931246

Parameter	Description
Function	FN_VALIDATE_ATM_AC_NO
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_ATM_AC_NO
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that The ATM account number is defaulted to customer account generated when an account opening happens through web services
Description	<p>Hook provided so that The ATM account number is defaulted to customer account generated when an account opening happens through web services</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17304811

Parameter	Description
Function	FN_VALIDATE_IBAN
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_IBAN
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided so that IBAN Number need to be generated based on Banks Logic

Description	<p>Hook provided so that IBAN Number need to be generated based on Banks Logic</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17448540

Parameter	Description
Function	FN_VALIDATE_IBAN_ACC
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_IBAN_ACC
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to relax the IBAN format validation based on a parameter so that SVB will be able to store IBANs issued by its correspondent banks at an account level
Description	<p>Hook provided to relax the IBAN format validation based on a parameter so that SVB will be able to store IBANs issued by its correspondent banks at an account level</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17801280

Parameter	Description
Function	FN_VALIDATE_ITEMS
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_ITEMS
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided For NRE/NRO accounts so that currency is local currency. This is validated and prompt error if condition is not met.

Description	<p>Hook provided For NRE/NRO accounts so that currency is local currency. This is validated and prompt error if condition is not met.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18768977

Parameter	Description
Function	FN_VALIDATE_JOINT_ACCOUNT
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_JOINT_ACCOUNT
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided
Description	<p>Hook is provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18768994

Parameter	Description
Function	FN_VALIDATE_JOINT_HOLDERS
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_JOINT_HOLDERS
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(i)
Received from Extensible layer	I_Tb_Cluster_Data(l_cnt)
Hook Description	Hook is provided
Description	<p>Hook is provided</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23664536

Parameter	Description
Function	FN_VALIDATE_NOTICE_PREFERENCE

No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_NOTICE_PREFERENCE
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided for Maturity amount to be calculated for TD accounts during compute operation in STDCUSTD screen.
Description	<p>Hook provided for Maturity amount to be calculated for TD accounts during compute operation in STDCUSTD screen.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20684056

Parameter	Description
Function	FN_VALIDATE_RECORDS
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_RECORDS
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook provided to handle additional validations
Description	<p>Hook provided to handle additional validations</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24931246

Parameter	Description
Function	PR_CALC_MATURITY
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	PR_CALC_MATURITY
Additional parameters	I_Tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(I_total_amount)
Received from Extensible layer	None

Hook Description	Hook provided for Maturity amount to be calculated for TD accounts during compute operation in STDCUSTD screen.
Description	<p>Hook provided for Maturity amount to be calculated for TD accounts during compute operation in STDCUSTD screen.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20684056