

Gateway Documentation - Billing Service
Oracle FLEXCUBE Universal Banking Release 11.3.83.02.0
Release FCUBS_11.3.2.0.0LA
[April] [2014]



Table Of Contents

1. BACKGROUND	1
2. FCUBSBLService	2
2.1. QueryProduct	2
2.1.1. <i>BL-QueryProduct-Req-IO-MSG.xsd</i>	2
2.1.2. <i>BL-QueryProduct-Res-Full-MSG.xsd</i>	9

1.BACKGROUND

Integration of different applications and solutions is a key area in today's systems. A variety of specialized applications deployed on disparate platforms and using different infrastructure need to be able to communicate and integrate seamlessly with FLEXCUBE UBS in order to exchange data. The FLEXCUBE UBS Integration Gateway (referred to as Gateway) will cater to these integration needs.

The integration needs supported by the Gateway can be broadly categorized from the perspective of the Gateway as follows:

1. Inbound application integration – used when any external system needs to add, modify or query information within FLEXCUBE UBS

2. Outbound application integration– used when any external system needs to be notified of the various events that occur within FLEXCUBE UBS

The following sections provide detailed XSD documentation of all operations available in FCUBSBLService of Core-Module

2.FCUBSBLService

Billing ServiceBilling Service

2.1.QueryProduct

Query Product

2.1.1.BL-QueryProduct-Req-IO-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

PASSWORD

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Product-Details-IO

PRDCD

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nullable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description						
Name	BRANCH						
Datatype	String						
Description							
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>length</td><td>3</td></tr><tr><td>pattern</td><td>[a-zA-Z_0-9]{3}</td></tr></tbody></table>	Restrictions	Description	length	3	pattern	[a-zA-Z_0-9]{3}
	Restrictions	Description					
	length	3					
pattern	[a-zA-Z_0-9]{3}						

[TOP](#)

MODULEID

Attribute	Description						
Name	MODULEID						
Datatype	String						
Description							
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr><tr><td>nullable</td><td>true</td></tr></tbody></table>	Attribute	Description	minOccurs	0	nullable	true
	Attribute	Description					
	minOccurs	0					
nullable	true						

[TOP](#)

SERVICE

Attribute	Description				
Name	SERVICE				
Datatype	String				
Description					
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>nullable</td><td>true</td></tr></tbody></table>	Attribute	Description	nullable	true
	Attribute	Description			
nullable	true				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
	Restrictions	Description			
pattern	[a-zA-Z_0-9]*				

[TOP](#)

OPERATION

Attribute	Description				
Name	OPERATION				
Datatype	String				
Description					
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>nullable</td><td>true</td></tr></tbody></table>	Attribute	Description	nullable	true
	Attribute	Description			
nullable	true				
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
	Restrictions	Description			
pattern	[a-zA-Z_0-9]*				

[TOP](#)

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTIRIPID

Attribute	Description	
Name	MULTIRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+/*]*

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**PARAM**

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**NAME**

Attribute	Description	
Name	NAME	
Datatype	String	
Description		

[TOP](#)**VALUE**

Attribute	Description	
Name	VALUE	
Datatype	String	
Description		

[TOP](#)**FCUBS_BODY**

Attribute	Description	
Name	FCUBS_BODY	
Datatype		
Description	This XSD Gives Information about IO Request	

[TOP](#)**Product-Details-IO**

Attribute	Description	
Name	Product-Details-IO	
Datatype		
Description	Includes Billing Product Definition Query Input Only type details	

[TOP](#)**PRDCD**

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description	Indicates Product Code	
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)

2.1.2.BL-QueryProduct-Res-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

PASSWORD

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

CHOICE

Product-Details-IO

PRDCD

Product-Details-Full

PRDCD

PRDESC

PRDTP

PRDTPDESC

PRDSL

PRDGRP

PRDGRPDESC

PRDSTRDT

PRDENDDT

PRDRMRKS

BILLCYCLELIQMONTH

BILLCYCLEPERIODICITY

BILLDDPRDCATEG

BILLDUE

BILLINVOICEDAYS

BILLINVOICEFREQ
BILLLIQD
BILLLIQDGL
CLGPRODUCTCODE
RTLPRODUCTCODE
MAKER
MAKERSTAMP
CHECKER
CHECKERSTAMP
MODNO
TXNSTAT
AUTHSTAT
Accountclass-Details
ACCOUNTCLASS
CCY
OPEN
Charge-Details
CHGPRDCD
PRDDESC
Adjustment-Details
ADJCODE
ADJCODEDESC
ADJCODETYPE
ADJGL
Product-Events
CLASCD
CLASDESC
Event-Details
EVNTCD
EVENTDESC
Accounting-Entries
ACCRLCD
AMTTAG
DRCRINDICTR
TRNCD
NETINDICTR
MISHD
REVALPRGL
REVALLSGL
REVALRTCD
REVALTXNCD
HOLTREAT
REVALREQD
RATE_TYPE_INDICATOR

Advices

MSGTYP

DESC

GENTIME

SUPRS

PRIOR

CHGREQD

Role-To-Head-Mapping

CLASCD

CLASDESC

Mapping-Details

ACCTRL

ROLDESC

ACCTHD

GLDESC

Branch-Ccy-Restrictions

CCYLST

BRNLST

CLASCD

CLASDESC

Branch-List

BRNDISALLOW

BRNNAME

Ccy-List

BGTDLCCY

CCYNAME

Product-Fields

Field-Details

FLDNUM

FLDNAME

Product-Mis-Details

MISGRP

POOLCD

CSTCD1

CSTCD2

CSTCD4

CSTCD5

Default-Mis-Codes

MISCLS

MISCD

Product-Tax-Details

Tax-Scheme

SCHME

SCHEMEDESC

Transaction-Tax

COMP
STPASSN
TAXTYP
NETCONSINDI
CASHOUTFLWINDI
BORNBY
CONSPLUSMIN
SWFTQUAL
EVNTASSN
EVNTAPPLN
EVNTLIQDN
BASAMTTAG
DFLTRULE
RULEDESC
DFLTWAIV
ALLWRULAMND
AMNDAFTRASSN
ALLWAMTAMND
AMNDAFTRAPPLN
ENVNTDESC
APPLENVNTDESC
LIQENVNTDESC
DESC

Issuer-Tax

COMP
STPASSN
EVNTASSN
BASAMTTAG
DFLTRTCD
DFLTRTDESC
DFLTWAIV
ALWRTCDAMND
AMNDAFTRASSN
EVNTDESC
BASAMTTAGDESC

FCUBS_ERROR_RESP

ERROR
ECODE
EDESC

FCUBS_WARNING_RESP

WARNING
WCODE
WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description				
Name	SOURCE				
Datatype	String				
Description					
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*
Restrictions	Description				
pattern	[a-zA-Z_0-9]*				

[TOP](#)

UBSCOMP

Attribute	Description				
Name	UBSCOMP				
Datatype	String				
Description					
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>enumeration</td><td>FCUBS,FCIS</td></tr></tbody></table>	Restrictions	Description	enumeration	FCUBS,FCIS
Restrictions	Description				
enumeration	FCUBS,FCIS				

[TOP](#)

MSGID

Attribute	Description						
Name	MSGID						
Datatype	String						
Description							
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr><tr><td>nullable</td><td>true</td></tr></tbody></table>	Attribute	Description	minOccurs	0	nullable	true
Attribute	Description						
minOccurs	0						
nullable	true						
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*		
Restrictions	Description						
pattern	[a-zA-Z_0-9]*						

[TOP](#)

CORRELID

Attribute	Description						
Name	CORRELID						
Datatype	String						
Description							
Attributes	<table border="1"><thead><tr><th>Attribute</th><th>Description</th></tr></thead><tbody><tr><td>minOccurs</td><td>0</td></tr><tr><td>nullable</td><td>true</td></tr></tbody></table>	Attribute	Description	minOccurs	0	nullable	true
Attribute	Description						
minOccurs	0						
nullable	true						
Restrictions	<table border="1"><thead><tr><th>Restrictions</th><th>Description</th></tr></thead><tbody><tr><td>pattern</td><td>[a-zA-Z_0-9]*</td></tr></tbody></table>	Restrictions	Description	pattern	[a-zA-Z_0-9]*		
Restrictions	Description						
pattern	[a-zA-Z_0-9]*						

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		

Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description	
Name	SOURCE_OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z_0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

PASSWORD

Attribute	Description	
Name	PASSWORD	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	128
	pattern	[a-zA-Z_0-9=+]*

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	This XSD Gives Information about Full Response

[TOP](#)

CHOICE

Attribute	Description
-----------	-------------

Name	CHOICE
Datatype	
Description	

[TOP](#)

Product-Details-IO

Attribute	Description
Name	Product-Details-IO
Datatype	
Description	Includes Billing Product Definition Query Input Only type details

[TOP](#)

PRDCD

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description	Indicates Product Code	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)

Product-Details-Full

Attribute	Description
Name	Product-Details-Full
Datatype	
Description	Includes Billing Product Definition Query Full type details

[TOP](#)

PRDCD

Attribute	Description	
Name	PRDCD	
Datatype	String	
Description	Indicates Product Code	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)

PRDESC

Attribute	Description	
Name	PRDESC	
Datatype	String	
Description	Indicates Product Description	
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

PRDTYP

Attribute	Description	
Name	PRDTYP	
Datatype	String	
Description	Indicates Product Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

[TOP](#)

PRDTYPDESC

Attribute	Description	
Name	PRDTYPDESC	
Datatype	String	
Description	Indicates Product Type Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

PRDSLGL

Attribute	Description	
Name	PRDSLGL	
Datatype	String	
Description	Indicates Product Slogan	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

PRDGRP

Attribute	Description	
Name	PRDGRP	
Datatype	String	
Description	Indicates Product Group	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

PRDGRPDESC

Attribute		Description
Name	PRDGRPDESC	
Datatype	String	
Description	Indicates Product Group Description	
Attributes	Attribute	
	minOccurs	0
Restrictions	Restrictions	
	maxLength	105

PRDSTRTDT

Attribute		Description
Name	PRDSTRTDT	
Datatype	Date	
Description	Indicates Product Start Date	
Attributes	Attribute	
	minOccurs	0

PRDENDDT

Attribute		Description
Name	PRDENDDT	
Datatype	Date	
Description	Indicates Product End Date	
Attributes	Attribute	
	minOccurs	0

PRDRMRKS

Attribute		Description
Name	PRDRMRKS	
Datatype	String	
Description	Indicates Product Remarks	
Attributes	Attribute	
	minOccurs	0
Restrictions	Restrictions	
	maxLength	255

BILLCYCLELIQMONTH

Attribute		Description
Name	BILLCYCLELIQMONTH	
Datatype	String	

Description	Indicates Billing Cycle Liquidation Month January : 1 February : 2 March : 3 April : 4 May : 5 June : 6 July : 7 August : 8 September : 9 October : 10 November : 11 December : 12	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	1,2,3,4,5,6,7,8,9,10,11,12

[TOP](#)

BILLCYCLEPERIODICITY

Attribute	Description	
Name	BILLCYCLEPERIODICITY	
Datatype	String	
Description	Indicates Billing Cycle Periodicity Monthly : M Quarterly : Q Half Yearly : H Annually : Y	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,Q,H,Y

[TOP](#)

BILLDDPRODCATEG

Attribute	Description	
Name	BILLDDPRODCATEG	
Datatype	String	
Description	Indicates Demand Draft Product Category	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)

BILLDUE DAYS

Attribute	Description	
Name	BILLDUE DAYS	
Datatype	Number	
Description	Indicates Billing Due Days	
Attributes	Attribute	Description
	minOccurs	0

BILLINVOICEDAYS

Attribute	Description	
Name	BILLINVOICEDAYS	
Datatype	Number	
Description	Indicates Billing Invoice Days	
Attributes	Attribute	Description
	minOccurs	0

BILLINVOICEFREQ

Attribute	Description	
Name	BILLINVOICEFREQ	
Datatype	String	
Description	Indicates Invoice Details Adhoc : A Periodic : P	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,P

BILLLIQD

Attribute	Description	
Name	BILLLIQD	
Datatype	String	
Description	Indicates Billing Liquidation Auto : A Manual : M	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	A,M

BILLLIQDGL

Attribute	Description	
Name	BILLLIQDGL	
Datatype	String	
Description	Indicates Billing Liquidation General Ledger	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

CLGPRODUCTCODE

Attribute	Description	
Name	CLGPRODUCTCODE	
Datatype	String	
Description	Indicates Clearing Product Cpde	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

RTLPRODUCTCODE

Attribute	Description	
Name	RTLPRODUCTCODE	
Datatype	String	
Description	Indicates Retail Product Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker ID	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date Time:	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	25

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker ID	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date Time:	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	25

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Record Status	
	Open : O Closed : C	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description
Name	AUTHSTAT

Datatype	String	
Description	Indicates Authorization Status Authorized : A UnAuthorized : U	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Accountclass-Details

Attribute	Description	
Name	Accountclass-Details	
Datatype		
Description	Includes Account Class details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ACCOUNTCLASS

Attribute	Description	
Name	ACCOUNTCLASS	
Datatype	String	
Description	Indicates Account Class	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

CCY

Attribute	Description	
Name	CCY	
Datatype	String	
Description	Indicates Currency	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

OPEN

Attribute	Description	
Name	OPEN	
Datatype	String	

Description	Indicates Open Y for Yes; N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Charge-Details

Attribute	Description	
Name	Charge-Details	
Datatype		
Description	Includes Charge details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

CHGPRDCD

Attribute	Description	
Name	CHGPRDCD	
Datatype	String	
Description	Indicates Charge Product Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)

PRDDESC

Attribute	Description	
Name	PRDDESC	
Datatype	String	
Description	Indicates Product Description	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Adjustment-Details

Attribute	Description	
Name	Adjustment-Details	
Datatype		
Description	Includes Adjustment details	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ADJCODE

Attribute	Description	
Name	ADJCODE	
Datatype	String	
Description	Indicates Adjustment Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)

ADJCODEDESC

Attribute	Description	
Name	ADJCODEDESC	
Datatype	String	
Description	Indicates Adjustment Code Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ADJCODETYPE

Attribute	Description	
Name	ADJCODETYPE	
Datatype	String	
Description	Indicates Adjustment Type Positive : P Negative : N	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	P,N

[TOP](#)

ADJGL

Attribute	Description	
Name	ADJGL	
Datatype	String	
Description	Indicates Income/Expense General Ledger	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

Product-Events

Attribute	Description	
Name	Product-Events	
Datatype		
Description	Includes Billing Product Events details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description	Indicates Class Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CLASDESC

Attribute	Description	
Name	CLASDESC	
Datatype	String	
Description	Indicates Class Code Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Event-Details

Attribute	Description	
Name	Event-Details	
Datatype		
Description	Indicates Event Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

EVNTCD

Attribute	Description
------------------	--------------------

Name	EVNTCD	
Datatype	String	
Description	Indicates the event code.	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

EVENTDESC

Attribute	Description	
Name	EVENTDESC	
Datatype	String	
Description	Indicates the Event Description.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Accounting-Entries

Attribute	Description	
Name	Accounting-Entries	
Datatype		
Description	Accounting Entry Details for Events	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ACCRLCD

Attribute	Description	
Name	ACCRLCD	
Datatype	String	
Description	Indicates the Role code.	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

AMTTAG

Attribute	Description	
Name	AMTTAG	
Datatype	String	
Description	Indicates amount tag.	
Attributes	Attribute	Description
	minOccurs	1

Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

DRCRINDICTR

Attribute	Description	
Name	DRCRINDICTR	
Datatype	String	
Description	Indicates debit or credit.	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	enumeration	D,C

[TOP](#)

TRNCD

Attribute	Description	
Name	TRNCD	
Datatype	String	
Description	Indicates transaction code.	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

NETINDICTR

Attribute	Description	
Name	NETINDICTR	
Datatype	String	
Description	Indicates netting indicator.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

MISHD

Attribute	Description	
Name	MISHD	
Datatype	String	
Description	Indicates MIS head.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

REVALPRGL

Attribute	Description	
Name	REVALPRGL	
Datatype	String	
Description	Indicates reval profit GL.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

REVALLSGL

Attribute	Description	
Name	REVALLSGL	
Datatype	String	
Description	Indicates reval loss GL	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

REVALRTCD

Attribute	Description	
Name	REVALRTCD	
Datatype	String	
Description	Indicates reval rate code.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	8

REVALTXNCD

Attribute	Description	
Name	REVALTXNCD	
Datatype	String	
Description	Indicates reval transaction code.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

HOLTREAT

Attribute	Description	
Name	HOLTREAT	
Datatype	String	
Description	Indicates holiday treatment.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

REVALREQD

Attribute	Description	
Name	REVALREQD	
Datatype	String	
Description	Indicates reval Required	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

RATE_TYPE_INDICATOR

Attribute	Description	
Name	RATE_TYPE_INDICATOR	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	M,B,S,

[TOP](#)

Advices

Attribute	Description	
Name	Advices	
Datatype		
Description	Indicates Event Advices	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

MSGTYP

Attribute	Description
Name	MSGTYP
Datatype	String

Description	Indicates the message type.	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	15

[TOP](#)

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description	Specifies the message description.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

GENTIME

Attribute	Description	
Name	GENTIME	
Datatype	String	
Description	Indicates generation time.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	I,A

[TOP](#)

SUPRS

Attribute	Description	
Name	SUPRS	
Datatype	String	
Description	Indicates if any of the advices are not applicable to the contract, Then it can be suppressed.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

PRIOR

Attribute	Description	
Name	PRIOR	
Datatype	Number	
Description	Indicates priority.	

Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CHGREQD

Attribute	Description	
Name	CHGREQD	
Datatype	String	
Description	Indicates charges required.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

Role-To-Head-Mapping

Attribute	Description	
Name	Role-To-Head-Mapping	
Datatype		
Description	Includes Role to Head Mapping details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description	Indicates Class Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

CLASDESC

Attribute	Description	
Name	CLASDESC	
Datatype	String	
Description	Indicates Class Code Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Mapping-Details

Attribute	Description	
Name	Mapping-Details	
Datatype		
Description	Includes Mapping details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ACCTRL

Attribute	Description	
Name	ACCTRL	
Datatype	String	
Description	Indicates accounting role.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	20

[TOP](#)

ROLDESC

Attribute	Description	
Name	ROLDESC	
Datatype	String	
Description	Indicates role description.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

ACCTHD

Attribute	Description	
Name	ACCTHD	
Datatype	String	
Description	Indicates account head	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

GLDESC

Attribute	Description	
Name	GLDESC	
Datatype	String	

Description	Indicates GL description.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Branch-Ccy-Restrictions

Attribute	Description	
Name	Branch-Ccy-Restrictions	
Datatype		
Description	Includes Branch Currency Restrictions details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

CCYLST

Attribute	Description	
Name	CCYLST	
Datatype	String	
Description	Indicates Currency Restrictions .	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,A

[TOP](#)

BRNLST

Attribute	Description	
Name	BRNLST	
Datatype	String	
Description	Indicates Branch Restrictions	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	D,A

[TOP](#)

CLASCD

Attribute	Description	
Name	CLASCD	
Datatype	String	
Description	Indicates Class Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

CLASDESC

Attribute	Description	
Name	CLASDESC	
Datatype	String	
Description	Indicates Class Code Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

Branch-List

Attribute	Description	
Name	Branch-List	
Datatype		
Description	Indicates Branch List Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

BRNDISALLOW

Attribute	Description	
Name	BRNDISALLOW	
Datatype	String	
Description	Indicates Branch Disallowed	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

BRNNAME

Attribute	Description	
Name	BRNNAME	
Datatype	String	
Description	Indicates Branch Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

Ccy-List

Attribute	Description
-----------	-------------

Name	Ccy-List	
Datatype		
Description	Indicates Currency List Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

BGTDLCCY

Attribute	Description	
Name	BGTDLCCY	
Datatype	String	
Description	Indicates Currency.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

CCYNAME

Attribute	Description	
Name	CCYNAME	
Datatype	String	
Description	Indicates Currency name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

Product-Fields

Attribute	Description	
Name	Product-Fields	
Datatype		
Description	Includes Product Fields details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Field-Details

Attribute	Description	
Name	Field-Details	
Datatype		
Description	Indicates Field Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)**FLDNUM**

Attribute	Description	
Name	FLDNUM	
Datatype	Number	
Description	Indicates Field Number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**FLDNAME**

Attribute	Description	
Name	FLDNAME	
Datatype	String	
Description	Indicates Field Name	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)**Product-Mis-Details**

Attribute	Description	
Name	Product-Mis-Details	
Datatype		
Description	Includes Product MIS details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)**MISGRP**

Attribute	Description	
Name	MISGRP	
Datatype	String	
Description	Indicates MIS group.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)**POOLCD**

Attribute	Description	
Name	POOLCD	
Datatype	String	
Description	Indicates Pool Code.	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

CSTCD1

Attribute	Description	
Name	CSTCD1	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

CSTCD2

Attribute	Description	
Name	CSTCD2	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

CSTCD4

Attribute	Description	
Name	CSTCD4	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

CSTCD5

Attribute	Description	
Name	CSTCD5	
Datatype	String	
Description	Indicates Cost Code.	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	9

[TOP](#)

Default-Mis-Codes

Attribute	Description	
Name	Default-Mis-Codes	
Datatype		
Description	Indicates Default MIS Codes	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

MISCLS

Attribute	Description	
Name	MISCLS	
Datatype	String	
Description	Indicates MIS class.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	100

[TOP](#)

MISCD

Attribute	Description	
Name	MISCD	
Datatype	String	
Description	Indicates MIS code.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

Product-Tax-Details

Attribute	Description	
Name	Product-Tax-Details	
Datatype		
Description	Includes Product Tax details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

Tax-Scheme

Attribute	Description
------------------	--------------------

Name	Tax-Scheme	
Datatype		
Description	Includes Tax Scheme details	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SCHME

Attribute	Description	
Name	SCHME	
Datatype	String	
Description	Indicates Scheme	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

SCHEMEDESC

Attribute	Description	
Name	SCHEMEDESC	
Datatype	String	
Description	Indicates Scheme Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

Transaction-Tax

Attribute	Description	
Name	Transaction-Tax	
Datatype		
Description	Includes Transaction Tax details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

COMP

Attribute	Description	
Name	COMP	
Datatype	String	
Description	Indicates Component	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	10

STPASSN

Attribute	Description	
Name	STPASSN	
Datatype	String	
Description	Indicates Stop Association Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

TAXTYP

Attribute	Description	
Name	TAXTYP	
Datatype	String	
Description	Indicates Tax Type Withholding : W Others : O	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,W,O

NETCONSINDI

Attribute	Description	
Name	NETCONSINDI	
Datatype	String	
Description	Indicates Net Consideration Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

CASHOUTFLWINDI

Attribute	Description	
Name	CASHOUTFLWINDI	
Datatype	String	
Description	Indicates Cast Outflow Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

BORNBY

Attribute	Description	
Name	BORNBY	
Datatype	String	
Description	Indicates Borne By Bank : B Customer: C	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,B,C

CONSPLUSMIN

Attribute	Description	
Name	CONSPLUSMIN	
Datatype	String	
Description	Indicates Add/Subtract Add : A Subtract : S	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	,A,S

SWFTQUAL

Attribute	Description	
Name	SWFTQUAL	
Datatype	String	
Description	Indicates Swift Qualifier	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

EVNTASSN

Attribute	Description	
Name	EVNTASSN	
Datatype	String	
Description	Indicates Event For Association	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

EVNTAPPLN

Attribute	Description	
Name	EVNTAPPLN	
Datatype	String	
Description	Indicates Event for Application	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

EVNTLIQDN

Attribute	Description	
Name	EVNTLIQDN	
Datatype	String	
Description	Indicates Event For Liquidation	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

BASAMTTAG

Attribute	Description	
Name	BASAMTTAG	
Datatype	String	
Description	Indicates Basis Amount Tag	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	25

DFLTRULE

Attribute	Description	
Name	DFLTRULE	
Datatype	String	
Description	Indicates Default Rule	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	6

RULEDESC

Attribute	Description	
Name	RULEDESC	
Datatype	String	
Description	Indicates Rule Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

DFLTWAIV

Attribute	Description	
Name	DFLTWAIV	
Datatype	String	
Description	Indicates Default Waiver Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

ALLWRULAMND

Attribute	Description	
Name	ALLWRULAMND	
Datatype	String	
Description	Indicates Allow Rule Amendment Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AMNDAFTRASSN

Attribute	Description	
Name	AMNDAFTRASSN	
Datatype	String	
Description	Indicates Allow After Association Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

ALLWAMTAMND

Attribute	Description	
Name	ALLWAMTAMND	
Datatype	String	
Description	Indicates Allow Amount Amendment Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AMNDAFTRAPPLN

Attribute	Description	
Name	AMNDAFTRAPPLN	
Datatype	String	
Description	Indicates Amend After Application Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

ENVNTDESC

Attribute	Description	
Name	ENVNTDESC	
Datatype	String	
Description	Indicates Event Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

APPLENVNTDESC

Attribute	Description	
Name	APPLENVNTDESC	
Datatype	String	
Description	Indicates Application Event Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

LIQENVNTDESC

Attribute	Description	
Name	LIQENVNTDESC	
Datatype	String	
Description	Indicates Liquidation Event Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

DESC

Attribute	Description	
Name	DESC	
Datatype	String	
Description	Specifies the message description.	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

Issuer-Tax

Attribute	Description	
Name	Issuer-Tax	
Datatype		
Description	Includes Issuer Tax details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

COMP

Attribute	Description	
Name	COMP	
Datatype	String	
Description	Indicates Component	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

STPASSN

Attribute	Description	
Name	STPASSN	
Datatype	String	

Description	Indicates Stop Association Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

EVNTASSN

Attribute	Description	
Name	EVNTASSN	
Datatype	String	
Description	Indicates Event For Association	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	4

[TOP](#)

BASAMTTAG

Attribute	Description	
Name	BASAMTTAG	
Datatype	String	
Description	Indicates Basis Amount Tag	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	25

[TOP](#)

DFLTRTCD

Attribute	Description	
Name	DFLTRTCD	
Datatype	String	
Description	Indicates Default Rate Code	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	10

[TOP](#)

DFLTRTDESC

Attribute	Description	
Name	DFLTRTDESC	
Datatype	String	
Description	Indicates Default Rate Code Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	105

[TOP](#)

DFLTWAIV

Attribute	Description	
Name	DFLTWAIV	
Datatype	String	
Description	Indicates Default Waiver Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

ALWRTCDAMND

Attribute	Description	
Name	ALWRTCDAMND	
Datatype	String	
Description	Indicates Allow Rate Code Amendment Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AMNDAFTRASSN

Attribute	Description	
Name	AMNDAFTRASSN	
Datatype	String	
Description	Indicates Allow After Association Y for Yes;N for No	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

EVNTDESC

Attribute	Description	
Name	EVNTDESC	
Datatype	String	
Description	Indicates Event Description	

Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

BASAMTTAGDESC

Attribute	Description	
Name	BASAMTTAGDESC	
Datatype	String	
Description	Indicates Basis Amount Tag Description	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	255

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description	Includes FCUBS Error Response details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description	
Name	ECODE	
Datatype	String	
Description		

[TOP](#)

EDESC

Attribute	Description	
Name	EDESC	
Datatype	String	

Description	
-------------	--

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description	Includes FCUBS Warning Response details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description	
Name	WARNING	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)



Billing Service
[April] [2014]

Oracle Financial Services software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2013], [2014], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any

kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.