Oracle® Communications Tekelec Platform PM&C Incremental Upgrade

Release 6.3

E81910 Revision 01

December 2016



Upgrade Procedure

Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

CAUTION: Use only the Upgrade procedure included in the Upgrade Kit.

Before upgrading any system, please access My Oracle Support (MOS) (https://support.oracle.com) and review any MOS Notes that relate to this upgrade.

My Oracle Support (MOS) (https://support.oracle.com) is your initial point of contact for all product support and training needs. A representative at Customer Access Support (CAS) can assist you with MOS registration. Call the CAS main number at 1-800-223-1711 (toll-free in the US), or call the Oracle Support hotline for your local country from the list at http://www.oracle.com/us/support/contact/index.html. See more information on MOS in the Appendix section.

Table of Contents

1			ON	
	1.1 P	Purpose	and Scope	7
			cle Support	
	1.3 S	Softwar	e Release Numbering	7
			y	
			nendations	
	1.6 S	Support	ed Browsers and Versions	9
	1.7 P	PM&C F	Release Upgrade Paths	9
2	GENER	RAL DE	SCRIPTION	10
3	UPGR/	ADE O	/ERVIEW	11
	3.1 R	Require	d Materials	11
	3.2 L	ogins,	Passwords and Server IP Addresses	12
	3.3 A	Applicat	ion ISO Image File/Media	13
	3.4 P	re-Upg	grade Overview	13
	3.5 L	Jpgrade	Execution Overview	14
			grade Overview	
			(reject) Procedure Overview	
	3.8 L	.og File	S	15
4	UPGR/	ADE PE	REPARATION	16
	4.1 H	lardwa	re Upgrade Preparation	16
	4.2 S	Softwar	e Upgrade Preparations	16
5	SOFTV	VARE (JPGRADE PROCEDURES	23
	5.1 S	Softwar	e Upgrade Execution on the Primary PM&C	23
			e Upgrade Completion on the Primary PM&C	
			e Upgrade Acceptance and Cleanup on the Primary PM&C	
			e Upgrade Execution on the Redundant PM&C	
			e Upgrade Completion on the Redundant PM&C	
	5.6 S	Softwar	e Upgrade Acceptance and Cleanup on the Redundant PM&C	105
6			PROCEDURES	
	6.1 B	Backout	t (reject) Setup Procedures	110
	6.2 R	Recove	ry Procedures	110
ΑP	PENDIX	Α.	ACCESSING THE PM&C TVOE HOST CONSOLE	115
ΑP	PENDIX	В.	ACCESSING THE PM&C GUEST CONSOLE	116
ΑP	PENDIX	C.	PM&C SYSTEM HEALTH CHECK	117
ΑP	PENDIX	D.	PM&C SYSTEM BACKUP	119
ΑP	PENDIX	Ε.	PM&C SYSTEM BACKUP TO REDUNDANT PM&C	120
ΑP	PENDIX	F.	DETERMINE THE CURRENT PM&C VERSION	121
ΑP	PENDIX	G.	DETERMINE IF PM&C TVOE HOST REQUIRES UPGRADE	122

Upgrade Procedure PM&C Increment					
APPENDIX H.	SHUTDOWN PM&C GUEST	125			
APPENDIX I.	UPGRADE DEVICES FOR 7.2 NETCONFIG	127			
APPENDIX J.	LOCATE PRODUCT DOCUMENTATION ON THE ORACLE HELP CEN	TER SITE 130			
List of Figure	s				
Figure 1. Upgrad	e Process	10			
List of Tables	•				
	/ed Internet Browsers and Versions				
	e Upgrade Required Data				
Table 3. Sultware	rode Procedure	IZ			
Table 4. Pie-Upg	rade Procedure	14			
Table 5. Opgrade	Execution Overviewgrade Overview	14			
	Procedure Overview				
List of Proced	dures				
Procedure 1. Ver	ifying Pre-Upgrade Requirements and Capturing Upgrade Data	16			
	ecute the Health check Procedure on the primary PM&C				
	pare the primary PM&C for a remote upgrade (optional)				
	eck/Modify OA Power Supply Redundancy				
	kup OA configuration to PM&C				
	ecute the Health check Procedure for the redundant PM&C				
	pare the redundant PM&C for a remote upgrade (optional)				
Procedure 8. Backup PM&C database data to redundant PM&C (optional)					
Procedure 9 PM8	&C Upgrade Procedure on the primary PM&C	23			
	ost Upgrade Verification on the primary PM&C				
	ost Upgrade Procedure to Enable PM&C Virtual Watchdog				
	ost Upgrade Procedure to Edit PM&C NUMA Tuning				
	ost Upgrade Configuration for netConfig				
	ost Upgrade Configuration of larger PM&C ISO Image Repository area.				
	st Upgrade NetBackup Configuration				
	ost Upgrade Configuration of larger PM&C temporary ISO import area				
	ost Upgrade PM&C backup				
Dropodure 17. FC	oftware Upgrade Acceptance on the primary PM&C	07			
Procedure 10. 30	ost Upgrade Cleanup of Upgrade Media	00			
Drocedure 20 DM	M&C Upgrade Procedure on the redundant PM&C	1			
	ost Upgrade Verification on the redundant PM&C				
	ost Upgrade Procedure to Enable redundant PM&CWatchdog				
	ost Upgrade Procedure to Edit redundant PM&C NUMA Tuning				
	ost Upgrade Configuration of larger redundant PM&C ISO Image Repo				
	ost Upgrade Configuration of larger redundant PM&C temporary ISO in				
Procedure 26. Po	ost Upgrade Acceptance on the redundant PM&C	105			

PM&C	Incremental	Upgrade
------	-------------	---------

Upgrade Procedure

Procedure 27. Post Upgrade Cleanup of Upgrade Media	108
Procedure 28. PM&C Backout(reject) Procedure	110
Procedure 29. Accessing the PM&C 5.7, 6.0, 6.2 or 6.3 TVOE Host Console	115
Procedure 30. Accessing the PM&C 5.7, 6.0, 6.2 or 6.3 Guest console	116
Procedure 31. PM&C 5.7, 6.0, 6.2 or 6.3 System Health Check	117
Procedure 32. Primary PM&C 5.7,6.0, 6.2 or 6.3 backup	119
Procedure 33. PM&C 5.7, 6.0, 6.2 or 6.3 backup to redundant PM&C	120
Procedure 34. Determine the current PM&C version	121
Procedure 35. Determine if PM&C 5.7, 6.0, 6.2 or 6.3 TVOE host requires upgrade	122
Procedure 36. Upgrade the PM&C 5.7, 6.0, 6.2 or 6.3 TVOE host	
Procedure 37. Shutdown the PM&C 5.7, 6.0, 6.2 or 6.3 Guest	125
Procedure 38. Post Upgrade Configuration of netConfig baseline level set for switch configurations.	127

Upgrade Procedure

PM&C Incremental Upgrade

Important Notices



CAUTION: Use only the procedure downloaded from the Oracle Help Center (OHC) site (See Appendix J).

Before beginning this procedure, contact Oracle Support to inform them of your upgrade plans.

1 Introduction

PM&C is an application that provides platform-level (as opposed to application-level) management functionality for various hardware platforms and virtual environments. PM&C provides the capability to manage and provision platform components to enable the system to host applications and appropriately provision platform components for specific solution configurations.

1.1 Purpose and Scope

This document describes methods utilized and procedures executed to perform a software upgrade on an in-service PM&C application to a 6.3 software release, from software releases identified in section 1.7.

1.2 My Oracle Support

Web portal (preferred option): My Oracle Support (MOS) at https://support.oracle.com/

Phone: +1.800.223.1711 (toll-free in the US),

Or retrieve your local hotline from Oracle Global Customer Support Center at http://www.oracle.com/us/support/contact/index.html

Make the following selections on the Support telephone menu:

Select 2 for New Service Request

Then select 3 for Hardware, Networking, and Solaris Operating System Support

Then either

• Select 1 for Technical Issues,

When talking to the agent, please indicate that you are an existing Tekelec customer.

Note: Oracle support personnel performing installations or upgrades on a customer site must obtain the customer Support Identification (SI) number prior to seeking assistance.

OR

• Select **2** for **Non-Technical Issues**, for example, for My Oracle Support (MOS) registration. When talking to the agent, mention that you are a Tekelec customer new to MOS.

1.3 Software Release Numbering

Refer to the Product Release Notes or other appropriate document with the most recent build numbers.

1.4 Glossary

This section lists terms and acronyms specific to this document.

Table 1. Glossary

Acronym/Term	Definition
DHCP	Dynamic Host Configuration Protocol
OSDC	Oracle Software Delivery Cloud
External Media	USB containing a software image

Table 1. Glossary

Acronym/Term	Definition		
HP c-Class	HP blade server offering		
IPM	Initial Product Manufacturing		
RMS	Rack Mount Server		
Management Server	An HP RMS or Oracle RMS that has physical connectivity required to configure switches and may host the PM&C application or serve other configuration purposes.		
NetBackup Feature	Feature that provides support of the Symantec NetBackup client utility on an application server.		
Redundant Management Server	A Management Server but is not initialized. Ensures a decrease in outage for PM&C Disaster Recovery.		
OS	Operating System (e.g. TPD or TVOE)		
PM&C	Platform Management and Configuration application, resides on a guest		
PM&C guest	The virtual machine hosting the PM&C application.		
PM&C TVOE host	The TVOE host that contains the PM&C guest		
Redundant PM&C	A secondary PM&C guest that is not initialized. Ensures a decreased outage for PM&C Disaster Recovery		
TPD	Tekelec Platform Distribution		
TVOE	Tekelec Virtual Operating Environment		
TVOE Host	The host (physical machine) capable of hosting virtual machines (guests such as PM&C).		
Accept	This process formally accepts the upgrade. This action removes the ability to backout to the previous release.		
Reject (Backout)	The process to take a system back to a Source Release prior to completion of upgrade to Target release.		
Incremental upgrade	An upgrade that takes a target system from any given release to another release but not necessarily from the shipping baseline to the target release.		
Non-preserving upgrade	"Upgrade" that does not adhere to the standard goals of software upgrade methodology. The outcome of the execution is that the system is running on the Target Release; however the Source Release database is not preserved.		
Downgrade	The process to take a system from a Target Release back to a Source Release including preservation of databases and system configuration.		
Source release	Software release to upgrade from.		
Target release	Software release to upgrade to.		
Software Centric	A term used to differentiate between customers buying both hardware and software from Oracle, and customers buying only software.		

Table 1. Glossary

Acronym/Term	Definition
NUMA	Non-Uniform Memory Access

1.5 Recommendations

Never attempt an upgrade of the PM&C application when the server on which it is running is unhealthy. Follow the preupgrade procedures for testing system health, and do not proceed with upgrade if any non-normal conditions are shown.

Upgrade of the PM&C application should be done prior to an upgrade of any other application, with the exception of the TVOE hosting the PM&C guest. The application release notes should indicate which release of PM&C (and TVOE) is required.

Prior to upgrading the PM&C TVOE host and PM&C guest, the Management Server should have its firmware upgraded using the HP Firmware Upgrade Pack (HP FUP) or Oracle Firmware Upgrade Pack (Oracle FUP) specified by the application being upgraded. Otherwise, if the PM&C is being upgraded by itself outside of a larger application upgrade, ensure that the Management Server has been upgraded to the minimum HP FUP or Oracle FUP or newer for the platform that the PM&C release is based on. For PM&C 6.3, the minimums are HP FUP 2.2.10 and Oracle FUP 3.1.6. Use the Upgrade Procedures and Release Notes documents contained in the Firmware Upgrade Packs to assess whether a firmware upgrade is necessary.

1.6 Supported Browsers and Versions

Table 2. Supported Internet Browsers and Versions

Product Release	Supported Browsers	Versions
PM&C 5.7 release	Microsoft® Internet Explorer	7.0, 8.0, or 9.0
PM&C 6.0 release	Microsoft® Internet Explorer	8.0, 9.0, or 10.0
PM&C 6.2 release	Microsoft® Internet Explorer	9.0, 10.0, or 11.0
PM&C 6.3 release	Microsoft® Internet Explorer	9.0, 10.0, or 11.0

1.7 PM&C Release Upgrade Paths

The upgrade to PM&C release 6.3 is supported from the following releases:


- PM&C 5.7
- PM&C 6.0
- PM&C 6.2
- PM&C 6.3

2 General Description

This document defines the step-by-step actions performed to execute a software upgrade of an in-service PM&C application from the source release to the target release.

The figure below shows the general steps for all processes of performing a software upgrade, from hardware inventory to final upgrade health check of the primary PM&C application. If the system is configured with a Redundant Management Server, and Redundant PM&C guest, the process is modified to perform pre-upgrade steps to verify requirements. Additionally, the redundant PM&C guest is upgraded subsequent to the primary PM&C guest.

Figure 1. Upgrade Process



3 Upgrade Overview

This section provides a brief overview of the recommended method for upgrading the PM&C Source Release software that is installed and running on a server to the Target Release PM&C software. The basic upgrade process and approximate time required is outlined in Table 4, Table 5 and Table 6, with the Reject procedure shown in Table 7.

It is assumed that the upgrade is coordinated to ensure that all work is performed within the four-hour maintenance window. Note that several variables affect the upgrade times shown in the tables – the elapsed time values shown are lab environment estimates and will vary on live systems.

Please note, this document contains several references to a redundant Management Server and/or redundant PM&C. The procedures and steps associated with the redundant PM&C are only applicable if the site has a redundant PM&C deployed. These procedures and steps can be safely skipped if redundant PM&C is not deployed.

Also note that after the successful completion of the upgrade, all active GUI Session are automatically forced out if they remained active during the upgrade. Users will be required to log back in with proper credentials as necessary.

**** WARNING ****

Call Oracle Customer Support prior to executing this upgrade to ensure that the proper media are available for use.

Before upgrade, users must complete section 4.2 Software Upgrade Preparations to ensure that the system to be upgraded is in an upgrade-ready state. Performing the system health check determines which alarms are present in the system and if upgrade can proceed with alarms.

Please read the following notes on upgrade procedures:

- Procedure completion times shown here are estimates. Times may vary due to differences in database size, user experience, and user preparation.
- Where possible, EXACT command response outputs are shown. EXCEPTIONS are as follows:
 - Banner information is displayed in a format form only.
 - O System-specific configuration information such as hostname, filenames, and IP addresses.
 - o ANY information marked with "XXXX" or "YYYY." Where appropriate, instructions are provided to determine what output should be expected in place of "XXXX or YYYY"
- After completing each step and at each point where data is recorded from the screen, the technician performing the upgrade must initial each step. A check box should be provided.
- Captured data is required for future support reference if Oracle Technical Services is not present during the upgrade.

3.1 Required Materials

- 1. Information gathered and captured in Table 3. Software Upgrade Required Data
- 2. The media for the version of PM&C that you are upgrading from
- 3. The media for the version of PM&C that you are upgrading to
- 4. The media and documentation for the version of TVOE that you are upgrading from
- 5. The media and documentation for the version of TVOE that you are upgrading to
- 6. HP Solutions Firmware Upgrade Pack (HP FUP version specified by the application, otherwise HP FUP 2.2.10 is the minimum and the current version is recommended)
- 7. Oracle Communications Tekelec Platform Configuration Guide, PM&C 6.3,E80301-01, Current Revision

- 8. Platform 7.2 Configuration Guide, E64363, Current Version
- 9. Platform 7.0 Configuration Guide, E53486, Current Version
- 10. Platform 6.7 Configuration Guide, E54386, Current Version
- 11. Platform 6.0 Configuration Reference, 909-2209-001, Current Version
- 12. TVOE 3.3 Software Upgrade, E80323, Current Version
- 13. TVOE 3.0 Software Upgrade, E53018, Current Version
- 14. TVOE 2.7 Software Upgrade, E54523, Current Version
- 15. Oracle Firmware Upgrade Pack, Release Notes (Oracle FUP version specified by the application, otherwise Oracle FUP 3.1.5 is the minimum and the current version is recommended)
- 16. Oracle Firmware Upgrade Pack, Upgrade Guide (Oracle FUP version specified by the application, otherwise Oracle FUP 3.1.5 is the minimum and the current version is recommended)
- 17. HP Solutions Firmware Upgrade Pack, Software Centric Release Notes (HP FUP version specified by the application, otherwise HP FUP 2.2.10 is the minimum and the current version is recommended)
- 18. Application Release Notes
- 19. Network access to the PM&C TVOE host iLO/ILOM.
- 20. Capability to log into the PM&C guest via a network connection to allow remote access for Oracle Customer Service personnel.
- 21. Capability to log into the PM&C's web UI via supported web browsers.
- 22. Terminal device or equivalent interface.

3.2 Logins, Passwords and Server IP Addresses

Obtain all the information in the following table. This ensures that the necessary administration information is available prior to an upgrade.

Consider the sensitivity of the information recorded in this table. While all of the information in the table may be required to complete the upgrade, there may be security policies in place that prevent the actual recording of this information in hard-copy form.

Table 3. Software Upgrade Required Data

Subject/Attribute	Value
PM&C TVOE host User IDs/password (root user)	
PM&C TVOE host Network addresses (TVOE IP address)	
PM&C Guest Name	
PM&C User IDs/password (root user)	
PM&C Network addresses (PM&C IP address)	

PM&C GUI administrator account login credentials	
Platform User IDs/password (admusr)	
OA administrator account login credentials	
iLO/ILOM login credentials	

NOTE: Upon completion of the upgrade to PM&C 6.2 or later, the GUI administrative user formerly known as "pmacadmin" will become "guiadmin". This is only a renaming of the standard administrative account, not a different account; the account access privileges will be retained from the "pmacadmin" account.

3.3 Application ISO Image File/Media

The Target Release ISO image file must already be at the customer site; either via OSDC or delivered on physical media.

This file is necessary to perform the upgrade.

 The PM&C application ISO image file for PM&C 6.3 will be in the following format: PMAC-6.3..0.0.0.x_63.y.z-x86_64.iso

Note: Prior to the execution of this upgrade procedure it is assumed that the PM&C application ISO image file has already been delivered to the customer's premises and any user performing the upgrade must have access to the ISO image file. Alternatively, if the user performing the upgrade is at a remote location, it is assumed the ISO file is already available to them before starting the upgrade procedure. The distribution of the PM&C application software load is outside the scope of this procedure.

3.4 Pre-Upgrade Overview

The pre-upgrade procedures shown in Table 4 may be executed outside of the maintenance window.

Pre-upgrade health check should be run 24 to 72 hours before the scheduled upgrade. If the system fails the health check, then the failure conditions must be corrected and upgrade rescheduled for a later date.

In addition to the running the system health check 24 to 72 hours before the scheduled upgrade, the system health check should also be executed immediately before the upgrade, to ensure that the system has no error or failure conditions that would interfere with a successful upgrade.

Note: If a Redundant Management server is configured in this system, the pre-upgrade health check should be run on the PM&C application running on the Redundant Management system. The PM&C application running on the Redundant Management server is not initialized and does not require database backups

Table 4. Pre-Upgrade Procedure

Elapsed Time (Hrs:Min)		Downtime (Hrs:Min)		Activity	Immed	
This Step	Cum.	This Step	Cum.	Activity	Impact	
10	10	-	-	Perform System Health check (Refer to section 4)	Do not proceed with upgrade if system health check shows any problems with PM&C system.	
15	25			Backup PM&C provision and configuration databases.	PM&C provision and configuration databases are backed up.	

3.5 Upgrade Execution Overview

The procedures shown in Table 5 are executed in the maintenance window.

Table 5. Upgrade Execution Overview

Elapsed Time (Hrs:Min)		Downtime (Hrs:Min)		Activity	Impact
This Step	Cum.	This Step	Cum.	Activity	Impact
40	65	40	40	Execute the upgrade on PM&C	PM&C Software is upgraded

3.6 Post Upgrade Overview

The procedures shown in Table 6 are executed in the maintenance window.

Table 6. Post-Upgrade Overview

	Elapsed Time (Hrs:Min)		me in)	Antivity	In the section of the
This Step	Cum.	This Step	Cum.	Activity	Impact
10	75	10	50	Perform System Health check	Notify Oracle Customer Support if system health check shows any problems with PM&C system. Backout may be necessary.
10	85			Configuration of netConfig Repository (execution is conditional)	The elapsed time assumes one switch pair. This step can take an additional 10 min per switch pair.
15	100	15	65	Configuration of larger PM&C ISO Image Repository area (optional).	Ensures the PM&C ISO Image Repository is the appropriate size.
15	115	15	80	Enlarging PM&C ISO temporary import area may be recommended by application (optional).	The PM&C ISO temporary import area supports large images.
15	130			Backup PM&C provision and configuration databases.	PM&C provision and configuration databases are backed up post-upgrade.
10	140			Accept the upgrade	Upgrade is accepted and backout is no longer available.

Note: Upgrading firmware is not included in the maintenance window.

3.7 Backout (reject) Procedure Overview

The procedures shown in Table 7 are executed in the maintenance window.

Table 7. Backout Procedure Overview

Elapsed Time (Hrs:Min)		Downtime (Hrs:Min)		Activity	Immed
This Step	Cum.	This Step	Cum.	Activity	Impact
-	-	=	-	Contact Oracle Customer Support	Apprise Oracle of the situation and get guidance on proceeding.
30	170	30	110	If not triggered automatically, execute the backout(reject) of the target release	Upgrade is rejected and server is backed out to the prior installed release.

3.8 Log Files

All commands executed during an upgrade or installation are logged in /var/TKLC/log/upgrade/upgrade.log. This log file is automatically initiated when upgrade software is invoked. This log file is rolled every time an upgrade is initiated. A total of up to five upgrade log files are stored on the server.

The upgrade wrapper script *ugwrap* logs its actions also to **/var/TKLC/log/upgrade/ugwrap.log**. This log file is rolled every time *ugwrap* is initiated. A total of up to five *ugwrap* log files are stored on the server.

4 Upgrade Preparation

This section provides detailed procedures to prepare a system for upgrade execution. These procedures may be executed outside a maintenance window.

Perform pre-upgrade system health checks to establish that the system is fit to upgrade.

Backup PM&C provision and configuration databases and transfer the backups to customer defined network storage.

4.1 Hardware Upgrade Preparation

Hardware upgrade is not in the scope of this document.

4.2 Software Upgrade Preparations

Note: The PM&C Healthcheck procedure below should be executed.

- 15 days prior to upgrade (optional),
- 72 to 24 hours before the scheduled upgrade, and
- Immediately before executing the upgrade

If any error or failure conditions are discovered then *do not proceed with the upgrade*. Contact Oracle Customer Support for assistance in resolving the failure conditions. Upgrade will have to be rescheduled to a later date.

Procedure 1. Verifying Pre-Upgrade Requirements and Capturing Upgrade Data

S T E	This procedure verifies that all pre-upgrade requirements have been met. Check off (1) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
#	Task	Description	
1.	Verify all materials required are present	Materials are listed in section 3.1 Required Materials	
2.	Verify passwords for PM&C systems are available	Refer to Table 3. Software Upgrade Required Data for a list of users. Fill in the username and password information in the table for later reference.	
3.	Determine the current PM&C version	Execute Appendix F: Determine The Current PM&C Version.	
4.	Contact Oracle Customer Support	Contact Oracle Customer Support and inform them of your plans to upgrade this system.	

Procedure 1. Verifying Pre-Upgrade Requirements and Capturing Upgrade Data

5.	Verify the PM&C guest TVOE host is at the appropriate release.	Note: Upgrade of the TVOE host may require its own maintenance window. Execute Appendix G Determine If PM&C TVOE Host Requires Upgrade	
6.	Verify the redundant PM&C guest TVOE host is at the appropriate release.	Note: This step is optional and applies only if this system is configured with a redundant PM&C. Note: Upgrade of the TVOE host may require its own maintenance window.	
		Execute Appendix G Determine If PM&C TVOE Host Requires Upgrade using the IP address of redundant PM&C TVOE host.	
	End of Procedure		

Procedure 2. Execute the Health check Procedure on the primary PM&C

This procedure executes a health check on the PM&C system. **Note:** The PM&C Health check procedure should be executed 72 to 24 hours before the scheduled upgrade, and S Immediately before executing the upgrade Т If any error or failure conditions are discovered then do not proceed with upgrade. Contact Oracle Customer Support for assistance in resolving the failure conditions. Upgrade will have to be rescheduled to a later date. Check off (\mathbf{v}) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2. Task **Description** Execute Appendix C PM&C System Health Check 1. Execute the system health check. If any error or failure conditions are discovered then do not proceed with upgrade. Contact Oracle Customer Support to work to resolve the failure conditions. Upgrade will have to be rescheduled to a later date. ---End of Procedure---

Procedure 3. Prepare the primary PM&C for a remote upgrade (optional)

S T E P	This procedure prepares the PM&C for a remote upgrade. Check off (\sqrt{t}) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.			
#	Task	Description		
1.	If this upgrade is to be performed remotely, get the ISO image onto the system.	Obtain a copy of the Target-release PM&C ISO image file and place that copy using SCP into the /var/TKLC/upgrade directory of the PM&C guest: Use platform admusr credentials from Table 3. Software Upgrade Required Data		
	End of Procedure			

Procedure 4. Check/Modify OA Power Supply Redundancy

S T E P	* .	enclosure power supply redundancy in the HP Onboard Administrator. **Reference of the HP Onboard Administrator of the HP Onboard Administrator. **Description 1.2.** **The Administrator of the HP Onboard Administrator of the HP Onboard Administrator. **The Administrator of the HP Onboard Administrator of the HP Onboard Administrator. **The Administrator of the HP Onboard Administrator of the HP Onboard Administrator. **The Administrator of the HP Onboard Administrator of the HP Onboard Administrator. **The Administrator of the HP Onboard Administrator of the HP Onboard Administrator. **The Administrator of the HP Onboard Administrator of the HP Onboard Administrator. **The Administrator of the HP Onboard Administrator of the HP Onboard Administrator of the HP Onboard Administrator. **The Administration of the HP Onboard Administrator of the
#	Task	Description
1.	Access the PM&C GUI	If necessary, open the IE web browser and enter: https:// <pm&c ip="" management="" network=""> Login with administrator credentials from Table 3. Software Upgrade Required Data ORACLE Oracle System Login Tue Apr 21 19.49:44 2015 UTC Log In Enter your username and password to log in Username: Password: Change password Log In Unauthorized access is prohibited. This Oracle system requires the use of Microsoft Internet Explorer 9.0, 10.0, or 11.0 with support for JavaScript and cookies. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2015, Oracle and/or its affiliates. All rights reserved.</pm&c>

Procedure 4. Check/Modify OA Power Supply Redundancy

2.	Obtain a list of the Enclosures managed by this PM&C.	The Main Menu > Hardware > System Configuration page of the PM&C GUI contains a "Provisioned Enclosures" table showing the Enclosures being managed by this PM&C. Starting at the top of this table, apply the remaining steps of this procedure successively to each Enclosure in the list.
3.	Access the GUI of the Active OA	Open your web browser and navigate to the login page of the first OA of the Enclosure by using the "Bay 1 OA IP" address from the "Provisioned Enclosures" table. http://< Bay 1 OA IP > If the login page contains the red warning message similar to "This Onboard Administrator is in Standby mode.", then repeat this step using the "Bay 2 OA IP".
4.	Log in to the Active OA	Log in to the GUI of the Active OA with credentials from Table 3. Software Upgrade Required Data
5.	View the configuration of power supply redundancy.	In the menu tree of the OA GUI, select Enclosure Information > Power and Thermal > Power Management.

Procedure 4. Check/Modify OA Power Supply Redundancy

6.	Configure power supply redundancy.	The first available setting will be either "AC Redundant" or "Redundant" depending on whether the Enclosure is powered by AC or DC. In either case, confirm the second radio button, "Power Supply Redundant"", is selected. If necessary, change the selection to "Power Supply Redundant". AC-powered Enclosures: Power Management Power Mode: Select the power subsystem's redundant operation mode. AC Redundant: In this configuration N power supplies are used to provide power and N are used to provide redundancy, where N can equal 1, 2 or 3. When correctly wired with redundant AC line feeds this will ensure that an AC line feed failure will not cause the enclosure to power off.
		Power Supply Redundant: Up to 6 power supplies can be installed with one power supply always reserved to provide redundancy. In the event of a single power supply failure the redundant power supply will take over the load. A power line feed failure or failure of more than one power supply will cause the system to power off. (3 plus 1 configuration shown) Not Redundant: No power redundancy rules are enforced and power redundancy warnings will not be given. If all of the power supplies are needed to supply Present Power, the failure of a power supply or power feed to the enclosure may cause the enclosure to brown-out. DC-powered Enclosures: Power Management
		Power Mode: Select the power subsystem's redundant operation mode. Redundant: In this configuration N power supplies are used to provide power and N are used to provide redundancy, where N can equal 1, 2 or 3. When correctly wired with redundant AC line feeds this will ensure that an AC line feed failure will not cause the enclosure to power off. Power Supply Redundant: Up to 6 power supplies can be installed with one power supply always reserved to provide redundancy. In the event of a single power supply failure the redundant power supply will take over the load. A power line feed failure or failure of more than one power supply will cause the system to power off. Not Redundant: No power redundancy rules are enforced and power redundancy warnings will not be given. If all of the power supplies are needed to supply Present Power, the failure of a power supply or power feed to the enclosure may cause the enclosure to brownout. Click the Apply button at the bottom of the page to save the change.
7.	Continue with the next Enclosure.	Continue with Step 2, using the IP addresses of the next Enclosure in the "Provisioned Enclosures" table.
		End of Procedure

Procedure 5. Backup OA configuration to PM&C

S T E P	T E Check off (1) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.			
	Task	Description		
1.	Backup the OA configuration to the PM&C.	Execute Procedure "Store OA Configuration on Management Server" in the appropriate Platform Configuration Guide for the release being upgrade to 6.3.		
	End of Procedure			

Procedure 6. Execute the Health check Procedure for the redundant PM&C

	This pro	This procedure executes a health check on the redundant PM&C (if present).				
	Note:	This procedure is only	y executed if the site contains a redundant PM&C			
	Note:	The PM&C Health ch	neck procedure should be executed.			
S	•	• 72 to 24 hours before the scheduled upgrade, and				
T E	•	Immediately before executing the upgrades				
P #		If any error or failure conditions are discovered then <i>do not proceed with upgrade</i> . Contact Oracle Customer Support for assistance in resolving the failure conditions. Upgrade will have to be rescheduled to a later date.				
		Check off (\sqrt{t}) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.				
	Task		Description			
1.		the redundant PM&C	Execute Appendix C PM&C System Health Check on redundant PM&C.			
	,		If any error or failure conditions are discovered then do not proceed with upgrade. Contact Oracle Customer Support to work to resolve the failure conditions. Upgrade will have to be rescheduled to a later date.			
	End of Procedure					

Procedure 7. Prepare the redundant PM&C for a remote upgrade (optional)

STEP#	This procedure prepares the redundant PM&C (if present) for a remote upgrade. Note: This procedure is only executed if the site contains a redundant PM&C. Check off (\sqrt{t}) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.			
	Task	Description		
1.	If this upgrade is to be performed remotely, get the ISO image onto the redundant PM&C.	NOTE: This procedure is only executed if the site contains a redundant PM&C. Obtain a copy of the Target-release PM&C ISO image file and place that copy using SCP into the /var/TKLC/upgrade directory of the redundant PM&C guest: Use platform admusr credentials from Table 3. Software Upgrade Required Data		
	End of Procedure			

Procedure 8. Backup PM&C database data to redundant PM&C (optional)

S T E P #	Check off (\sqrt{t}) each step as it is completed. Boxes have been provided for this purpose under each step number.			
	Task	Description		
1.	Backup the PM&C database to redundant PM&C.	Note: This procedure is only executed if the site contains a redundant PM&C Execute Appendix D, PM&C System Backup		
	Section 4.2 has been completed.			

5 Software Upgrade Procedures

See the warning block in Section 3, Upgrade Overview, before proceeding with procedures in this section

5.1 Software Upgrade Execution on the Primary PM&C

If the PM&C application ISO was delivered to the system remotely (via SCP or SFTP) then make sure the image is located in the /var/TKLC/upgrade directory prior to executing this procedure. This should have been done as part of the Software Upgrade Preparation in section 4.2.

The upgrade of the PM&C Guest TVOE host may be executed in the same maintenance window as the PM&C. It is expected that the TVOE host upgrade is completed prior to the start of the PM&C upgrade. This procedure does not cover the procedural steps required for the upgrade of the TVOE host. Please see the appropriate references noted in the procedures of section 4.2.

Procedure 9.PM&C Upgrade Procedure on the primary PM&C

S T E P	This procedure provides instructions to perform a software upgrade of the PM&C. Check off (\sqrt{y}) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
#	Task	Description	
1.	Execute the system health check	Re-execute Procedure 2: Execute the Health check Procedure on the primary PM&C.	
2.	For Remote Upgrade, verify correct ISO file is present, and then skip to Step 6	If you executed <i>Procedure 3: Prepare the primary PM&C for a remote upgrade</i> , then verify the correct ISO has been delivered to the PM&C. • Access the PM&C Guest console using Appendix B • Verify the correct ISO file is located in the /var/TKLC/upgrade directory. • If the correct ISO is present, proceed to step 6. • If the correct ISO is NOT present, then redo <i>Procedure 3</i> before proceeding.	
3.	Insert the media containing PM&C image into the Management Server	Insert the media containing PM&C image (item Error! Reference source not found. in section 3.1 Required Materials) into the Management Server.	

4.	Log in to the PM&C GUI.	Open IE web browser and enter: https:// <pm&c ip="" management="" network=""> Login with administrator credentials from Table 3. Software Upgrade Required Data</pm&c>	
5.	Attach the PM&C ISO media to the PM&C guest.	Using the PM&C GUI, navigate to the VM Management page. Select the PM&C Guest to get to the "View guest" page. Select the "Media" tab on the "View guest" page. Click the "Available Media" link. Click the "Attach" button for the image just inserted. Note: The "Label" field can help identify the PM&C upgrade media by part number and release level (see Section 3.1). View guest pmac91216u15 VM Info Software Network Media Attached Media Available Media Attach Label Image Path Attach Label Image Path Attach 6.2.0.0.0_62.7.0 /var/TKLC/upgrade/PMAC-6.2.0.0.0_62.7.0-x86_64.iso	
6.	Close any active browser sessions to the PM&C.	If you have any open browsers connected to the PM&C, close them before proceeding.	
7.	Access the PM&C guest console	Execute Appendix B Accessing The PM&C Guest Console	
8.	Run the "platcfg" utility.	Note: If you deviated from the previous step, please ensure that you are in admusr's home directory before executing the following command. Execute (from PM&C guest console): [admusr@pmac ~]\$ sudo su - platcfg	

9.	In "platefg" utility Access the Maintenance menu	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following images are for illustrative purposes only. The actual menu content will differ based on the current PM&C release. Main Menu
10.	In "platefg" utility Access the Upgrade menu	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following images are for illustrative purposes only. The actual menu content will differ based on the current PM&C release. Maintenance Menu

11.	In "platcfg" utility select "Initiate Upgrade" to start the upgrade process.	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options.		
		Note: The following images are for illustrative purposes only. The actual menu content will differ based on the current PM&C release.		
		Upgrade Menu Ualidate Media Early Upgrade Checks Initiate Upgrade Non Tekelec RPM Management Exit Select "Initiate Upgrade" to start the upgrade process		
12.	Wait for the "Choose Upgrade Media Menu" screen	Note: The following images are for illustrative purposes only. Note: The screen shown below be displayed several times as the "platefg" utility searches for available upgrade media. System Busy		
		Wait for the "Choose Upgrade Media Menu" screen to display before proceeding to the next step.		

13.	Start the upgrade to the target release	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following images are for illustrative purposes only. If the image is located on virtual CD, then the menu would look similar to this: Choose Upgrade Media Menu
14.	The upgrade begins. Ensure that Early Upgrade Checks pass and the upgrade is started. Note: Upgrade takes about 20 minutes and includes a boot of the PM&C guest.	Note: The following images are for illustrative purposes only. Screen similar to the one shown below will be displayed as the upgrade progresses. Starting Early Upgrade Checks at 1429637774 Running earlyUpgradeChecks() for Upgrade::EarlyPolicy::FMAC upgrade policy This is an upgrade of PMAC. Check for IN-PROGRESS BG Tasks. No IN-PROGRESS BG Tasks found, we can upgrade. Running earlyUpgradeChecks() for Upgrade::EarlyPolicy::TPDEarlyChecks upgrade policy Verified server is not pending accept of previous upgrade Hardware architectures match Install products match. Verified server is alarm free! Early Upgrade Checks Have Passed! Early Upgrade Checks finished at 1429637777 Initializing upgrade information The runlevel transition complete RC file was created as /etc/rc3.d/S99local_runlevel_trans Changing to run-level 3 *********************************

15.	Verify upgrade is progressing	Note: The following images are for illustrative purposes only.
		Screen similar to the one shown below will be displayed as the upgrade progresses. Upgrade from current release 7.0.0.0.0-86.14.0 supported
		Changing platform revision so must upgrade Determining the appropriate upgrade command Using /mnt/upgrade/upgrade/upgrade_server as the upgrade command
		Current platform version: 7.0.0.0.0-86.14.0 No backout release boundary: 6.7.0-0.0.0
		Backout will be supported
		Running prepareUpgrade() for Upgrade::Policy::Platform upgrade policy Preserving files so verifyUpgrade can run. preserveVerifyUpgradeFiles(): File does not exist! FILE: /mnt/upgrade/upgrade/etc/multiRpmsAllowed.sed Skipping Adding /usr/TKLC/plat/etc/alarms/alarms.xml to RCS Adding /usr/TKLC/plat/etc/alarms/alarms.dtd to RCS Adding /usr/TKLC/plat/lib/Syscheck/modules/proc/ntp/config to RCS Disabling HIDS monitoring Running prepareUpgrade() for Upgrade::Policy::HP upgrade policy Running prepareUpgrade() for Upgrade::Policy::LSI upgrade policy Found MegaCli-8.02.21-1.noarch installed on the system. Running prepareUpgrade() for Upgrade::Policy::MBL upgrade policy Running prepareUpgrade() for Upgrade::Policy::PMAC upgrade policy Running prepareUpgrade() for Upgrade::Policy::PlatformLast upgrade policy Initializing upgrade Verify RCS repository and checkin files RCSCHECK REPORT: /var/TKLC/log/upgrade/rcscheck.before.upgrade INFO: Checking rcs elements for unchecked in changes
16.	Upgrade completes successfully. Note: If the PM&C upgrade fails to complete, contact Oracle Customer Support	Note: The following images are for illustrative purposes only. If the upgrade completes successfully, the screen shown below will be displayed as the upgrade progresses. rsshkebuild: Rebuilding /var/TKLC/smac/image/isoimages chroot Applications Enabled. Running /usr/TKLC/plat/bin/service_conf reconfig
	Зирроп	UPGRADE IS COMPLETE /mnt/upgrade/upgrade/upgrade_server returned success! Running postUpgrade() for Upgrade::Policy::Platform upgrade policy /var/log/sun-ssm exists. No need to restore. Running postUpgrade() for Upgrade::Policy::HP upgrade policy Running postUpgrade() for Upgrade::Policy::HB upgrade policy Running postUpgrade() for Upgrade::Policy::MBL upgrade policy Running postUpgrade() for Upgrade::Policy::PMAC upgrade policy Running postUpgrade() for Upgrade::Policy::PlatformLast upgrade policy Creating boot script: /etc/rc4.d/S89upgrade Creating RC script to set alarm on next boot '/mnt/upgrade/upgrade/upgradeStatus' -> `/sysimage/etc/rc.d/rc4.d/S99TKLCupgradeStatus' Cleaning up chroot environment A reboot of the server is required. The server will be rebooted in 10 seconds Note: If the PM&C upgrade fails to complete, contact Oracle Customer Support for assistance.

Section 5.1 has been completed.

5.2 Software Upgrade Completion on the Primary PM&C


Procedure 10. Post Upgrade Verification on the primary PM&C

S T E P #	Use this procedure to provide instructions to verify the success to the PM&C upgrade and perform other required post upgrade steps. Check off (v) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
	Task	Description	
1.	If necessary, access the PM&C guest console	If necessary, access the PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console	
2.	After logging in, a notice similar to the one shown to the right will be displayed.	Last login: Wed Jun 6 08:39:14 on ttyS0	
3.	Verify that the date/time stamp of the upgrade log aligns with the time of the upgrade.	Execute the following command: [admusr@pmac ~]\$ sudo /bin/ls -1 /var/TKLC/log/upgrade/upgrade.log 1rw-rw-r 1 platcfg root 113112 Apr 21 14:09 /var/TKLC/log/upgrade/upgrade.log [admusr@pmac ~]\$	
4.	Verify that the release has been updated.		

Procedure 10. Post Upgrade Verification on the primary PM&C

5.	Verify upgrade completion through the upgrade log.	Execute the following command on the PM&C: [admusr@pmac ~]\$ grep COMPLETE /var/TKLC/log/upgrade/upgrade.log 1371492983:: UPGRADE IS COMPLETE Note: Output like above is expected (the timestamp will be different). Now execute the following command: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/verifyUpgrade Note: This command can take over a minute to complete. No output is expected, only the prompt should return
		Note: If 'UPGRADE IS COMPLETE' is not in the output from the first command, or if any output showing errors result from the verifyUpgrade command, contact Oracle Customer Support and do not proceed until instructed by an Oracle representative.
6.	Execute the system health check.	Note: Alarm about pending accept/reject such similar to the one below can be safely ignored in this step. SEQ: 1 UPTIME: 185 BIRTH: 1372167411 TYPE: SET ALARM: TKSPLATMI33 tpdServerUpgradePendingAccept 1.3.6.1.4.1.323.5.3.18.3.1.3.33 If any other error or failure conditions are discovered on the PM&C system then do not proceed. Contact Oracle Customer Support to work to resolve the failure conditions.
7.	Clear browser cache.	Clear your browser's cache to ensure that your browser has the latest client-side code loaded. Refer to your browser's documentation if necessary.

Procedure 10. Post Upgrade Verification on the primary PM&C




Procedure 10. Post Upgrade Verification on the primary PM&C

10.	Verify the Software->Software Inventory looks correct through the PM&C GUI.	capture assume Using the main Verify that all th	es discovery is comp menu, navigate to S o	nay take some time to co olete. oftware → Software In nd have the details filled	ventory page.	
		Identity	IP Address	Hostname	Platform Name	Platform Vers
		Enc: <u>50301</u> Bay: <u>4F</u>	169.254.131.2	hostnamee6495a2d0d73	TPD (x86_64)	7.2.0.0.0-88.1.0
	End of Procedure					

Procedure 11. Post Upgrade Procedure to Enable PM&C Virtual Watchdog

S T E P	upgrade to PM&C 6.3 rele	it is completed. Boxes have been provided for this purpose under each step number.
	Task	Description


Procedure 11. Post Upgrade Procedure to Enable PM&C Virtual Watchdog




Procedure 11. Post Upgrade Procedure to Enable PM&C Virtual Watchdog

2.	Navigate to VM Management page	Using Main Menu > VM Management navigate to VM Management page.
ш		Note: The following images are for illustrative purposes only.
		Main Menu
		🖃 😋 Hardware
		System Inventory
		System Configuration
		Software Inventory Manage Software Images
		VM Management
		The pane called 'Main Menu: VM Management' should load.
3.	Select the PM&C guest	Click on VM Host under 'VM Entities'
		Expand the VM Host if needed and select the PM&C guest
		Note: The following images are for illustrative purposes only.
		VM Entities • View guest pmacU17-3
		Refresh (2) VM Info Software Network Media
		Summary Virtual Disks Virtual NICs pmacU17-1
		pmacU17-2 Current Power State: Running
		pmacU17-3
		pmacU17-4 Set Power State Change
		Guest Name (Required): pmacU17-3
		Host: fe80::223:7dff:fede:f408
		Number of vCPUs: 1
		Memory (MBs): 2,048
		VM UUID: a39e9ff6-9bb0-4c6e-b1c1-
		11c9beb4916c
		Enable Virtual Watchdog
		A pane called 'View guest <pm&c guest="" name="">' should load. If the 'Enable Virtual Watchdog' checkbox is not checked, proceed to the next step,</pm&c>
		otherwise exit the procedure.

Procedure 11. Post Upgrade Procedure to Enable PM&C Virtual Watchdog




Procedure 11. Post Upgrade Procedure to Enable PM&C Virtual Watchdog



Procedure 11. Post Upgrade Procedure to Enable PM&C Virtual Watchdog

8.	Start the PM&C guest	Using the virsh utility on the PM&C TVOE Host, start the PM&C guest. Query the list of guests until the PM&C guest is "running". [admusr@tvoeU17~]\$ sudo /usr/bin/virsh listall Id Name State
		20 <pm&c guest="" name=""> shut off</pm&c>
		[admusr@tvoeU17~]\$ sudo /usr/bin/virsh start <pm&c guest="" name=""> Domain <pm&c guest="" name=""> started</pm&c></pm&c>
		[admusr@tvoeU17 ~]\$ sudo /usr/bin/virsh listall Id Name State
		20 <pm&c guest="" name=""> running</pm&c>
9.	Monitor the PM&C guest until it comes up	In a Putty session to PM&C TVOE Host, execute the following command: [admusr@tvoeU17 ~]\$ sudo /usr/bin/virsh console <pm&c guest="" name=""></pm&c>
		Wait for the PM&C guest login prompt to appear.

Procedure 11. Post Upgrade Procedure to Enable PM&C Virtual Watchdog




Procedure 12. Post Upgrade Procedure to Edit PM&C NUMA Tuning

S T E P	to PM&C 6.3 release.	is is completed. Boxes have been provided for this purpose under each step number. Section 1.2.
	Task	Description

1.	Locate the Ipv6 address of the PM&C TVOE Host	Open the IE web browser and enter: https:// <pm&c ip="" management="" network=""> Login with administrator credentials from Table 3. Software Upgrade Required Data</pm&c>				
	Note: The following images are for illustrative purposes only.					
			ORA	CLE	7 ®	
		Oracle System	Login		Tue Apr 21 19:49:44	2015 UTC
			Log Inter your username and Username: Password:		og in	
		Unauthorized access	Log In		ocaft Internet Evolutor	0.0.10.0
		-	s is prohibited. This Oracle system requ or 11.0 with support for Jav and Java are registered trademarks of	aScript and cookies. Oracle Corporation	and/or its affiliates.	9.0, 10.0,
			Other names may be trademarks Copyright © 2010, 2015, <u>Oracle</u> and/or			
		~	nu, navigate to Software - longing to the PM&C gue:		nventory page	
		Host: hostnameec9b22c43725 Guest: pmacU17-3	169.254.129.1 pmacU17-		TPD (x86_64)	7.2.0.0.0-88.25.0
		Now, click on the I Information" windo	P Address field of the PN ow:	I&C guest ent	try, this will bri	ng up "Ident
			Ident information		8	
			Guest Host : hostr Guest Host IP Address : <mark>fe80:</mark>	:223:7dff:fede		
			Guest Name∶pmad IPv6 Address∷:1	cU17-3		
		l 	ne next to GuestHost IP:			
		Guest Host Ip:				


2.	Decide if NUMA Tuning is required	Login to PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console Execute the following command: [admusr@pmacU17-3~]\$ sudo pmaccli getVirtGuestip= <guest host="" ip="">guest=<pm&c guest="" name=""> Note: The following images are for illustrative purposes only.</pm&c></guest>
		<pre>[admusr@pmacU17-3 ~]# sudo pmacCli getVirtGuestip=fe80 ::223:7dff:fede:f408guest=pmacU17-3 pmacU17-3:</pre>
		In the output of the above command, if both VCPUPIN and CPUSET have empty values, proceed to the next step, otherwise exit the procedure.
3.	Login to PM&C TVOE Host	Login to the TVOE host console, using Appendix A Accessing The PM&C TVOE Host Console



5.	Get the allocated vcpus for the PM&C	In a Putty session to PM&C guest, execute the following command: [admusr@pmacU17-3~]\$ sudo pmaccli getVirtGuestip= <guest host="" ip="">guest=<pm&c guest="" name=""> Note down the value next to vcpus:</pm&c></guest>
		vcpus
		Note: The following images are for illustrative purposes only. [admusr@pmacU17-3 ~]\$ sudo pmaccli getVirtGuestip=fe80::223:7dff :fede:f408guest=pmacU17-3 pmacU17-3: MEMORY(MB):2048 WATCHDOG:ON POWERSTATE:1 UUID:a39e9ff6-9bb0-4c6e-b1c1-11c9beb4916c metadata: VERSION(1.0) CREATED(08/03/16 11:55:06AM) EDITED(08/19/16 02:09:2 6AM) [Vcpus:1] VCPUPIN() CPUSET(1-7) NUMA(0-1) PLACEMENTRULE(LEGACY) vnics: control43: 52:54:00:57:01:f6: (null) control - (null) management: 52:54:00:cd:15:41: (null) management - (null) vdisks: vgguests / pmacU17-3.img (51200) PRIMARY pridisk(1) vgguests / pmacU17-3_logs.img (10240) logs pridisk(0) vgguests / pmacU17-3_images.img (20480) images pridisk(0) Vcpus to be noted is 1, in the above screenshot.

6.	Identify the NUMA where PM&C's host CPUs are reserved	In a Putty session to PM&C guest, execute the following command: [admusr@pmacU17-3~]\$ sudo pmaccli getVmHostCapabilities ip= <guest host="" ip=""></guest>	
		Note down the NUMA id to which the Reserved CPU (from Step# 2) belongs:	
		NUMA id	
		Note: The following images are for illustrative purposes only. [admusr@pmacU17-3 ~]\$ sudo pmaccli getVmHostCapabilitiesip=fe80:: 223:7dff:fede:f408 UUID: 34393433-3239-5553-4539-33304e385647	
		<pre>Intel x86_64 Nehalem Sockets(1) Cores(4) Threads(1) Features: invtsc, rdtscp, dca, pdcm, xtpr, tm2, est, vmx, ds_cp 1, monitor, dtes64, pbe, tm, ht, ss, acpi, ds, vme NUMA id: 0</pre>	
		NUMA id to be noted is 0 in the above screenshot as the Reserved CPU 0 (from Step# 2) belongs to the NUMA id 0.	
7.	Edit the PM&C NUMA Tuning	In a Putty session to PM&C guest, execute the following using the NUMA id gathered in the previous step: [admusr@pmacU17-3~]\$ sudo pmaccli editVirtGuestVcpu ip= <guest host="" ip="">guest=<pm&c guest="" name="">vcpus=<vcpus>placementRule=NUMAnumaCell=<numa id=""> Note down the value next the BgTask:</numa></vcpus></pm&c></guest>	
		BgTask	
		Note: The following images are for illustrative purposes only. [admusr@pmacU17-3 ~]\$ sudo pmaccli editVirtGuestVcpuip=fe80::223:7dff :fede:f408guest=pmacU17-3vcpus=1placementRule=NUMAnumaCell=0 Virtual Guest edit started with BgTask: 43	
		BgTask to be noted is 43, in the above screenshot.	

8.	Wait for the Edit Guest background task to complete	Task Mo Verify th	Upoet ID: -7dff-fodo:f400 Gupet editing completed			
9.	Shut down the PM&C guest	Shutdov	vn the PM&C gu	est as detailed in Apper	ndix H Shutdown PM&C Gue	st
10.	Start the PM&C guest	Using the virsh utility on the PM&C TVOE Host, start the PM&C guest. Query the list of guests until the PM&C guest is "running". [admusr@tvoeU17~]\$ sudo /usr/bin/virsh listall Id Name State				
11.	Monitor the PM&C guest until it comes up	[admus	r@tvoeU17 ~]		ute the following command virsh console <pm&< th=""><th></th></pm&<>	
12.	Login to PM&C	Login to Console		nsole as detailed in Ap	ppendix B Accessing The	PM&C Guest



S T E P	Use this procedure to provide instructions to configure netConfig. Check off (\sqrt{y}) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.			
#	Task	Description		
1.	List and record the devices in the current netConfig repository	List the devices managed by the netConfig Execute: [admusr@pmac ~]\$ sudo /usr/TKLC listDevices Sample output: Devices: Device: 6125G_IOBAY4 Vendor: HP Model: 6125 Access: Network: 10.240.8 Access: OOB:	.10 ervice_en1 .14 .12 .3 ole_service	

2.	List and record ssh services in the current netConfig repository.	List the services in the current netConfig repository. Identify the SSH services(s) for use in future steps, wherever the <ssh_service> variable is seen. Execute: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfigrepolistServices Sample output: Services:</ssh_service>
		Service Name: ssh_service Type: ssh Host: 10.240.8.4 Options: password: 390F1FAE4A420 user: admusr Service Name: ssh_service_mgmt2 Type: ssh Host: 10.240.16.4 Options: password: 390F1FAE4A420 user: admusr
		Service Name (ssh)

3.	List and record OA services in the current netConfig repository.	List the services in the current netConfig re use in future steps, wherever the <oa_services 10.240.8.5="" <oa_services="" [admusr@pmac="" address="" available<="" c6bbef="" each="" execute:="" for="" future="" host:="" identify="" if="" in="" ip="" listservices="" name:="" oa="" oa_service="" options:="" output:="" password:="" root="" sample="" second="" service="" service,="" services:="" steps,="" sudo="" th="" the="" tklc="" type:="" user:="" usr="" wherever="" ~]\$=""><th>ce> variable is seen. /plat/bin/netConfigrepo _en1 35A06FCE81F7850A13525E21D3 ce name, and current OA IP address. Also</th></oa_services>	ce> variable is seen. /plat/bin/netConfigrepo _en1 35A06FCE81F7850A13525E21D3 ce name, and current OA IP address. Also
		netConfig OA service with both OA IP add	
		Variable	Value
		<oa_service_name> (acquired above)</oa_service_name>	
		<oa_ipaddress_a> (acquired above)</oa_ipaddress_a>	
		<oa_ipaddress_b></oa_ipaddress_b>	
		(acquired directly from standby OA or from site IP plan documentation)	

4.	Recreate OA service with both OA IP addresses.	addresses in the netConfig repository step to recreate the OA service in this step to recreate the OA service in this Delete the existing OA service: [admusr@pmac ~]\$ sudo netConame= <oa_service_name> Are you sure you want to do Deleting service <oa_service [admusr@pmac="" both="" ii="" netconame="<OA_service_name" oa="" recreate="" service="" sudo="" the="" with="" ~]\$=""> Service type [ssh, tftp, ox Primary OA IP? <oa_ipaddresservice <oa_ipaddresservice="" [ssh,="" existed="" if="" ip?="" no="" note:="" oa="" oa_ipaddresservice]="" or="" or<="" ox="" primary="" services="" tftp,="" th="" type="" where=""><th>onfigrepo deleteService elete <oa_service_name> (y/n)? y ce_name> Ps: onfigrepo addService a, conserver]? oa ss_A> ress_B> e_name> successful en inspected in the previous step, the "netConfig annecessary. The OA service(s) should still be OAs regardless.</oa_service_name></th></oa_ipaddresservice></oa_service></oa_service_name>	onfigrepo deleteService elete <oa_service_name> (y/n)? y ce_name> Ps: onfigrepo addService a, conserver]? oa ss_A> ress_B> e_name> successful en inspected in the previous step, the "netConfig annecessary. The OA service(s) should still be OAs regardless.</oa_service_name>	
5.	Gather network access information	The following information must be in Variable	dentified: Value	
		<management_vlanid> (4948/4948E/4948E-F only) <switch_management_ip> (see note 1)</switch_management_ip></management_vlanid>	, , , , , , , , , , , , , , , , , , , ,	
		<pre><switch_management_netmask> (4948/4948E/4948E-F only) (see note 2) </switch_management_netmask></pre>		
			s must be in CIDR notation, IPv6 address must atform 6.7, only an IPv4 and netmask is	
6.	Standardize switch configurations in PM&C 6.0	If the target PM&C version is 6.3 and the source prior to PM&C 6.3, execute steps 7-14 below, and Appendix I.		
		Use the information gathered in step 2 to update repository entries. Note: Some upgrade paths may not require changes, but the steps may still be performed.		
7.	Repository changes for pre- 5.7 upgrades	Note: Some upgrade paths may not i		
7.	1 , 0 1	Note: Some upgrade paths may not a performed.		

4948E-F Switches	Execute the following commands to upgrade the repository for a 4948/4948E/4948E-F.
	Determine the current <fw_image> on the switch:</fw_image>
	[admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig getFirmware
	device= <switch_name></switch_name>
	Version: 122-54.XO
	License: entservicesk9
	Flash: <fw_image></fw_image>
	_ ~
	Note: It is important to capture the exact filename output for <fw_image></fw_image>
	Edit the repository:
	Note: The output from the command below contains sample information. Only enter information that is bold. For all other entries, press [Enter] to use the current data from the repository. Example output for PM&C 5.7:
	[admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfigrepo
	editDevice name= <switch name=""></switch>
	_
	Access network address [10.240.8.2]:
	Access OOB service [console_service]:
	Access OOB console [switch1A_console]: Firmware service []: <ssh service=""></ssh>
	Firmware filename [cat4500e-entservicesk9-mz.122-
	54.XO.bin]: <fw_image></fw_image>
	IP version for management interface (4 or 6)? [4]:
	What is the IPv4 address for management? [0.0.0.0]:
	<pre><switch_management_ip></switch_management_ip></pre>
	What is the subnet mask for the management address?
	[255.255.255.0]: <switch_management_netmask></switch_management_netmask>
	Is the management interface a port or a vlan? [vlan]:
	What is the VLAN ID of the management VLAN? [2]:
	<management_vlanid></management_vlanid>
	What is the name of the management VLAN? [management]:
	What switchport connects to the management server? [GE40]:
	What is the switchport mode (access trunk) for the management
	server port? [trunk]:
	What are the allowed vlans for the management server port?
	[1,2]: <control_vlanid>,<management_vlanid></management_vlanid></control_vlanid>
	Init OOB Credentials
	Platform access username [plat]:
	Platform user password [***]:
	Device console password [***]:
	Device privileged mode password [***]:

```
Live Network Credentials
                              Platform access username [plat]:
                              Platform user password [***...]:
                              Device privileged mode password [***...]:
                                  Live OOB Credentials
                              Platform access username [plat]:
                              Device console password [***...]:
                              Device privileged mode password [***...]:
                              Device named <switch_name> successfully edited.
                              Example output for PM&C 6.0:
                              [admusr@pmac ~]$ sudo /usr/TKLC/plat/bin/netConfig --repo
                              editDevice name=<switch_name>
                                  Initialization Management Options
                              What is the IPv4 (CIDR notation) or IPv6 (address/prefix
                              notation) address for management? [switch_management_ip]:
                              Access OOB service [oa_service_en#]:
                              Access OOB console [IO_BAY#]:
                              Firmware service [ssh_service]:
                              Firmware filename [6125xlg-cmw710-system-r2403.bin]:
                              <FW_image>
                                  Init OOB Credentials
                              Platform access username [plat]:
                              Platform user password [***...]:
                              Device console password [***...]:
                              Device privileged mode password [***...]:
                                  Live Network Credentials
                              Platform access username [plat]:
                              Platform user password [***...]:
                              Device privileged mode password [***...]:
                                  Live OOB Credentials
                              Platform access username [plat]:
                              Device console password [***...]:
                              Device privileged mode password [***...]:
                              Device named <switch_name> successfully edited.
                              Repeat this step for each 4948/4948E/4948E-F in the repository.
    Upgrade the repository for
                              Note: If there are no 3020 switches in the repository, skip this step.
9.
    all 3020 Switches
                              Execute the following commands to upgrade the repository for a 3020.
                              Determine the current <FW_image> on the switch:
```

		[admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig getFirmwaredevice= <switch name=""></switch>
		_
		Version: 122-58.SE1
		License: ipbasek9
		Flash: <fw_image></fw_image>
		Note: It is important to capture the exact filename output for <fw_image> Edit the repository:</fw_image>
		Note: The output from the command below contains sample information. Only enter information that is bold. For all other entries, press [Enter] to use the current data from the repository.
		[admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfigrepo
		editDevice name= <switch_name></switch_name>
		Access network address [10.240.8.13]:
		Firmware service []: tftp_service
		Firmware filename [cbs30x0-ipbasek9-tar.122-58.SE1.tar]:
		<fw_image></fw_image>
		Init Network Credentials
		Platform access username [plat]:
		Platform user password [***]:
		Device privileged mode password [***]:
		Live Network Credentials
		Platform access username [plat]:
		Platform user password [***]:
		Device privileged mode password [***]:
		Device named <switch_name> successfully edited.</switch_name>
		Repeat this step for each 3020 in the repository.
10.	Upgrade the repository for all 6120 Switches	Note: If there are no 6120 switches in the repository, skip this step. Execute the following commands to upgrade the repository for a 6120.
		Determine the current <fw_image> on the switch:</fw_image>
		[admusr@pmac ~] \$ sudo /usr/TKLC/plat/bin/netConfig getFirmwaredevice= <switch_name></switch_name>
		Version: <preformatted_fw_image></preformatted_fw_image>
		Flash: Secondary Note: The <pre> Note: The <p< th=""></p<></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>
		"Z_14_46.swi" for the command below. The formatted FW filename sl referred to as <fw_image> in the command below.</fw_image>

```
Note: The output from the command below contains sample information. Only
enter information that is bold. For all other entries, press [Enter] to use the current
data from the repository.
Example output for PM&C 5.7:
[admusr@pmac ~]$ sudo /usr/TKLC/plat/bin/netConfig --repo
editDevice name=<switch name>
Access network address [10.240.8.12]:
Firmware service []: <ssh_service>
Firmware filename [Z_14_37.swi]: <FW_image>
    Init Network Credentials
Platform access username [plat]:
Platform user password [***...]:
Device privileged mode password [***...]:
    Live Network Credentials
Platform access username [plat]:
Platform user password [***...]:
Device privileged mode password [***...]:
Device named <switch_name> successfully edited.
Example output for PM&C 6.0:
[admusr@pmac ~]$ sudo /usr/TKLC/plat/bin/netConfig --repo
editDevice name=<switch_name>
Initialization Management Options
What is the IPv4 (CIDR notation) or IPv6 (address/prefix
notation) address for management? [switch_management_ip]:
Access OOB service [oa_service_en#]:
Access OOB console [IO_BAY#]:
Firmware service []:<ssh_service>
Firmware filename [Z_14_37.swi]: <FW_image>
    Init OOB Credentials
Platform access username [plat]:
Platform user password [***...]:
Device console password [***...]:
Device privileged mode password [***...]:
    Live Network Credentials
Platform access username [plat]:
Platform user password [***...]:
Device privileged mode password [***...]:
    Live OOB Credentials
Platform access username [plat]:
Device console password [***...]:
Device privileged mode password [***...]:
Device named <switch_name> successfully edited.
```


		Repeat this step for each 6120 in the repository.
11.	Upgrade the repository for all 6125G Switches	Note: If there are no 6125G switches in the repository, skip this step. Execute the following commands to upgrade the repository for a 6125G. Determine the current <fw_image> on the switch: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig getFirmwaredevice=<switch_name></switch_name></fw_image>
		Version: 5.20.99 Flash: <fw_image> Release: 2106 Note: It is important to capture the exact filename output for <fw_image> Edit the repository:</fw_image></fw_image>
		Note: The output from the command below contains sample information. Only enter information that is bold . For all other entries, press [Enter] to use the current data from the repository.
		Example output for PM&C 5.7:
		[admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfigrepo editDevice name= <switch_name></switch_name>
		Access network address [10.240.8.14]:
		Access OOB service [oa_service]:
		Access OOB console [2]:
		Firmware service []: <ssh_service></ssh_service>
		Firmware filename [6125-cmw520-r2105.bin]: <fw_image></fw_image>
		Init OOB Credentials
		Platform access username [plat]:
		Platform user password [***]:
		Device console password [***]:
		Device privileged mode password [***]:
		Live Network Credentials
		Platform access username [plat]:
		Platform user password [***]:
		Device privileged mode password [***]:
		Live OOB Credentials
		Platform access username [plat]:
		Device console password [***]:
		Device privileged mode password [***]:
		Device named <switch_name> successfully edited.</switch_name>
		Example output for PM&C 6.0:

```
[admusr@pmac ~]$ sudo /usr/TKLC/plat/bin/netConfig --repo
editDevice name=<switch_name>
    Initialization Management Options
What is the IPv4 (CIDR notation) or IPv6 (address/prefix
notation) address for management? [switch_management_ip]:
Access OOB service [oa_service_en#]:
Access OOB console [IO_BAY#]:
Firmware service []:<ssh_service>
Firmware filename []: <FW_image>
    Init OOB Credentials
Platform access username [plat]:
Platform user password [***...]:
Device console password [***...]:
Device privileged mode password [***...]:
    Live Network Credentials
Platform access username [plat]:
Platform user password [***...]:
Device privileged mode password [***...]:
    Live OOB Credentials
Platform access username [plat]:
Device console password [***...]:
Device privileged mode password [***...]:
Device named <switch_name> successfully edited
Repeat this step for each 6125G in the repository.
```

12.	Upgrade the repository for all 6125XLG Switches	Note: If there are no 6125XLG switches in the repository, skip this step. Execute the following commands to upgrade the repository for a 6125XLG. Determine the current <fw_image> on the switch:</fw_image>
		[admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig getFirmware
		device= <switch_name></switch_name>
		Version: 7.1.045
		Flash: = <fw_image></fw_image>
		Release: 2403
		Note: It is important to capture the exact filename output for <fw_image></fw_image>
		Edit the repository:
		The output from the command below contains sample information. Depending on your specific upgrade path and current setup some information may need to be updated and some may not. Check the default values (values in brackets []) carefully to decide whether update is needed. To accept default values press [Enter]. The value for Firmware service must be as listed below.
		Note: If the default management address is not in CIDR (IPv4) or address/prefix (IPv6) notation then it must be replaced with an address with correct notation
		[admusr@host ~]\$ sudo /usr/TKLC/plat/bin/netConfigrepo
		editDevice name= <switch_name></switch_name>
		Initialization Management Options
		What is the IPv4 (CIDR notation) or IPv6 (address/prefix
		notation) address for management? [switch_management_ip]:
		Access OOB service [oa_service_en#]:
		Access OOB console [IO_BAY#]:
		Firmware service [ssh_service]: <ssh_service></ssh_service>
		Firmware filename [6125xlg-cmw710-system-r2403.bin]:
		<fw_image></fw_image>
		Init OOB Credentials
		Platform access username [plat]:
		Platform user password [***]:
		Device console password [***]:
		Device privileged mode password [***]:
		Live Network Credentials
		Platform access username [plat]:
		Platform user password [***]:
		Device privileged mode password [***]:
		Live OOB Credentials
		Platform access username [plat]:
		Device console password [***]:
		Device privileged mode password [***]:
		Device named <switch_name> successfully edited.</switch_name>
		Repeat this step for each 6125XLG in the repository.

13.	Verify the ssh_service configuration	For each service found in Step 2, execute the following command to verify that the ssh_service is using the admusr credentials: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfigrepo showService name= <ssh_service> Service Name: <ssh_service> Type: ssh Host: 10.240.8.4 Options: password: C20F7D639AE7E7 user: root Repeat this step for each <ssh_service> found in Step 2. If the user in the output is admusr, skip the rest of this procedure. Otherwise proceed to the next step for each ssh service not configured for admusr.</ssh_service></ssh_service></ssh_service>	
14.	Recreate the ssh_service with admusr credentials on PM&C guest console	The ssh service(s) must be deleted and re-added. To delete the ssh_service: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfigrepo deleteService name= <ssh_service> Are you sure you want to delete <ssh_service> (y/n)? y Deleting device <ssh_service> Recreate the ssh_service with the admusr user: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfigrepo addService name=<ssh_service> Service type [Ssh, conserver, oa, tftp]? ssh SSH host IP? <pmac_mgmtvlan_ip_address> SSH username? admusr SSH password? <admusr_password> Verify Password: <admusr_password> Add service for <ssh_service> successful [admusr@pmac ~]\$</ssh_service></admusr_password></admusr_password></pmac_mgmtvlan_ip_address></ssh_service></ssh_service></ssh_service></ssh_service>	
	End of Procedure		


Procedure 14. Post Upgrade Configuration of larger PM&C ISO Image Repository area



Procedure 14. Post Upgrade Configuration of larger PM&C ISO Image Repository area

2.	Locate the IPv6 address of PM&C TVOE host	Using the Main Menu, navigate to Software -> Software Inventory page.
╵╵		Locate the entry belonging to the PM&C guest.
		Host: hostname02be2be44427
		Now, click on the IP Address field of the PM&C guest entry, this will bring up "Ident Information" window:
		Ident information
		Guest Host: TVOE2 Guest Host IP: fe80::dad3:85ff;feba:8b18 Guest Name: pmacDev802 IPv6:::1 RMS IP: 192.168.176.26 RMS Name: TVOE2 Note down the following values: Guest Host IP:
3.	If necessary, access the PM&C guest console	If necessary, access the PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console
4.	Enlarge the PM&C ISO repository	Execute the following command with appropriate values gathered in steps 1 and 2: [admusr@pmac2 ~]\$ sudo /usr/TKLC/smac/bin/pmaccli enlargeIsoImageRepositoryip= <guest_host_ip>guest=<pmac_guest_name>volname=<host_vol_name>volpool=vgguestsvolsize=61440 For example, enlarging repository of PM&C guest with name pmac2 to 61440 MB would be similar to this: [admusr@pmac2 ~]\$ sudo /usr/TKLC/smac/bin/pmaccli enlargeIsoImageRepositoryip=fe80::dad3:85ff:feba:8b18 guest=pmac2volname=pmac2_images.imgvolpool=vgguests volsize=61440 Successful resize of pmac2_images.img to 61440 MB.</host_vol_name></pmac_guest_name></guest_host_ip>

Procedure 14. Post Upgrade Configuration of larger PM&C ISO Image Repository area




Procedure 15 Post Upgrade NetBackup Configuration


S T E P	Use this procedure to validate the post upgrade NetBackup configuration if it is present. Note: If the NetBackup Feature has not been configured for this system skip this step. Check off (v) each step as it is completed. If this procedure fails, see Section 1.2.	
	Task	Description
1.	Validate the PM&C NetBackup configuration when applicable.	If the NetBackup Feature has been configured for this system execute Procedure "PM&C Guest Migrate NetBackup Client to New File System" in the appropriate Platform Configuration Guide for the release being upgraded to. Note: The NetBackup client software is delivered by default to the "/usr" partition. This partition is configured by TPD and has limited space, and is not designed to share this partition with third party applications. With a NetBackup client installed the "/usr" partition does not have sufficient room to perform upgrades of the TPD based application. The creation of a NetBackup virtual disk, partition, alleviates the upgrade issue.
End of Procedure		


STEP#	Use this procedure to provide instructions on how to enlarge the PM&C ISO image temporary import area up to 20480 MB (20 GB). Note: This procedure can be executed only on PM&C 5.7 or later releases. Note: Only execute this procedure if it is required by application. Check off (1) each step as it is completed. Boxes have been provided for this purpose under each step number.	
#	If this procedure fails, see Section	
	Task	Description
1.	Access the PM&C guest console	If necessary, access the PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console.
2.	Determine if the PM&C ISO	Execute the following command:
	temporary import area needs to be enlarged	[admusr@pmac ~]\$ sudo /bin/df -h grep isoimages
		In the sample output below, there is no entry related to /var/TKLC/smac/image/isoimages/home/smacftpusr, which would be there if the ISO temporary import area was enlarged during PM&C deployment or afterwards. The ISO temporary import area in the example above has at the most 5 GB available. /dev/mapper/vgroot-smac_isoimages 5.0G 147M 4.6G 4% /var/TKLC/smac/image/isoimages
		In the following sample there is an additional entry, indicating that the ISO temporary import area /var/TKLC/smac/image/isoimages/home/smacftpusr has altogether 20 GB available from an EVD.
		/dev/mapper/vgroot-smac_isoimages 5.0G 147M 4.6G 4% /var/TKLC/smac/image/isoimages /dev/vdd 20G 173M 19G 1% /var/TKLC/smac/image/isoimages/ home/smacftpusr
		If the application requires the repository to be larger than the size reported by the command above, proceed to the next step. Otherwise, skip the rest of this procedure.
		Note: To be able to transfer an application ISO image to the PM&C, this area must be large enough for the largest ISO image file size anticipated at the site.

3.	Log in to the primary PM&C GUI.	If needed, open IE web browser and enter:
Ш		https:// <pm&c ip="" management="" network=""></pm&c>
		Log in with administrator credentials from Table 3. Software Upgrade Required Data.
4.	Navigate to the "Edit guest" page of the primary PM&C guest	Using the primary PM&C GUI, navigate to the VM Management page. Select the primary PM&C Guest to get to the "View guest" page. Click "Edit".
5.	Determine whether the "isoimages" virtual disk exists	Click on the "Virtual Disks" link. In the "Virtual Disks" table, locate the entry with Guest Dev Name "isoimages".
		If you cannot find the "isoimages" entry, skip to step 13. Otherwise, proceed to step 6.
6.	Delete the "isoimages" vdisk	Note: When the vdisk is deleted, any files stored on it will be destroyed, so be sure to copy any files you would like to keep to a safe location. Select the entry for the "isoimages" virtual disk. Click on the "Delete" button. Edit guest pmacU16-2 VM Info Software Network Media Summary Virtual Disks Virtual NICs Virtual Disks Add Delete Primary Size (MB) Host Pool Host Vol Name Guest Dev Name YES 51200 vgguests pmacU16-2.img PRIMARY NO 10240 vgguests pmacU16-2.jogs.img logs NO 61440 vgguests pmacU16-2_images.i images NO 15360 vgguests pmacU16-2_isoimage isoimages es.img isoimages
		Save Cancel
		Verify that the "isoimages" vidsk is no longer listed and click on the "Save" button.



11.	Monitor the PM&C guest until it comes up and verify that the temporary ISO import area does not exist	Execute: [admusr@tvoe ~]\$ sudo /usr/bin/virsh console <pmac> Wait for the PM&C guest login prompt to appear. Log in as admusr as captured in Table 3. Software Upgrade Required Data and verify that the entry for the /var/TKLC/smac/image/isoimages/home/smacftpusr mount point is not displayed. An example is shown below: [admusr@pmac2 ~]\$ sudo /bin/df -h grep isoimages /dev/mapper/vgroot-smac_isoimages 5.0G 147M 4.6G 4% /var/TKLC/smac/image/isoimages</pmac>
12.	Navigate to the "Edit guest" page of the primary PM&C guest	Using the primary PM&C GUI, navigate to the VM Management page. Select the primary PM&C Guest to get to the "View guest" page. Click on the "Virtual Disks" link and then click "Edit".





18.	Monitor the PM&C guest until it comes up and verify the size of the "isoimages" vdisk	Execute: [admusr@tvoe ~]\$ sudo /usr/bin/virsh console <pmac> Wait for the PM&C guest login prompt to appear. Log in as admusr as captured in Table 3. Software Upgrade Required Data and verify the disk size using the df command. An example is shown below: [admusr@pmac2 ~]\$ sudo /bin/df -h grep isoimages /dev/mapper/vgroot-smac_isoimages /dev/mapper/vgroot-smac_isoimages 5.0G 147M 4.6G 4% /var/TKLC/smac/image/isoimages /dev/vdd 20G 173M 19G 1% /var/TKLC/smac/image/isoimages/ home/smacftpusr</pmac>	
19.	Verify the size of PM&C ISO temporary import area NOTE: It may take up to 5 minutes for the PM&C GUI to be responsive and provide a login prompt.	Note: It can take up to 15 minutes for the PM&C to perform sufficient software discovery and enable navigation to the "View guest" page. Note: Using the primary PM&C GUI, navigate to the VM Management page. Select the primary PM&C Guest to get to the "View guest" page. Click on the "Virtual Disks" link. In the table, locate the entry with Guest Dev Name "isoimages". Ensure that the Size (MB) field now reflects the new value.	
	End of Procedure		

Procedure 17. Post Upgrade PM&C backup

S T E P	Use this procedure to back up all necessary PM&C database data post upgrade. Check off (\sqrt{t}) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
#	Task	Description	
1.	Backup the PM&C database. Execute the procedure detailed in Appendix D PM&C System Backup		
	Section 5.2 has been completed.		

5.3 Software Upgrade Acceptance and Cleanup on the Primary PM&C

Once you verify the upgrade is complete and there are no issues on the PM&C, it is time to accept the upgrade. Please note that once you accept an upgrade, a backout to the previous release is not possible. If backout becomes necessary after an upgrade has been accepted, then a disaster recovery process is required. Keep the PM&C backup created in section 4.2 for this purpose. The following procedure identifies the steps required to accept the upgrade. Once the upgrade has been accepted it is safe to remove the media used for the upgrade.

Procedure 18. Software Upgrade Acceptance on the primary PM&C

Use this procedure to finalize the upgrade on the PM&C, once complete, the backout is no longer Note: This procedure should only be performed when a backout is no longer anticipated/desired Check off (1) each step as it is completed. Boxes have been provided for this purpose under each so If this procedure fails, see Section 1.2.		nly be performed when a backout is no longer anticipated/desired. mpleted. Boxes have been provided for this purpose under each step number.
	Task	Description
1.	If necessary, access the PM&C guest console	If necessary, access the PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console
2.	Run the "platcfg" utility.	Execute: [admusr@pmac ~]\$ sudo su - platcfg
3.	In "platcfg" utility Access the Maintenance menu	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following images is for illustrative purposes only. Main Menu Maintenance Diagnostics Server Configuration Remote Consoles Network Configuration Exit Select "Maintenance" to navigate to the Maintenance Menu.

Procedure 18. Software Upgrade Acceptance on the primary PM&C

4.	In "platcfg" utility access the Upgrade menu	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following images is for illustrative purposes only.
		Maintenance Menu Upgrade Backup and Restore Halt Server View Mail Queues Restart Server Eject CDROM Save Platform Debug Logs Exit Select "Upgrade" to navigate to the Upgrade Menu.
5.	In "platcfg" utility, select "Accept Upgrade" to start the accept process.	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following images is for illustrative purposes only. Upgrade Menu Validate Media Early Upgrade Checks Initiate Upgrade Non Tekelec RPM Management Accept Upgrade Reject Upgrade Exit Select "Accept Upgrade" and press the [ENTER] key to start the accept process.
6.	Confirm the decision and execute the accept.	Do you really want to accept the upgrade? Yes No

Procedure 18. Software Upgrade Acceptance on the primary PM&C

7.	The "Accept Upgrade" process	
	starts	Note: The following image is for illustrative purposes only.
		Called with options:accept
		Loading Upgrade::Backout::LVM
		Accepting Upgrade snapmgr: Logical volume "smac root snap" successfully removed
		snapmgr: Logical volume "smac_root_snap" successfully removed snapmgr: Logical volume "smac var snap" successfully removed
		snapmgr: Logical volume "plat usr snap" successfully removed
		snapmgr: Logical volume "smac backup snap" successfully removed
		snapmgr: Logical volume "plat_root_snap" successfully removed
		snapmgr: Logical volume "plat_var_tklc_snap" successfully removed
		snapmgr: Logical volume "plat_var_snap" successfully removed snapmgr: Removed snapshot lv's related to tag "@upgrade"
		Executing common accept tasks
		Setting POST UPGRADE ACTION to ACCEPT in upgrade info.
		Cleaning backout directory.
		Clearing Upgrade Accept/Reject alarm.
		Cleaning message from MOTD. Cleaning up RPM config backup files
		Checking /
		Checking /boot
		Checking /tmp
		Checking /usr
		Checking /var Checking /var/TKLC
		Checking /var/TRLC/smac
		and and a second and a
8.	Verify the "Accept Upgrade"	L.a. I
	completes and exit the "platcfg"	Message
ш	utility	
		The accept has completed.
		P h h
		Press any key to continue
ĺ		
		Press any key to return to the "Upgrade menu". Use the arrow keys to select "Exit"
		and press the [ENTER] key to exit from all menus until the PM&C command prompt
1		is displayed.

Procedure 18. Software Upgrade Acceptance on the primary PM&C

9.	If the TVOE host was upgraded using Appendix G	The upgrade of TVOE includes acceptance of the upgrade. This acceptance may have been intentionally delayed by the PM&C upgrade during the execution of Appendix G		
		If the TVOE upgrade was delayed, then please return to TVOE host upgrade procedures outlined in the TVOE Software Upgrade document for the given version being upgraded. Continue the upgrade process with procedure 8, Stand Alone TVOE Upgrade Accept.		
	End of Procedure			

Procedure 19. Post Upgrade Cleanup of Upgrade Media

S T E P #	Use this procedure to remove the upgrade media from the PM&C Note: The procedure should only be performed when a backout is no longer anticipated/desired. Check off (1) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
	Task	Description	
1.	If this was a Remote Upgrade, then ensure images used for upgrade have been removed from PM&C	Execute the following command on the primary PM&C: [admusr@pmac ~]\$ sudo /bin/ls /var/TKLC/upgrade/PMAC-*- x86_64.iso If there are images that need to be removed, using the output of the command above, specify the full path of the image to be removed: [admusr@pmac ~]\$ sudo /bin/rm -f /var/TKLC/upgrade/ <image_name.iso></image_name.iso>	
		For instance: [admusr@pmac ~]\$sudo /bin/rm -f /var/TKLC/upgrade/PMAC- 5.7.0.0.0_57.10.0-x86_64.iso Repeat this step as necessary to ensure there are no images left to be removed.	

Procedure 19. Post Upgrade Cleanup of Upgrade Media



Procedure 19. Post Upgrade Cleanup of Upgrade Media

3.	If upgrade was performed using external media, then detach the media	discovery to locate the PM&C TVOE host and enable navigation to the "View guest" page. Using the PM&C GUI, navigate to the VM Management page. Select the PM&C Guest to get to the "View guest" page. Select the "Media" tab on the "View guest" page. Click the "Detach" button for the image previously attached. View guest pmac2 VM Info Software Network Media Attached Media Available Media			
		Attached Media Attached Image Path Detach /var/TKLC/tvoe/mapping-isos/pmac2.iso Detach /dev/sr1			
4.	If present, remove the external media from the PM&C TVOE host server.	Remove the external media from the appropriate slot of the PM&C TVOE host server.			
		Section 5.3 has been completed.			


5.4 Software Upgrade Execution on the Redundant PM&C


If the PM&C application ISO was delivered to the system remotely (via SCP or SFTP) then make sure the image is located in the /var/TKLC/upgrade directory prior to executing this procedure. This should have been done as part of the health check procedure.

The upgrade of the PM&C guest TVOE host may be executed in the same maintenance window as the PM&C. It is expected that the TVOE host upgrade is completed prior to the start of the PM&C upgrade. This procedure does not cover the procedural steps required for the upgrade of the TVOE host. Please see the appropriate references noted in the procedures of section 4.2.

Procedure 20. PM&C Upgrade Procedure on the redundant PM&C

S T E P	Use this procedure to provide instructions to perform a software upgrade of the redundant PM&C. Check off $()$ each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.						
#	Task	Description					
1.	Execute the system health check	Re-execute Procedure 6: Execute the Health check Procedure for the redundant PM&C.					
2.	For Remote Upgrade, verify correct ISO file is present, and then skip to Step 6	If you executed <i>Procedure 7: Prepare the redundant PM&C for a remote upgrade</i> , then verify the correct ISO has been delivered to the redundant PM&C.					
		Access the redundant PM&C Guest console using Appendix B					
		 Verify the correct ISO file is located in the /var/TKLC/upgrade directory. 					
		If the correct ISO is present, proceed to step 6.					
		If the correct ISO is NOT present, then redo Procedure 3 before proceeding.					
3.	Insert the media containing PM&C 6.0 image into the Management Server	Insert the media containing PM&C image (item Error! Reference source not found. in section 3.1 Required Materials) into the Management Server.					
4.	Log in to the PM&C GUI.	Open IE web browser and enter: https:// <pm&c ip="" management="" network=""></pm&c>					
		Login with administrator credentials from Table 3. Software Upgrade Required Data					





11.	Media Menu" screen Note: The following images are for illustrative purposes only. The actual content will differ based on the current PM&C release. System Busy				
12.	Start the upgrade to the target release	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following images are for illustrative purposes only. The actual menu content will differ based on the current PM&C release. If the image is located on virtual CD, then the menu would look similar to this: Choose Upgrade Media Menu			

	The upgrade begins Ensure that Early Upgrade Checks pass and the upgrade is started.	Note: The following images are for illustrative purposes only. The actual menu content will differ based on the current PM&C release. Screen similar to the one shown below will be displayed as the upgrade progresses.			
		Running earlyUpgradeChecks() for Upgrade::EarlyPolicy::PMAC upgrade policy This is an upgrade of PMAC. Check for IN-PROGRESS BG Tasks. No IN-PROGRESS BG Tasks found, we can upgrade. Running earlyUpgradeChecks() for Upgrade::EarlyPolicy::TPDEarlyChecks upgrade policy Verified server is not pending accept of previous upgrade Hardware architectures match Install products match. Verified server is alarm free! Early Upgrade Checks Have Passed! Initializing upgrade information Shutting down PMAC services: The runlevel transition complete RC file was created as /es Changing to run-level 3 **********************************			
1	. Verify upgrade is progressing	Note: The following images are for illustrative purposes only. Screen similar to the one shown below will be displayed as the upgrade progresses.			
		Upgrade from current release 6.0.1-80.32.0 supported Changing platform revision so must upgrade Determining the appropriate upgrade command Using /mnt/upgrade/upgrade/upgrade_server as the upgrade command Current platform version: 6.0.1-80.32.0 No backout release boundary: 4.0.0-70.0.0 Backout will be supported Running prepareUpgrade() for Upgrade::Policy::Platform upgrade policy Preserving files so verifyUpgrade can run. preserveVerifyUpgradeFiles(): File does not exist! FILE: /mnt/upgrade/upgrade/etc/multiRpmsAllowed.sed Skipping Adding /etc/sysconfig/ip6tables to RCS Adding /etc/sysconfig/ip6tables to RCS Adding /usr/TKLC/plat/etc/alarms/alarms.xml to RCS Adding /usr/TKLC/plat/etc/alarms/alarms.dtd to RCS Running prepareUpgrade() for Upgrade::Policy::MBL upgrade policy Running prepareUpgrade() for Upgrade::Policy::PMAC upgrade policy Running prepareUpgrade() for Upgrade::Policy::PlatformLast upgrade policy Running prepareUpgrade() for Upgrade::Policy::PlatformLast upgrade policy Initializing upgrade Verify RCS repository and checkin files RCSCHECK REPORT: /var/TKLC/log/upgrade/rcscheck.before.upgrade INFO: Checking rcs elements for unchecked in changes			

15. Upgrade completes **Note:** The following images are for illustrative purposes only. successfully. NOTE: If the PM&C If the upgrade completes successfully, the screen shown below will be displayed as the upgrade fails to complete, upgrade progresses. contact Oracle Customer Support PMAC postTransactions method completed. Running post transactions script for Upgrade::Policy::PlatformLast upgrade policy. Executing ldconfig Updating RPM manifest file. FILE: /usr/TKLC/plat/etc/upgrade/rpm manifest. RPM manifest file does not exist. Creating RPM manifest file. FILE: /usr/TKLC/plat/etc/upgrade/rpm manifest. Adding /usr/TKLC/plat/etc/upgrade/rpm_manifest to RCS... Enabling applications on the server Running prelink Enabling applications on the server... File cleanup. MODE is --upgrade FILE is /mnt/upgrade/upgrade/etc/upg_delete_these_files rsshRebuild: Rebuilding /var/TKLC/smac/image/isoimages chroot... Applications Enabled. Running /usr/TKLC/plat/bin/service conf reconfig UPGRADE IS COMPLETE Upgrade command returned success! Running postUpgrade() for Upgrade::Policy::Platform upgrade policy... Restarting alarmMgr.

Note: If the PM&C upgrade fails to complete, contact Oracle Customer Support for assistance.

Section 5.4 has been completed.

5.5 Software Upgrade Completion on the Redundant PM&C

Procedure 21. Post Upgrade Verification on the redundant PM&C

S T E P	Use this procedure to verify the success of the redundant PM&C upgrade. Check off (1) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.						
#	Task	Description					
1.	If necessary, access the redundant PM&C guest console	If necessary, access the redundant PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console					
2.	After logging in, a notice similar to the one shown to the right will be displayed.	ast login: Wed Jun 6 08:39:14 on ttyS0 This system has been upgraded but the upgrade has not yet been accepted or rejected. Please accept or reject the upgrade soon. admusr@pmac ~]\$					
3.	Verify that the date/time stamp of the upgrade log aligns with the time of the upgrade.	Execute the following command: [admusr@pmac ~]\$ sudo /bin/ls -l /var/TKLC/log/upgrade/upgrade.log -rw-rw-r- 1 platcfg root 113112 Nov 11 14:16 /var/TKLC/log/upgrade/upgrade.log [admusr@pmac ~]\$					
4.	Verify that the release has been updated.	Execute the following command: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/appRev Install Time: Fri Oct 14 11:37:42 2016 Product Name: PMAC Product Release: 6.3.0.0.0_63.3.0 Base Distro Product: TPD Base Distro Release: 7.3.0.0.0_88.30.0 Base Distro ISO: TPD.install-7.3.0.0.0_88.30.0- OracleLinux6.8-x86_64.iso ISO name: PMACBLD-6.3.0.0.0_63.3.0.iso OS: OracleLinux 6.8 [admusr@pmac ~]\$ If the Product Release does not match the new target release number, then upgrade was not successful. Contact Oracle Customer Support and do not proceed until instructed by an Oracle representative.					

Procedure 21. Post Upgrade Verification on the redundant PM&C

		SEQ: 1 UPTIME: 185 BIRTH: 1372167411 TYPE: SET ALARM: TKSPLATMI33 tpdServerUpgradePendingAccept 1.3.6.1.4.1.323.5.3. 18.3.1.3.33 If any other error or failure conditions are discovered on the redundant PM&C system then do <i>not</i> proceed. Contact Oracle Customer Support to work to resolve the failure conditions.
6.	Execute the redundant PM&C system health check.	Execute the Appendix C PM&C System Health Check for the redundant PM&C. Note: Alarm about pending accept/reject such similar to the one below can be safely ignored in this step.
5.	Verify upgrade completion through the upgrade log. NOTE: If the PM&C upgrade has failed, contact Oracle Customer Support	Execute the following command on the redundant PM&C: [admusr@pmac ~]\$ grep COMPLETE /var/TKLC/log/upgrade/upgrade.log 1371492983:: UPGRADE IS COMPLETE Note: Output like above is expected (the timestamp will be different). Now execute the following command: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/verifyUpgrade Note: This command can take over a minute to complete. No output is expected, only the prompt should return Note: If 'UPGRADE IS COMPLETE' is not in the output from the first command, or if any output showing errors result from the verifyUpgrade command, contact Oracle Customer Support and do not proceed until instructed by an Oracle representative.

Procedure 22. Post Upgrade Procedure to Enable redundant PM&C Virtual Watchdog

S		This procedure provides instructions to enable Virtual Watchdog of the redundant PM&C and should be executed after upgrade to PM&C 6.3 release.				
	Ė	Check off (1) each step as it is completed. Boxes have been provided for this purpose under each step number.				
	P #	If this procedure fails, see Section 1.2.				
	-	Task	Description			


Procedure 22. Post Upgrade Procedure to Enable redundant PM&C Virtual Watchdog

https://sRedundant PM&C Management Network IP > Login with administrator credentials from Table 3. Software Upgrade Required Data Note: The following images are for illustrative purposes only. Oracle System Login Wed Oct 19 06 56:32 2016 UTC Log In Enter your username and password to log in Username: Password: Change password Unauthorized access is profused to decide access is profused to decide access is profused to decide access is profused access in profused access is profused to decide and Java are registered for decide access is profused to decide access is profused to decide and Java are registered for decide access is profused to decide access is profused to decide and Java are registered for decide access is profused to decide access in the state of the decide access is profused to decide access in the state of the decide access is profused and or its affiliates. Other names may be trademarks of their respective oursers. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reacted via the Main Menu's 'Administration' submenu. Login Name: gladed via the Main Menu's 'Administration' submenu. Login Name: gladed via the Main Menu's 'Administration' submenu. Login Name: gladed via the Main Menu's 'Administration' submenu. Login Name: gladed via the Main Menu's 'Administration' submenu. Login Name: gladed via the Main Menu's 'Administration' submenu.	1.	Access the redundant PM&C	Open the IE web browser and enter:					
Oracle System Login Wed Oct 19 06.56:32 2016 UTC Log In Enter your username and password to log in Username: Password: Change password Log In This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software. Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of their respective owners. Chapter are way be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin		GUI	1					
Oracle System Login Log In Enter your username and password to log in Username: Password: Change password Log In This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016. Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin								
Username: Password: Log In Enter your username and password to log in Username: Password: Change password Log In This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			Note: The following images are for illustrative purposes only.					
Username: Password: Log In Enter your username and password to log in Username: Password: Change password Log In This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin								
Log In Enter your username and password to log in Username: Password: Change password Log In This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			ORACLE.					
Log In Enter your username and password to log in Username: Password: Change password Log In This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			Oracle System Login					
Enter your username and password to log in Username: Password: Change password Log In This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin								
Enter your username and password to log in Username: Password: Change password Log In This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			Log In					
Password: Change password								
Change password Log In This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			Username:					
This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			Password:					
This application is designed to work with most modern HTML5 compliant browsers and uses both JavaScript and cookies. Please refer to the Oracle Software Web Browser Support Policy for details. Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			☐ Change password					
Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			Log In					
Unauthorized access is prohibited. Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin								
Oracle and Java are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin								
Other names may be trademarks of their respective owners. Copyright © 2010, 2016, Oracle and/or its affiliates. All rights reserved. Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			· · · · · · · · · · · · · · · · · · ·					
Welcome message is displayed after the successful login. This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin								
This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			Copyright © 2010, 2016, <u>Oracle</u> and/or its affiliates. All rights reserved.					
This is the user-defined welcome message. It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin								
It can be modified using the 'General Options' page, reached via the Main Menu's 'Administration' submenu. Login Name: guiadmin			Welcome message is displayed after the successful login.					
Login Name: guiadmin			This is the user-defined welcome message.					
L = 41 = == ID A +1==== 40 470 00 000			Last Login Time: 2016-08-17 11:16:54					
Last Login IP Address: 10.178.62.230 Recent Failed Login Attempts: 0								


Procedure 22. Post Upgrade Procedure to Enable redundant PM&C Virtual Watchdog

2.	Navigate to VM Management page	Using Main Menu > VM Management navigate to VM Management page. Note: The following images are for illustrative purposes only. Main Menu Hardware System Inventory System Configuration Software Software Inventory Manage Software Images VM Management
		The pane called 'Main Menu: VM Management' should load.
3.	Select the redundant PM&C guest	Click on VM Host under 'VM Entities' Expand the VM Host if needed and select the redundant PM&C guest Note: The following images are for illustrative purposes only. View guest pmacU17-3 View guest pmacU17-3 VM Info Software Network Media Summary Virtual Disks Virtual NICs Current Power State: Running On V Set Power State: Running Guest Name (Required): pmacU17-3 Host: fe80::223:7dff:fede:f408 Number of vCPUs: 1 Memory (MBs): 2,048 VM UUID: a39e9ff6-9bb0-4c6e-b1c1- 11c9beb4916c Enable Virtual Watchdog A pane called 'View guest < redundant PM&C guest name>' should load. If the 'Enable Virtual Watchdog' checkbox is not checked, proceed to the next step, otherwise exit the procedure.

Procedure 22. Post Upgrade Procedure to Enable redundant PM&C Virtual Watchdog




Procedure 22. Post Upgrade Procedure to Enable redundant PM&C Virtual Watchdog



Procedure 22. Post Upgrade Procedure to Enable redundant PM&C Virtual Watchdog

8.	Start the redundant PM&C guest	Using the virsh utility on the redundant PM&C TVOE host, start the redundant PM&C guest. Query the list of guests until the redundant PM&C guest is "running". [admusr@tvoeU17~]\$ sudo /usr/bin/virsh listall Id Name State			
		20 <redundant guest="" name="" pm&c=""> shut off</redundant>			
		[admusr@tvoeU17~]\$ sudo /usr/bin/virsh start <pmac> Domain <redundant guest="" name="" pm&c=""> started</redundant></pmac>			
		[admusr@tvoeU17 ~]\$ sudo /usr/bin/virsh listall Id Name State			
		20 <redundant guest="" name="" pm&c=""> running</redundant>			
9.	Monitor the redundant PM&C guest until it comes up	In a Putty session to redundant PM&C TVOE Host, execute the following command: [admusr@tvoeU17 ~]\$ sudo /usr/bin/virsh console <redundant guest="" name="" pm&c=""> Wait for the redundant PM&C guest login prompt to appear.</redundant>			

Procedure 22. Post Upgrade Procedure to Enable redundant PM&C Virtual Watchdog



S T E P	upgrade to PM&C 6.3 release. Check off ($$) each step as it is considered.	This procedure provides instructions to edit the NUMA tuning of the redundant PM&C and should be executed after upgrade to PM&C 6.3 release. Check off (ψ) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.				
#	Task	Description				

Upgrade Procedure

1.	Locate the Ipv6 address of the redundant PM&C TVOE Host	Open the IE web browser and enter: https:// <redundant ip="" management="" network="" pm&c=""> Login with administrator credentials from Table 3. Software Upgrade Required Data</redundant>						
		Note: The following	Note: The following images are for illustrative purposes only.					
			ORACLE"					
		Oracle System	Login		Wed Oct 19 06:56:32 2	2016 UTC		
			Enter your use	Log In rname and password to	o log in			
				rname:				
			Pas	Change password				
				Log In				
				modern HTML5 compliant bro		Script and		
			Unauth	orized access is prohibited.				
			Other names may be	rademarks of Oracle Corporati e trademarks of their respectiv <u>Oracle</u> and/or its affiliates. All i	re owners.			
		Using the Main Med Locate the entry be	_		• • •	e.		
		Host: hostnameec9b22c43725 Guest: pmacU17-3	169.254.129.1	pmacU17-3	TPD (x86_64)	7.2.0.0.0-88.25.		
		Now, click on the I up "Ident Informat		of the redundant PM	M&C guest entry,	this will bring		
		Ident information						
			Guest Host Addre	ost:hostnameec9b; IP _{ess} : <mark>fe80::223:7dff:f</mark> me:pmacU17-3				
			IPv6 Addre					


		Note down the value next to GuestHost IP: Guest Host Ip:
2.	Decide if NUMA Tuning is required	Login to PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console Execute the following command: [admusr@pmacU17-3~]\$ sudo pmaccli getVirtGuestip= <guest host="" ip="">guest=<redundant guest="" name="" pm&c=""> Note:The following images are for illustrative purposes only. [admusr@pmacU17-3 ~] # sudo pmaccli getVirtGuestip=fe80 ::223:7dff:fede:f408guest=pmacU17-3 pmacU17-3: MEMORY (MB):2048 WATCHDOG:ON POWERSTATE:1 UUID:03e85994-f6d0-4d4d-9452-77e5f25c29dd metadata: VERSION() CREATED() EDITED() vcpus:1 VCPUPIN() CPUSET() NUMA() PLACEMENTRULE (LEGACY) vnics: control43: 52:54:00:df:7a:29: (null) control - (null) In the output of the above command, if both VCPUPIN and CPUSET have empty values, proceed to the next step, otherwise exit the procedure.</redundant></guest>
3.	Login to redundant PM&C TVOE Host	Login to the redundant PM&C TVOE Host console, using Appendix A Accessing The PM&C TVOE Host Console

4.	Get Reserved CPUs on redundant PM&C TVOE Host	In the Putty session to redundant PM&C TVOE Host, execute the following command: [admusr@tvoeU17 ~]\$ sudo cat /usr/TKLC/tvoe/etc/host_resources.cfg Note down the first CPU number listed next to RESERVED_CPU:
		Reserved CPU
		Note: The following images are for illustrative purposes only.
		[admusr@tvoeU17 ~]\$ sudo cat /usr/TKLC/tvoe/etc/host_resources.cfg
# # Copyright (C) 2003, 2016, Oracle and/or its a #		# # Copyright (C) 2003, 2016, Oracle and/or its affiliates. All rights reserved.
		# This file is sourced by the TVOEmem and TVOEcpu RC scripts. The # intent of this file is to allow the default amount of TVOE host # reserved memory and default host CPUs to be overridden.
		# See the respective RC script for a more detailed description on # how these values are used.
		# # The amount of memory(kB) to reserve for the TVOE host. The default # is 2GiB = 2048 MiB = 2097152 KiB. RESERVED_KB=2097152
		# # The CPUs that are to be reserved for the TVOE host. The default is # CPU 0. RESERVED CPUS=0,2
		Reserved CPU to be noted is 0, in the above screenshot.


5.	Get the allocated vcpus for the redundant PM&C	In a Putty session to redundant PM&C guest, execute the following command: [admusr@pmacU17-3~]\$ sudo pmaccli getVirtGuestip= <guest host="" ip="">guest=<redundant guest="" name="" pm&c=""> Note down the value next to vcpus:</redundant></guest>
		vcpus
		Note: The following images are for illustrative purposes only. [admusr@pmacU17-3 ~]\$ sudo pmaccli getVirtGuestip=fe80::223:7dff :fede:f408guest=pmacU17-3 pmacU17-3: MEMORY(MB):2048 WATCHDOG:ON POWERSTATE:1 UUID:a39e9ff6-9bb0-4c6e-b1c1-11c9beb4916c metadata: VERSION(1.0) CREATED(08/03/16 11:55:06AM) EDITED(08/19/16 02:09:2 6AM) vcpus:1 VCPUPIN() CPUSET(1-7) NUMA(0-1) PLACEMENTRULE(LEGACY) vnics:
		<pre>control43: 52:54:00:57:01:f6: (null) control - (null) management: 52:54:00:cd:15:41: (null) management - (null)</pre>
		vdisks: vgguests / pmacU17-3.img (51200) PRIMARY pridisk(1) vgguests / pmacU17-3_logs.img (10240) logs pridisk(0) vgguests / pmacU17-3_images.img (20480) images pridisk(0)
		Vcpus to be noted is 1, in the above screenshot.

6.	Identify the NUMA where PM&C's host CPUs are reserved	In a Putty session to redundant PM&C guest, execute the following command: [admusr@pmacU17-3~]\$ sudo pmaccli getVmHostCapabilities ip= <guest host="" ip=""></guest>
		Note down the NUMA id to which the Reserved CPU (from Step# 2) belongs: NUMA id
		Note:The following images are for illustrative purposes only. [admusr@pmacU17-3 ~]\$ sudo pmaccli getVmHostCapabilitiesip=fe80:: 223:7dff:fede:f408 UUID: 34393433-3239-5553-4539-33304e385647 Intel x86_64 Nehalem Sockets(1) Cores(4) Threads(1) Features: invtsc, rdtscp, dca, pdcm, xtpr, tm2, est, vmx, ds_cp 1, monitor, dtes64, pbe, tm, ht, ss, acpi, ds, vme NUMA id: 0 Memory: 12277 MB CPU ids: 0, 2, 4, 6 Siblings: unknown, unknown, unknown, -1 NUMA id: 1
		Memory: 12287 MB CPU ids: 1, 3, 5, 7 Siblings: unknown, unknown, unknown, -1 Total Memory: 24564 MB NUMA id to be noted is 0 in the above screenshot as the Reserved CPU 0 (from Step# 2) belongs to the NUMA id 0.
7.	Edit the redundant PM&C NUMA Tuning	In a Putty session to redundant PM&C guest, execute the following command using the NUMA id value gathered in the previous step: [admusr@pmacU17-3~]\$ sudo pmaccli editVirtGuestVcpu ip= <guest host="" ip="">guest=<redundant guest="" name="" pm&c=""> vcpus=<vcpus>placementRule=NUMAnumaCell=<numa id=""> Note down the value next the BgTask: [BgTask]</numa></vcpus></redundant></guest>
		Note: The following image is for illustrative purposes only. [admusr@pmacU17-3 ~] \$ sudo pmaccli editVirtGuestVcpuip=fe80::223:7dff :fede:f408guest=pmacU17-3vcpus=1placementRule=NUMAnumaCell=0 Virtual Guest edit started with BgTask: 43 BgTask to be noted is 43, in the above screenshot.

8.	Wait for the Edit Guest background task to complete	'Bao Ver	ckgro	rund Task Mor nat the 'Edit Gu Task Edit Guest	titoring' view. lest' task with the Id, < Target Host IP::7dff:fede:f408 Guest: pmacU17-3	Inder the Main Menu, Na BgTask> has completed Status Guest editing completed (pmacU17-3)	
		Not	te: I ho	e following imag	e is for illustrative purpose	es only.	
9.	Shut down the redundant PM&C guest	Shu	ıtdow	n the redunda	nt PM&C guest as detai	led in Appendix H Shutdow	n PM&C Guest
10.	Start the redundant PM&C guest	Using the virsh utility on the redundant PM&C TVOE host, start the redundant PM&C guest. Query the list of guests until the redundant PM&C guest is "running". [admusr@tvoeU17~]\$ sudo /usr/bin/virsh listall Id Name State					
11.	Monitor the redundant PM&C guest until it comes up	[ad	imus: &C g	r@tvoeU17 ^ uest name>		Host, execute the follow/virsh console <red< th=""><th>0</th></red<>	0
12.	Login to redundant PM&C			redundant PM Guest Console	L&C guest console as de	etailed in Appendix B Acc	cessing The




Procedure 24. Post Upgrade Configuration of larger redundant PM&C ISO Image Repository area



Procedure 24. Post Upgrade Configuration of larger redundant PM&C ISO Image Repository area

2.	Locate the IPv6 address of redundant PM&C TVOE host	Using the Main Menu, navigate to Software → Software Inventory page.			
Ш		Locate the entry belonging to the redundant PM&C guest.			
		Host: hostname02be2be44427			
		Now, click on the IP Address field of the redundant PM&C guest entry, this will bring up "Ident information" window.			
		Ident information			
		Guest Host: TVOE2 Guest Host IP: fe80::dad3:85ff:feba:8b18 Guest Name: pmacDev802 IPv6:::1 RMS IP: 192.168.176.26 RMS Name: TVOE2			
		Note down the following values:			
		Guest Host IP:			
3.	If necessary, access the primary PM&C guest console	If necessary, access the primary PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console			
4.	Enlarge the redundant PM&C ISO repository	Execute the following command with appropriate values gathered in steps 1 and 2: [admusr@pmac2 ~]\$ sudo pmaccli enlargeIsoImageRepositoryip= <guest_host_ip>guest=<redundant_pmac_guest_name>volname=<host_vol_name>volpool=vgguestsvolsize=61440</host_vol_name></redundant_pmac_guest_name></guest_host_ip>			
		For example, enlarging repository of redundant PM&C guest with name pmac2 to 61440 MB would be similar to this: [admusr@pmac2 ~]\$ sudo /usr/TKLC/smac/bin/pmaccli enlargeIsoImageRepositoryip=fe80::dad3:85ff:feba:8b18 guest=pmac2volname=pmac2_images.imgvolpool=vgguests volsize=61440 Successful resize of pmac2_images.img to 61440 MB.			


Procedure 24. Post Upgrade Configuration of larger redundant PM&C ISO Image Repository area




Procedure 25. Post Upgrade Configuration of larger redundant PM&C temporary ISO import area

S T E P #	Use this procedure to enlarge the redundant PM&C ISO image temporary import area up to 20480 MB (20 GB). Note: This procedure can be executed only on PM&C 5.7 and later releases. Note: Only execute this procedure if it is required by application. Check off (√) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.			
	Task	Description		
1,	Access the PM&C guest console	If necessary, access the PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console.		


2.	Determine if the PM&C ISO temporary import area needs	Execute the following command:			
╵	to be enlarged	[admusr@pmac ~]\$ sudo /bin/df -h grep isoimages			
		In the sample output below, there is no entry related to /var/TKLC/smac/image/isoimages/home/smacftpusr, which would be there if the ISO temporary import area was enlarged during PM&C deployment or afterwards. The ISO temporary import area in the example above has at the most 5 GB available. /dev/mapper/vgroot-smac_isoimages			
		5.0G 147M 4.6G 4% /var/TKLC/smac/image/isoimages			
		In the following sample there is an additional entry, indicating that the ISO temporary import area			
		/var/TKLC/smac/image/isoimages/home/smacftpusr has altogether 20 GB available from an EVD.			
		/dev/mapper/vgroot-smac_isoimages 5.0G 147M 4.6G 4% /var/TKLC/smac/image/isoimages /dev/vdd 20G 173M 19G 1% /var/TKLC/smac/image/isoimages/ home/smacftpusr			
		If the application requires the repository to be larger than the size reported by the command above, proceed to the next step. Otherwise, skip the rest of this procedure.			
		Note: To be able to transfer an application ISO image to the PM&C, this area must be large enough for the largest ISO image file size anticipated at the site.			
3.	Log in to the redundant PM&C GUI.	If needed, open IE web browser and enter:			
	Times out	https:// <pm&c ip="" management="" network=""></pm&c>			
		Log in with administrator credentials from Table 3. Software Upgrade Required Data.			
4.	Navigate to the "Edit guest" page of the redundant PM&C guest	Using the redundant PM&C GUI, navigate to the VM Management page. Select the redundant PM&C Guest to get to the "View guest" page. Click "Edit".			
5.	Determine whether the "isoimages" virtual disk exists	Click on the "Virtual Disks" link. In the "Virtual Disks" table, locate the entry with Guest Dev Name "isoimages".			
		If you cannot find the "isoimages" entry, skip to step 13. Otherwise, proceed to step 6.			



8.	Wait for the Edit Guest background task to complete	Navigate to the Background Task Monitoring view. Confirm that the Edit Guest task has completed successfully.					
		ID	Task	Target	Status	State	
		9	Edit Guest	RMS: TVOE2 Guest: pmacU16-2	Guest editing completed (pmacU16-2)	COMPLETE	
9.	Shut down the PM&C guest	Shut d	own the PM&	cC guest as detailed in	n Appendix H.		
10.	Start the PM&C guest	Using the virsh utility on the TVOE host of PM&C guest, start the PM&C guest. Query the list of guests until the PM&C guest is "running". [admusr@tvoe ~]\$ sudo /usr/bin/virsh listall Id Name State					
11.	Monitor the PM&C guest until it comes up and verify that the temporary ISO import area does not exist	Wait for Log in that the point in [admut/dev/	or the PM&C as admusr as e entry for the s not displayed asr@pmac2 mapper/vgr 5.0G	guest login prompt to captured in Table 3.3 e /var/TKLC/smac/ d. An example is show -]\$ sudo /bin/df coot-smac_isoima 147M 4.6G 4	Software Upgrade Required I image/isoimages/home/smawn below:	Data and verify cftpusr mount	
12.	Navigate to the "Edit guest" page of the redundant PM&C guest	redunc		Guest to get to the "Vi	te to the VM Management pa iew guest" page. Click on the		



Procedure 25. Post Upgrade Configuration of larger redundant PM&C temporary ISO import area



18.	Monitor the PM&C guest until it comes up and verify the size of the "isoimages" vdisk	Execute: [admusr@tvoe ~]\$ sudo /usr/bin/virsh console <pmac> Wait for the PM&C guest login prompt to appear. Log in as admusr as captured in Table 3. Software Upgrade Required Data and verify the disk size using the df command. An example is shown below: [admusr@pmac2 ~]\$ sudo /bin/df -h grep isoimages /dev/mapper/vgroot-smac_isoimages 5.0G 147M 4.6G 4% /var/TKLC/smac/image/isoimages /dev/vdd 20G 173M 19G 1% /var/TKLC/smac/image/isoimages/ home/smacftpusr</pmac>			
19.	Verify the size of PM&C ISO temporary import area NOTE: It may take up to 5 minutes for the PM&C GUI to be responsive and provide a login prompt.	Note: It can take up to 15 minutes for the PM&C to perform sufficient software discovery and enable navigation to the "View guest" page. Note: Using the redundant PM&C GUI, navigate to the VM Management page. Select the redundant PM&C Guest to get to the "View guest" page. Click on the "Virtual Disks" link. In the table, locate the entry with Guest Dev Name "isoimages". Ensure that the Size (MB) field now reflects the new value.			
	Section 5.5 has been completed				

5.6 Software Upgrade Acceptance and Cleanup on the Redundant PM&C

Once you are satisfied that this release of PM&C is acceptable, it is time to accept the upgrade. Please note that once you accept an upgrade, a backout to the previous release is not possible. If backout becomes necessary after an upgrade has been accepted, then a disaster recovery process is required. The following procedure identifies the steps required to accept the upgrade. Once the upgrade has been accepted it is safe to remove the media used for the upgrade.

Procedure 26. Post Upgrade Acceptance on the redundant PM&C

S T E P	Use this procedure to finalize the upgrade on the redundant PM&C, once complete, the backout is no longer available/possible. Note: This procedure should only be performed when a backout is no longer anticipated/desired. Check off ($$) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
	Task	Description	
1.	If necessary, access the redundant PM&C guest console	If necessary, access the redundant PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console	
2.	Run the "platcfg" utility.	Execute: [admusr@pmac ~]\$ sudo su - platcfg	
3.	In "platcfg" utility Access the Maintenance menu	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following image is for illustrative purposes only. Main Menu Maintenance Diagnostics Server Configuration Remote Consoles Network Configuration Exit Select "Maintenance" to navigate to the Maintenance Menu.	

Procedure 26. Post Upgrade Acceptance on the redundant PM&C

4.	In "platcfg" utility access the Upgrade menu	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following image is for illustrative purposes only.
		Maintenance Menu
		Select "Upgrade" to navigate to the Upgrade Menu.
5.	In "platcfg" utility, select "Accept Upgrade" to start the accept process.	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following image is for illustrative purposes only. Upgrade Menu Validate Media Early Upgrade Checks Initiate Upgrade Non Tekelec RPM Management Accept Upgrade Reject Upgrade Exit Select "Accept Upgrade" and press the [ENTER] key to start the accept process.
6.	Confirm the decision and execute the accept.	Do you really want to accept the upgrade? Yes No

Procedure 26. Post Upgrade Acceptance on the redundant PM&C

7.	The "Accept Upgrade" process starts	Note: The following image is for illustrative purposes only.
		Called with options:accept Loading Upgrade::Backout::LVM Accepting Upgrade snapmgr: Logical volume "smac_root_snap" successfully removed snapmgr: Logical volume "plat_usr_snap" successfully removed snapmgr: Logical volume "plat_usr_snap" successfully removed snapmgr: Logical volume "smac_backup_snap" successfully removed snapmgr: Logical volume "plat_root_snap" successfully removed snapmgr: Logical volume "plat_var_tklc_snap" successfully removed snapmgr: Logical volume "plat_var_snap" successfully removed snapmgr: Removed snapshot lv's related to tag "@upgrade" Executing common accept tasks Setting POST_UPGRADE_ACTION to ACCEPT in upgrade info. Cleaning backout directory. Clearing Upgrade Accept/Reject alarm. Cleaning message from MOTD. Cleaning up RPM config backup files Checking / Checking /tmp Checking /tmp Checking /var Checking /var Checking /var Checking /var Checking /var Checking /var/TKLC Checking /usr/TKLC/smac
8.	Verify the "Accept Upgrade" completes and exit the "platcfg" utility	Press any key to continue Press any key to continue Press any key to return to the "Upgrade menu". Use the arrow keys to select "Exit" and press the [ENTER] key to exit from all menus until the PM&C command prompt is displayed.


Procedure 26. Post Upgrade Acceptance on the redundant PM&C

9.	If the TVOE host was upgraded using Error! Reference source not found	The upgrade of TVOE includes acceptance of the upgrade. This acceptance may have been intentionally delayed by the PM&C upgrade during the execution of Error! Reference source not found			
		If the TVOE upgrade was delayed, then please return to TVOE host upgrade procedures outlined in the TVOE Software Upgrade document for the release being upgraded.			
		Continue the upgrade process with procedure 8, Stand Alone TVOE Upgrade Accept.			
	End of Procedure				

Procedure 27. Post Upgrade Cleanup of Upgrade Media

S T E P	Check off ($$) each step as it is completed. Boxes have been provided for this purpose under each step number.		
	Task	Description	
1.	If this was a Remote Upgrade, then ensure images used for upgrade have been removed from PM&C	Execute the following command on the redundant PM&C: [admusr@pmac ~]\$ sudo /bin/ls /var/TKLC/upgrade/ PMAC-6.2.0.0.0_62.8.0-x86_64.iso If there are images that need to be removed, using the output of the command above, specify the full path of the image to be removed: [admusr@pmac ~]\$ sudo /bin/rm -f /var/TKLC/upgrade/ <image_name.iso> For instance: [admusr@pmac ~]\$sudo /bin/rm -f /var/TKLC/upgrade/PMAC-6.2.0.0.0_62.8.0-x86_64.iso Repeat this step as necessary to ensure there are no images left to be removed.</image_name.iso>	
2.	If this was a local upgrade, Log in to the primary PM&C GUI.	If needed, open IE web browser and enter: https:// <pm&c ip="" management="" network=""> Login with administrator credentials from Table 3. Software Upgrade Required Data</pm&c>	

Procedure 27. Post Upgrade Cleanup of Upgrade Media



6 Recovery Procedures

Upgrade procedure recovery issues should be directed to Oracle Customer Support. Before executing any of these procedures, contact Oracle Customer Support. In the event that a full installation is needed, the PM&C Installation Procedures also need to be performed. Persons performing the upgrade should be familiar with these documents.

6.1 Backout (reject) Setup Procedures

Execute this section only if there is a problem and it is desired to revert back to the pre-upgrade version of the software.

WARNING

Do not attempt to perform these backout procedures without first contacting Oracle Customer Support

See Section 1.2

Backout of an initial installation is not supported.

The reason to execute a backout (reject) has a direct impact on any backout preparation that must be done. Since the reason cannot be known ahead of time, no definitive procedure can be written.

Oracle Customer Support personnel will require login access to the affected PM&C, probe the server for the root cause of the problem, and execute whatever setup or cleanup is necessary in order to prepare the PM&C for backout.

6.2 Recovery Procedures

Procedure 28. PM&C Backout(reject) Procedure

S T E P	T backout(reject). Note: This procedure can also be used for a failed upgrade on the redundant PM&C.	
	Task	Description
1.	Close any active browser sessions to the PM&C.	If you have any open browsers connected to the PM&C, close them before proceeding.
2.	If necessary, access the PM&C guest console	If necessary, access the PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console
3.	Run the "platcfg" utility.	Execute: [admusr@pmac ~]\$ sudo su - platcfg

4.	In "platefg" utility Access the Maintenance menu	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following image is for illustrative purposes only. Main Menu
5.	In "platcfg" utility access the Upgrade menu	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following image is for illustrative purposes only. Maintenance Menu
6.	In "platcfg" utility, select "Reject Upgrade" to start the reject process.	Note: Use the "Arrow" and the [ENTER] keys to navigate through the menu options. Note: The following image is for illustrative purposes only. Upgrade Menu Validate Media Early Upgrade Checks Initiate Upgrade Non Tekelec RPM Management Accept Upgrade Reject Upgrade Exit Select "Reject Upgrade" and press the [ENTER] key to start the reject process.

7.	Confirm the decision and execute the backout.	Do you really want to reject the upgrade? Yes No
8.	The "Reject Upgrade" process starts	Note: The following image is for illustrative purposes only. Current platform version: 6.5.0-82.14.0 Called with options:rejectnoprompt Loading Upgrade::Backout::LVM Rejecting Upgrade Executing. Upgrade::Backout::LVM->reject() Setting POST_UPGRADE_ACTION to REJECT in upgrade info. Clearing Upgrade Accept/Reject alarm. Executing. /var/TKLC/backout/backout_server ****** BACKOUT TO 06/18/2013 14:16:53 UTC ****** The backout type is LVM Scanning package database for config files Disabling applications on the server Applications Disabled. RCS_VERSION=1.3 Cleaning backout directory. Rebuilding RPM database. This may take a moment
9.	Backout requires reboot	Note: The following image is for illustrative purposes only. Message The reject has completed. The system will now be rebooted. Press any key to continue

10.	A revert of Logical Volume Snapshots is performed	Note: The following image is for illustrative purposes only. 1371567984:: Removing boot archive 1v Logical volume "bootarchive" successfully removed 1371567984:: ***********************************
11.	Wait for PM&C login prompt	Upon successful completion of the upgrade, the user should be returned to a login prompt.
12.	Login with correct credentials	Use platform admusr credentials from Table 3. Software Upgrade Required Data
13.	If present, remove the external media from the PM&C TVOE host server.	Remove the external media from the appropriate slot of the PM&C TVOE host server.
14.	Verify the backout completed.	Execute the following command to verify source PM&C release: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/appRev

15.	Execute the system health check.	Execute Appendix C PM&C System Health Check Unless otherwise instructed, if any error or failure conditions are discovered on the PM&C or PM&C application then do <i>not</i> proceed. Contact Oracle Customer Support to work to resolve the failure conditions.
16.	Clear browser cache	Clear your browser's cache to ensure that your browser has the latest client-side code loaded. Refer to your browser's documentation if necessary.
		Section 6.2 has been completed.

Appendix A. Accessing The PM&C TVOE Host Console

Procedure 29. Accessing the PM&C 5.7, 6.0, 6.2 or 6.3 TVOE Host Console

S T E P #	Use this procedure to access the console of a TVOE host in PM&C 5.7, 6.0, 6.2 or 6.3 system Note: Be sure to capture a log of all lines appearing on the screen on the laptop, desktop, or other computer used when executing this procedure. Check off (√) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
	Task	Description	
1.	Login to Management Server iLO/ILOM.	Access the Management Server iLO/ILOM using Appendix F How to Access a Server Console Remotely, in the appropriate Platform Configuration Guide for the release being upgrade to 6.3. If necessary refer to Table 3. Software Upgrade Required Data for login credentials.	
2.	Login to TVOE as admusr	If necessary login with the admusr credentials captured in Table 3. Software Upgrade Required Data [admusr@tvoe ~]\$	
3.	Exit this procedure and return to the procedure which referred you.	Return to the next step in the referring procedure.	
	This procedure has been completed.		

Appendix B. Accessing The PM&C Guest Console

Procedure 30. Accessing the PM&C 5.7, 6.0, 6.2 or 6.3 Guest console

S T E P #	Use this procedure to access the virtualized PM&C 6.3 guest console running on a TVOE hypervisor. Note: Be sure to capture a log of all lines appearing on the screen on the laptop, desktop, or other computer used when executing this procedure. Check off (1) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.	
_	Task	Description The Date of The Da
1.	Access the TVOE host console	Login to the TVOE host console, using Appendix A Accessing The PM&C TVOE Host Console
2.	Determine the name of the PM&C guest	At the TVOE console, list the guests and locate the one representing the PM&C: [admusr@tvoe ~]\$ sudo /usr/bin/virsh list Id Name State 11 pmac running [admusr@tvoe ~]\$
3.	Login to PM&C guest console as the admusr.	Connect to the console and login as the admusr captured in Table 3. Software Upgrade Required Data (this example assumes the PM&C is currently at release 6.0). It may be necessary to press return to get a prompt [admusr@tvoe ~]\$ sudo /usr/bin/virsh console <pmac_name> Connected to domain <pmac_name> Escape character is ^] Oracle Linux Server release 6.5 Kernel 2.6.32-431.20.3.el6prerel7.0.0.0.0_86.12.0.x86_64 on an x86_64 <pmac_name> login: admusr Password: [admusr@<pmac_name> ~]\$</pmac_name></pmac_name></pmac_name></pmac_name>
4.	Exit this procedure and return to the procedure which referred you.	Return to the next step in the referring procedure.

Appendix C. PM&C System Health Check

Procedure 31. PM&C 5.7, 6.0, 6.2 or 6.3 System Health Check

S T E	Use this procedure to perform a PM&C 6.3 system health check. Note: Be sure to capture a log of all lines appearing on the screen on the laptop, desktop, or other computer used when executing this procedure. Check off ($$) each step as it is completed. Boxes have been provided for this purpose under each step number.		
P #	If this procedure fails, see Secti		
	Task	Description	
1.	Access the PM&C guest console	If necessary, access the PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console	
2.	Run the "sentry status" command to verify the status of the PM&C application.	[admusr@pmac ~]\$ sudo /usr/TKLC/smac/bin/sentry status sending status command PM&C Sentry Status	
		sentryd started: Thu May 31 07:47:31 2012 Current activity mode: ACTIVE Process PID Status StartTS NumR	
		smacTalk 5932 running Sun Dec 6 07:47:31 2009	
		smacMon 5935 running Sun Dec 6 07:47:31 2009 1 hpiPortAudit 5951 running Sun Dec 6 07:47:31 2009 1	
		snmpEventHandler 5962 running Sun Dec 6 07:47:31 2009	
		eclipseHelp 5971 running Sun Dec 6 07:47:31 2009	
		Thu June 7 11:09:44 2012 Command Complete. [admusr@pmac ~]\$	
		Note: There will be no entry displayed for the eclipseHelp process on PM&C 6.0, 6.2 and 6.3 systems this is expected.	
3.	Run alarmMgr on PM&C instance.	[admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/alarmMgr alarmStatus [admusr@pmac ~]\$	

Procedure 31. PM&C 5.7, 6.0, 6.2 or 6.3 System Health Check

4.	If any error messages are displayed by the alarmMgr command, if sentry shows any PM&C processes not running, or alarmMgr shows any failures, then there is a problem with the Management Server or PM&C application. Contact Oracle Customer Support for information on how to proceed.	If sentry shows any PM&C processes not running, then the healthcheck was not successful. Contact Oracle Customer Support for information on how to proceed. Otherwise, if alarmMgr shows no alarms and sentry shows all processes running, then PM&C appears to be running normally.	
5.	Verify that the backup directory contains recent backup archive files.	Execute the following command: [admusr@pmac ~]\$ sudo /bin/ls -al /var/TKLC/smac/backup/ total 40 drwxrwxr-x 4 pmacadmin pmacbackup 4096 Jun 5 16:18 . drwxr-xr-x 9 pmacadmin smac 4096 May 25 16:33rw-rw-r 1 pmacd pmacd 11014 Jun 5 16:18 backupPmac_20120605_161825.pef drwx 2 pmacadmin pmacbackup 16384 May 25 16:32 lost+found drwxr-xr-x 2 pmacadmin pmacbackup 4096 May 25 16:32 tvoeBackup [admusr@pmac ~]\$ Verify that recent backups are present. The date of the backup is coded in the backup archive file name: backupPmac_ <yyyy><mm><dd>_<hh>< mm><ss>.pef You should see backup archive files for any backups performed as part of this upgrade procedure.</ss></hh></dd></mm></yyyy>	
6.	If recent backup archive files do not exists, health check fails.	If no recent backup archive files are present, the health check fails. Contact Oracle Customer Support for resolution of the backup issue.	
7.	Exit the PM&C guest console	Exit the PM&C guest console following instructions in <i>Appendix I How to Exit a Guest Console Session on an iLO</i> , in the appropriate Platform Configuration Guide for the release being upgrade to 6.2.	
8.	Run alarmMgr on Management Server console.	[admusr@tvoe ~]\$ sudo /usr/TKLC/plat/bin/alarmMgr alarmStatus [admusr@tvoe ~]\$ If alarmMgr shows no alarms then the management server appears to be running normally. Otherwise Contact Oracle Customer Support for information on how to proceed.	
	This procedure has been completed.		

Appendix D. PM&C System Backup

Procedure 32. Primary PM&C 5.7,6.0, 6.2 or 6.3 backup

S T E P	Use this procedure to back up all necessary PM&C 5.7, 6.0, 6.2 or 6.3 database data. Check off ($$) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
#	Task	Description	
1.	Access the primary PM&C guest console	If necessary, access the primary PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console	
2.	Perform the backup to local disk.	[admusr@pmac ~]\$ sudo /usr/TKLC/smac/bin/pmacadm backup PM&C backup been successfully initiated as task ID 7 [admusr@pmac ~]\$ The output of the command should be indicate success of starting a background task.	
		Note the task ID in your command output.	
3.	Access the PM&C GUI	If necessary, open IE web browser and enter: https:// <pm&c ip="" management="" network=""> Login with administrator credentials from Table 3. Software Upgrade Required Data.</pm&c>	
4.	Verify the backup task succeeds in PM&C GUI.	Navigate to the Task Monitoring page on the PM&C GUI. Verify the backup task with the task ID noted in step 2 completes successfully. If the PM&C backup fails, contact Oracle Customer Support for assistance.	
5.	The backup file must be transferred off-host to provide recovery in the event of a disaster.	Execute the following command to locate the latest backup file (output similar to the following is observed): [admusr@pmac ~]\$ sudo /bin/ls -al /var/TKLC/smac/backup/ -rw-rw-r 1 pmacd pmacd 11014 Jun 5 16:18 backupPmac_20120605_161825.pef Transfer the file to a remote server using scp.	
	This procedure has been completed.		

Appendix E. PM&C System Backup To Redundant PM&C

Procedure 33. PM&C 5.7, 6.0, 6.2 or 6.3 backup to redundant PM&C

S T E P #	Use this procedure to up all necessary PM&C database data from the primary PM&C 5.7, 6.0, 6.2 or 6.3 to the redundant PM&C. Note: The procedure requires that a redundant PM&C be installed, configured, and have network connectivity.		
	Check off ($$) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
	Task	Description	
1.	Access the primary PM&C guest console	If necessary, access the primary PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console	
2.	In the primary PM&C guest console perform the backup to the redundant PM&C.	Note: The following command transfers the new backup file to the redundant PM&C. In addition, it transfers any and all of the images provisioned in the Software Inventory (not previously transferred). Note: Themedia option must be used with the pmacadm backup command. The value assigned to the media must indicate the desire to backup data to the redundant PM&C Note: The IP Address of the redundant Management Sever must have been provisioned on the Manage Backup Data GUI screen. [admusr@pmac ~]\$ sudo /usr/TKLC/smac/bin/pmacadmmedia="Remote Server" PM&C backup been successfully initiated as task ID 8 [admusr@pmac ~]\$ The output of the command should be indicate success of starting a background task. Note the task ID in your command output.	
3.	Access the primary PM&C GUI	If necessary, open IE web browser and enter: https:// <pm&c ip="" management="" network=""> Login with administrator credentials from Table 3. Software Upgrade Required Data</pm&c>	
4.	Verify the backup task succeeds in primary PM&C GUI.	Navigate to the Task Monitoring page on the primary PM&C GUI. Verify the backup task with the task ID noted in step 2 completes successfully. If the PM&C backup fails, contact Oracle Customer Support for assistance.	
	This procedure has been completed		

Appendix F. Determine The Current PM&C Version

Procedure 34. Determine the current PM&C version

S T E P	Use this procedure to determine the current PM&C version. Check off ($$) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
#	Task	Description	
1.	Access the PM&C GUI	If necessary, open IE web browser and enter: https:// <pm&c ip="" management="" network=""> Login with administrator credentials from Table 3. Software Upgrade Required Data.</pm&c>	
2.	Determine the PM&C release running.	The top most header on the Welcome Page should contain the Release Number. It should start with "Platform Management & Configuration" and then indicate the PM&C release number which should start with 6.3: CRACLE Platform Management & Configuration 6.3.0.0.0-63.3.0	
3.	Return to the referring procedure	Return to the referring procedure.	
	This procedure has been completed.		

Appendix G. Determine If PM&C TVOE Host Requires Upgrade

Procedure 35. Determine if PM&C 5.7, 6.0, 6.2 or 6.3 TVOE host requires upgrade

STEP#	Use this procedure to determine if the PM&C 5.7, 6.0, 6.2 or 6.3 TVOE host needs upgrading. Note: If the PM&C TVOE host cannot be upgrade at this time, then PM&C upgrade must not be attempted. Check off ($$) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.		
	Task	Description	
1.	Access the TVOE host console	Login to the TVOE host console, using Appendix A Accessing The PM&C TVOE Host Console	
		If needed, exit the PM&C guest console following instructions in Appendix I How to Exit a Guest Console Session on an iLO, in the appropriate Platform Configuration Guide for the release being upgraded to.	
2.	Determine the release of TVOE running.	[admusr@tvoe ~]\$ sudo /usr/TKLC/plat/bin/appRev Install Time: Mon Apr 27 15:47:04 2015 Product Name: TVOE Product Release: 3.2.0.0.0_88.8.0 Base Distro Product: TPD Base Distro Release: 7.2.0.0.0_88.8.0 Base Distro ISO: TPD.install-7.0.0.0.0_86.8.0- OracleLinux6.6-x86_64.iso ISO name: TVOE-3.2.0.0.0_86.8.0-x86_64.iso OS: OracleLinux 6.6	
3.	Compare the product release shown above against the supported release of TVOE noted in the Application release notes.	If a newer TVOE release is specified, then you must upgrade the PM&C TVOE host before upgrade of the PM&C can commence, using the procedure that follows.	
	This procedure has been completed.		

Procedure 36. Upgrade the PM&C 5.7, 6.0, 6.2 or 6.3 TVOE host

S T E P	Use this procedure to upgrade the PM&C 5.7, 6.0, 6.2 or 6.3 TVOE host. Note: This procedure is executed either during the same maintenance window or in a separate maintenance window from the PM&C upgrade. Note: If the PM&C TVOE host cannot be upgraded at this time, then PM&C upgrade must not be attempted. Check off (√) each step as it is completed. Boxes have been provided for this purpose under step number. If this procedure fails, see Section 1.2.	
	Task	Description
1.	Shutdown all running guests in preparation for the TVOE upgrade	An upgrade of a TVOE host will shutdown all guest OS (including PM&C) during the upgrade. However, prior to upgrading the TVOE host, ensure that all guests on that host are properly shutdown. Shutdown the PM&C guest as detailed in <i>Appendix H</i> Shutdown PM&C Guest Note: Shut down all additional non-PM&C guests as detailed in application document. The upgrade of the TVOE will automatically restart each guest that was shut down.
2.	Perform the TVOE upgrade	Execute all Stand Alone TVOE host upgrade procedures outlined in the TVOE Software Upgrade document for the release being upgraded.
3.	Access the TVOE host console	Login to the TVOE host console, using Appendix A Accessing The PM&C TVOE Host Console
4.	Ensure all images that have been used during upgrade have been removed from TVOE	Execute: [admusr@tvoe ~]\$ sudo /bin/ls /var/TKLC/upgrade/ TVOE-3.2.0.0.0_88.9.0-x86_64.iso If there are images that need to be removed, using the output of the command above, specify the full path of the image to be removed: [admusr@tvoe ~]\$ sudo /bin/rm -f /var/TKLC/upgrade/ <image_name.iso> For instance: [admusr@tvoe ~]\$ sudo /bin/rm -f /var/TKLC/upgrade/TVOE- 3.2.0.0.0_88.9.0-x86_64.iso Repeat this step as necessary to ensure there are no images left to be removed.</image_name.iso>
5.	If present, remove the external media from the PM&C TVOE host server.	Remove the external media from the appropriate slot of the PM&C TVOE host server.

Procedure 36. Upgrade the PM&C 5.7, 6.0, 6.2 or 6.3 TVOE host

6.	Start the PM&C guest	Using virsh utility on TVOE host of PM&C guest, start the PM&C guest. Query the list of guests until the PM&C guest is "running".	
		[admusr@tvoe ~]\$ sudo /usr/bin/virsh listall Id Name State	
		20 pmac shut off	
		[admusr@tvoe ~]\$ sudo /usr/bin/virsh start <pmac> Domain pmac started</pmac>	
		[admusr@tvoe ~]\$ sudo /usr/bin/virsh listall Id Name State	
		20 pmac running	
	This procedure has been completed.		

Appendix H. Shutdown PM&C Guest

This appendix contains a procedure used to perform a shutdown of the PM&C guest.

Procedure 37. Shutdown the PM&C 5.7, 6.0, 6.2 or 6.3 Guest

S T E P	Use this procedure to shut down a PM&C 5.7 or later Guest. Check off (1) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.	
#	Task	Description
1.	Log in to the primary PM&C GUI.	If needed, open IE web browser and enter: https:// <pm&c ip="" management="" network=""> Login with administrator credentials from Table 3. Software Upgrade Required Data</pm&c>
2.	Check for any background tasks in-progress on PM&C	On the PM&C GUI, navigate to the Task Monitoring page. Verify all tasks show as complete (either green, 100% progress or red, failed) and not in-progress (blue with <100% progress). If any tasks show as in-progress (blue) then wait for the task to complete prior to going to the next step. Main Menu: Task Monitoring Wed Jul 15 15:59:38 2015 UTC
3.	Access the PM&C guest console	If necessary, access the PM&C guest console as detailed in Appendix B Accessing The PM&C Guest Console

Procedure 37. Shutdown the PM&C 5.7, 6.0, 6.2 or 6.3 Guest

4.	Shutdown PM&C Guest	Assuming no in-progress tasks exist, then it is safe to shut down the PM&C guest.	
		Execute the following command: [admusr@pmac ~]\$ sudo /usr/bin/halt -p Broadcast message from root@pmacDev901	
5.	Verify PM&C guest is shutdown	From the TVOE host command prompt execute the following command: [admusr@tvoe ~]\$ sudo /usr/bin/virsh listall Id Name State - pmac shut off [admusr@tvoe ~]\$ This should show the guest state as "shut off". Note: You will want to be sure all guests are in the shut off state as well.	
	This procedure has been completed.		

Appendix I. Upgrade Devices For 7.2 NetConfig

This appendix contains a procedure used to perform required Platform 7.2 switch configurations with netConfig. The commands below will modify switch configurations to bring them in-line with Platform 7.2 initialized switches, without going through the disruptive process of re-initializing and restoring switch configurations of in-service switches. Though Platform 7.2 supports more than one upgrade path, the procedure below is written generically to apply to any valid Platform 7.2 upgrade path. Some commands below may have already been executed during a previous upgrade. If this is the case, some commands may return a notice that an object or setting was not found, as it was removed in a previous upgrade operation.

Procedure 38. Post Upgrade Configuration of netConfig baseline level set for switch configurations

S T E P	Use this procedure to standardize post inits switch configurations. Check off ($$) each step as it is completed. Boxes have been provided for this purpose under each step number. If this procedure fails, see Section 1.2.	
#	Task	Description
1.	Platform 7.0 updates	Commands in this section are only applicable when upgrading to Platform 7.2 and above. Note: Depending on the specific upgrade path some of the commands below may have already been completed during original or subsequent initializations. If this is the case, a command line message indicating the setting already exists or does not exist may be received. Ignore these messages; no action is required beyond completion of the following commands. An example would be removing a community string from an SNMP community. In this case, the message "SNMP community not found: <community_string>" may be seen.</community_string>

Procedure 38. Post Upgrade Configuration of netConfig baseline level set for switch configurations

2.	Reconfigure all 3020 enclosure switches	Note: If there are no Cisco 3020 switches in the repository, skip this step. Execute the following for all 3020 devices:
		[admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice= <switch_name> command="line vty 0" commandPrompt="config-line" subcommand="exec-timeout 15" [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice=<switch_name> command="aaa authentication login onconsole local" [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice=<switch_name> command="line con 0" commandPrompt="config-line" subcommand="login authentication onconsole" [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice=<switch_name> command="vtp mode transparent" [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice=<switch_name> command="vtp mode off" [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice=<switch_name> command="no service config" [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig saveConfigurationdevice=<switch_name> [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig rebootdevice=<switch_name></switch_name></switch_name></switch_name></switch_name></switch_name></switch_name></switch_name></switch_name>
3.	Reconfigure all 6120 enclosure switches	Note: If there are no 6120 switches in the repository, skip this step. Execute the following for all 6120 devices: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice= <switch_name> command="no web- management" [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice=<switch_name> command=" trunk- load-balance L3-based " [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice=<switch_name> command='no snmp- server community "public" unrestricted' [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig saveConfigurationdevice=<switch_name></switch_name></switch_name></switch_name></switch_name>

Procedure 38. Post Upgrade Configuration of netConfig baseline level set for switch configurations

4.	Reconfigure all aggregation switches	Note: If there are no Cisco 4948 switches in the repository, skip this step. Execute the following for all 4948 devices: For Cisco 4948: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice= <switch_name> command="vtp mode transparent" [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig saveConfigurationdevice=<switch_name> For Cisco 4948E, E-F [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig userConfigureCommanddevice=<switch_name> command="vtp mode off" 2. [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig saveConfigurationdevice=<switch_name></switch_name></switch_name></switch_name></switch_name>	
5.	6125 enclosure switches	No action is necessary for 6125G and XLG devices.	
6.	Backup all switch configurations	Execute the following command against each platform switch using their corresponding ssh_service: [admusr@pmac ~]\$ sudo /usr/TKLC/plat/bin/netConfig backupConfigurationdevice= <switch_name> service=<ssh_service> filename=<switch_name>-backup Verify switch configuration was backed up by cat <switch_name>-backup and inspect its contents to ensure it reflects the latest known good switch configurations. Then, copy the files over to the backup directory. \$ sudo /bin/ls -i ~<switch_backup_user>/<switch_name>-backup* \$ sudo /bin/cat ~<switch_backup_user>/<switch_name>-backup* \$ sudo /bin/chmod 644 <switch_name>-backup* \$ sudo /bin/mv -i ~admusr/<switch name="">-backup* Sudo /bin/mv -i ~admusr/<switch name="">-backup*</switch></switch></switch_name></switch_name></switch_backup_user></switch_name></switch_backup_user></switch_name></switch_name></ssh_service></switch_name>	
	This procedure has been completed.		

Appendix J. Locate Product Documentation on the Oracle Help Center Site

Oracle Communications customer documentation is available on the web at the Oracle Help Center (OHC) site, http://docs.oracle.com. You do not have to register to access these documents. Viewing these files requires Adobe Acrobat Reader, which can be downloaded at http://www.adobe.com.

- 1. Access the Oracle Help Center site at http://docs.oracle.com.
- 2. Click Industries.
- 3. Under the Oracle Communications subheading, click the Oracle Communications documentation link.

 The Communications Documentation page appears. Most products covered by these documentation sets will appear under the headings "Network Session Delivery and Control Infrastructure" or "Platforms."
- 4. Click on your Product and then the Release Number.
 A list of the entire documentation set for the selected product and release appears.
- 5. To download a file to your location, right-click the PDF link, select Save target as (or similar command based on your browser), and save to a local folder.