

**Oracle® Retail Data Extractor for Merchandising**

Operations Guide

Release 15.0

**E69438-02**

January 2016

Primary Author: Nathan Young

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

#### **Value-Added Reseller (VAR) Language**

##### **Oracle Retail VAR Applications**

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (iii) the software component known as **Access Via**<sup>™</sup> licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (iv) the software component known as **Adobe Flex**<sup>™</sup> licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all

reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.



---

---

# Contents

<b>Send Us Your Comments</b> .....	vii
<b>Preface</b> .....	ix
Audience .....	ix
Documentation Accessibility .....	ix
Related Documents .....	x
Customer Support .....	x
Review Patch Documentation .....	x
Improved Process for Oracle Retail Documentation Corrections .....	x
Oracle Retail Documentation on the Oracle Technology Network .....	xi
Conventions .....	xi
<b>1 Introduction</b>	
<b>2 Retail Data Extractor Architecture</b>	
<b>Technical Architecture</b> .....	2-1
ODI Master and Work Repository .....	2-2
Retail Insights Staging Area .....	2-2
<b>3 Retail Data Extractor Program Overview</b>	
<b>Program Features</b> .....	3-1
Program Return Code .....	3-1
Restart and Recovery .....	3-2
Message Logging .....	3-2
Program Error File .....	3-3
Multi-threading .....	3-3
<b>The First Time Retail Data Extractor Batch is Run</b> .....	3-3
Typical etlrefreshgensde.ksh Run .....	3-3
<b>Typical Run and Debugging Situations</b> .....	3-4
Retail Data Extractor Dimension Load .....	3-4
Retail Data Extractor Base Fact Load with Multi-threading .....	3-5
Retail Data Extractor Knowledge Modules .....	3-6

## 4 ODI Program Dependency

Batch Scheduling.....	4-1
Setting Up the Batch Schedule .....	4-1
Extract, Transform, Load Dependencies .....	4-3

## 5 Program Reference Lists

Known Issues .....	5-1
Standards Common to all APIs .....	A-1
API Table List.....	A-2

---

---

# Send Us Your Comments

Oracle Retail Data Extractor for Merchandising Operations Guide, Release 15.0

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

---

---

**Note:** Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the Online Documentation available on the Oracle Technology Network Web site. It contains the most current Documentation Library plus all documents revised or released recently.

---

---

Send your comments to us using the electronic mail address: [retail-doc\\_us@oracle.com](mailto:retail-doc_us@oracle.com)

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at <http://www.oracle.com>.





---

---

# Preface

Oracle Retail Operations Guides are designed so that you can view and understand the applications behind-the-scenes processing, including such information as the following:

- Key system administration configuration settings
- Technical architecture
- Functional integration dataflow across the enterprise
- Batch processing

## Audience

Anyone who has an interest in better understanding the inner workings of the Retail Data Extractor system can find valuable information in this guide. There are three audiences in general for whom this guide is written:

- System analysts and system operation personnel:
  - Who are looking for information about Retail Data Extractor processes internally or in relation to the systems across the enterprise.
  - Who operate Retail Insights on a regular basis.
- Integrators and implementation staff who have the overall responsibility for implementing Retail Insights into their enterprise.
- Business analysts who are looking for information about processes and interfaces to validate the support for business scenarios within Retail Data Extractor and other systems across the enterprise.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Related Documents

For more information, see the following documents in the Oracle Retail Data Extractor for Merchandising Release 15.0 documentation set:

- *Oracle Retail Data Extractor for Merchandising Installation Guide*
- *Oracle Retail Data Extractor for Merchandising Implementation Guide*
- *Oracle Retail Data Extractor for Merchandising Release Notes*
- *Oracle Retail Data Extractor for Merchandising Security Guide*

## Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

## Review Patch Documentation

When you install the application for the first time, you install either a base release (for example, 15.0) or a later patch release (for example, 15.0.1). If you are installing the base release and additional patch releases, read the documentation for all releases that have occurred since the base release before you begin installation. Documentation for patch releases can contain critical information related to the base release, as well as information about code changes since the base release.

## Improved Process for Oracle Retail Documentation Corrections

To more quickly address critical corrections to Oracle Retail documentation content, Oracle Retail documentation may be republished whenever a critical correction is needed. For critical corrections, the republication of an Oracle Retail document may at times not be attached to a numbered software release; instead, the Oracle Retail document will simply be replaced on the Oracle Technology Network Web site, or, in the case of Data Models, to the applicable My Oracle Support Documentation container where they reside.

This process will prevent delays in making critical corrections available to customers. For the customer, it means that before you begin installation, you must verify that you have the most recent version of the Oracle Retail documentation set. Oracle Retail documentation is available on the Oracle Technology Network at the following URL:

<http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html>

An updated version of the applicable Oracle Retail document is indicated by Oracle part number, as well as print date (month and year). An updated version uses the

same part number, with a higher-numbered suffix. For example, part number E123456-02 is an updated version of a document with part number E123456-01.

If a more recent version of a document is available, that version supersedes all previous versions.

## Oracle Retail Documentation on the Oracle Technology Network

Oracle Retail product documentation is available on the following web site:

<http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html>

(Data Model documents are not available through Oracle Technology Network. You can obtain these documents through My Oracle Support.)

## Conventions

The following text conventions are used in this document:

<b>Convention</b>	<b>Meaning</b>
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.



---

---

## Introduction

The Oracle Retail Data Extractor (ORDE) application enables customers to extract data from Oracle Retail Merchandising System (RMS) for Oracle Retail Insights (RI) consumption.


Oracle Retail Analytics (RA) was converted from being an on-premise application to a cloud based service offering named Oracle Retail Insights Cloud Services (RI). Oracle Data Integrator (ODI) mappings for extracting data from Oracle Retail Merchandising System (RMS) called as SDE Mappings (Source Dependent Extracts) were removed because RMS is an on-premise product and could not be sourced directly from the cloud.

RMS is the primary source of information for the RI application, so there was requirement to be able to extract data from RMS into flat files for uploading and importing into RI staging tables for loading the RI data warehouse.

Oracle Retail Data Extractor (ORDE) 15.0 provides this functionality to integrate with RMS and extract data in ORDE staging tables and then unload them in to respective flat files for RI consumption. The main characteristics of the Retail Data Extractor product are:

- Source Integration Solution: Retail Data Extractor provides data integration with source applications as RMS and RPM.
- Performant ETL Code: Retail Data Extractor data processing tool, ODI, offers high performance for the database batch processes on Oracle database.
- Extensibility: Retail Data Extractor ETL code can be customized and extended for client specific needs.

**Figure 1-1 Overall Data Flow Diagram**



---


## Retail Data Extractor Architecture

This chapter outlines the Retail Data Extractor architecture and its components. Review of the architecture is important to understand the data flow and terminology used in the subsequent chapters of this guide.

### Technical Architecture

The following diagram shows the technical architecture of Retail Data Extractor.

**Figure 2–1** Retail Data Extractor Architecture Diagram



## ODI Master and Work Repository

ODI resides in Oracle Fusion Middleware suite of products and it is an Extract, Transform, and Load (ETL) tool for extracting and loading data. To use ODI, two database repositories known as the Master Repository and the Work Repository are required.

Refer to the *Oracle Retail Data Extractor Installation Guide* for more details on installing and configuring ODI.

## Retail Insights Staging Area

The Retail Data Extractor staging area is the landing area that has database tables to hold the information from different source applications. All the extracted data from source applications is loaded and transformed into these tables for final loading step.

ODI ETL programs are used for extracting data from source tables, loading into staging tables and then unloading them in to flat files..

See "[Retail Data Extractor Program Overview](#)" on page 3-1 for the data flow details.



---

---

## Retail Data Extractor Program Overview

This chapter summarizes the Retail Data Extractor ETL programs. Retail Data Extractor ETL programs, which are Korn shell scripts containing ODI calls, extract, transform, and load data to Retail Data Extractor staging tables and data mart tables. There are two types of ETL programs in Retail Data Extractor:

- SDE programs

Retail Data Extractor SDE programs are source dependent extraction programs that extract data from source system, transform data, and load data to Retail Data Extractor staging tables. SDE programs name have "sde" as the suffix.

- Unload programs

Retail Data Extractor Unload programs are ODI Sql Unload programs that Unload data from Retail Data Extractor staging tables to flat files named as staging table name.dat i.e. for table W\_REASON\_DS a flat file named W\_REASON\_DS.dat would be created.

This chapter references the directory structure set up during Retail Data Extractor product installation. Descriptions of these directories are available in the *Oracle Retail Data Extractor Installation Guide*. More information about the ODI tool is available in the *Oracle Data Integrator User Guide*.

### Program Features

The Retail Data Extractor ETL programs include the following features:

- Program return code
- Restart and recovery
- Message logging
- Program error file
- Multi-threading

### Program Return Code

The Retail Data Extractor ETL shell scripts contain an ODI scenario call. The scripts use return code to indicate successful completion. If the program successfully calls the ODI scenario, a zero (0) is returned. If the program fails, a non-zero is returned.

## Restart and Recovery

Out of the box, Retail Data Extractor does not provide restart and recovery features. However, ODI provides the restart session command to restart the ODI session from the point where it fails. See the *Oracle Data Integrator User Guide* for details.

## Message Logging

Message logs are written daily in a format described in this section.

---

---

**Note:** The ODI logging mechanism is handled as part of the ODI knowledge module. Therefore, the package writes the log files only if at least one of the interfaces is executed. However, a user can view the ODI operator log to see the execution details and the variable values that were returned up until the point the package was executed.

---

---

### Daily Log File

Every Retail Data Extractor ETL program writes a message to the daily log file when it starts and when it finishes. The name of the daily log file is set to 'RetailAnalytics\_YYYYMMDD.log'. 'YYYYMMDD' is the business virtual date for which Retail Data Extractor ETL programs are executed. The directory defaults to \${MMHOME}/log. All log files are encoded UTF-8.

That is, the location and the name of the log file for the business virtual date of January 5, 2001 would be the following:

```
${MMHOME}/log/RetailAnalytics_20010105.log
```

### Format

As the following examples illustrate, every message written to a log file has the name of the package, name of the interface, session number, a timestamp, and an informational or error message:

```
10/21/15 7:37 AM :Package SDE_RETAILITEMIMAGEDIMENSION started successfully.
```

```
10/21/15 7:37 AM :Package SDE_RETAILITEMIMAGEDIMENSION (451403) --> Interface (
SDE_RetailItemImage_DimesionLoad ) --> Target Table ( W_RTL_PRODUCT_IMAGE_DS )
loading started..
```

```
10/21/15 7:37 AM :Package SDE_RETAILITEMIMAGEDIMENSION (451403) --> Interface (
SDE_RetailItemImage_DimesionLoad ) --> Target Table ( W_RTL_PRODUCT_IMAGE_DS )
loading started..
```

```
10/21/15 7:37 AM :Package SDE_RETAILITEMIMAGEDIMENSION (451403) --> Interface (
SDE_RetailItemImage_DimesionLoad ) --> Target Table ( W_RTL_PRODUCT_IMAGE_DS )
loading completed.
```

```
10/21/15 7:37 AM :Package SDE_RETAILITEMIMAGEDIMENSION completed successfully.
```

If a program finishes unsuccessfully, an error file is usually written that indicates what the problem was. There is also an error message written to the log file to indicate the location and the name of the error file.

## Program Error File

In addition to the daily log file, each program also writes its own error messages when any error occurs. Rather than clutter the daily log file with these messages, each program writes out its errors to a separate error file unique to each execution.

The directory defaults to `${MMHOME}/error`. All error files are encoded UTF-8. The error files contain error messages with Oracle ORA number or java error exception.

The naming convention for the program's error file defaults to "`xxxxx.?????.log`", where `xxxxx` is the name of the program that get error and `?????` is the session number assigned to this execution. The session number can be found in the daily log file.

Batch user can also use ODI Operator for all detail routine processing message for a given program and a given ODI session. See the *Oracle Retail Data Integrator User Guide* for detail.

## Multi-threading

Retail Data Extractor base fact extraction programs provide Multi-threading feature. The Multi-threading feature divides the source data into multiple segments based upon the location partitions defined in the database view `RA_RESTART_LOC`. Any intermediate temporary table that is used by Retail Data Extractor base fact extraction programs is divided into multiple partitions based on column `ETL_THREAD_VAL`. The default number of partitions in Retail Data Extractor DDL is 10. This allows maximum of 10 threads for each program. Users need to change DDL scripts for these intermediate temporary tables if they need more than 10 threading.

Under Multi-threading process, each thread is responsible for a portion of a dataset, rather than the entire dataset and all threads can be executed at parallel. As a result of this Multi-threading method, the processing of the entire dataset is much faster than in a single-thread environment.

It is your responsibility to choose the number of threads. The default number of threads for Retail Data Extractor base fact extraction and loading programs is 1. Users can modify that value through installation data files `C_ODI_PARAM` (on source system) during the installation. High number of threads can improve CPU usage, but it could also cause I/O and memory congestion. See the *Oracle Retail Data Extractor Installation Guide* for details on setting Multi-threading.

## The First Time Retail Data Extractor Batch is Run

To ensure that the correct current business date is entered in `RA_SRC_CURR_PARAM_G`, the following must be considered:

- Verify that the ODI executable script `startscen.sh` is in the path of your UNIX session by typing: `which startscen.sh`
- Run `etlrefreshgensde.ksh` before the dimension and fact data extract to set source current business date from `VDATE` & other required configurations from `SYSTEM_OPTIONS`.

## Typical `etlrefreshgensde.ksh` Run

To run `etlrefreshgensde.ksh` (which refreshes `RA_SRC_CURR_PARAM_G` for current business date for the source system apart from updating other parameters of `RA_SRC_CURR_PARAM_G` from `RMS SYSTEM_OPTIONS`) follow these steps:

1. Change directories to `${MMHOME}/src`.

- At a UNIX prompt enter:

```
./etlrefreshgensde.ksh
```

If the program runs successfully, the following results:

- The status table C\_LOAD\_DATES in RDE\_RMS schema is deleted.
- VDATE and other parameters value is updated in table RA\_SRC\_CURR\_PARAM\_G
- W\_RTL\_ITEM\_DEL\_TMP is populated based on source system table RDW\_DELETE\_ITEM.
- RMS Table RDW\_DELETE\_ITEM is deleted.

## Typical Run and Debugging Situations

The following examples illustrate typical run and debugging situations for each type of program within Retail Data Extractor. The log, error, and so on file names referenced below assume that the program is run on the business virtual date of March 9, 2010. See the previously described naming conventions for the location of each file.

### Retail Data Extractor Dimension Load

This program calls ODI scenario SDE\_RETAILITEMDIMENSION. To run prditmsde.ksh:

- Change directories to \${MMHOME}/src.
- At a UNIX prompt, enter:

```
./prditmsde.ksh
```

If the program runs successfully, the following results are generated:

- **Log file:** Today's log file, RetailAnalytics\_20100309.log, contains "Package SDE\_RETAILITEMDIMENSION started successfully" and "Package SDE\_RETAILITEMDIMENSION completed successfully." messages.
- **Data:** The records from the source table are loaded into the target table.
- **Error file:** There is no error file as the program completed successfully.
- **Program status control:** The C\_LOAD\_DATES table is updated to 'Success' where PACKAGE\_NAME = 'SDE\_RETAILITEMDIMENSION' and TARGET\_TABLE\_NAME = 'W\_PRODUCT\_DS\_TL'.

If the program does not run successfully, the following results are generated:

- **Log file:** Today's log file, RetailAnalytics\_20100309.log, contains "Interface XXXXXXXX failed" message in which Interface 'XXXXXXX' is an interface within package SDE\_RETAILITEMDIMENSION.
- **Data:** Some of the records from source table may be loaded into the target table.
- **Error file:** The program's error file, SDE\_RETAILITEMDIMENSION.?????.log under \$MMHOME/error directory, contains the program's error messages. '?????' is the ODI session number which you can find in the Retail Data Extractor log file.

To run the program again from the beginning, perform the following actions:

- Determine and fix the problem causing the error.

2. Delete the row from C\_LOAD\_DATES table corresponding to PACKAGE\_NAME = 'SDE\_RETAILITEMDIMENSION' and TARGET\_TABLE\_NAME = 'W\_PRODUCT\_DS\_TL' and commit.
3. Change directories to \${MMHOME}/src. At a UNIX prompt, enter:  

```
./prditmsde.ksh
```

## Retail Data Extractor Base Fact Load with Multi-threading

This program call ODI scenario SDE\_RETAILINVENTORYADJUSTMENTFACT. To run ivadjildsde.ksh:

1. Change directories to \${MMHOME}/src.
2. At a UNIX prompt, enter:

```
./ivadjildsde.ksh
```

If the program runs successfully, the following results are generated:

- **Log file:** Today's log file, RetailAnalytics\_20100309.log, contains "Package SDE\_RETAILINVENTORYADJUSTMENTFACT started successfully" and "Package SDE\_RETAILINVENTORYADJUSTMENTFACT completed successfully." messages. Since this is multi-threading enabled program, the log file should also contain message "...(..... Thread # 1 of 2) loading started". The example here means that the first thread of total 2 threads has started.
- **Data:** The records from the source table are loaded into the target table.
- **Error file:** There is no error file is the program completed successfully.
- **Program status control:** Since this is multi-threading enabled program, you should check status for each thread of this execution. If the first thread is completed successfully, the C\_LOAD\_DATES table is updated to 'Success' where PACKAGE\_NAME = 'SDE\_RETAILINVENTORYADJUSTMENTFACT' and TARGET\_TABLE\_NAME = 'W\_RTL\_INVADJ\_IT\_LC\_DY\_FS' and ETL\_THREAD\_VAL = 1.

If the program does not run successfully, the following results are generated:

- **Log file:** Today's log file, RetailAnalytics\_20100309.log, contains "Interface XXXXXXXX failed" message in which Interface 'XXXXXXX' is an interface within package SDE\_RETAILINVENTORYADJUSTMENTFACT.
- **Data:** Some of the records from source table may be loaded into the target table.
- **Error file:** The program's error file, SDE\_RETAILINVENTORYADJUSTMENTFACT.?????.log under \$MMHOME/error directory, contains the program's error messages. '?????' is the ODI session number which you can find in the Retail Data Extractor log file.
- **Program status control:** The C\_LOAD\_DATES table is updated to 'Failed' where PACKAGE\_NAME = 'SDE\_RETAILINVENTORYADJUSTMENTFACT' and TARGET\_TABLE\_NAME = 'W\_RTL\_INVADJ\_IT\_LC\_DY\_FS' and ETL\_THREAD\_VAL = 1.

To run the program again from the beginning:

1. Determine and fix the problem causing the error.
2. Delete the row from C\_LOAD\_DATES table where PACKAGE\_NAME = 'SDE\_RETAILINVENTORYADJUSTMENTFACT' and TARGET\_TABLE\_

NAME = 'W\_RTL\_INVADJ\_IT\_LC\_DY\_FS'.

3. Change directories to \${MMHOME}/src. At a UNIX prompt, enter:

```
./ivadjildsde.ksh
```

## Retail Data Extractor Knowledge Modules

The table below lists the ODI knowledge modules that are used in extract, load and post load programs along with their brief description and common usage.

**Table 3–1 ODI Knowledge Modules**

Name	Usage
IKM RA Oracle Generic Temp Load with Control	Steps where data needs to be inserted into a temporary table. The TEMP tables are always truncated and Loaded.
IKM RA Oracle Generic Insert with Control	Steps where data needs to be inserted and there is no requirement to update the target table data.
IKM RA Oracle Slowly Changing Dim with Control	Steps where slowly changing dimension needs to be maintained. Integrates data into an Oracle target table in SCD mode (Inserts /Updates). Inexistent rows are inserted; already existing rows are updated or inserted based on (Column property for SCD).
IKM RA Oracle Generic Delete with Control	Steps where data needs to be deleted from the target table. Existent rows are deleted based on the Alternate Key defined in the model.
IKM RA Oracle Generic Merge with Control	Steps where data needs to be inserted or updated based on the data input and business key of the target table integrates data into an Oracle target table in incremental update mode. Inexistent rows are inserted; already existing rows are updated.
IKM RA Oracle Generic Update with Control	Steps where data needs to be updated with or without a filter condition. This IKM has the ability to take up a target filter condition and other filter conditions at the Source and then update a given target column.
IKM RA Oracle Generic Merge with Control M-Thread	Steps where data needs to be inserted or updated using multi-threading, based on the data input and business key of the target table integrates data into an Oracle target table in incremental update mode.
RA CKM Oracle Fact Load	Steps where fact data is getting loaded and error records need to be identified. This KM requires that the alias name for the staging table to be prefixed with "STG" in ODI data mapping.
RKM Oracle	This is used by ODI when a table or view is imported from database to ODI.
LKM RA Oracle to Oracle (DBLink) with Control	This KM is used when data is moved from one database to another. DB Link is used for the extraction and loading purposes.

---

---

## ODI Program Dependency

This chapter presents ETL dependency for all Retail Data Extractor dimension and fact extract data processing. Included are descriptions of the source system's programs that are required to be completed before starting Retail Data Extractor programs, along with the Retail Data Extractor programs that are required to be subsequently executed.

Before setting up an Retail Data Extractor program schedule, familiarize yourself with the functional and technical constraints associated with each program and also read through [Chapter 5, "Program Reference Lists"](#) for additional details.

### Batch Scheduling

The following explains the order constraints of the Retail Data Extractor batch schedule. This section includes:

- Overall batch schedule details like dependencies of Retail Data Extractor program on source system programs, and also interdependencies between dimension and fact programs.

### Setting Up the Batch Schedule

---

---

**Note:** The number of programs that can be run in parallel at any given time is dependent upon the retailer's hardware capacity.

---

---

The batch flows on the following pages are best read from top to bottom. Such a review of the Retail Data Extractor batch schedule allows retailers to both set up program dependencies and to optimize their batch window through the concurrent running of unrelated programs.





## Extract, Transform, Load Dependencies

**Table 4-1 Extract, Transform, Load Dependencies**

Type of Program (SIL, PLP)	Table Name	Program Name (Shell Script Name)	Dependency (Source System Program or other SIL or PLP program)	Comments
<b>SDE Dimension Load</b>				
SDE	RA_SRC_CURR_PARAM_G C_LOAD_DATES	etlrefreshgensde.ksh	refreshODIvariables.ksh	Mandatory to be executed before any SDE program (dimension or Fact) This program should execute before RMS salmth.pc program."
SDE	None	refreshODIvariables.ksh	None	Mandatory to be executed before any SDE program (dimension or Fact) This is the first job in the batch scheduler." This program needs to be re-executed every time when any scenario gets regenerated.
SDE	W_MCAL_PERIOD_DS	mcalperiodsde.ksh	etlrefreshgensde.ksh	RMS CALENDAR and SYSTEM_OPTIONS table should be up-to-date.
SDE	W_RTL_SEASON_DS	seasnsde.ksh	etlrefreshgensde.ksh	
SDE	W_PRODUCT_DS W_PRODUCT_ATTR_DS W_PRODUCT_DS_TL	prditmsde.ksh	cremhierdly.pc (RMS Program) reclsdly.pc (RMS Program) dlyprg.pc (RMS Program) etlrefreshgensde.ksh	
SDE	W_PROD_CAT_DHS W_RTL_PROD_HIER_ATTR_LKP_DHS	prdhiersde.ksh	prditmsde.ksh	
SDE	W_RTL_RECLASS_IT_SC_CL_TMP W_RTL_RECLASS_DP_GP_TMP	prdrctmstpsde.ksh	prdhiersde.ksh	
SDE	W_RTL_ITEM_GRP1_DS	prditmlsde.ksh	prditmsde.ksh	

Table 4-1 (Cont.) Extract, Transform, Load Dependencies

Type of Program (SIL, PLP)	Table Name	Program Name (Shell Script Name)	Dependency (Source System Program or other SIL or PLP program)	Comments
SDE	W_RTL_ITEM_GRP1_DS	prditmudsde.ksh	prditmsde.ksh	
SDE	W_RTL_ITEM_GRP1_DS	prddiffsde.ksh	prditmsde.ksh	
SDE	W_INT_ORG_DHS	orghiersde.ksh	storeadd.pc (RMS Program) dlyprg.pc (RMS Program) lclrbld.pc (RMS Program) etlrefreshgensde.ksh	
SDE	W_RTL_ITEM_GRP2_DS	prdpimsde.ksh	prditmsde.ksh	
SDE	W_RTL_IT_SUPPLIER_DS	prditmsupsde.ksh	prditmsde.ksh supsde.ksh	
SDE	W_RTL_SEASON_IT_DS	prditmsmsde.ksh	seasnsde.ksh prditmsde.ksh	
SDE	W_INVENTORY_PRODUCT_DS W_INVENTORY_PRODUCT_ATTR_DS	prditmlmsde.ksh	prditmsde.ksh orglocsde.ksh	
SDE	W_RTL_LOC_LIST_DS	orglolsde.ksh	orglocsde.ksh	
SDE	W_RTL_LOC_TRAIT_DS	orgltmsde.ksh	orglocsde.ksh	
SDE	W_RTL_PROMO_DS_TL	promosde.ksh	etlrefreshgensde.ksh	
SDE	W_RTL_SEASON_PHASE_DS	phasesde.ksh	etlrefreshgensde.ksh	
SDE	W_RTL_ORG_FIN_DS	orgfinsde.ksh	etlrefreshgensde.ksh	
SDE	W_RTL_CHANNEL_DS	orgchnsde.ksh	orglocsde.ksh	
SDE	W_EMPLOYEE_DS	emplysde.ksh	etlrefreshgensde.ksh	
SDE	W_EXCH_RATE_GS	exchgrategensde.ksh	etlrefreshgensde.ksh	
SDE	W_INT_ORG_DS W_INT_ORG_ATTR_DS W_INT_ORG_DS_TL	orglocsde.ksh	storeadd.pc (RMS Program) dlyprg.pc (RMS Program) lclrbld.pc (RMS Program) etlrefreshgensde.ksh	
SDE	W_PARTY_ORG_DS W_PARTY_ATTR_DS	supsde.ksh	cntmain.pc (RMS Program) etlrefreshgensde.ksh	

Table 4-1 (Cont.) Extract, Transform, Load Dependencies

Type of Program (SIL, PLP)	Table Name	Program Name (Shell Script Name)	Dependency (Source System Program or other SIL or PLP program)	Comments
SDE	W_RTL_SUPPLIER_TRAIT_DS	suptrsde.ksh	cntrmain.pc (RMS Program) etlrefreshgensde.ksh	
SDE	W_DOMAIN_MEMBER_DS_TL	domianmemlkupsde.ksh	All SDE dimension programs	This should be executed after all the SDE dimension programs have successfully completed.
SDE	None	genlogfilesde.ksh	etlrefreshgensde.ksh	This is the first job in the batch scheduler.  This is for enabling the logging feature.
SDE	W_RTL_INVRC_IT_LC_DY_FS	ivrcpildsde.ksh	salstage.pc (RMS Program) etlrefreshgensde.ksh	
SDE	W_RTL_PRODUCT_ATTR_DS W_RTL_PRODUCT_ATTR_DS_TL	prdattrde.ksh	etlrefreshgensde.ksh	
SDE	W_RTL_PRODUCT_BRAND_DS W_RTL_PRODUCT_BRAND_DS_TL	prdbrndsde.ksh	etlrefreshgensde.ksh	
SDE	W_RTL_PRODUCT_COLOR_DS	prdcldrde.ksh	etlrefreshgensde.ksh	
SDE	W_RTL_IT_LC_DS	rtlilsde.ksh	etlrefreshgensde.ksh	
SDE	W_RTL_TNDR_TYPE_DS	tndrtpsde.ksh	etlrefreshgensde.ksh	
SDE	W_RTL_PRODUCT_IMAGE_DS	prditimsde.ksh	etlrefreshgensde.ksh	
SDE	W_STATUS_DS	statussde.ksh	etlrefreshgensde.ksh	
SDE	W_REASON_DS	reasonsde.ksh	etlrefreshgensde.ksh	
<b>SDE Fact Load</b>				
SDE FACT LOAD	W_RTL_SUPP_IVC_PO_IT_FS	sinvcstilssde.ksh	reimediinupload.pc (ReIM Program) etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_SLS_TRX_IT_LC_DY_FS W_RTL_SLSPR_TX_IT_LC_DY_FS W_RTL_SLSPK_IT_LC_DY_FS	slsiltde.ksh	saexpdw.pc (ReSA Program) resa2dw (Perl script) etlrefreshgensde.ksh	

Table 4-1 (Cont.) Extract, Transform, Load Dependencies

Type of Program (SIL, PLP)	Table Name	Program Name (Shell Script Name)	Dependency (Source System Program or other SIL or PLP program)	Comments
SDE FACT LOAD	W_RTL_MKDN_IT_LC_DY_FS	slsmkdnildsde.ksh	salstage.pc (RMS Program) etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_SLSFC_IT_LC_DY_FS	slsfildsde.ksh	rmsl_rpas_forecast.ksh (RMS Program) etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_SLSFC_IT_LC_WK_FS	slsfilwsde.ksh	rmsl_rpas_forecast.ksh (RMS Program) etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_BCost_IT_LC_DY_FS	cstisildsde.ksh	etlrefreshgensde.ksh	RMS scext.pc should execute right after this program has completed successfully.
SDE FACT LOAD	W_RTL_INV_IT_LC_DY_FS	invildsde.ksh	salstage.pc (RMS Program) mrt.pc (RMS Program) ordrev (RMS Program) etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_NCost_IT_LC_DY_FS	ncstildsde.ksh	fcexec.pc etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_PRICE_IT_LC_DY_FS	prcildsde.ksh	etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_STCKLDGR_SC_LC_WK_FS	stlblwsde.ksh	salweek.pc etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_SUPPCM_IT_LC_DY_FS	scmplildsde.ksh	salstage.pc etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_SUPPCMUF_LC_DY_FS	scmplufildsde.ksh	salstage.pc etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_SLSWF_IT_LC_DY_FS	wfslsildsde.ksh	posupld.pc etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_STCKLDGR_SC_LC_MH_FS	stblmthsde.ksh	salmth.pc etlrefreshgensde.ksh	

Table 4-1 (Cont.) Extract, Transform, Load Dependencies

Type of Program (SIL, PLP)	Table Name	Program Name (Shell Script Name)	Dependency (Source System Program or other SIL or PLP program)	Comments
SDE FACT LOAD	W_RTL_INVADJ_IT_LC_DY_FS	ivadjildsde.ksh	salstage.pc (RMS Program) etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_INVADJ_IT_LC_DY_FS	ivadjildsde_initial.ksh	Salapnd.pc (RMS Program) etlrefreshgensde.ksh	This program is executed only once on Day 1 of load to load all history data. Start and End date should be passed as parameter to the script in 'YYYY-MM-DD' format
SDE FACT LOAD	W_RTL_INVRTV_IT_LC_DY_FS	ivrtvildsde.ksh	etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_INVRTV_IT_LC_DY_FS	ivrtvildsde_initial.ksh	Salapnd.pc (RMS Program) etlrefreshgensde.ksh	This program is executed only once on Day 1 of load to load all history data. Start and End date should be passed as parameter to the script in 'YYYY-MM-DD' format
SDE FACT LOAD	W_RTL_INVTSF_IT_LC_DY_FS	ivtsfildsde.ksh	salstage.pc (RMS Program) etlrefreshgensde.ksh	
SDE FACT LOAD	W_RTL_INVTSF_IT_LC_DY_FS	ivtsfildsde_initial.ksh	Salapnd.pc (RMS Program) etlrefreshgensde.ksh	This program is executed only once on Day 1 of load to load all history data. Start and End date should be passed as parameter to the script in 'YYYY-MM-DD' format
<b>SqlUnloader Programs</b>				

Table 4-1 (Cont.) Extract, Transform, Load Dependencies

Type of Program (SIL, PLP)	Table Name	Program Name (Shell Script Name)	Dependency (Source System Program or other SIL or PLP program)	Comments
rtlusasde.ksh <Target table> Target table: RI Staging Table (The script with Target Table as parameter will execute the ODI Sql UnLoader program which will Unload the RI staging table into corresponding <Target table> .dat file).				
UNLOADER	W_DOMAIN_MEMBER_DS_TL.dat	rtlusasde.ksh W_DOMAIN_MEMBER_DS_TL	domianmemlkupsde.ksh	
	W_EMPLOYEE_DS.dat	rtlusasde.ksh W_EMPLOYEE_DS	emplysde.ksh	
UNLOADER	W_EXCH_RATE_GS.dat	rtlusasde.ksh W_EXCH_RATE_GS	exchgrategensde.ksh	
UNLOADER	W_INT_ORG_ATTR_DS.dat	rtlusasde.ksh W_INT_ORG_ATTR_DS	orglocsde.ksh	
UNLOADER	W_INT_ORG_DHS.dat	rtlusasde.ksh W_INT_ORG_DHS	orghiersde.ksh	
UNLOADER	W_INT_ORG_DS.dat	rtlusasde.ksh W_INT_ORG_DS	orglocsde.ksh	
UNLOADER	W_INT_ORG_DS_TL.dat	rtlusasde.ksh W_INT_ORG_DS_TL	orglocsde.ksh	
UNLOADER	W_INVENTORY_PRODUCT_ATTR_DS.dat	rtlusasde.ksh W_INVENTORY_PRODUCT_ATTR_DS	prditmlmsde.ksh	
UNLOADER	W_INVENTORY_PRODUCT_DS.dat	rtlusasde.ksh W_INVENTORY_PRODUCT_DS	prditmlmsde.ksh	
UNLOADER	W_MCAL_PERIOD_DS.dat	rtlusasde.ksh W_MCAL_PERIOD_DS	mcalperiodsde.ksh	
UNLOADER	W_PARTY_ATTR_DS.dat	rtlusasde.ksh W_PARTY_ATTR_DS	supside.ksh	

Table 4-1 (Cont.) Extract, Transform, Load Dependencies

Type of Program (SIL, PLP)	Table Name	Program Name (Shell Script Name)	Dependency (Source System Program or other SIL or PLP program)	Comments
UNLOADER	W_PARTY_ORG_DS.dat	rtlusasde.ksh W_PARTY_ORG_DS	supside.ksh	
UNLOADER	W_PROD_CAT_DHS.dat	rtlusasde.ksh W_PROD_CAT_DHS	prdhiersde.ksh	
UNLOADER	W_PRODUCT_ATTR_DS.dat	rtlusasde.ksh W_PRODUCT_ATTR_DS	prditmsde.ksh	
UNLOADER	W_PRODUCT_DS.dat	rtlusasde.ksh W_PRODUCT_DS	prditmsde.ksh	
UNLOADER	W_PRODUCT_DS_TL.dat	rtlusasde.ksh W_PRODUCT_DS_TL	prditmsde.ksh	
UNLOADER	W_REASON_DS.dat	rtlusasde.ksh W_REASON_DS	reasonside.ksh	
UNLOADER	W_RTL_BCOST_IT_LC_DY_FS.dat	rtlusasde.ksh W_RTL_BCOST_IT_LC_DY_FS	cstisldsde.ksh	
UNLOADER	W_RTL_CHANNEL_DS.dat	rtlusasde.ksh W_RTL_CHANNEL_DS	orgchnsde.ksh	
UNLOADER	W_RTL_INV_IT_LC_DY_FS.dat	rtlusasde.ksh W_RTL_INV_IT_LC_DY_FS	invildside.ksh	
UNLOADER	W_RTL_INVADJ_IT_LC_DY_FS.dat	rtlusasde.ksh W_RTL_INVADJ_IT_LC_DY_FS	ivadjildside.ksh	
UNLOADER	W_RTL_INVRC_IT_LC_DY_FS.dat	rtlusasde.ksh W_RTL_INVRC_IT_LC_DY_FS	ivrcpildside.ksh	
UNLOADER	W_RTL_INVRTV_IT_LC_DY_FS.dat	rtlusasde.ksh W_RTL_INVRTV_IT_LC_DY_FS	ivrtvildside.ksh	
UNLOADER	W_RTL_INVTSF_IT_LC_DY_FS.dat	rtlusasde.ksh W_RTL_INVTSF_IT_LC_DY_FS	ivtsfildside.ksh	
UNLOADER	W_RTL_IT_LC_DS.dat	rtlusasde.ksh W_RTL_IT_LC_DS	rtlilsde.ksh	
UNLOADER	W_RTL_IT_SUPPLIER_DS.dat	rtlusasde.ksh W_RTL_IT_SUPPLIER_DS	prditmsupside.ksh	
UNLOADER	W_RTL_ITEM_GRP1_DS.dat	rtlusasde.ksh W_RTL_ITEM_GRP1_DS	prditmlside.ksh	
UNLOADER	W_RTL_ITEM_GRP2_DS.dat	rtlusasde.ksh W_RTL_ITEM_GRP2_DS	prdpimsde.ksh	

Table 4-1 (Cont.) Extract, Transform, Load Dependencies

Type of Program (SIL, PLP)	Table Name	Program Name (Shell Script Name)	Dependency (Source System Program or other SIL or PLP program)	Comments
UNLOADER	W_RTL_LOC_LIST_DS.dat	rtlusasde.ksh W_RTL_LOC_LIST_DS	orglolsde.ksh	
UNLOADER	W_RTL_LOC_TRAIT_DS.dat	rtlusasde.ksh W_RTL_LOC_TRAIT_DS	orgltmsde.ksh	
UNLOADER	W_RTL_MKDN_IT_LC_DY_FS.dat	rtlusasde.ksh W_RTL_MKDN_IT_LC_DY_FS	sismkdnildsde.ksh	
UNLOADER	W_RTL_NCOST_IT_LC_DY_FS.dat	rtlusasde.ksh W_RTL_NCOST_IT_LC_DY_FS	ncstildsde.ksh	
UNLOADER	W_RTL_ORG_FIN_DS.dat	rtlusasde.ksh W_RTL_ORG_FIN_DS	orgfinsde.ksh	
UNLOADER	W_RTL_PRICE_IT_LC_DY_FS.dat	rtlusasde.ksh W_RTL_PRICE_IT_LC_DY_FS	prcildsde.ksh	
UNLOADER	W_RTL_PROD_HIER_ATTR_LKP_DHS.dat	rtlusasde.ksh W_RTL_PROD_HIER_ATTR_LKP_DHS	prdhiersde.ksh	
UNLOADER	W_RTL_PRODUCT_ATTR_DS.dat	rtlusasde.ksh W_RTL_PRODUCT_ATTR_DS	prdattrsde.ksh	
UNLOADER	W_RTL_PRODUCT_ATTR_DS_TL.dat	rtlusasde.ksh W_RTL_PRODUCT_ATTR_DS_TL	prdattrsde.ksh	
UNLOADER	W_RTL_PRODUCT_BRAND_DS.dat	rtlusasde.ksh W_RTL_PRODUCT_BRAND_DS	prdbrndsde.ksh	
UNLOADER	W_RTL_PRODUCT_BRAND_DS_TL.dat	rtlusasde.ksh W_RTL_PRODUCT_BRAND_DS_TL	prdbrndsde.ksh	
UNLOADER	W_RTL_PRODUCT_COLOR_DS.dat	rtlusasde.ksh W_RTL_PRODUCT_COLOR_DS	prdcldsde.ksh	
UNLOADER	W_RTL_PRODUCT_IMAGE_DS.dat	rtlusasde.ksh W_RTL_PRODUCT_IMAGE_DS	prditimsde.ksh	
UNLOADER	W_RTL_PROMO_DS.dat	rtlusasde.ksh W_RTL_PROMO_DS	#N/A	
UNLOADER	W_RTL_PROMO_DS_TL.dat	rtlusasde.ksh W_RTL_PROMO_DS_TL	promosde.ksh	
UNLOADER	W_RTL_SEASON_DS.dat	rtlusasde.ksh W_RTL_SEASON_DS	seasnsde.ksh	



Table 4-1 (Cont.) Extract, Transform, Load Dependencies

Type of Program (SIL, PLP)	Table Name	Program Name (Shell Script Name)	Dependency (Source System Program or other SIL or PLP program)	Comments
UNLOADER	W_RTL_SEASON_IT_DS.dat	rtluasde.ksh W_RTL_SEASON_IT_DS	prditmsmsde.ksh	
UNLOADER	W_RTL_SEASON_PHASE_DS.dat	rtluasde.ksh W_RTL_SEASON_PHASE_DS	phasesde.ksh	
UNLOADER	W_RTL_SLS_TRX_IT_LC_DY_FS.dat	rtluasde.ksh W_RTL_SLS_TRX_IT_LC_DY_FS	slsiltde.ksh	
UNLOADER	W_RTL_SLSFC_IT_LC_DY_FS.dat	rtluasde.ksh W_RTL_SLSFC_IT_LC_DY_FS	slsfcildsde.ksh	
UNLOADER	W_RTL_SLSFC_IT_LC_WK_FS.dat	rtluasde.ksh W_RTL_SLSFC_IT_LC_WK_FS	slsfcilwsde.ksh	
UNLOADER	W_RTL_SLSPK_IT_LC_DY_FS.dat	rtluasde.ksh W_RTL_SLSPK_IT_LC_DY_FS	slsiltde.ksh	
UNLOADER	W_RTL_SLSWF_IT_LC_DY_FS.dat	rtluasde.ksh W_RTL_SLSWF_IT_LC_DY_FS	wfslsildsde.ksh	
UNLOADER	W_RTL_STCKLDGR_SC_LC_MH_FS.dat	rtluasde.ksh W_RTL_STCKLDGR_SC_LC_MH_FS	stblmthsde.ksh	
UNLOADER	W_RTL_STCKLDGR_SC_LC_WK_FS.dat	rtluasde.ksh W_RTL_STCKLDGR_SC_LC_WK_FS	stblblwsde.ksh	
UNLOADER	W_RTL_SUPP_IVC_PO_IT_FS.dat	rtluasde.ksh W_RTL_SUPP_IVC_PO_IT_FS	sinvcstilstdsde.ksh	
UNLOADER	W_RTL_SUPPCM_IT_LC_DY_FS.dat	rtluasde.ksh W_RTL_SUPPCM_IT_LC_DY_FS	scmplildsde.ksh	
UNLOADER	W_RTL_SUPPCMUF_LC_DY_FS.dat	rtluasde.ksh W_RTL_SUPPCMUF_LC_DY_FS	scmplufildsde.ksh	
UNLOADER	W_RTL_SUPPLIER_TRAIT_DS.dat	rtluasde.ksh W_RTL_SUPPLIER_TRAIT_DS	suptrsde.ksh	
UNLOADER	W_RTL_TNDR_TYPE_DS.dat	rtluasde.ksh W_RTL_TNDR_TYPE_DS	tndrtpsde.ksh	
UNLOADER	W_STATUS_DS.dat	rtluasde.ksh W_STATUS_DS	statussde.ksh	
UNLOADER	W_RTL_IT_LC_DEL_TMP.dat	rabeuasde.ksh W_RTL_IT_LC_DEL_TMP	#N/A	

**Table 4-1 (Cont.) Extract, Transform, Load Dependencies**

<b>Type of Program (SIL, PLP)</b>	<b>Table Name</b>	<b>Program Name (Shell Script Name)</b>	<b>Dependency (Source System Program or other SIL or PLP program)</b>	<b>Comments</b>
UNLOADER	W_RTL_ITEM_DEL_TMP.dat	rabeuasde.ksh W_RTL_ITEM_DEL_TMP	#N/A	
UNLOADER	W_RTL_RECLASS_DP_GP_TMP.dat	rabeuasde.ksh W_RTL_RECLASS_DP_GP_TMP	prdrctmpsde.ksh	
UNLOADER	W_RTL_RECLASS_IT_SC_CL_TMP.dat	rabeuasde.ksh W_RTL_RECLASS_IT_SC_CL_TMP	prdrctmpsde.ksh	

---

---

## Program Reference Lists

This chapter serves as a reference to the following Retail Data Extractor programs and reference information:

- Dimension extract and Flat File Unload (shell scripts for executing ODI ETL programs and ODI Program details)
- Fact extract and Flat File Unload (shell scripts for executing ODI ETL programs and ODI Program details)
- Maintenance (shell scripts for executing ODI ETL programs and ODI Program details)

By reviewing [Chapter 3, "Retail Data Extractor Program Overview"](#) along with this chapter and [Appendix A, "Appendix: Application Programming Interface \(API\)"](#), you should be able to track, down to the table and column level, all the fact and dimension data that flows into Retail Data Extractor staging tables.

---

---

**Note:** Brazil Localization Support

The following Retail Data Extractor script is not supported when part of a Brazil-localized Oracle Retail implementation in which Oracle Retail Fiscal Management (ORFM) replaces Oracle Retail Invoice Matching (ReIM).

- `sinvcstilsdsde.ksh` - Extracts Supplier Invoice Match data from Oracle Retail Invoice Matching (ReIM).
- 
- 

### Known Issues

The following are known issues in Oracle Retail Data Extractor:

- ODI Program Execution may result in 'ODI-17056: Variable has no value': This issue can appear while a ODI program is being executed and if any variable used within that program is not explicitly defined in the ODI package. This issue will require the variable in question to be defined explicitly at the ODI package level.



## Program Reference List

Shell Script Name	Functional Area	Program Type	Program Name	Package Name	Interface Name	Data Source for SDE Programs	Source Table or File	Target Table	KM Details	ORMA/ORCA
slsmkdnildsde.ksh	Markdowns	Base Fact Extract	MASTER_SDE_RETAIL_SALESMARKDOWNFACT	Master_SDE_Retail_SalesMarkdownFact	N/A	RMS	N/A	N/A	N/A	ORMI
cstisldsde.ksh	Cost	Base Fact Extract	MASTER_SDE_RETAIL_BASECOSTFACT	Master_SDE_RetailBaseCostFact	N/A	RMS	N/A	N/A	N/A	ORMI
invildsde.ksh	Inventory Position	Base Fact Extract	MASTER_SDE_RETAIL_INVPOSITIONTRANSACTIONFACT	Master_SDE_RetailInventoryPositionTransactionFact	N/A	RMS	N/A	N/A	N/A	ORMI
ivrcpildsde.ksh	Inventory Receipts	Base Fact Extract	MASTER_SDE_RETAIL_INVRECEIPTSFACT	Master_SDE_RetailInventoryReceiptsFact	N/A	RMS	N/A	N/A	N/A	ORMI
ivadjildsde_initial.ksh	Inventory Adjustment	Base Fact Extract	MASTER_SDE_RETAIL_INVVENTORYADJUSTMENTFACT	Master_SDE_RetailInventoryAdjustmentFact	N/A	RMS	N/A	N/A	N/A	ORMI
ivrtvildsde_initial.ksh	Inventory Return to Vendor	Base Fact Extract	MASTER_SDE_RETAIL_INVVENTORYRETURNTOVENDORFACT	Master_SDE_RetailInventoryReturnToVendorFact	N/A	RMS	N/A	N/A	N/A	ORMI
ivtsfildsde_initial.ksh	Inventory Transfers	Base Fact Extract	MASTER_SDE_RETAIL_INVVENTORYTRANSFERFACT	Master_SDE_RetailInventoryTransferFact	N/A	RMS	N/A	N/A	N/A	ORMI
ivadjildsde.ksh	Inventory Adjustment	Base Fact Extract	MASTER_SDE_RETAIL_INVVENTORYADJUSTMENTFACT	Master_SDE_RetailInventoryAdjustmentFact	N/A	RMS	N/A	N/A	N/A	ORMI
ivrtvildsde.ksh	Inventory Return to Vendor	Base Fact Extract	MASTER_SDE_RETAIL_INVVENTORYRETURNTOVENDORFACT	Master_SDE_RetailInventoryReturnToVendorFact	N/A	RMS	N/A	N/A	N/A	ORMI
ivtsfildsde.ksh	Inventory Transfers	Base Fact Extract	MASTER_SDE_RETAIL_INVVENTORYTRANSFERFACT	Master_SDE_RetailInventoryTransferFact	N/A	RMS	N/A	N/A	N/A	ORMI
ncstildsde.ksh	Net Cost	Base fact Extract	MASTER_SDE_RETAIL_NETCOSTFACT	Master_SDE_RetailNetCostFact	N/A	RMS	N/A	N/A	N/A	ORMI
prcildsde.ksh	Price	Base Fact Extract	MASTER_SDE_RETAIL_PRICEFACT	Master_SDE_RetailPriceFact	N/A	RMS	N/A	N/A	N/A	ORMI
slsfildsde.ksh	Sales Forecast	Base Fact Extract	MASTER_SDE_RETAILSALESFCDYFACT	Master_SDE_RetailSalesFcDyFact	N/A	RMS	N/A	N/A	N/A	ORMI
slsfilwsde.ksh	Sales Forecast	Base Fact Extract	MASTER_SDE_RETAILSALESFCWKFACT	Master_SDE_RetailSalesFcWkFact	N/A	RMS	N/A	N/A	N/A	ORMI
stlblmthsde.ksh	Stock Ledger	Base Fact Extract	MASTER_SDE_RETAILSTOCKLEDGERMONTHFACT	Master_SDE_RetailStockLedgerMonthFact	N/A	RMS	N/A	N/A	N/A	ORMI

scmplildsde.ksh	Supplier Compliance	Base Fact Extract	MASTER_SDE_RETAILSUPPLIERCOMPLIANCEFACT	Master_SDE_RetailSupplierComplianceFact	SDE_RetailSupplierComplianceTempLoad_H	RMS	V_PACKSKU_QTY, SHIPSKU, SHIPMENT, ITEM_MASTER	W_RTL_SUPPCM_E_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
scmplildsde.ksh	Supplier Compliance	Base Fact Extract	MASTER_SDE_RETAILSUPPLIERCOMPLIANCEFACT	Master_SDE_RetailSupplierComplianceFact	SDE_RetailSupplierComplianceTempLoad_I	RMS	SHIPMENT, SHIPSKU, ITEM_MASTER	W_RTL_SUPPCM_E_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
scmplufildsde.ksh	Supplier Compliance	Base Fact Extract	MASTER_SDE_RETAILSUPPLIERCOMPLIANCEUFFACT	Master_SDE_RetailSupplierComplianceUFFact	N/A	RMS	N/A	N/A	N/A	ORMI
sinvcstilsdsde.ksh	Supplier Invoice Match	Base Fact Extract	MASTER_SDE_RETAILSUPPLIERINVOICEMATCHFACT	Master_SDE_RetailSupplierInvoiceMatchFact	N/A	ReIM	N/A	N/A	N/A	ORMI
Note: Invoice Matching extract and load programs are not supported in a Brazil configuration.										
wfslsildsde.ksh	Wholesale Franchise	Base Fact Load	MASTER_SDE_RETAILWHOLESALEFRANCHISEFACT	Master_SDE_RetailWholesalefranchiseFact	N/A	RMS	N/A	N/A	N/A	ORMI
statusdsde.ksh	Customer Order Status	Dimension Extract	SDE_RETAILSTATUSDIMENSION	SDE_RetailStatusDimension	SDE_RetailStatusDimensionLoad	RMS	INV_STATUS_TYPES	W_STATUS_DS	IKM RA Oracle Generic Insert with Control, CKM Oracle	ORMI
reasonsde.ksh	Reason	Dimension Extract	SDE_RETAILREASONDIMENSION	SDE_RetailReasonDimension	SDE_RetailReasonInvadjDimensionLoad	RMS	CODE_HEAD CODE_DETAIL	W_REASON_DS	IKM RA Oracle Generic Insert with Control, CKM Oracle	ORMI
Called from MASTER_SDE_RETAIL_SALESMARKDOWNFACT	Markdowns	Base Fact Extract	SDE_RETAIL_SALESMARKDOWNFACT	SDE_Retail_SalesMarkdownFact	SDE_Retail_SalesMarkdownLoad	RMS	RESTART_LOC, IF_TRAN_DATA, ITEM_MASTER	W_RTL_MKDN_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAIL_SALESTRANSACTIONFACT	Sales	Base Fact Extract	SDE_RETAIL_SALESTRANSACTIONFACT	SDE_Retail_SalesTransactionFact	SDE_RetailSalesPackTransactionFact	RMS	W_RTL_SLSPK_TRX_COMPCOST_TMP, W_RTL_SLSPK_TRX_COST_TMP, W_RTL_SLSPK_TRX_TMP	W_RTL_SLS_PK_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI

Called from MASTER_SDE_RETAIL_ SALESTRANSACTIONF ACT	Sales	Base Fact Extract	SDE_RETAIL_SALESTR ANSACTIONFACT	SDE_Retail_SalesTransac tionFact	SDE_RetailSalesProm otionTransactionFact	RMS	W_RTL_SLS_TRX_TM P_A, ITEM_MASTER	W_RTL_SLS PR_TX_IT_L C_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAIL_ SALESTRANSACTIONF ACT	Sales	Base Fact Extract	SDE_RETAIL_SALESTR ANSACTIONFACT	SDE_Retail_SalesTransac tionFact	SDE_RetailSalesTrans actionFact_Item	RMS	ITEM_LOC, W_RTL_SLS_TRX_TM P, ITEM_LOC_SOH, ITEM_SUPPLIER	W_RTL_SLS TRX_IT_LC_ DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAIL_ SALESTRANSACTIONF ACT	Sales	Base Fact Extract	SDE_RETAIL_SALESTR ANSACTIONFACT	SDE_Retail_SalesTransac tionFact	SDE_RetailSalesTrans actionFact_NonItem	RMS	W_RTL_SLS_TRX_TM P	W_RTL_SLS TRX_IT_LC_ DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAIL_ SALESTRANSACTIONF ACT	Sales	Base Fact Extract	SDE_RETAIL_SALESTR ANSACTIONFACT	SDE_Retail_SalesTransac tionFact	SDE_RetailSalesTrans actionFact_Pack	RMS	W_RTL_SLSPK_TRX_ TMP	W_RTL_SLS TRX_IT_LC_ DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAIL_ SALESTRANSACTIONF ACT	Sales	Base Fact Extract	SDE_RETAIL_SALESTR ANSACTIONFACT	SDE_Retail_SalesTransac tionFact	SDE_RetailSalesTrans actionFactTempLoad_ A	RMS	STORE, RESTART_LOC, XTERN_RDWT	W_RTL_SLS TRX_TMP_A	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAIL_ SALESTRANSACTIONF ACT	Sales	Base Fact Extract	SDE_RETAIL_SALESTR ANSACTIONFACT	SDE_Retail_SalesTransac tionFact	SDE_RetailSalesTrans actionFactTempLoad_ A1	RMS	W_RTL_SLS_TRX_TM P_A	W_RTL_SLS TRX_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAIL_ SALESTRANSACTIONF ACT	Sales	Base Fact Extract	SDE_RETAIL_SALESTR ANSACTIONFACT	SDE_Retail_SalesTransac tionFact	SDE_RetailSalesTrans actionFactTempLoad_ A2	RMS	W_RTL_SLS_TRX_TM P_A, CLASS, DEPS, ITEM_MASTER, STORE	W_RTL_SLS TRX_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAIL_ SALESTRANSACTIONF ACT	Sales	Base Fact Extract	SDE_RETAIL_SALESTR ANSACTIONFACT	SDE_Retail_SalesTransac tionFact	SDE_RetailSalesTrans actionFactTempLoad_ Pack	RMS	W_RTL_SLSPK_TRX_ COST_TMP, W_RTL_SLS_TRX_TM P	W_RTL_SLS PK_TRX_TM P	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAIL_ SALESTRANSACTIONF ACT	Sales	Base Fact Extract	SDE_RETAIL_SALESTR ANSACTIONFACT	SDE_Retail_SalesTransac tionFact	SDE_RetailSalesTrans actionFactTempLoad_ PackCompCost	RMS	ITEM_LOC, ITEM_LOC_SOH, V_PACKSKU_QTY, W_RTL_SLS_TRX_TM P, W_RTL_SLSPK_TRX_ COMPCOST_TMP	W_RTL_SLS PK_TRX_CO MPCOST_T MP	IKM RA Oracle Insert Temp Load with Control	ORMI

Called from MASTER_SDE_RETAILB ASECOSTFACT	Cost	Base Fact Extract Compressed	SDE_RETAILBASECOST FACT	SDE_RetailBaseCostFact	SDE_RetailBaseCostL oad	RMS	W_RTL_BCO ST_IT_LC_D C_DY_TMP	W_RTL_BCO ST_IT_LC_D Y_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILB ASECOSTFACT	Cost	Base Fact Extract Compressed	SDE_RETAILBASECOST FACT	SDE_RetailBaseCostFact	SDE_RetailBaseCostTe mpLoad	RMS	ITEM_LOC, ITEM_MASTER, ITEM_SUPP_COUNT RY_LOC, PRICE_HIST, RESTART_LOC, SUPS	W_RTL_BCO ST_IT_LC_D Y_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMem berLkUp	SDE_RetailAreaDescL kUpTemp	RMS	W_RTL_ORG_DH_T MP	W_DOMAIN _MEMBER_ DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMem berLkUp	SDE_RetailChainDesc LkUpTemp	RMS	W_RTL_ORG_DH_T MP	W_DOMAIN _MEMBER_ DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMem berLkUp	SDE_RetailClassDescL kUpTemp	RMS	W_RTL_PROD_CAT_ DH_TMP	W_DOMAIN _MEMBER_ DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMem berLkUp	SDE_RetailCompanyD escLkUpTemp	RMS	W_RTL_PROD_CAT_ DH_TMP	W_DOMAIN _MEMBER_ DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMem berLkUp	SDE_RetailDepartmen tDescLkUpTemp	RMS	W_RTL_PROD_CAT_ DH_TMP	W_DOMAIN _MEMBER_ DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMem berLkUp	SDE_RetailDiffDescLk UpTempLoad	RMS	DIFF_IDS	W_DOMAIN _MEMBER_ DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMem berLkUp	SDE_RetailDiffTypeD escLkUpTempLoad	RMS	DIFF_TYPE	W_DOMAIN _MEMBER_ DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI



domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailDistrictDescLkUpTempLoad	RMS	W_RTL_ORG_DH_TMP	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailDivisionDescLkUp	RMS	W_RTL_PROD_CAT_DH_TMP	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailDomainMemberLanguagesTempLoad	RMS	LANG, W_DOMAIN_MEMBER_DS_TMP	W_DOMAIN_MEMBER_DS_TL_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailDomainMemberLkUpLoad	RMS	W_DOMAIN_MEMBER_DS_TL_TMP, TL_SHADOW	W_DOMAIN_MEMBER_DS_TL	IKM RA Oracle Generic Insert with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailGroupDescLkUp	RMS	W_RTL_PROD_CAT_DH_TMP	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailItemListDescLkUpTempLoad	RMS	SKULIST_HEAD	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailItemUDADetailDescLkUpTempLoad	RMS	V_W_RTL_UDA_DETAIL_DESC_TMP	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailItemUDAHeaderDescLkUpTempLoad	RMS	UDA	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailPhaseDescLkUpTempLoad	RMS	PHASES	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI

domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailRegionDescLkUpTemp	RMS	W_RTL_ORG_DH_TMP	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailSeasonDescLkUpTempLoad	RMS	SEASONS	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailStoreFORMitDescLkUpDomainTempLoad	RMS	W_RTL_STORE_FORMIT_TMP	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailStoreFORMitDescLkUpTempLoad	RMS	W_RTL_ORG_D_TMP	W_RTL_STORE_FORMIT_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailSubclassDescLkUpTempLoad	RMS	W_RTL_PROD_CAT_DH_TMP	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailSupplierCurrencyDescLkUpTempLoad	RMS	SUPS, CURRENCIES	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailSupplierTraitDescLkUpTempLoad	RMS	SUP_TRAITS	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailTransferEntityDescLkUpLoad	RMS	TSF_ENTITY	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailTenderTypeDescLkUpTempLoad	RMS	POS_TENDER_TYPE_HEAD	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI

domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailColorDescLkUpTempLoad	RMS	DIFF_IDS	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailStyleDescLkUpTempLoad	RMS	DIFF_IDS	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailProductClassificationDescLkUpTemp	RMS	CODE_DETAIL	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailChannelDescLkUpTempLoad		W_RTL_CHANNEL_TMP	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailSizeDescLkUpTempLoad	RMS	DIFF_IDS	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailFabricDescLkUpTempLoad	RMS	DIFF_IDS	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailScentDescLkUpTempLoad	RMS	DIFF_IDS	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailTenderTypeGrpDescLkUpTempLoad	RMS	CODE_DETAIL	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAIN MEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailReasonRTVRDescLkUpTempLoad	RMS	CODE_HEAD CODE_DETAIL	W_DOMAIN_MEMBER_DS_TMP	IKM RA Oracle Generic Insert with Control, CKM Oracle	ORMI

domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAINMEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailStatusDomainMemberLkUpLoad	RMS	INV_STATUS_TYPES LANG	W_DOMAIN_MEMBER_DS_TL	IKM RA Oracle Generic Insert with Control, CKM BIAPPS Oracle	ORMI
domianmemlkupsde.ksh	Domain Lookup	Dimension Extract	SDE_RETAILDOMAINMEMBERLKUP	SDE_RetailDomainMemberLkUp	SDE_RetailReasonInventoryDescLkUpLoad	RMS	INV_ADJ_REASON LANG	W_DOMAIN_MEMBER_DS_TL	IKM RA Oracle Generic Insert with Control, CKM BIAPPS Oracle	ORMI
emplysde.ksh	Employee	Dimension Extract	SDE_RETAILEMLOYEE_DIMENSION	SDE_RetailEmployeeDimension	SDE_RetailEmployeeDimensionLoad	-	SA_EMPLOYEE	W_EMPLOYEE_DS	IKM RA Oracle Generic Insert with Control	ORMI
exchgrategensde.ksh	Exchange Rate	Dimension Extract	SDE_RETAILEXCHANGE_RATE_GENERAL	SDE_RetailExchangeRateGeneral	SDE_RetailExchangeRateGeneralLoad	-	MV_CURRENCY_CONVERSION_RATES	W_EXCHANGE_RATE_GS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	Inventory Position	Base Fact Extract	SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	SDE_RetailInventoryPositionTransactionFact	SDE_RetailInventoryPosition_CompleteItemCost_TempLoad	RMS	W_RTL_INVENTORY_ITEM_COST_TEMP_B, V_PACKSKU_QTY, ITEM_LOC_SOH	W_RTL_INVENTORY_COST_TEMP_MP	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	Inventory Position	Base Fact Extract	SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	SDE_RetailInventoryPositionTransactionFact	SDE_RetailInventoryPosition_OnOrderCost_Temp_A1	RMS	ORDHEAD, ORDLOC, RESTART_LOC, ORDHEAD	W_RTL_INVENTORY_ITEM_COST_TEMP_C	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	Inventory Position	Base Fact Extract	SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	SDE_RetailInventoryPositionTransactionFact	SDE_RetailInventoryPosition_OnOrderCost_Temp_A2	RMS	RESTART_LOC, W_RTL_INVENTORY_ITEM_COST_TEMP_C	W_RTL_INVENTORY_ON_ORDER_COST_TEMP_A	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	Inventory Position	Base Fact Extract	SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	SDE_RetailInventoryPositionTransactionFact	SDE_RetailInventoryPosition_Repl_Temp_Load	RMS	REPL_ITEM_LOC, W_RTL_INVENTORY_ITEM_COST_TEMP_B	W_RTL_INVENTORY_ITEM_COST_TEMP	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	Inventory Position	Base Fact Extract	SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	SDE_RetailInventoryPositionTransactionFact	SDE_RetailInventoryPositionTransactionFact	RMS	W_RTL_INVENTORY_ITEM_COST_TEMP_R, W_RTL_INVENTORY_ON_ORDER_COST_TEMP_A	W_RTL_INVENTORY_ITEM_COST_TEMP_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI

Called from MASTER_SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	Inventory Position	Base Fact Extract	SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	SDE_RetailInvPositionTransactionFact	SDE_RetailInventoryPositionTransactionFact_A	RMS	RESTART_LOC, INV_IT_LC_V	W_RTL_INV_IT_LC_TMP_A	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	Inventory Position	Base Fact Extract	SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	SDE_RetailInvPositionTransactionFact	SDE_RetailInventoryPositionTransactionFact_B	RMS	W_RTL_INV_IT_LC_TMP_A, ITEM_LOC_SOH, ITEM_LOC	W_RTL_INV_IT_LC_TMP_B	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	Inventory Position	Base Fact Extract	SDE_RETAILINVENTORYPOSITIONTRANSACTIONFACT	SDE_RetailInvPositionTransactionFact	SDE_RetailInventoryPositionTransactionFact_C	RMS	ORDLOC, W_RTL_INV_IT_LC_TMP_B, V_PACKSKU_QTY, ORDHEAD, W_RTL_INV_COMP_ITEM_COST_TMP	W_RTL_INV_IT_LC_TMP_C	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILINVENTORYRECEIPTSFACT	Inventory Receipts	Base Fact Extract	SDE_RETAILINVENTORYRECEIPTSFACT	SDE_RetailInvReceiptsFact	SDE_RetailInvReceiptsLoad	RMS	RESTART_LOC, IF_TRAN_DATA, ITEM_MASTER	W_RTL_INV_RC_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILINVENTORYADJUSTMENTFACT	Inventory Adjustment	Base Fact Extract	SDE_RETAILINVENTORYADJUSTMENTFACT	SDE_RetailInventoryAdjustmentFact	SDE_InitialRetailInventoryAdjustmentLoad	RMS	TRAN_DATA_HISTORY	W_RTL_INV_ADJ_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control, CKM BIAPPS Oracle	ORMI
Called from MASTER_SDE_RETAILINVENTORYRETURNTOVENDORFACT	Inventory Return to Vendor	Base Fact Extract	SDE_RETAILINVENTORYRETURNTOVENDORFACT	SDE_RetailInventoryReturnToVendorFact	SDE_InitialRetailInventoryReturnToVendorFactLoad	RMS	RTV_HEAD RTV_DETAIL ITEM_LOC	W_RTL_INV_IT_LC_DY_FS	IKM RA Oracle Generic	ORMI
Called from MASTER_SDE_RETAILINVENTORYTRANSFERFACT	Inventory Transfers	Base Fact Extract	SDE_RETAILINVENTORYTRANSFERFACT	SDE_RetailInventoryTransferFact	SDE_InitialRetailInventoryTransferFactLoad	RMS	TRAN_DATA_HISTORY ITEM_MASTER	W_RTL_INV_TSF_IT_LC_DY_FS	IKM RA Oracle Generic	ORMI
Called from MASTER_SDE_RETAILINVENTORYADJUSTMENTFACT	Inventory Adjustment	Base Fact Extract	SDE_RETAILINVENTORYADJUSTMENTFACT	SDE_RetailInventoryAdjustmentFact	SDE_RetailInventoryAdjustmentLoad	RMS	IF_TRAN_DATA	W_RTL_INV_ADJ_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control, CKM BIAPPS Oracle	ORMI
Called from MASTER_SDE_RETAILINVENTORYRETURNTOVENDORFACT	Inventory Return to Vendor	Base Fact Extract	SDE_RETAILINVENTORYRETURNTOVENDORFACT	SDE_RetailInventoryReturnToVendorFact	SDE_RetailInventoryReturnToVendorFactLoad	RMS	SUPS RTV_DETAIL ITEM_LOC RTV_HEAD	W_RTL_INV_IT_LC_DY_FS	IKM RA Oracle Generic Insert with	ORMI
Called from MASTER_SDE_RETAILINVENTORYTRANSFERFACT	Inventory Transfers	Base Fact Extract	SDE_RETAILINVENTORYTRANSFERFACT	SDE_RetailInventoryTransferFact	SDE_RetailInventoryTransferFactLoad	RMS	IF_TRAN_DATA ITEM_MASTER	W_RTL_INV_TSF_IT_LC_DY_FS	IKM RA Oracle	ORMI

prddiffsde.ksh	Differentiators	Dimension Extract	SDE_RETAILITEMDIFF DIMENSION	SDE_RetailItemDiffDimension	SDE_RetailItemDiffDimensionLoad	RMS	DIFF_TYPE, W_RTL_PROD_DIFF_TMP, DIFF_IDS	W_RTL_ITEM_GRP1_DS	IKM RA Oracle Generic Insert with Control	ORMI
prddiffsde.ksh	Item Split Product	Dimension	SDE_RETAILITEMDIFF DIMENSION	SDE_RetailItemDiffDimension	SDE_RetailItemDiffDimensionLoad_ProdAttr	RMS	DIFF_IDS, DIFF_TYPE, W_RTL_PROD_DIFF_TMP	W_RTL_ITEM_GRP1_DS	IKM RA Oracle Generic Insert with Control	ORMI
prddiffsde.ksh	Product	Dimension	SDE_RETAILITEMDIFF DIMENSION	SDE_RetailItemDiffDimension	SDE_RetailItemDiffDimensionLoad_Brand	RMS	ITEM_MASTER	W_RTL_ITEM_GRP1_DS	IKM RA Oracle Generic Insert with Control	ORMI
prddiffsde.ksh	Differentiators	Dimension Extract	SDE_RETAILITEMDIFF DIMENSION	SDE_RetailItemDiffDimension	SDE_RetailItemDiffDimensionTempLoad	RMS	V_W_RTL_ITEM_DIFF_TMP	W_RTL_PROD_DIFF_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionDeleteLoad	RMS	RDW_DELETE_ITEM	W_RTL_ITEM_DEL_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionLoad	RMS	W_RTL_ITEM_DIFF_TMP	W_PRODUCT_DS	IKM RA Oracle Generic Insert with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionTempDeltaLoad	RMS	GROUPS, UOM_CLASS, ITEM_MASTER, DIVISION, DEPS, CODE_DETAIL, LANG	W_RTL_ITEM_LANG_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionTempDeltaReclassLoad	RMS	DIVISION, DEPS, CODE_DETAIL, ITEM_MASTER, LANG, GROUPS, UOM_CLASS	W_RTL_ITEM_LANG_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionDeleteLoad	RMS	RDW_DELETE_ITEM	W_RTL_ITEM_DEL_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionLoad	RMS	W_RTL_ITEM_DIFF_TMP	W_PRODUCT_DS	IKM RA Oracle Generic Insert with Control	ORMI

prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionTempDeltaLoad	RMS	GROUPS, UOM_CLASS, ITEM_MASTER, DIVISION, DEPS, CODE_DETAIL, LANG	W_RTL_ITEM_LANG_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionTempDeltaReclassLoad	RMS	DIVISION, DEPS, CODE_DETAIL, ITEM_MASTER, LANG, GROUPS, UOM_CLASS	W_RTL_ITEM_LANG_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionTempFinalLoad	RMS	W_RTL_ITEM_LANG_TMP, TL_SHADOW	W_RTL_ITEM_D_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionTempFullLoad	RMS	LANG, UOM_CLASS, DIVISION, CODE_DETAIL, DEPS, ITEM_MASTER, GROUPS	W_RTL_ITEM_LANG_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionAttributeLoad	RMS	W_RTL_ITEM_D_TMP	W_PRODUCT_ATTR_DS	IKM RA Oracle Generic Insert with Control	ORMI
prditmsde.ksh	Product	Dimension Extract	SDE_RETAILITEMDIMENSION	SDE_RetailItemDimension	SDE_RetailItemDimensionTLLoad	RMS	W_RTL_ITEM_D_TMP	W_PRODUCT_DS_TL	IKM RA Oracle Generic Insert with Control	ORMI
prditmsde.ksh	Item Image	Dimension Extract	SDE_RETAILITEMIMAGE DIMENSION	SDE_RetailItemImageDimension	SDE_RetailItemImageDimensionLoad	RMS	ITEM_IMAGE	W_RTL_PRODUCT_IMAGE_DS	IKM RA Oracle Generic Insert with Control, CKM BIAPPS Oracle	ORMI
prditmsde.ksh	ItemList	Dimension Extract	SDE_RETAILITEMLIST DIMENSION	SDE_RetailItemListDimension	SDE_RetailItemListDimensionLoad	RMS	ITEM_MASTER, SKULIST_HEAD, SKULIST_DETAIL	W_RTL_ITEM_GRP1_DS	IKM RA Oracle Generic Insert with Control	ORMI
prditmsde.ksh	Item Location	Dimension Extract	SDE_RETAILITEMLOCATION DIMENSION	SDE_RetailItemLocation Dimension	SDE_RetailItemLocationDimensionAttributeLoad	RMS	W_RTL_INVENTORY_PRODUCT_D_TMP	W_INVENTORY_PRODUCT_ATTR_DS	IKM RA Oracle Generic Insert with Control	ORMI

prditmlmsde.ksh	Item Location	Dimension Extract	SDE_RETAILITEMLOCATIONDIMENSION	SDE_RetailItemLocationDimension	SDE_RetailItemLocationDimensionLoad	RMS	W_RTL_INVENTORY_PRODUCT_D_TMP	W_INVENTORY_PRODUCT_DS	IKM RA Oracle Generic Insert with Control	ORMI
prditmlmsde.ksh	Item Location	Dimension Extract	SDE_RETAILITEMLOCATIONDIMENSION	SDE_RetailItemLocationDimension	SDE_RetailItemLocationDimensionTempLoad	RMS	ITEM_MASTER, ITEM_LOC_TRAITS	W_RTL_INVENTORY_PRODUCT_D_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prdpimsde.ksh	Item Pack	Dimension Extract	SDE_RETAILITEMPACKDIMENSION	SDE_RetailItemPackDimension	SDE_RetailItemPackDimensionLoad	RMS	V_PACKSKU_QTY, ITEM_MASTER	W_RTL_ITEM_GRP2_DS	IKM RA Oracle Generic Insert with Control	ORMI
prditmsmsde.ksh	Item Season	Dimension Extract	SDE_RETAILITEMSEASONDIMENSION	SDE_RetailItemSeasonDimension	SDE_RetailItemSeasonDimensionLoad	RMS	ITEM_SEASONS, ITEM_MASTER	W_RTL_SEASON_IT_DS	IKM RA Oracle Generic Insert with Control	ORMI
prditmsupsde.ksh	Item Supplier	Dimension Extract	SDE_RETAILITEMSUPPLIERDIMENSION	SDE_RetailItemSupplierDimension	SDE_RetailItemSupplierDimensionDeltaLoad	RMS	ITEM_MASTER, ITEM_SUPP_COUNTY, ITEM_SUPPLIER	W_RTL_IT_SUPPLIER_DS	IKM RA Oracle Generic Insert with Control	ORMI
prditmsupsde.ksh	Item Supplier	Dimension Extract	SDE_RETAILITEMSUPPLIERDIMENSION	SDE_RetailItemSupplierDimension	SDE_RetailItemSupplierDimensionLoad	RMS	ITEM_MASTER, ITEM_SUPP_COUNTY, ITEM_SUPPLIER	W_RTL_IT_SUPPLIER_DS	IKM RA Oracle Generic Insert with Control	ORMI
prditmudsde.ksh	Item UDA	Dimension Extract	SDE_RETAILITEMUDADIMENSION	SDE_RetailItemUDADimension	SDE_RetailItemUDADimensionLoad	RMS	ITEM_MASTER, W_RTL_UDA_DETAIL_ITEM	W_RTL_ITEM_GRP1_DS	IKM RA Oracle Generic Insert with Control	ORMI
SDE_RetailLoadControlSeedData.ksh	-	Fact Maintenance	SDE_RETAILSOURCELOADCONTROLSEEDDATA	SDE_RetailLoadControlSeedData	SDE_RetailInitial_C_ODI_PRAM_Load	RMS	C_ODI_PARAM, RA_SRC_CURR_PARAM_G	C_ODI_PARAM	IKM RA Oracle Generic Insert with Control	ORMI
orglcsde.ksh	Organization	Dimension Extract	SDE_RETAILLOCATIONDIMENSION	SDE_RetailLocationDimension	SDE_RetailLocationDimensionAttributeLoad	RMS	W_RTL_ORG_D_TMP	W_INT_ORG_ATTR_DS	IKM RA Oracle Generic Insert with Control	ORMI
orglcsde.ksh	Organization	Dimension Extract	SDE_RETAILLOCATIONDIMENSION	SDE_RetailLocationDimension	SDE_RetailLocationDimensionLoad	RMS	W_RTL_ORG_D_TMP	W_INT_ORG_DS	IKM RA Oracle Generic Insert with Control	ORMI



orglocsde.ksh	Organization	Dimension Extract	SDE_RETAILLOCATIONDIMENSION	SDE_RetailLocationDimension	SDE_RetailLocationDimensionPartnerTempLoad_A	RMS	CURRENCIES, COUNTRY, ADD_TYPE_MODULE, ADD_TYPE, ADDR, PARTNER, STATE	W_RTL_ORG_D_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orglocsde.ksh	Organization	Dimension Extract	SDE_RETAILLOCATIONDIMENSION	SDE_RetailLocationDimension	SDE_RetailLocationDimensionPartnerTempLoad_B	RMS	PARTNER, CURRENCIES	W_RTL_ORG_D_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orglocsde.ksh	Organization	Dimension Extract	SDE_RETAILLOCATIONDIMENSION	SDE_RetailLocationDimension	SDE_RetailLocationDimensionStoreTempLoad	RMS	CHANNELS, BANNER, COUNTRY, CURRENCIES, STATE, STORE, STORE_ATTRIBUTES, STORE_FORMIT, TSFZONE, WF_CUSTOMER, WF_CUSTOMER_GROUP, ADD_TYPE_MODULE, ADD_TYPE, ADDR	W_RTL_ORG_D_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orglocsde.ksh	Organization	Dimension Extract	SDE_RETAILLOCATIONDIMENSION	SDE_RetailLocationDimension	SDE_RetailLocationDimensionTLLoad	RMS	W_RTL_ORG_D_TMP	W_INT_ORG_DS_TL	IKM RA Oracle Generic Insert with Control	ORMI
orglocsde.ksh	Organization	Dimension Extract	SDE_RETAILLOCATIONDIMENSION	SDE_RetailLocationDimension	SDE_RetailLocationDimensionWHTempLoad	RMS	WH, ADDR, WH_ATTRIBUTES, STATE, COUNTRY, CHANNELS, BANNER, CURRENCIES, ADD_TYPE, ADD_TYPE_MODULE	W_RTL_ORG_D_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orghiersde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONDIMENSIONHIERARCHY	SDE_RetailOrganizationDimensionHierarchy	SDE_RetailOrganizationDimensionHierarchyAreaTempLoad	RMS	W_RTL_ORG_DH_TMP	W_RTL_ORG_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orghiersde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONDIMENSIONHIERARCHY	SDE_RetailOrganizationDimensionHierarchy	SDE_RetailOrganizationDimensionHierarchyAreaTempLoad	RMS	AREA	W_RTL_ORG_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI

orghiersde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONDIMENSIONHIERARCHY	SDE_RetailOrganizationDimensionHierarchy	SDE_RetailOrganizationDimensionHierarchyChainTempLoad	RMS	CHAIN, COMPHEAD	W_RTL_ORG_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orghiersde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONDIMENSIONHIERARCHY	SDE_RetailOrganizationDimensionHierarchy	SDE_RetailOrganizationDimensionHierarchyCompanyTempLoad	RMS	COMPHEAD	W_RTL_ORG_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orghiersde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONDIMENSIONHIERARCHY	SDE_RetailOrganizationDimensionHierarchy	SDE_RetailOrganizationDimensionHierarchyDistrictTempLoad	RMS	W_RTL_ORG_DH_TMP, DISTRICT	W_RTL_ORG_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orghiersde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONDIMENSIONHIERARCHY	SDE_RetailOrganizationDimensionHierarchy	SDE_RetailOrganizationDimensionHierarchyLoad	RMS	W_RTL_ORG_DH_TMP	W_INT_ORG_DHS	IKM RA Oracle Generic Insert with Control	ORMI
orghiersde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONDIMENSIONHIERARCHY	SDE_RetailOrganizationDimensionHierarchy	SDE_RetailOrganizationDimensionHierarchyPartnerTempLoad	RMS	PARTNER	W_RTL_ORG_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orghiersde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONDIMENSIONHIERARCHY	SDE_RetailOrganizationDimensionHierarchy	SDE_RetailOrganizationDimensionHierarchyRegionTempLoad	RMS	W_RTL_ORG_DH_TMP, REGION	W_RTL_ORG_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orghiersde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONDIMENSIONHIERARCHY	SDE_RetailOrganizationDimensionHierarchy	SDE_RetailOrganizationDimensionHierarchyStoreTempLoad	RMS	W_RTL_ORG_DH_TMP, STORE	W_RTL_ORG_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orghiersde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONDIMENSIONHIERARCHY	SDE_RetailOrganizationDimensionHierarchy	SDE_RetailOrganizationDimensionHierarchyWHTempLoad	RMS	WH	W_RTL_ORG_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orgfinsde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONFINANCEDIMENSION	SDE_RetailOrganizationFinanceDimension	SDE_RetailOrganizationFinanceDimensionLoad	RMS	W_RTL_ORG_FIN_TMP	W_RTL_ORG_FIN_DS	IKM RA Oracle Generic Insert with Control	ORMI

orgfinsde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONFINANCEDIMENSION	SDE_RetailOrganizationFinanceDimension	SDE_RetailOrganizationFinanceOrgUnitDimensionTempLoad	RMS	ORG_UNIT	W_RTL_ORG_FIN_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orgfinsde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONFINANCEDIMENSION	SDE_RetailOrganizationFinanceDimension	SDE_RetailOrganizationFinanceSetOfBooksDimensionTempLoad	RMS	FIF_GL_SETUP	W_RTL_ORG_FIN_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orgfinsde.ksh	Organization	Dimension Extract	SDE_RETAILORGANIZATIONFINANCEDIMENSION	SDE_RetailOrganizationFinanceDimension	SDE_RetailOrganizationFinanceTSFEntityDimensionTempLoad	RMS	TSF_ENTITY_ORG_UNIT_SOB	W_RTL_ORG_FIN_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orglolsde.ksh	Location List	Dimension Extract	SDE_RETAILLOCATIONLISTDIMENSION	SDE_RetailLocationListDimension	SDE_RetailLocationListDimensionLoad	RMS	LOC_LIST_DETAIL, LOC_LIST_HEAD	W_RTL_LOC_LIST_DS	IKM RA Oracle Generic Insert with Control	ORMI
orgltsde.ksh	Location Trait	Dimension Extract	SDE_RETAILLOCATIONTRAITDIMENSION	SDE_RetailLocationTraitDimension	SDE_RetailLocationTraitDimensionLoad	RMS	LOC_TRAITS_MATRIX, LOC_TRAITS	W_RTL_LOC_TRAIT_DS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILNETCOSTFACT	Net Cost	Base fact Extract	SDE_RETAILNETCOSTFACT	SDE_RetailNetCostFact	SDE_RetailNetCostLoad	RMS	W_RTL_NCOST_IT_LC_DY_TMP	W_RTL_NCOST_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILNETCOSTFACT	Net Cost	Base fact Extract	SDE_RETAILNETCOSTFACT	SDE_RetailNetCostFact	SDE_RetailNetCostTempLoad	RMS	FUTURE_COST, ITEM_MASTER, ITEM_SUPP_COUNT, RESTART_LOC	W_RTL_NCOST_IT_LC_DY_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
orgchnsde.ksh	Location Channel	Dimension Extract	SDE_RETAILORGANIZATIONCHANNELDIMENSION	SDE_RetailOrganizationChannelDimension	SDE_OrganizationChannelDimensionLoad	RMS	W_RTL_CHANNEL_TEMP	W_RTL_CHANNEL_DS	IKM RA Oracle Generic Insert with Control	ORMI
orgchnsde.ksh	Location Channel	Dimension Extract	SDE_RETAILORGANIZATIONCHANNELDIMENSION	SDE_RetailOrganizationChannelDimension	SDE_RetailOrganizationChannelBannerDimensionTempLoad	RMS	BANNER	W_RTL_CHANNEL_TEMP	IKM RA Oracle Insert Temp Load with Control	ORMI

orgchnsde.ksh	Location Channel	Dimension Extract	SDE_RETAILORGANIZATIONCHANNELDIMENSION	SDE_RetailOrganizationChannelDimension	SDE_RetailOrganizationChannelDimensionTempLoad	RMS	CHANNELS, BANNER	W_RTL_CHANNEL_TEMP	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILPRICEFACT	Price	Fact Extract	SDE_RETAILPRICEFACT	SDE_RetailPriceFact	SDE_RetailPriceLoad	RMS	PRICE_HIST, RESTART_LOC, ITEM_MASTER	W_RTL_PRICE_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILPRICEFACT	Price	Fact	SDE_RETAILPRICEFACT	SDE_RetailPriceFact	SDE_RetailPriceTempLoad	RMS	PRICE_HIST	PRICE_HIST_TMP	IKM RA Oracle Generic Insert with Control	ORMI
prdhiersde.ksh	Product	Dimension Extract	SDE_RETAILPRODUCTDIMENSIONHIERARCHY	SDE_RetailProductDimensionHierarchy	SDE_RetailProductDimensionHierarchyClsTempLoad	RMS	MERCHANT, BUYER, CLASS, COMPHEAD, DEPS, GROUPS, DIVISION	W_RTL_PRODUCT_CAT_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prdhiersde.ksh	Product	Dimension Extract	SDE_RETAILPRODUCTDIMENSIONHIERARCHY	SDE_RetailProductDimensionHierarchy	SDE_RetailProductDimensionHierarchyCmpTempLoad	RMS	COMPHEAD	W_RTL_PRODUCT_CAT_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prdhiersde.ksh	Product	Dimension Extract	SDE_RETAILPRODUCTDIMENSIONHIERARCHY	SDE_RetailProductDimensionHierarchy	SDE_RetailProductDimensionHierarchyDeptTempLoad	RMS	DIVISION, MERCHANT, BUYER, COMPHEAD, DEPS, GROUPS	W_RTL_PRODUCT_CAT_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prdhiersde.ksh	Product	Dimension Extract	SDE_RETAILPRODUCTDIMENSIONHIERARCHY	SDE_RetailProductDimensionHierarchy	SDE_RetailProductDimensionHierarchyDivTempLoad	RMS	MERCHANT, DIVISION, BUYER, COMPHEAD	W_RTL_PRODUCT_CAT_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prdhiersde.ksh	Product	Dimension Extract	SDE_RETAILPRODUCTDIMENSIONHIERARCHY	SDE_RetailProductDimensionHierarchy	SDE_RetailProductDimensionHierarchyGrpTempLoad	RMS	COMPHEAD, DIVISION, BUYER, GROUPS, MERCHANT	W_RTL_PRODUCT_CAT_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prdhiersde.ksh	Product	Dimension Extract	SDE_RETAILPRODUCTDIMENSIONHIERARCHY	SDE_RetailProductDimensionHierarchy	SDE_RetailProductDimensionHierarchyLkpLoad	RMS	W_RTL_PROD_CAT_DH_TMP	W_RTL_PRODUCT_HIER_ATR_LKP_DHS	IKM RA Oracle Generic Insert with Control	ORMI

prdhiersde.ksh	Product	Dimension Extract	SDE_RETAILPRODUCT DIMENSIONHIERARCHY	SDE_RetailProductDimensionHierarchy	SDE_RetailProductDimensionHierarchyLoad	RMS	W_RTL_PROD_CAT_DH_TMP	W_PROD_CAT_DHS	IKM RA Oracle Generic Insert with Control	ORMI
prdhiersde.ksh	Product	Dimension Extract	SDE_RETAILPRODUCT DIMENSIONHIERARCHY	SDE_RetailProductDimensionHierarchy	SDE_RetailProductDimensionHierarchySbcTempLoad	RMS	MERCHANT, BUYER, CLASS, COMPHEAD, DEPS, GROUPS, SUBCLASS, DIVISION	W_RTL_PROD_CAT_DH_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
prdrctmstpsde.ksh	Product	Dimension Extract	SDE_RETAILPRODUCT RECLASSTEMP	SDE_RetailProductReclassTemp	SDE_RetailDPGRPreclassTempLoad	RMS	RDW_RECLASS, RECLASS_ITEM_TEMP	W_RTL_RECLASS_DP_GRP_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
promosde.ksh	Promotion	Dimension Extract	SDE_RETAILPROMOTION DIMENSION	SDE_RetailPromotionDimension	SDE_RetailPromotionDimensionComponentLoad	RPM	RPM_PROMO, RPM_PROMO_EVENT, RPM_PROMO_COMP	W_RTL_PROMO_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
promosde.ksh	Promotion	Dimension Extract	SDE_RETAILPROMOTION DIMENSION	SDE_RetailPromotionDimension	SDE_RetailPromotionDimensionDetailLoad	RPM	RPM_PROMO, RPM_PROMO_COMP, RPM_PROMO_DTL, RPM_PROMO_EVENT	W_RTL_PROMO_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
promosde.ksh	Promotion	Dimension Extract	SDE_RETAILPROMOTION DIMENSION	SDE_RetailPromotionDimension	SDE_RetailPromotionDimensionDetailTempLoad	RPM	W_RTL_PROMO_EP_TMP, W_RTL_PROMO_TMP	W_RTL_PROMO_FINAL_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
promosde.ksh	Promotion	Dimension Extract	SDE_RETAILPROMOTION DIMENSION	SDE_RetailPromotionDimension	SDE_RetailPromotionDimensionEventLoad	RPM	W_RTL_PROMO_LANG_TMP, TL_SHADOW	W_RTL_PROMO_EP_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
promosde.ksh	Promotion	Dimension Extract	SDE_RETAILPROMOTION DIMENSION	SDE_RetailPromotionDimension	SDE_RetailPromotionDimensionInitialLoad	RPM	LANG, RPM_PROMO_EVENT	W_RTL_PROMO_LANG_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
promosde.ksh	Promotion	Dimension Extract	SDE_RETAILPROMOTION DIMENSION	SDE_RetailPromotionDimension	SDE_RetailPromotionDimensionLoad	RPM	W_RTL_PROMO_FINAL_TMP	W_RTL_PROMO_DS	IKM RA Oracle Generic Insert with Control	ORMI

promosde.ksh	Promotion	Dimension Extract	SDE_RETAILPROMOTIONDIMENSION	SDE_RetailPromotionDimension	SDE_RetailPromotionDimensionParentLoad	RPM	RPM_PROMO, W_RTL_PROMO_LOADING_TMP, TL_SHADOW	W_RTL_PROMO_EP_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
promosde.ksh	Promotion	Dimension Extract	SDE_RETAILPROMOTIONDIMENSION	SDE_RetailPromotionDimension	SDE_RetailPromotionDimensionTLLoad	RPM	W_RTL_PROMO_EP_TMP	W_RTL_PROMO_DS_TL	IKM RA Oracle Generic Insert with Control	ORMI
promosde.ksh	EP Temp Load	Promotion	SDE_RetailPromotionDimension	SDE_RetailPromotionDimensionEPTempLoad	W_RTL_PROMO_EP_TMP	W_RTL_PROMO_FINAL_TMP	IKM RA Oracle Insert Temp Load With Control	None	None	ORMI
Called from MASTER_SDE_RETAILSALESFCDYFACT	Sales Forecast	Base Fact Extract	SDE_RETAILSALESFCDYFACT	SDE_RetailSalesFcDyFact	SDE_Retail_SalesFcCLDomainDyLoad	RMS	DAILY_ITEM_FORECAST, RESTART_LOC, DOMAIN_CLASS, ITEM_MASTER	W_RTL_SLS_FC_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILSALESFCDYFACT	Sales Forecast	Base Fact Extract	SDE_RETAILSALESFCDYFACT	SDE_RetailSalesFcDyFact	SDE_Retail_SalesFcDPDomainDyLoad	RMS	RESTART_LOC, ITEM_MASTER, DOMAIN_DEPT, DAILY_ITEM_FORECAST	W_RTL_SLS_FC_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILSALESFCDYFACT	Sales Forecast	Base Fact Extract	SDE_RETAILSALESFCDYFACT	SDE_RetailSalesFcDyFact	SDE_Retail_SalesFcNoDomainDyLoad	RMS	DAILY_ITEM_FORECAST, RESTART_LOC, ITEM_MASTER	W_RTL_SLS_FC_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILSALESFCDYFACT	Sales Forecast	Base Fact Extract	SDE_RETAILSALESFCDYFACT	SDE_RetailSalesFcDyFact	SDE_Retail_SalesFcSCDomainDyLoad	RMS	RESTART_LOC, ITEM_MASTER, DOMAIN_SUBCLASS, DAILY_ITEM_FORECAST	W_RTL_SLS_FC_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILSALESFCDYFACT	Sales Forecast	Base Fact Extract	SDE_RETAILSALESFCWKFACT	SDE_RetailSalesFcWKFact	SDE_Retail_SalesFcCLDomainWkLoad	RMS	DOMAIN_CLASS, RESTART_LOC, ITEM_MASTER, ITEM_FORECAST	W_RTL_SLS_FC_IT_LC_WK_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILSALESFCDYFACT	Sales Forecast	Base Fact Extract	SDE_RETAILSALESFCWKFACT	SDE_RetailSalesFcWKFact	SDE_Retail_SalesFcDPDomainWkLoad	RMS	DOMAIN_DEPT, ITEM_FORECAST, ITEM_MASTER, RESTART_LOC	W_RTL_SLS_FC_IT_LC_WK_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILSALESFCDYFACT	Sales Forecast	Base Fact Extract	SDE_RETAILSALESFCWKFACT	SDE_RetailSalesFcWKFact	SDE_Retail_SalesFcNoDomainWkLoad	RMS	ITEM_FORECAST, RESTART_LOC, ITEM_MASTER	W_RTL_SLS_FC_IT_LC_WK_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILSALESFCDYFACT	Sales Forecast	Base Fact Extract	SDE_RETAILSALESFCWKFACT	SDE_RetailSalesFcWKFact	SDE_Retail_SalesFcSCDomainWkLoad	RMS	RESTART_LOC, ITEM_MASTER, ITEM_FORECAST, DOMAIN_SUBCLASS	W_RTL_SLS_FC_IT_LC_WK_FS	IKM RA Oracle Generic Insert with Control	ORMI

seasnsde.ksh	Season	Dimension Extract	SDE_RETAILSEASONDIMENSION	SDE_RetailSeasonDimension	SDE_RetailSeasonDimensionLoad	RMS	SEASONS	W_RTL_SEASON_DS	IKM RA Oracle Generic Insert with Control	ORMI
phasesde.ksh	Season	Dimension Extract	SDE_RETAILSEASONPHASEDIMENSION	SDE_RetailSeasonPhaseDimension	SDE_RetailSeasonPhaseDimensionLoad	RMS	PHASES, W_MCAL_CONTEXT_G, W_MCAL_DAY_D	W_RTL_SEASON_PHASE_DS	IKM RA Oracle Generic Insert with Control	ORMI
prdbndsde.ksh	Product	Dimension	SDE_RETAILPRODUCTBRANDDIMENSION	SDE_RetailProductBrandDimension	SDE_RetailProductBrandDimensionTLTempLoad	RMS	LANG, BRAND	W_RTL_PRODUCT_BRAND_LANG_TMP	IKM RA Oracle Generic Insert with Control	ORMI
prdbndsde.ksh	Product	Dimension	SDE_RETAILPRODUCTBRANDDIMENSION	SDE_RetailProductBrandDimension	SDE_RetailProductBrandDimensionLoad	RMS	BRAND	W_RTL_PRODUCT_BRAND_DS	IKM RA Oracle Generic Insert with Control	ORMI
prdbndsde.ksh	Product	Dimension	SDE_RETAILPRODUCTBRANDDIMENSION	SDE_RetailProductBrandDimension	SDE_RetailProductSubBrandDimensionLoad	RMS	BRAND	W_RTL_PRODUCT_BRAND_DS	IKM RA Oracle Generic Insert with Control	ORMI
prdbndsde.ksh	Product	Dimension	SDE_RETAILPRODUCTBRANDDIMENSION	SDE_RetailProductBrandDimension	SDE_RetailProductBrandDimensionTLLoad	RMS	TL_SHADOW, W_RTL_PRODUCT_BRAND_LANG_TMP	W_RTL_PRODUCT_BRAND_DS_TL	IKM RA Oracle Generic Insert with Control	ORMI
prdbndsde.ksh	Item SplitProduct	Dimension	SDE_RETAILPRODUCTBRANDDIMENSION	SDE_RetailProductBrandDimension	SDE_RetailProductSubBrandDimensionTLLoad	RMS	TL_SHADOW, W_RTL_PRODUCT_BRAND_LANG_TMP	W_RTL_PRODUCT_BRAND_DS_TL	IKM RA Oracle Generic Insert with Control	ORMI
prdcldrde.ksh	Product	Dimension	SDE_RETAILCOLORDIMENSION	SDE_RetailColorDimension	SDE_RetailSubColorDimensionLoad	RMS	DIFF_IDS	W_RTL_PRODUCT_COLOR_DS	IKM RA Oracle Generic Insert with Control	ORMI
prdcldrde.ksh	Product	Dimension	SDE_RETAILCOLORDIMENSION	SDE_RetailColorDimension	SDE_RetailColorDimensionLoad	RMS	DIFF_IDS	W_RTL_PRODUCT_COLOR_DS	IKM RA Oracle Generic Insert with Control	ORMI
prdatrsde.ksh	Product	Dimension	SDE_RETAILITEMATTRDIMENSION	SDE_RetailItemAttrDimension	SDE_RetailItemAttrDimensionTLTempLoad	RMS	DIFF_IDS, DIFF_TYPE, LANG	W_RTL_PRODUCT_ATTR_LANG_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI

prdattrsde.ksh	Product	Dimension	SDE_RETAILITEMATTR DIMENSION	SDE_RetailItemAttrDim ension	SDE_RetailItemAttrDi mensionTL_Load	RMS	TL_SHADOW, W_RTL_PRODUCT_A TTR_LANG_TMP	W_RTL_PRO DUCT_ATTR DS_TL	IKM RA Oracle Generic Insert with Control	ORMI
prdattrsde.ksh	Product	Dimension	SDE_RETAILITEMATTR DIMENSION	SDE_RetailItemAttrDim ension	SDE_RetailItemAttrDi mensionLoad	RMS	DIFF_IDS	W_RTL_PRO DUCT_ATTR DS	IKM RA Oracle Generic Insert with Control	ORMI
rtlilsde.ksh	Product	Dimension	SDE_RETAILITEMLOC ATIONRANGEDIMENS ION	SDE_RetailItemLocation RangeDimension	SDE_RetailItemLocati onRangeDimensionLo ad	RMS	ITEM_MASTER, ITEM_LOC	W_RTL_IT_L C_DS	IKM RA Oracle Generic Insert with Control	
rtlilsde.ksh	Product	Dimension	SDE_RETAILITEMLOC ATIONRANGEDIMENS ION	SDE_RetailItemLocation RangeDimension	SDE_RetailItemLocati onRangeDimensionDe ltaLoad	RMS	ITEM_LOC	W_RTL_IT_L C_DS	IKM RA Oracle Generic Insert with Control	
rtlilsde.ksh	Product	Dimension	SDE_RETAILITEMLOC ATIONRANGEDIMENS ION	SDE_RetailItemLocation RangeDimension	SDE_RetailItemLocati onRangeDimensionDe leteLoad	RMS	RDW_DELETE_ITEM	W_RTL_IT_L C_DEL_TMP	IKM RA Oracle Insert Temp Load with Control	
Called from MASTER_SDE_RETAILS TOCKLEDGERMONTH FACT	Stock Ledger	Base Fact Extract	SDE_RETAILSTOCKLE DGERMONTHFACT	SDE_RetailStockLedger MonthFact	SDE_RetailStockLedger rMonthFactLoad	RMS	MONTH_DATA, RESTART_LOC	W_RTL_STC KLDGR_SC_ LC_MH_FS	IKM RA Oracle Generic Insert with Control	ORMI
stlblwsde.ksh	Stock Ledger	Base Fact Extract	SDE_RETAILSTOCKLE DGERWEEKFACT	SDE_RetailStockLedger WeekFact	SDE_RetailStockLedger rWeekFactLoad	RMS	RESTART_LOC, WEEK_DATA	W_RTL_STC KLDGR_SC_ LC_WK_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTempLoad_ A	RMS	RESTART_LOC, STORE, ORDHEAD, IF_TRAN_DATA, ITEM_MASTER	W_RTL_SUP PCM_A_TM P	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTempLoad_B	RMS	WH, IF_TRAN_DATA, ITEM_MASTER, RESTART_LOC, ORDHEAD	W_RTL_SUP PCM_A_TM P	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTempLoad_ C	RMS	ITEM_MASTER, RESTART_LOC, ORDLOC	W_RTL_SUP PCM_B_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI



Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTempLoad_ D	RMS	ITEM_MASTER, ORDLOC, RESTART_LOC, WH	W_RTL_SUP PCM_B_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTempLoad_E	RMS	W_RTL_SUPPCM_B_ TMP, V_PACKSKU_QTY, ITEM_MASTER	W_RTL_SUP PCM_C_TM P	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTempLoad_F	RMS	W_RTL_SUPPCM_B_ TMP	W_RTL_SUP PCM_C_TM P	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTempLoad_ G1	RMS	W_RTL_SUPPCM_A_ TMP, W_RTL_SUPPCM_C_ TMP	W_RTL_SUP PCM_D_TM P	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTempLoad_ G2	RMS	V_PACKSKU_QTY, W_RTL_SUPPCM_C_ TMP, W_RTL_SUPPCM_A_ TMP	W_RTL_SUP PCM_D_TM P	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTempLoad_J	RMS	W_RTL_SUPPCM_D_ TMP, W_RTL_SUPPCM_E_ TMP	W_RTL_SUP PCM_F_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTempLoad_ K	RMS	W_RTL_SUPPCM_F_T MP	W_RTL_SUP PCM_IT_LC_ DY_FS	IKM RA Oracle Generic Merge with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTimelinessLo ad_C	RMS	V_PACKSKU_QTY, W_RTL_SUPPCM_TS_ B_TMP	W_RTL_SUP PCM_IT_LC_ DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTimelinessTe mpLoad_A	RMS	RESTART_LOC, SOURCE_DLVRY_SC HED_DAYS, SOURCE_DLVRY_SC HED	W_RTL_SUP PCM_TS_A_ TMP	IKM RA Oracle Insert Temp Load with Control	ORMI

Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE FACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEFACT	SDE_RetailSupplierCom plianceFact	SDE_RetailSupplierCo mplianceTimelinessTe mpLoad_B	RMS	RA_W_RTL_SUPPCM _TS_V, RESTART_LOC, W_RTL_SUPPCM_TS_ A_TMP	W_RTL_SUP PCM_TS_B_ TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE UFFACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEUFFACT	SDE_RetailSupplierCom plianceUFFact	SDE_RetailSupplierCo mplianceUFOOrdersLo ad	RMS	RA_W_RTL_SUPPCM UF_V, RESTART_LOC	W_RTL_SUP PCMUF_LC_ DY_FS	IKM RA Oracle Generic Merge with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERCOMPLIANCE UFFACT	Supplier Compliance	Base Fact Extract	SDE_RETAILSUPPLIER COMPLIANCEUFFACT	SDE_RetailSupplierCom plianceUFFact	SDE_RetailSupplierCo mplianceUFShipments Load	RMS	SHIPMENT, RESTART_LOC, ORDHEAD	W_RTL_SUP PCMUF_LC_ DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
supsde.ksh	Supplier	Dimension Extract	SDE_RETAILSUPPLIER DIMENSION	SDE_RetailSupplierDim ension	SDE_RetailSupplierDi mensionAttributeLoa d	RMS	W_RTL_SUPPLIER_D _TMP	W_PARTY_ ATTR_DS	IKM RA Oracle Generic Insert with Control	ORMI
supsde.ksh	Supplier	Dimension Extract	SDE_RETAILSUPPLIER DIMENSION	SDE_RetailSupplierDim ension	SDE_RetailSupplierDi mensionLoad	RMS	W_RTL_SUPPLIER_D _TMP	W_PARTY_ ORG_DS	IKM RA Oracle Generic Insert with Control	ORMI
supsde.ksh	Supplier	Dimension Extract	SDE_RETAILSUPPLIER DIMENSION	SDE_RetailSupplierDim ension	SDE_RetailSupplierDi mensionTempLoad	RMS	SUPS	W_RTL_SUP PLIER_D_T MP	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERINVOICEMAT CHFACT	Supplier Invoice Match	Base Fact Extract	SDE_RETAILSUPPLIERI NVOICEMATFACT	SDE_RetailSupplierInvoi ceMatchFact	SDE_RetailSupplierIn voiceMatchLoad	ReIM	MV_CURRENCY_CO NVERSION_RATES, W_RTL_SUPP_IVC_P O_IT_TMP	W_RTL_SUP P_IVC_PO_I T_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAILS UPPLIERINVOICEMAT CHFACT	Supplier Invoice Match	Base Fact Extract	SDE_RETAILSUPPLIERI NVOICEMATFACT	SDE_RetailSupplierInvoi ceMatchFact	SDE_RetailSupplierIn voiceMatchTempLoad	ReIM	RESTART_LOC, V_RTL_SUPP_INVOI CE_PO_IT	W_RTL_SUP P_IVC_PO_I T_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
suptsde.ksh	Supplier Trait	Dimension Extract	SDE_RETAILSUPPLIER TRAITDIMENSION	SDE_RetailSupplierTrait Dimension	SDE_RetailSupplierTr aitDimensionLoad	RMS	SUP_TRAITS_MATRI X	W_RTL_SUP PLIER_TRAI T_DS	IKM RA Oracle Generic Insert with Control	ORMI
mcalperiodsde.ksh	Calendar	Dimension Extract	SDE_RETAILTIMEDIME NSION_MCALPERIOD	SDE_RetailTimeDimensi on_MCalPeriod	SDE_RetailTimeDime nsion_MCalPeriodLoa d	RMS	W_MCAL_PERIOD_Q TR_TMP	W_MCAL_P ERIOD_DS	IKM RA Oracle Generic Insert with Control	ORMI

mcalperiodsde.ksh	Calendar	Dimension Extract	SDE_RETAILTIMEDIMENSION_MCALPERIOD	SDE_RetailTimeDimension_MCalPeriod	SDE_RetailTimeDimension_MCalPeriodLoad	RMS	W_MCAL_CAL_D	W_MCAL_PERIOD_DS	IKM RA Oracle Generic Insert with Control	ORMI
mcalperiodsde.ksh	Calendar	Dimension Extract	SDE_RETAILTIMEDIMENSION_MCALPERIOD	SDE_RetailTimeDimension_MCalPeriod	SDE_RetailTimeDimension_MCalPeriodQtrTempLoad	RMS	W_MCAL_PERIOD_TMP	W_MCAL_PERIOD_QTR_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
mcalperiodsde.ksh	Calendar	Dimension Extract	SDE_RETAILTIMEDIMENSION_MCALPERIOD	SDE_RetailTimeDimension_MCalPeriod	SDE_RetailTimeDimension_MCalPeriodTempLoad	RMS	CALENDAR	W_MCAL_PERIOD_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
mcalperiodsde.ksh	Calendar	Dimension Extract	SDE_RETAILTIMEDIMENSION_MCALPERIOD	SDE_RetailTimeDimension_MCalPeriod	SDE_RetailTimeDimension_MCalPeriodTempLoad	RMS	SYSTEM_OPTIONS	W_MCAL_PERIOD_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAIL_WHOLESALEFRANCHISEFACT	Wholesale Franchise	Base Fact Extract	SDE_RETAILWHOLESALEFRANCHISEFACT	SDE_RetailWholesaleFranchiseFact	SDE_RetailWholesaleFranchiseLoad	RMS	W_RTL_SLSWF_IT_LC_TMP	W_RTL_SLSWF_IT_LC_DY_FS	IKM RA Oracle Generic Insert with Control	ORMI
Called from MASTER_SDE_RETAIL_WHOLESALEFRANCHISEFACT	Wholesale Franchise	Base Fact Extract	SDE_RETAILWHOLESALEFRANCHISEFACT	SDE_RetailWholesaleFranchiseFact	SDE_RetailWholesaleFranchiseTempLoad_A	RMS	RESTART_LOC, TSFHEAD, IF_TRAN_DATA, ITEM_MASTER	W_RTL_SLSWF_IT_LC_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
Called from MASTER_SDE_RETAIL_WHOLESALEFRANCHISEFACT	Wholesale Franchise	Base Fact Extract	SDE_RETAILWHOLESALEFRANCHISEFACT	SDE_RetailWholesaleFranchiseFact	SDE_RetailWholesaleFranchiseTempLoad_B	RMS	RESTART_LOC, TSFHEAD, ITEM_MASTER, IF_TRAN_DATA	W_RTL_SLSWF_IT_LC_TMP	IKM RA Oracle Insert Temp Load with Control	ORMI
tndrtpsde.ksh	Customer Order Tender Type	Dimension Stage	SDE_RETAILTENDER_TYPEREDIMENSION	SDE_RetailTenderTypeDimension	SDE_RetailTenderTypeDimensionLoad	-	POS_TENDER_TYPE_HEAD	W_RTL_TNDR_TYPE_DS	IKM RA Oracle Generic Insert with Control	ORMI
etrefreshgensde.ksh - Mandatory to be executed before any SDE program (dimension or Fact)	-	Maintenance	SDE_RETAILETLREFRESHGENERAL	SDE_RetailETLRefreshGeneral	N/A	RMS	SYSTEM_OPTIONS	RA_SRC_CURR_PARAM_G, C_LOAD_DATES	N/A	ORMI

Called from Master Scenarios Master_SDE_Retail_SalesTransactionFact	Fact Load	Sales Transaction	SDE_RETAIL_SALESTRANSACTIONFACT	SDE_Retail_SalesTransactionFact	SDE_RetailSalesTransactionFactTempLoad_PackCost	-	W_RTL_SLSPK_TRX_COMPYCOST_TMP	W_RTL_SLSPK_TRX_COST_TMP	LKM RA Oracle Insert Temp Load With Control	ORCI
SDE_RetailLoadControlSeedData.ksh	Seed Data Load	Seed Data	SDE_RETAILLOADCONTROLSEEDDATA	SDE_RetailLoadControlSeedData	SDE_RetailInitial_RA_SRC_CURR_PARAM	-	RA_SRC_CURR_PARAM_G.csv	RA_SRC_CURR_PARAM	LKM RA File to SQL With	ORMI/ORCI
SDE_RetailLoadControlSeedData.ksh	Seed Data Load	Seed Data	SDE_RETAILLOADCONTROLSEEDDATA	SDE_RetailLoadControlSeedData	SDE_RetailInitial_W_RTL_PROD_CAT_DH	-	W_RTL_PROD_CAT_DH_TEMP_DEFAULT	W_RTL_PROD_CAT_DH	LKM RA File to SQL With	ORMI/ORCI
rtluasde.ksh W_DOMAIN_MEMBER_DS_TL		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_DOMAIN_MEMBER_DS_TL	W_DOMAIN_MEMBER_DS_TL.dat	NA	ORMI
rtluasde.ksh W_EMPLOYEE_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_EMPLOYEE_DS	W_EMPLOYEE_DS.dat	NA	ORMI
rtluasde.ksh W_EXCH_RATE_GS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_EXCH_RATE_GS	W_EXCH_RATE_GS.dat	NA	ORMI
rtluasde.ksh W_INT_ORG_ATTR_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INT_ORG_ATTR_DS	W_INT_ORG_ATTR_DS.dat	NA	ORMI
rtluasde.ksh W_INT_ORG_DHS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INT_ORG_DHS	W_INT_ORG_DHS.dat	NA	ORMI
rtluasde.ksh W_INT_ORG_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INT_ORG_DS	W_INT_ORG_DS.dat	NA	ORMI
rtluasde.ksh W_INT_ORG_DS_TL		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INT_ORG_DS_TL	W_INT_ORG_DS_TL.dat	NA	ORMI
rtluasde.ksh W_INVENTORY_PRODUCT_ATTR_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INVENTORY_PRODUCT_ATTR_DS	W_INVENTORY_PRODUCT_ATTR_DS.dat	NA	ORMI
rtluasde.ksh W_INVENTORY_PRODUCT_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INVENTORY_PRODUCT_DS	W_INVENTORY_PRODUCT_DS.dat	NA	ORMI
rtluasde.ksh W_MCAL_PERIOD_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_MCAL_PERIOD_DS	W_MCAL_PERIOD_DS.dat	NA	ORMI
rtluasde.ksh W_PARTY_ATTR_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_PARTY_ATTR_DS	W_PARTY_ATTR_DS.dat	NA	ORMI
rtluasde.ksh W_PARTY_ORG_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_PARTY_ORG_DS	W_PARTY_ORG_DS.dat	NA	ORMI
rtluasde.ksh W_PROD_CAT_DHS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_PROD_CAT_DHS	W_PROD_CAT_DHS.dat	NA	ORMI

rtluasde.ksh W_PRODUCT_ATTR_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_PRODUCT_ATTR_DS	W_PRODUCT_ATTR_DS.dat	NA	ORMI
rtluasde.ksh W_PRODUCT_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_PRODUCT_DS	W_PRODUCT_DS.dat	NA	ORMI
rtluasde.ksh W_PRODUCT_DS_TL		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_PRODUCT_DS_TL	W_PRODUCT_DS_TL.dat	NA	ORMI
rtluasde.ksh W_REASON_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_REASON_DS	W_REASON_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_BCOST_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_BCOST_IT_LC_DY_FS	W_RTL_BCOST_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_CHANNEL_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_CHANNEL_DS	W_RTL_CHANNEL_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_INV_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_INV_IT_LC_DY_FS	W_RTL_INV_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_INVADJ_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_INVADJ_IT_LC_DY_FS	W_RTL_INVADJ_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_INVRC_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_INVRC_IT_LC_DY_FS	W_RTL_INVRC_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_INVRTV_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_INVRTV_IT_LC_DY_FS	W_RTL_INVRTV_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_INVTSF_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_INVTSF_IT_LC_DY_FS	W_RTL_INVTSF_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_IT_LC_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_IT_LC_DS	W_RTL_IT_LC_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_IT_SUPPLIER_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_IT_SUPPLIER_DS	W_RTL_IT_SUPPLIER_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_ITEM_GRP1_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_ITEM_GRP1_DS	W_RTL_ITEM_GRP1_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_ITEM_GRP2_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_ITEM_GRP2_DS	W_RTL_ITEM_GRP2_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_LOC_LIST_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_LOC_LIST_DS	W_RTL_LOC_LIST_DS.dat	NA	ORMI

rtluasde.ksh W_RTL_LOC_TRAIT_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_LOC_TRAIT_DS	W_RTL_LOC_TRAIT_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_MKDN_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_MKDN_IT_LC_DY_FS	W_RTL_MKDN_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_NCOST_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_NCOST_IT_LC_DY_FS	W_RTL_NCOST_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_ORG_FIN_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_ORG_FIN_DS	W_RTL_ORG_FIN_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PRICE_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRICE_IT_LC_DY_FS	W_RTL_PRICE_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_PROD_HIER_ATTR_LKP_DHS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PROD_HIER_ATTR_LKP_DHS	W_RTL_PROD_HIER_ATTR_LKP_DHS.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_ATTR_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_ATTR_DS	W_RTL_PRODUCT_ATTR_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_ATTR_DS_TL		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_ATTR_DS_TL	W_RTL_PRODUCT_ATTR_DS_TL.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_BRAND_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_BRAND_DS	W_RTL_PRODUCT_BRAND_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_BRAND_DS_TL		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_BRAND_DS_TL	W_RTL_PRODUCT_BRAND_DS_TL.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_COLOR_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_COLOR_DS	W_RTL_PRODUCT_COLOR_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_IMAGE_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_IMAGE_DS	W_RTL_PRODUCT_IMAGE_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PROMO_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PROMO_DS	W_RTL_PROMO_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PROMO_DS_TL		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PROMO_DS_TL	W_RTL_PROMO_DS_TL.dat	NA	ORMI

rtluasde.ksh W_RTL_SEASON_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SEASON_DS	W_RTL_SEA SON_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_SEASON_IT_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SEASON_IT_ DS	W_RTL_SEA SON_IT_DS. dat	NA	ORMI
rtluasde.ksh W_RTL_SEASON_PHASE_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SEASON_PH ASE_DS	W_RTL_SEA SON_PHASE _DS.dat	NA	ORMI
rtluasde.ksh W_RTL_SLS_TRX_IT_LC DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SLS_TRX_IT_ LC_DY_FS	W_RTL_SLS_ TRX_IT_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SLSFC_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SLSFC_IT_LC DY_FS	W_RTL_SLS FC_IT_LC_D Y_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SLSFC_IT_LC_ WK_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SLSFC_IT_LC WK_FS	W_RTL_SLS FC_IT_LC_W K_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SLSPK_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SLSPK_IT_LC DY_FS	W_RTL_SLS PK_IT_LC_D Y_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SLSWF_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SLSWF_IT_L C_DY_FS	W_RTL_SLS WF_IT_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_STCKLDGR_SC LC_MH_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_STCKLDGR_ SC_LC_MH_FS	W_RTL_STC KLDGR_SC_ LC_MH_FS.d at	NA	ORMI
rtluasde.ksh W_RTL_STCKLDGR_SC LC_WK_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_STCKLDGR_ SC_LC_WK_FS	W_RTL_STC KLDGR_SC_ LC_WK_FS.d at	NA	ORMI
rtluasde.ksh W_RTL_SUPP_IVC_PO_ IT_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SUPP_IVC_P O_IT_FS	W_RTL_SUP P_IVC_PO_I T_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SUPPCM_IT_L C_DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SUPPCM_IT_ LC_DY_FS	W_RTL_SUP PCM_IT_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SUPPCMUF_LC DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SUPPCMUF_ LC_DY_FS	W_RTL_SUP PCMUF_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SUPPLIER_TRA IT_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SUPPLIER_T RAIT_DS	W_RTL_SUP PLIER_TRAI T_DS.dat	NA	ORMI

rtluasde.ksh W_RTL_TNDR_TYPE_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_TNDR_TYPE_DS	W_RTL_TNDR_TYPE_DS.dat	NA	ORMI
rtluasde.ksh W_STATUS_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_STATUS_DS	W_STATUS_DS.dat	NA	ORMI
rabeuasde.ksh W_RTL_IT_LC_DEL_TMP		UNLOADER	SDE_RETAILBATCHUNIVERSALADAPTERLOAD	SDE_RetailBatchUniversalAdapterLoad	NA		W_RTL_IT_LC_DEL_TMP	W_RTL_IT_LC_DEL_TMP.dat	NA	ORMI
rabeuasde.ksh W_RTL_ITEM_DEL_TMP		UNLOADER	SDE_RETAILBATCHUNIVERSALADAPTERLOAD	SDE_RetailBatchUniversalAdapterLoad	NA		W_RTL_ITEM_DEL_TMP	W_RTL_ITEM_DEL_TMP.dat	NA	ORMI
rabeuasde.ksh W_RTL_RECLASS_DP_GP_TMP		UNLOADER	SDE_RETAILBATCHUNIVERSALADAPTERLOAD	SDE_RetailBatchUniversalAdapterLoad	NA		W_RTL_RECLASS_DP_GP_TMP	W_RTL_RECLASS_DP_GP_TMP.dat	NA	ORMI
rabeuasde.ksh W_RTL_RECLASS_IT_SC_CL_TMP		UNLOADER	SDE_RETAILBATCHUNIVERSALADAPTERLOAD	SDE_RetailBatchUniversalAdapterLoad	NA		W_RTL_RECLASS_IT_SC_CL_TMP	W_RTL_RECLASS_IT_SC_CL_TMP.dat	NA	ORMI
rtluasde.ksh W_DOMAIN_MEMBER_DS_TL		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_DOMAIN_MEMBER_DS_TL	W_DOMAIN_MEMBER_DS_TL.dat	NA	ORMI
rtluasde.ksh W_EMPLOYEE_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_EMPLOYEE_DS	W_EMPLOYEE_DS.dat	NA	ORMI
rtluasde.ksh W_EXCH_RATE_GS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_EXCH_RATE_GS	W_EXCH_RATE_GS.dat	NA	ORMI
rtluasde.ksh W_INT_ORG_ATTR_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INT_ORG_ATTR_DS	W_INT_ORG_ATTR_DS.dat	NA	ORMI
rtluasde.ksh W_INT_ORG_DHS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INT_ORG_DHS	W_INT_ORG_DHS.dat	NA	ORMI
rtluasde.ksh W_INT_ORG_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INT_ORG_DS	W_INT_ORG_DS.dat	NA	ORMI
rtluasde.ksh W_INT_ORG_DS_TL		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INT_ORG_DS_TL	W_INT_ORG_DS_TL.dat	NA	ORMI
rtluasde.ksh W_INVENTORY_PRODUCT_ATTR_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INVENTORY_PRODUCT_ATTR_DS	W_INVENTORY_PRODUCT_ATTR_DS.dat	NA	ORMI
rtluasde.ksh W_INVENTORY_PRODUCT_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_INVENTORY_PRODUCT_DS	W_INVENTORY_PRODUCT_DS.dat	NA	ORMI
rtluasde.ksh W_MCAL_PERIOD_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_MCAL_PERIOD_DS	W_MCAL_PERIOD_DS.dat	NA	ORMI



rtluasde.ksh W_PARTY_ATTR_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_PARTY_ATTR_DS	W_PARTY_ ATTR_DS.da t	NA	ORMI
rtluasde.ksh W_PARTY_ORG_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_PARTY_ORG_DS	W_PARTY_ ORG_DS.dat	NA	ORMI
rtluasde.ksh W_PROD_CAT_DHS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_PROD_CAT_DHS	W_PROD_C AT_DHS.dat	NA	ORMI
rtluasde.ksh W_PRODUCT_ATTR_D S		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_PRODUCT_ATTR_ DS	W_PRODUC T_ATTR_DS. dat	NA	ORMI
rtluasde.ksh W_PRODUCT_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_PRODUCT_DS	W_PRODUC T_DS.dat	NA	ORMI
rtluasde.ksh W_PRODUCT_DS_TL		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_PRODUCT_DS_TL	W_PRODUC T_DS_TL.dat	NA	ORMI
rtluasde.ksh W_REASON_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_REASON_DS	W_REASON_ DS.dat	NA	ORMI
rtluasde.ksh W_RTL_BCOST_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_BCOST_IT_L C_DY_FS	W_RTL_BCO ST_IT_LC_D Y_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_CHANNEL_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_CHANNEL_ DS	W_RTL_CH ANNEL_DS. dat	NA	ORMI
rtluasde.ksh W_RTL_INV_IT_LC_DY_ FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_INV_IT_LC_ DY_FS	W_RTL_INV IT_LC_DY_ FS.dat	NA	ORMI
rtluasde.ksh W_RTL_INVADJ_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_INVADJ_IT_L C_DY_FS	W_RTL_INV ADJ_IT_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_INVRC_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_INVRC_IT_L C_DY_FS	W_RTL_INV RC_IT_LC_D Y_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_INVRTV_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_INVRTV_IT_ LC_DY_FS	W_RTL_INV RTV_IT_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_INVTSF_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_INVTSF_IT_L C_DY_FS	W_RTL_INV TSF_IT_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_IT_LC_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_IT_LC_DS	W_RTL_IT_L C_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_IT_SUPPLIER_ DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_IT_SUPPLIER_ DS	W_RTL_IT_S UPPLIER_DS .dat	NA	ORMI

rtluasde.ksh W_RTL_ITEM_GRP1_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_ITEM_GRP1_DS	W_RTL_ITEM_GRP1_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_ITEM_GRP2_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_ITEM_GRP2_DS	W_RTL_ITEM_GRP2_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_LOC_LIST_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_LOC_LIST_DS	W_RTL_LOC_LIST_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_LOC_TRAIT_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_LOC_TRAIT_DS	W_RTL_LOC_TRAIT_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_MKDN_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_MKDN_IT_LC_DY_FS	W_RTL_MKDN_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_NCOST_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_NCOST_IT_LC_DY_FS	W_RTL_NCOST_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_ORG_FIN_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_ORG_FIN_DS	W_RTL_ORG_FIN_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PRICE_IT_LC_DY_FS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRICE_IT_LC_DY_FS	W_RTL_PRICE_IT_LC_DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_PROD_HIER_ATTR_LKP_DHS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PROD_HIER_ATTR_LKP_DHS	W_RTL_PROD_HIER_ATTR_LKP_DHS.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_ATTR_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_ATTR_DS	W_RTL_PRODUCT_ATTR_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_ATTR_DS_TL		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_ATTR_DS_TL	W_RTL_PRODUCT_ATTR_DS_TL.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_BRAND_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_BRAND_DS	W_RTL_PRODUCT_BRAND_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_BRAND_DS_TL		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_BRAND_DS_TL	W_RTL_PRODUCT_BRAND_DS_TL.dat	NA	ORMI
rtluasde.ksh W_RTL_PRODUCT_COLOR_DS		UNLOADER	SDE_RETAILUNIVERSALADAPTERLOAD	SDE_RetailUniversalAdapterLoad	NA		W_RTL_PRODUCT_COLOR_DS	W_RTL_PRODUCT_COLOR_DS.dat	NA	ORMI

rtluasde.ksh W_RTL_PRODUCT_IM AGE_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_PRODUCT_I MAGE_DS	W_RTL_PRO DUCT_IMA GE_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PROMO_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_PROMO_DS	W_RTL_PRO MO_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_PROMO_DS_TL		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_PROMO_DS_ TL	W_RTL_PRO MO_DS_TL. dat	NA	ORMI
rtluasde.ksh W_RTL_SEASON_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SEASON_DS	W_RTL_SEA SON_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_SEASON_IT_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SEASON_IT_ DS	W_RTL_SEA SON_IT_DS. dat	NA	ORMI
rtluasde.ksh W_RTL_SEASON_PHAS E_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SEASON_PH ASE_DS	W_RTL_SEA SON_PHASE DS.dat	NA	ORMI
rtluasde.ksh W_RTL_SLS_TRX_IT_LC DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SLS_TRX_IT_ LC_DY_FS	W_RTL_SLS_ TRX_IT_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SLSFC_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SLSFC_IT_LC_ DY_FS	W_RTL_SLS FC_IT_LC_D Y_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SLSFC_IT_LC_ WK_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SLSFC_IT_LC_ WK_FS	W_RTL_SLS FC_IT_LC_W K_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SLSPK_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SLSPK_IT_LC_ DY_FS	W_RTL_SLS PK_IT_LC_D Y_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SLSWF_IT_LC_ DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SLSWF_IT_L C_DY_FS	W_RTL_SLS WF_IT_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_STCKLDGR_SC LC_MH_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_STCKLDGR_ SC_LC_MH_FS	W_RTL_STC KLDGR_SC_ LC_MH_FS.d at	NA	ORMI
rtluasde.ksh W_RTL_STCKLDGR_SC LC_WK_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_STCKLDGR_ SC_LC_WK_FS	W_RTL_STC KLDGR_SC_ LC_WK_FS.d at	NA	ORMI
rtluasde.ksh W_RTL_SUPP_IVC_PO_ IT_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SUPP_IVC_P O_IT_FS	W_RTL_SUP P_IVC_PO_I T_FS.dat	NA	ORMI

rtluasde.ksh W_RTL_SUPPCM_IT_L C_DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SUPPCM_IT_ LC_DY_FS	W_RTL_SUP PCM_IT_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SUPPCMUF_L C_DY_FS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SUPPCMUF_ LC_DY_FS	W_RTL_SUP PCMUF_LC_ DY_FS.dat	NA	ORMI
rtluasde.ksh W_RTL_SUPPLIER_TRA IT_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_SUPPLIER_T RAIT_DS	W_RTL_SUP PLIER_TRAI T_DS.dat	NA	ORMI
rtluasde.ksh W_RTL_TNDR_TYPE_D S		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_RTL_TNDR_TYPE _DS	W_RTL_TN DR_TYPE_D S.dat	NA	ORMI
rtluasde.ksh W_STATUS_DS		UNLOADER	SDE_RETAILUNIVERS ALADAPTERLOAD	SDE_RetailUniversalAd apterLoad	NA		W_STATUS_DS	W_STATUS_ DS.dat	NA	ORMI
rabeuasde.ksh W_RTL_IT_LC_DEL_TM P		UNLOADER	SDE_RETAILBATCHUN IVERSALADAPTERLO AD	SDE_RetailBatchUnivers alAdapterLoad	NA		W_RTL_IT_LC_DEL_ TMP	W_RTL_IT_L C_DEL_TM .dat	NA	ORMI
rabeuasde.ksh W_RTL_ITEM_DEL_TM P		UNLOADER	SDE_RETAILBATCHUN IVERSALADAPTERLO AD	SDE_RetailBatchUnivers alAdapterLoad	NA		W_RTL_ITEM_DEL_T MP	W_RTL_ITE M_DEL_TM P.dat	NA	ORMI
rabeuasde.ksh W_RTL_RECLASS_DP_ GP_TMP		UNLOADER	SDE_RETAILBATCHUN IVERSALADAPTERLO AD	SDE_RetailBatchUnivers alAdapterLoad	NA		W_RTL_RECLASS_DP_ GP_TMP	W_RTL_REC LASS_DP_G P_TMP.dat	NA	ORMI
rabeuasde.ksh W_RTL_RECLASS_IT_S C_CL_TMP		UNLOADER	SDE_RETAILBATCHUN IVERSALADAPTERLO AD	SDE_RetailBatchUnivers alAdapterLoad	NA		W_RTL_RECLASS_IT _SC_CL_TMP	W_RTL_REC LASS_IT_SC _CL_TMP.da t	NA	ORMI

---

---

## Appendix: Application Programming Interface (API)

This appendix contains all the staging table names, descriptions, business rules and column level information (like column names, column descriptions, column data type and nullability). Business rules, provided in the API appendix are specifically used for the incoming data.

These APIs should be referenced in the following cases:

- To understand Retail Insights staging tables in greater detail.
- When the source systems are non-Oracle Retail systems and need to be integrated with Retail Data Extractor. These APIs provide business rules that help in creating custom extracts for populating staging tables.

### Standards Common to all APIs

- Staging Table and Retail Data Extractor ETL Fact Loading

Each Staging table contains a given set of alternate keys which will be used during the Retail Insights ETL Fact loading process. The staging tables are primary source tables from where the Facts will be populated.

The main aim for this appendix is to make the Fact loading un-interrupted even if the Primary Source systems like Oracle Retail Merchandising System (RMS), Oracle Retail Invoice Match (ReIM), and Oracle Retail Price Management (RPM) are not present.

This appendix provides details about the loading of fact staging tables with source data by using the business rules and column level information.

- Primary and Local Currency Amount fields

Amounts will be stored in both primary and local currencies for most fact tables. If the source system uses multi-currency, then the primary currency column holds the primary currency amount, and the local currency column holds the local currency amount. If the location happens to use the primary currency, then both primary and local amounts hold the primary currency amount. If the source system does not use multi-currency, then only the primary currency fields are populated and the local fields hold NULL values.

- Required Fields in the API Staging tables appendix

The Columns defined as 'N' in the "REQUIRED FIELDS" of the API staging table appendix are not mandatory fields and may also be holding NULL values. These fields will be populated by non oracle retail source systems only if available. The

columns defined as 'Y' are though mandatory fields and would require to get loaded from the incoming source data.

## API Table List

---

---

**Note:** Extract ODI program (SDE), for Customer dimension and Customer Loyalty related tables need to be created during implementation time. These extract programs will load data into staging tables. API for these staging tables is provided below. For example, the W\_RTL\_CUSTSEG\_DS table will be populated with customer segment data during implementation.

---

---

<b>TABLE NAME:</b>	<b>W_EMPLOYEE_DS</b>
<b>TABLE DESCRIPTION:</b>	W_EMPLOYEE_D dimension table stores personal information about employees belonging to this organization as well as its 'extended organization'. The concept of the 'extended organization' would take care of contractors, third party organizations and other non-employees who help us to run our business. Each of the employees (of our organization or the extended one) can play various roles while helping us run business. Out of the box, this table supports the following roles: Service Rep, Sales Rep, Account Rep, Purchase Rep, Buyer, Requestor, Contact Rep. Each of these roles are identified by their corresponding flags, with possible values 'Y' or 'N'. The grain of this table is at a single 'Employee' level. In other words, this is the employee master list. Actual employees are differentiated from others by the EMP_FLG column with possible values 'Y' or 'N'. This table is designed to be a slowly/moderately changing dimension that supports Type-2 changes out of the box.
<b>BUSINESS RULE:</b>	This table contains the complete snapshot of active information of Employees. This table cannot contain duplicate records for EMPLOYEE_NUM. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_EMPLOYEE_DS	FST_NAME	Employee First Name	1	Y	VARCHAR2(150)
W_EMPLOYEE_DS	MID_NAME	Employee Middle Name	2	Y	VARCHAR2(80)
W_EMPLOYEE_DS	LAST_NAME	Employee Last Name	3	Y	VARCHAR2(150)
W_EMPLOYEE_DS	PREV_LAST_NAME	Previous Last Name of Employee	4	Y	VARCHAR2(150)
W_EMPLOYEE_DS	FULL_NAME	Employee Full Name	5	Y	VARCHAR2(400)
W_EMPLOYEE_DS	NAME_PREFIX	Name Prefix	6	Y	VARCHAR2(30)
W_EMPLOYEE_DS	INDV_TITLE	Individual title e.g Sir, Dr. Prof. etc	7	Y	VARCHAR2(30)
W_EMPLOYEE_DS	NAME_SUFFIX	Name Suffix	8	Y	VARCHAR2(30)
W_EMPLOYEE_DS	NAME_EFF_DATE	Name Effective Date	9	Y	DATE
W_EMPLOYEE_DS	SPOUSE_NAME	Spouse Name	10	Y	VARCHAR2(80)
W_EMPLOYEE_DS	LEGISLATION_CODE	Legislation Code	11	Y	VARCHAR2(150)
W_EMPLOYEE_DS	PARTY_ID	Party Id	12	Y	NUMBER(18,0)
W_EMPLOYEE_DS	ADDRESS_LINE_1	Address Line 1	13	Y	VARCHAR2(240)
W_EMPLOYEE_DS	ADDRESS_LINE_2	Address Line 2	14	Y	VARCHAR2(240)
W_EMPLOYEE_DS	ADDRESS_LINE_3	Address Line 3	15	Y	VARCHAR2(240)
W_EMPLOYEE_DS	ADDRESS_LINE_4	Address Line 4	16	Y	VARCHAR2(240)
W_EMPLOYEE_DS	CITY	Permanent City Name	17	Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_CITY_CODE	Permanent City Code	18	Y	VARCHAR2(120)
W_EMPLOYEE_DS	COUNTY	Permanent County Name	19	Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_COUNTY_CODE	Permanent County Code	20	Y	VARCHAR2(120)

W_EMPLOYEE_DS	STATE_PROV_CODE	Permanent State Province Code	21 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_STATE_PROV_CODE	State Province Code	22 Y	VARCHAR2(120)
W_EMPLOYEE_DS	COUNTRY_REGION_CODE	Permanent Country Region Code	23 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_COUNTRY_REGION_CODE	Country Region Code	24 Y	VARCHAR2(120)
W_EMPLOYEE_DS	COUNTRY	Permanent Country Name	25 Y	VARCHAR2(120)
W_EMPLOYEE_DS	W_COUNTRY_CODE	Permanent Country Code	26 Y	VARCHAR2(120)
W_EMPLOYEE_DS	REGION_CODE	Permanent Region Code	27 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_REGION_CODE	Region Code	28 Y	VARCHAR2(120)
W_EMPLOYEE_DS	POST_OFFICE_BOX	P O Box	29 Y	VARCHAR2(30)
W_EMPLOYEE_DS	ZIPCODE	Postal Code	30 Y	VARCHAR2(50)
W_EMPLOYEE_DS	ADDR_EFF_DATE	Address Effective Date	31 Y	DATE
W_EMPLOYEE_DS	MAIL_ADDRESS_LINE_1	Mail Address Line 1	32 Y	VARCHAR2(240)
W_EMPLOYEE_DS	MAIL_ADDRESS_LINE_2	Mail Address Line 2	33 Y	VARCHAR2(240)
W_EMPLOYEE_DS	MAIL_ADDRESS_LINE_3	Mail Address Line 3	34 Y	VARCHAR2(240)
W_EMPLOYEE_DS	MAIL_ADDRESS_LINE_4	Mail Address Line 4	35 Y	VARCHAR2(240)
W_EMPLOYEE_DS	MAIL_CITY	Mail City	36 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_MAIL_CITY_CODE	Mail City Code	37 Y	VARCHAR2(120)
W_EMPLOYEE_DS	MAIL_COUNTY	Mail County Name	38 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_MAIL_COUNTY_CODE	Mail county Code	39 Y	VARCHAR2(120)
W_EMPLOYEE_DS	MAIL_STATE_PROV_CODE	Mail State Province Code	40 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_MAIL_STATE_PROV_CODE	State Province Code	41 Y	VARCHAR2(120)
W_EMPLOYEE_DS	MAIL_COUNTRY_REGION_CODE	Mail Country Region Code	42 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_MAIL_COUNTRY_REGION_CODE	Country Region Code	43 Y	VARCHAR2(120)
W_EMPLOYEE_DS	MAIL_COUNTRY	Mail Country	44 Y	VARCHAR2(120)
W_EMPLOYEE_DS	MAIL_REGION_CODE	Mail Region Code	45 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_MAIL_REGION_CODE	Region Code	46 Y	VARCHAR2(120)
W_EMPLOYEE_DS	MAIL_ZIPCODE	Mail Postal Code	47 Y	VARCHAR2(50)
W_EMPLOYEE_DS	MAIL_POST_OFFICE_BOX	Mail P O Box	48 Y	VARCHAR2(30)
W_EMPLOYEE_DS	MAIL_ADDR_EFF_DATE	Mail Address Effective Date	49 Y	DATE
W_EMPLOYEE_DS	WORK_ADDRESS_LINE_1	Work Address Line 1	50 Y	VARCHAR2(240)
W_EMPLOYEE_DS	WORK_ADDRESS_LINE_2	Work Address Line 2	51 Y	VARCHAR2(240)
W_EMPLOYEE_DS	WORK_ADDRESS_LINE_3	Work Address Line 3	52 Y	VARCHAR2(240)
W_EMPLOYEE_DS	WORK_ADDRESS_LINE_4	Work Address Line 4	53 Y	VARCHAR2(240)
W_EMPLOYEE_DS	WORK_CITY	Work City	54 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_WORK_CITY_CODE	City Code	55 Y	VARCHAR2(120)
W_EMPLOYEE_DS	WORK_COUNTY	Work County	56 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_WORK_COUNTY_CODE	County Code	57 Y	VARCHAR2(120)
W_EMPLOYEE_DS	WORK_STATE_PROV_CODE	Work State Province Code	58 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_WORK_STATE_PROV_CODE	State Province Code	59 Y	VARCHAR2(120)
W_EMPLOYEE_DS	WORK_COUNTRY_REGION_CODE	Work Country Region Code	60 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_WORK_COUNTRY_REGION_CODE	Country Region Code	61 Y	VARCHAR2(120)
W_EMPLOYEE_DS	WORK_COUNTRY	Work Country	62 Y	VARCHAR2(120)
W_EMPLOYEE_DS	WORK_REGION_CODE	Work Region	63 Y	VARCHAR2(120)
W_EMPLOYEE_DS	C_WORK_REGION_CODE	Work Region Code	64 Y	VARCHAR2(120)
W_EMPLOYEE_DS	WORK_ZIPCODE	Work Postal Code	65 Y	VARCHAR2(50)
W_EMPLOYEE_DS	WORK_POST_OFFICE_BOX	Work P O Box	66 Y	VARCHAR2(30)
W_EMPLOYEE_DS	WORK_ADDR_EFF_DATE	Work Address Effective Date	67 Y	DATE
W_EMPLOYEE_DS	FAX_PH_NUM	Primary Fax Phone Number	68 Y	VARCHAR2(60)
W_EMPLOYEE_DS	WORK_PHONE	Primary Work Phone Number	69 Y	VARCHAR2(60)
W_EMPLOYEE_DS	PAGER_NUM	Primary Pager Number	70 Y	VARCHAR2(60)



W_EMPLOYEE_DS	MOBILE_NUM	Primary Mobile Number	71 Y	VARCHAR2(60)
W_EMPLOYEE_DS	EMAIL_ADDR	Email Address	72 Y	VARCHAR2(240)
W_EMPLOYEE_DS	ALTERNATE_EMAIL_ADDR	Alternate Email Address	73 Y	VARCHAR2(240)
W_EMPLOYEE_DS	WEB_ADDRESS	URL of the employee's web page	74 Y	VARCHAR2(255)
W_EMPLOYEE_DS	EMP_FORMED_DT	Identifies the date on which this Employee information was	75 Y	DATE
W_EMPLOYEE_DS	EMP_HIRE_DT	Hire Date of the Employee	76 Y	DATE
W_EMPLOYEE_DS	ORIG_HIRE_DT	First hire date of employee (not re-hire or bridged dates).	77 Y	DATE
W_EMPLOYEE_DS	ADJ_SERVICE_DT	This identifies the adjusted service date. This is used	78 Y	DATE
W_EMPLOYEE_DS	CONTRACT_ST_DT	Start Date of the Contract Applicable to Contractors only.	79 Y	DATE
W_EMPLOYEE_DS	CONTRACT_END_DT	End Date of the Contract Applicable to Contractors only.	80 Y	DATE
W_EMPLOYEE_DS	EMPLOYEE_NUM	Source system Employee ID generated by	81 N	VARCHAR2(80)
W_EMPLOYEE_DS	ALT_EMP_NUM	Old Employee ID from legacy system or other old systems	82 Y	VARCHAR2(80)
W_EMPLOYEE_DS	SUPERVISOR_NUM	Source system Employee ID generated by	83 Y	VARCHAR2(80)
W_EMPLOYEE_DS	SUPERVISOR_NAME	Supervisor's Name	84 Y	VARCHAR2(255)
W_EMPLOYEE_DS	CONTINGENT_WORKER_NUM	Source system Contingent Worker ID generated by	85 Y	VARCHAR2(80)
W_EMPLOYEE_DS	APPLICANT_NUM	Source system Applicant ID generated by	86 Y	VARCHAR2(80)
W_EMPLOYEE_DS	DEPARTMENT_CODE	Department Code of the primary department where the	87 Y	VARCHAR2(50)
W_EMPLOYEE_DS	HELD_POSTN	This identifies the position held by the employee	88 Y	VARCHAR2(50)
W_EMPLOYEE_DS	POSITION_TYPE_CODE	Identifies the Position Type Code for the position held by	89 Y	VARCHAR2(50)
W_EMPLOYEE_DS	JOB_CATEGORY_CODE	Identifies the Job Category Code w.r.t the primary job of	90 Y	VARCHAR2(50)
W_EMPLOYEE_DS	JOB_TITLE	Identifies the Job Title w.r.t the primary job of the	91 Y	VARCHAR2(75)
W_EMPLOYEE_DS	PAR_HELD_POSTN	Identifies the position of the Employee's Manager.	92 Y	VARCHAR2(50)
W_EMPLOYEE_DS	PR_POSTN	Identifies the Primary position held by this Employee.	93 Y	VARCHAR2(50)
W_EMPLOYEE_DS	NATIVE_LANG_CODE	Mother tongue, most proficient language	94 Y	VARCHAR2(50)
W_EMPLOYEE_DS	SEC_FLU_LANG_CODE	Next most proficient language code	95 Y	VARCHAR2(50)
W_EMPLOYEE_DS	THR_FLU_LANG_CODE	Other proficient language code	96 Y	VARCHAR2(50)
W_EMPLOYEE_DS	EMP_FLG	Indicates if this person is an Employee of the	97 Y	VARCHAR2(1)
W_EMPLOYEE_DS	EMP_ACTIVE_FLG	Indicates if the Employee is yet Active in records	98 Y	VARCHAR2(1)
W_EMPLOYEE_DS	USER_FLG	Indicates if this person is an User of the source system	99 Y	VARCHAR2(1)
W_EMPLOYEE_DS	ACCOUNT_REP_FLG	Indicates if this person is an Account Representative	100 Y	VARCHAR2(1)
W_EMPLOYEE_DS	SALES_REP_FLG	Indicates if this person is a Sales Representative	101 Y	VARCHAR2(1)
W_EMPLOYEE_DS	PURCHASE_REP_FLG	Indicates if this person is a Purchase Representative	102 Y	VARCHAR2(1)
W_EMPLOYEE_DS	CONTACT_REP_FLG	Indicates if this person is a Contact Representative	103 Y	VARCHAR2(1)
W_EMPLOYEE_DS	SERVICE_REP_FLG	Indicates if this person is a Service Representative	104 Y	VARCHAR2(1)
W_EMPLOYEE_DS	BUYER_FLG	Indicates if this person is a designated buyer	105 Y	VARCHAR2(1)
W_EMPLOYEE_DS	REQUESTOR_FLG	Indicates if this person is a designated Requestor	106 Y	VARCHAR2(1)
W_EMPLOYEE_DS	APPLICANT_FLG	Indicates if this person is an Applicant	107 Y	VARCHAR2(1)
W_EMPLOYEE_DS	MANAGER_FLG	Indicates if this person is a Manager	108 Y	VARCHAR2(1)
W_EMPLOYEE_DS	CASHIER_FLG	Indicates if this person is a Cashier	109 Y	VARCHAR2(1)
W_EMPLOYEE_DS	LOGIN	Login	110 Y	VARCHAR2(64)
W_EMPLOYEE_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	111 Y	DATE
W_EMPLOYEE_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	112 Y	DATE
W_EMPLOYEE_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	113 N	NUMBER(10,0)
W_EMPLOYEE_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	114 N	VARCHAR2(80)
W_EMPLOYEE_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	115 Y	VARCHAR2(80)
W_EMPLOYEE_DS	X_CUSTOM	This column is used as a generic field for customer	116 Y	VARCHAR2(10)
W_EMPLOYEE_DS	APPR_AUTH	Approval Authorization	117 Y	NUMBER(22,7)
W_EMPLOYEE_DS	APPR_CURCY_CD	Approved Currency Code	118 Y	VARCHAR2(30)
W_EMPLOYEE_DS	APPR_AUTH_CAT_CODE	Approved Auth Category Code	119 Y	VARCHAR2(50)
W_EMPLOYEE_DS	C_APPR_AUTH_CAT_CODE	Approved Auth Category Code	120 Y	VARCHAR2(50)

W_EMPLOYEE_DS	EMP_ACCNT_BU	Employee Account Business Name	121 Y	VARCHAR2(100)
W_EMPLOYEE_DS	EMP_ACCNT_LOC	Employee Account Location	122 Y	VARCHAR2(50)
W_EMPLOYEE_DS	EMP_ACCNT	Employee Account Name	123 Y	VARCHAR2(100)
W_EMPLOYEE_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	124 Y	VARCHAR2(1)
W_EMPLOYEE_DS	PAR_INTEGRATION_ID	Identifies the unique Integration Identifier associated to the	125 Y	VARCHAR2(80)
W_EMPLOYEE_DS	VIS_PR_BU_ID	Identifies the Integration identifier of the Employee's	126 Y	VARCHAR2(15)
W_EMPLOYEE_DS	VIS_PR_POS_ID	Identifies the Integration identifier of the Employee's	127 Y	VARCHAR2(15)
W_EMPLOYEE_DS	VIS_PR_POSTN_DH_WID	Key to W_POSITION_DH table and used as a driver for	128 Y	NUMBER(22,10)
W_EMPLOYEE_DS	CONTACT_TYPE_CODE	Contact Type	129 Y	VARCHAR2(30)
W_EMPLOYEE_DS	PROJ_MGR_FLG	Indicates if this person is a Project Manager	130 Y	VARCHAR2(1)
W_EMPLOYEE_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	131 Y	VARCHAR2(80)
W_EMPLOYEE_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	132 Y	VARCHAR2(80)
W_EMPLOYEE_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	133 Y	DATE
W_EMPLOYEE_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	134 Y	DATE
W_EMPLOYEE_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	135 Y	DATE
W_EMPLOYEE_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	136 Y	DATE
W_EMPLOYEE_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	137 Y	DATE
W_EMPLOYEE_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	138 Y	DATE

<b>TABLE NAME:</b>	W_EXCH_RATE_GS
<b>TABLE DESCRIPTION:</b>	This General staging table holds the Exchange rate informations based on Currencies
<b>BUSINESS RULE:</b>	Fact Staging table is a truncate and load. Holds One day Transactions Only. Combination of DATASOURCE_NUM_ID, INTEGRATION_ID make an alternate/business key for this table

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_EXCH_RATE_GS	END_DT	End Date	1	Y	DATE
W_EXCH_RATE_GS	EXCH_DT	Exchange Date	2	Y	DATE
W_EXCH_RATE_GS	EXCH_RATE	This is the Exchange rate between From and To Currency	3	Y	NUMBER(22,7)
W_EXCH_RATE_GS	START_DT	Start Date	4	Y	DATE
W_EXCH_RATE_GS	W_FROM_CURCY_CODE	This is the FROM Currency Code which is usually	5	Y	VARCHAR2(80)
W_EXCH_RATE_GS	RATE_TYPE	The Exchange rate type SPOT or CURRENT for example	6	Y	VARCHAR2(80)
W_EXCH_RATE_GS	W_TO_CURCY_CODE	This is the TO Currency Code which is usually expressed	7	Y	VARCHAR2(80)
W_EXCH_RATE_GS	ACTIVE_FLG	Active Flag	8	Y	CHAR(1)
W_EXCH_RATE_GS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	9	Y	VARCHAR2(80)
W_EXCH_RATE_GS	CHANGED_BY_ID	Identifies the date and time when the record was initially	10	Y	VARCHAR2(80)
W_EXCH_RATE_GS	CREATED_ON_DT	This is a foreign key to the W_USER_D dimension	11	Y	DATE
W_EXCH_RATE_GS	CHANGED_ON_DT	Identifies the date and time when the record was last	12	Y	DATE
W_EXCH_RATE_GS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_EXCH_RATE_GS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	14	Y	DATE
W_EXCH_RATE_GS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	15	Y	DATE
W_EXCH_RATE_GS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	16	Y	DATE
W_EXCH_RATE_GS	DELETE_FLG	This flag indicates the deletion status of the record in the	17	Y	CHAR(1)
W_EXCH_RATE_GS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	18	N	NUMBER(10,0)
W_EXCH_RATE_GS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	19	N	VARCHAR2(80)
W_EXCH_RATE_GS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	20	Y	VARCHAR2(80)
W_EXCH_RATE_GS	X_CUSTOM	This column is used as a generic field for customer	21	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_HOUSEHOLD_DS
<b>TABLE DESCRIPTION:</b>	This is data warehouse household dimension table and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	This table contains Household information. This is a type-1 dimension and a Household cannot be repeated. Data for this table has to be provided by an external source or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_HOUSEHOLD_DS	NAME	House Hold Name	1	Y	VARCHAR2(100)
W_HOUSEHOLD_DS	ADDR_EFF_DATE	Address Effective Date	2	Y	DATE
W_HOUSEHOLD_DS	ANNUAL_INCOME	Annual Income	3	Y	NUMBER(22,7)
W_HOUSEHOLD_DS	ANNUAL_INCOME_I	Annual Income Language Independent Type	4	Y	VARCHAR2(50)
W_HOUSEHOLD_DS	AVERAGE_AGE	Average Age	5	Y	NUMBER(22,7)
W_HOUSEHOLD_DS	BU_NAME	House Hold Business Unit Name	6	Y	VARCHAR2(100)
W_HOUSEHOLD_DS	CATEGORY	Category (values based on LOV type	7	Y	VARCHAR2(30)
W_HOUSEHOLD_DS	CATEGORY_I	Category Language Independent Code (values based on	8	Y	VARCHAR2(50)
W_HOUSEHOLD_DS	CON_FST_NAME	House Hold Contact First Name	9	Y	VARCHAR2(50)
W_HOUSEHOLD_DS	CON_LST_NAME	House Hold Contact Last Name	10	Y	VARCHAR2(50)
W_HOUSEHOLD_DS	CREATED_DT	Created Date	11	Y	DATE
W_HOUSEHOLD_DS	CREDIT_SCORE	Credit Score	12	Y	NUMBER(22,7)
W_HOUSEHOLD_DS	DEPENDS_NUM	Number of Dependents	13	Y	NUMBER(10,0)
W_HOUSEHOLD_DS	GROUP_NAME	Group Name	14	Y	VARCHAR2(50)
W_HOUSEHOLD_DS	HHOLD_ADDRESS	Address	15	Y	VARCHAR2(200)
W_HOUSEHOLD_DS	HHOLD_CITY	City	16	Y	VARCHAR2(50)
W_HOUSEHOLD_DS	HHOLD_COUNTRY	Country	17	Y	VARCHAR2(30)
W_HOUSEHOLD_DS	HHOLD_STATE	State Province	18	Y	VARCHAR2(50)
W_HOUSEHOLD_DS	HHOLD_ZIP	Zip Code	19	Y	VARCHAR2(30)
W_HOUSEHOLD_DS	HH_INCOME	Average House Hold Income	20	Y	NUMBER(22,7)
W_HOUSEHOLD_DS	HH_REVENUE	Average House Hold Revenue	21	Y	NUMBER(22,7)
W_HOUSEHOLD_DS	INCOME_RANGE	Income Range	22	Y	VARCHAR2(30)
W_HOUSEHOLD_DS	INCOME_RANGE_I	Income Range Language Independent Type	23	Y	VARCHAR2(50)
W_HOUSEHOLD_DS	MAIL_FLG	Mail Flg	24	Y	VARCHAR2(1)
W_HOUSEHOLD_DS	MAIN_PH_FAX_NUM	Fax Number	25	Y	VARCHAR2(40)
W_HOUSEHOLD_DS	MAIN_PH_NUM	Phone Number	26	Y	VARCHAR2(40)
W_HOUSEHOLD_DS	MEDIAN_AGE	Median Age	27	Y	NUMBER(10,0)
W_HOUSEHOLD_DS	MKT_SEGMENT	House Hold Segment(values based on LOV type	28	Y	VARCHAR2(30)
W_HOUSEHOLD_DS	MKT_SEGMENT_I	House Hold Segment Language Independent Code	29	Y	VARCHAR2(50)
W_HOUSEHOLD_DS	MKT_SEG_EFFCT_DT	Mkt Seg Effct Dt	30	Y	DATE
W_HOUSEHOLD_DS	NUM_CONTACTS	Number of Contacts in the household calculated from	31	Y	NUMBER(10,0)
W_HOUSEHOLD_DS	NUM_PROD	Number of Product	32	Y	NUMBER(10,0)
W_HOUSEHOLD_DS	NUM_PROD_EFFCT_DT	Num Prod Effct Dt	33	Y	DATE
W_HOUSEHOLD_DS	OWNERSHIP	Ownership	34	Y	VARCHAR2(30)
W_HOUSEHOLD_DS	OWNERSHIP_I	Ownership Language Independent Type	35	Y	VARCHAR2(50)
W_HOUSEHOLD_DS	PAR_GROUP_ID	Parent Group ID	36	Y	VARCHAR2(30)
W_HOUSEHOLD_DS	PARENT_NAME	Parent House Hold Name	37	Y	VARCHAR2(30)
W_HOUSEHOLD_DS	PH_EFFCT_DT	Ph Effct Dt	38	Y	DATE
W_HOUSEHOLD_DS	PR_CON_ID	Primary Contact Id	39	Y	VARCHAR2(30)
W_HOUSEHOLD_DS	REGION	Region	40	Y	VARCHAR2(40)
W_HOUSEHOLD_DS	STATUS	Status (values basedon LOV type	41	Y	VARCHAR2(30)
W_HOUSEHOLD_DS	STATUS_I	Status Language Independent Code (values based on	42	Y	VARCHAR2(50)

W_HOUSEHOLD_DS	HOUSEHOLD_TYPE	Type (values based on LOV type "HOUSEHOLD_TYPE")	43 Y	VARCHAR2(30)
W_HOUSEHOLD_DS	HOUSEHOLD_TYPE_I	Type Language Independent code (values based on LOV	44 Y	VARCHAR2(50)
W_HOUSEHOLD_DS	U_CURCY_CD	Currency Code	45 Y	VARCHAR2(20)
W_HOUSEHOLD_DS	U_EXCH_DT	Exchange Date	46 Y	DATE
W_HOUSEHOLD_DS	U_HH_INCOME	Unconverted Household Income	47 Y	NUMBER(22,7)
W_HOUSEHOLD_DS	U_HH_INC_EFF_DT	Effective Date of Current Household Income	48 Y	DATE
W_HOUSEHOLD_DS	U_HH_REVENUE	Unconverted Household Revenue	49 Y	NUMBER(22,7)
W_HOUSEHOLD_DS	U_WEALTH_AMT	Unconverted Household Wealth Amount	50 Y	NUMBER(22,0)
W_HOUSEHOLD_DS	U_X_HH_INCOME	Unconverted Previous Household Income	51 Y	NUMBER(22,0)
W_HOUSEHOLD_DS	VIS_PR_BU_ID	Primary Business Unit Id for Visibility	52 Y	VARCHAR2(15)
W_HOUSEHOLD_DS	VIS_PR_POS_ID	Primary Position Id For Visibility	53 Y	VARCHAR2(15)
W_HOUSEHOLD_DS	VIS_PR_POSTN_DH_ID	Primary Position Dimension Hierarchy Id for Visibility	54 Y	NUMBER(10,0)
W_HOUSEHOLD_DS	WEALTH_AMT	Average Wealth Amount	55 Y	NUMBER(22,7)
W_HOUSEHOLD_DS	WEALTH_RANGE	Wealth Range (values based on LOV type	56 Y	VARCHAR2(30)
W_HOUSEHOLD_DS	WEALTH_RANGE_I	Wealth Range Language Independent Code (values	57 Y	VARCHAR2(50)
W_HOUSEHOLD_DS	X_HHOLD_ADDRESS	Previous Address	58 Y	VARCHAR2(200)
W_HOUSEHOLD_DS	X_HHOLD_CITY	Previous City	59 Y	VARCHAR2(50)
W_HOUSEHOLD_DS	X_HHOLD_COUNTRY	Previous Country	60 Y	VARCHAR2(30)
W_HOUSEHOLD_DS	X_HHOLD_STATE	Previous State	61 Y	VARCHAR2(50)
W_HOUSEHOLD_DS	X_HHOLD_ZIP	Previous Zip	62 Y	VARCHAR2(30)
W_HOUSEHOLD_DS	X_MAIN_PH_NUM	Previous Main Ph Num	63 Y	VARCHAR2(40)
W_HOUSEHOLD_DS	X_MKT_SEGMENT	Previous Market Segment	64 Y	VARCHAR2(30)
W_HOUSEHOLD_DS	X_MKT_SEGMENT_I	Previous Market Segment Language Independent code.	65 Y	VARCHAR2(50)
W_HOUSEHOLD_DS	X_NUM_PROD	X Num Prod	66 Y	NUMBER(10,0)
W_HOUSEHOLD_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	67 Y	NUMBER(10,0)
W_HOUSEHOLD_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	68 Y	NUMBER(10,0)
W_HOUSEHOLD_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	69 Y	DATE
W_HOUSEHOLD_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	70 Y	DATE
W_HOUSEHOLD_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	71 Y	DATE
W_HOUSEHOLD_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	72 Y	DATE
W_HOUSEHOLD_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	73 Y	DATE
W_HOUSEHOLD_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	74 Y	DATE
W_HOUSEHOLD_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	75 Y	DATE
W_HOUSEHOLD_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	76 Y	DATE
W_HOUSEHOLD_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	77 Y	VARCHAR2(1)
W_HOUSEHOLD_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	78 N	NUMBER(10,0)
W_HOUSEHOLD_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	79 N	VARCHAR2(80)
W_HOUSEHOLD_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	80 Y	VARCHAR2(80)
W_HOUSEHOLD_DS	X_CUSTOM	This column is used as a generic field for customer	81 Y	VARCHAR2(10)
W_HOUSEHOLD_DS	CHILDREN_NUM	Number of Children	82 Y	NUMBER(20,0)
W_HOUSEHOLD_DS	ADULTS_NUM	Number of Adults	86 Y	NUMBER(20,0)
W_HOUSEHOLD_DS	HOUSEHOLD_ID	House Hold Id	90 N	NUMBER(10,0)

<b>TABLE NAME:</b>	W_INT_ORG_ATTR_DS
<b>TABLE DESCRIPTION:</b>	Int_Org Attribute Dimension Stage
<b>BUSINESS RULE:</b>	This table contains the complete snapshot of Organization Attribute information. This table cannot contain duplicate records for ORG_NUM. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
------------	-------------	-------------	-----------	----------	-----------



W_INT_ORG_ATTR_DS	ORG_ATTR49_NAME	This is the Organization attribute name 49	51 Y	VARCHAR2(120)
W_INT_ORG_ATTR_DS	ORG_ATTR50_NAME	This is the Organization attribute name 50	52 Y	VARCHAR2(120)
W_INT_ORG_ATTR_DS	ORG_ATTR51_NAME	This is the Organization attribute name 51	53 Y	VARCHAR2(250)
W_INT_ORG_ATTR_DS	ORG_ATTR52_NAME	This is the Organization attribute name 52	54 Y	VARCHAR2(250)
W_INT_ORG_ATTR_DS	ORG_ATTR53_NAME	This is the Organization attribute name 53	55 Y	VARCHAR2(250)
W_INT_ORG_ATTR_DS	ORG_ATTR54_NAME	This is the Organization attribute name 54	56 Y	VARCHAR2(250)
W_INT_ORG_ATTR_DS	ORG_ATTR55_NAME	This is the Organization attribute name 55	57 Y	VARCHAR2(250)
W_INT_ORG_ATTR_DS	ORG_ATTR56_NAME	This is the Organization attribute name 56	58 Y	VARCHAR2(250)
W_INT_ORG_ATTR_DS	ORG_ATTR57_NAME	This is the Organization attribute name 57	59 Y	VARCHAR2(250)
W_INT_ORG_ATTR_DS	ORG_ATTR58_NAME	This is the Organization attribute name 58	60 Y	VARCHAR2(250)
W_INT_ORG_ATTR_DS	ORG_ATTR59_NAME	This is the Organization attribute name 59	61 Y	VARCHAR2(250)
W_INT_ORG_ATTR_DS	ORG_ATTR60_NAME	This is the Organization attribute name 60	62 Y	VARCHAR2(250)
W_INT_ORG_ATTR_DS	ORG_ATTR1_DATE	This is the Organization attribute date 1	63 Y	DATE
W_INT_ORG_ATTR_DS	ORG_ATTR2_DATE	This is the Organization attribute date 2	64 Y	DATE
W_INT_ORG_ATTR_DS	ORG_ATTR3_DATE	This is the Organization attribute date 3	65 Y	DATE
W_INT_ORG_ATTR_DS	ORG_ATTR4_DATE	This is the Organization attribute date 4	66 Y	DATE
W_INT_ORG_ATTR_DS	ORG_ATTR5_DATE	This is the Organization attribute date 5	67 Y	DATE
W_INT_ORG_ATTR_DS	ORG_ATTR6_DATE	This is the Organization attribute date 6	68 Y	DATE
W_INT_ORG_ATTR_DS	ORG_ATTR7_DATE	This is the Organization attribute date 7	69 Y	DATE
W_INT_ORG_ATTR_DS	ORG_ATTR8_DATE	This is the Organization attribute date 8	70 Y	DATE
W_INT_ORG_ATTR_DS	ORG_ATTR9_DATE	This is the Organization attribute date 9	71 Y	DATE
W_INT_ORG_ATTR_DS	ORG_ATTR10_DATE	This is the Organization attribute date 10	72 Y	DATE
W_INT_ORG_ATTR_DS	ORG_ATTR1_NUM_VALUE	This is the Organization attribute num value 1	73 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR2_NUM_VALUE	This is the Organization attribute num value 2	74 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR3_NUM_VALUE	This is the Organization attribute num value 3	75 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR4_NUM_VALUE	This is the Organization attribute num value 4	76 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR5_NUM_VALUE	This is the Organization attribute num value 5	77 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR6_NUM_VALUE	This is the Organization attribute num value 6	78 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR7_NUM_VALUE	This is the Organization attribute num value 7	79 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR8_NUM_VALUE	This is the Organization attribute num value 8	80 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR9_NUM_VALUE	This is the Organization attribute num value 9	81 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR10_NUM_VALUE	This is the Organization attribute num value 10	82 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR11_NUM_VALUE	This is the Organization attribute num value 11	83 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR12_NUM_VALUE	This is the Organization attribute num value 12	84 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR13_NUM_VALUE	This is the Organization attribute num value 13	85 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR14_NUM_VALUE	This is the Organization attribute num value 14	86 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR15_NUM_VALUE	This is the Organization attribute num value 15	87 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR16_NUM_VALUE	This is the Organization attribute num value 16	88 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR17_NUM_VALUE	This is the Organization attribute num value 17	89 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR18_NUM_VALUE	This is the Organization attribute num value 18	90 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR19_NUM_VALUE	This is the Organization attribute num value 19	91 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	ORG_ATTR20_NUM_VALUE	This is the Organization attribute num value 20	92 Y	NUMBER(20,4)
W_INT_ORG_ATTR_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	93 Y	DATE
W_INT_ORG_ATTR_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	94 Y	DATE
W_INT_ORG_ATTR_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	95 Y	DATE
W_INT_ORG_ATTR_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	96 Y	DATE
W_INT_ORG_ATTR_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	97 Y	VARCHAR2(80)
W_INT_ORG_ATTR_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	98 Y	DATE
W_INT_ORG_ATTR_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	99 Y	VARCHAR2(80)
W_INT_ORG_ATTR_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	100 Y	DATE

W_INT_ORG_ATTR_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	101 N	NUMBER(10,0)
W_INT_ORG_ATTR_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	102 Y	CHAR(1)
W_INT_ORG_ATTR_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	103 N	VARCHAR2(80)
W_INT_ORG_ATTR_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	104 Y	DATE
W_INT_ORG_ATTR_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	105 Y	DATE
W_INT_ORG_ATTR_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	106 Y	VARCHAR2(80)
W_INT_ORG_ATTR_DS	X_CUSTOM	This column is used as a generic field for customer	107 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_INT_ORG_DS
<b>TABLE DESCRIPTION:</b>	Int_Org Dimension Stage
<b>BUSINESS RULE:</b>	This table contains the complete snapshot of Organization information. This table cannot contain duplicate records for ORG_NUM. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_INT_ORG_DS	ORG_NUM	This is the Organization number or short name.	1	N	VARCHAR2(30)
W_INT_ORG_DS	CURR_CODE	This is the base currency code of the organization.	2	Y	VARCHAR2(50)
W_INT_ORG_DS	ST_ADDRESS1	This is the first line of street address.	3	Y	VARCHAR2(255)
W_INT_ORG_DS	ST_ADDRESS2	This is the second line of street address.	4	Y	VARCHAR2(255)
W_INT_ORG_DS	CITY_CODE	This is the city of the customer location.	5	Y	VARCHAR2(80)
W_INT_ORG_DS	COUNTY_CODE	This code identifies the county code of the customer	6	Y	VARCHAR2(250)
W_INT_ORG_DS	POSTAL_CODE	This is the postal code of the customer location.	7	Y	VARCHAR2(50)
W_INT_ORG_DS	STATE_PROV_CODE	This code identifies the state of the customer location.	8	Y	VARCHAR2(50)
W_INT_ORG_DS	COUNTRY_REGION_CODE	This code identifies the country region of the customer	9	Y	VARCHAR2(80)
W_INT_ORG_DS	PHONE_NUM	This is the phone number.	10	Y	VARCHAR2(30)
W_INT_ORG_DS	FAX_NUM	This is the fax number.	11	Y	VARCHAR2(30)
W_INT_ORG_DS	EMAIL_ADDRESS	This is the email address.	12	Y	VARCHAR2(255)
W_INT_ORG_DS	WEB_ADDRESS	This is the web address.	13	Y	VARCHAR2(255)
W_INT_ORG_DS	DIVN_FLG	Indicates whether organization is a division or department.	14	Y	CHAR(1)
W_INT_ORG_DS	BU_FLG	Indicates whether organization is a business unit.	15	Y	CHAR(1)
W_INT_ORG_DS	SALES_GROUP_FLG	Indicates whether organization is a sales group.	16	Y	CHAR(1)
W_INT_ORG_DS	PRTNR_FLG	Indicates whether organization is a partner.	17	Y	CHAR(1)
W_INT_ORG_DS	INTERNAL_FLG	Indicates whether organization is internal.	18	Y	CHAR(1)
W_INT_ORG_DS	CNTCT_REP_ORG_FLG	Indicates whether organization is a contact representative	19	Y	CHAR(1)
W_INT_ORG_DS	BUSINESS_AREA_FLG	Indicates whether organization is a SAP/JDE business	20	Y	CHAR(1)
W_INT_ORG_DS	COMPANY_FLG	Indicates whether organization is a financial company.	21	Y	CHAR(1)
W_INT_ORG_DS	LEGAL_ENTITY_FLG	Indicates whether organization is a legal entity.	22	Y	CHAR(1)
W_INT_ORG_DS	OPERATING_UNIT_FLG	Indicates whether organization is an operating unit.	23	Y	CHAR(1)
W_INT_ORG_DS	BUSINESS_GROUP_FLG	Indicates whether organization is a business group.	24	Y	CHAR(1)
W_INT_ORG_DS	INV_ORG_FLG	Indicates whether organization is an inventory	25	Y	CHAR(1)
W_INT_ORG_DS	PROJECT_ORG_FLG	Indicates whether organization is a project organization.	26	Y	CHAR(1)
W_INT_ORG_DS	HR_ORG_FLG	Indicates whether organization is a human resource	27	Y	CHAR(1)
W_INT_ORG_DS	GOVT_REPT_ENTITY_FLG	Indicates whether organization is a government reporting	28	Y	CHAR(1)
W_INT_ORG_DS	BALANCING_ENTITY_FLG	Indicates whether organization is a balancing entity.	29	Y	CHAR(1)
W_INT_ORG_DS	ASSET_ORG_FLG	Indicates whether organization is an asset organization.	30	Y	CHAR(1)
W_INT_ORG_DS	CONTROL_AREA_FLG	Indicates whether organization is a SAP control area.	31	Y	CHAR(1)
W_INT_ORG_DS	FIN_AREA_FLG	Indicates whether organization is a SAP financial area.	32	Y	CHAR(1)
W_INT_ORG_DS	VALUATION_AREA_FLG	Indicates whether organization is a SAP valuation area.	33	Y	CHAR(1)
W_INT_ORG_DS	SALES_AREA_FLG	Indicates whether organization is a SAP sales area.	34	Y	CHAR(1)
W_INT_ORG_DS	MARKETING_ORG_FLG	Indicates whether organization is a marketing	35	Y	CHAR(1)

W_INT_ORG_DS	PURCH_ORG_FLG	Indicates whether organization is a purchasing	36 Y	CHAR(1)
W_INT_ORG_DS	SALES_ORG_FLG	Indicates whether organization is a sales organization.	37 Y	CHAR(1)
W_INT_ORG_DS	PAYABLES_ORG_FLG	Indicates whether organization is a Payables organization.	38 Y	CHAR(1)
W_INT_ORG_DS	RECEIVABLES_ORG_FLG	Indicates whether organization is a Receivables	39 Y	CHAR(1)
W_INT_ORG_DS	SERVICE_ORG_FLG	Indicates whether organization is a service organization.	40 Y	CHAR(1)
W_INT_ORG_DS	BRANCH_FLG	Indicates if the organization is a branch	41 Y	CHAR(1)
W_INT_ORG_DS	ORG_TYPE_CODE	Indicates the type of the Organization	42 Y	VARCHAR2(50)
W_INT_ORG_DS	MGR_NAME	This is the name of the manager of the organization.	43 Y	VARCHAR2(255)
W_INT_ORG_DS	PRTNR_TIER_CODE	This code identifies the partner tier. This is used for	44 Y	VARCHAR2(50)
W_INT_ORG_DS	PRTNR_TYPE_CODE	This code identifies the partner type. This is used for	45 Y	VARCHAR2(50)
W_INT_ORG_DS	PTSHP_STAGE_CODE	This code identifies the partner stage. This is used for	46 Y	VARCHAR2(50)
W_INT_ORG_DS	PR_PTSHP_MKTSEG	This is the primary partnership marketing segment. This is	47 Y	VARCHAR2(50)
W_INT_ORG_DS	PR_ORG_TRGT_MKT	This is the primary organization target.	48 Y	VARCHAR2(50)
W_INT_ORG_DS	PRTNR_SALES_RANK	This is the partner sales rank. This is used for partner	49 Y	NUMBER(22,7)
W_INT_ORG_DS	PRTNRSHIP_START_DT	This is the partnership start date. This is used for partner	50 Y	DATE
W_INT_ORG_DS	PTSHP_END_DT	This is the partnership end date. This is used for partner	51 Y	DATE
W_INT_ORG_DS	PTSHP_PRTNR_ACCNT	This is the partnership partner account. This is used for	52 Y	VARCHAR2(100)
W_INT_ORG_DS	PTSHP_RENEWAL_DT	This is the partnership renewal date. This is used for	53 Y	DATE
W_INT_ORG_DS	PTSHP_SAT_INDEX	This is the partnership satisfaction index. This is used for	54 Y	NUMBER(22,7)
W_INT_ORG_DS	VIS_PR_BU_ID	This is the primary business unit id which has visibility of	55 Y	VARCHAR2(80)
W_INT_ORG_DS	VIS_PR_POS_ID	This is the primary position id which has visibility to this	56 Y	VARCHAR2(80)
W_INT_ORG_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	57 Y	VARCHAR2(80)
W_INT_ORG_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	58 Y	VARCHAR2(80)
W_INT_ORG_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	59 Y	DATE
W_INT_ORG_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	60 Y	DATE
W_INT_ORG_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	61 Y	DATE
W_INT_ORG_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	62 Y	DATE
W_INT_ORG_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	63 Y	DATE
W_INT_ORG_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	64 Y	DATE
W_INT_ORG_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	65 Y	DATE
W_INT_ORG_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	66 Y	DATE
W_INT_ORG_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	67 Y	CHAR(1)
W_INT_ORG_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	68 N	NUMBER(10,0)
W_INT_ORG_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	69 N	VARCHAR2(80)
W_INT_ORG_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	70 Y	VARCHAR2(80)
W_INT_ORG_DS	X_CUSTOM	This column is used as a generic field for customer	71 Y	VARCHAR2(10)
W_INT_ORG_DS	REGISTRATION_NUM	Registration Number	72 Y	VARCHAR2(30)
W_INT_ORG_DS	PROJECT_BU_FLG	Project BU Flag	73 Y	CHAR(1)
W_INT_ORG_DS	PROJECT_EXP_ORG_FLG	Indicates if the organization is a Project Expenditure	74 Y	CHAR(1)
W_INT_ORG_DS	SET_ID	This column represents a unique identifier often used by	75 Y	VARCHAR2(30)
W_INT_ORG_DS	CONTRACT_BU_FLG	Contract BU Flag	76 Y	CHAR(1)
W_INT_ORG_DS	C_CITY_CODE	This is the City Code	77 Y	VARCHAR2(120)
W_INT_ORG_DS	C_COUNTY_CODE	This is the County Code	78 Y	VARCHAR2(120)
W_INT_ORG_DS	C_STATE_PROV_CODE	This is the State Province Code	79 Y	VARCHAR2(120)
W_INT_ORG_DS	W_COUNTRY_CODE	This is the Country Code	80 Y	VARCHAR2(50)
W_INT_ORG_DS	C_COUNTRY_REGION_CODE	This is the Country Region Code	81 Y	VARCHAR2(120)
W_INT_ORG_DS	ORGANIZATION_CODE	This is the Organization Code.	82 Y	VARCHAR2(18)
W_INT_ORG_DS	RETAIL_FLG	Retail Flag	83 Y	CHAR(1)
W_INT_ORG_DS	ENTERPRISE_FLG	Enterprise Flag	84 Y	CHAR(1)
W_INT_ORG_DS	REPORTING_EST_FLG	Reporting Est Flag	85 Y	CHAR(1)



W_INT_ORG_DS	EXPENDITURE_ORG_FLG	Expenditure Org Flag	86 Y	CHAR(1)
W_INT_ORG_DS	PAYROLL_STATUTORY_UNIT_FLG	Payroll Statutory Unit Flag	87 Y	CHAR(1)
W_INT_ORG_DS	CUSTOMER_PAYMENTS_BU_FLG	Customer Payment BU Flag	88 Y	CHAR(1)
W_INT_ORG_DS	EXPENSE_BU_FLG	Expense BU Flag	89 Y	CHAR(1)
W_INT_ORG_DS	COLLECTIONS_BU_FLG	Collections BU Flag	90 Y	CHAR(1)
W_INT_ORG_DS	MATERIALS_MANAGEMENT_BU_FLG	Material Management BU Flag	91 Y	CHAR(1)
W_INT_ORG_DS	PRC_CONTRACT_MANAGEMENT_BU_FLG	PRC Contract Management BU Flag	92 Y	CHAR(1)
W_INT_ORG_DS	RECEIVING_BU_FLG	Receiving BU Flag	93 Y	CHAR(1)
W_INT_ORG_DS	FINANCIAL_BU_FLG	Financial BU Flag	94 Y	CHAR(1)
W_INT_ORG_DS	REQUISITION_BU_FLG	Requisition BU Flag	95 Y	CHAR(1)
W_INT_ORG_DS	COST_ORG_FLG	Cost Org Flag	96 Y	CHAR(1)
W_INT_ORG_DS	PROJECT_UNIT_FLG	Project Unit Flag	97 Y	CHAR(1)
W_INT_ORG_DS	VIS_PRTNR_MGR_ID	Vis Partner Manager Id	98 Y	VARCHAR2(80)

<b>TABLE NAME:</b>	W_INVENTORY_PRODUCT_ATTR_DS
<b>TABLE DESCRIPTION:</b>	This dimension table is used to maintain information on the inventory policies and processes followed for handling products at a specific business location such as a plant, warehouse, and so on. The products that are featured in this table would usually be a subset of all products available in the W_PRODUCT_D dimension table. For example, Production raw materials used within a manufacturing plant, Goods purchased and traded for a premium at a warehouse, and so on. Critical inventory process information maintained about a product at the business location includes the ABC indicator, the sourcing method, reorder policies, MRP profiles and buyer information.
<b>BUSINESS RULE:</b>	This table contains the complete snapshot of Inventory Attribute information. This table cannot contain duplicate records for INVENTORY_ORG_ID and PRODUCT_ID. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_INVENTORY_PRODUCT_ATTR_DS	INVENTORY_ORG_ID	Identifies the inventory organization.	1	N	VARCHAR2(80)
W_INVENTORY_PRODUCT_ATTR_DS	PRODUCT_ID	Key to product dimension	2	N	VARCHAR2(80)
W_INVENTORY_PRODUCT_ATTR_DS	W_CATEGORY	Identifies the designated domain value code for the	3	N	VARCHAR2(240)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR1_NAME	Indicates whether the item is approved for food stamps at	4	Y	VARCHAR2(120)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR2_NAME	Holds whether the item is legally valid for various types of	5	Y	VARCHAR2(120)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR3_NAME	Holds the nationally branded item to which you would like	6	Y	VARCHAR2(120)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR4_NAME	Holds the code that represents the marketing clubs to	7	Y	VARCHAR2(120)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR5_NAME	Indicates whether the store may re-order the item. This	8	Y	VARCHAR2(120)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR6_NAME	Determines whether the price can/should be entered	9	Y	VARCHAR2(250)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR7_NAME	Indicates whether the item is approved for WIC at the	10	Y	VARCHAR2(250)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR8_NAME	Holds the in store market basket code for this	11	Y	VARCHAR2(250)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR9_NAME	This field will contain a value of Yes when the item can be	12	Y	VARCHAR2(250)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR10_NAME	This is inventory attribute 10.	13	Y	VARCHAR2(250)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR1_NUM_VALUE	This is inventory attribute num value 1.	14	Y	NUMBER(20,4)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR2_NUM_VALUE	This is inventory attribute num value 2.	15	Y	NUMBER(20,4)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR3_NUM_VALUE	This is inventory attribute num value 3.	16	Y	NUMBER(20,4)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR4_NUM_VALUE	This is inventory attribute num value 4.	17	Y	NUMBER(20,4)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR5_NUM_VALUE	This is inventory attribute num value 5.	18	Y	NUMBER(20,4)
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR1_DATE	This is inventory attribute date 1.	19	Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR2_DATE	This is inventory attribute date 2.	20	Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR3_DATE	This is inventory attribute date 3.	21	Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR4_DATE	This is inventory attribute date 4.	22	Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	INV_ATTR5_DATE	This is inventory attribute date 5.	23	Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	24	Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	25	Y	DATE

W_INVENTORY_PRODUCT_ATTR_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	26 Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	27 Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	28 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_ATTR_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	29 Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	30 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_ATTR_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	31 Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	32 N	NUMBER(10,0)
W_INVENTORY_PRODUCT_ATTR_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	33 Y	CHAR(1)
W_INVENTORY_PRODUCT_ATTR_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	34 N	VARCHAR2(80)
W_INVENTORY_PRODUCT_ATTR_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	35 Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	36 Y	DATE
W_INVENTORY_PRODUCT_ATTR_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	37 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_ATTR_DS	X_CUSTOM	This column is used as a generic field for customer	38 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_INVENTORY_PRODUCT_DS</b>
<b>TABLE DESCRIPTION:</b>	W_INVENTORY_PRODUCT_D dimension table is used to maintain information on the inventory policies and processes followed for handling products at a specific business location such as a plant, warehouse, and so on. The products that are featured in this table would usually be a subset of all products available in the W_PRODUCT_D dimension table. For example, Production raw materials used within a manufacturing plant, Goods purchased and traded for a premium at a warehouse, and so on. Critical inventory process information maintained about a product at the business location includes the ABC indicator, the sourcing method, reorder policies, MRP profiles and buyer information. This table does not contain inventorial information about the product such as inventory location, current stock, and so on. The information in this table is mostly expected to be static in nature and would not represent information related to the current stock levels of the product (such information is maintained in the inventory balance table). Type II information is enabled for this dimension table. Products can enter this table when a business organization expands its operations to included new business locations from where products are shipped out or sourced into.
<b>BUSINESS RULE:</b>	This table contains end of day inventory levels and status for an item and location combination on a given day. This table cannot contain duplicate records for PRODUCT_ID and INVENTORY_ORG_ID. This table contains neither break-to-sell items nor packs that contain break-to-sell component items. Dimension Staging table is a truncate and load. It holds one day's transaction only.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_INVENTORY_PRODUCT_DS	PRODUCT_ID	Key to product dimension	1	N	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INVENTORY_ORG_ID	Identifies the inventory organization	2	N	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	PLANT_LOC_ID	Key to the business location dimension	3	Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	PRODUCT_NUM	Product Number	4	Y	VARCHAR2(30)
W_INVENTORY_PRODUCT_DS	PRODUCT_DESC	Product description	5	Y	VARCHAR2(255)
W_INVENTORY_PRODUCT_DS	ABC_IND	ABC Indicator ( Indicator that classifies a material as an A,	6	Y	CHAR(1)
W_INVENTORY_PRODUCT_DS	PLANNER_CODE	Planner Code	7	Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	PLANNER_NAME	Planner Name	8	Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	PROCUREMENT_TYPE_CODE	Procurement Type Code	9	Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	PROCUREMENT_TYPE_NAME	Procurement Type Description	10	Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	SPC_PROC_TYPE_CODE	Special Procurement Type Code	11	Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	SPC_PROC_TYPE_NAME	Special Procurement Type Description	12	Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	BUYER_CODE	Buyer Code	13	Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	BUYER_NAME	Buyer Name	14	Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	COMMODITY_CODE	Commodity Code	15	Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	COMMODITY_NAME	Commodity Name.	16	Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	COMMODITY_UOM_CODE	Unit of measure of commodity	17	Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	COMMODITY_UOM_NAME	Detail description of unit of measure of commodity.	18	Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	PROFIT_CENTER_NUM	Profit center number	19	Y	VARCHAR2(30)
W_INVENTORY_PRODUCT_DS	PROFIT_CENTER_NAME	Profit center name	20	Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	REORDER_POINT	Reorder point quantity (If the stock falls below this	21	Y	NUMBER(22,7)
W_INVENTORY_PRODUCT_DS	SAFETY_STOCK_LEVEL	Safety stock quantity ( Quantity whose purpose is to	22	Y	NUMBER(22,7)

W_INVENTORY_PRODUCT_DS	MIN_LOT_SIZE	Minimum lot size	23 Y	NUMBER(22,7)
W_INVENTORY_PRODUCT_DS	MAX_LOT_SIZE	Maximum lot size	24 Y	NUMBER(22,7)
W_INVENTORY_PRODUCT_DS	FIXED_LOT_SIZE	Fixed lot size	25 Y	NUMBER(22,7)
W_INVENTORY_PRODUCT_DS	MAX_STOCK_LEVEL	Maximum stock level	26 Y	NUMBER(22,7)
W_INVENTORY_PRODUCT_DS	LOT_ORDERING_COST	Cost of ordering a lot	27 Y	NUMBER(22,7)
W_INVENTORY_PRODUCT_DS	MRP_TIME_FENCE	Planning time fence	28 Y	NUMBER(22,7)
W_INVENTORY_PRODUCT_DS	EXT_PROCURE_TIME	Time needed to obtain the material or service if it is	29 Y	NUMBER(22,7)
W_INVENTORY_PRODUCT_DS	INTERNAL_MFG_TIME	Internal manufacturing time	30 Y	NUMBER(22,7)
W_INVENTORY_PRODUCT_DS	MAX_STORAGE_DAYS	Maximum storage period in days	31 Y	NUMBER(22,7)
W_INVENTORY_PRODUCT_DS	MRP_PROFILE_CODE	Planning profile Code	32 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	MRP_PROFILE_NAME	Planning profile Name	33 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	MRP_TYPE_CODE	Planning type Code	34 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	MRP_TYPE_NAME	Planning type Name.	35 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	MRP_GRP_CODE	Planning group Code	36 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	MRP_GRP_NAME	Planning group Name.	37 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	LOT_SIZE_CODE	Lot size Code	38 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	LOT_SIZE_NAME	Lot size description	39 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	BACKFLUSH_IND	Backflush Indicator (Determines whether the backflush	40 Y	CHAR(1)
W_INVENTORY_PRODUCT_DS	QA_INSPECT_IND	QA Inspection Indicator	41 Y	CHAR(1)
W_INVENTORY_PRODUCT_DS	REPETITIVE_MFG_IND	Repetitive manufacturing Indicator	42 Y	CHAR(1)
W_INVENTORY_PRODUCT_DS	BULK_ITEM_IND	Bulk item Indicator	43 Y	CHAR(1)
W_INVENTORY_PRODUCT_DS	FORECAST_PERIOD	Forecast period ( Like Weekly , Monthly etc)	44 Y	VARCHAR2(30)
W_INVENTORY_PRODUCT_DS	MFG_UOM_CODE	Unit of measure in manufacturing, Primary Unit of	45 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	MFG_UOM_NAME	Description of unit of measure in manufacturing, Primary	46 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	ISSUE_UOM_CODE	Unit of measure in issues	47 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	ISSUE_UOM_NAME	Description of unit of measure in issues	48 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	MANUFACTURING_PLACE	Place of manufacturing	49 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	LOADING_TYPE_CODE	Loading type Code	50 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	LOADING_TYPE_NAME	Loading type Name	51 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INT_STORE_LOC_CODE	Internal storage location Code	52 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	INT_STORE_LOC_NAME	Internal storage location description	53 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	EXT_STORE_LOC_CODE	External storage location Code	54 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	EXT_STORE_LOC_NAME	External storage location description	55 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	ACTIVE_FLG	This identifies whether the source record is Active/Enabled	56 Y	CHAR(1)
W_INVENTORY_PRODUCT_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	57 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	58 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	59 Y	DATE
W_INVENTORY_PRODUCT_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	60 Y	DATE
W_INVENTORY_PRODUCT_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	61 Y	DATE
W_INVENTORY_PRODUCT_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	62 Y	DATE
W_INVENTORY_PRODUCT_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	63 Y	DATE
W_INVENTORY_PRODUCT_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	64 Y	DATE
W_INVENTORY_PRODUCT_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	65 Y	DATE
W_INVENTORY_PRODUCT_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	66 Y	DATE
W_INVENTORY_PRODUCT_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	67 Y	CHAR(1)
W_INVENTORY_PRODUCT_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	68 N	NUMBER(10,0)
W_INVENTORY_PRODUCT_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	69 N	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	70 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	X_CUSTOM	This column is used as a generic field for customer	71 Y	VARCHAR2(10)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER1_CODE	General product categorization column (short text/string)	72 Y	VARCHAR2(50)

W_INVENTORY_PRODUCT_DS	PRODUCT_HIER1_NAME	General product categorization column (long text/string)	73 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER2_CODE	General product categorization column (short text/string)	74 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER2_NAME	General product categorization column (long text/string)	75 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER3_CODE	General product categorization column (short text/string)	76 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER3_NAME	General product categorization column (long text/string)	77 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER4_CODE	General product categorization column (short text/string)	78 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER4_NAME	General product categorization column (long text/string)	79 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER5_CODE	General product categorization column (short text/string)	80 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER5_NAME	General product categorization column (long text/string)	81 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER6_CODE	General product categorization column (short text/string)	82 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	PRODUCT_HIER6_NAME	General product categorization column (long text/string)	83 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INV_PROD_CAT1	This field maps to the INTEGRATION_ID of the	84 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INV_PROD_CAT2	This field maps to the INTEGRATION_ID of the	85 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INV_PROD_CAT3	This field maps to the INTEGRATION_ID of the	86 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INV_PROD_CAT4	This field maps to the INTEGRATION_ID of the	87 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INV_PROD_CAT5	This field maps to the INTEGRATION_ID of the	88 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INV_PROD_CAT6	This field maps to the INTEGRATION_ID of the	89 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INV_PROD_CAT7	This field maps to the INTEGRATION_ID of the	90 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INV_PROD_CAT8	This field maps to the INTEGRATION_ID of the	91 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INV_PROD_CAT9	This field maps to the INTEGRATION_ID of the	92 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INV_PROD_CAT10	This field maps to the INTEGRATION_ID of the	93 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	INVOICEABLE_ITEM_FLAG	Determines if the item is invoiceable, to determine if an	94 Y	CHAR(1)
W_INVENTORY_PRODUCT_DS	INVOICE_ENABLED_FLAG	Determines if the item is invoice enabled to determine if	95 Y	CHAR(1)
W_INVENTORY_PRODUCT_DS	PRIMARY_UOM_CODE	Primary Unit of Measure Code	96 Y	VARCHAR2(50)
W_INVENTORY_PRODUCT_DS	PRIMARY_UOM_NAME	Primary Unit of Measure Name	97 Y	VARCHAR2(80)
W_INVENTORY_PRODUCT_DS	UNSPSC_CODE	This field maps to the INTEGRATION_ID of the	98 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_MCAL_PERIOD_DS
<b>TABLE DESCRIPTION:</b>	This table stored data about Fiscal periods
<b>BUSINESS RULE:</b>	This table cannot contain duplicate records for MCAL_YEAR and MCAL_PERIOD. This interface file contains neither break-to-sell items nor packs that contain break-to-sell component items. Dimension Staging table is a truncate and load. It holds one day's transaction only.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_MCAL_PERIOD_DS	MCAL_CAL_ID	Identifies the accounting calendar	1	Y	VARCHAR2(80)
W_MCAL_PERIOD_DS	MCAL_CAL_NAME	Identifies the name of the accounting calendar	2	Y	VARCHAR2(30)
W_MCAL_PERIOD_DS	MCAL_CAL_CLASS	Identifies the category of calendar. Valid values are	3	Y	VARCHAR2(20)
W_MCAL_PERIOD_DS	ADJUSTMENT_PERIOD_FLG	This flag indicates whether this period is the adjustment	4	Y	VARCHAR2(1)
W_MCAL_PERIOD_DS	MCAL_PERIOD_TYPE	Identifies the accounting period type	5	Y	VARCHAR2(50)
W_MCAL_PERIOD_DS	MCAL_PERIOD_NAME	Name of the mcal period	6	Y	VARCHAR2(240)
W_MCAL_PERIOD_DS	MCAL_PERIOD	Accounting Period Number	7	Y	NUMBER(4,0)
W_MCAL_PERIOD_DS	MCAL_PERIOD_ST_DT	Identifies the First Date of the Fiscal Period.	8	Y	DATE
W_MCAL_PERIOD_DS	MCAL_PERIOD_END_DT	Identifies the Last Date of the mcal Period.	9	Y	DATE
W_MCAL_PERIOD_DS	MCAL_QTR	Identifies which Mcal Quarter this period belongs to like	10	Y	NUMBER(2,0)
W_MCAL_PERIOD_DS	MCAL_YEAR	Identifies the fiscal year in YYYY Format	11	Y	NUMBER(4,0)
W_MCAL_PERIOD_DS	MCAL_QTR_START_DT	Identifies the Start Date of the Fiscal Quarter	12	Y	DATE
W_MCAL_PERIOD_DS	MCAL_QTR_END_DT	Identifies the End Date of the Fiscal Quarter.	13	Y	DATE
W_MCAL_PERIOD_DS	MCAL_YEAR_START_DT	Identifies the Start Date of the Fiscal Year.	14	Y	DATE
W_MCAL_PERIOD_DS	MCAL_YEAR_END_DT	Identifies the End Date of the Fiscal Year.	15	Y	DATE
W_MCAL_PERIOD_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	16	Y	VARCHAR2(80)
W_MCAL_PERIOD_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	17	Y	NUMBER(10,0)

W_MCAL_PERIOD_DS	W_INSERT_DT	This column stores the date on which the record was	18 Y	DATE
W_MCAL_PERIOD_DS	W_UPDATE_DT	This column stores the date on which the record was last	19 Y	DATE
W_MCAL_PERIOD_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	20 Y	VARCHAR2(80)
W_MCAL_PERIOD_DS	X_CUSTOM	This column is used as a generic field for customer	21 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_PARTY_ATTR_DS
<b>TABLE DESCRIPTION:</b>	Party Dimension includes all parties include B2B Customer and B2C Customer, Contact, Supplier data
<b>BUSINESS RULE:</b>	This table contains a full snapshot of the Party Attribute Information. This table cannot contain duplicate records for SUPPLIER_NUM for Supplier Data. Dimension Staging table is a truncate and load. From RI 15.0 Onwards this table will also hold Customer User Defined Attributes. The Customer & Supplier Data would be differentiated by Column SUPPLIER_FLG for Customer UDA this would hold N and for Supplier Data it would hold Y. For Customer UDA SUPPLIER_NUM would hold Customer Number and INTEGRATION_ID columns would also hold Customer Number.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_PARTY_ATTR_DS	SUPPLIER_NUM	This is the unique ID from the source system that identifies	1	Y	VARCHAR2(30)
W_PARTY_ATTR_DS	W_CATEGORY	Identifies the designated domain value code for the	2	N	VARCHAR2(240)
W_PARTY_ATTR_DS	SUPPLIER_FLG	Supplier Flag	3	Y	CHAR(1)
W_PARTY_ATTR_DS	PARTY_ATTR1_NAME	This is the party attribute 1.	4	Y	VARCHAR2(120)
W_PARTY_ATTR_DS	PARTY_ATTR2_NAME	This is the party attribute 2.	5	Y	VARCHAR2(120)
W_PARTY_ATTR_DS	PARTY_ATTR3_NAME	This is the party attribute 3.	6	Y	VARCHAR2(120)
W_PARTY_ATTR_DS	PARTY_ATTR4_NAME	This is the party attribute 4.	7	Y	VARCHAR2(120)
W_PARTY_ATTR_DS	PARTY_ATTR5_NAME	This is the party attribute 5.	8	Y	VARCHAR2(120)
W_PARTY_ATTR_DS	PARTY_ATTR6_NAME	This is the party attribute 6.	9	Y	VARCHAR2(120)
W_PARTY_ATTR_DS	PARTY_ATTR7_NAME	This is the party attribute 7.	10	Y	VARCHAR2(120)
W_PARTY_ATTR_DS	PARTY_ATTR8_NAME	This is the party attribute 8.	11	Y	VARCHAR2(120)
W_PARTY_ATTR_DS	PARTY_ATTR9_NAME	This is the party attribute 9.	12	Y	VARCHAR2(120)
W_PARTY_ATTR_DS	PARTY_ATTR10_NAME	This is the party attribute 10.	13	Y	VARCHAR2(120)
W_PARTY_ATTR_DS	PARTY_ATTR11_NAME	This is the party attribute 11.	14	Y	VARCHAR2(250)
W_PARTY_ATTR_DS	PARTY_ATTR12_NAME	This is the party attribute 12.	15	Y	VARCHAR2(250)
W_PARTY_ATTR_DS	PARTY_ATTR13_NAME	This is the party attribute 13.	16	Y	VARCHAR2(250)
W_PARTY_ATTR_DS	PARTY_ATTR14_NAME	This is the party attribute 14.	17	Y	VARCHAR2(250)
W_PARTY_ATTR_DS	PARTY_ATTR15_NAME	This is the party attribute 15.	18	Y	VARCHAR2(250)
W_PARTY_ATTR_DS	PARTY_ATTR16_NAME	This is the party attribute 16.	19	Y	VARCHAR2(250)
W_PARTY_ATTR_DS	PARTY_ATTR17_NAME	This is the party attribute 17.	20	Y	VARCHAR2(250)
W_PARTY_ATTR_DS	PARTY_ATTR18_NAME	This is the party attribute 18.	21	Y	VARCHAR2(250)
W_PARTY_ATTR_DS	PARTY_ATTR19_NAME	This is the party attribute 19.	22	Y	VARCHAR2(250)
W_PARTY_ATTR_DS	PARTY_ATTR20_NAME	This is the party attribute 20.	23	Y	VARCHAR2(250)
W_PARTY_ATTR_DS	PARTY_ATTR1_DATE	This is the party attribute date 1.	24	Y	DATE
W_PARTY_ATTR_DS	PARTY_ATTR2_DATE	This is the party attribute date 2.	25	Y	DATE
W_PARTY_ATTR_DS	PARTY_ATTR3_DATE	This is the party attribute date 3.	26	Y	DATE
W_PARTY_ATTR_DS	PARTY_ATTR4_DATE	This is the party attribute date 4.	27	Y	DATE
W_PARTY_ATTR_DS	PARTY_ATTR5_DATE	This is the party attribute date 5.	28	Y	DATE
W_PARTY_ATTR_DS	PARTY_ATTR6_DATE	This is the party attribute date 6.	29	Y	DATE
W_PARTY_ATTR_DS	PARTY_ATTR7_DATE	This is the party attribute date 7.	30	Y	DATE
W_PARTY_ATTR_DS	PARTY_ATTR8_DATE	This is the party attribute date 8.	31	Y	DATE
W_PARTY_ATTR_DS	PARTY_ATTR9_DATE	This is the party attribute date 9.	32	Y	DATE
W_PARTY_ATTR_DS	PARTY_ATTR10_DATE	This is the party attribute date 10.	33	Y	DATE
W_PARTY_ATTR_DS	PARTY_ATTR1_NUM_VALUE	This is the party attribute num value 1.	34	Y	NUMBER(20,4)
W_PARTY_ATTR_DS	PARTY_ATTR2_NUM_VALUE	This is the party attribute num value 2.	35	Y	NUMBER(20,4)
W_PARTY_ATTR_DS	PARTY_ATTR3_NUM_VALUE	This is the party attribute num value 3.	36	Y	NUMBER(20,4)
W_PARTY_ATTR_DS	PARTY_ATTR4_NUM_VALUE	This is the party attribute num value 4.	37	Y	NUMBER(20,4)
W_PARTY_ATTR_DS	PARTY_ATTR5_NUM_VALUE	This is the party attribute num value 5.	38	Y	NUMBER(20,4)

W_PARTY_ATTR_DS	PARTY_ATTR6_NUM_VALUE	This is the party attribute num value 6.	39 Y	NUMBER(20,4)
W_PARTY_ATTR_DS	PARTY_ATTR7_NUM_VALUE	This is the party attribute num value 7.	40 Y	NUMBER(20,4)
W_PARTY_ATTR_DS	PARTY_ATTR8_NUM_VALUE	This is the party attribute num value 8.	41 Y	NUMBER(20,4)
W_PARTY_ATTR_DS	PARTY_ATTR9_NUM_VALUE	This is the party attribute num value 9.	42 Y	NUMBER(20,4)
W_PARTY_ATTR_DS	PARTY_ATTR10_NUM_VALUE	This is the party attribute num value 10.	43 Y	NUMBER(20,4)
W_PARTY_ATTR_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	44 Y	DATE
W_PARTY_ATTR_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	45 Y	DATE
W_PARTY_ATTR_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	46 Y	DATE
W_PARTY_ATTR_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	47 Y	DATE
W_PARTY_ATTR_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	48 Y	VARCHAR2(80)
W_PARTY_ATTR_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	49 Y	DATE
W_PARTY_ATTR_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	50 Y	VARCHAR2(80)
W_PARTY_ATTR_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	51 Y	DATE
W_PARTY_ATTR_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	52 N	NUMBER(10,0)
W_PARTY_ATTR_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	53 Y	CHAR(1)
W_PARTY_ATTR_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	54 N	VARCHAR2(80)
W_PARTY_ATTR_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	55 Y	DATE
W_PARTY_ATTR_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	56 Y	DATE
W_PARTY_ATTR_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	57 Y	VARCHAR2(80)
W_PARTY_ATTR_DS	X_CUSTOM	This column is used as a generic field for customer	58 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_PARTY_ORG_DS
<b>TABLE DESCRIPTION:</b>	Party Organization Dimension includes B2C Customer, Supplier, and Competitor data
<b>BUSINESS RULE:</b>	This table contains the complete snapshot of of active information. This table cannot contain duplicate records for INTEGRATION_ID. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_PARTY_ORG_DS	W_CUSTOMER_CLASS	Customer Class	1	Y	VARCHAR2(30)
W_PARTY_ORG_DS	NAME	Name	2	Y	VARCHAR2(250)
W_PARTY_ORG_DS	PARTY_TYPE	Party Type	3	Y	VARCHAR2(30)
W_PARTY_ORG_DS	MGR_NAME	This is the name of the manager of the organization.	4	Y	VARCHAR2(250)
W_PARTY_ORG_DS	MAIN_PH_NUM	Main Phone Number	5	Y	VARCHAR2(40)
W_PARTY_ORG_DS	ST_ADDRESS	Street Address	6	Y	VARCHAR2(255)
W_PARTY_ORG_DS	CITY	City	7	Y	VARCHAR2(120)
W_PARTY_ORG_DS	STATE	State	8	Y	VARCHAR2(120)
W_PARTY_ORG_DS	ZIPCODE	Postal Code	9	Y	VARCHAR2(120)
W_PARTY_ORG_DS	COUNTRY	Country	10	Y	VARCHAR2(120)
W_PARTY_ORG_DS	C_CITY_CODE	City Code	11	Y	VARCHAR2(120)
W_PARTY_ORG_DS	C_STATE_PROV_CODE	State Province Code	12	Y	VARCHAR2(120)
W_PARTY_ORG_DS	C_COUNTY_CODE	County Code	13	Y	VARCHAR2(120)
W_PARTY_ORG_DS	C_REGION_CODE	Region Code	14	Y	VARCHAR2(120)
W_PARTY_ORG_DS	W_COUNTRY_CODE	Country Code	15	Y	VARCHAR2(120)
W_PARTY_ORG_DS	C_COUNTRY_REGION_CODE	Country Region Code	16	Y	VARCHAR2(120)
W_PARTY_ORG_DS	C_CONTINENT_CODE	Continent Code	17	Y	VARCHAR2(120)
W_PARTY_ORG_DS	ACCNT_FLG	Account Flag	18	Y	CHAR(1)
W_PARTY_ORG_DS	ACCNT_LOC	Account Location	19	Y	VARCHAR2(50)
W_PARTY_ORG_DS	ACCNT_REVN	Account Revenue	20	Y	NUMBER(22,7)
W_PARTY_ORG_DS	ACCNT_REVN_CURCY	Account Revenue Currency	21	Y	VARCHAR2(30)
W_PARTY_ORG_DS	ACCNT_REVN_DT	Account Revenue Date	22	Y	DATE

W_PARTY_ORG_DS	ACCNT_STATUS	Account Status	23 Y	VARCHAR2(30)
W_PARTY_ORG_DS	ACCNT_TYPE_CODE	Account Type Code	24 Y	VARCHAR2(80)
W_PARTY_ORG_DS	CUST_TYPE_CODE	Customer Type Code	25 Y	VARCHAR2(80)
W_PARTY_ORG_DS	ACTIVE_FLG	Active Flag	26 Y	CHAR(1)
W_PARTY_ORG_DS	BASE_CURCY_CD	The preferred currency for billing using the customer	27 Y	VARCHAR2(20)
W_PARTY_ORG_DS	BU_ID	Organization Id	28 Y	VARCHAR2(15)
W_PARTY_ORG_DS	EXCH_DT	Exchange Date	29 Y	DATE
W_PARTY_ORG_DS	BU_NAME	Organization Name	30 Y	VARCHAR2(100)
W_PARTY_ORG_DS	CHANNEL_FLG	Channel Flag (Y/N) :	31 Y	CHAR(1)
W_PARTY_ORG_DS	CREATED_DT	Created Date	32 Y	DATE
W_PARTY_ORG_DS	CHNL_ANNL_SALES	Channel Annual sales	33 Y	NUMBER(22,7)
W_PARTY_ORG_DS	CHNL_SALES_GROWTH	Channel Sales Growth Rate	34 Y	NUMBER(22,7)
W_PARTY_ORG_DS	COMPETITOR_FLG	Competitor Flag (Y/N) : If organization is a competitor then	35 Y	CHAR(1)
W_PARTY_ORG_DS	DIVN_FLG	Indicates whether organization is a division or department	36 Y	CHAR(1)
W_PARTY_ORG_DS	DIVN_TYPE_CD	Division Type Code	37 Y	VARCHAR2(80)
W_PARTY_ORG_DS	DOM_ULT_DUNS_NUM	Dom Ult Duns Number	38 Y	VARCHAR2(15)
W_PARTY_ORG_DS	EMP_COUNT	Emp Count	39 Y	NUMBER(22,7)
W_PARTY_ORG_DS	DUNS_NUM	Duns Number	40 Y	VARCHAR2(15)
W_PARTY_ORG_DS	EXPERTISE	Expertise	41 Y	VARCHAR2(80)
W_PARTY_ORG_DS	FORMED_DT	Formed Date	42 Y	DATE
W_PARTY_ORG_DS	FRGHT_TERMS_CD	Frght Terms Code	43 Y	VARCHAR2(80)
W_PARTY_ORG_DS	GLBLULT_DUNS_NUM	Glblult Duns Number	44 Y	VARCHAR2(15)
W_PARTY_ORG_DS	HIST_SLS_VOL	History Sales Volume	45 Y	NUMBER(22,7)
W_PARTY_ORG_DS	HIST_SLS_CURCY_CD	Historical Sales Currency Code	46 Y	VARCHAR2(20)
W_PARTY_ORG_DS	HIST_SLS_EXCH_DT	Historical Sales Exchange Date	47 Y	DATE
W_PARTY_ORG_DS	LINE_OF_BUSINESS	Line Of Business	48 Y	VARCHAR2(80)
W_PARTY_ORG_DS	NUM_EMPLOYEES	Number Employees	49 Y	NUMBER(22,7)
W_PARTY_ORG_DS	ORG_TERR_NAME	Organization Territory Name	50 Y	VARCHAR2(75)
W_PARTY_ORG_DS	ORG_FLG	Organization Flag	51 Y	CHAR(1)
W_PARTY_ORG_DS	ORG_PRTNR_FLG	Organization Partner Flag	52 Y	CHAR(1)
W_PARTY_ORG_DS	ORG_PRTNR_TIER	Organization Partner Tier	53 Y	VARCHAR2(80)
W_PARTY_ORG_DS	ORG_PRTNR_TYPE	Organization Partner Type	54 Y	VARCHAR2(80)
W_PARTY_ORG_DS	PAR_DUNS_NUM	Par Duns Number	55 Y	VARCHAR2(15)
W_PARTY_ORG_DS	PAR_INTEGRATION_ID	Parent Integration Id	56 Y	VARCHAR2(80)
W_PARTY_ORG_DS	PAR_ORG_NAME	Parent Org Name	57 Y	VARCHAR2(100)
W_PARTY_ORG_DS	PROSPECT_FLG	Prospect Flag	58 Y	CHAR(1)
W_PARTY_ORG_DS	PRTNRSHP_START_DT	Partnership Start Date	59 Y	DATE
W_PARTY_ORG_DS	PRI_LST_NAME	Price Lst Name	60 Y	VARCHAR2(50)
W_PARTY_ORG_DS	PRTNR_FLG	Partner Flag	61 Y	CHAR(1)
W_PARTY_ORG_DS	PRTNR_NAME	Partner Name	62 Y	VARCHAR2(100)
W_PARTY_ORG_DS	PRTNR_SALES_RANK	Partner Sales Rank	63 Y	NUMBER(22,7)
W_PARTY_ORG_DS	PR_COMPETITOR	Primary Competitor	64 Y	VARCHAR2(100)
W_PARTY_ORG_DS	PR_ORG_TRGT_MKT	Primary Org Target Marketing	65 Y	VARCHAR2(50)
W_PARTY_ORG_DS	PR_PTSHP_MKTSEG	Primary Partnership Mktseg	66 Y	VARCHAR2(50)
W_PARTY_ORG_DS	PR_INDUST_NAME	Primary Industry Name	67 Y	VARCHAR2(50)
W_PARTY_ORG_DS	PR_POSTN_ID	Pr Postn Id	68 Y	VARCHAR2(60)
W_PARTY_ORG_DS	PTNTL_SLS_VOL	Potential Sales Volume	69 Y	NUMBER(22,7)
W_PARTY_ORG_DS	PTNTL_SLS_CURCY_CD	Potential Sales Currency Code	70 Y	VARCHAR2(20)
W_PARTY_ORG_DS	PTNTL_SLS_EXCH_DT	Potential Sales Exchange Date	71 Y	DATE
W_PARTY_ORG_DS	PTSHP_END_DT	Partnership End Date	72 Y	DATE

W_PARTY_ORG_DS	PTSHP_FEE_PAID_FLG	Partnership Fee Paid Flag	73 Y	CHAR(1)
W_PARTY_ORG_DS	PTSHP_PRTNR_ACCNT	Partnership Partner Account	74 Y	VARCHAR2(100)
W_PARTY_ORG_DS	PTSHP_RENEWAL_DT	Partnership Renewal Date	75 Y	DATE
W_PARTY_ORG_DS	PTSHP_SAT_INDEX	Partnership Sat Index	76 Y	NUMBER(22,7)
W_PARTY_ORG_DS	PTSHP_STAGE	Partnership Stage	77 Y	VARCHAR2(80)
W_PARTY_ORG_DS	PUBLIC_LISTING_FLG	Public Listing Flag	78 Y	CHAR(1)
W_PARTY_ORG_DS	REGION	Region	79 Y	VARCHAR2(120)
W_PARTY_ORG_DS	SALES_EMP_CNT	# of Sales Employees	80 Y	NUMBER(10,0)
W_PARTY_ORG_DS	SERVICE_EMP_CNT	# of Service Employees	81 Y	NUMBER(10,0)
W_PARTY_ORG_DS	VIS_PR_BU_ID	Primary Business Unit ID from Source System	82 Y	VARCHAR2(15)
W_PARTY_ORG_DS	VIS_PR_POS_ID	Primary Position ID from Source System	83 Y	VARCHAR2(15)
W_PARTY_ORG_DS	ACCNT_AHA_NUM	Account Aha Number	84 Y	VARCHAR2(30)
W_PARTY_ORG_DS	ACCNT_CLASS	Account Class	85 Y	VARCHAR2(30)
W_PARTY_ORG_DS	ACCNT_HIN_NUM	Account Hin Number	86 Y	VARCHAR2(30)
W_PARTY_ORG_DS	ACCNT_REGION	Account Region	87 Y	VARCHAR2(40)
W_PARTY_ORG_DS	ACCNT_VALUE	Account Value	88 Y	VARCHAR2(40)
W_PARTY_ORG_DS	AGENCY_FLG	Agency Flag	89 Y	CHAR(1)
W_PARTY_ORG_DS	AGNC_CONTRACT_DT	Agnc Contract Date	90 Y	DATE
W_PARTY_ORG_DS	ANNUAL_REVENUE	Annual Revenue	91 Y	NUMBER(22,7)
W_PARTY_ORG_DS	BOOK_VALUE	Book Value	92 Y	NUMBER(22,7)
W_PARTY_ORG_DS	REVN_GROWTH	Account Revenue Growth	93 Y	NUMBER(22,7)
W_PARTY_ORG_DS	BRANCH_FLG	Indicates if the organization is a branch	94 Y	CHAR(1)
W_PARTY_ORG_DS	CALL_FREQUENCY	Call Frequency	95 Y	VARCHAR2(30)
W_PARTY_ORG_DS	CLIENT_FLG	Client Flag	96 Y	CHAR(1)
W_PARTY_ORG_DS	CREDIT_SCORE	Credit Score	97 Y	NUMBER(22,7)
W_PARTY_ORG_DS	CRIME_TYPE_CD	Crime Type Code	98 Y	VARCHAR2(80)
W_PARTY_ORG_DS	CURR_ASSET	Curr Asset	99 Y	NUMBER(22,7)
W_PARTY_ORG_DS	CURR_LIAB	Curr Liab	100 Y	NUMBER(22,7)
W_PARTY_ORG_DS	CUST_END_DT	Cust End Date	101 Y	DATE
W_PARTY_ORG_DS	CUST_SINCE_DT	Cust Since Date	102 Y	DATE
W_PARTY_ORG_DS	CUST_STATUS_CODE	Cust Status Code	103 Y	VARCHAR2(80)
W_PARTY_ORG_DS	DIVIDEND	Dividend	104 Y	NUMBER(22,7)
W_PARTY_ORG_DS	EXCHANGE_LOC	Exchange Loc	105 Y	VARCHAR2(15)
W_PARTY_ORG_DS	FACILITY_FLG	Facility Flag	106 Y	CHAR(1)
W_PARTY_ORG_DS	FACILITY_TYPE	Facility Type	107 Y	VARCHAR2(80)
W_PARTY_ORG_DS	FIFTYTWO_HIGH	Fiftytwo High	108 Y	NUMBER(22,7)
W_PARTY_ORG_DS	FIFTYTWO_LOW	Fiftytwo Low	109 Y	NUMBER(22,7)
W_PARTY_ORG_DS	FIN_METHOD	Finance Method	110 Y	VARCHAR2(30)
W_PARTY_ORG_DS	GROSS_PROFIT	Gross Profit	111 Y	NUMBER(22,7)
W_PARTY_ORG_DS	GROWTH_HORIZ	Growth Horizon	112 Y	VARCHAR2(80)
W_PARTY_ORG_DS	GROWTH_OBJ	Growth Objective	113 Y	VARCHAR2(80)
W_PARTY_ORG_DS	GROWTH_PERCNTG	Growth Percentage	114 Y	NUMBER(22,7)
W_PARTY_ORG_DS	IDENTIFIED_DT	Identified Date	115 Y	DATE
W_PARTY_ORG_DS	INVESTOR_FLG	Investor Flag	116 Y	CHAR(1)
W_PARTY_ORG_DS	KEY_COMPETITOR	Key Competitor	117 Y	VARCHAR2(100)
W_PARTY_ORG_DS	LEGAL_FORM	Legal Form	118 Y	VARCHAR2(80)
W_PARTY_ORG_DS	LOYAL_SCORE1	Loyal Score1	119 Y	NUMBER(22,7)
W_PARTY_ORG_DS	LOYAL_SCORE2	Loyal Score2	120 Y	NUMBER(22,7)
W_PARTY_ORG_DS	LOYAL_SCORE3	Loyal Score3	121 Y	NUMBER(22,7)
W_PARTY_ORG_DS	LEADER_NAME	Leader Name	122 Y	VARCHAR2(100)



W_PARTY_ORG_DS	LOYAL_SCORE4	Loyal Score4	123 Y	NUMBER(22,7)
W_PARTY_ORG_DS	LOYAL_SCORE5	Loyal Score5	124 Y	NUMBER(22,7)
W_PARTY_ORG_DS	LOYAL_SCORE6	Loyal Score6	125 Y	NUMBER(22,7)
W_PARTY_ORG_DS	LOYAL_SCORE7	Loyal Score7	126 Y	NUMBER(22,7)
W_PARTY_ORG_DS	MARGIN_VS_INDUST	Margin Vs Industry	127 Y	VARCHAR2(80)
W_PARTY_ORG_DS	MARKET_CLASS	Market Class	128 Y	VARCHAR2(80)
W_PARTY_ORG_DS	MARKET_TYPE	Market Type	129 Y	VARCHAR2(80)
W_PARTY_ORG_DS	MED_PROC	Med Proc	130 Y	VARCHAR2(50)
W_PARTY_ORG_DS	MEMBER_NUM	Member Number	131 Y	VARCHAR2(50)
W_PARTY_ORG_DS	MKT_POTENTIAL	Market Potential	132 Y	VARCHAR2(30)
W_PARTY_ORG_DS	MRKT_CAP_PREF	Market Cap Pref	133 Y	VARCHAR2(80)
W_PARTY_ORG_DS	NET_INCOME	Net Income	134 Y	NUMBER(22,7)
W_PARTY_ORG_DS	NON_CASH_EXP	Non Cash Exp	135 Y	NUMBER(22,7)
W_PARTY_ORG_DS	NUMB_OF_BEDS	Number Of Beds	136 Y	NUMBER(10,0)
W_PARTY_ORG_DS	OBJECTIVE	Objective	137 Y	VARCHAR2(80)
W_PARTY_ORG_DS	OPER_INCOME	Operating Income	138 Y	NUMBER(22,7)
W_PARTY_ORG_DS	PERSIST_RATIO	Persist Ratio	139 Y	NUMBER(22,7)
W_PARTY_ORG_DS	NAME_EFF_DT	Name Effective Date	140 Y	DATE
W_PARTY_ORG_DS	PRIM_MARKET	Prime Market	141 Y	VARCHAR2(80)
W_PARTY_ORG_DS	PROJ_EPS	Projected Earning per Share	142 Y	NUMBER(22,7)
W_PARTY_ORG_DS	NUMB_BEDS_EFF_DT	Number Of Beds Effective Date	143 Y	DATE
W_PARTY_ORG_DS	PR_SPEC_NAME	Primary Spec Name	144 Y	VARCHAR2(50)
W_PARTY_ORG_DS	PR_SYN_ID	Pr Syn Id	145 Y	VARCHAR2(100)
W_PARTY_ORG_DS	QUICK_RATIO	Quick Ratio	146 Y	NUMBER(22,7)
W_PARTY_ORG_DS	NUM_PROD	Number of Product	147 Y	NUMBER(10,0)
W_PARTY_ORG_DS	NUM_PROD_EFF_DT	Num Prod Effct Dt	148 Y	DATE
W_PARTY_ORG_DS	SHARE_OUTST	Share Outstanding	149 Y	NUMBER(22,7)
W_PARTY_ORG_DS	SRV_PROVDR_FLG	Service Provider Flag	150 Y	CHAR(1)
W_PARTY_ORG_DS	STAT_REASON_CD	Status Reason Code	151 Y	VARCHAR2(80)
W_PARTY_ORG_DS	TICKER	Ticker	152 Y	VARCHAR2(60)
W_PARTY_ORG_DS	PAR_ORG_EFF_DT	Parent Organization Effective Date	153 Y	DATE
W_PARTY_ORG_DS	TOTAL_DEBT	Total Debt	154 Y	NUMBER(22,7)
W_PARTY_ORG_DS	TOTAL_NET_WORTH	Total Net Worth	155 Y	NUMBER(22,7)
W_PARTY_ORG_DS	TOT_ASSET	Total Asset	156 Y	NUMBER(22,7)
W_PARTY_ORG_DS	TOT_LIABILITY	Total Liability	157 Y	NUMBER(22,7)
W_PARTY_ORG_DS	TRAIL_EPS	Trail Eps	158 Y	NUMBER(22,7)
W_PARTY_ORG_DS	VER_DT	Version Date	159 Y	DATE
W_PARTY_ORG_DS	VOLUME_TR	Volume Trade	160 Y	NUMBER(22,7)
W_PARTY_ORG_DS	CUST_CAT_CODE	Customer Category Code	161 Y	VARCHAR2(80)
W_PARTY_ORG_DS	SIC_CODE	Standard Industry Classification code	162 Y	VARCHAR2(80)
W_PARTY_ORG_DS	GOVT_ID_TYPE	Government Id Type	163 Y	VARCHAR2(30)
W_PARTY_ORG_DS	GOVT_ID_VALUE	Government Id Value	164 Y	VARCHAR2(255)
W_PARTY_ORG_DS	DUNNS_SITE_NAME	Dunns Site Name	165 Y	VARCHAR2(255)
W_PARTY_ORG_DS	DUNNS_GLOBAL_NAME	Dunns Global Name	166 Y	VARCHAR2(255)
W_PARTY_ORG_DS	DUNNS_LEGAL_NAME	Dunns Legal Name	167 Y	VARCHAR2(255)
W_PARTY_ORG_DS	CUSTOMER_NUM	Customer Number	168 Y	VARCHAR2(80)
W_PARTY_ORG_DS	ALT_CUSTOMER_NUM	Alt Customer Number	169 Y	VARCHAR2(80)
W_PARTY_ORG_DS	ALT_PHONE_NUM	Alt Phone Number	170 Y	VARCHAR2(30)
W_PARTY_ORG_DS	X_NUM_PROD	X Num Prod	171 Y	NUMBER(10,0)
W_PARTY_ORG_DS	INTERNET_HOME_PAGE	Internet Home Page	172 Y	VARCHAR2(255)

W_PARTY_ORG_DS	LEGAL_STRUCT_CODE	Legal Struct Code	173 Y	VARCHAR2(80)
W_PARTY_ORG_DS	DIRECT_MKTG_FLG	Direct Marketing Flag	174 Y	CHAR(1)
W_PARTY_ORG_DS	SOLICITATION_FLG	Solicitation Flag	175 Y	CHAR(1)
W_PARTY_ORG_DS	OOB_IND	Out of Business indicator	176 Y	VARCHAR2(30)
W_PARTY_ORG_DS	SIC_NAME	Standard Industry Classification Name	177 Y	VARCHAR2(80)
W_PARTY_ORG_DS	MINORITY_OWNED_IND	Minority Owned Business Indicator	178 Y	VARCHAR2(30)
W_PARTY_ORG_DS	WOMAN_OWNED_IND	Woman Owned Business Indicator	179 Y	VARCHAR2(30)
W_PARTY_ORG_DS	DISADV_8A_IND		180 Y	VARCHAR2(30)
W_PARTY_ORG_DS	SMALL_BUS_IND	Small Business Indicator	181 Y	VARCHAR2(30)
W_PARTY_ORG_DS	YR_ESTABLISHED	Year Established	182 Y	NUMBER(4,0)
W_PARTY_ORG_DS	TAXPAYER_ID	Taxpayer Id	183 Y	VARCHAR2(14)
W_PARTY_ORG_DS	STOCK_SYMBOL	Stock Symbol	184 Y	NUMBER(10,0)
W_PARTY_ORG_DS	DB_RATING	Dun and Bradstreet Rating	185 Y	VARCHAR2(5)
W_PARTY_ORG_DS	SIC_CODE_TYPE	Standard Industry Classification code Type	186 Y	VARCHAR2(30)
W_PARTY_ORG_DS	INTERNAL_FLG	Internal Customer Flag	187 Y	CHAR(1)
W_PARTY_ORG_DS	LEGAL_STRUCT_NAME	Legal Struct Name	188 Y	VARCHAR2(255)
W_PARTY_ORG_DS	SUPPLIER_NUM	This is the unique ID from the source system that identifies	189 Y	VARCHAR2(30)
W_PARTY_ORG_DS	CONTACT_NAME	Contact Name	190 Y	VARCHAR2(255)
W_PARTY_ORG_DS	EMAIL_ADDRESS	Email Address	191 Y	VARCHAR2(255)
W_PARTY_ORG_DS	SUPPLIER_GRP_CODE	Supplier Group Code	192 Y	VARCHAR2(80)
W_PARTY_ORG_DS	SUPPLIER_TYPE_CODE	Supplier Type Code	193 Y	VARCHAR2(80)
W_PARTY_ORG_DS	MINORITY_GROUP_CODE	Minority Group Code	194 Y	VARCHAR2(80)
W_PARTY_ORG_DS	SEARCH_STR	Search String	195 Y	VARCHAR2(255)
W_PARTY_ORG_DS	PREF_ORDER_METHOD	Preferred Order Method	196 Y	VARCHAR2(30)
W_PARTY_ORG_DS	EXT_NETWORK_ID	External Network ID	197 Y	VARCHAR2(255)
W_PARTY_ORG_DS	SUPPLIER_ACTIVE_FLG	Supplier Active Flag	198 Y	CHAR(1)
W_PARTY_ORG_DS	SUPPLIER_ONE_TIME_FLG	One Time Flag for Supplier	199 Y	CHAR(1)
W_PARTY_ORG_DS	SETID_VENDOR	Set Identifier for Vendor	200 Y	VARCHAR2(30)
W_PARTY_ORG_DS	VENDOR_ID	Vendor Id	201 Y	VARCHAR2(30)
W_PARTY_ORG_DS	PARENT_VENDOR_ID	Parent Vendor Id	202 Y	VARCHAR2(30)
W_PARTY_ORG_DS	SETID_CUSTOMER	Set Identifier for Customer	203 Y	VARCHAR2(30)
W_PARTY_ORG_DS	CUST_ID	Customer Id	204 Y	VARCHAR2(30)
W_PARTY_ORG_DS	ST_ADDRESS2	Street Address2	205 Y	VARCHAR2(255)
W_PARTY_ORG_DS	ST_ADDRESS3	Street Address3	206 Y	VARCHAR2(255)
W_PARTY_ORG_DS	ST_ADDRESS4	Street Address4	207 Y	VARCHAR2(255)
W_PARTY_ORG_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	208 Y	VARCHAR2(80)
W_PARTY_ORG_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	209 Y	VARCHAR2(80)
W_PARTY_ORG_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	210 Y	DATE
W_PARTY_ORG_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	211 Y	DATE
W_PARTY_ORG_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	212 Y	DATE
W_PARTY_ORG_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	213 Y	DATE
W_PARTY_ORG_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	214 Y	DATE
W_PARTY_ORG_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	215 Y	DATE
W_PARTY_ORG_DS	AUX5_CHANGED_ON_DT	Oracle system field. This column identifies the last	216 Y	DATE
W_PARTY_ORG_DS	AUX6_CHANGED_ON_DT	Oracle system field. This column identifies the last	217 Y	DATE
W_PARTY_ORG_DS	AUX7_CHANGED_ON_DT	Oracle system field. This column identifies the last	218 Y	DATE
W_PARTY_ORG_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	219 Y	DATE
W_PARTY_ORG_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	220 Y	DATE
W_PARTY_ORG_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	221 Y	CHAR(1)
W_PARTY_ORG_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	222 N	NUMBER(10,0)

W_PARTY_ORG_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	223	N	VARCHAR2(80)
W_PARTY_ORG_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	224	Y	VARCHAR2(80)
W_PARTY_ORG_DS	X_CUSTOM	This column is used as a generic field for customer	225	Y	NUMBER(10,0)
W_PARTY_ORG_DS	AUX_CLASS_1_CODE	Aux Class Code1	226	Y	VARCHAR2(80)
W_PARTY_ORG_DS	AUX_CLASS_2_CODE	Aux Class Code2	227	Y	VARCHAR2(80)
W_PARTY_ORG_DS	AUX_CLASS_3_CODE	Aux Class Code3	228	Y	VARCHAR2(80)
W_PARTY_ORG_DS	GEOGRAPHY_ID	Geography Code	229	Y	VARCHAR2(80)
W_PARTY_ORG_DS	ORGANIZATION_SIZE	Organization Size	230	Y	VARCHAR2(20)
W_PARTY_ORG_DS	PRI_CONTACT_PHONE_NUM	Primary Contact Phone Number	231	Y	VARCHAR2(40)
W_PARTY_ORG_DS	SUPPLIER_FLG	Supplier Flag	232	Y	CHAR(1)
W_PARTY_ORG_DS	FLEX_ATTRIB_1_CHAR	This is flex attribute 1.	233	Y	VARCHAR2(255)
W_PARTY_ORG_DS	SALES_ACCNT_FLG	Sales Account Flag	234	Y	CHAR(1)
W_PARTY_ORG_DS	SALES_REF_FLG	Sales Ref Flag	235	Y	CHAR(1)
W_PARTY_ORG_DS	FLEX_ATTRIB_2_CHAR	This is flex attribute 2.	236	Y	VARCHAR2(255)
W_PARTY_ORG_DS	SALES_ACCT_SINCE_DT	Date when Sales Account was originally established	237	Y	DATE
W_PARTY_ORG_DS	FLEX_ATTRIB_3_CHAR	This is flex attribute 3.	238	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_4_CHAR	This is flex attribute 4.	239	Y	VARCHAR2(255)
W_PARTY_ORG_DS	HUB_ZONE_FLG	Hub Zone Flag	240	Y	CHAR(1)
W_PARTY_ORG_DS	VET_OWNED_FLG	Veteran Owned Flag	241	Y	CHAR(1)
W_PARTY_ORG_DS	FLEX_ATTRIB_5_CHAR	This is flex attribute 5.	242	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_6_CHAR	This is flex attribute 6.	243	Y	VARCHAR2(255)
W_PARTY_ORG_DS	SUPPLIER_SINCE_DT	Date when Supplier was originally established	244	Y	DATE
W_PARTY_ORG_DS	FLEX_ATTRIB_7_CHAR	This is flex attribute 7.	245	Y	VARCHAR2(255)
W_PARTY_ORG_DS	PRIMARY_PHONE_AREA_CODE	Primary Phone Area Code	246	Y	VARCHAR2(10)
W_PARTY_ORG_DS	FLEX_ATTRIB_8_CHAR	This is flex attribute 8.	247	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_9_CHAR	This is flex attribute 9.	248	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_10_CHAR	This is flex attribute 10.	249	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_11_CHAR	This is flex attribute 11.	250	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_12_CHAR	This is flex attribute 12.	251	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_13_CHAR	This is flex attribute 13.	252	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_14_CHAR	This is flex attribute 14.	253	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_15_CHAR	This is flex attribute 15.	254	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_16_CHAR	This is flex attribute 16.	255	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_17_CHAR	This is flex attribute 17.	256	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_18_CHAR	This is flex attribute 18.	257	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_19_CHAR	This is flex attribute 19.	258	Y	VARCHAR2(255)
W_PARTY_ORG_DS	FLEX_ATTRIB_20_CHAR	This is flex attribute 20.	259	Y	VARCHAR2(255)
W_PARTY_ORG_DS	EXIST_SALES_ACCNT_FLG	Existing Sales Account flag	260	Y	VARCHAR2(1)
W_PARTY_ORG_DS	SALES_ACCNT_TYPE_CODE	Sales Account Type code	261	Y	VARCHAR2(80)

<b>TABLE NAME:</b>	W_PARTY_PER_DS
<b>TABLE DESCRIPTION:</b>	Party Person Dimension includes B2B Customer and B2C Contact data. and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	This table contains Customer information. This is a type-1 dimension and a customer cannot be repeated. Data for this table has to be provided by an external source or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_PARTY_PER_DS	CUSTOMER_NUM	Customer Number	1	N	VARCHAR2(80)
W_PARTY_PER_DS	GEO_ID	This gives the Geographical ID of the Customer.	2	Y	NUMBER(10,0)
W_PARTY_PER_DS	PR_HOUSEHOLD_ID	This gives the Primary Household ID to which the	3	Y	NUMBER(10,0)
W_PARTY_PER_DS	POSTAL_CODE	Postal Code or Zip code	4	Y	VARCHAR2(30)

W_PARTY_PER_DS	CITY_NAME	City Name	5 Y	VARCHAR2(80)
W_PARTY_PER_DS	CITY_CODE	City Code	6 Y	VARCHAR2(50)
W_PARTY_PER_DS	STATE_NAME	State Name	7 Y	VARCHAR2(80)
W_PARTY_PER_DS	STATE_CODE	State Code	8 Y	VARCHAR2(50)
W_PARTY_PER_DS	COUNTRY_NAME	Country name	9 Y	VARCHAR2(80)
W_PARTY_PER_DS	COUNTRY_CODE	Country code	10 Y	VARCHAR2(50)
W_PARTY_PER_DS	REGION_NAME	Region Name	11 Y	VARCHAR2(80)
W_PARTY_PER_DS	REGION_CODE	Region Code	12 Y	VARCHAR2(50)
W_PARTY_PER_DS	ACTIVE_FLG	Active Flag	13 Y	VARCHAR2(1)
W_PARTY_PER_DS	PROSPECT_FLG	Prospect Flag	14 Y	VARCHAR2(1)
W_PARTY_PER_DS	ACCNT_FLG	Account Flag	15 Y	VARCHAR2(1)
W_PARTY_PER_DS	SUPPLIER_FLG	Supplier Flag	16 Y	VARCHAR2(1)
W_PARTY_PER_DS	DEPARTMENT_NAME	Department Name	17 Y	VARCHAR2(100)
W_PARTY_PER_DS	SEX_MF_NAME	Gender Name	18 Y	VARCHAR2(50)
W_PARTY_PER_DS	SEX_MF_CODE	Gender Code i	19 Y	VARCHAR2(50)
W_PARTY_PER_DS	HAIR_COLOR	Hair Color	20 Y	VARCHAR2(30)
W_PARTY_PER_DS	HEIGHT	Height	21 Y	VARCHAR2(30)
W_PARTY_PER_DS	WEIGHT	Weight	22 Y	VARCHAR2(30)
W_PARTY_PER_DS	ETHNICITY_NAME	Ethnicity Name	23 Y	VARCHAR2(80)
W_PARTY_PER_DS	ETHNICITY_CODE	Ethnicity Code	24 Y	VARCHAR2(50)
W_PARTY_PER_DS	COMPLEXION_NAME	Complexion Name	25 Y	VARCHAR2(80)
W_PARTY_PER_DS	COMPLEXION_CODE	Complexion Code	26 Y	VARCHAR2(50)
W_PARTY_PER_DS	MARITAL_STAT_NAME	Marital Stat Name	27 Y	VARCHAR2(80)
W_PARTY_PER_DS	MARITAL_STAT_CODE	Code indicating whether customer is married. Marital	28 Y	VARCHAR2(50)
W_PARTY_PER_DS	BIRTH_PLACE	Birth Place	29 Y	VARCHAR2(100)
W_PARTY_PER_DS	DEATH_DT	Death Date	30 Y	DATE
W_PARTY_PER_DS	CITIZENSHIP_NAME	Citizenship Name	31 Y	VARCHAR2(80)
W_PARTY_PER_DS	CITIZENSHIP_CODE	Citizenship Code	32 Y	VARCHAR2(50)
W_PARTY_PER_DS	EDUCATION_BCKGND_NAME	Education Background Name	33 Y	VARCHAR2(80)
W_PARTY_PER_DS	EDUCATION_BCKGND_CODE	Education Background Code	34 Y	VARCHAR2(50)
W_PARTY_PER_DS	EDUCATION_YEARS	Education years	35 Y	NUMBER(10,0)
W_PARTY_PER_DS	GRAD_YR	Graduation Year	36 Y	NUMBER(10,0)
W_PARTY_PER_DS	JOB_CATEGORY_NAME	Job Category Name	37 Y	VARCHAR2(80)
W_PARTY_PER_DS	JOB_CATEGORY_CODE	Job Category Code	38 Y	VARCHAR2(50)
W_PARTY_PER_DS	JOB_TITLE	Job Title	39 Y	VARCHAR2(75)
W_PARTY_PER_DS	ADDR_EFF_DT	Effective from when current address is Valid in DW	40 Y	DATE
W_PARTY_PER_DS	ANNL_INCOME	Annual Income	41 Y	NUMBER(22,7)
W_PARTY_PER_DS	ANNL_REVENUE	Annual Revenue	42 Y	NUMBER(22,7)
W_PARTY_PER_DS	CREDIT_SCORE	Credit Score	43 Y	NUMBER(22,7)
W_PARTY_PER_DS	TAX_BRACKET	Tax Bracket	44 Y	NUMBER(22,7)
W_PARTY_PER_DS	AGENT_FLG	Agent Flag	45 Y	VARCHAR2(1)
W_PARTY_PER_DS	CALL_FLG	Call Flag	46 Y	VARCHAR2(1)
W_PARTY_PER_DS	COMP_OWNER_FLG	Call Flag	47 Y	VARCHAR2(1)
W_PARTY_PER_DS	CONSUMER_FLG	Consumer Flag	48 Y	VARCHAR2(1)
W_PARTY_PER_DS	CON_ACTIVE_FLG	Contact Active Flag (Y/N) : If the contact is active then it is	49 Y	VARCHAR2(1)
W_PARTY_PER_DS	CON_BU_NAME	Contact Business Unit Name	50 Y	VARCHAR2(100)
W_PARTY_PER_DS	CON_FORMED_DT	Con Formed Date	51 Y	DATE
W_PARTY_PER_DS	CUST_END_DT	Customer End Date	52 Y	DATE
W_PARTY_PER_DS	CUST_SINCE_DT	Customer Since Date	53 Y	DATE
W_PARTY_PER_DS	CUST_VAL_EFF_DT	Customer Value Effective Date	54 Y	DATE

W_PARTY_PER_DS	DECEASE_FLG	Decease Flag	55 Y	VARCHAR2(1)
W_PARTY_PER_DS	EMAIL_SR_UPD_FLG	Email Sr Upd Flag	56 Y	VARCHAR2(1)
W_PARTY_PER_DS	ENTREPRISE_FLG	Enterprise Flag	57 Y	VARCHAR2(1)
W_PARTY_PER_DS	FST_PROMO_DT	First Promotion Date	58 Y	DATE
W_PARTY_PER_DS	HARD_TO_REACH	Hard To Reach	59 Y	VARCHAR2(1)
W_PARTY_PER_DS	INCOME_RNG_EFF_DT	Income Rng Eff Date	60 Y	DATE
W_PARTY_PER_DS	LST_PROMO_DT	Last Promotion Date	61 Y	DATE
W_PARTY_PER_DS	MEMBER_FLG	Member Flag	62 Y	VARCHAR2(1)
W_PARTY_PER_DS	NAME_EFF_DT	Effective from when current Name is Valid in DW DATE	63 Y	DATE
W_PARTY_PER_DS	NET_WORTH_EFF_DT	Net Worth Effective Date	64 Y	DATE
W_PARTY_PER_DS	NUM_CMPGNS	Number Cmpgns	65 Y	NUMBER(10,0)
W_PARTY_PER_DS	NUM_OFRS_PRSNTD	Number Offers Presented	66 Y	NUMBER(10,0)
W_PARTY_PER_DS	PRESCRIBER_FLG	Prescriber Flag	67 Y	VARCHAR2(1)
W_PARTY_PER_DS	PROVIDER_FLG	Provider Flag	68 Y	VARCHAR2(1)
W_PARTY_PER_DS	RESDNCE_VAL	Residence Value	69 Y	NUMBER(22,7)
W_PARTY_PER_DS	SELF_EMPL_FLG	Self Employed Flag	70 Y	VARCHAR2(1)
W_PARTY_PER_DS	SEMINAR_INVIT_FLG	Seminar Invite Flag	71 Y	VARCHAR2(1)
W_PARTY_PER_DS	SPEAKER_FLG	Speaker Flag	72 Y	VARCHAR2(1)
W_PARTY_PER_DS	SUPPRESS_CALL_FLG	Suppress Call Flag (Y/N) : If the contact is not be called it	73 Y	VARCHAR2(1)
W_PARTY_PER_DS	SUPPRESS_EMAIL_FLG	Suppress Email Flag (Y/N) : If the contact's email is not be	74 Y	VARCHAR2(1)
W_PARTY_PER_DS	SUPPRESS_FAX_FLG	Suppress Fax Flag (Y/N) : If the contact's fax is not to be	75 Y	VARCHAR2(1)
W_PARTY_PER_DS	SUPPRESS_MAIL_FLG	Suppress Mail Flag (Y/N) : If the contact's mail is not to be	76 Y	VARCHAR2(1)
W_PARTY_PER_DS	YEARS_AT_ACCNT	Years At Account	77 Y	NUMBER(22,7)
W_PARTY_PER_DS	YRS_AT_RESIDENCE	Years At Residence	78 Y	NUMBER(22,7)
W_PARTY_PER_DS	ACCESS_LVL_NAME	Access Level Name	79 Y	VARCHAR2(80)
W_PARTY_PER_DS	ACCESS_LVL_CODE	Access Level Code	80 Y	VARCHAR2(50)
W_PARTY_PER_DS	AGE_RANGE	Age Range	81 Y	VARCHAR2(30)
W_PARTY_PER_DS	EMP_ACCNT_BU_NAME	Employee Account Business Unit Name	82 Y	VARCHAR2(100)
W_PARTY_PER_DS	EMP_ACCNT_LOC	Employee Account Location	83 Y	VARCHAR2(50)
W_PARTY_PER_DS	EMP_ACCNT_NAME	Employee Account Name	84 Y	VARCHAR2(100)
W_PARTY_PER_DS	TERR_NAME	Territory Name	85 Y	VARCHAR2(75)
W_PARTY_PER_DS	EMP_ACTIVE_FLG	Employee Active Flag (Y/N) : If the employee still exists	86 Y	VARCHAR2(1)
W_PARTY_PER_DS	EMP_FLG	Employee Flag	87 Y	VARCHAR2(1)
W_PARTY_PER_DS	EMP_FORMED_DT	Employee Formed Date	88 Y	DATE
W_PARTY_PER_DS	EMP_HIRE_DT	Employee Hire date	89 Y	DATE
W_PARTY_PER_DS	APPR_AUTH	Approval Authorization	90 Y	NUMBER(22,7)
W_PARTY_PER_DS	APPR_AUTH_CAT_NAME	Approved Auth Category	91 Y	VARCHAR2(80)
W_PARTY_PER_DS	APPR_AUTH_CAT_CODE	Approved Auth Category Code	92 Y	VARCHAR2(50)
W_PARTY_PER_DS	APPR_CURCY_CD	Approved Currency Code	93 Y	VARCHAR2(30)
W_PARTY_PER_DS	CALL_LST_NAME	Call Last Name	94 Y	VARCHAR2(50)
W_PARTY_PER_DS	COM_PREFERENCE	Communication Preference	95 Y	VARCHAR2(30)
W_PARTY_PER_DS	CUST_VALUE_NAME	Customer Value	96 Y	VARCHAR2(80)
W_PARTY_PER_DS	CUST_VALUE_CODE	Customer Value Code	97 Y	VARCHAR2(50)
W_PARTY_PER_DS	DEPT_TYPE_NAME	Department Type Name	98 Y	VARCHAR2(80)
W_PARTY_PER_DS	DEPT_TYPE_CODE	Department Type Code	99 Y	VARCHAR2(50)
W_PARTY_PER_DS	EMPLMNT_STAT_CODE	Employment Stat Code	100 Y	VARCHAR2(30)
W_PARTY_PER_DS	EXT_CON_STORE	Ext Con Store	101 Y	VARCHAR2(30)
W_PARTY_PER_DS	EYE_COLOR_LEFT_NAME	Left Eye Color	102 Y	VARCHAR2(80)
W_PARTY_PER_DS	EYE_COLOR_LEFT_CODE	Left Eye Color Code	103 Y	VARCHAR2(50)
W_PARTY_PER_DS	EYE_COLOR_RIGHT_NAME	Right Eye Color	104 Y	VARCHAR2(80)

W_PARTY_PER_DS	EYE_COLOR_RIGHT_CODE	Right Eye Color Code	105 Y	VARCHAR2(50)
W_PARTY_PER_DS	GOALS	Goals	106 Y	VARCHAR2(250)
W_PARTY_PER_DS	HOBBY	Hobby	107 Y	VARCHAR2(30)
W_PARTY_PER_DS	INCOME_RANGE_NAME	Income Range	108 Y	VARCHAR2(80)
W_PARTY_PER_DS	INCOME_RANGE_CODE	Income Range Code	109 Y	VARCHAR2(50)
W_PARTY_PER_DS	INS_OCCUPATION	Ins Occupation	110 Y	VARCHAR2(50)
W_PARTY_PER_DS	INVST_EXPERIENCE_NAME	Investment Experience	111 Y	VARCHAR2(80)
W_PARTY_PER_DS	INVST_EXPERIENCE_CODE	Investment Experience Code	112 Y	VARCHAR2(50)
W_PARTY_PER_DS	INVST_HORIZON_NAME	Investment Horizon	113 Y	VARCHAR2(80)
W_PARTY_PER_DS	INVST_HORIZON_CODE	Investment Horizon Code	114 Y	VARCHAR2(50)
W_PARTY_PER_DS	INVST_KNOWLEDGE_NAME	Investment Knowledge	115 Y	VARCHAR2(80)
W_PARTY_PER_DS	INVST_KNOWLEDGE_CODE	Investment Knowledge Code	116 Y	VARCHAR2(50)
W_PARTY_PER_DS	INVST_OBJECTIVE_NAME	Investment Objective	117 Y	VARCHAR2(80)
W_PARTY_PER_DS	INVST_OBJECTIVE_CODE	Investment Objective Code	118 Y	VARCHAR2(50)
W_PARTY_PER_DS	INVST_PROFILE_NAME	Investment Profile	119 Y	VARCHAR2(80)
W_PARTY_PER_DS	INVST_PROFILE_CODE	Investment Profile Code	120 Y	VARCHAR2(50)
W_PARTY_PER_DS	INVST_RISK_NAME	Investment Risk	121 Y	VARCHAR2(80)
W_PARTY_PER_DS	INVST_RISK_CODE	Investment Risk Code	122 Y	VARCHAR2(50)
W_PARTY_PER_DS	MKT_POTENTIAL	Market Potential	123 Y	VARCHAR2(30)
W_PARTY_PER_DS	MRKT_CAP_PREF_NAME	Market Cap Pref	124 Y	VARCHAR2(80)
W_PARTY_PER_DS	MRKT_CAP_PREF_CODE	Market Cap Pref Code	125 Y	VARCHAR2(50)
W_PARTY_PER_DS	NATIONALITY	Nationality	126 Y	VARCHAR2(30)
W_PARTY_PER_DS	NET_WORTH_NAME	Net Worth	127 Y	VARCHAR2(80)
W_PARTY_PER_DS	NET_WORTH_CODE	Net Worth Code	128 Y	VARCHAR2(50)
W_PARTY_PER_DS	OU_MAIL_STOP	OU Mail Stop	129 Y	VARCHAR2(30)
W_PARTY_PER_DS	PAR_HELD_POSTN	Parent Held Position	130 Y	VARCHAR2(50)
W_PARTY_PER_DS	PR_POSTN	Primary Position	131 Y	VARCHAR2(50)
W_PARTY_PER_DS	HELD_POSTN	Held Position	132 Y	VARCHAR2(50)
W_PARTY_PER_DS	PREF_COMM_MEDIA_NAME	Preferred Communication Media	133 Y	VARCHAR2(80)
W_PARTY_PER_DS	PREF_COMM_MEDIA_CODE	Preferred Communication Media Code	134 Y	VARCHAR2(50)
W_PARTY_PER_DS	PREF_LANG_ID	Preferred Language Id	135 Y	VARCHAR2(15)
W_PARTY_PER_DS	PRE_LANG	Preferred Language	136 Y	VARCHAR2(50)
W_PARTY_PER_DS	PREF_CALL_FREQ	Preferred Call Frequency	137 Y	VARCHAR2(30)
W_PARTY_PER_DS	PROF_TITLE	Professional Title	138 Y	VARCHAR2(30)
W_PARTY_PER_DS	PR_MKT_SEGMENT	Primary Market Segment	139 Y	VARCHAR2(50)
W_PARTY_PER_DS	PR_SPECIALTY	Primary Specialty	140 Y	VARCHAR2(100)
W_PARTY_PER_DS	PR_SPEC_NAME	Primary Spec Name	141 Y	VARCHAR2(50)
W_PARTY_PER_DS	RESDNCE_CATEGORY_NAME	Residence Category	142 Y	VARCHAR2(80)
W_PARTY_PER_DS	RESDNCE_CATEGORY_CODE	Residence Category Code	143 Y	VARCHAR2(50)
W_PARTY_PER_DS	RESDNCE_TYPE_NAME	Residence Type	144 Y	VARCHAR2(80)
W_PARTY_PER_DS	RESDNCE_TYPE_CODE	Residence Type Code	145 Y	VARCHAR2(50)
W_PARTY_PER_DS	RESIDENCY_INSTN	Residency Installation	146 Y	VARCHAR2(50)
W_PARTY_PER_DS	RSRCH_CHNL_PREF_NAME	Research Channel Preference Name	147 Y	VARCHAR2(80)
W_PARTY_PER_DS	RSRCH_CHNL_PREF_CODE	Research Channel Preference Code	148 Y	VARCHAR2(50)
W_PARTY_PER_DS	SPECIALTY_BRICK	Specialty Brick	149 Y	VARCHAR2(40)
W_PARTY_PER_DS	STAFF	Staff	150 Y	VARCHAR2(255)
W_PARTY_PER_DS	STATUS_NAME	Status Code	151 Y	VARCHAR2(80)
W_PARTY_PER_DS	STATUS_CODE	Status Code Name	152 Y	VARCHAR2(50)
W_PARTY_PER_DS	STAT_REASON_NAME	Status Reason	153 Y	VARCHAR2(80)
W_PARTY_PER_DS	STAT_REASON_CODE	Status Reason Code	154 Y	VARCHAR2(50)

W_PARTY_PER_DS	VIS_PR_BU_ID	Visibility Primary BU Id	155 Y	VARCHAR2(15)
W_PARTY_PER_DS	VIS_PR_POS_ID	Visibility Primary BU Name	156 Y	VARCHAR2(15)
W_PARTY_PER_DS	VIS_PR_POSTN_DH_WID	Visibility Primary BU Name	157 Y	NUMBER(22,10)
W_PARTY_PER_DS	ETHNICITY1_CD	Ethnicity Code 1	158 Y	VARCHAR2(30)
W_PARTY_PER_DS	ETHNICITY2_CD	Ethnicity Code 2	159 Y	VARCHAR2(30)
W_PARTY_PER_DS	VETERAN_FLG	Veteran Flag	160 Y	VARCHAR2(1)
W_PARTY_PER_DS	STUDENT_FLG	Student flag	161 Y	VARCHAR2(1)
W_PARTY_PER_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	162 Y	NUMBER(10,0)
W_PARTY_PER_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	163 Y	NUMBER(10,0)
W_PARTY_PER_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	164 Y	DATE
W_PARTY_PER_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	165 Y	DATE
W_PARTY_PER_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	166 Y	DATE
W_PARTY_PER_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	167 Y	DATE
W_PARTY_PER_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	168 Y	DATE
W_PARTY_PER_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	169 Y	DATE
W_PARTY_PER_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	170 Y	DATE
W_PARTY_PER_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	171 Y	DATE
W_PARTY_PER_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	172 Y	VARCHAR2(1)
W_PARTY_PER_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	173 N	NUMBER(10,0)
W_PARTY_PER_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	174 N	VARCHAR2(80)
W_PARTY_PER_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	175 Y	VARCHAR2(80)
W_PARTY_PER_DS	X_CUSTOM	This column is used as a generic field for customer	176 Y	VARCHAR2(10)
W_PARTY_PER_DS	SUPPLIER_ID	Supplier Id	177 Y	VARCHAR2(80)
W_PARTY_PER_DS	MASTER_CUSTOMER_NUM	The master customer number is used to identify if	178 Y	VARCHAR2(80)
W_PARTY_PER_DS	MASTER_CUSTOMER_NAME	This is the master customer name identified by master	179 Y	VARCHAR2(80)
W_PARTY_PER_DS	CUST_STATUS_CODE	Account status code	180 Y	VARCHAR2(50)
W_PARTY_PER_DS	RFM_CAT_CODE	A score based on recency , monetary value and frequency	181 Y	VARCHAR2(50)
W_PARTY_PER_DS	RECENCY_CAT_CODE	Score based on total number of purchases made by	182 Y	VARCHAR2(50)
W_PARTY_PER_DS	FREQUENCY_CAT_CODE	This is frequency category code	183 Y	VARCHAR2(50)
W_PARTY_PER_DS	MONETARY_CAT_CODE	Score based on customer's average spend.	184 Y	VARCHAR2(50)
W_PARTY_PER_DS	CHURN_SCORE	Churn score indicates the probability of losing a given	185 Y	VARCHAR2(50)
W_PARTY_PER_DS	PARTY_TYPE_CODE	Code to identify customer type	186 Y	VARCHAR2(50)
W_PARTY_PER_DS	OPT_OUT_FLG	The flag indicating if the address/email may or may not be	187 Y	VARCHAR2(1)
W_PARTY_PER_DS	CUSTOMER_BIRTH_MONTH	Customer Month of Birth.	188 Y	NUMBER(2,0)
W_PARTY_PER_DS	CUSTOMER_BIRTH_YEAR	Customer Year of Birth.	189 Y	NUMBER(4,0)
W_PARTY_PER_DS	ANNL_INCOME_RANGE	This column stores Annual Income Range of Customer.	190 Y	VARCHAR2(150)
W_PARTY_PER_DS	KIDS_AGE_GROUP	These will be predefined ranges for a customer. The	191 Y	VARCHAR2(10)
W_PARTY_PER_DS	CUST_LIFETIME_VALUE	Numeric Forecast of customer profitability considering	192 Y	NUMBER(22,7)
W_PARTY_PER_DS	CUST_LIFETIME_VALUE_CODE	This column will store range like Very	193 Y	VARCHAR2(50)
W_PARTY_PER_DS	CUST_PROFITABILITY_CODE	Customer Profitability Using historical analysis (High,	194 Y	VARCHAR2(50)
W_PARTY_PER_DS	HOURS_WORKED	The # of hours worked per week	195 Y	NUMBER(4,0)
W_PARTY_PER_DS	YEARS_PRIMARY_STORE	Number of years shopped at the primary grocery store	196 Y	NUMBER(4,0)
W_PARTY_PER_DS	TEEN_NUM	This should follow the same paradigm as	197 Y	NUMBER(4,0)
W_PARTY_PER_DS	RELIGION_CODE	Region code for the purpose of demographics based	198 Y	VARCHAR2(50)
W_PARTY_PER_DS	SOCAL_CLASS_CODE	Status hierarchy by which customer are classified on the	199 Y	VARCHAR2(50)
W_PARTY_PER_DS	FAMILY_LIFE_CYCL_CODE	Bachelor, married with no children (DINKS: Double	200 Y	VARCHAR2(50)
W_PARTY_PER_DS	METRO_AREA_SIZE	This attribute indicates the size of the metropolitan area. It	201 Y	NUMBER(12,4)
W_PARTY_PER_DS	POPULATION_DENSITY	Indicates if the geography based segment represents	202 Y	VARCHAR2(50)
W_PARTY_PER_DS	CLIMATE_CODE	The code indicates the weather patterns	203 Y	VARCHAR2(50)
W_PARTY_PER_DS	BENEFIT_SOUGHT_CODE	The main benefits consumers look for in a product. For	204 Y	VARCHAR2(50)



W_PARTY_PER_DS	USAGE_RATE	This attribute indicates customer segments buying	205	Y	VARCHAR2(50)
W_PARTY_PER_DS	READINESS_TO_BUY_CODE	This attribute indicates customer segments buying	206	Y	VARCHAR2(50)
W_PARTY_PER_DS	OCCASION_CODE	This attribute indicate when segment tends to purchase or	207	Y	VARCHAR2(50)
W_PARTY_PER_DS	ACTIVITY_CODE	Activity code based on AIO survey. This will be used to	208	Y	VARCHAR2(50)
W_PARTY_PER_DS	INTEREST_CODE	Interest code based on AIO survey. This will be used to	209	Y	VARCHAR2(50)
W_PARTY_PER_DS	OPINION_CODE	This attribute indicates (but is not limited to) customer	210	Y	VARCHAR2(50)
W_PARTY_PER_DS	ATTITUDE_CODE	Indicates the Attitude of the psychographic customer	211	Y	VARCHAR2(50)

<b>TABLE NAME:</b>	W_PRODUCT_ATTR_DS
<b>TABLE DESCRIPTION:</b>	Product Attribute Dimension
<b>BUSINESS RULE:</b>	This table contains the complete snapshot of Product Attribute information. This table cannot contain duplicate records for PROD_NUM. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_PRODUCT_ATTR_DS	PROD_NUM	Product Number	1	N	VARCHAR2(30)
W_PRODUCT_ATTR_DS	W_CATEGORY	Identifies the designated domain value code for the	2	N	VARCHAR2(240)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR1_NAME	This is the product attribute 1.	3	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR2_NAME	This is the product attribute 2.	4	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR3_NAME	This is the product attribute 3.	5	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR4_NAME	This is the product attribute 4.	6	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR5_NAME	This is the product attribute 5.	7	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR6_NAME	This is the product attribute 6.	8	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR7_NAME	This is the product attribute 7.	9	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR8_NAME	This is the product attribute 8.	10	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR9_NAME	This is the product attribute 9.	11	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR10_NAME	This is the product attribute 10.	12	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR11_NAME	This is the product attribute 11.	13	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR12_NAME	This is the product attribute 12.	14	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR13_NAME	This is the product attribute 13.	15	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR14_NAME	This is the product attribute 14.	16	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR15_NAME	This is the product attribute 15.	17	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR16_NAME	This is the product attribute 16.	18	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR17_NAME	This is the product attribute 17.	19	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR18_NAME	This is the product attribute 18.	20	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR19_NAME	This is the product attribute 19.	21	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR20_NAME	This is the product attribute 20.	22	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR21_NAME	This is the product attribute 21.	23	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR22_NAME	This is the product attribute 22.	24	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR23_NAME	This is the product attribute 23.	25	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR24_NAME	This is the product attribute 24.	26	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR25_NAME	This is the product attribute 25.	27	Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR1_DATE	This is the product attribute date 1.	28	Y	DATE
W_PRODUCT_ATTR_DS	PRODUCT_ATTR2_DATE	This is the product attribute date 2.	29	Y	DATE
W_PRODUCT_ATTR_DS	PRODUCT_ATTR1_NUM_VALUE	This is the product attribute num value 1.	30	Y	NUMBER(20,4)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR2_NUM_VALUE	This is the product attribute num value 2.	31	Y	NUMBER(20,4)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR3_NUM_VALUE	This is the product attribute num value 3.	32	Y	NUMBER(20,4)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR4_NUM_VALUE	This is the product attribute num value 4.	33	Y	NUMBER(20,4)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR5_NUM_VALUE	This is the product attribute num value 5.	34	Y	NUMBER(20,4)
W_PRODUCT_ATTR_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	35	Y	VARCHAR2(80)
W_PRODUCT_ATTR_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	36	Y	VARCHAR2(80)



W_PRODUCT_ATTR_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	37 Y	DATE
W_PRODUCT_ATTR_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	38 Y	DATE
W_PRODUCT_ATTR_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	39 Y	DATE
W_PRODUCT_ATTR_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	40 Y	DATE
W_PRODUCT_ATTR_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	41 Y	DATE
W_PRODUCT_ATTR_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	42 Y	DATE
W_PRODUCT_ATTR_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	43 Y	DATE
W_PRODUCT_ATTR_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	44 Y	DATE
W_PRODUCT_ATTR_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	45 Y	CHAR(1)
W_PRODUCT_ATTR_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	46 N	NUMBER(10,0)
W_PRODUCT_ATTR_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	47 N	VARCHAR2(80)
W_PRODUCT_ATTR_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	48 Y	VARCHAR2(80)
W_PRODUCT_ATTR_DS	X_CUSTOM	This column is used as a generic field for customer	49 Y	VARCHAR2(80)
W_PRODUCT_ATTR_DS	PRODUCT_CLASSIFICATION	This column contains item combinability codes (with code t)	50 Y	VARCHAR2(6)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR_IMAGE_NAME	This column stores the Default image attribute name at the	51 Y	VARCHAR2(120)
W_PRODUCT_ATTR_DS	PRODUCT_ATTR_IMAGE_ADDR	This column stores the Default Attribute URL to the image.	52 Y	VARCHAR2(255)

<b>TABLE NAME:</b>	W_PRODUCT_DS
<b>TABLE DESCRIPTION:</b>	Product entity stores information about the Products of various product types viz., Finished Goods, Raw Material and other types of Products from the CRM, ERP & other source systems. The grain of this table is at the level of Unique Product defined in the source system's Product Master. In some source systems, that support multiple plants/Orgs, a master plant/ Org is maintained to define the master list of products that can be further copied into other plants/ Orgs where some attributes can be changed. In such cases, this entity would hold the Products defined in the Master Plant/ Org. This table is designed to be a slowly changing dimension that supports Type-2 changes.
<b>BUSINESS RULE:</b>	This table contains the complete snapshot of Product information. This table cannot contain duplicate records for PROD_NUM as INTEGRATION_ID. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_PRODUCT_DS	PRODUCT_TYPE_CODE	Product Type Code	1	Y	VARCHAR2(80)
W_PRODUCT_DS	PR_PROD_LN	Primary product line	2	Y	VARCHAR2(100)
W_PRODUCT_DS	CONFIG_CAT_CODE	Config Cat Code	3	Y	VARCHAR2(80)
W_PRODUCT_DS	PRICE_TYPE_CODE	Non Recurring Charge vs. Recurring Charge	4	Y	VARCHAR2(80)
W_PRODUCT_DS	BASIC_PRODUCT	Basic Product	5	Y	VARCHAR2(30)
W_PRODUCT_DS	PR_EQUIV_PROD_NAME	Equivalent Product	6	Y	VARCHAR2(100)
W_PRODUCT_DS	CONFIG_PROD_IND	Config Prod Ind	7	Y	CHAR(1)
W_PRODUCT_DS	CONTAINER_CODE	Container Code	8	Y	VARCHAR2(80)
W_PRODUCT_DS	INDUSTRY_CODE	Industry Code	9	Y	VARCHAR2(80)
W_PRODUCT_DS	INTRODUCTION_DT	Product Introduction Date	10	Y	DATE
W_PRODUCT_DS	LOW_LEVEL_CODE	Low Level Code	11	Y	VARCHAR2(80)
W_PRODUCT_DS	MAKE_BUY_IND	Make Buy Indicator	12	Y	CHAR(1)
W_PRODUCT_DS	PROD_LIFE_CYCL_CODE	Product Life Cycle Code	13	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_REPRCH_PERIOD	Prod Reprch Period	14	Y	NUMBER(10,0)
W_PRODUCT_DS	PROD_STRUCTURE_TYPE	Product Structure Type	15	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_GRP_CODE	Product Group Code	16	Y	VARCHAR2(80)
W_PRODUCT_DS	STORAGE_TYPE_CODE	Storage Type Code	17	Y	VARCHAR2(80)
W_PRODUCT_DS	BATCH_IND	Batch indicator flag	18	Y	CHAR(1)
W_PRODUCT_DS	BRAND	Brand	19	Y	VARCHAR2(30)
W_PRODUCT_DS	COLOR	Color	20	Y	VARCHAR2(30)

W_PRODUCT_DS	CUSTOM_PROD_FLG	Custom Product Flag (Y/N) : If the Product is configurable	21 Y	CHAR(1)
W_PRODUCT_DS	PACKAGED_PROD_FLG	Packaged Product Flag (Y/N) : If the product is part of the	22 Y	CHAR(1)
W_PRODUCT_DS	RTRN_DEFECTIVE_FLG	Return defective flag	23 Y	CHAR(1)
W_PRODUCT_DS	SALES_PROD_FLG	Sales Product Flag	24 Y	CHAR(1)
W_PRODUCT_DS	SALES_SRVC_FLG	Service Flag	25 Y	CHAR(1)
W_PRODUCT_DS	SERIALIZED_FLG	Serialized Flag	26 Y	CHAR(1)
W_PRODUCT_DS	NRC_FLG	Non Recurring Charge Flag	27 Y	CHAR(1)
W_PRODUCT_DS	FRU_FLG	Field-Replaceable Unit flag	28 Y	CHAR(1)
W_PRODUCT_DS	ITEM_SIZE	Item Size.	29 Y	NUMBER(22,7)
W_PRODUCT_DS	LEAD_TIME	Lead Time for Product Delivery	30 Y	VARCHAR2(30)
W_PRODUCT_DS	MTBF	Mean time between failures	31 Y	NUMBER(22,7)
W_PRODUCT_DS	MTTR	Mean time to repair	32 Y	NUMBER(22,7)
W_PRODUCT_DS	PART_NUM	Part Number	33 Y	VARCHAR2(80)
W_PRODUCT_DS	VENDOR_LOC	Vendor location	34 Y	VARCHAR2(50)
W_PRODUCT_DS	VENDOR_NAME	Vendor name	35 Y	VARCHAR2(100)
W_PRODUCT_DS	VENDR_PART_NUM	Vendor Cat Number	36 Y	VARCHAR2(50)
W_PRODUCT_DS	DISCONTINUATION_DT	Date the product was Discontinued	37 Y	DATE
W_PRODUCT_DS	HAZARD_MTL_CODE	Hazardous material code	38 Y	VARCHAR2(80)
W_PRODUCT_DS	SALES_UOM_CODE	Sales Unit of Measure	39 Y	VARCHAR2(80)
W_PRODUCT_DS	SERIALIZED_COUNT	Serialized Count	40 Y	NUMBER(10,0)
W_PRODUCT_DS	SHELF_LIFE	Shelf Life	41 Y	NUMBER(10,0)
W_PRODUCT_DS	SHIP_MTHD_GRP_CODE	Ship Mthd Grp Code	42 Y	VARCHAR2(80)
W_PRODUCT_DS	SHIP_MTL_GRP_CODE	Ship Mtl Grp Code	43 Y	VARCHAR2(80)
W_PRODUCT_DS	SHIP_TYPE_CODE	Ship Type Code	44 Y	VARCHAR2(80)
W_PRODUCT_DS	SOURCE_OF_SUPPLY	Source Of Supply	45 Y	VARCHAR2(30)
W_PRODUCT_DS	SPRT_WITHDRAWL_DT	Date on the which Product Support is Withdrawn	46 Y	DATE
W_PRODUCT_DS	UOM_CODE	Unit of Measure	47 Y	VARCHAR2(80)
W_PRODUCT_DS	BASE_UOM_CODE	Standard Unit Of Measure Code	48 Y	VARCHAR2(80)
W_PRODUCT_DS	UNIT_GROSS_WEIGHT	Units for Gross Weight	49 Y	NUMBER(22,7)
W_PRODUCT_DS	UNIT_NET_WEIGHT	Units for Net Weight	50 Y	NUMBER(22,7)
W_PRODUCT_DS	UNIT_VOLUME	Unit Volume	51 Y	NUMBER(22,7)
W_PRODUCT_DS	UNIV_PROD_CODE	Univ Prod Code	52 Y	VARCHAR2(80)
W_PRODUCT_DS	UOV_CODE	Uov Code	53 Y	VARCHAR2(80)
W_PRODUCT_DS	UOW_CODE	Uow Code	54 Y	VARCHAR2(80)
W_PRODUCT_DS	APPLICATION_FLG	Application Flag	55 Y	CHAR(1)
W_PRODUCT_DS	BODY_STYLE_CODE	Vehicle model body style code	56 Y	VARCHAR2(80)
W_PRODUCT_DS	CASE_PACK	Case Pack	57 Y	NUMBER(22,7)
W_PRODUCT_DS	CTLG_CAT_ID	Catalog category id for building CS hierarchy	58 Y	VARCHAR2(30)
W_PRODUCT_DS	DEALER_INV_PRICE	Vehicle model dealer invoice price	59 Y	NUMBER(22,7)
W_PRODUCT_DS	DETAIL_TYPE_CODE	Detail Type	60 Y	VARCHAR2(80)
W_PRODUCT_DS	DOORS_TYPE_CODE	Vehicle model door type (ex. 2 Door,3 Door etc)	61 Y	VARCHAR2(80)
W_PRODUCT_DS	DRIVE_TRAIN_CODE	Vehicle model drive type ex. 2 wheel,3 wheel etc	62 Y	VARCHAR2(80)
W_PRODUCT_DS	ENGINE_TYPE_CODE	Vehicle model Engine type code(LOVAUTO_	63 Y	VARCHAR2(80)
W_PRODUCT_DS	FUEL_TYPE_CODE	Vehicle model fuel type category	64 Y	VARCHAR2(80)
W_PRODUCT_DS	GROSS_MRGN	Gross Margin	65 Y	NUMBER(22,7)
W_PRODUCT_DS	INVENTORY_FLG	Inventory Flag	66 Y	CHAR(1)
W_PRODUCT_DS	MAKE_CODE	Vehicle make code (ex. Metro Motors,Toyota etc)	67 Y	VARCHAR2(80)
W_PRODUCT_DS	MODEL_CODE	Vehicle model code (ex.civic,accord etc)	68 Y	VARCHAR2(80)
W_PRODUCT_DS	MODEL_YR	Vehicle model year	69 Y	NUMBER(22,7)
W_PRODUCT_DS	MSRP	MSRP	70 Y	NUMBER(22,7)

W_PRODUCT_DS	ORDERABLE_FLG	Orderable Flag	71 Y	CHAR(1)
W_PRODUCT_DS	PROD_NDC_ID	NDC Number	72 Y	VARCHAR2(30)
W_PRODUCT_DS	PROFIT_RANK_CODE	Profit Rank	73 Y	VARCHAR2(80)
W_PRODUCT_DS	REFERRAL_FLG	Referral Flag	74 Y	CHAR(1)
W_PRODUCT_DS	RX_AVG_PRICE	Prescription Conversion Average Price	75 Y	NUMBER(22,7)
W_PRODUCT_DS	SERVICE_TYPE_CODE	Service Type	76 Y	VARCHAR2(80)
W_PRODUCT_DS	STATUS_CODE	Status	77 Y	VARCHAR2(80)
W_PRODUCT_DS	R_TYPE_CODE	Vehicle type	78 Y	VARCHAR2(80)
W_PRODUCT_DS	SUB_TYPE_CODE	Sub Type	79 Y	VARCHAR2(80)
W_PRODUCT_DS	TGT_CUST_TYPE_CODE	Target Customer Type	80 Y	VARCHAR2(80)
W_PRODUCT_DS	TRANSMISSION_CODE	Vehicle transmission code (ex. Auto, Manual etc)	81 Y	VARCHAR2(80)
W_PRODUCT_DS	TRIM_CODE	Vehicle model trim type (ex. LX,CX etc)	82 Y	VARCHAR2(80)
W_PRODUCT_DS	U_DEALER_INV_PRICE	U Dealer Inv Price	83 Y	NUMBER(22,7)
W_PRODUCT_DS	U_DELPRI_CURCY_CD	U Delpri Curcy Cd	84 Y	VARCHAR2(20)
W_PRODUCT_DS	U_DELPRI_EXCH_DT	U Delpri Exch Dt	85 Y	DATE
W_PRODUCT_DS	U_MSRP	U Msrp	86 Y	NUMBER(22,7)
W_PRODUCT_DS	U_MSRP_CURCY_CD	U Msrp Curcy Cd	87 Y	VARCHAR2(20)
W_PRODUCT_DS	U_MSRP_EXCH_DT	U Msrp Exch Dt	88 Y	DATE
W_PRODUCT_DS	U_RX_AVG_PRICE	U Rx Avg Price	89 Y	NUMBER(22,7)
W_PRODUCT_DS	U_RXAVPR_CURCY_CD	U Rxavpr Curcy Cd	90 Y	VARCHAR2(20)
W_PRODUCT_DS	U_RXAVPR_EXCH_DT	U Rxavpr Exch Dt	91 Y	DATE
W_PRODUCT_DS	UNIT_CONV_FACTOR	Unit Conversion Factor	92 Y	NUMBER(22,7)
W_PRODUCT_DS	VENDOR_LOC1	Vendor location history1	93 Y	VARCHAR2(50)
W_PRODUCT_DS	VENDOR_LOC2	Vendor location history2	94 Y	VARCHAR2(50)
W_PRODUCT_DS	VENDOR_LOC3	Vendor location history3	95 Y	VARCHAR2(50)
W_PRODUCT_DS	VER_DT	Version Date	96 Y	DATE
W_PRODUCT_DS	VER_DT1	Vendor location history1 date	97 Y	DATE
W_PRODUCT_DS	VER_DT2	Vendor location history2 date	98 Y	DATE
W_PRODUCT_DS	VER_DT3	Vendor location history3 date	99 Y	DATE
W_PRODUCT_DS	PAR_INTEGRATION_ID	Id of the parent of the object	100 Y	VARCHAR2(30)
W_PRODUCT_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	101 Y	VARCHAR2(80)
W_PRODUCT_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	102 Y	VARCHAR2(80)
W_PRODUCT_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	103 Y	DATE
W_PRODUCT_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	104 Y	DATE
W_PRODUCT_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	105 Y	DATE
W_PRODUCT_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	106 Y	DATE
W_PRODUCT_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	107 Y	DATE
W_PRODUCT_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	108 Y	DATE
W_PRODUCT_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	109 Y	DATE
W_PRODUCT_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	110 Y	DATE
W_PRODUCT_DS	EFFECTIVE_FROM_DT	This column stores the date from which the dimension	111 Y	DATE
W_PRODUCT_DS	EFFECTIVE_TO_DT	This column stores the date up to which the dimension	112 Y	DATE
W_PRODUCT_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	113 Y	CHAR(1)
W_PRODUCT_DS	CURRENT_FLG	This is a flag for marking dimension records as "Y" in	114 Y	CHAR(1)
W_PRODUCT_DS	W_INSERT_DT	This column stores the date on which the record was	115 Y	DATE
W_PRODUCT_DS	W_UPDATE_DT	This column stores the date on which the record was last	116 Y	DATE
W_PRODUCT_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	117 N	NUMBER(10,0)
W_PRODUCT_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	118 N	VARCHAR2(80)
W_PRODUCT_DS	SET_ID	This column represents a unique identifier often used by	119 Y	VARCHAR2(30)
W_PRODUCT_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	120 Y	VARCHAR2(80)

W_PRODUCT_DS	X_CUSTOM	This column is used as a generic field for customer	121	Y	VARCHAR2(10)
W_PRODUCT_DS	PROD_CAT1	This field maps to the INTEGRATION_ID of the	122	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT2	This field maps to the INTEGRATION_ID of the	123	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT3	This field maps to the INTEGRATION_ID of the	124	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT4	This field maps to the INTEGRATION_ID of the	125	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT5	This field maps to the INTEGRATION_ID of the	126	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT6	This field maps to the INTEGRATION_ID of the	127	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT7	This field maps to the INTEGRATION_ID of the	128	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT8	This field maps to the INTEGRATION_ID of the	129	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT9	This field maps to the INTEGRATION_ID of the	130	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT10	This field maps to the INTEGRATION_ID of the	131	Y	VARCHAR2(80)
W_PRODUCT_DS	UNSPSC_CODE	This field maps to the INTEGRATION_ID of the	132	Y	VARCHAR2(80)
W_PRODUCT_DS	PRODUCT_CATEGORY_FLG	This flag identifies whether the current record is a Product	133	Y	CHAR(1)
W_PRODUCT_DS	PRODUCT_PHASE	Product Phase	134	Y	VARCHAR2(30)
W_PRODUCT_DS	PRODUCT_CLASS	Product Class	135	Y	NUMBER(18,0)
W_PRODUCT_DS	APPROVAL_STATUS_CODE	Status Approval Code	136	Y	VARCHAR2(80)
W_PRODUCT_DS	PRODUCT_PARENT_CLASS	Product Parent Class	137	Y	NUMBER(18,0)
W_PRODUCT_DS	PRODUCT_GROUP_FLG	Product Group Flag	138	Y	CHAR(1)
W_PRODUCT_DS	SALES_PROD_CAT_ID	Sales Product Categorization Id	139	Y	VARCHAR2(80)
W_PRODUCT_DS	AVG_SALES_CYCLE	Average Sales Cycle	140	Y	NUMBER(22,0)
W_PRODUCT_DS	LAST_PURCH_DT	Last Purchase Date	141	Y	DATE
W_PRODUCT_DS	PREDICTED_REVENUE	Predicted Revenue	142	Y	NUMBER(22,0)
W_PRODUCT_DS	SALES_PRODUCT_TYPE	Sales Product Type	143	Y	VARCHAR2(80)
W_PRODUCT_DS	SALES_REFERENCE_CNT	Sales Reference Count	144	Y	NUMBER(22,0)
W_PRODUCT_DS	TOT_EXST_PROD_REV	Total Exst Prod Rev	145	Y	NUMBER(22,0)
W_PRODUCT_DS	NUM_OF_ACCT_OWNING	Number of Account Owning	146	Y	NUMBER(22,0)
W_PRODUCT_DS	PACK_FLG	Pack Flag	147	Y	VARCHAR2(1)
W_PRODUCT_DS	PROD_CAT1_AS_WAS	FK to the W_PROD_CAT_DH table. This field identifies	148	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT2_AS_WAS	FK to the W_PROD_CAT_DH table. This field identifies	149	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT3_AS_WAS	FK to the W_PROD_CAT_DH table. This field identifies	150	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT4_AS_WAS	FK to the W_PROD_CAT_DH table. This field identifies	151	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT5_AS_WAS	FK to the W_PROD_CAT_DH table. This field identifies	152	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT6_AS_WAS	FK to the W_PROD_CAT_DH table. This field identifies	153	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT7_AS_WAS	FK to the W_PROD_CAT_DH table. This field identifies	154	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT8_AS_WAS	FK to the W_PROD_CAT_DH table. This field identifies	155	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT9_AS_WAS	FK to the W_PROD_CAT_DH table. This field identifies	156	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_CAT10_AS_WAS	FK to the W_PROD_CAT_DH table. This field identifies	157	Y	VARCHAR2(80)
W_PRODUCT_DS	PROD_NUM	Product Number	158	N	VARCHAR2(30)

<b>TABLE NAME:</b>	W_REASON_DS
<b>TABLE DESCRIPTION:</b>	W_REASON_DS is the staging table for W_REASON_D. This table contains the reason details. Any reason details that are not sent to staging table will be considered as closed/cancelled. This table should always be a full load.
<b>BUSINESS RULE:</b>	REASON_CODE and REASON_CAT_CODE makes the alternate key/ business key for this table. A full snapshot of reason dimension information listed below should be provided in the staging table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_REASON_DS	W_REASON_CLASS	Identifies the reason class. Used to group the reasons	1	Y	VARCHAR2(50)
W_REASON_DS	REASON_CODE	Identifies further details of the reason in a code format	2	N	VARCHAR2(50)
W_REASON_DS	REASON_CAT_CODE	Reason Category Code Identifies the categorization of the	3	N	VARCHAR2(50)
W_REASON_DS	REASON_CAT_NAME	Identifies the categorization of the reason.	4	Y	VARCHAR2(80)

W_REASON_DS	REASON_SUBCAT_CODE	Identifies the sub level categorization of the reason.	5 Y	VARCHAR2(50)
W_REASON_DS	REASON_SUBCAT_NAME	Identifies the sub level categorization of the reason	6 Y	VARCHAR2(80)
W_REASON_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	7 Y	NUMBER(10,0)
W_REASON_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	8 Y	NUMBER(10,0)
W_REASON_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	9 Y	DATE
W_REASON_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	10 Y	DATE
W_REASON_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	11 Y	DATE
W_REASON_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	12 Y	DATE
W_REASON_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	13 Y	DATE
W_REASON_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	14 Y	DATE
W_REASON_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	15 Y	DATE
W_REASON_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	16 Y	DATE
W_REASON_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	17 Y	CHAR(1)
W_REASON_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	18 N	NUMBER(10,0)
W_REASON_DS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	19 N	NUMBER(10,0)
W_REASON_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	20 N	VARCHAR2(80)
W_REASON_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	21 Y	VARCHAR2(80)
W_REASON_DS	X_CUSTOM	This column is used as a generic field for customer	22 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_Bcost_IT_Lc_Dy_Fs
<b>TABLE DESCRIPTION:</b>	This table contains compressed positional cost fact data at the item/location/day/supplier level. If a cost change occurs in the middle of a day, the cost that exists at the time of the batch will be written. This table holds all active supplier/location combinations for a given day.
<b>BUSINESS RULES:</b>	This table contains cost information for an item, Primary supplier, and location combination on a given day. PROD_IT_NUM, ORG_NUM, DAY_DT and SUPPLIER_NUM makes the alternate key/business key for this table. This table contains neither break-to-sell items nor packs that contain break-to-sell component items. Fact Staging table is a truncate and load. It holds one day's transaction only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_Bcost_IT_Lc_Dy_Fs	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	1	N	VARCHAR2(80)
W_RTL_Bcost_IT_Lc_Dy_Fs	ORG_NUM	This is the location number from W_INT_ORG_D	2	N	VARCHAR2(80)
W_RTL_Bcost_IT_Lc_Dy_Fs	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	N	DATE
W_RTL_Bcost_IT_Lc_Dy_Fs	SUPPLIER_NUM	This column is the Supplier Number from	4	N	VARCHAR2(80)
W_RTL_Bcost_IT_Lc_Dy_Fs	BASE_COST_AMT_LCL	This is the initial base cost prior to any deals or discounts.	5	Y	NUMBER(20,4)
W_RTL_Bcost_IT_Lc_Dy_Fs	CURRENCY_CODE	This is the Supplier's currency code	6	Y	VARCHAR2(3)
W_RTL_Bcost_IT_Lc_Dy_Fs	EXCHANGE_DT	This is the date when the price change or cost change	7	Y	DATE
W_RTL_Bcost_IT_Lc_Dy_Fs	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_Bcost_IT_Lc_Dy_Fs	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_Bcost_IT_Lc_Dy_Fs	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_Bcost_IT_Lc_Dy_Fs	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_Bcost_IT_Lc_Dy_Fs	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	12	Y	VARCHAR2(80)
W_RTL_Bcost_IT_Lc_Dy_Fs	CHANGED_ON_DT	Identifies the date and time when the record was last	13	Y	DATE
W_RTL_Bcost_IT_Lc_Dy_Fs	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	14	Y	VARCHAR2(80)
W_RTL_Bcost_IT_Lc_Dy_Fs	CREATED_ON_DT	Identifies the date and time when the record was initially	15	Y	DATE
W_RTL_Bcost_IT_Lc_Dy_Fs	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	16	N	NUMBER(10,0)
W_RTL_Bcost_IT_Lc_Dy_Fs	DELETE_FLG	This flag indicates the deletion status of the record in the	17	Y	CHAR(1)
W_RTL_Bcost_IT_Lc_Dy_Fs	DOC_CURR_CODE	Code for the currency in which the document was created	18	Y	VARCHAR2(30)
W_RTL_Bcost_IT_Lc_Dy_Fs	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	19	Y	NUMBER(4,0)
W_RTL_Bcost_IT_Lc_Dy_Fs	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	20	Y	NUMBER(22,7)
W_RTL_Bcost_IT_Lc_Dy_Fs	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	21	Y	NUMBER(22,7)

W_RTL_BCost_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	22	Y	NUMBER(22,7)
W_RTL_BCost_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	23	N	VARCHAR2(80)
W_RTL_BCost_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	24	Y	VARCHAR2(30)
W_RTL_BCost_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	25	Y	NUMBER(22,7)
W_RTL_BCost_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	26	Y	VARCHAR2(80)
W_RTL_BCost_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	27	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CHANNEL_DS
<b>TABLE DESCRIPTION:</b>	This table contains one row for every channel operated within the company. This table will only be used in a multi-channel environment.
<b>BUSINESS RULE:</b>	This table contains contains channels within a company. This table cannot contain duplicate records for BANNER_ID and CHANNEL_ID. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CHANNEL_DS	BANNER_ID	This is a unique ID from the source system that identifies a	1	N	NUMBER(4,0)
W_RTL_CHANNEL_DS	BANNER_NAME	This is the name of a banner. A banner is the name of a	2	Y	VARCHAR2(240)
W_RTL_CHANNEL_DS	CHANNEL_ID	This is a unique ID from the source system that identifies a	3	N	NUMBER(4,0)
W_RTL_CHANNEL_DS	CHANNEL_NAME	This is the name of a channel. A channel is a method for	4	Y	VARCHAR2(240)
W_RTL_CHANNEL_DS	CHANNEL_TYPE	This indicates the channel type with values of "Brick and	5	Y	VARCHAR2(30)
W_RTL_CHANNEL_DS	LEVEL_NAME	This indicates whether this row represents channel or	6	Y	VARCHAR2(40)
W_RTL_CHANNEL_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_CHANNEL_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_CHANNEL_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_CHANNEL_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_CHANNEL_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	11	Y	VARCHAR2(80)
W_RTL_CHANNEL_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	12	Y	DATE
W_RTL_CHANNEL_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	13	Y	VARCHAR2(80)
W_RTL_CHANNEL_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	14	Y	DATE
W_RTL_CHANNEL_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15	N	NUMBER(10,0)
W_RTL_CHANNEL_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	16	Y	CHAR(1)
W_RTL_CHANNEL_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	17	N	VARCHAR2(80)
W_RTL_CHANNEL_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	18	Y	DATE
W_RTL_CHANNEL_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	19	Y	DATE
W_RTL_CHANNEL_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	20	Y	VARCHAR2(80)
W_RTL_CHANNEL_DS	X_CUSTOM	This column is used as a generic field for customer	21	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CLSTR_GRP_G
<b>TABLE DESCRIPTION:</b>	W_RTL_CLSTR_GRP_G is the staging table for W_RTL_CLSTR_GRP_D. This general staging table holds the cluster group information. This table holds the current active records.
<b>BUSINESS RULE:</b>	CLSTR_GRP_CODE makes the alternate key/business key for this table. Please refer to <Science Common Chapter> for additional information

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CLSTR_GRP_G	CLSTR_GRP_CODE	This is the Cluster Group Code, this is a foreign key to	1	N	VARCHAR2(50)
W_RTL_CLSTR_GRP_G	CLSTR_GRP_LBL	This is the business label for cluster group	2	Y	VARCHAR2(255)
W_RTL_CLSTR_GRP_G	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	VARCHAR2(80)
W_RTL_CLSTR_GRP_G	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_CLSTR_GRP_G	CREATED_ON_DT	Identifies the date and time when the record was initially	5	Y	DATE
W_RTL_CLSTR_GRP_G	CHANGED_ON_DT	Identifies the date and time when the record was last	6	Y	DATE
W_RTL_CLSTR_GRP_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE

W_RTL_CLSTR_GRP_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8 Y	DATE
W_RTL_CLSTR_GRP_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9 Y	DATE
W_RTL_CLSTR_GRP_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10 Y	DATE
W_RTL_CLSTR_GRP_G	SRC_EFF_FROM_DT	This column stores the date from which the source record	11 Y	DATE
W_RTL_CLSTR_GRP_G	SRC_EFF_TO_DT	This column stores the date up to which the source record	12 Y	DATE
W_RTL_CLSTR_GRP_G	DELETE_FLG	This flag indicates the deletion status of the record in the	13 Y	CHAR(1)
W_RTL_CLSTR_GRP_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	14 N	NUMBER(10,0)
W_RTL_CLSTR_GRP_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	15 N	VARCHAR2(80)
W_RTL_CLSTR_GRP_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16 Y	VARCHAR2(80)
W_RTL_CLSTR_GRP_G	X_CUSTOM	This column is used as a generic field for customer	17 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CLSTR_GRP_HDR_LC_G
<b>TABLE DESCRIPTION:</b>	W_RTL_CLSTR_GRP_HDR_LC_G is the staging table for W_RTL_CLSTR_GRP_HDR_LC_D.
<b>BUSINESS RULE:</b>	CLSTR_HDR_CODE and ORG_NUM makes the alternate key/ business key for this table. Locations are unique within a Cluster Group. Cluster Group to Cluster Header to Locations forms the hierarchy. Please refer to <Science Common Chapter> for additional information

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CLSTR_GRP_HDR_LC_G	CLSTR_GRP_CODE	This is the Cluster Group Code, this is a foreign key to	1	N	VARCHAR2(50)
W_RTL_CLSTR_GRP_HDR_LC_G	CLSTR_HDR_CODE	This is the Cluster Header Code, this is a foreign key to	2	N	VARCHAR2(50)
W_RTL_CLSTR_GRP_HDR_LC_G	ORG_NUM	This is the Location Number, this is a foreign key to	3	N	VARCHAR2(50)
W_RTL_CLSTR_GRP_HDR_LC_G	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_CLSTR_GRP_HDR_LC_G	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	5	Y	VARCHAR2(80)
W_RTL_CLSTR_GRP_HDR_LC_G	CREATED_ON_DT	Identifies the date and time when the record was initially	6	Y	DATE
W_RTL_CLSTR_GRP_HDR_LC_G	CHANGED_ON_DT	Identifies the date and time when the record was last	7	Y	DATE
W_RTL_CLSTR_GRP_HDR_LC_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_CLSTR_GRP_HDR_LC_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_CLSTR_GRP_HDR_LC_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_CLSTR_GRP_HDR_LC_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_CLSTR_GRP_HDR_LC_G	SRC_EFF_FROM_DT	This column stores the date from which the source record	12	Y	DATE
W_RTL_CLSTR_GRP_HDR_LC_G	SRC_EFF_TO_DT	This column stores the date up to which the source record	13	Y	DATE
W_RTL_CLSTR_GRP_HDR_LC_G	DELETE_FLG	This flag indicates the deletion status of the record in the	14	Y	CHAR(1)
W_RTL_CLSTR_GRP_HDR_LC_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15	N	NUMBER(10,0)
W_RTL_CLSTR_GRP_HDR_LC_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	16	N	VARCHAR2(80)
W_RTL_CLSTR_GRP_HDR_LC_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-	17	Y	VARCHAR2(80)
W_RTL_CLSTR_GRP_HDR_LC_G	X_CUSTOM	This column is used as a generic field for customer	18	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CLSTR_GRP_PRD_G
<b>TABLE DESCRIPTION:</b>	W_RTL_CLSTR_GRP_PRD_G is the staging table for W_RTL_CLSTR_GRP_IT_D. This general staging table holds the cluster group and its associated product information. This table holds the current active records.
<b>BUSINESS RULE:</b>	CLSTR_GRP_CODE and MERCH_ID makes the alternate key/ business key for this table. Merchandize ID can be any level within the Retailer's product hierarchy. <b>Note:</b> One Cluster Group can be associated to only level. Please refer to <Science Common Chapter> for additional information

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CLSTR_GRP_PRD_G	CLSTR_GRP_CODE	This is the Cluster Group Code, this is a foreign key to	1	N	VARCHAR2(50)
W_RTL_CLSTR_GRP_PRD_G	MERCH_ID	This identifies the merchandise id	2	N	VARCHAR2(80)
W_RTL_CLSTR_GRP_PRD_G	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	VARCHAR2(80)
W_RTL_CLSTR_GRP_PRD_G	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_CLSTR_GRP_PRD_G	CREATED_ON_DT	Identifies the date and time when the record was initially	5	Y	DATE
W_RTL_CLSTR_GRP_PRD_G	CHANGED_ON_DT	Identifies the date and time when the record was last	6	Y	DATE

W_RTL_CLSTR_GRP_PRD_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7 Y	DATE
W_RTL_CLSTR_GRP_PRD_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8 Y	DATE
W_RTL_CLSTR_GRP_PRD_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9 Y	DATE
W_RTL_CLSTR_GRP_PRD_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10 Y	DATE
W_RTL_CLSTR_GRP_PRD_G	SRC_EFF_FROM_DT	This column stores the date from which the source record	11 Y	DATE
W_RTL_CLSTR_GRP_PRD_G	SRC_EFF_TO_DT	This column stores the date up to which the source record	12 Y	DATE
W_RTL_CLSTR_GRP_PRD_G	DELETE_FLG	This flag indicates the deletion status of the record in the	13 Y	CHAR(1)
W_RTL_CLSTR_GRP_PRD_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	14 N	NUMBER(10,0)
W_RTL_CLSTR_GRP_PRD_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	15 N	VARCHAR2(80)
W_RTL_CLSTR_GRP_PRD_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16 Y	VARCHAR2(80)
W_RTL_CLSTR_GRP_PRD_G	X_CUSTOM	This column is used as a generic field for customer	17 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CLSTR_HDR_CS_G
<b>TABLE DESCRIPTION:</b>	W_RTL_CLSTR_HDR_CS_G is the staging table for W_RTL_CLSTR_HDR_CS_D.
<b>BUSINESS RULE:</b>	CLSTR_HDR_CODE, SEG_ID and SEG_TYPE make the alternate key/ business key for this table. This is Cluster Header and consumer/customer segment relationship staging table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CLSTR_HDR_CS_G	CLSTR_HDR_CODE	This is the code for Cluster Header	1	N	VARCHAR2(50)
W_RTL_CLSTR_HDR_CS_G	SEG_ID	This is the foreign key to W_RTL_CUSTSEG_D or	2	N	VARCHAR2(50)
W_RTL_CLSTR_HDR_CS_G	SEG_TYPE	This is to identify if it is a consumer or customer segment.	3	N	VARCHAR2(30)
W_RTL_CLSTR_HDR_CS_G	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_CLSTR_HDR_CS_G	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	5	Y	VARCHAR2(80)
W_RTL_CLSTR_HDR_CS_G	CREATED_ON_DT	Identifies the date and time when the record was initially	6	Y	DATE
W_RTL_CLSTR_HDR_CS_G	CHANGED_ON_DT	Identifies the date and time when the record was last	7	Y	DATE
W_RTL_CLSTR_HDR_CS_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_CLSTR_HDR_CS_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_CLSTR_HDR_CS_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_CLSTR_HDR_CS_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_CLSTR_HDR_CS_G	SRC_EFF_FROM_DT	This column stores the date from which the source record	12	Y	DATE
W_RTL_CLSTR_HDR_CS_G	SRC_EFF_TO_DT	This column stores the date up to which the source record	13	Y	DATE
W_RTL_CLSTR_HDR_CS_G	DELETE_FLG	This flag indicates the deletion status of the record in the	14	Y	CHAR(1)
W_RTL_CLSTR_HDR_CS_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15	N	NUMBER(10,0)
W_RTL_CLSTR_HDR_CS_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	16	N	VARCHAR2(80)
W_RTL_CLSTR_HDR_CS_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-	17	Y	VARCHAR2(80)
W_RTL_CLSTR_HDR_CS_G	X_CUSTOM	This column is used as a generic field for customer	18	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CLSTR_HDR_G
<b>TABLE DESCRIPTION:</b>	W_RTL_CLSTR_HDR_G is the staging table for W_RTL_CLSTR_HDR_D. This general staging table holds the cluster header information. This table holds the current active records.
<b>BUSINESS RULE:</b>	CLSTR_HDR_CODE makes the alternate key/ business key for this table. Please refer to <Science Common Chapter> for additional information

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CLSTR_HDR_G	CLSTR_HDR_CODE	This is the Cluster Header Code, this is a foreign key to	1	N	VARCHAR2(50)
W_RTL_CLSTR_HDR_G	CLSTR_HDR_NAME	This describes the cluster header name	2	Y	VARCHAR2(255)
W_RTL_CLSTR_HDR_G	CLSTR_HDR_DESC	The cluster description is a long description of the cluster.	3	Y	VARCHAR2(255)
W_RTL_CLSTR_HDR_G	PRMY_INCOME_LVL	Primary income level is the most prominent income level	4	Y	VARCHAR2(50)
W_RTL_CLSTR_HDR_G	PRMY_AGE_CLASS	Primary age class is the most prominent age class within a	5	Y	VARCHAR2(50)
W_RTL_CLSTR_HDR_G	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	6	Y	VARCHAR2(80)
W_RTL_CLSTR_HDR_G	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	7	Y	VARCHAR2(80)



W_RTL_CLSTR_HDR_G	CREATED_ON_DT	Identifies the date and time when the record was initially	8 Y	DATE
W_RTL_CLSTR_HDR_G	CHANGED_ON_DT	Identifies the date and time when the record was last	9 Y	DATE
W_RTL_CLSTR_HDR_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	10 Y	DATE
W_RTL_CLSTR_HDR_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	11 Y	DATE
W_RTL_CLSTR_HDR_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	12 Y	DATE
W_RTL_CLSTR_HDR_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	13 Y	DATE
W_RTL_CLSTR_HDR_G	SRC_EFF_FROM_DT	This column stores the date from which the source record	14 Y	DATE
W_RTL_CLSTR_HDR_G	SRC_EFF_TO_DT	This column stores the date up to which the source record	15 Y	DATE
W_RTL_CLSTR_HDR_G	DELETE_FLG	This flag indicates the deletion status of the record in the	16 Y	CHAR(1)
W_RTL_CLSTR_HDR_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	17 N	NUMBER(10,0)
W_RTL_CLSTR_HDR_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	18 N	VARCHAR2(80)
W_RTL_CLSTR_HDR_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-	19 Y	VARCHAR2(80)
W_RTL_CLSTR_HDR_G	X_CUSTOM	This column is used as a generic field for customer	20 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CMG_PRODUCT_MTX_DS
<b>TABLE DESCRIPTION:</b>	This staging table holds the category management product matrix data.
<b>BUSINESS RULE:</b>	Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CMG_PRODUCT_MTX_DS	CAT_MGNT_LEVEL	Identifies the category management level	1	N	VARCHAR2(40)
W_RTL_CMG_PRODUCT_MTX_DS	CAT_MGNT_NUM	Identifies the category management number	2	N	VARCHAR2(50)
W_RTL_CMG_PRODUCT_MTX_DS	CAT_MGMT_DESC	Identifies the category management description	3	Y	VARCHAR2(120)
W_RTL_CMG_PRODUCT_MTX_DS	PROD_IT_NUM	This is the unique identifier for an item in the source	4	N	VARCHAR2(80)
W_RTL_CMG_PRODUCT_MTX_DS	PROD_SC_NUM	This is the identifier for a subclass in the source system	5	N	VARCHAR2(50)
W_RTL_CMG_PRODUCT_MTX_DS	PROD_CL_NUM	This is the identifier for a class in the source system	6	N	VARCHAR2(80)
W_RTL_CMG_PRODUCT_MTX_DS	PROD_DP_NUM	This is the unique identifier for a department in the source	7	N	VARCHAR2(50)
W_RTL_CMG_PRODUCT_MTX_DS	PROD_GP_NUM	This is the unique identifier for a group in the source	8	N	VARCHAR2(80)
W_RTL_CMG_PRODUCT_MTX_DS	PROD_DV_NUM	This is the unique identifier for a division in the source	9	N	VARCHAR2(50)
W_RTL_CMG_PRODUCT_MTX_DS	LEVEL_NAME	Identifies the name of the level for the entity within product	10	N	VARCHAR2(40)
W_RTL_CMG_PRODUCT_MTX_DS	FLEX_ATTRIB_1_CHAR	This is flex attribute 1.	11	Y	VARCHAR2(50)
W_RTL_CMG_PRODUCT_MTX_DS	FLEX_ATTRIB_2_CHAR	This is flex attribute 2.	12	Y	VARCHAR2(50)
W_RTL_CMG_PRODUCT_MTX_DS	FLEX_ATTRIB_3_CHAR	This is flex attribute 3.	13	Y	VARCHAR2(50)
W_RTL_CMG_PRODUCT_MTX_DS	FLEX_ATTRIB_4_CHAR	This is flex attribute 4.	14	Y	VARCHAR2(50)
W_RTL_CMG_PRODUCT_MTX_DS	FLEX_ATTRIB_5_CHAR	This is flex attribute 5.	15	Y	VARCHAR2(50)
W_RTL_CMG_PRODUCT_MTX_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	16	Y	VARCHAR2(80)
W_RTL_CMG_PRODUCT_MTX_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	17	Y	VARCHAR2(80)
W_RTL_CMG_PRODUCT_MTX_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	18	Y	DATE
W_RTL_CMG_PRODUCT_MTX_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	19	Y	DATE
W_RTL_CMG_PRODUCT_MTX_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	20	Y	DATE
W_RTL_CMG_PRODUCT_MTX_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	21	Y	DATE
W_RTL_CMG_PRODUCT_MTX_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	22	Y	DATE
W_RTL_CMG_PRODUCT_MTX_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	23	Y	DATE
W_RTL_CMG_PRODUCT_MTX_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	24	Y	DATE
W_RTL_CMG_PRODUCT_MTX_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	25	Y	DATE
W_RTL_CMG_PRODUCT_MTX_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	26	Y	VARCHAR2(1)
W_RTL_CMG_PRODUCT_MTX_DS	INTEGRATION_ID	This column is the unique identifier of the source system	27	N	VARCHAR2(80)
W_RTL_CMG_PRODUCT_MTX_DS	DATASOURCE_NUM_ID	This column is the unique identifier of a dimension or fact	28	N	NUMBER(10,0)
W_RTL_CMG_PRODUCT_MTX_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	29	Y	VARCHAR2(80)
W_RTL_CMG_PRODUCT_MTX_DS	X_CUSTOM	This column is used as a generic field for customer	30	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CNG_CNSG_DS
<b>TABLE DESCRIPTION:</b>	This is consumer segment and consumer group relationship staging table.
<b>BUSINESS RULE:</b>	CONSUMER_GRP_ID, CONSEG_ID and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CNG_CNSG_DS	CONSUMER_GRP_ID	Consumer group ID	1	N	VARCHAR2(50)
W_RTL_CNG_CNSG_DS	CONSEG_ID	This is an unique ID used to identify consumer segments.	2	N	VARCHAR2(50)
W_RTL_CNG_CNSG_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	VARCHAR2(80)
W_RTL_CNG_CNSG_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_CNG_CNSG_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	5	Y	DATE
W_RTL_CNG_CNSG_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	6	Y	DATE
W_RTL_CNG_CNSG_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_CNG_CNSG_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_CNG_CNSG_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_CNG_CNSG_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_CNG_CNSG_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	11	Y	DATE
W_RTL_CNG_CNSG_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	12	Y	DATE
W_RTL_CNG_CNSG_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	13	Y	CHAR(1)
W_RTL_CNG_CNSG_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	14	N	NUMBER(10,0)
W_RTL_CNG_CNSG_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	15	N	VARCHAR2(80)
W_RTL_CNG_CNSG_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16	Y	VARCHAR2(80)
W_RTL_CNG_CNSG_DS	X_CUSTOM	This column is used as a generic field for customer	17	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CNSG_CUSTSEG_DS
<b>TABLE DESCRIPTION:</b>	This is consumer segment and customer segment relationship staging table.
<b>BUSINESS RULE:</b>	CUSTSEG_ID, CONSEG_ID and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system. This is a many-to-many relationship table that holds the Customer Segments and consumer segments. This table expects full snapshot everytime and always holds latest CUSTSEG_ID and CONSEG_ID relation.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CNSG_CUSTSEG_DS	CUSTSEG_ID	This is a unique ID used to identify the Customer	1	N	VARCHAR2(50)
W_RTL_CNSG_CUSTSEG_DS	CONSEG_ID	This is an unique ID used to identify consumer segments.	2	N	VARCHAR2(50)
W_RTL_CNSG_CUSTSEG_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	VARCHAR2(80)
W_RTL_CNSG_CUSTSEG_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_CNSG_CUSTSEG_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	5	Y	DATE
W_RTL_CNSG_CUSTSEG_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	6	Y	DATE
W_RTL_CNSG_CUSTSEG_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_CNSG_CUSTSEG_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_CNSG_CUSTSEG_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_CNSG_CUSTSEG_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_CNSG_CUSTSEG_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	11	Y	DATE
W_RTL_CNSG_CUSTSEG_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	12	Y	DATE
W_RTL_CNSG_CUSTSEG_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	13	Y	CHAR(1)
W_RTL_CNSG_CUSTSEG_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	14	N	NUMBER(10,0)
W_RTL_CNSG_CUSTSEG_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	15	N	VARCHAR2(80)
W_RTL_CNSG_CUSTSEG_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16	Y	VARCHAR2(80)
W_RTL_CNSG_CUSTSEG_DS	X_CUSTOM	This column is used as a generic field for customer	17	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CONSUMERSEG_DS
--------------------	----------------------

<b>TABLE DESCRIPTION:</b>	Consumer segmentation is the process of classifying people into groups that have some set of similar characteristics, resulting in the ability to be studied and targeted. This dimension holds the consumer and related consumer segment details.
<b>BUSINESS RULE:</b>	CONSEG_ID, CONSEG_TYPE and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CONSUMERSEG_DS	CONSEG_ID	This is an unique ID used to identify consumer segments.	1	N	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	CONSEG_NAME	Consumer Segment Name	2	N	VARCHAR2(80)
W_RTL_CONSUMERSEG_DS	CONSEG_TYPE	Consumer Segment type	3	N	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	AGE_RANGE	Age range	4	N	VARCHAR2(30)
W_RTL_CONSUMERSEG_DS	SEX_MF_CODE	Sex code	5	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	FAMILY_SIZE	Family size	6	Y	NUMBER(2,0)
W_RTL_CONSUMERSEG_DS	GENERATION_CODE	Generation Code	7	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	ANNL_INCOME_RANGE	Annual income code	8	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	OCCUPATION_CODE	Occupation Code	9	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	EDUCATION_BCKGND_CODE	Eduction back ground code	10	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	ETHNICITY_CODE	Ethnicity code	11	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	NATIONALITY_CODE	Nationality code	12	Y	VARCHAR2(30)
W_RTL_CONSUMERSEG_DS	RELIGION_CODE	religion code	13	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	SOCIAL_CLASS_CODE	Social class code	14	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	FAMILY_LIFE_CYCL_CODE	Family life cycle code	15	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	REGION_CODE	Region code	16	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	METRO_AREA_SIZE	Metro Area Size	17	Y	NUMBER(12,4)
W_RTL_CONSUMERSEG_DS	POPULATION_DENSITY	Population density	18	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	CLIMATE_CODE	Climate code	19	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	BENEFIT_SOUGHT_CODE	Benefit sought code	20	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	USAGE_RATE	Usage code	21	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	READINESS_TO_BUY_CODE	Readiness to buy code	22	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	OCCASION_CODE	Occassion Code	23	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	ACTIVITY_CODE	Activity Code	24	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	INTEREST_CODE	Interest code	25	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	OPINION_CODE	Opinion code	26	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	ATTITUDE_CODE	Attitude code	27	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	VALUE_CODE	Value code	28	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	EMPLOYMENT_CLASS_CODE	Employment Class collapses a broad range of	29	Y	VARCHAR2(50)
W_RTL_CONSUMERSEG_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	30	Y	VARCHAR2(80)
W_RTL_CONSUMERSEG_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	31	Y	VARCHAR2(80)
W_RTL_CONSUMERSEG_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	32	Y	DATE
W_RTL_CONSUMERSEG_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	33	Y	DATE
W_RTL_CONSUMERSEG_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	34	Y	DATE
W_RTL_CONSUMERSEG_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	35	Y	DATE
W_RTL_CONSUMERSEG_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	36	Y	DATE
W_RTL_CONSUMERSEG_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	37	Y	DATE
W_RTL_CONSUMERSEG_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	38	Y	DATE
W_RTL_CONSUMERSEG_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	39	Y	DATE
W_RTL_CONSUMERSEG_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	40	Y	CHAR(1)
W_RTL_CONSUMERSEG_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	41	N	NUMBER(10,0)
W_RTL_CONSUMERSEG_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	42	N	VARCHAR2(80)
W_RTL_CONSUMERSEG_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	43	Y	VARCHAR2(80)
W_RTL_CONSUMERSEG_DS	X_CUSTOM	This column is used as a generic field for customer	44	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_RTL_CONSUMER_GRP_DS</b>
<b>TABLE DESCRIPTION:</b>	This is Consumer Group dimension staging. Consumers represent a group of unknown/target people with certain characteristics.This is expected to be Full load
<b>BUSINESS RULE:</b>	CONSUMER_GRP_ID and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system. This is a type-1 dimension and a consumer group cannot be repeated.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CONSUMER_GRP_DS	CONSUMER_GRP_ID	Consumer Group ID	1	N	VARCHAR2(50)
W_RTL_CONSUMER_GRP_DS	AGE_RANGE	Indicates the Age Range for Consumer group.	2	N	VARCHAR2(30)
W_RTL_CONSUMER_GRP_DS	INCOME_RANGE_CODE	Indicates the Income Range for Consumer group.	3	N	VARCHAR2(50)
W_RTL_CONSUMER_GRP_DS	SEX_MF_CODE	Indicates the Gender of Consumer group.	4	N	VARCHAR2(50)
W_RTL_CONSUMER_GRP_DS	ETHNICITY_CODE	Indicates the Ethnicity for Consumer group.	5	N	VARCHAR2(50)
W_RTL_CONSUMER_GRP_DS	NATIONALITY_CODE	Indicates the Nationality of Consumer group.	6	N	VARCHAR2(30)
W_RTL_CONSUMER_GRP_DS	EDUCATION_BCKGND_CODE	Indicates the Educational background of Consumer group.	7	N	VARCHAR2(50)
W_RTL_CONSUMER_GRP_DS	OCCUPATION_CODE	Indicates the Occupation of Consumer group.	8	N	VARCHAR2(50)
W_RTL_CONSUMER_GRP_DS	REGION_CODE	Indicates the Region of Consumer group.	9	N	VARCHAR2(50)
W_RTL_CONSUMER_GRP_DS	RELIGION_CODE	Indicates the Religion of Consumer group.	10	N	VARCHAR2(50)
W_RTL_CONSUMER_GRP_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	11	Y	VARCHAR2(80)
W_RTL_CONSUMER_GRP_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	12	Y	VARCHAR2(80)
W_RTL_CONSUMER_GRP_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	13	Y	DATE
W_RTL_CONSUMER_GRP_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	14	Y	DATE
W_RTL_CONSUMER_GRP_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	15	Y	DATE
W_RTL_CONSUMER_GRP_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	16	Y	DATE
W_RTL_CONSUMER_GRP_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	17	Y	DATE
W_RTL_CONSUMER_GRP_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	18	Y	DATE
W_RTL_CONSUMER_GRP_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	19	Y	DATE
W_RTL_CONSUMER_GRP_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	20	Y	DATE
W_RTL_CONSUMER_GRP_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	21	Y	CHAR(1)
W_RTL_CONSUMER_GRP_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	22	N	VARCHAR2(80)
W_RTL_CONSUMER_GRP_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	23	N	NUMBER(10,0)
W_RTL_CONSUMER_GRP_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	24	Y	VARCHAR2(80)
W_RTL_CONSUMER_GRP_DS	X_CUSTOM	This column is used as a generic field for customer	25	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_RTL_COPR_HEAD_LC_DY_FS</b>
<b>TABLE DESCRIPTION:</b>	This table contains the latest customer order header promotional data at customer order header/promotion level. More than one promotion can exist for a customer order header. Back posting is supported for inserts and updates. While the posting the updates for back posted data only the change (delta) values should be posted instead of posting the reversal and repost.
<b>BUSINESS RULE:</b>	CO_HEAD_ID and PROMO_COMP_ID make the alternate key/ business key for this table. Fact Staging table is a truncate and load. It holds one day's transactions. In case of back posted records exist in the fact staging table the table holds the latest customer order promotion information only. The staging table contains the latest customer order header level promotion information modified on DAY_DT. In case of multiple modifications within a day, only the latest information on that day should be extracted into the staging table. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_COPR_HEAD_LC_DY_FS	CO_HEAD_ID	This is a foreign key to the W_RTL_CO_HEAD_D table	1	N	VARCHAR2(50)
W_RTL_COPR_HEAD_LC_DY_FS	PROMO_COMP_ID	This is foreign key to the W_RTL_PROMO_D table for	2	N	VARCHAR2(30)
W_RTL_COPR_HEAD_LC_DY_FS	DAY_DT	This is a foreign key to the W_MCAL_DAY_D table	3	N	DATE
W_RTL_COPR_HEAD_LC_DY_FS	ORG_NUM	This is a foreign key to the W_INT_ORG_D table	4	Y	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_DY_FS	ORIGINAL_CHANNEL_NUM	This is a foreign key to the retail specific	5	Y	NUMBER(4,0)
W_RTL_COPR_HEAD_LC_DY_FS	SUBMIT_CHANNEL_NUM	This is a foreign key to the retail specific	6	Y	NUMBER(4,0)
W_RTL_COPR_HEAD_LC_DY_FS	FULLFILL_CHANNEL_NUM	This is a foreign key to the retail specific	7	Y	NUMBER(4,0)

W_RTL_COPR_HEAD_LC_DY_FS	CUST_NUM	This is a foreign key to the W_PARTY_PER_D table	8 Y	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_DY_FS	SALEPERSON_NUM	This is a foreign key to the W_EMPLOYEE_D table	9 Y	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_DY_FS	CASHIER_NUM	This is a foreign key to the W_EMPLOYEE_D table	10 Y	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_DY_FS	CUST_REP_NUM	This is a foreign key to the W_EMPLOYEE_D table	11 Y	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_DY_FS	COPR_MKDN_AMT_LCL	The promotional markdown amount in local currency	12 Y	NUMBER(20,4)
W_RTL_COPR_HEAD_LC_DY_FS	COPR_QTY	This is the quantity of promotion units ordered.	13 Y	NUMBER(18,4)
W_RTL_COPR_HEAD_LC_DY_FS	COPR_AMT_LCL	This is the retail value of promotion units ordered. This is	14 Y	NUMBER(20,4)
W_RTL_COPR_HEAD_LC_DY_FS	COPR_PROFIT_AMT_LCL	This is the profit value of promotion units ordered. This is	15 Y	NUMBER(20,4)
W_RTL_COPR_HEAD_LC_DY_FS	COPR_COST_AMT_LCL	This is the cost value of promotion units ordered. This is	16 Y	NUMBER(20,4)
W_RTL_COPR_HEAD_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	17 Y	VARCHAR2(30)
W_RTL_COPR_HEAD_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	18 Y	VARCHAR2(30)
W_RTL_COPR_HEAD_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	19 Y	NUMBER(22,7)
W_RTL_COPR_HEAD_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	20 Y	NUMBER(22,7)
W_RTL_COPR_HEAD_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	21 Y	NUMBER(22,7)
W_RTL_COPR_HEAD_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	22 Y	NUMBER(22,7)
W_RTL_COPR_HEAD_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	23 Y	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	24 Y	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	25 Y	DATE
W_RTL_COPR_HEAD_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	26 Y	DATE
W_RTL_COPR_HEAD_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	27 Y	DATE
W_RTL_COPR_HEAD_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	28 Y	DATE
W_RTL_COPR_HEAD_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	29 Y	DATE
W_RTL_COPR_HEAD_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	30 Y	DATE
W_RTL_COPR_HEAD_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	31 Y	CHAR(1)
W_RTL_COPR_HEAD_LC_DY_FS	EXCHANGE_DT	Exchange date	32 Y	DATE
W_RTL_COPR_HEAD_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	33 N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_DY_FS	ETL_THREAD_VAL	Oracle system field. This column is the unique identifier for	34 Y	NUMBER(4,0)
W_RTL_COPR_HEAD_LC_DY_FS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	35 N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	36 N	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	37 Y	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	38 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_COPR_HEAD_LC_G
<b>TABLE DESCRIPTION:</b>	Customer order Promotion header G table
<b>BUSINESS RULE:</b>	This table cannot contain duplicate records for CO_HEAD_WID and PROMO_WID

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_COPR_HEAD_LC_G	ROW_WID	Surrogate key to uniquely identify a record	1	N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	CO_HEAD_WID	This is a foreign key to the W_RTL_CO_HEAD_D table	2	N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	ORG_WID	This is a foreign key to the W_INT_ORG_D table	3	N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	ORG_DH_WID	This is a foreign key to the W_INT_ORG_DH table	4	N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	ORG_SCD1_WID	This is a foreign key to the W_INT_ORG_D table using	5	N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	ORIGINAL_CHANNEL_WID	This is a foreign key to the retail specific	6	N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	SUBMIT_CHANNEL_WID	This is a foreign key to the retail specific	7	N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	PROMO_WID	This is foreign key to the W_RTL_PROMO_D table for	8	N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	CUST_WID	This is a foreign key to the W_PARTY_PER_D table	9	Y	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	SALEPERSON_WID	This is a foreign key to the W_EMPLOYEE_D table	10	Y	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	CASHIER_WID	This is a foreign key to the W_EMPLOYEE_D table	11	Y	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	CUST_REP_WID	This is a foreign key to the W_EMPLOYEE_D table	12	Y	NUMBER(10,0)

W_RTL_COPR_HEAD_LC_G	COPR_MKDN_AMT_LCL	The promotional markdown amount in local currency	13 Y	NUMBER(20,4)
W_RTL_COPR_HEAD_LC_G	COPR_QTY	This is the quantity of promotion units ordered.	14 Y	NUMBER(18,4)
W_RTL_COPR_HEAD_LC_G	COPR_AMT_LCL	This is the retail value of promotion units ordered. This is	15 Y	NUMBER(20,4)
W_RTL_COPR_HEAD_LC_G	COPR_PROFIT_AMT_LCL	This is the profit value of promotion units ordered. This is	16 Y	NUMBER(20,4)
W_RTL_COPR_HEAD_LC_G	COPR_COST_AMT_LCL	This is the cost value of promotion units ordered. This is	17 Y	NUMBER(20,4)
W_RTL_COPR_HEAD_LC_G	DOC_CURR_CODE	Code for the currency in which the document was created	18 Y	VARCHAR2(30)
W_RTL_COPR_HEAD_LC_G	LOC_CURR_CODE	Usually the reporting currency code for the financial	19 Y	VARCHAR2(30)
W_RTL_COPR_HEAD_LC_G	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	20 Y	NUMBER(22,7)
W_RTL_COPR_HEAD_LC_G	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	21 Y	NUMBER(22,7)
W_RTL_COPR_HEAD_LC_G	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	22 Y	NUMBER(22,7)
W_RTL_COPR_HEAD_LC_G	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	23 Y	NUMBER(22,7)
W_RTL_COPR_HEAD_LC_G	CREATED_BY_WID	This is a foreign key to the W_USER_D dimension	24 Y	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	CHANGED_BY_WID	This is a foreign key to the W_USER_D dimension	25 Y	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	CHANGED_ON_DT	Identifies the date and time when the record was last	26 Y	DATE
W_RTL_COPR_HEAD_LC_G	CREATED_ON_DT	Identifies the date and time when the record was initially	27 Y	DATE
W_RTL_COPR_HEAD_LC_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	28 Y	DATE
W_RTL_COPR_HEAD_LC_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	29 Y	DATE
W_RTL_COPR_HEAD_LC_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	30 Y	DATE
W_RTL_COPR_HEAD_LC_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	31 Y	DATE
W_RTL_COPR_HEAD_LC_G	DELETE_FLG	This flag indicates the deletion status of the record in the	32 Y	CHAR(1)
W_RTL_COPR_HEAD_LC_G	W_INSERT_DT	This column stores the date on which the record was	33 Y	DATE
W_RTL_COPR_HEAD_LC_G	W_UPDATE_DT	This column stores the date on which the record was last	34 Y	DATE
W_RTL_COPR_HEAD_LC_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	35 N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	36 N	NUMBER(10,0)
W_RTL_COPR_HEAD_LC_G	ETL_THREAD_VAL	Oracle system field. This column is the unique identifier for	37 Y	NUMBER(4,0)
W_RTL_COPR_HEAD_LC_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	38 N	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-	39 Y	VARCHAR2(80)
W_RTL_COPR_HEAD_LC_G	X_CUSTOM	This column is used as a generic field for customer	40 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_COPR_LINE_IT_LC_DY_FS
<b>TABLE DESCRIPTION:</b>	This table contains the latest customer order line promotional data at customer order header/line/promotion level. More than one promotion can exist for a customer order line. Back posting is supported for inserts and updates. While the posting the updates for back posted data only the change (delta) values should be posted instead of posting the reversal and repost.
<b>BUSINESS RULE:</b>	CO_HEAD_ID, CO_LINE_ID and PROMO_ID make the alternate key/ business key for this table. Fact Staging table is a truncate and load. It holds one day's transactions. In case of back posted records exist in the fact staging table the table holds the latest customer order line promotion information only. This staging table contains the latest customer order line promotion information modified on DAY_DT. In case of multiple modifications within the day, only the latest information should be extracted into this staging table. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_COPR_LINE_IT_LC_DY_FS	CO_LINE_ID	The unique identifier of a customer order line	1	N	VARCHAR2(50)
W_RTL_COPR_LINE_IT_LC_DY_FS	CO_HEAD_ID	This is a foreign key to the W_RTL_CO_HEAD_D table	2	N	VARCHAR2(50)
W_RTL_COPR_LINE_IT_LC_DY_FS	PROD_IT_NUM	This is the unique identifier for an item in the source	3	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_DY_FS	DAY_DT	This is a foreign key to the W_MCAL_DAY_D table	4	N	DATE
W_RTL_COPR_LINE_IT_LC_DY_FS	PROMO_ID	The unique identifier of Promotion	5	N	VARCHAR2(30)
W_RTL_COPR_LINE_IT_LC_DY_FS	ORG_NUM	This is a foreign key to the W_INT_ORG_D table	6	Y	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_DY_FS	ORIGINAL_CHANNEL_NUM	This is a foreign key to the retail specific	7	Y	NUMBER(4,0)
W_RTL_COPR_LINE_IT_LC_DY_FS	SUBMIT_CHANNEL_NUM	This is a foreign key to the retail specific	8	Y	NUMBER(4,0)
W_RTL_COPR_LINE_IT_LC_DY_FS	SHIP_TO_GEO_ID	This is a foreign key to the W_GEO_D table.	9	Y	VARCHAR2(50)
W_RTL_COPR_LINE_IT_LC_DY_FS	CUST_NUM	Customer Number	10	Y	VARCHAR2(80)

W_RTL_COPR_LINE_IT_LC_DY_FS	SALEPERSON_NUM	The retailer sales person who is responsible for the	11 Y	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_DY_FS	CASHIER_NUM	The employee who processes the sales transaction by	12 Y	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_DY_FS	CUST_REP_NUM	The employee who was involved with facilitating the	13 Y	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_MKDN_AMT_LCL	The promotional markdown amount in local currency	14 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_QTY	This is the quantity of promotion units ordered.	15 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_AMT_LCL	This is the retail value of promotion units ordered. This is	16 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_PROFIT_AMT_LCL	This is the profit value of promotion units ordered. This is	17 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_COST_AMT_LCL	This is the cost value of promotion units ordered. This is	18 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_RSV_QTY	This is the quantity of units ordered at reserve status by	19 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_RSV_RTL_AMT_LCL	This is the retail value of units ordered at reserve by the	20 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_RSV_RTL_PROFIT_AMT_LCL	This is the profit value of units ordered at reserve status by	21 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_RSV_COST_AMT_LCL	This is the cost value of units ordered at reserve status by	22 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_PICK_QTY	This is the quantity of units ordered at pick status by the	23 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_PICK_RTL_AMT_LCL	This is the change of retail value of promotion units in pick	24 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_PICK_RTL_PROFIT_AMT_LCL	This is the profit value of promotion units in pick status.	25 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_PICK_COST_AMT_LCL	This is the cost value of units ordered at pick status by the	26 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_BO_QTY	This is the quantity of units ordered at backorder status by	27 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_BO_RTL_AMT_LCL	This is the change of retail value of promotion units in	28 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_BO_RTL_PROFIT_AMT_LCL	This is the profit value of promotion units in backorder	29 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_BO_COST_AMT_LCL	This is the cost value of units ordered at backorder status	30 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT1_QTY	This is to store the quantity of units for future use	31 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT1_AMT_LCL	This is the retail value of units for future use. This is	32 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT1_PROFIT_AMT_LCL	This is the profit value of units for future use. This is stored	33 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT1_COST_AMT_LCL	This is the cost value of units for future use. This is stored	34 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT2_QTY	This is to store the quantity of units for future use	35 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT2_AMT_LCL	This is the retail value of units for future use. This is	36 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT2_PROFIT_AMT_LCL	This is the profit value of units for future use. This is stored	37 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT2_COST_AMT_LCL	This is the cost value of units for future use. This is stored	38 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT3_QTY	This is to store the quantity of units for future use	39 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT3_AMT_LCL	This is the retail value of units for future use. This is	40 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT3_PROFIT_AMT_LCL	This is the profit value of units for future use. This is stored	41 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	COPR_FACT3_COST_AMT_LCL	This is the cost value of units for future use. This is stored	42 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	43 Y	VARCHAR2(30)
W_RTL_COPR_LINE_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	44 Y	VARCHAR2(30)
W_RTL_COPR_LINE_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	45 Y	NUMBER(22,7)
W_RTL_COPR_LINE_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	46 Y	NUMBER(22,7)
W_RTL_COPR_LINE_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	47 Y	NUMBER(22,7)
W_RTL_COPR_LINE_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	48 Y	NUMBER(22,7)
W_RTL_COPR_LINE_IT_LC_DY_FS	CREATED_BY_WID	This is a foreign key to the W_USER_D dimension	49 Y	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_DY_FS	CHANGED_BY_WID	This is a foreign key to the W_USER_D dimension	50 Y	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	51 Y	DATE
W_RTL_COPR_LINE_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	52 Y	DATE
W_RTL_COPR_LINE_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	53 Y	DATE
W_RTL_COPR_LINE_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	54 Y	DATE
W_RTL_COPR_LINE_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	55 Y	DATE
W_RTL_COPR_LINE_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	56 Y	DATE
W_RTL_COPR_LINE_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	57 Y	CHAR(1)
W_RTL_COPR_LINE_IT_LC_DY_FS	EXCHANGE_DT	Exchange date	58 Y	DATE
W_RTL_COPR_LINE_IT_LC_DY_FS	W_UPDATE_DT	This column is the unique identifier of the source system	59 Y	DATE
W_RTL_COPR_LINE_IT_LC_DY_FS	DATASOURCE_NUM_ID	Oracle system field. This column is the unique identifier for	60 N	NUMBER(10,0)

W_RTL_COPR_LINE_IT_LC_DY_FS	ETL_THREAD_VAL	Oracle system field. This column is the unique identifier for	61 Y	NUMBER(4,0)
W_RTL_COPR_LINE_IT_LC_DY_FS	ETL_PROC_WID	This column is the unique identifier of a dimension or fact	62 N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier for a tenant in a multi-	63 N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_DY_FS	TENANT_ID	This column is used as a generic field for customer	64 Y	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_DY_FS	X_CUSTOM	Code for the currency in which the document was created	65 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_COPR_LINE_IT_LC_G
<b>TABLE DESCRIPTION:</b>	This table contains order line that is in promotion and is still in process.
<b>BUSINESS RULE:</b>	This table cannot contain duplicate records for CO_LINE_WID and PROMO_WID

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_COPR_LINE_IT_LC_G	ROW_WID	Surrogate key to uniquely identify a record	1	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	CO_LINE_WID	This is a foreign key to the W_RTL_CO_LINE_D table	2	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	PROMO_WID	This is foreign key to the W_RTL_PROMO_D table for	3	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	PROMO_NUM	This is the unique identifier for a promotion in the source	4	N	VARCHAR2(30)
W_RTL_COPR_LINE_IT_LC_G	PROD_WID	This is a foreign key to the W_PRODUCT_D table.	5	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	PROD_SCD1_WID	This is a foreign key to the W_PRODUCT_D table using	6	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	PROD_SC_WID	This is foreign key to the W_PROD_CAT_DH table where	7	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	PROD_CL_WID	This is foreign key to the W_PROD_CAT_DH table where	8	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	PROD_DP_WID	This is foreign key to the W_PROD_CAT_DH table where	9	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	PROD_GP_WID	This is foreign key to the W_PROD_CAT_DH table where	10	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	PROD_DV_WID	This is foreign key to the W_PROD_CAT_DH table where	11	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	PROD_IT_NUM	This is the unique identifier for an item in the source	12	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	PROD_SC_NUM	This is the identifier for a subclass in the source system	13	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	PROD_CL_NUM	This is the identifier for a class in the source system	14	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	PROD_DP_NUM	This is the unique identifier for a department in the source	15	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	PROD_GP_NUM	This is the unique identifier for a group in the source	16	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	PROD_DV_NUM	This is the unique identifier for a division in the source	17	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	ORG_WID	This is a foreign key to the W_INT_ORG_D table	18	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	ORG_DH_WID	This is a foreign key to the W_INT_ORG_DH table	19	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	ORG_SCD1_WID	This is a foreign key to the W_INT_ORG_D table using	20	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	ORG_DS_WID	This is a foreign key to the W_INT_ORG_DH table where	21	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	ORG_RG_WID	This is a foreign key to the W_INT_ORG_DH table where	22	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	ORG_AR_WID	This is a foreign key to the W_INT_ORG_DH table where	23	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	ORG_CH_WID	This is a foreign key to the W_INT_ORG_DH table where	24	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	ORG_NUM	This is the unique identifier for a location in the source	25	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	ORG_DS_NUM	This is the unique identifier for a district in the source	26	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	ORG_RG_NUM	This is the unique identifier for a region in the source	27	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	ORG_AR_NUM	This is the unique identifier for an area in the source	28	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	ORG_CH_NUM	This is the unique identifier for a chain in the source	29	N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	ORIGINAL_CHANNEL_WID	This is a foreign key to the retail specific	30	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	SUBMIT_CHANNEL_WID	This is a foreign key to the retail specific	31	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	SHIP_TO_GEO_WID	This is a foreign key to the W_GEO_D table.	32	N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	CUST_WID	This is a foreign key to the W_PARTY_PER_D table	33	Y	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	SALEPERSON_WID	This is a foreign key to the W_EMPLOYEE_D table	34	Y	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	CASHIER_WID	This is a foreign key to the W_EMPLOYEE_D table	35	Y	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	CUST_REP_WID	This is a foreign key to the W_EMPLOYEE_D table	36	Y	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	COPR_MKDN_AMT_LCL	The promotional markdown amount in local currency	37	Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_QTY	This is the quantity of units ordered.	38	Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_RTL_AMT_LCL	This is the retail value of units ordered. This is stored in	39	Y	NUMBER(20,4)



W_RTL_COPR_LINE_IT_LC_G	COPR_RTL_PROFIT_AMT_LCL	This is the profit value of units ordered. This is stored in	40 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_COST_AMT_LCL	This is the cost value of units ordered. This is stored in	41 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_RSV_QTY	This is the quantity of units ordered at reserve status by	42 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_RSV_AMT_LCL	This is the retail value of units ordered at reserve by the	43 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_RSV_PROFIT_AMT_LCL	This is the profit value of units ordered at reserve status by	44 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_RSV_COST_AMT_LCL	This is the cost value of units ordered at reserve status by	45 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_PICK_QTY	This is the quantity of units ordered at pick status by the	46 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_PICK_AMT_LCL	This is the retail value of units ordered at pick status by	47 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_PICK_PROFIT_AMT_LCL	This is the profit value of units ordered at pick status by	48 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_PICK_COST_AMT_LCL	This is the cost value of units ordered at pick status by the	49 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_BO_QTY	This is the quantity of units ordered at backorder status by	50 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_BO_AMT_LCL	This is the retail value of units ordered at backorder status	51 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_BO_PROFIT_AMT_LCL	This is the profit value of units ordered at backorder status	52 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_BO_COST_AMT_LCL	This is the cost value of units ordered at backorder status	53 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT1_QTY	This is to store the quantity of units for future use	54 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT1_AMT_LCL	This is the retail value of units for future use. This is	55 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT1_PROFIT_AMT_LCL	This is the profit value of units for future use. This is stored	56 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT1_COST_AMT_LCL	This is the cost value of units for future use. This is stored	57 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT2_QTY	This is to store the quantity of units for future use	58 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT2_AMT_LCL	This is the retail value of units for future use. This is	59 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT2_PROFIT_AMT_LCL	This is the profit value of units for future use. This is stored	60 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT2_COST_AMT_LCL	This is the cost value of units for future use. This is stored	61 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT3_QTY	This is to store the quantity of units for future use	62 Y	NUMBER(18,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT3_AMT_LCL	This is the retail value of units for future use. This is	63 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT3_PROFIT_AMT_LCL	This is the profit value of units for future use. This is stored	64 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	COPR_FACT3_COST_AMT_LCL	This is the cost value of units for future use. This is stored	65 Y	NUMBER(20,4)
W_RTL_COPR_LINE_IT_LC_G	DOC_CURR_CODE	Code for the currency in which the document was created	66 Y	VARCHAR2(30)
W_RTL_COPR_LINE_IT_LC_G	LOC_CURR_CODE	Usually the reporting currency code for the financial	67 Y	VARCHAR2(30)
W_RTL_COPR_LINE_IT_LC_G	LOC_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	68 Y	NUMBER(22,7)
W_RTL_COPR_LINE_IT_LC_G	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	69 Y	NUMBER(22,7)
W_RTL_COPR_LINE_IT_LC_G	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	70 Y	NUMBER(22,7)
W_RTL_COPR_LINE_IT_LC_G	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	71 Y	NUMBER(22,7)
W_RTL_COPR_LINE_IT_LC_G	CREATED_BY_WID	This is a foreign key to the W_USER_D dimension	72 Y	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	CHANGED_BY_WID	This is a foreign key to the W_USER_D dimension	73 Y	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	CHANGED_ON_DT	Identifies the date and time when the record was initially	74 Y	DATE
W_RTL_COPR_LINE_IT_LC_G	CREATED_ON_DT	Identifies the date and time when the record was last	75 Y	DATE
W_RTL_COPR_LINE_IT_LC_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	76 Y	DATE
W_RTL_COPR_LINE_IT_LC_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	77 Y	DATE
W_RTL_COPR_LINE_IT_LC_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	78 Y	DATE
W_RTL_COPR_LINE_IT_LC_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	79 Y	DATE
W_RTL_COPR_LINE_IT_LC_G	DELETE_FLG	This flag indicates the deletion status of the record in the	80 Y	CHAR(1)
W_RTL_COPR_LINE_IT_LC_G	W_INSERT_DT	This column stores the date on which the record was	81 Y	DATE
W_RTL_COPR_LINE_IT_LC_G	W_UPDATE_DT	This column stores the date on which the record was last	82 Y	DATE
W_RTL_COPR_LINE_IT_LC_G	EXCHANGE_DT	This column stores the exchange date.	83 Y	DATE
W_RTL_COPR_LINE_IT_LC_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	84 N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	ETL_THREAD_VAL	ETL Thread value.	85 Y	NUMBER(4,0)
W_RTL_COPR_LINE_IT_LC_G	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	86 N	NUMBER(10,0)
W_RTL_COPR_LINE_IT_LC_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	87 N	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-	88 Y	VARCHAR2(80)
W_RTL_COPR_LINE_IT_LC_G	X_CUSTOM	This would typically be used in an Application Service	89 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CO_HEAD_DS
<b>TABLE DESCRIPTION:</b>	W_RTL_CO_HEAD_DS is the staging table for W_RTL_CO_HEAD_D. This dimension will hold the information of customer order header information level. Back posted data should be supported and customer needs to take care of extraction of such data into staging.
<b>BUSINESS RULE:</b>	CO_HEAD_ID makes the alternate key/ business key for this table. A full snapshot of customer order header dimension information listed below should be provided in the staging table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_HEAD_DS	CO_HEAD_ID	The unique identifier of a customer order header	1	N	VARCHAR2(50)
W_RTL_CO_HEAD_DS	ORIGINAL_CO_HEAD_ID	The original customer order header identifier	2	Y	VARCHAR2(50)
W_RTL_CO_HEAD_DS	CO_PARTIAL_SHIPMENT_INDICATOR	This indicator shows if the customer accepts the partial	3	Y	CHAR(1)
W_RTL_CO_HEAD_DS	W_STATUS_CLASS	Identifies the classification of the status. For example,	4	Y	VARCHAR2(50)
W_RTL_CO_HEAD_DS	STATUS_CODE	Identifies the status code as defined in the source system	5	Y	VARCHAR2(50)
W_RTL_CO_HEAD_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	6	Y	NUMBER(10,0)
W_RTL_CO_HEAD_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	7	Y	NUMBER(10,0)
W_RTL_CO_HEAD_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	8	Y	DATE
W_RTL_CO_HEAD_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	9	Y	DATE
W_RTL_CO_HEAD_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_CO_HEAD_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_CO_HEAD_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_CO_HEAD_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_CO_HEAD_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	14	Y	DATE
W_RTL_CO_HEAD_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	15	Y	DATE
W_RTL_CO_HEAD_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	16	Y	CHAR(1)
W_RTL_CO_HEAD_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	17	N	NUMBER(10,0)
W_RTL_CO_HEAD_DS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	18	N	NUMBER(10,0)
W_RTL_CO_HEAD_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	19	N	VARCHAR2(80)
W_RTL_CO_HEAD_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	20	Y	VARCHAR2(80)
W_RTL_CO_HEAD_DS	X_CUSTOM	This column is used as a generic field for customer	21	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CO_HEAD_STATUS_FS
<b>TABLE DESCRIPTION:</b>	This table contains the latest customer order header level only data at the customer order header/location/channel/day level. This table can have back posted records and the same can be used for loading the fact table. This table also holds original channel/submit channel/customer/requested shipment type /requested ship method details. If the customer order header has discounts/ tax or shipment charges the corresponding columns should be populated.
<b>BUSINESS RULE:</b>	CO_HEAD_ID makes the business key for this table. Fact Staging table is a truncate and load. It holds the latest information for a customer order. In case of back-posted records, only the information for the latest day should be in the FS table. The staging table should only have orders that have been modified or newly created on the DAY_DT. In case of multiple modifications within a day for a customer order, only the latest information on that day will be extracted into the staging table. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_HEAD_STATUS_FS	CO_HEAD_ID	The unique identifier of a customer order line	1	N	VARCHAR2(50)
W_RTL_CO_HEAD_STATUS_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	2	N	DATE
W_RTL_CO_HEAD_STATUS_FS	MIN_NUM	This is the HOUR_24_NUM and MINUTE_NUM from	3	N	NUMBER(4,0)
W_RTL_CO_HEAD_STATUS_FS	ORG_NUM	Location Number	4	N	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_FS	ORIGINAL_CHANNEL_NUM	The location deemed the point of origin for the customer	5	Y	NUMBER(4,0)
W_RTL_CO_HEAD_STATUS_FS	SUBMIT_CHANNEL_NUM	The location deemed the generation of demand or point of	6	Y	NUMBER(4,0)
W_RTL_CO_HEAD_STATUS_FS	CUST_NUM	Customer Number	7	Y	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_FS	SALESPERSON_NUM	The retailer sales person who is responsible for the	8	Y	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_FS	CASHIER_NUM	The employee who processes the sales transaction by	9	Y	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_FS	CUST_REP_NUM	The employee who was involved with facilitating the	10	Y	VARCHAR2(80)

W_RTL_CO_HEAD_STATUS_FS	CO_HEAD_DISC_AMT_LCL	This is the discount amount applied to order header only.	11 Y	NUMBER(20,4)
W_RTL_CO_HEAD_STATUS_FS	SHIP_TYPE_CODE	This is the code for customer order ship type.	12 Y	VARCHAR2(50)
W_RTL_CO_HEAD_STATUS_FS	SHIP_METHOD_CODE	This is the code for customer order ship method.	13 Y	VARCHAR2(50)
W_RTL_CO_HEAD_STATUS_FS	CO_TAX_AMT_LCL	This is the tax amount applied to the order header only.	14 Y	NUMBER(20,4)
W_RTL_CO_HEAD_STATUS_FS	CO_SHIPPING_AMT_LCL	This is the expected shipping fee applied to the order	15 Y	NUMBER(20,4)
W_RTL_CO_HEAD_STATUS_FS	DOC_CURR_CODE	Code for the currency in which the document was created	16 Y	VARCHAR2(30)
W_RTL_CO_HEAD_STATUS_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	17 Y	VARCHAR2(30)
W_RTL_CO_HEAD_STATUS_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	18 Y	NUMBER(22,7)
W_RTL_CO_HEAD_STATUS_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	19 Y	NUMBER(22,7)
W_RTL_CO_HEAD_STATUS_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	20 Y	NUMBER(22,7)
W_RTL_CO_HEAD_STATUS_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	21 Y	NUMBER(22,7)
W_RTL_CO_HEAD_STATUS_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	22 Y	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	23 Y	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_FS	CHANGED_ON_DT	Identifies the date and time when the record was initially	24 Y	DATE
W_RTL_CO_HEAD_STATUS_FS	CREATED_ON_DT	This column stores the date up to which the source record	25 Y	DATE
W_RTL_CO_HEAD_STATUS_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	26 Y	DATE
W_RTL_CO_HEAD_STATUS_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	27 Y	DATE
W_RTL_CO_HEAD_STATUS_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	28 Y	DATE
W_RTL_CO_HEAD_STATUS_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	29 Y	DATE
W_RTL_CO_HEAD_STATUS_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	30 Y	CHAR(1)
W_RTL_CO_HEAD_STATUS_FS	EXCHANGE_DT	This is the date when the price change or cost change was	31 Y	DATE
W_RTL_CO_HEAD_STATUS_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	32 N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	33 Y	NUMBER(4,0)
W_RTL_CO_HEAD_STATUS_FS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	34 N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	35 N	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	36 Y	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_FS	X_CUSTOM	This column is used as a generic field for customer	37 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CO_HEAD_STATUS_G
<b>TABLE DESCRIPTION:</b>	
<b>BUSINESS RULE:</b>	This table cannot contain duplicate records for CO_HEAD_WID , CO_FL_TYPE_WID and CO_FL_METHOD_WID

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_HEAD_STATUS_G	ROW_WID	Surrogate key to uniquely identify a record	1	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	CO_HEAD_WID	This is a foreign key to the W_RTL_CO_LINE_D table	2	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	ORG_WID	This is a foreign key to the W_INT_ORG_D table	3	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	ORG_DH_WID	This is a foreign key to the W_INT_ORG_DH table	4	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	ORD_SCD1_WID	This is a foreign key to the W_INT_ORG_D table using	5	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	ORG_DS_WID	This is a foreign key to W_INT_ORG_DH table.	6	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	ORG_RG_WID	This is a foreign key to W_INT_ORG_DH table.	7	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	ORG_AR_WID	This is a foreign key to W_INT_ORG_DH table.	8	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	ORG_CH_WID	This is a foreign key to W_INT_ORG_DH table.	9	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	ORG_NUM	This is the location number from W_INT_ORG_D	10	N	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_G	ORG_DS_NUM	This is the unique identifier for a district in the source	11	N	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_G	ORG_RG_NUM	This is the unique identifier for a region in the source	12	N	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_G	ORG_AR_NUM	This is the unique identifier for an area in the source	13	N	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_G	ORG_CH_NUM	This is the unique identifier for a chain in the source	14	N	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_G	ORIGINAL_CHANNEL_WID	This is a foreign key to the retail specific	15	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	SUBMIT_CHANNEL_WID	This is a foreign key to the retail specific	16	N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	CUST_WID	This is a foreign key to the W_PARTY_PER_D table	17	Y	NUMBER(10,0)

W_RTL_CO_HEAD_STATUS_G	SALEPERSON_WID	This is a foreign key to the W_EMPLOYEE_D table	18 Y	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	CASHIER_WID	This is a foreign key to the W_EMPLOYEE_D table	19 Y	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	CUST_REP_WID	This is a foreign key to the W_EMPLOYEE_D table	20 Y	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	CO_FL_TYPE_WID	This is a foreign key to the W_RTL_CO_SHIP_TYPE_D	21 N	NUMBER(15,0)
W_RTL_CO_HEAD_STATUS_G	CO_FL_METHOD_WID	This is a foreign key to the	22 N	NUMBER(15,0)
W_RTL_CO_HEAD_STATUS_G	CO_SHIPPING_AMT_LCL	This is the expected shipping fee of the order line by the	23 Y	NUMBER(20,4)
W_RTL_CO_HEAD_STATUS_G	CO_TAX_AMT_LCL	This is the tax amount of the order line by the end of	24 Y	NUMBER(20,4)
W_RTL_CO_HEAD_STATUS_G	CO_DISC_AMT_LCL	This is the discount amount applied to the order line only	25 Y	NUMBER(20,4)
W_RTL_CO_HEAD_STATUS_G	DOC_CURR_CODE	Code for the currency in which the document was created	26 Y	VARCHAR2(30)
W_RTL_CO_HEAD_STATUS_G	LOC_CURR_CODE	Usually the reporting currency code for the financial	27 Y	VARCHAR2(30)
W_RTL_CO_HEAD_STATUS_G	LOC_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	28 Y	NUMBER(22,7)
W_RTL_CO_HEAD_STATUS_G	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	29 Y	NUMBER(22,7)
W_RTL_CO_HEAD_STATUS_G	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	30 Y	NUMBER(22,7)
W_RTL_CO_HEAD_STATUS_G	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	31 Y	NUMBER(22,7)
W_RTL_CO_HEAD_STATUS_G	CREATED_BY_WID	This is a foreign key to the W_USER_D dimension	32 Y	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	CHANGED_BY_WID	This is a foreign key to the W_USER_D dimension	33 Y	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	CHANGED_ON_DT	Identifies the date and time when the record was initially	34 Y	DATE
W_RTL_CO_HEAD_STATUS_G	CREATED_ON_DT	Identifies the date and time when the record was last	35 Y	DATE
W_RTL_CO_HEAD_STATUS_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	36 Y	DATE
W_RTL_CO_HEAD_STATUS_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	37 Y	DATE
W_RTL_CO_HEAD_STATUS_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	38 Y	DATE
W_RTL_CO_HEAD_STATUS_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	39 Y	DATE
W_RTL_CO_HEAD_STATUS_G	DELETE_FLG	This flag indicates the deletion status of the record in the	40 Y	CHAR(1)
W_RTL_CO_HEAD_STATUS_G	W_INSERT_DT	This column stores the date on which the record was	41 Y	DATE
W_RTL_CO_HEAD_STATUS_G	W_UPDATE_DT	This column stores the date on which the record was last	42 Y	DATE
W_RTL_CO_HEAD_STATUS_G	EXCHANGE_DT	This is the date when the price change or cost change was	43 Y	DATE
W_RTL_CO_HEAD_STATUS_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	44 N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	45 Y	NUMBER(4,0)
W_RTL_CO_HEAD_STATUS_G	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	46 N	NUMBER(10,0)
W_RTL_CO_HEAD_STATUS_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	47 N	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-	48 Y	VARCHAR2(80)
W_RTL_CO_HEAD_STATUS_G	X_CUSTOM	This column is used as a generic field for customer	49 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CO_HEAD_TNDR_LC_DY_FS
<b>TABLE DESCRIPTION:</b>	This table contains the fact data at customer order header/tender type/day level. If one customer order header has multiple records for one tender type on a single day, there should be only one record in the fact staging table by summing up the customer order payment amount by grouping the customer order header/ tender type/day. This table can have back posted records and the same can be used for loading the fact table. Any updates for already posted data, should only send the delta values in back posting.
<b>BUSINESS RULE:</b>	CO_HEAD_ID, TNDR_TYPE_ID and DAY_DT makes the alternate key/ business key for this table. Fact Staging table is a truncate and load. It holds one day's transactions. In case of back posted records exist in the fact staging table the table holds more than one day's transactions. This staging table containss customer order payment made on DAY_DT by tender type. In case multiple payments made on a same day for a same order by the same tender type, the records should be summed up first before they are moved to the staging table. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_HEAD_TNDR_LC_DY_FS	CO_HEAD_ID	This is a foreign key to the W_RTL_CO_HEAD_D table	1	N	VARCHAR2(50)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	TNDR_TYPE_ID	The unique identifier of tender type.	2	N	VARCHAR2(50)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	DAY_DT	This is a foreign key to the W_MCAL_DAY_D table	3	N	DATE
W_RTL_CO_HEAD_TNDR_LC_DY_FS	ORG_NUM	This is a foreign key to the W_INT_ORG_D table	4	Y	VARCHAR2(80)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	ORIGINAL_CHANNEL_NUM	This is a foreign key to the retail specific	5	Y	NUMBER(4,0)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	SUBMIT_CHANNEL_NUM	This is a foreign key to the retail specific	6	Y	NUMBER(4,0)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	CUST_NUM	Customer Number	7	Y	VARCHAR2(80)

W_RTL_CO_HEAD_TNDR_LC_DY_FS	SALEPERSON_NUM	The retailer sales person who is responsible for the	8 Y	VARCHAR2(80)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	CASHIER_NUM	The employee who processes the sales transaction by	9 Y	VARCHAR2(80)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	CUST_REP_NUM	The employee who was involved with facilitating the	10 Y	VARCHAR2(80)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	CO_PAYMENT_AMT_LCL	This is the retail value of units ordered. This is stored in	11 Y	NUMBER(20,4)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	12 Y	VARCHAR2(30)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	13 Y	VARCHAR2(30)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	14 Y	NUMBER(22,7)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	15 Y	NUMBER(22,7)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	16 Y	NUMBER(22,7)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	17 Y	NUMBER(22,7)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	18 Y	NUMBER(10,0)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	19 Y	NUMBER(10,0)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was initially	20 Y	DATE
W_RTL_CO_HEAD_TNDR_LC_DY_FS	CREATED_ON_DT	This column stores the date up to which the source record	21 Y	DATE
W_RTL_CO_HEAD_TNDR_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	22 Y	DATE
W_RTL_CO_HEAD_TNDR_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	23 Y	DATE
W_RTL_CO_HEAD_TNDR_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	24 Y	DATE
W_RTL_CO_HEAD_TNDR_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	25 Y	DATE
W_RTL_CO_HEAD_TNDR_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	26 Y	CHAR(1)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change was	27 Y	DATE
W_RTL_CO_HEAD_TNDR_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	28 N	NUMBER(10,0)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	29 Y	NUMBER(4,0)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	30 N	NUMBER(10,0)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	31 N	VARCHAR2(80)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	32 Y	VARCHAR2(80)
W_RTL_CO_HEAD_TNDR_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	33 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CO_HEAD_TP_LC_DY_FS
<b>TABLE DESCRIPTION:</b>	This table contains the fact data at customer order header/channel/sequence/day level. This table should hold the touch point channels data of the customer order while placing the order. The same channel can be repetitive for one customer order/day with more than one sequence number. Back posting should be supported. This should only inserting new records for previous days, no updates are supported for previously posted data. The data into this table should be loaded with current date's transactions/Back posted records should be consumed by RA.
<b>BUSINESS RULE:</b>	CO_HEAD_ID, CHANNEL_NUM, SEQ_NUM and DAY_DT makes the alternate key/ business key for this table. Fact Staging table is a truncate and load. It holds one day's transactions. In case of back posted records exist in the fact staging table the table holds more than one day's transactions.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_HEAD_TP_LC_DY_FS	CO_HEAD_ID	This is a foreign key to the W_RTL_CO_HEAD_D table	1	N	VARCHAR2(50)
W_RTL_CO_HEAD_TP_LC_DY_FS	CHANNEL_NUM	This is a foreign key to the retail specific	2	N	NUMBER(4,0)
W_RTL_CO_HEAD_TP_LC_DY_FS	SEQ_NUM	This is the order of channels in which the customer visited.	3	N	NUMBER(2,0)
W_RTL_CO_HEAD_TP_LC_DY_FS	DAY_DT	This is a foreign key to the W_MCAL_DAY_D table	4	N	DATE
W_RTL_CO_HEAD_TP_LC_DY_FS	ORG_NUM	This is a foreign key to the W_INT_ORG_D table	5	Y	VARCHAR2(80)
W_RTL_CO_HEAD_TP_LC_DY_FS	ORDER_PLACED_FLG	Indicates if the Customer Order was finally placed at the	6	Y	VARCHAR2(1)
W_RTL_CO_HEAD_TP_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	7	Y	VARCHAR2(30)
W_RTL_CO_HEAD_TP_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	8	Y	VARCHAR2(30)
W_RTL_CO_HEAD_TP_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	9	Y	NUMBER(22,7)
W_RTL_CO_HEAD_TP_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	10	Y	NUMBER(22,7)
W_RTL_CO_HEAD_TP_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	11	Y	NUMBER(22,7)
W_RTL_CO_HEAD_TP_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	12	Y	NUMBER(22,7)
W_RTL_CO_HEAD_TP_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	13	Y	NUMBER(10,0)
W_RTL_CO_HEAD_TP_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	14	Y	NUMBER(10,0)

W_RTL_CO_HEAD_TP_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was initially	15 Y	DATE
W_RTL_CO_HEAD_TP_LC_DY_FS	CREATED_ON_DT	This column stores the date up to which the source record	16 Y	DATE
W_RTL_CO_HEAD_TP_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	17 Y	DATE
W_RTL_CO_HEAD_TP_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	18 Y	DATE
W_RTL_CO_HEAD_TP_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	19 Y	DATE
W_RTL_CO_HEAD_TP_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	20 Y	DATE
W_RTL_CO_HEAD_TP_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	21 Y	CHAR(1)
W_RTL_CO_HEAD_TP_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change was	22 Y	DATE
W_RTL_CO_HEAD_TP_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	23 N	NUMBER(10,0)
W_RTL_CO_HEAD_TP_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	24 Y	NUMBER(4,0)
W_RTL_CO_HEAD_TP_LC_DY_FS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	25 N	NUMBER(10,0)
W_RTL_CO_HEAD_TP_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	26 N	VARCHAR2(80)
W_RTL_CO_HEAD_TP_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	27 Y	VARCHAR2(80)
W_RTL_CO_HEAD_TP_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	28 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CO_LINE_DS
<b>TABLE DESCRIPTION:</b>	This dimension will hold the information of customer order line level information. Back posted data should be supported and customer needs to take care of extraction of such data into staging.
<b>BUSINESS RULE:</b>	CO_LINE_ID and CO_HEAD_ID make the alternate key/ business key for this table. To gain better performance, only the changes since last business day should be extracted into this staging table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_LINE_DS	CO_LINE_ID	The unique identifier of a customer order line	1	N	VARCHAR2(50)
W_RTL_CO_LINE_DS	CO_HEAD_ID	The unique identifier of a customer order line	2	N	VARCHAR2(50)
W_RTL_CO_LINE_DS	ORIGINAL_CO_LINE_ID	The unique identifier of an original customer order line.	3	Y	VARCHAR2(50)
W_RTL_CO_LINE_DS	ORIGINAL_CO_HEAD_ID	The unique identifier of an original customer order header.	4	Y	VARCHAR2(50)
W_RTL_CO_LINE_DS	ORIGINAL_PROD_NUM	This is unique identifier of original product num.	5	Y	VARCHAR2(30)
W_RTL_CO_LINE_DS	SUBSTITUTE_PROD_NUM	This is unique identifier of substitute product num.	6	Y	VARCHAR2(30)
W_RTL_CO_LINE_DS	SHIP_TO_NAME	The ship to name of customer order line	7	Y	VARCHAR2(240)
W_RTL_CO_LINE_DS	ORIGINAL_DT	The original date of the order line	8	Y	DATE
W_RTL_CO_LINE_DS	REQUEST_DT	The requires date of the order line	9	Y	DATE
W_RTL_CO_LINE_DS	EST_DELIVER_DT	The estimated deliver date of the order line	10	Y	DATE
W_RTL_CO_LINE_DS	TAX_EXEMPT_IND	The tax exempt indicator of the order line.	11	Y	VARCHAR2(1)
W_RTL_CO_LINE_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	12	Y	NUMBER(10,0)
W_RTL_CO_LINE_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	13	Y	NUMBER(10,0)
W_RTL_CO_LINE_DS	COMPLETED_FLG	Order line completed flag	14	Y	VARCHAR2(1)
W_RTL_CO_LINE_DS	CANCEL_FLG	Order line cancel flag	15	Y	VARCHAR2(1)
W_RTL_CO_LINE_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	16	Y	DATE
W_RTL_CO_LINE_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	17	Y	DATE
W_RTL_CO_LINE_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	18	Y	DATE
W_RTL_CO_LINE_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	19	Y	DATE
W_RTL_CO_LINE_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	20	Y	DATE
W_RTL_CO_LINE_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	21	Y	DATE
W_RTL_CO_LINE_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	22	Y	DATE
W_RTL_CO_LINE_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	23	Y	DATE
W_RTL_CO_LINE_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	24	Y	CHAR(1)
W_RTL_CO_LINE_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	25	N	NUMBER(10,0)
W_RTL_CO_LINE_DS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	26	N	NUMBER(10,0)
W_RTL_CO_LINE_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	27	N	VARCHAR2(80)
W_RTL_CO_LINE_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	28	Y	VARCHAR2(80)

W_RTL_CO_LINE_DS	X_CUSTOM	This column is used as a generic field for customer	29 Y	VARCHAR2(10)
W_RTL_CO_LINE_DS	BILL_DATE	The date on which the billing occurred for the customer	30 Y	DATE
W_RTL_CO_LINE_DS	EST_AVAIL_DT	The estimated date in Order Management System for	31 Y	DATE

<b>TABLE NAME:</b>	<b>W_RTL_CO_LINE_FL_IT_LC_DY_FS</b>
<b>TABLE DESCRIPTION:</b>	This table contains the customer order fulfillment fact data at customer order header/line/fulfillment location level. Back posting is supported for inserts and updates. While the posting the updates for back posted data only the change (delta) values should be posted instead of posting the reversal and repost.
<b>BUSINESS RULE:</b>	CO_LINE_ID, CO_HEAD_ID and CO_FL_ORG_NUM , DAY_DT makes the alternate key/ business key for this table. Fact Staging table is a truncate and load. It holds one day's transactions. In case of back posted records exist in the fact staging table the table holds more than one day's transactions. In case multiple fulfillments made on a same day for the same order line and the same fulfillment location, the records should be summed up first before they are moved to the staging table. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CO_LINE_ID	The unique identifier of a customer order line	1	N	VARCHAR2(50)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CO_HEAD_ID	This is a foreign key to the W_RTL_CO_HEAD_D table	2	N	VARCHAR2(50)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	DAY_DT	This is a foreign key to the W_MCAL_DAY_D table	3	N	DATE
W_RTL_CO_LINE_FL_IT_LC_DY_FS	PROD_IT_NUM	This is the unique identifier for an item in the source	4	N	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	ORG_NUM	This is a foreign key to the W_INT_ORG_D table	5	N	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	SHIP_TO_GEO_ID	This is a foreign key to the W_GEO_D table.	6	Y	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CUST_NUM	Customer Number	7	Y	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	SALEPERSON_NUM	The retailer sales person who is responsible for the	8	Y	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CASHIER_NUM	The employee who processes the sales transaction by	9	Y	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CUST_REP_NUM	The employee who was involved with facilitating the	10	Y	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	RTL_TYPE_CODE	This is foreign key to W_XACT_TYPE_D table	11	N	VARCHAR2(50)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CO_FL_LINE_ID	This is fulfillment ID that comes from source.	12	N	VARCHAR2(50)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CO_FL_ORG_NUM	This is a foreign key to the W_INT_ORG_DH table	13	N	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CO_FL_QTY	This is the quantity of units fulfilled.	14	Y	NUMBER(18,4)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CO_FL_AMT_LCL	This is the retail value of units fulfilled. This is stored in	15	Y	NUMBER(20,4)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CO_FL_PROFIT_AMT_LCL	This is the profit value of units fulfilled. This is stored in	16	Y	NUMBER(20,4)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CO_FL_COST_AMT_LCL	This is the cost value of units fulfilled. This is stored in	17	Y	NUMBER(20,4)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CO_FL_SHIPPING_AMT_LCL	This is the actual shipping fee. This is stored in local	18	Y	NUMBER(20,4)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CO_FL_TAX_AMT_LCL	This is the tax amount fulfilled. This is stored in local	19	Y	NUMBER(20,4)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	20	Y	VARCHAR2(30)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	21	Y	VARCHAR2(30)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Documet Currency to the	22	Y	NUMBER(22,7)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	23	Y	NUMBER(22,7)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	24	Y	NUMBER(22,7)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	25	Y	NUMBER(22,7)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	26	Y	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	27	Y	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was initially	28	Y	DATE
W_RTL_CO_LINE_FL_IT_LC_DY_FS	CREATED_ON_DT	This column stores the date up to which the source record	29	Y	DATE
W_RTL_CO_LINE_FL_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	30	Y	DATE
W_RTL_CO_LINE_FL_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	31	Y	DATE
W_RTL_CO_LINE_FL_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	32	Y	DATE
W_RTL_CO_LINE_FL_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	33	Y	DATE
W_RTL_CO_LINE_FL_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	34	Y	CHAR(1)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change was	35	Y	DATE
W_RTL_CO_LINE_FL_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	36	N	NUMBER(10,0)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	37	Y	NUMBER(4,0)



W_RTL_CO_LINE_FL_IT_LC_DY_FS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	38	N	NUMBER(10,0)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	39	N	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	40	Y	VARCHAR2(80)
W_RTL_CO_LINE_FL_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	41	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CO_LINE_STATUS_FS
<b>TABLE DESCRIPTION:</b>	This table contains customer order line status latest data at the customer order header/line/day level. This table can have back posted records and the same can be used for loading the fact table. If a customer order line status latest change occurs in the middle of a day, the details that exists at the time of the batch will be written.
<b>BUSINESS RULE:</b>	CO_LINE_ID and CO_HEAD_ID make the alternate key/ business key for this table. Fact Staging table is a truncate and load. It holds one day's transactions. In case of back posted records exist in the fact staging table the table holds the latest order line status information only. For back post, the post date can be only going forward, not backward. Back post is not supported if there is a major reclassification between the transaction date and the current business date. This table contains the latest customer order line information modified on the DAY_DT. In case of multiple modification within a day for a customer order line, only the latest information on that day will be extracted into the staging table. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_LINE_STATUS_FS	CO_LINE_ID	The unique identifier of a customer order line	1	N	VARCHAR2(50)
W_RTL_CO_LINE_STATUS_FS	CO_HEAD_ID	This is a foreign key to the W_RTL_CO_HEAD_D table	2	N	VARCHAR2(50)
W_RTL_CO_LINE_STATUS_FS	W_STATUS_CLASS	Identifies the classification of the status. For example,	3	N	VARCHAR2(50)
W_RTL_CO_LINE_STATUS_FS	CO_STATUS_CODE	This is a foreign key to the W_STATUS_D table.	4	N	VARCHAR2(50)
W_RTL_CO_LINE_STATUS_FS	DAY_DT	This is a foreign key to the W_MCAL_DAY_D table	5	N	DATE
W_RTL_CO_LINE_STATUS_FS	MIN_NUM	This is the HOUR_24_NUM and MINUTE_NUM from	6	N	NUMBER(4,0)
W_RTL_CO_LINE_STATUS_FS	PROD_IT_NUM	This is the unique identifier for an item in the source	7	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_FS	ORG_NUM	This is a foreign key to the W_INT_ORG_D table	8	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_FS	ORIGINAL_CHANNEL_NUM	This is a foreign key to the retail specific	9	N	NUMBER(4,0)
W_RTL_CO_LINE_STATUS_FS	SUBMIT_CHANNEL_NUM	This is a foreign key to the retail specific	10	N	NUMBER(4,0)
W_RTL_CO_LINE_STATUS_FS	REASON_CAT_CODE	Reason Category Code Identifies the categorization of the	11	N	VARCHAR2(50)
W_RTL_CO_LINE_STATUS_FS	CO_CAN_REASON_CODE	This is a foreign key to W_REASON_D table	12	N	VARCHAR2(50)
W_RTL_CO_LINE_STATUS_FS	SHIP_TO_GEO_ID	This is a foreign key to the W_GEO_D table.	13	Y	VARCHAR2(50)
W_RTL_CO_LINE_STATUS_FS	CUST_NUM	Customer Number	14	Y	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_FS	SALEPERSON_NUM	The retailer sales person who is responsible for the	15	Y	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_FS	CASHIER_NUM	The employee who processes the sales transaction by	16	Y	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_FS	CUST_REP_NUM	The employee who was involved with facilitating the	17	Y	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_FS	RTL_TYPE_CODE	This is foreign key to W_XACT_TYPE_D table	18	N	VARCHAR2(50)
W_RTL_CO_LINE_STATUS_FS	FULFILLMENT_TYPE_CODE	This is the fulfillment type code that is used while fulfilling	19	Y	VARCHAR2(50)
W_RTL_CO_LINE_STATUS_FS	FULFILLMENT_METHOD_CODE	This is the business code for fulfillment method that is	20	Y	VARCHAR2(50)
W_RTL_CO_LINE_STATUS_FS	CO SHIPPING_AMT_LCL	This is the expected shipping fee of the order line. This is	21	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_TAX_AMT_LCL	This is the tax amount of the order line. This is stored in	22	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_RUSH_ORDER_AMT_LCL	This is rush order amount for order line. This is stored in	23	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_ACCOMMODATION_AMT_LCL	This is accommodation amount for order line. This is	24	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_DISC_AMT_LCL	This is the discount amount applied to the order line only.	25	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_QTY	This is the quantity of units ordered.	26	Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_FS	CO_AMT_LCL	This is the retail value of units ordered. This is stored in	27	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_PROFIT_AMT_LCL	This is the profit value of units ordered. This is stored in	28	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_COST_AMT_LCL	This is the cost value of units ordered. This is stored in	29	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_RSV_QTY	This is the change of quantity of units being reserved.	30	Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_FS	CO_RSV_AMT_LCL	This is the change of retail value of being units reserved.	31	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_RSV_PROFIT_AMT_LCL	This is the change of profit value of units being reserved.	32	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_RSV_COST_AMT_LCL	This is the change of cost value of units being reserved.	33	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_PICK_QTY	This is the change of quantity of units being picked.	34	Y	NUMBER(18,4)



W_RTL_CO_LINE_STATUS_FS	CO_PICK_AMT_LCL	This is the change of retail value of units being picked.	35 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_PICK_PROFIT_AMT_LCL	This is the change of profit value of units being picked.	36 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_PICK_COST_AMT_LCL	This is the change of cost value of units being picked. This	37 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_BO_QTY	This is the change of quantity of units in backorder.	38 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_FS	CO_BO_AMT_LCL	This is the change of retail value of units in backorder.	39 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_BO_PROFIT_AMT_LCL	This is the change of profit value of units in backorder.	40 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_BO_COST_AMT_LCL	This is the change of cost value of units in backorder. This	41 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_CAN_QTY	This is the quantity of units cancelled.	42 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_FS	CO_CAN_AMT_LCL	This is the retail value of units cancelled. This is stored in	43 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_CAN_PROFIT_AMT_LCL	This is the profit value of units cancelled. This is stored in	44 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_CAN_COST_AMT_LCL	This is the cost value of units cancelled. This is stored in	45 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_CAN_TAX_AMT_LCL	This is the TAX value of units cancelled. This is stored in	46 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT1_QTY	This is the fact 1 quantity	47 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT1_AMT_LCL	This is the fact 1 amount in local currency	48 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT1_PROFIT_AMT_LCL	This is the fact 1 profit amount in local currency	49 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT1_COST_AMT_LCL	This is the fact 1 cost amount in local currency	50 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT2_QTY	This is the fact 2 quantity	51 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT2_AMT_LCL	This is the fact 2 amount in local currency	52 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT2_PROFIT_AMT_LCL	This is the fact 2 profit amount in local currency	53 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT2_COST_AMT_LCL	This is the fact 2 cost amount in local currency	54 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT3_QTY	This is the fact 3 quantity	55 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT3_AMT_LCL	This is the fact 3 amount in local currency	56 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT3_PROFIT_AMT_LCL	This is the fact 3 profit amount in local currency	57 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	CO_FACT3_COST_AMT_LCL	This is the fact 3 cost amount in local currency	58 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_FS	DOC_CURR_CODE	Code for the currency in which the document was created	59 Y	VARCHAR2(30)
W_RTL_CO_LINE_STATUS_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	60 Y	VARCHAR2(30)
W_RTL_CO_LINE_STATUS_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	61 Y	NUMBER(22,7)
W_RTL_CO_LINE_STATUS_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	62 Y	NUMBER(22,7)
W_RTL_CO_LINE_STATUS_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	63 Y	NUMBER(22,7)
W_RTL_CO_LINE_STATUS_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	64 Y	NUMBER(22,7)
W_RTL_CO_LINE_STATUS_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	65 Y	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	66 Y	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_FS	CHANGED_ON_DT	Identifies the date and time when the record was initially	67 Y	DATE
W_RTL_CO_LINE_STATUS_FS	CREATED_ON_DT	This column stores the date up to which the source record	68 Y	DATE
W_RTL_CO_LINE_STATUS_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	69 Y	DATE
W_RTL_CO_LINE_STATUS_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	70 Y	DATE
W_RTL_CO_LINE_STATUS_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	71 Y	DATE
W_RTL_CO_LINE_STATUS_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	72 Y	DATE
W_RTL_CO_LINE_STATUS_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	73 Y	CHAR(1)
W_RTL_CO_LINE_STATUS_FS	EXCHANGE_DT	This is the date when the price change or cost change was	74 Y	DATE
W_RTL_CO_LINE_STATUS_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	75 N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	76 Y	NUMBER(4,0)
W_RTL_CO_LINE_STATUS_FS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	77 N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	78 N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	79 Y	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_FS	X_CUSTOM	This column is used as a generic field for customer	80 Y	VARCHAR2(10)

TABLE NAME:	W_RTL_CO_LINE_STATUS_G
TABLE DESCRIPTION:	This is CO Line status G table

<b>BUSINESS RULE:</b>	This table cannot contain duplicate records for CO_LINE_WID, PROD_WID and ORG_DH_WID
-----------------------	--

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_LINE_STATUS_G	ROW_WID	Surrogate key to uniquely identify a record	1	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	CO_LINE_WID	This is a foreign key to the W_RTL_CO_LINE_D table	2	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	CO_STATUS_WID	This is a foreign key to the W_STATUS_D table.	3	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	CO_HEAD_WID	This is a foreign key to the W_RTL_CO_HEAD_D table	4	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	ORG_WID	This is a foreign key to the W_INT_ORG_D table	5	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	ORG_DH_WID	This is a foreign key to the W_INT_ORG_DH table	6	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	ORG_SCD1_WID	This is a foreign key to the W_INT_ORG_D table using	7	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	ORG_DS_WID	This is a foreign key to the W_INT_ORG_D table	8	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	ORG_RG_WID	This is a foreign key to the W_INT_ORG_D table	9	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	ORG_AR_WID	This is a foreign key to the W_INT_ORG_D table	10	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	ORG_CH_WID	This is a foreign key to the W_INT_ORG_D table	11	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	PROD_WID	This is a foreign key to the W_PRODUCT_D table.	12	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	PROD_SCD1_WID	This is a foreign key to the W_PRODUCT_D table.	13	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	PROD_IT_WID	This is a foreign key to the W_PRODUCT_D table.	14	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	PROD_SC_WID	This is a foreign key to the W_PRODUCT_D table.	15	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	PROD_CL_WID	This is a foreign key to the W_PRODUCT_D table.	16	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	PROD_DP_WID	This is a foreign key to the W_PRODUCT_D table.	17	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	PROD_GP_WID	This is a foreign key to the W_PRODUCT_D table.	18	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	PROD_DV_WID	This is a foreign key to the W_PRODUCT_D table.	19	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	ORG_NUM	This is a foreign key to the W_INT_ORG_D table	20	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	ORG_DS_NUM	This is a foreign key to the W_INT_ORG_D table	21	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	ORG_RG_NUM	This is a foreign key to the W_INT_ORG_D table	22	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	ORG_AR_NUM	This is a foreign key to the W_INT_ORG_D table	23	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	ORG_CH_NUM	This is a foreign key to the W_INT_ORG_D table	24	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	PROD_IT_NUM	This is a foreign key to the W_PRODUCT_D table.	25	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	PROD_SC_NUM	This is a foreign key to the W_PRODUCT_D table.	26	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	PROD_CL_NUM	This is a foreign key to the W_PRODUCT_D table.	27	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	PROD_DP_NUM	This is a foreign key to the W_PRODUCT_D table.	28	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	PROD_GP_NUM	This is a foreign key to the W_PRODUCT_D table.	29	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	PROD_DV_NUM	This is a foreign key to the W_PRODUCT_D table.	30	N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	ORIGINAL_CHANNEL_WID	This is a foreign key to the retail specific	31	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	SUBMIT_CHANNEL_WID	This is a foreign key to the retail specific	32	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	DAY_DT	This is a foreign key to the retail specific	33	Y	DATE
W_RTL_CO_LINE_STATUS_G	DT_WID	This is a foreign key to the retail specific	34	N	NUMBER(15,0)
W_RTL_CO_LINE_STATUS_G	SHIP_TO_GEO_WID	This is a foreign key to the W_GEO_D table.	35	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	CUST_WID	This is a foreign key to the W_PARTY_PER_D table	36	Y	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	SALEPERSON_WID	This is a foreign key to the W_EMPLOYEE_D table	37	Y	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	CASHIER_WID	This is a foreign key to the W_EMPLOYEE_D table	38	Y	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	CUST_REP_WID	This is a foreign key to the W_EMPLOYEE_D table	39	Y	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	CO_REQUESTED_FL_TYPE_WID	This is a foreign key to the W_RTL_CO_SHIP_TYPE_D	40	N	NUMBER(15,0)
W_RTL_CO_LINE_STATUS_G	CO_REQUESTED_FL_METHOD_WID	This is a foreign key to the	41	N	NUMBER(15,0)
W_RTL_CO_LINE_STATUS_G	RTL_TYPE_WID	This is foreign key to W_XACT_TYPE_D	42	N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	CO_SHIPPING_AMT_LCL	This is the expected shipping fee of the order line. This is	43	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_TAX_AMT_LCL	This is the tax amount of the order line. This is stored in	44	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_RUSH_ORDER_AMT_LCL	This is rush order amount for order line. This is stored in	45	Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_ACCOMMODATION_AMT_LCL	This is accommodation amount for order line. This is	46	Y	NUMBER(20,4)

W_RTL_CO_LINE_STATUS_G	CO_DISC_AMT_LCL	This is the discount amount applied to the order line only.	47 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_QTY	This is the quantity of units ordered.	48 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_G	CO_RTL_AMT_LCL	This is the retail value of units ordered. This is stored in	49 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_RTL_PROFIT_AMT_LCL	This is the profit value of units ordered. This is stored in	50 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_COST_AMT_LCL	This is the cost value of units ordered. This is stored in	51 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_RSV_QTY	This is the change of quantity of units being reserved.	52 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_G	CO_RSV_RTL_AMT_LCL	This is the change of retail value of being units reserved.	53 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_RSV_RTL_PROFIT_AMT_LCL	This is the change of profit value of units being reserved.	54 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_RSV_COST_AMT_LCL	This is the change of cost value of units being reserved.	55 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_PICK_QTY	This is the change of quantity of units being picked.	56 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_G	CO_PICK_RTL_AMT_LCL	This is the change of retail value of units being picked.	57 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_PICK_RTL_PROFIT_AMT_LCL	This is the change of profit value of units being picked.	58 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_PICK_COST_AMT_LCL	This is the change of cost value of units being picked. This	59 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_BO_QTY	This is the change of quantity of units in backorder.	60 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_G	CO_BO_RTL_AMT_LCL	This is the change of retail value of units in backorder.	61 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_BO_RTL_PROFIT_AMT_LCL	This is the change of profit value of units in backorder.	62 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_BO_COST_AMT_LCL	This is the change of cost value of units in backorder. This	63 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_CAN_QTY	This is the quantity of units cancelled.	64 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_G	CO_CAN_AMT_LCL	This is the retail value of units cancelled. This is stored in	65 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_CAN_PROFIT_AMT_LCL	This is the profit value of units cancelled. This is stored in	66 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_CAN_COST_AMT_LCL	This is the cost value of units cancelled. This is stored in	67 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_CAN_TAX_AMT_LCL	This is the tax value of units cancelled. This is stored in	68 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT1_QTY	This is the fact1 quantity	69 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT1_AMT_LCL	This is the fact1 amount of the order line. This is stored in	70 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT1_PROFIT_AMT_LCL	This is the fact1 profit amount of the order line. This is	71 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT1_COST_AMT_LCL	This is the fact1 cost amount of the order line. This is	72 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT2_QTY	This is the fact2 quantity	73 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT2_AMT_LCL	This is the fact2 amount of the order line. This is stored in	74 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT2_PROFIT_AMT_LCL	This is the fact2 profit amount of the order line. This is	75 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT2_COST_AMT_LCL	This is the fact2 cost amount of the order line. This is	76 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT3_QTY	This is the fact3 quantity	77 Y	NUMBER(18,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT3_AMT_LCL	This is the fact3 amount of the order line. This is stored in	78 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT3_PROFIT_AMT_LCL	This is the fact3 profit amount of the order line. This is	79 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	CO_FACT3_COST_AMT_LCL	This is the fact3 cost amount of the order line. This is	80 Y	NUMBER(20,4)
W_RTL_CO_LINE_STATUS_G	DOC_CURR_CODE	Code for the currency in which the document was created	81 Y	VARCHAR2(30)
W_RTL_CO_LINE_STATUS_G	LOC_CURR_CODE	Usually the reporting currency code for the financial	82 Y	VARCHAR2(30)
W_RTL_CO_LINE_STATUS_G	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	83 Y	NUMBER(22,7)
W_RTL_CO_LINE_STATUS_G	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	84 Y	NUMBER(22,7)
W_RTL_CO_LINE_STATUS_G	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	85 Y	NUMBER(22,7)
W_RTL_CO_LINE_STATUS_G	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	86 Y	NUMBER(22,7)
W_RTL_CO_LINE_STATUS_G	CREATED_BY_WID	This is a foreign key to the W_USER_D dimension	87 Y	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	CHANGED_BY_WID	This is a foreign key to the W_USER_D dimension	88 Y	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	CHANGED_ON_DT	Identifies the date and time when the record was initially	89 Y	DATE
W_RTL_CO_LINE_STATUS_G	CREATED_ON_DT	Identifies the date and time when the record was initially	90 Y	DATE
W_RTL_CO_LINE_STATUS_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	91 Y	DATE
W_RTL_CO_LINE_STATUS_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	92 Y	DATE
W_RTL_CO_LINE_STATUS_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	93 Y	DATE
W_RTL_CO_LINE_STATUS_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	94 Y	DATE
W_RTL_CO_LINE_STATUS_G	DELETE_FLG	This flag indicates the deletion status of the record in the	95 Y	CHAR(1)
W_RTL_CO_LINE_STATUS_G	W_INSERT_DT	This column stores the date on which the record was	96 Y	DATE

W_RTL_CO_LINE_STATUS_G	W_UPDATE_DT	This column stores the date on which the record was last	97 Y	DATE
W_RTL_CO_LINE_STATUS_G	EXCHANGE_DT	This is exchange date	98 Y	DATE
W_RTL_CO_LINE_STATUS_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	99 N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	ETL_THREAD_VAL	Oracle system field. This column is the unique identifier for	100 Y	NUMBER(4,0)
W_RTL_CO_LINE_STATUS_G	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	101 N	NUMBER(10,0)
W_RTL_CO_LINE_STATUS_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	102 N	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-	103 Y	VARCHAR2(80)
W_RTL_CO_LINE_STATUS_G	X_CUSTOM	This column is used as a generic field for customer	104 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CO_SHIP_METHOD_DS
<b>TABLE DESCRIPTION:</b>	This dimension holds shipment method detail. There is no parent relationship between Ship type and Ship method. Any open ship methods that are not sent to staging table will be considered as closed/cancelled. Complete data should be extracted not depending on the dates.
<b>BUSINESS RULE:</b>	SHIP_METHOD_CODE makes the alternate key/ business key for this table. A full snapshot shipping method dimension information listed below should be provided in the staging table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_SHIP_METHOD_DS	SHIP_METHOD_CODE	This is the code for customer order ship method.	1	N	VARCHAR2(50)
W_RTL_CO_SHIP_METHOD_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	2	Y	NUMBER(10,0)
W_RTL_CO_SHIP_METHOD_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	NUMBER(10,0)
W_RTL_CO_SHIP_METHOD_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	4	Y	DATE
W_RTL_CO_SHIP_METHOD_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	5	Y	DATE
W_RTL_CO_SHIP_METHOD_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	6	Y	DATE
W_RTL_CO_SHIP_METHOD_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_CO_SHIP_METHOD_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_CO_SHIP_METHOD_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_CO_SHIP_METHOD_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	10	Y	DATE
W_RTL_CO_SHIP_METHOD_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	11	Y	DATE
W_RTL_CO_SHIP_METHOD_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	12	Y	CHAR(1)
W_RTL_CO_SHIP_METHOD_DS	W_INSERT_DT	This column stores the date on which the record was	13	Y	DATE
W_RTL_CO_SHIP_METHOD_DS	W_UPDATE_DT	This column stores the date on which the record was last	14	Y	DATE
W_RTL_CO_SHIP_METHOD_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15	N	NUMBER(10,0)
W_RTL_CO_SHIP_METHOD_DS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	16	N	NUMBER(10,0)
W_RTL_CO_SHIP_METHOD_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	17	N	VARCHAR2(80)
W_RTL_CO_SHIP_METHOD_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	18	Y	VARCHAR2(80)
W_RTL_CO_SHIP_METHOD_DS	X_CUSTOM	This column is used as a generic field for customer	19	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CO_SHIP_TYPE_DS
<b>TABLE DESCRIPTION:</b>	A Cross channel stage table which contains customer order ship type information. This dimension holds shipment type detail. There is no parent relationship between Ship type and Ship method. Any open ship types that are not sent to staging table will be considered as closed/cancelled. Complete data should be extracted not depending on the dates.
<b>BUSINESS RULE:</b>	SHIP_TYPE_CODE makes the alternate key/ business key for this table. A full snapshot of shipping type dimension information listed below should be provided in the staging table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CO_SHIP_TYPE_DS	SHIP_TYPE_CODE	This is the code for customer order ship type.	1	N	VARCHAR2(50)
W_RTL_CO_SHIP_TYPE_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	2	Y	NUMBER(10,0)
W_RTL_CO_SHIP_TYPE_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	NUMBER(10,0)
W_RTL_CO_SHIP_TYPE_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	4	Y	DATE
W_RTL_CO_SHIP_TYPE_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	5	Y	DATE
W_RTL_CO_SHIP_TYPE_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	6	Y	DATE

W_RTL_CO_SHIP_TYPE_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	7 Y	DATE
W_RTL_CO_SHIP_TYPE_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	8 Y	DATE
W_RTL_CO_SHIP_TYPE_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	9 Y	DATE
W_RTL_CO_SHIP_TYPE_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	10 Y	DATE
W_RTL_CO_SHIP_TYPE_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	11 Y	DATE
W_RTL_CO_SHIP_TYPE_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	12 Y	CHAR(1)
W_RTL_CO_SHIP_TYPE_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	13 N	NUMBER(10,0)
W_RTL_CO_SHIP_TYPE_DS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	14 N	NUMBER(10,0)
W_RTL_CO_SHIP_TYPE_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	15 N	VARCHAR2(80)
W_RTL_CO_SHIP_TYPE_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16 Y	VARCHAR2(80)
W_RTL_CO_SHIP_TYPE_DS	X_CUSTOM	This column is used as a generic field for customer	17 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CUSTSEG_ALLOC_DS
<b>TABLE DESCRIPTION:</b>	Associations of Customer segments, product and organization hierarchy and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	<p>This is stores Customer Segments associated to a level in PRODUCT Hierarchy other then Item (level needs to be configured one time), Channels and Organization Hierarchy other then Location(level needs to be configured one time). Data for this table need to be provided by an external/legacy source system where CUSTSEG_ALLOC_ID will be the business key which will have associations to CUSTSEG_WID from W_RTL_CUSTSEG_D, CHANNEL_WID from W_RTL_CHANNEL_D, PROD_DH_WID from W_PROD_CAT_DH and ORG_DH_WID from W_INT_ORG_DH. The loading of the Target Table using these Staging area tables would implement SCD Type 2 logic.</p> <p>- When source system sends Type 2 relationship, the SRC_EFF_FROM_DT is the driver to update the existing relationships.</p> <p>- SRC_EFF_FROM_DT and SRC_EFF_TO_DT are treated as Type 1 dates column, and upon receiving these updated dates, there should be no updates to warehouse EFFECTIVE_FROM_DT and EFFECTIVE_TO_DT columns.</p> <p>- Change in DELETE_FLG column would drive the SCD Type 2 logic to kick in and add an entry in the target table for the respective relationship updating the respective columns.</p>

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CUSTSEG_ALLOC_DS	CUSTSEG_ALLOC_ID	This is the ID to identify the association.	1	N	VARCHAR2(50)
W_RTL_CUSTSEG_ALLOC_DS	CUSTSEG_ID	This is a unique ID used to identify the Customer	2	N	VARCHAR2(50)
W_RTL_CUSTSEG_ALLOC_DS	CHANNEL_ID	This is the ID to identify the channel.	3	N	NUMBER(4,0)
W_RTL_CUSTSEG_ALLOC_DS	PROD_NUM	This is the number to identify the product.	4	N	VARCHAR2(30)
W_RTL_CUSTSEG_ALLOC_DS	ORG_NUM	This is the number to identify the organization.	5	N	VARCHAR2(30)
W_RTL_CUSTSEG_ALLOC_DS	CUSTSEG_ALLOC_NAME	This is the name to identify the association.	6	Y	VARCHAR2(80)
W_RTL_CUSTSEG_ALLOC_DS	ALLOCATION_TYPE	Allocation type to identify if its consumer or customer alloca	7	N	VARCHAR2(30)
W_RTL_CUSTSEG_ALLOC_DS	DISTRIBUTION	Distribution percentage to indicate the distribution of particu	8	Y	NUMBER(7,4)
W_RTL_CUSTSEG_ALLOC_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	9	Y	NUMBER(10,0)
W_RTL_CUSTSEG_ALLOC_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	10	Y	NUMBER(10,0)
W_RTL_CUSTSEG_ALLOC_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	11	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	12	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	14	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	15	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	16	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	17	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	18	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	EFFECTIVE_FROM_DT	This column stores the date from which the dimension	19	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	EFFECTIVE_TO_DT	This column stores the date up to which the dimension	20	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	21	Y	CHAR(1)
W_RTL_CUSTSEG_ALLOC_DS	W_INSERT_DT	This column stores the date on which the record was	22	Y	DATE
W_RTL_CUSTSEG_ALLOC_DS	W_UPDATE_DT	This column stores the date on which the record was last	23	Y	DATE

W_RTL_CUSTSEG_ALLOC_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	24	N	NUMBER(10,0)
W_RTL_CUSTSEG_ALLOC_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	25	N	VARCHAR2(80)
W_RTL_CUSTSEG_ALLOC_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	26	Y	VARCHAR2(80)
W_RTL_CUSTSEG_ALLOC_DS	X_CUSTOM	This column is used as a generic field for customer	27	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_CUSTSEG_DS
<b>TABLE DESCRIPTION:</b>	This table contains customer segment dimension and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	This table contains the Customer Segment information. Business Key : Custseg_Id

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CUSTSEG_DS	CUSTSEG_ID	This is a unique ID used to identify the Customer	1	N	VARCHAR2(50)
W_RTL_CUSTSEG_DS	CUSTSEG_NAME	Customer Segment name	2	Y	VARCHAR2(80)
W_RTL_CUSTSEG_DS	CUSTSEG_TYPE	Indicate the type of customer segment. Possible values	3	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	AGE_RANGE	This attributes indicates the age group for customer	4	Y	VARCHAR2(30)
W_RTL_CUSTSEG_DS	SEX_MF_CODE	This attributes defines the gender of customer segment.	5	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	FAMILY_SIZE	Indicates the Family Size for a Demographics based	6	Y	NUMBER(2,0)
W_RTL_CUSTSEG_DS	GENERATION_CODE	Generation code for creating demographic segments.	7	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	ANNL_INCOME_RANGE	The attribute defines target customer segment income	8	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	OCCUPATION_CODE	Occupation code to classify workers into occupational	9	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	EDUCATION_BCKGND_CODE	Education Background Code	10	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	ETHNICITY_CODE	Ethnicity code for the purpose of demographics based	11	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	NATIONALITY_CODE	Nationality code for the purpose of demographics based	12	Y	VARCHAR2(30)
W_RTL_CUSTSEG_DS	RELIGION_CODE	Region code for the purpose of demographics based	13	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	SOCAL_CLASS_CODE	Status hierarchy by which customer are classified on the	14	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	FAMILY_LIFE_CYCL_CODE	Bachelor, married with no children (DINKS: Double	15	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	REGION_CODE	Region code for the geography based customer	16	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	METRO_AREA_SIZE	This attribute indicates the size of the metropolitan area. It	17	Y	NUMBER(12,4)
W_RTL_CUSTSEG_DS	POPULATION_DENSITY	Indicates if the geography based segment represents	18	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	CLIMATE_CODE	The code indicates the weather patterns.	19	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	BENEFIT_SOUGHT_CODE	The main benefits consumers look for in a product. For	20	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	USAGE_RATE	This attribute indicates customer segments buying	21	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	READINESS_TO_BUY_CODE	This attribute indicates customer segments buying	22	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	OCCASION_CODE	This attribute indicate when segment tends to purchase or	23	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	ACTIVITY_CODE	Activity code based on AIO survey. This will be used to	24	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	INTEREST_CODE	Interest code based on AIO survey. This will be used to	25	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	OPINION_CODE	This attribute indicates (but is not limited to) customer	26	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	ATTITUDE_CODE	Indicates the Attitude of the psychographic customer	27	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	VALUE_CODE	Indicates the traditional and social values for a segment.	28	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	29	Y	NUMBER(10,0)
W_RTL_CUSTSEG_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	30	Y	NUMBER(10,0)
W_RTL_CUSTSEG_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	31	Y	DATE
W_RTL_CUSTSEG_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	32	Y	DATE
W_RTL_CUSTSEG_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	33	Y	DATE
W_RTL_CUSTSEG_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	34	Y	DATE
W_RTL_CUSTSEG_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	35	Y	DATE
W_RTL_CUSTSEG_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	36	Y	DATE
W_RTL_CUSTSEG_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	37	Y	DATE
W_RTL_CUSTSEG_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	38	Y	DATE

W_RTL_CUSTSEG_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	39	Y	VARCHAR2(1)
W_RTL_CUSTSEG_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	40	N	NUMBER(10,0)
W_RTL_CUSTSEG_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	41	N	VARCHAR2(80)
W_RTL_CUSTSEG_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	42	Y	VARCHAR2(80)
W_RTL_CUSTSEG_DS	X_CUSTOM	This column is used as a generic field for customer	43	Y	VARCHAR2(10)
W_RTL_CUSTSEG_DS	CUSTSEG_SRC_TYPE	This is the source for Customer Segment	44	Y	VARCHAR2(50)
W_RTL_CUSTSEG_DS	ORG_HIER_KEY	This is the Org Hierarchial Key	45	Y	VARCHAR2(80)
W_RTL_CUSTSEG_DS	APPROVAL_DATE	This is the date when the Customer segment is approved	46	Y	DATE
W_RTL_CUSTSEG_DS	CUSTSEG_DESC	Customer Segment Description	47	Y	VARCHAR2(256 )

<b>TABLE NAME:</b>	W_RTL_CUST_ADDRESS_DS
<b>TABLE DESCRIPTION:</b>	This table contains customer address information. One customer can have multiple address and one address can belong to multiple customers. The programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	<p>This is a many-to-many relationship table that holds the customers who have multiple addresses and a address with multiple customers.</p> <p>This table cannot duplicate row with same ADDRESS_ID and CUST_WID.</p> <p>Business Key : CUST_ID</p> <p>The loading of the Target Table using these Staging area tables would implement SCD Type 2 logic.</p> <ul style="list-style-type: none"> <li>- When source system sends Type 2 relationship, the SRC_EFF_FROM_DT is the driver to update the existing relationships.</li> <li>- SRC_EFF_FROM_DT and SRC_EFF_TO_DT are treated as Type 1 dates column, and upon receiving these updated dates, there should be no updates to warehouse EFFECTIVE_FROM_DT and EFFECTIVE_TO_DT columns.A4617</li> <li>- Change in DELETE_FLG column would drive the SCD Type 2 logic to kick in and add an entry in the target table for the respective relationship updating the respective columns.</li> </ul>

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CUST_ADDRESS_DS	CUST_ID	This is a unique ID to identify a Customer, This is a foreign	1	N	VARCHAR2(80)
W_RTL_CUST_ADDRESS_DS	ADDRESS_ID	This is a unique ID to identify an address.	2	N	VARCHAR2(50)
W_RTL_CUST_ADDRESS_DS	ADDRESS_TYPE_CODE	Indicates type of address , for eg, Billing Address, Delivery	3	Y	VARCHAR2(250)
W_RTL_CUST_ADDRESS_DS	YEAR_AT_ADDRESS	Indicates the number of years for which the specific	4	Y	NUMBER(2,0)
W_RTL_CUST_ADDRESS_DS	ADDRESS_CLASS_CODE	Indicates the class of the Address - Eg : Residential	5	Y	VARCHAR2(250)
W_RTL_CUST_ADDRESS_DS	PRIMARY_ADDRESS_FLG	Indicates if the address can be used for all customer	6	Y	VARCHAR2(1)
W_RTL_CUST_ADDRESS_DS	ADDRESS_START_DT	Start date on an address.	7	Y	DATE
W_RTL_CUST_ADDRESS_DS	ADDRESS_END_DT	End date on an address.	8	Y	DATE
W_RTL_CUST_ADDRESS_DS	ST_ADDRESS1	Street Address Line 1	9	Y	VARCHAR2(250)
W_RTL_CUST_ADDRESS_DS	ST_ADDRESS2	Street Address Line 2	10	Y	VARCHAR2(250)
W_RTL_CUST_ADDRESS_DS	ST_ADDRESS3	Street Address Line 3	11	Y	VARCHAR2(250)
W_RTL_CUST_ADDRESS_DS	CITY_CODE	City Code	12	Y	VARCHAR2(50)
W_RTL_CUST_ADDRESS_DS	CITY_NAME	CITY NAME	13	Y	VARCHAR2(80)
W_RTL_CUST_ADDRESS_DS	STATE_CODE	STATE CODE	14	Y	VARCHAR2(50)
W_RTL_CUST_ADDRESS_DS	STATE_NAME	STATE NAME	15	Y	VARCHAR2(80)
W_RTL_CUST_ADDRESS_DS	COUNTRY_CODE	COUNTRY CODE	16	Y	VARCHAR2(50)
W_RTL_CUST_ADDRESS_DS	COUNTRY_NAME	COUNTRY NAME	17	Y	VARCHAR2(80)
W_RTL_CUST_ADDRESS_DS	POSTAL_CODE	Postal Code or Zip code	18	Y	VARCHAR2(30)
W_RTL_CUST_ADDRESS_DS	CREATED_BY_ID	This is a unique ID to identify a Customer, This is a foreign	23	Y	NUMBER(10,0)
W_RTL_CUST_ADDRESS_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	24	Y	NUMBER(10,0)
W_RTL_CUST_ADDRESS_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	25	Y	DATE
W_RTL_CUST_ADDRESS_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	26	Y	DATE
W_RTL_CUST_ADDRESS_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	27	Y	DATE
W_RTL_CUST_ADDRESS_DS	SRC_EFF_FROM_DT	Oracle system field. This column identifies the last	28	Y	DATE
W_RTL_CUST_ADDRESS_DS	SRC_EFF_TO_DT	Oracle system field. This column identifies the last	29	Y	DATE
W_RTL_CUST_ADDRESS_DS	EFFECTIVE_FROM_DT	This column stores the date from which the source record	30	Y	DATE



W_RTL_CUST_ADDRESS_DS	EFFECTIVE_TO_DT	This column stores the date up to which the source record	31 Y	DATE
W_RTL_CUST_ADDRESS_DS	DELETE_FLG	This column stores the date from which the dimension	32 Y	CHAR(1)
W_RTL_CUST_ADDRESS_DS	W_INSERT_DT	This flag indicates the deletion status of the record in the	33 Y	DATE
W_RTL_CUST_ADDRESS_DS	W_UPDATE_DT	This is a flag for marking dimension records as "Y" in	34 Y	DATE
W_RTL_CUST_ADDRESS_DS	DATASOURCE_NUM_ID	This column stores the date on which the record was	35 N	NUMBER(10,0)
W_RTL_CUST_ADDRESS_DS	INTEGRATION_ID	This column is the unique identifier of the source system	36 N	VARCHAR2(80)
W_RTL_CUST_ADDRESS_DS	TENANT_ID	Oracle system field. This column is the unique identifier for	37 Y	VARCHAR2(80)
W_RTL_CUST_ADDRESS_DS	X_CUSTOM	This column is the unique identifier of a dimension or fact	38 Y	VARCHAR2(10)
W_RTL_CUST_ADDRESS_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	39 Y	DATE
W_RTL_CUST_ADDRESS_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	40 Y	DATE

<b>TABLE NAME:</b>	<b>W_RTL_CUST_CUSTSEG_DS</b>
<b>TABLE DESCRIPTION:</b>	This table contains customer segments and their corresponding customers. One customer can belong to multiple customer segments and one customer segment can have many customers. Customer without any customer segment or customer segment without any customer, and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	This is a many-to-many relationship table that holds the customers and their customer segments they belong to. This table cannot duplicate row with same CUSTSEG_WID and CUST_WID. Data for this table has to be provided by an external source system or a legacy system. Business Key : CUSTSEG_ID,CUST_ID The loading of the Target Table using these Staging area tables would implement SCD Type 2 logic. - When source system sends Type 2 relationship, the SRC_EFF_FROM_DT is the driver to update the existing relationships. - SRC_EFF_FROM_DT and SRC_EFF_TO_DT are treated as Type 1 dates column, and upon receiving these updated dates, there should be no updates to warehouse EFFECTIVE_FROM_DT and EFFECTIVE_TO_DT columns. - Change in DELETE_FLG column would drive the SCD Type 2 logic to kick in and add an entry in the target table for the respective relationship updating the respective columns.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CUST_CUSTSEG_DS	CUSTSEG_ID	This is a unique ID used to identify the Customer	1	N	VARCHAR2(50)
W_RTL_CUST_CUSTSEG_DS	CUST_ID	This is a foreign key to W_PARTY_PER_D table	2	N	VARCHAR2(80)
W_RTL_CUST_CUSTSEG_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	NUMBER(10,0)
W_RTL_CUST_CUSTSEG_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	NUMBER(10,0)
W_RTL_CUST_CUSTSEG_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	5	Y	DATE
W_RTL_CUST_CUSTSEG_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	6	Y	DATE
W_RTL_CUST_CUSTSEG_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_CUST_CUSTSEG_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_CUST_CUSTSEG_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_CUST_CUSTSEG_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_CUST_CUSTSEG_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	11	Y	DATE
W_RTL_CUST_CUSTSEG_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	12	Y	DATE
W_RTL_CUST_CUSTSEG_DS	EFFECTIVE_FROM_DT	This column stores the date from which the dimension	13	Y	DATE
W_RTL_CUST_CUSTSEG_DS	EFFECTIVE_TO_DT	This column stores the date up to which the dimension	14	Y	DATE
W_RTL_CUST_CUSTSEG_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	15	Y	VARCHAR2(1)
W_RTL_CUST_CUSTSEG_DS	W_INSERT_DT	This column stores the date on which the record was	16	Y	DATE
W_RTL_CUST_CUSTSEG_DS	W_UPDATE_DT	This column stores the date on which the record was last	17	Y	DATE
W_RTL_CUST_CUSTSEG_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	18	N	NUMBER(10,0)
W_RTL_CUST_CUSTSEG_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	19	N	VARCHAR2(80)
W_RTL_CUST_CUSTSEG_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	20	Y	VARCHAR2(80)
W_RTL_CUST_CUSTSEG_DS	X_CUSTOM	This column is used as a generic field for customer	21	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_RTL_CUST_HOUSEHOLD_DS</b>
--------------------	--------------------------------



<b>TABLE DESCRIPTION:</b>	This table contains customer households and their corresponding customers. One customer can belong to multiple households and one household can have multiple customers. Customer without any household or household without any customer will not be listed in and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	This is a many-to-many relationship table that holds the customers who belong to multiple households and the households with multiple customers. This table cannot duplicate row with same HOUSEHOLD_WID and CUST_WID. Data for this table has to be provided by an external source system or a legacy system. Business Key: HOUSEHOLD_ID,CUST_ID The loading of the Target Table using these Staging area tables would implement SCD Type 2 logic. - When source system sends Type 2 relationship, the SRC_EFF_FROM_DT is the driver to update the existing relationships. - SRC_EFF_FROM_DT and SRC_EFF_TO_DT are treated as Type 1 dates column, and upon receiving these updated dates, there should be no updates to warehouse EFFECTIVE_FROM_DT and EFFECTIVE_TO_DT columns. - Change in DELETE_FLG column would drive the SCD Type 2 logic to kick in and add an entry in the target table for the respective relationship updating the respective columns.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_CUST_HOUSEHOLD_DS	HOUSEHOLD_ID	This is a foreign key to W_HOUSEHOLD_D table.	1	N	NUMBER(10,0)
W_RTL_CUST_HOUSEHOLD_DS	CUST_ID	This is a foreign key to W_PARTY_PER_D table.	2	N	VARCHAR2(80)
W_RTL_CUST_HOUSEHOLD_DS	CUST_HOUSEHOLD_CLASS	Represents the class of the houseold. The values can be	3	Y	VARCHAR2(150)
W_RTL_CUST_HOUSEHOLD_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	NUMBER(10,0)
W_RTL_CUST_HOUSEHOLD_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	5	Y	NUMBER(10,0)
W_RTL_CUST_HOUSEHOLD_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	6	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	7	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	12	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	13	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	EFFECTIVE_FROM_DT	This column stores the date from which the dimension	14	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	EFFECTIVE_TO_DT	This column stores the date up to which the dimension	15	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	16	Y	VARCHAR2(1)
W_RTL_CUST_HOUSEHOLD_DS	W_INSERT_DT	This column stores the date on which the record was	17	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	W_UPDATE_DT	This column stores the date on which the record was last	18	Y	DATE
W_RTL_CUST_HOUSEHOLD_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	19	N	NUMBER(10,0)
W_RTL_CUST_HOUSEHOLD_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	20	N	VARCHAR2(80)
W_RTL_CUST_HOUSEHOLD_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	21	Y	VARCHAR2(80)
W_RTL_CUST_HOUSEHOLD_DS	X_CUSTOM	This column is used as a generic field for customer	22	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_HG_CNSG_DS
<b>TABLE DESCRIPTION:</b>	This dimension holds the consumer segment and related housesold group details.
<b>BUSINESS RULE:</b>	HOUSEHOLD_GRP_ID, CONSEG_ID and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system. This is a many-to-many relationship table that holds the Household Group and consumer segments they belong to. This table holds type-1 relation between Household Group and consumer segments.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_HG_CNSG_DS	HOUSEHOLD_GRP_ID	This is unique identifier for Household group ID. House	1	N	VARCHAR2(50)
W_RTL_HG_CNSG_DS	CONSEG_ID	This is an unique ID used to identify consumer segments.	2	N	VARCHAR2(50)
W_RTL_HG_CNSG_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	VARCHAR2(80)
W_RTL_HG_CNSG_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_HG_CNSG_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	5	Y	DATE
W_RTL_HG_CNSG_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	6	Y	DATE
W_RTL_HG_CNSG_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE

W_RTL_HG_CNSG_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8 Y	DATE
W_RTL_HG_CNSG_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9 Y	DATE
W_RTL_HG_CNSG_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10 Y	DATE
W_RTL_HG_CNSG_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	11 Y	DATE
W_RTL_HG_CNSG_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	12 Y	DATE
W_RTL_HG_CNSG_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	13 Y	CHAR(1)
W_RTL_HG_CNSG_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	14 N	NUMBER(10,0)
W_RTL_HG_CNSG_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	15 N	VARCHAR2(80)
W_RTL_HG_CNSG_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16 Y	VARCHAR2(80)
W_RTL_HG_CNSG_DS	X_CUSTOM	This column is used as a generic field for customer	17 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_HOUSEHOLD_COMP_DS
<b>TABLE DESCRIPTION:</b>	This staging table holds the household composition data. Household composition is determined by the people living together and their relationships to one another. The composition of the household determines a person's household size. One person may live in another's household but not be part of his or her household composition or household size. The household composition and household size affects Whose income and assets to count and Income standards and eligibility.
<b>BUSINESS RULE:</b>	HH_COMPOSITION_GRP_ID, HH_COMPOSITION_IND and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_HOUSEHOLD_COMP_DS	HH_COMPOSITION_GRP_ID	This is a unique ID used to identify the household	1	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_COMP_DS	HH_COMPOSITION_IND	Household composition indicator. Household composition	2	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_COMP_DS	LEVEL_NAME	This level_name will defined if it's a composition group or	3	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_COMP_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_HOUSEHOLD_COMP_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	5	Y	VARCHAR2(80)
W_RTL_HOUSEHOLD_COMP_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	6	Y	DATE
W_RTL_HOUSEHOLD_COMP_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	7	Y	DATE
W_RTL_HOUSEHOLD_COMP_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_HOUSEHOLD_COMP_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_HOUSEHOLD_COMP_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_HOUSEHOLD_COMP_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_HOUSEHOLD_COMP_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	12	Y	DATE
W_RTL_HOUSEHOLD_COMP_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	13	Y	DATE
W_RTL_HOUSEHOLD_COMP_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	14	Y	CHAR(1)
W_RTL_HOUSEHOLD_COMP_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15	N	NUMBER(10,0)
W_RTL_HOUSEHOLD_COMP_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	16	N	VARCHAR2(80)
W_RTL_HOUSEHOLD_COMP_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	17	Y	VARCHAR2(80)
W_RTL_HOUSEHOLD_COMP_DS	X_CUSTOM	This column is used as a generic field for customer	18	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_HOUSEHOLD_GRP_DS
<b>TABLE DESCRIPTION:</b>	This is consumer households group staging table.
<b>BUSINESS RULE:</b>	HOUSEHOLD_GRP_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system. This is a type -1 dimension and a house hold group cannot be repeated.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_HOUSEHOLD_GRP_DS	HOUSEHOLD_GRP_ID	This is unique identifier for Household group ID. House	1	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_COMPOSITION_ID	This is foreign key to w_rtl_household_comp_d table.	2	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_SIZE	Number of residents of a household	3	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_INCOME	Income for the Household	4	N	VARCHAR2(50)

W_RTL_HOUSEHOLD_GRP_DS	HG_INCOME_LEVEL	Household group income level	5	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_AGE_LEVEL	Household group age level	6	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_FEMALE_AGE_RANGE	Age of female HH Head	7	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_MALE_AGE_RANGE	Age of male HH Head	8	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_FEMALE_HEAD_EMPLOYMENT	Employment of female HH Head	9	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_MALE_HEAD_EMPLOYMENT	Employment of male HH Head	10	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_FEMALE_HEAD_EDUCATION	Education of female HH Head	11	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_MALE_HEAD_EDUCATION	Education of MALE HH Head	12	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_FEMALE_HEAD_OCCUPATION	Occupation of female HH Head	13	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_MALE_HEAD_OCCUPATION	Occupation of male HH Head	14	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	HG_PRESENCE_OF_CHILDREN	Household group presence of children	15	N	CHAR(1)
W_RTL_HOUSEHOLD_GRP_DS	HISPANIC_FLG	Whether the head of household is Hispanic	16	N	CHAR(1)
W_RTL_HOUSEHOLD_GRP_DS	HG_ETHNICITY	Indicates Ethnicity of Household.	17	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	TENURE_CODE	Tenure Class describes whether a majority of households	18	N	VARCHAR2(50)
W_RTL_HOUSEHOLD_GRP_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	19	Y	VARCHAR2(80)
W_RTL_HOUSEHOLD_GRP_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	20	Y	VARCHAR2(80)
W_RTL_HOUSEHOLD_GRP_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	21	Y	DATE
W_RTL_HOUSEHOLD_GRP_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	22	Y	DATE
W_RTL_HOUSEHOLD_GRP_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	23	Y	DATE
W_RTL_HOUSEHOLD_GRP_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	24	Y	DATE
W_RTL_HOUSEHOLD_GRP_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	25	Y	DATE
W_RTL_HOUSEHOLD_GRP_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	26	Y	DATE
W_RTL_HOUSEHOLD_GRP_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	27	Y	DATE
W_RTL_HOUSEHOLD_GRP_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	28	Y	DATE
W_RTL_HOUSEHOLD_GRP_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	29	Y	CHAR(1)
W_RTL_HOUSEHOLD_GRP_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	30	N	NUMBER(10,0)
W_RTL_HOUSEHOLD_GRP_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	31	N	VARCHAR2(80)
W_RTL_HOUSEHOLD_GRP_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	32	Y	VARCHAR2(80)
W_RTL_HOUSEHOLD_GRP_DS	X_CUSTOM	This column is used as a generic field for customer	33	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_INVADJ_IT_LC_DY_FS
<b>TABLE DESCRIPTION:</b>	W_RTL_INVADJ_IT_LC_DY_FS is the staging table for the W_RTL_INVADJ_IT_LC_DY_F
<b>BUSINESS RULE:</b>	

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_INVADJ_IT_LC_DY_FS	ORG_NUM	This is the Organization number or short name	1	N	VARCHAR2(80)
W_RTL_INVADJ_IT_LC_DY_FS	PROD_IT_NUM	This is the Product number	2	N	VARCHAR2(80)
W_RTL_INVADJ_IT_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	N	DATE
W_RTL_INVADJ_IT_LC_DY_FS	REASON_CAT_CODE	Reason Category Code Identifies the categorization of the	4	N	VARCHAR2(50)
W_RTL_INVADJ_IT_LC_DY_FS	REASON_CODE	Contains the reference number associated with the	5	N	VARCHAR2(50)
W_RTL_INVADJ_IT_LC_DY_FS	INVADJ_QTY	This is the quantity of Inventory Units adjusted.	6	Y	NUMBER(18,4)
W_RTL_INVADJ_IT_LC_DY_FS	INVADJ_COST_AMT_LCL	This is the cost value of inventory units adjusted. This is	7	Y	NUMBER(20,4)
W_RTL_INVADJ_IT_LC_DY_FS	INVADJ_RTL_AMT_LCL	This is the retail value of inventory units adjusted. This is	8	Y	NUMBER(20,4)
W_RTL_INVADJ_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change was	9	Y	DATE
W_RTL_INVADJ_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_INVADJ_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_INVADJ_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_INVADJ_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_INVADJ_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	14	Y	VARCHAR2(80)
W_RTL_INVADJ_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	15	Y	DATE
W_RTL_INVADJ_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	16	Y	VARCHAR2(80)

W_RTL_INVADJ_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	17	Y	DATE
W_RTL_INVADJ_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	18	N	NUMBER(10,0)
W_RTL_INVADJ_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	19	Y	CHAR(1)
W_RTL_INVADJ_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	20	Y	VARCHAR2(30)
W_RTL_INVADJ_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	21	Y	NUMBER(4,0)
W_RTL_INVADJ_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Local currency to the first	22	Y	NUMBER(22,7)
W_RTL_INVADJ_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Local currency to the	23	Y	NUMBER(22,7)
W_RTL_INVADJ_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Local currency to the third	24	Y	NUMBER(22,7)
W_RTL_INVADJ_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	25	N	VARCHAR2(80)
W_RTL_INVADJ_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	26	Y	VARCHAR2(30)
W_RTL_INVADJ_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Local Currency to the	27	Y	NUMBER(22,7)
W_RTL_INVADJ_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	28	Y	VARCHAR2(80)
W_RTL_INVADJ_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	29	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_INVRC_IT_LC_DY_FS
<b>TABLE DESCRIPTION:</b>	This table contains inventory receipt fact data at the item/location/day level.
<b>BUSINESS RULES:</b>	<p>This table contains inventory receipts information for an item, and location combination on a given day. PROD_IT_NUM, ORG_NUM and DAY_DT makes the alternate key/ business key for this table. This table contains neither break-to-sell items nor packs that contain break-to-sell component items. Fact Staging table is a truncate and load. It holds one day's transaction only.</p> <p>ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table. It is not possible to have a different item season key for the same item, loc and day combination. Therefore, the item season key is not part of a primary key for any facts on the item, loc and day level.</p> <p>With the aggregation, it is possible to have a different item season key at the subclass level for the same loc and day combination, or at the week level for the same item and loc combination. Therefore, the item season key is part of the primary key for facts at the subclass and/or the week level.</p>

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_INVRC_IT_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	1	Y	VARCHAR2(80)
W_RTL_INVRC_IT_LC_DY_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	2	Y	VARCHAR2(80)
W_RTL_INVRC_IT_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	Y	DATE
W_RTL_INVRC_IT_LC_DY_FS	INVRC_QTY	This is the quantity of inventory units received.	4	Y	NUMBER(18,4)
W_RTL_INVRC_IT_LC_DY_FS	INVRC_COST_AMT_LCL	This is the cost value of inventory units received. This is in	5	Y	NUMBER(20,4)
W_RTL_INVRC_IT_LC_DY_FS	INVRC_RTL_AMT_LCL	This is the retail value of inventory units received. This is	6	Y	NUMBER(20,4)
W_RTL_INVRC_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change	7	Y	DATE
W_RTL_INVRC_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_INVRC_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_INVRC_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_INVRC_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_INVRC_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	12	Y	VARCHAR2(80)
W_RTL_INVRC_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	13	Y	DATE
W_RTL_INVRC_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	14	Y	VARCHAR2(80)
W_RTL_INVRC_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	15	Y	DATE
W_RTL_INVRC_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	16	N	NUMBER(10,0)
W_RTL_INVRC_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	17	Y	CHAR(1)
W_RTL_INVRC_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	18	Y	VARCHAR2(30)
W_RTL_INVRC_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	19	Y	NUMBER(4,0)
W_RTL_INVRC_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	20	Y	NUMBER(22,7)
W_RTL_INVRC_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	21	Y	NUMBER(22,7)
W_RTL_INVRC_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	22	Y	NUMBER(22,7)
W_RTL_INVRC_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	23	N	VARCHAR2(80)
W_RTL_INVRC_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	24	Y	VARCHAR2(30)
W_RTL_INVRC_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	25	Y	NUMBER(22,7)

W_RTL_INVRC_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	26 Y	VARCHAR2(80)
W_RTL_INVRC_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	27 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_RTL_INVRTV_IT_LC_DY_FS</b>
<b>TABLE DESCRIPTION:</b>	W_RTL_INVRTV_IT_LC_DY_FS is the staging table for the W_RTL_INVRTV_IT_LC_DY_F
<b>BUSINESS RULE:</b>	

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_INVRTV_IT_LC_DY_FS	ORG_NUM	This is a foreign key to the W_INT_ORG_D table.	1	N	VARCHAR2(80)
W_RTL_INVRTV_IT_LC_DY_FS	PROD_IT_NUM	This is a foreign key to the W_PRODUCT_D table.	2	N	VARCHAR2(80)
W_RTL_INVRTV_IT_LC_DY_FS	DAY_DT	This is a foreign key to the W_MCAL_DAY_D table.	3	N	DATE
W_RTL_INVRTV_IT_LC_DY_FS	SUPPLIER_NUM	This is a foreign key to the W_PARTY_ORG_D table.	4	N	VARCHAR2(80)
W_RTL_INVRTV_IT_LC_DY_FS	REASON_CODE	Reason code	5	Y	VARCHAR2(80)
W_RTL_INVRTV_IT_LC_DY_FS	INV_STATUS	Inventory status	6	Y	VARCHAR2(80)
W_RTL_INVRTV_IT_LC_DY_FS	RTV_QTY	This is the number of units being returned from the	7	Y	NUMBER(18,4)
W_RTL_INVRTV_IT_LC_DY_FS	RTV_COST_AMT_LCL	This is the Cost value of units being returned from the	8	Y	NUMBER(20,4)
W_RTL_INVRTV_IT_LC_DY_FS	RTV_RTL_AMT_LCL	This is the retail value of units being returned from the	9	Y	NUMBER(20,4)
W_RTL_INVRTV_IT_LC_DY_FS	RTV_CAN_QTY	This is the number of units cancelled during the return	10	Y	NUMBER(18,4)
W_RTL_INVRTV_IT_LC_DY_FS	RTV_CAN_COST_AMT_LCL	This is the cost value of units cancelled during the return	11	Y	NUMBER(20,4)
W_RTL_INVRTV_IT_LC_DY_FS	RTV_CAN_RTL_AMT_LCL	This is the retail value of units cancelled during the return	12	Y	NUMBER(20,4)
W_RTL_INVRTV_IT_LC_DY_FS	EXCHANGE_DT	Exchange Date.	13	Y	DATE
W_RTL_INVRTV_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	14	Y	DATE
W_RTL_INVRTV_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	15	Y	DATE
W_RTL_INVRTV_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	16	Y	DATE
W_RTL_INVRTV_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	17	Y	DATE
W_RTL_INVRTV_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	18	Y	VARCHAR2(80)
W_RTL_INVRTV_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	19	Y	DATE
W_RTL_INVRTV_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	20	Y	VARCHAR2(80)
W_RTL_INVRTV_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	22	N	NUMBER(10,0)
W_RTL_INVRTV_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	23	Y	CHAR(1)
W_RTL_INVRTV_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	24	Y	VARCHAR2(30)
W_RTL_INVRTV_IT_LC_DY_FS	ETL_THREAD_VAL	Oracle system field. This column is the unique identifier for	25	Y	NUMBER(4,0)
W_RTL_INVRTV_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	26	Y	NUMBER(22,7)
W_RTL_INVRTV_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	27	Y	NUMBER(22,7)
W_RTL_INVRTV_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	28	Y	NUMBER(22,7)
W_RTL_INVRTV_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	29	N	VARCHAR2(80)
W_RTL_INVRTV_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	30	Y	VARCHAR2(30)
W_RTL_INVRTV_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	31	Y	NUMBER(22,7)
W_RTL_INVRTV_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	32	Y	VARCHAR2(80)
W_RTL_INVRTV_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	33	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_RTL_INVTSF_IT_LC_DY_FS</b>
<b>TABLE DESCRIPTION:</b>	W_RTL_INVTSF_IT_LC_DY_FS is the staging table for W_RTL_INVTSF_IT_LC_DY_F
<b>BUSINESS RULE:</b>	

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_INVTSF_IT_LC_DY_FS	ORG_NUM	This is a foreign key to the W_INT_ORG_D table.	1	N	VARCHAR2(80)
W_RTL_INVTSF_IT_LC_DY_FS	PROD_IT_NUM	This is a foreign key to the W_PRODUCT_D table.	2	N	VARCHAR2(80)
W_RTL_INVTSF_IT_LC_DY_FS	DAY_DT	This is a foreign key to the W_MCAL_DAY_D table.	3	N	DATE
W_RTL_INVTSF_IT_LC_DY_FS	FROM_ORG_NUM	This is a foreign key to the W_INT_ORG_D table.	4	N	VARCHAR2(80)
W_RTL_INVTSF_IT_LC_DY_FS	TSF_TYPE_ID	This is a foreign Key to the W_XACT_TYPE_D table	5	N	VARCHAR2(80)
W_RTL_INVTSF_IT_LC_DY_FS	TSF_TO_LOC_QTY	This is the number of units being transferred to the	6	Y	NUMBER(18,4)

W_RTL_INVTSF_IT_LC_DY_FS	TSF_TO_LOC_COST_AMT_LCL	This is the cost value of units being transferred to the	7 Y	NUMBER(20,4)
W_RTL_INVTSF_IT_LC_DY_FS	TSF_TO_LOC_RTL_AMT_LCL	This is the retail value of units being transferred to the	8 Y	NUMBER(20,4)
W_RTL_INVTSF_IT_LC_DY_FS	TSF_FROM_LOC_QTY	This is the number of units being transferred from the	9 Y	NUMBER(18,4)
W_RTL_INVTSF_IT_LC_DY_FS	TSF_FROM_LOC_COST_AMT_LCL	This is the cost value of units being transferred from the	10 Y	NUMBER(20,4)
W_RTL_INVTSF_IT_LC_DY_FS	TSF_FROM_LOC_RTL_AMT_LCL	This is the retail value of units being transferred from the	11 Y	NUMBER(20,4)
W_RTL_INVTSF_IT_LC_DY_FS	EXCHANGE_DT	Exchange date.	12 Y	DATE
W_RTL_INVTSF_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	13 Y	DATE
W_RTL_INVTSF_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	14 Y	DATE
W_RTL_INVTSF_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	15 Y	DATE
W_RTL_INVTSF_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	16 Y	DATE
W_RTL_INVTSF_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	17 Y	VARCHAR2(80)
W_RTL_INVTSF_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	18 Y	DATE
W_RTL_INVTSF_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	19 Y	VARCHAR2(80)
W_RTL_INVTSF_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	20 Y	DATE
W_RTL_INVTSF_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	21 N	NUMBER(10,0)
W_RTL_INVTSF_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	22 Y	CHAR(1)
W_RTL_INVTSF_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	23 Y	VARCHAR2(30)
W_RTL_INVTSF_IT_LC_DY_FS	ETL_THREAD_VAL	Oracle system field. This column is the unique identifier for	24 Y	NUMBER(4,0)
W_RTL_INVTSF_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Local currency to the first	25 Y	NUMBER(22,7)
W_RTL_INVTSF_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Local currency to the	26 Y	NUMBER(22,7)
W_RTL_INVTSF_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Local currency to the third	27 Y	NUMBER(22,7)
W_RTL_INVTSF_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	28 N	VARCHAR2(80)
W_RTL_INVTSF_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	29 Y	VARCHAR2(30)
W_RTL_INVTSF_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Local Currency to the	30 Y	NUMBER(22,7)
W_RTL_INVTSF_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	31 Y	VARCHAR2(80)
W_RTL_INVTSF_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	32 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_INV_IT_LC_DY_FS
<b>TABLE DESCRIPTION:</b>	This table contains compressed positional inventory price fact data at the item/location/day level. If a change in inventory position occurs in the middle of a day, the inventory position that exists at the time of batch will be written.
<b>BUSINESS RULES:</b>	<p>This table contains end of day inventory levels and status for an item, and location combination on a given day.</p> <p>PROD_IT_NUM, ORG_NUM and DAY_DT makes the alternate key / business key for this table. This table contains neither break-to-sell items nor packs that contain break-to-sell component items. Fact Staging table is a truncate and load. It holds one day's transaction only.</p> <p>ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table. It is not possible to have a different item season key for the same item, loc and day combination. Therefore, the item season key is not part of a primary key for any facts on the item, loc and day level.</p> <p>With the aggregation, it is possible to have a different item season key at the subclass level for the same loc and day combination, or at the week level for the same item and loc combination. Therefore, the item season key is part of the primary key for facts at the subclass and/or the week level. This table contains only the current day's new or changed information.</p> <p>The data is compressed and will be decompressed at report execution time.</p>

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_INV_IT_LC_DY_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	1	N	VARCHAR2(80)
W_RTL_INV_IT_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	2	N	VARCHAR2(80)
W_RTL_INV_IT_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	N	DATE
W_RTL_INV_IT_LC_DY_FS	CLEARANCE_FLG	This is a foreign key to the W_XACT_TYPE_D table	4	Y	CHAR(1)
W_RTL_INV_IT_LC_DY_FS	INV_REPL_FLG	This indicates if an item/location has replenishment	5	Y	CHAR(1)
W_RTL_INV_IT_LC_DY_FS	INV_REPL_METHOD_TYPE	This indicates the type of algorithm that is used to	6	Y	CHAR(2)
W_RTL_INV_IT_LC_DY_FS	INV_REPL_INCREMENT_PCT	This percentage is multiplied by the minimum/maximum	7	Y	NUMBER(12,4)
W_RTL_INV_IT_LC_DY_FS	INV_SOH_QTY	This is the quantity of owned inventory units. This includes	10	Y	NUMBER(18,4)
W_RTL_INV_IT_LC_DY_FS	INV_ON_ORD_QTY	This is the quantity of ordered inventory units that have not	11	Y	NUMBER(18,4)

W_RTL_INV_IT_LC_DY_FS	INV_IN_TRAN_QTY	This is the quantity of transfer and allocation inventory	12 Y	NUMBER(18,4)
W_RTL_INV_IT_LC_DY_FS	INV_MAX_SOH_QTY	This is the required maximum number of units available	13 Y	NUMBER(18,4)
W_RTL_INV_IT_LC_DY_FS	INV_MIN_SOH_QTY	This is the required minimum number of units available for	14 Y	NUMBER(18,4)
W_RTL_INV_IT_LC_DY_FS	INV_UNIT_RTL_AMT_LCL	This is the retail value of a single inventory unit in the	15 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_SOH_RTL_AMT_LCL	This is the retail value of owned inventory units. This	16 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_ON_ORD_RTL_AMT_LCL	This is the retail value of ordered inventory units that have	17 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_IN_TRAN_RTL_AMT_LCL	This is the retail value of transfer and allocation inventory	18 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_MAX_SOH_RTL_AMT_LCL	This is the retail value of the required maximum number of	19 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_MIN_SOH_RTL_AMT_LCL	This is the retail value of the required minimum number of	20 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_AVG_COST_AMT_LCL	This is the weighted average cost of an item at a location	21 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_UNIT_COST_AMT_LCL	Depending on the RMS system options, this is the	22 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_SOH_COST_AMT_LCL	This is the cost value of owned inventory units. This	23 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_ON_ORD_COST_AMT_LCL	This is the cost value of ordered inventory units that have	24 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_IN_TRAN_COST_AMT_LCL	This is the cost value of transfer and allocation inventory	25 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_MAX_SOH_COST_AMT_LCL	This is the cost value of the required maximum number of	26 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	INV_MIN_SOH_COST_AMT_LCL	This is the cost value of the required minimum number of	27 Y	NUMBER(20,4)
W_RTL_INV_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	28 Y	VARCHAR2(30)
W_RTL_INV_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	29 Y	VARCHAR2(30)
W_RTL_INV_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	30 Y	NUMBER(22,7)
W_RTL_INV_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	31 Y	NUMBER(22,7)
W_RTL_INV_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	32 Y	NUMBER(22,7)
W_RTL_INV_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	33 Y	NUMBER(22,7)
W_RTL_INV_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	34 Y	NUMBER(10,0)
W_RTL_INV_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	35 Y	NUMBER(10,0)
W_RTL_INV_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	36 Y	DATE
W_RTL_INV_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	37 Y	DATE
W_RTL_INV_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	38 Y	DATE
W_RTL_INV_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	39 Y	DATE
W_RTL_INV_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	40 Y	DATE
W_RTL_INV_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	41 Y	DATE
W_RTL_INV_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	42 Y	CHAR(1)
W_RTL_INV_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change	43 Y	DATE
W_RTL_INV_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	44 N	NUMBER(10,0)
W_RTL_INV_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	45 Y	NUMBER(4,0)
W_RTL_INV_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	46 N	VARCHAR2(80)
W_RTL_INV_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	47 Y	VARCHAR2(80)
W_RTL_INV_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	48 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_ITEM_GRP1_DS
<b>TABLE DESCRIPTION:</b>	This table contains product groups such as item lists, user defined attributes and differentiators including Brand, Size, Style, Flavor, and their corresponding items.
<b>BUSINESS RULE:</b>	This table contains the associations between Item diffs, Item List and Item UDAs. This table cannot contain duplicate records for PROD_NUM and PROD_GRP_TYPE. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_ITEM_GRP1_DS	PROD_NUM	Product Number	1	Y	VARCHAR2(30)
W_RTL_ITEM_GRP1_DS	PROD_GRP_TYPE	This identifies the product group type with values of	2	Y	VARCHAR2(30)
W_RTL_ITEM_GRP1_DS	BRAND_ID	This identifies the Brand Name	3	Y	VARCHAR2(250)
W_RTL_ITEM_GRP1_DS	COLOR_ID	This identifies the color as differentiator	4	Y	VARCHAR2(250)
W_RTL_ITEM_GRP1_DS	PROD_ATTR_ID	This identifies differentiators including scent, size, style,	5	Y	VARCHAR2(250)

W_RTL_ITEM_GRP1_DS	FLEX_ATTRIB_1_CHAR	This is flex attribute 1.	6 Y	VARCHAR2(30)
W_RTL_ITEM_GRP1_DS	FLEX_ATTRIB_2_CHAR	This is flex attribute 2.	7 Y	VARCHAR2(30)
W_RTL_ITEM_GRP1_DS	FLEX_ATTRIB_3_CHAR	This is flex attribute 3.	8 Y	VARCHAR2(255)
W_RTL_ITEM_GRP1_DS	FLEX_ATTRIB_4_CHAR	This is flex attribute 4.	9 Y	VARCHAR2(255)
W_RTL_ITEM_GRP1_DS	FLEX_ATTRIB_5_NUM	This is flex attribute 5.	10 Y	NUMBER(12,4)
W_RTL_ITEM_GRP1_DS	FLEX_ATTRIB_6_NUM	This is flex attribute 6.	11 Y	NUMBER(12,4)
W_RTL_ITEM_GRP1_DS	FLEX_ATTRIB_7_NUM	This is flex attribute 7.	12 Y	NUMBER(12,4)
W_RTL_ITEM_GRP1_DS	FLEX_ATTRIB_8_CHAR	This is flex attribute 8.	13 Y	VARCHAR2(255)
W_RTL_ITEM_GRP1_DS	FLEX_ATTRIB_9_CHAR	This is flex attribute 9.	14 Y	VARCHAR2(255)
W_RTL_ITEM_GRP1_DS	FLEX_ATTRIB_10_CHAR	This is flex attribute 10.	15 Y	VARCHAR2(255)
W_RTL_ITEM_GRP1_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	16 Y	VARCHAR2(80)
W_RTL_ITEM_GRP1_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	17 Y	VARCHAR2(80)
W_RTL_ITEM_GRP1_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	18 Y	DATE
W_RTL_ITEM_GRP1_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	19 Y	DATE
W_RTL_ITEM_GRP1_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	20 Y	DATE
W_RTL_ITEM_GRP1_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	21 Y	DATE
W_RTL_ITEM_GRP1_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	22 Y	DATE
W_RTL_ITEM_GRP1_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	23 Y	DATE
W_RTL_ITEM_GRP1_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	24 Y	DATE
W_RTL_ITEM_GRP1_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	25 Y	DATE
W_RTL_ITEM_GRP1_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	26 Y	CHAR(1)
W_RTL_ITEM_GRP1_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	27 N	NUMBER(10,0)
W_RTL_ITEM_GRP1_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	28 N	VARCHAR2(350)
W_RTL_ITEM_GRP1_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	29 Y	VARCHAR2(80)
W_RTL_ITEM_GRP1_DS	X_CUSTOM	This column is used as a generic field for customer	30 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_ITEM_GRP2_DS
<b>TABLE DESCRIPTION:</b>	This table contains the product group of sales packs and their corresponding items.
<b>BUSINESS RULE:</b>	This table contains the associations between packs and their component tracking-level item identifiers. This table cannot contain duplicate records for PROD_NUM and PROD_GRP_TYPE. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_ITEM_GRP2_DS	PROD_NUM	Product Number	1	Y	VARCHAR2(30)
W_RTL_ITEM_GRP2_DS	PROD_GRP_TYPE	This identifies the product group type with a value of	2	Y	VARCHAR2(30)
W_RTL_ITEM_GRP2_DS	FLEX_ATTRIB_1_CHAR	This is flex attribute 1.	3	Y	VARCHAR2(50)
W_RTL_ITEM_GRP2_DS	FLEX_ATTRIB_2_CHAR	This is flex attribute 2.	4	Y	VARCHAR2(50)
W_RTL_ITEM_GRP2_DS	FLEX_ATTRIB_3_CHAR	This is flex attribute 3.	5	Y	VARCHAR2(50)
W_RTL_ITEM_GRP2_DS	FLEX_ATTRIB_4_CHAR	This is flex attribute 4.	6	Y	VARCHAR2(50)
W_RTL_ITEM_GRP2_DS	FLEX_ATTRIB_5_NUM	This is flex attribute 5.	7	Y	NUMBER(12,4)
W_RTL_ITEM_GRP2_DS	FLEX_ATTRIB_6_NUM	This is flex attribute 6.	8	Y	NUMBER(12,4)
W_RTL_ITEM_GRP2_DS	FLEX_ATTRIB_7_CHAR	This is flex attribute 7.	9	Y	VARCHAR2(255)
W_RTL_ITEM_GRP2_DS	FLEX_ATTRIB_8_CHAR	This is flex attribute 8.	10	Y	VARCHAR2(255)
W_RTL_ITEM_GRP2_DS	FLEX_ATTRIB_9_CHAR	This is flex attribute 9.	11	Y	VARCHAR2(255)
W_RTL_ITEM_GRP2_DS	FLEX_ATTRIB_10_CHAR	This is flex attribute 10.	12	Y	VARCHAR2(255)
W_RTL_ITEM_GRP2_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_ITEM_GRP2_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	14	Y	DATE
W_RTL_ITEM_GRP2_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	15	Y	DATE
W_RTL_ITEM_GRP2_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	16	Y	DATE
W_RTL_ITEM_GRP2_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	17	Y	VARCHAR2(80)



W_RTL_ITEM_GRP2_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	18 Y	DATE
W_RTL_ITEM_GRP2_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	19 Y	VARCHAR2(80)
W_RTL_ITEM_GRP2_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	20 Y	DATE
W_RTL_ITEM_GRP2_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	21 N	NUMBER(10,0)
W_RTL_ITEM_GRP2_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	22 Y	CHAR(1)
W_RTL_ITEM_GRP2_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	23 N	VARCHAR2(80)
W_RTL_ITEM_GRP2_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	24 Y	DATE
W_RTL_ITEM_GRP2_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	25 Y	DATE
W_RTL_ITEM_GRP2_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	26 Y	VARCHAR2(80)
W_RTL_ITEM_GRP2_DS	X_CUSTOM	This column is used as a generic field for customer	27 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_IT_LC_DS
<b>TABLE DESCRIPTION:</b>	This table holds the item location ranging details. This table shows if the item is ranged to the location incidentally or intentionally
<b>BUSINESS RULE:</b>	PROD_NUM and ORG_NUM makes the alternate key/ business key for this table

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_IT_LC_DS	PROD_NUM	This is the product number	1	N	VARCHAR2(30)
W_RTL_IT_LC_DS	ORG_NUM	This is a foreign key to the W_INT_ORG_D table	2	N	VARCHAR2(30)
W_RTL_IT_LC_DS	RANGED	This is the indicator from the source table which states	3	Y	VARCHAR2(30)
W_RTL_IT_LC_DS	STATUS	Current status of item at the store. Valid values are: A =	4	N	VARCHAR2(1)
W_RTL_IT_LC_DS	LOC_TYPE	Type of location in the location field. Valid values are S	5	N	VARCHAR2(1)
W_RTL_IT_LC_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	6	Y	DATE
W_RTL_IT_LC_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_IT_LC_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_IT_LC_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_IT_LC_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	10	Y	VARCHAR2(80)
W_RTL_IT_LC_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	11	Y	DATE
W_RTL_IT_LC_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	12	Y	VARCHAR2(80)
W_RTL_IT_LC_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	13	Y	DATE
W_RTL_IT_LC_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	14	N	NUMBER(10,0)
W_RTL_IT_LC_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	15	Y	CHAR(1)
W_RTL_IT_LC_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	16	N	VARCHAR2(80)
W_RTL_IT_LC_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	17	Y	DATE
W_RTL_IT_LC_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	18	Y	DATE
W_RTL_IT_LC_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	19	Y	VARCHAR2(80)
W_RTL_IT_LC_DS	X_CUSTOM	This column is used as a generic field for customer	20	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_IT_SUPPLIER_DS
<b>TABLE DESCRIPTION:</b>	This table contains suppliers and their associated items.
<b>BUSINESS RULE:</b>	This table contains records tracking level items that have a primary supplier. This table cannot contain duplicate records for PROD_NUM and SUPPLIER_NUM. This table contains neither break-to-sell items nor packs that contain break-to-sell component items. Dimension Staging table is a truncate and load. It holds one day's transaction only.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_IT_SUPPLIER_DS	PROD_NUM	Product Number	1	N	VARCHAR2(30)
W_RTL_IT_SUPPLIER_DS	SUPPLIER_NUM	This is the unique ID from the source system that identifies	2	N	VARCHAR2(30)
W_RTL_IT_SUPPLIER_DS	SUPPLIER_PROD_NUM	This indicates the product reference within the catalog of	3	Y	VARCHAR2(30)
W_RTL_IT_SUPPLIER_DS	SUPPLIER_PACK_SIZE	Supplier Pack Size	4	Y	NUMBER(18,4)
W_RTL_IT_SUPPLIER_DS	SUPPLIER_MIN_ORDER_QTY	Supplier Minimum Order Quantity	5	Y	NUMBER(18,4)
W_RTL_IT_SUPPLIER_DS	SUPPLIER_MAX_ORDER_QTY	Supplier Maximum Order Quantity	6	Y	NUMBER(18,4)

W_RTL_IT_SUPPLIER_DS	SUPPLIER_LEAD_TIME	Supplier Lead Time	7 Y	NUMBER(4,0)
W_RTL_IT_SUPPLIER_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	8 Y	DATE
W_RTL_IT_SUPPLIER_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	9 Y	DATE
W_RTL_IT_SUPPLIER_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	10 Y	DATE
W_RTL_IT_SUPPLIER_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	11 Y	DATE
W_RTL_IT_SUPPLIER_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	12 Y	VARCHAR2(80)
W_RTL_IT_SUPPLIER_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	13 Y	DATE
W_RTL_IT_SUPPLIER_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	14 Y	VARCHAR2(80)
W_RTL_IT_SUPPLIER_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	15 Y	DATE
W_RTL_IT_SUPPLIER_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	16 N	NUMBER(10,0)
W_RTL_IT_SUPPLIER_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	17 Y	CHAR(1)
W_RTL_IT_SUPPLIER_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	18 N	VARCHAR2(80)
W_RTL_IT_SUPPLIER_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	19 Y	DATE
W_RTL_IT_SUPPLIER_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	20 Y	DATE
W_RTL_IT_SUPPLIER_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	21 Y	VARCHAR2(80)
W_RTL_IT_SUPPLIER_DS	X_CUSTOM	This column is used as a generic field for customer	22 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_LOC_LIST_DS
<b>TABLE DESCRIPTION:</b>	This table contains location lists and their corresponding locations. Locations can be associated with multiple location lists. If a location is not associated with a location list, it will not have a record in this table. If a location is assigned to multiple location lists, a record of the location will exist for each location list. As a result, aggregations must occur by location list in order to prevent double counting.
<b>BUSINESS RULE:</b>	This table defines the associations between location and location list. This table cannot contain duplicate records for ORG_NUM and LOC_LIST_ID. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_LOC_LIST_DS	ORG_NUM	This is the Organization number or short name.	1	N	VARCHAR2(80)
W_RTL_LOC_LIST_DS	LOC_LIST_ID	This is a unique ID from the source system that identifies a	2	N	VARCHAR2(10)
W_RTL_LOC_LIST_DS	LOC_LIST_NAME	This is the name of a location list. A location list is an	3	Y	VARCHAR2(120)
W_RTL_LOC_LIST_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	4	Y	DATE
W_RTL_LOC_LIST_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	5	Y	DATE
W_RTL_LOC_LIST_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	6	Y	DATE
W_RTL_LOC_LIST_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_LOC_LIST_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	8	Y	VARCHAR2(80)
W_RTL_LOC_LIST_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	9	Y	DATE
W_RTL_LOC_LIST_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	10	Y	VARCHAR2(80)
W_RTL_LOC_LIST_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	11	Y	DATE
W_RTL_LOC_LIST_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	12	N	NUMBER(10,0)
W_RTL_LOC_LIST_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	13	Y	CHAR(1)
W_RTL_LOC_LIST_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	14	N	VARCHAR2(80)
W_RTL_LOC_LIST_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	15	Y	DATE
W_RTL_LOC_LIST_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	16	Y	DATE
W_RTL_LOC_LIST_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	17	Y	VARCHAR2(80)
W_RTL_LOC_LIST_DS	X_CUSTOM	This column is used as a generic field for customer	18	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_LOC_TRAIT_DS
<b>TABLE DESCRIPTION:</b>	This table contains location traits and their corresponding locations. Locations can be associated with multiple location traits. If a location is not associated with a location trait, it will not have a record in this table. If a location is assigned to multiple location traits, a record of the location will exist for each location trait

<b>BUSINESS RULE:</b>	<p>This table defines the associations between location and location traits.</p> <p>This table cannot contain duplicate records for ORG_NUM and LOC_TRAIT_ID.</p> <p>Dimension Staging table is a truncate and load. It holds one day's transaction only.</p> <p>This table contains neither break-to-sell items nor packs that contain break-to-sell component items.</p>
-----------------------	--

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_LOC_TRAIT_DS	ORG_NUM	This is the Organization number or short name.	1	N	VARCHAR2(80)
W_RTL_LOC_TRAIT_DS	LOC_TRAIT_ID	This is a unique ID from the source system that identifies a	2	N	VARCHAR2(10)
W_RTL_LOC_TRAIT_DS	LOC_TRAIT_NAME	This is the name of a location trait. A location trait is an	3	Y	VARCHAR2(120)
W_RTL_LOC_TRAIT_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	4	Y	DATE
W_RTL_LOC_TRAIT_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	5	Y	DATE
W_RTL_LOC_TRAIT_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	6	Y	DATE
W_RTL_LOC_TRAIT_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_LOC_TRAIT_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	8	Y	VARCHAR2(80)
W_RTL_LOC_TRAIT_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	9	Y	DATE
W_RTL_LOC_TRAIT_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	10	Y	VARCHAR2(80)
W_RTL_LOC_TRAIT_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	11	Y	DATE
W_RTL_LOC_TRAIT_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	12	N	NUMBER(10,0)
W_RTL_LOC_TRAIT_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	13	Y	CHAR(1)
W_RTL_LOC_TRAIT_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	14	N	VARCHAR2(80)
W_RTL_LOC_TRAIT_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	15	Y	DATE
W_RTL_LOC_TRAIT_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	16	Y	DATE
W_RTL_LOC_TRAIT_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	17	Y	VARCHAR2(80)
W_RTL_LOC_TRAIT_DS	X_CUSTOM	This column is used as a generic field for customer	18	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_LOY_CUSTSEG_CL_LC_WK_FS
<b>TABLE DESCRIPTION:</b>	This table contains customer loyalty scores fact data at the promotion component TYPE/class/customer segment/location/week level, and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	<p>This table stores the customer segment loyalty score towards promotion component type, and class at a particular location and week.</p> <p>PROMO_COMPONENT_TYPE_WID is the ROW_WID of W_RTL_PROMO_COMP_TYPE_D table which will always have 4 rows of type "6 ? FINANCE", "0 ? MULTI-BUY", "1 ? SIMPLE", "2 ? THRESHOLD" and "-1". "-1" is for the non-ROMO_COMPONENT_TYPE that will lookup from the W_RTL_PROMO_COMP_TYPE_D table that is inserted as seed data.</p> <p>Data for this table has to be provided by an external source system or a legacy system.</p> <p>Business Key: Prod_Num,Org_Num,Cusseg_Id,Day_Dt</p>

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	PROD_NUM	This is used to derive foreign key to the	1	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	ORG_NUM	This is used to derive foreign key to the	2	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	CUSTSEG_ID	This is a unique ID used to identify the Customer	3	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	DAY_DT	This is used to derive foreign key to the W_MCAL_DAY_D	4	N	DATE
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	PROMO_COMPONENT_TYPE	This is used to derive foreign key to the	5	N	VARCHAR2(250)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	ETL_THREAD_VAL	This field is used for multithreading purpose	6	Y	NUMBER(4,0)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	LOY_SCORE	This is the loyalty score.	7	Y	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	8	Y	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	LOC_CURR_CODE	Code for the currency in which the document was created	9	Y	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	10	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	11	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	12	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	13	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	14	Y	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	15	Y	NUMBER(10,0)

W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	16 Y	DATE
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	17 Y	DATE
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	18 Y	DATE
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	19 Y	DATE
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	20 Y	DATE
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	21 Y	DATE
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	22 Y	VARCHAR2(1)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	W_INSERT_DT	This column stores the date on which the record was	23 Y	DATE
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	W_UPDATE_DT	This column stores the date on which the record was last	24 Y	DATE
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	25 N	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	26 N	VARCHAR2(80)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	27 Y	VARCHAR2(80)
W_RTL_LOY_CUSTSEG_CL_LC_WK_FS	X_CUSTOM	This column is used as a generic field for customer	28 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_LOY_CUSTSEG_DP_LC_WK_FS
<b>TABLE DESCRIPTION:</b>	This table contains customer loyalty scores fact data at the promotion component TYPE/department/customer segment/location/week level, and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	This table stores the customer segment loyalty score towards promotion component type, and department at a particular location and week. PROD_DH_WID with their respective ROW_WID's. PROMO_COMPONENT_TYPE_WID is the ROW_WID of W_RTL_PROMO_COMP_TYPE_D table which will always have 4 rows of type "6 ? FINANCE", "0 ? MULTI-BUY", "1 ? SIMPLE", "2 ? THRESHOLD" and "-1". "-1" is for the non-ROMO_COMPONENT_TYPE that will lookup from the W_RTL_PROMO_COMP_TYPE_D table that is inserted as seed data. Data for this table has to be provided by an external source system or a legacy system. Business Key : Prod_Num,Org_Num,Custseg_Id,Day_Dt

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	PROD_NUM	This is used to derive a foreign key to the	1	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	ORG_NUM	This is used to derive a foreign key to the W_INT_ORG_D	2	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	CUSTSEG_ID	This is a unique ID used to identify the Customer	3	N	VARCHAR2(50)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	DAY_DT	This is used to derive a foreign key to the	4	N	DATE
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	PROMO_COMPONENT_TYPE	This is used to derive a foreign key to the	5	N	VARCHAR2(250)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	ETL_THREAD_VAL	This field is used for multithreading purpose	6	Y	NUMBER(4,0)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	LOY_SCORE	This is the loyalty score.	7	Y	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	8	Y	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	9	Y	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	10	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	11	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	12	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	13	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	CREATED_BY_ID	This is used to derive a foreign key to the W_USER_D	14	Y	VARCHAR2(80)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	CHANGED_BY_ID	This is used derive a foreign key to the W_USER_D	15	Y	VARCHAR2(80)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	16	Y	DATE
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	17	Y	DATE
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	18	Y	DATE
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	19	Y	DATE
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	20	Y	DATE
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	21	Y	DATE
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	22	Y	VARCHAR2(1)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	W_INSERT_DT	This column stores the date on which the record was	23	Y	DATE
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	W_UPDATE_DT	This column stores the date on which the record was last	24	Y	DATE
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	25	N	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	26	N	VARCHAR2(80)

W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	27 Y	VARCHAR2(80)
W_RTL_LOY_CUSTSEG_DP_LC_WK_FS	X_CUSTOM	This column is used as a generic field for customer	28 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_LOY_CUSTSEG_LC_WK_FS
<b>TABLE DESCRIPTION:</b>	This table contains customer loyalty scores fact data at the promotion component type/item attribute/customer segment/location/week level, and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULE:</b>	This table stores the customer segment loyalty score towards promotion component type, item style and brand at a particular location and week. PROMO_COMPONENT_TYPE_WID is the ROW_WID of W_RTL_PROMO_COMP_TYPE_D table which will always have 4 rows of type "6 ? FINANCE", "0 ? MULTI-BUY", "1 ? SIMPLE", "2 ? THRESHOLD" and "-1". "-1" is for the non-PROMO_COMPONENT_TYPE that will lookup from the W_RTL_PROMO_COMP_TYPE_D table that is inserted as seed data. Data for this table has to be provided by an external source system or a legacy system. Business Key: Org_num,Cust_seg_id,Day_Dt

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_LOY_CUSTSEG_LC_WK_FS	PROD_NUM	This is used to derive foreign key to the	1	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_LC_WK_FS	ORG_NUM	This is used to derive foreign key to the	2	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_LC_WK_FS	CUSTSEG_ID	This is a unique ID used to identify the Customer	3	N	VARCHAR2(50)
W_RTL_LOY_CUSTSEG_LC_WK_FS	DAY_DT	This is used to derive foreign key to the W_MCAL_DAY_D	4	N	DATE
W_RTL_LOY_CUSTSEG_LC_WK_FS	PROMO_COMPONENT_TYPE	This is used to derive foreign key to the	5	N	VARCHAR2(250)
W_RTL_LOY_CUSTSEG_LC_WK_FS	BRAND	This is a foreign key to the	6	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_LC_WK_FS	PROD_STYLE_NUM	This is a foreign key to the W_PRODUCT_D table	7	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_LC_WK_FS	LOY_SCORE	This is the loyalty score.	8	Y	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_LC_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	9	Y	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_LC_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	10	Y	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_LC_WK_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	11	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_LC_WK_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	12	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_LC_WK_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	13	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_LC_WK_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	14	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_LC_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	15	Y	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_LC_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	16	Y	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_LC_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	17	Y	DATE
W_RTL_LOY_CUSTSEG_LC_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	18	Y	DATE
W_RTL_LOY_CUSTSEG_LC_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	19	Y	DATE
W_RTL_LOY_CUSTSEG_LC_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	20	Y	DATE
W_RTL_LOY_CUSTSEG_LC_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	21	Y	DATE
W_RTL_LOY_CUSTSEG_LC_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	22	Y	DATE
W_RTL_LOY_CUSTSEG_LC_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	23	Y	VARCHAR2(1)
W_RTL_LOY_CUSTSEG_LC_WK_FS	W_INSERT_DT	This column stores the date on which the record was	24	Y	DATE
W_RTL_LOY_CUSTSEG_LC_WK_FS	W_UPDATE_DT	This column stores the date on which the record was last	25	Y	DATE
W_RTL_LOY_CUSTSEG_LC_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	26	N	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_LC_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	27	N	VARCHAR2(80)
W_RTL_LOY_CUSTSEG_LC_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	28	Y	VARCHAR2(80)
W_RTL_LOY_CUSTSEG_LC_WK_FS	X_CUSTOM	This column is used as a generic field for customer	29	Y	VARCHAR2(10)
W_RTL_LOY_CUSTSEG_LC_WK_FS	ETL_THREAD_VAL	This field is used for multithreading purpose	30	Y	NUMBER(4,0)

<b>TABLE NAME:</b>	W_RTL_LOY_CUSTSEG_SC_LC_WK_FS
<b>TABLE DESCRIPTION:</b>	This table contains customer loyalty scores fact data at the promotion component TYPE/subclass/customer segment/location/week level, and the programs extracts that will load it will be created during the implementation.

<b>BUSINESS RULES:</b>	This table stores the customer segment's loyalty score towards promotion component type and subclass at a particular location and week. PROMO_COMPONENT_TYPE_WID is the ROW_WID of W_RTL_PROMO_COMP_TYPE_D table which will always have 4 rows of type "6 ? FINANCE", "0 ? MULTI-BUY", "1 ? SIMPLE", "2 ? THRESHOLD" and "-1". "-1" is for the non-PROMO_COMPONENT_TYPE that will lookup from the W_RTL_PROMO_COMP_TYPE_D table that is inserted as seed data. Data for this table has to be provided by an external source system or a legacy system. Business Key: Prod_Num,Org_Num,Custseg_Id,Day_dt
------------------------	---

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	PROD_NUM	This is used to derive foreign key to the	1	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	ORG_NUM	This is used to derive foreign key to the	2	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	CUSTSEG_ID	This is a unique ID used to identify the Customer	3	N	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	DAY_DT	This is used to derive foreign key to the W_MCAL_DAY_D	4	N	DATE
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	PROMO_COMPONENT_TYPE	This is used to derive foreign key to the	5	N	VARCHAR2(250)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	LOY_SCORE	This is the loyalty score.	6	Y	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	7	Y	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	8	Y	VARCHAR2(30)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	9	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	10	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	11	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	12	Y	NUMBER(22,7)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	13	Y	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	14	Y	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	15	Y	DATE
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	16	Y	DATE
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	17	Y	DATE
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	18	Y	DATE
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	19	Y	DATE
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	20	Y	DATE
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	21	Y	VARCHAR2(1)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	W_INSERT_DT	This column stores the date on which the record was	22	Y	DATE
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	W_UPDATE_DT	This column stores the date on which the record was last	23	Y	DATE
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	24	N	NUMBER(10,0)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	ETL_THREAD_VAL	This field is used for multithreading purpose	25	Y	NUMBER(4,0)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	26	N	VARCHAR2(80)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	27	Y	VARCHAR2(80)
W_RTL_LOY_CUSTSEG_SC_LC_WK_FS	X_CUSTOM	This column is used as a generic field for customer	28	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_LOY_CUST_CL_LC_MH_FS
<b>TABLE DESCRIPTION:</b>	This table contains customer loyalty scores fact data at the promotion component type/class/customer/location/month level, and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULE:</b>	This table stores the customers loyalty score towards promotion component type and class at a particular location and month. PROMO_COMPONENT_TYPE_WID is the ROW_WID of W_RTL_PROMO_COMP_TYPE_D table which will always have 4 rows of type "6 ? FINANCE", "0 ? MULTI-BUY", "1 ? SIMPLE" and "2 ? THRESHOLD". Data for this table has to be provided by an external source system or a legacy system. Business Key: Prod_Num,Org_Num,Cust_Id,Mcal_Period_Num

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_LOY_CUST_CL_LC_MH_FS	PROD_NUM	This is used to derive foreign key to the	1	N	VARCHAR2(30)
W_RTL_LOY_CUST_CL_LC_MH_FS	ORG_NUM	This is used to derive foreign key to the	2	N	VARCHAR2(30)
W_RTL_LOY_CUST_CL_LC_MH_FS	CUST_ID	This is used to derive foreign key to the	3	N	VARCHAR2(80)
W_RTL_LOY_CUST_CL_LC_MH_FS	PROMO_COMPONENT_TYPE	This is used to derive foreign key to the	5	N	VARCHAR2(30)

W_RTL_LOY_CUST_CL_LC_MH_FS	LOY_SCORE	This is the loyalty score	6 Y	NUMBER(10,0)
W_RTL_LOY_CUST_CL_LC_MH_FS	DOC_CURR_CODE	Code for the currency in which the document was created	7 Y	VARCHAR2(30)
W_RTL_LOY_CUST_CL_LC_MH_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	8 Y	VARCHAR2(30)
W_RTL_LOY_CUST_CL_LC_MH_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	9 Y	NUMBER(22,7)
W_RTL_LOY_CUST_CL_LC_MH_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	10 Y	NUMBER(22,7)
W_RTL_LOY_CUST_CL_LC_MH_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	11 Y	NUMBER(22,7)
W_RTL_LOY_CUST_CL_LC_MH_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	12 Y	NUMBER(22,7)
W_RTL_LOY_CUST_CL_LC_MH_FS	CREATED_BY_ID	This indicates the user who last created the record in the	13 Y	NUMBER(10,0)
W_RTL_LOY_CUST_CL_LC_MH_FS	CHANGED_BY_ID	This indicates the user who last modified the record in	14 Y	NUMBER(10,0)
W_RTL_LOY_CUST_CL_LC_MH_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	15 Y	DATE
W_RTL_LOY_CUST_CL_LC_MH_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	16 Y	DATE
W_RTL_LOY_CUST_CL_LC_MH_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	17 Y	DATE
W_RTL_LOY_CUST_CL_LC_MH_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	18 Y	DATE
W_RTL_LOY_CUST_CL_LC_MH_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	19 Y	DATE
W_RTL_LOY_CUST_CL_LC_MH_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	20 Y	DATE
W_RTL_LOY_CUST_CL_LC_MH_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	21 Y	VARCHAR2(1)
W_RTL_LOY_CUST_CL_LC_MH_FS	W_INSERT_DT	This column stores the date on which the record was	22 Y	DATE
W_RTL_LOY_CUST_CL_LC_MH_FS	W_UPDATE_DT	This column stores the date on which the record was last	23 Y	DATE
W_RTL_LOY_CUST_CL_LC_MH_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	24 N	NUMBER(10,0)
W_RTL_LOY_CUST_CL_LC_MH_FS	ETL_THREAD_VAL	This field is used for multithreading purpose	25 Y	NUMBER(4,0)
W_RTL_LOY_CUST_CL_LC_MH_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	26 N	VARCHAR2(80)
W_RTL_LOY_CUST_CL_LC_MH_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	27 Y	VARCHAR2(80)
W_RTL_LOY_CUST_CL_LC_MH_FS	X_CUSTOM	This column is used as a generic field for customer	28 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_LOY_CUST_DP_LC_MH_FS
<b>TABLE DESCRIPTION:</b>	This table contains customer loyalty scores fact data at the promotion component type/department/customer/location/month level, and needs to be created for loading this information using the below mentioned columns names and data types
<b>BUSINESS RULES:</b>	This table stores the customers loyalty score towards promotion component type and department at a particular location and month. PROMO_COMPONENT_TYPE_WID is the ROW_WID of W_RTL_PROMO_COMP_TYPE_D table which will always have 4 rows of type "6 ? FINANCE", "0 ? MULTI-BUY", "1 ? SIMPLE" and "2 ? THRESHOLD". Data for this table has to be provided by an external source system or a legacy system. Business Key:Prod_Num,Org_Num,Cust_Id,Mcal_Period_Num

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_LOY_CUST_DP_LC_MH_FS	PROD_NUM	This is used to derive foreign key to the	1	N	VARCHAR2(30)
W_RTL_LOY_CUST_DP_LC_MH_FS	ORG_NUM	This is used to derive foreign key to the	2	N	VARCHAR2(30)
W_RTL_LOY_CUST_DP_LC_MH_FS	CUST_ID	This is used to derive foreign key to the	3	N	VARCHAR2(80)
W_RTL_LOY_CUST_DP_LC_MH_FS	EOM_DT	This is used to derive foreign key to the	4	N	DATE
W_RTL_LOY_CUST_DP_LC_MH_FS	PROMO_COMPONENT_TYPE	This is a foreign key to the	5	N	VARCHAR2(250)
W_RTL_LOY_CUST_DP_LC_MH_FS	LOY_SCORE	This is the loyalty score.	6	Y	NUMBER(10,0)
W_RTL_LOY_CUST_DP_LC_MH_FS	DOC_CURR_CODE	Code for the currency in which the document was created	7	Y	VARCHAR2(30)
W_RTL_LOY_CUST_DP_LC_MH_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	8	Y	VARCHAR2(30)
W_RTL_LOY_CUST_DP_LC_MH_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	9	Y	NUMBER(22,7)
W_RTL_LOY_CUST_DP_LC_MH_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	10	Y	NUMBER(22,7)
W_RTL_LOY_CUST_DP_LC_MH_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	11	Y	NUMBER(22,7)
W_RTL_LOY_CUST_DP_LC_MH_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	12	Y	NUMBER(22,7)
W_RTL_LOY_CUST_DP_LC_MH_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	13	Y	NUMBER(10,0)
W_RTL_LOY_CUST_DP_LC_MH_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	14	Y	NUMBER(10,0)
W_RTL_LOY_CUST_DP_LC_MH_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	15	Y	DATE
W_RTL_LOY_CUST_DP_LC_MH_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	16	Y	DATE
W_RTL_LOY_CUST_DP_LC_MH_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	17	Y	DATE
W_RTL_LOY_CUST_DP_LC_MH_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	18	Y	DATE

W_RTL_LOY_CUST_DP_LC_MH_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	19 Y	DATE
W_RTL_LOY_CUST_DP_LC_MH_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	20 Y	DATE
W_RTL_LOY_CUST_DP_LC_MH_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	21 Y	VARCHAR2(1)
W_RTL_LOY_CUST_DP_LC_MH_FS	W_INSERT_DT	This column stores the date on which the record was	22 Y	DATE
W_RTL_LOY_CUST_DP_LC_MH_FS	W_UPDATE_DT	This column stores the date on which the record was last	23 Y	DATE
W_RTL_LOY_CUST_DP_LC_MH_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	24 N	NUMBER(10,0)
W_RTL_LOY_CUST_DP_LC_MH_FS	ETL_THREAD_VAL	This field is used for multithreading purpose	25 Y	NUMBER(4,0)
W_RTL_LOY_CUST_DP_LC_MH_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	26 N	VARCHAR2(80)
W_RTL_LOY_CUST_DP_LC_MH_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	27 Y	VARCHAR2(80)
W_RTL_LOY_CUST_DP_LC_MH_FS	X_CUSTOM	This column is used as a generic field for customer	28 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_LOY_CUST_LC_MH_FS
<b>TABLE DESCRIPTION:</b>	This table contains customer loyalty scores fact data at the promotion component type/item attribute/customer/location/month level, and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULE:</b>	This table stores the customers loyalty score towards promotion component type, item style and brand at a particular location and month. PROD_STYLE_NUM is the integration_id of W_PRODUCT_ATTR_D where PRODUCT_ATTR11_NAME=1. PROMO_COMPONENT_TYPE_WID is the ROW_WID of W_RTL_PROMO_COMP_TYPE_D table which will always have 4 rows of type "6 ? FINANCE", "0 ? MULTI-BUY", "1 ? SIMPLE" and "2 ? THRESHOLD". Data for this table has to be provided by an external source system or a legacy system. Business Key : Prod_Num,Org_Num,Cust_Id

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_LOY_CUST_LC_MH_FS	PROD_NUM	This is used to derive foreign key to the	1	N	VARCHAR2(30)
W_RTL_LOY_CUST_LC_MH_FS	CUST_ID	This is a foreign key to the W_PARTY_PER_D table.	3	N	VARCHAR2(80)
W_RTL_LOY_CUST_LC_MH_FS	BRAND	This is a foreign key to the	4	N	VARCHAR2(30)
W_RTL_LOY_CUST_LC_MH_FS	PROMO_COMPONENT_TYPE	This is a foreign key to the	5	N	VARCHAR2(250)
W_RTL_LOY_CUST_LC_MH_FS	ETL_THREAD_VAL	This field is used for multithreading purpose	6	Y	NUMBER(4,0)
W_RTL_LOY_CUST_LC_MH_FS	EOM_DT	This is used to derive foreign key to the	7	N	DATE
W_RTL_LOY_CUST_LC_MH_FS	PROD_STYLE_NUM	This is a foreign key to the W_PRODUCT_D table	8	Y	VARCHAR2(30)
W_RTL_LOY_CUST_LC_MH_FS	LOY_SCORE	This is the loyalty score.	9	Y	NUMBER(10,0)
W_RTL_LOY_CUST_LC_MH_FS	DOC_CURR_CODE	Code for the currency in which the document was created	10	Y	VARCHAR2(30)
W_RTL_LOY_CUST_LC_MH_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	11	Y	VARCHAR2(30)
W_RTL_LOY_CUST_LC_MH_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	12	Y	NUMBER(22,7)
W_RTL_LOY_CUST_LC_MH_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	13	Y	NUMBER(22,7)
W_RTL_LOY_CUST_LC_MH_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	14	Y	NUMBER(22,7)
W_RTL_LOY_CUST_LC_MH_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	15	Y	NUMBER(22,7)
W_RTL_LOY_CUST_LC_MH_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	16	Y	NUMBER(10,0)
W_RTL_LOY_CUST_LC_MH_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	17	Y	NUMBER(10,0)
W_RTL_LOY_CUST_LC_MH_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	18	Y	DATE
W_RTL_LOY_CUST_LC_MH_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	19	Y	DATE
W_RTL_LOY_CUST_LC_MH_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	20	Y	DATE
W_RTL_LOY_CUST_LC_MH_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	21	Y	DATE
W_RTL_LOY_CUST_LC_MH_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	22	Y	DATE
W_RTL_LOY_CUST_LC_MH_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	23	Y	DATE
W_RTL_LOY_CUST_LC_MH_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	24	Y	VARCHAR2(1)
W_RTL_LOY_CUST_LC_MH_FS	W_INSERT_DT	This column stores the date on which the record was	25	Y	DATE
W_RTL_LOY_CUST_LC_MH_FS	W_UPDATE_DT	This column stores the date on which the record was last	26	Y	DATE
W_RTL_LOY_CUST_LC_MH_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	27	N	NUMBER(10,0)
W_RTL_LOY_CUST_LC_MH_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	28	N	VARCHAR2(80)
W_RTL_LOY_CUST_LC_MH_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	29	Y	VARCHAR2(80)
W_RTL_LOY_CUST_LC_MH_FS	X_CUSTOM	This column is used as a generic field for customer	30	Y	VARCHAR2(10)



<b>TABLE NAME:</b>	<b>W_RTL_LOY_SCORE_BAND_DS</b>
<b>TABLE DESCRIPTION:</b>	This table holds loyalty score bands. These bands are used to categorize customer loyalty information based on their loyalty scores and needs to be created for loading this information using the below mentioned columns names and data types
<b>BUSINESS RULES:</b>	This is a lookup table will store Min and Max Loyalty scores with a descriptions which will describe one band. For example, LOY_SCORE_MIN=500, LOY_SCORE_MAX=1000 and LOY_SCORE_DESC='Most Loyal' will be one score band. This table will be used with other Loyalty fact tables for reporting on Loyalty Score Band. Data for this table has to be provided by an external source system or a legacy system. Data for this table has to be provided by an external source system or a legacy system through a CSV file which would have the column header section as the first line.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_LOY_SCORE_BAND_DS	LOY_SCORE_ID	This gives the Loyalty Score ID of the customer.	1	N	VARCHAR2(50)
W_RTL_LOY_SCORE_BAND_DS	LOY_SCORE_DESC	The description of the loyalty score band	2	N	VARCHAR2(255)
W_RTL_LOY_SCORE_BAND_DS	LOY_SCORE_MIN	The minimum loyalty score for a band. The limits to the	3	N	NUMBER(10,0)
W_RTL_LOY_SCORE_BAND_DS	LOY_SCORE_MAX	The maximum loyalty score for a band. The limits to the	4	N	NUMBER(10,0)
W_RTL_LOY_SCORE_BAND_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	5	Y	NUMBER(10,0)
W_RTL_LOY_SCORE_BAND_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	6	Y	NUMBER(10,0)
W_RTL_LOY_SCORE_BAND_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	7	Y	DATE
W_RTL_LOY_SCORE_BAND_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	8	Y	DATE
W_RTL_LOY_SCORE_BAND_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_LOY_SCORE_BAND_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_LOY_SCORE_BAND_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_LOY_SCORE_BAND_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_LOY_SCORE_BAND_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	13	Y	DATE
W_RTL_LOY_SCORE_BAND_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	14	Y	DATE
W_RTL_LOY_SCORE_BAND_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	15	Y	VARCHAR2(1)
W_RTL_LOY_SCORE_BAND_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	16	N	NUMBER(10,0)
W_RTL_LOY_SCORE_BAND_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	17	N	VARCHAR2(80)
W_RTL_LOY_SCORE_BAND_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	18	Y	VARCHAR2(80)
W_RTL_LOY_SCORE_BAND_DS	X_CUSTOM	This column is used as a generic field for customer	19	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_RTL_MARKET_PRODUCT_DS</b>
<b>TABLE DESCRIPTION:</b>	This table holds the market product data
<b>BUSINESS RULE:</b>	MARKET_PROD_NUM and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MARKET_PRODUCT_DS	MARKET_PROD_NUM	This is market item ID	1	N	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_DS	MARKET_PROD_HIER_NUM	This is market product parent hierarchy ID	2	N	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_DS	MARKET_PROD_LVL_NAME	Market types (ITEM, UPC).For example if an Item is UPC	3	N	VARCHAR2(30)
W_RTL_MARKET_PRODUCT_DS	MARKET_PROD_VENDOR	The code of the supplier/vendor who supplies the	4	Y	VARCHAR2(240)
W_RTL_MARKET_PRODUCT_DS	PACKAGE_TYPE	The package type defines as the packaging method	5	Y	VARCHAR2(32)
W_RTL_MARKET_PRODUCT_DS	MULTI_PACK	The multi-pack is defined as package of several individual	6	Y	VARCHAR2(32)
W_RTL_MARKET_PRODUCT_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	7	Y	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	8	Y	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	9	Y	DATE
W_RTL_MARKET_PRODUCT_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	10	Y	DATE
W_RTL_MARKET_PRODUCT_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_MARKET_PRODUCT_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_MARKET_PRODUCT_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_MARKET_PRODUCT_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	14	Y	DATE
W_RTL_MARKET_PRODUCT_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	15	Y	DATE
W_RTL_MARKET_PRODUCT_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	16	Y	DATE

W_RTL_MARKET_PRODUCT_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	17	Y	CHAR(1)
W_RTL_MARKET_PRODUCT_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	18	N	NUMBER(10,0)
W_RTL_MARKET_PRODUCT_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	19	N	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	20	Y	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_DS	X_CUSTOM	This column is used as a generic field for customer	21	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MARKET_PRODUCT_MTX_DS
<b>TABLE DESCRIPTION:</b>	This table holds the market product matrix data
<b>BUSINESS RULE:</b>	MARKET_PROD_NUM, PROD_NUM and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MARKET_PRODUCT_MTX_DS	MARKET_PROD_NUM	This is market item ID	1	N	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_MTX_DS	PROD_NUM	This is market item ID	2	N	VARCHAR2(30)
W_RTL_MARKET_PRODUCT_MTX_DS	MARKET_PROD_LVL_NAME	Market types (ITEM, UPC)	3	N	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_MTX_DS	LEVEL_NAME	Market product brand level name.	4	N	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_MTX_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	5	Y	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_MTX_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	6	Y	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_MTX_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	7	Y	DATE
W_RTL_MARKET_PRODUCT_MTX_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	8	Y	DATE
W_RTL_MARKET_PRODUCT_MTX_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_MARKET_PRODUCT_MTX_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_MARKET_PRODUCT_MTX_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_MARKET_PRODUCT_MTX_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_MARKET_PRODUCT_MTX_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	13	Y	DATE
W_RTL_MARKET_PRODUCT_MTX_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	14	Y	DATE
W_RTL_MARKET_PRODUCT_MTX_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	15	Y	CHAR(1)
W_RTL_MARKET_PRODUCT_MTX_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	16	N	NUMBER(10,0)
W_RTL_MARKET_PRODUCT_MTX_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	17	N	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_MTX_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	18	Y	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_MTX_DS	X_CUSTOM	This column is used as a generic field for customer	19	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MARKET_PROD_ATTR_DS
<b>TABLE DESCRIPTION:</b>	This table holds the market product attribute data
<b>BUSINESS RULE:</b>	MARKET_PROD_ATTR_NUM and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MARKET_PROD_ATTR_DS	MARKET_PROD_ATTR_NUM	Market product attribute NUM	1	N	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_DS	MARKET_PROD_ATTR_TYPE	Market product attribute type	2	N	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	5	Y	DATE
W_RTL_MARKET_PROD_ATTR_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	6	Y	DATE
W_RTL_MARKET_PROD_ATTR_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_MARKET_PROD_ATTR_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_MARKET_PROD_ATTR_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_MARKET_PROD_ATTR_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_MARKET_PROD_ATTR_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	11	Y	DATE
W_RTL_MARKET_PROD_ATTR_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	12	Y	DATE

W_RTL_MARKET_PROD_ATTR_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	13	Y	CHAR(1)
W_RTL_MARKET_PROD_ATTR_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	14	N	NUMBER(10,0)
W_RTL_MARKET_PROD_ATTR_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	15	N	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16	Y	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_DS	X_CUSTOM	This column is used as a generic field for customer	17	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MARKET_PROD_ATTR_MTX_DS
<b>TABLE DESCRIPTION:</b>	This table holds the market product attribute matrix data.
<b>BUSINESS RULE:</b>	MARKET_PROD_NUM, MARKET_PROD_GRP_NUM, MARKET_PROD_GRP_TYPE and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MARKET_PROD_ATTR_MTX_DS	MARKET_PROD_NUM	This is market item ID	1	N	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_MTX_DS	MARKET_PROD_GRP_NUM	This describes the Market Item group number.	2	N	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_MTX_DS	MARKET_PROD_GRP_TYPE	This describes the Market Item group type.	3	N	VARCHAR2(30)
W_RTL_MARKET_PROD_ATTR_MTX_DS	FLEX_ATTRIB_1_CHAR	This is flex attribute 1.	4	Y	VARCHAR2(50)
W_RTL_MARKET_PROD_ATTR_MTX_DS	FLEX_ATTRIB_2_CHAR	This is flex attribute 2.	5	Y	VARCHAR2(50)
W_RTL_MARKET_PROD_ATTR_MTX_DS	FLEX_ATTRIB_3_CHAR	This is flex attribute 3.	6	Y	VARCHAR2(255)
W_RTL_MARKET_PROD_ATTR_MTX_DS	FLEX_ATTRIB_4_CHAR	This is flex attribute 4.	7	Y	VARCHAR2(255)
W_RTL_MARKET_PROD_ATTR_MTX_DS	FLEX_ATTRIB_5_NUM	This is flex attribute 5.	8	Y	NUMBER(12,4)
W_RTL_MARKET_PROD_ATTR_MTX_DS	FLEX_ATTRIB_6_NUM	This is flex attribute 6.	9	Y	NUMBER(12,4)
W_RTL_MARKET_PROD_ATTR_MTX_DS	FLEX_ATTRIB_7_NUM	This is flex attribute 7.	10	Y	NUMBER(12,4)
W_RTL_MARKET_PROD_ATTR_MTX_DS	FLEX_ATTRIB_8_CHAR	This is flex attribute 8.	11	Y	VARCHAR2(255)
W_RTL_MARKET_PROD_ATTR_MTX_DS	FLEX_ATTRIB_9_CHAR	This is flex attribute 9.	12	Y	VARCHAR2(255)
W_RTL_MARKET_PROD_ATTR_MTX_DS	FLEX_ATTRIB_10_CHAR	This is flex attribute 10.	13	Y	VARCHAR2(255)
W_RTL_MARKET_PROD_ATTR_MTX_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	14	Y	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_MTX_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	15	Y	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_MTX_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	16	Y	DATE
W_RTL_MARKET_PROD_ATTR_MTX_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	17	Y	DATE
W_RTL_MARKET_PROD_ATTR_MTX_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	18	Y	DATE
W_RTL_MARKET_PROD_ATTR_MTX_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	19	Y	DATE
W_RTL_MARKET_PROD_ATTR_MTX_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	20	Y	DATE
W_RTL_MARKET_PROD_ATTR_MTX_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	21	Y	DATE
W_RTL_MARKET_PROD_ATTR_MTX_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	22	Y	DATE
W_RTL_MARKET_PROD_ATTR_MTX_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	23	Y	DATE
W_RTL_MARKET_PROD_ATTR_MTX_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	24	Y	CHAR(1)
W_RTL_MARKET_PROD_ATTR_MTX_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	25	N	NUMBER(10,0)
W_RTL_MARKET_PROD_ATTR_MTX_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	26	N	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_MTX_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	27	Y	VARCHAR2(80)
W_RTL_MARKET_PROD_ATTR_MTX_DS	X_CUSTOM	This column is used as a generic field for customer	28	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MARKET_PROD_BRAND_DS
<b>TABLE DESCRIPTION:</b>	This table contains the brands in market.
<b>BUSINESS RULE:</b>	MARKET_PROD_BRAND_NUM, MARKET_PROD_SUBBRAND_NUM, LEVEL_NAME and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MARKET_PROD_BRAND_DS	MARKET_PROD_BRAND_NUM	Market product brand NUM	1	N	VARCHAR2(80)
W_RTL_MARKET_PROD_BRAND_DS	MARKET_PROD_SUBBRAND_NUM	Market product sub-brand ID.A value of -1 is expected if	2	N	VARCHAR2(80)
W_RTL_MARKET_PROD_BRAND_DS	LEVEL_NAME	Market product brand level name.A value of B is expected	3	N	VARCHAR2(80)
W_RTL_MARKET_PROD_BRAND_DS	MARKET_BRAND_OWNER_NUM	Attribute of market brand	4	Y	VARCHAR2(80)

W_RTL_MARKET_PROD_BRAND_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	5 Y	VARCHAR2(80)
W_RTL_MARKET_PROD_BRAND_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	6 Y	VARCHAR2(80)
W_RTL_MARKET_PROD_BRAND_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	7 Y	DATE
W_RTL_MARKET_PROD_BRAND_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	8 Y	DATE
W_RTL_MARKET_PROD_BRAND_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	9 Y	DATE
W_RTL_MARKET_PROD_BRAND_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	10 Y	DATE
W_RTL_MARKET_PROD_BRAND_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	11 Y	DATE
W_RTL_MARKET_PROD_BRAND_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	12 Y	DATE
W_RTL_MARKET_PROD_BRAND_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	13 Y	DATE
W_RTL_MARKET_PROD_BRAND_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	14 Y	DATE
W_RTL_MARKET_PROD_BRAND_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	15 Y	CHAR(1)
W_RTL_MARKET_PROD_BRAND_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	16 N	NUMBER(10,0)
W_RTL_MARKET_PROD_BRAND_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	17 N	VARCHAR2(80)
W_RTL_MARKET_PROD_BRAND_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	18 Y	VARCHAR2(80)
W_RTL_MARKET_PROD_BRAND_DS	X_CUSTOM	This column is used as a generic field for customer	19 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MARKET_PROD_DH_MTX_DS
<b>TABLE DESCRIPTION:</b>	This table holds the data of market product hierarchy matrix details.
<b>BUSINESS RULE:</b>	MARKET_PROD_LVL_NUM, PROD_CAT_NUM, MARKET_PROD_LVL_NAME, PROD_CAT_LVL_NAME and DATASOURCE_NUM_ID makes the alternate key/ business key for this table. Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MARKET_PROD_DH_MTX_DS	MARKET_PROD_LVL_NUM	Market Product level number.	1	N	VARCHAR2(255)
W_RTL_MARKET_PROD_DH_MTX_DS	PROD_CAT_NUM	Product hierarchy number.	2	N	VARCHAR2(255)
W_RTL_MARKET_PROD_DH_MTX_DS	MARKET_PROD_LVL_NAME	Market types (ITEM, UPC)	3	N	VARCHAR2(80)
W_RTL_MARKET_PROD_DH_MTX_DS	PROD_CAT_LVL_NAME	Product hierarchy level name.	4	N	VARCHAR2(80)
W_RTL_MARKET_PROD_DH_MTX_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	5	Y	VARCHAR2(80)
W_RTL_MARKET_PROD_DH_MTX_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	6	Y	VARCHAR2(80)
W_RTL_MARKET_PROD_DH_MTX_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	7	Y	DATE
W_RTL_MARKET_PROD_DH_MTX_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	8	Y	DATE
W_RTL_MARKET_PROD_DH_MTX_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_MARKET_PROD_DH_MTX_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_MARKET_PROD_DH_MTX_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_MARKET_PROD_DH_MTX_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_MARKET_PROD_DH_MTX_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	13	Y	DATE
W_RTL_MARKET_PROD_DH_MTX_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	14	Y	DATE
W_RTL_MARKET_PROD_DH_MTX_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	15	Y	CHAR(1)
W_RTL_MARKET_PROD_DH_MTX_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	16	N	NUMBER(10,0)
W_RTL_MARKET_PROD_DH_MTX_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	17	N	VARCHAR2(80)
W_RTL_MARKET_PROD_DH_MTX_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	18	Y	VARCHAR2(80)
W_RTL_MARKET_PROD_DH_MTX_DS	X_CUSTOM	This column is used as a generic field for customer	19	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_METADATA_G
<b>TABLE DESCRIPTION:</b>	W_RTL_METADATA_G contains RA metadata mapping information. This is a reference table and is not used in ODI and OBIEE code and is built for future use.
<b>BUSINESS RULE:</b>	

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_METADATA_G	OBIEE_ATTR_NAME	The database table name to which OBIEE does lookup.	1	N	VARCHAR2(80)
W_RTL_METADATA_G	DIMENSION	Specifies the join condition between the tables.	2	N	VARCHAR2(50)
W_RTL_METADATA_G	PHYSICAL_COL_NAME	Specifies the filter condition.	3	N	VARCHAR2(1000)

W_RTL_METADATA_G	TABLE_NAME	The front-end description of the column.	4 N	VARCHAR2(80)
W_RTL_METADATA_G	LOOKUP_TABLE_NAME	The database data type of the physical column.	5 Y	VARCHAR2(80)
W_RTL_METADATA_G	JOIN_CONDITION	This is a foreign key to the W_USER_D dimension	6 Y	VARCHAR2(1000)
W_RTL_METADATA_G	FILTER_CONDITION	This is a foreign key to the W_USER_D dimension	7 Y	VARCHAR2(80)
W_RTL_METADATA_G	DESCRIPTION	Identifies the date and time when the record was initially	8 Y	VARCHAR2(1000)
W_RTL_METADATA_G	DATA_TYPE	Identifies the date and time when the record was last	9 Y	VARCHAR2(80)
W_RTL_METADATA_G	CREATED_BY_WID	Oracle system field. This column identifies the last	10 Y	NUMBER(10,0)
W_RTL_METADATA_G	CHANGED_BY_WID	Oracle system field. This column identifies the last	11 Y	NUMBER(10,0)
W_RTL_METADATA_G	CREATED_ON_DT	Oracle system field. This column identifies the last	12 Y	DATE
W_RTL_METADATA_G	CHANGED_ON_DT	Oracle system field. This column identifies the last	13 Y	DATE
W_RTL_METADATA_G	AUX1_CHANGED_ON_DT	This column stores the date from which the source record	14 Y	DATE
W_RTL_METADATA_G	AUX2_CHANGED_ON_DT	This column stores the date up to which the source record	15 Y	DATE
W_RTL_METADATA_G	AUX3_CHANGED_ON_DT	This column stores the date from which the dimension	16 Y	DATE
W_RTL_METADATA_G	AUX4_CHANGED_ON_DT	This column stores the date up to which the dimension	17 Y	DATE
W_RTL_METADATA_G	SRC_EFF_FROM_DT	This flag indicates the deletion status of the record in the	18 Y	DATE
W_RTL_METADATA_G	SRC_EFF_TO_DT	This is a flag for marking dimension records as "Y" in	19 Y	DATE
W_RTL_METADATA_G	EFFECTIVE_FROM_DT	This column stores the date on which the record was	20 Y	DATE
W_RTL_METADATA_G	EFFECTIVE_TO_DT	This column stores the date on which the record was last	21 Y	DATE
W_RTL_METADATA_G	DELETE_FLG	This column is the unique identifier of the source system	22 Y	CHAR(1)
W_RTL_METADATA_G	CURRENT_FLG	Oracle system field. This column is the unique identifier for	23 Y	CHAR(1)
W_RTL_METADATA_G	W_INSERT_DT	This column stores the date on which the record was	24 Y	DATE
W_RTL_METADATA_G	W_UPDATE_DT	This column stores the date on which the record was last	25 Y	DATE
W_RTL_METADATA_G	DATASOURCE_NUM_ID	This column is used as a generic field for customer	26 N	NUMBER(10,0)
W_RTL_METADATA_G	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	27 N	NUMBER(10,0)
W_RTL_METADATA_G	INTEGRATION_ID	Specifies the join condition between the tables.	28 N	VARCHAR2(80)
W_RTL_METADATA_G	TENANT_ID	Specifies the filter condition.	29 Y	VARCHAR2(80)
W_RTL_METADATA_G	X_CUSTOM	The front-end description of the column.	30 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MFPCPC_SC_CH_WK_FS
<b>TABLE DESCRIPTION:</b>	This table is a staging table that contains current merchandise financial plan cost accounting fact data at the subclass/channel/week level.
<b>BUSINESS RULES:</b>	This table contains current planning (Cost) data for a subclass, and location for a given week. PROD_SC_NUM, PROD_CL_NUM, PROD_SP_NUM, CHANNEL_NUM and MFP_WK_NUM makes the alternate key/ business key for this table. All values are to be in primary currency. Fact Staging table is a truncate and load. It holds one day's transaction only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table. All the cost measures of current planning whose grain is subclass/week/channel will be loaded into this table. Percent values are expected to be decimals. Amount columns expect the data to be sent to RA in same currency as primary currency for RMS.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MFPCPC_SC_CH_WK_FS	PROD_SC_NUM	This is the Subclass Number from the W_PRODUCT_D	1	N	VARCHAR2(80)
W_RTL_MFPCPC_SC_CH_WK_FS	PROD_CL_NUM	This is the Class Number from the W_PRODUCT_D table	2	N	VARCHAR2(80)
W_RTL_MFPCPC_SC_CH_WK_FS	PROD_DP_NUM	This is the Dept Number from the W_PRODUCT_D table	3	N	VARCHAR2(80)
W_RTL_MFPCPC_SC_CH_WK_FS	MFP_WK_NUM	This is the week number from the W_WEEK_D table	4	N	NUMBER(15,0)
W_RTL_MFPCPC_SC_CH_WK_FS	CHANNEL_NUM	The unique identifier within source system of the channel	5	N	NUMBER(4,0)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_SLS_QTY	This is the quantity of current merchandise financial plan	6	Y	NUMBER(18,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_SLS_RTL_AMT	This is the cost value of current merchandise financial	7	Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_SLS_COST_AMT	This is the cost value of current merchandise financial	8	Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_TAX_RTL_AMT	This is the cost value of current merchandise financial	9	Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_SLSTE_RTL_AMT	This is the cost value of current merchandise financial	10	Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_PROF_COST_AMT	This is the value of current merchandise financial plan	11	Y	NUMBER(20,4)

W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_BOH_COST_AMT	This is the cost value of current merchandise financial	12 Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_BOH_QTY	This is the quantity of current merchandise financial plan	13 Y	NUMBER(18,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_EOH_COST_AMT	This is the cost value of current merchandise financial	14 Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_EOH_QTY	This is the quantity of current merchandise financial plan	15 Y	NUMBER(18,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_INVRC_COST_AMT	This is the cost value of current merchandise financial	16 Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_INVRC_QTY	This is the quantity of current merchandise financial plan	17 Y	NUMBER(18,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_SHRINK_COST_AMT	This is the cost value of current merchandise financial	18 Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_SHRINK_QTY	This is the quantity of current merchandise financial plan	19 Y	NUMBER(18,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_MISCO_COST_AMT	This is the cost value of current merchandise financial	20 Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_MISCO_QTY	This is the quantity of current merchandise financial plan	21 Y	NUMBER(18,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_MISCI_COST_AMT	This is the cost value of current merchandise financial	22 Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_MISCI_QTY	This is the quantity of current merchandise financial plan	23 Y	NUMBER(18,4)
W_RTL_MFPCPC_SC_CH_WK_FS	MFPCPC_DVAL_COST_AMT	This is the cost value of current merchandise financial	24 Y	NUMBER(20,4)
W_RTL_MFPCPC_SC_CH_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	25 Y	DATE
W_RTL_MFPCPC_SC_CH_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	26 Y	DATE
W_RTL_MFPCPC_SC_CH_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	27 Y	DATE
W_RTL_MFPCPC_SC_CH_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	28 Y	DATE
W_RTL_MFPCPC_SC_CH_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	29 Y	VARCHAR2(80)
W_RTL_MFPCPC_SC_CH_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	30 Y	DATE
W_RTL_MFPCPC_SC_CH_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	31 Y	VARCHAR2(80)
W_RTL_MFPCPC_SC_CH_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	32 Y	DATE
W_RTL_MFPCPC_SC_CH_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	33 N	NUMBER(10,0)
W_RTL_MFPCPC_SC_CH_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	34 Y	CHAR(1)
W_RTL_MFPCPC_SC_CH_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	35 Y	VARCHAR2(30)
W_RTL_MFPCPC_SC_CH_WK_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	36 Y	NUMBER(4,0)
W_RTL_MFPCPC_SC_CH_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	37 N	VARCHAR2(80)
W_RTL_MFPCPC_SC_CH_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	38 Y	VARCHAR2(30)
W_RTL_MFPCPC_SC_CH_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	39 Y	VARCHAR2(80)
W_RTL_MFPCPC_SC_CH_WK_FS	X_CUSTOM	This column is used as a generic field for customer	40 Y	VARCHAR2(10)
W_RTL_MFPCPR_SC_CH_WK_FS	PROD_SC_NUM	This is the Subclass Number from the W_PRODUCT_D	1 N	VARCHAR2(80)
W_RTL_MFPCPR_SC_CH_WK_FS	PROD_CL_NUM	This is the Class Number from the W_PRODUCT_D table	2 N	VARCHAR2(80)
W_RTL_MFPCPR_SC_CH_WK_FS	PROD_DP_NUM	This is the Dept Number from the W_PRODUCT_D table	3 N	VARCHAR2(80)
W_RTL_MFPCPR_SC_CH_WK_FS	MFP_WK_NUM	This is the week number from the W_WEEK_D table	4 N	NUMBER(15,0)
W_RTL_MFPCPR_SC_CH_WK_FS	CHANNEL_NUM	The unique identifier within source system of the channel	5 N	NUMBER(4,0)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_SLSRG_RTL_AMT	This is the retail value of current merchandise financial	6 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_SLSPR_RTL_AMT	This is the retail value of current merchandise financial	7 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_SLSCL_RTL_AMT	This is the retail value of current merchandise financial	8 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_SLSRG_QTY	This is the quantity of current merchandise financial plan	9 Y	NUMBER(18,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_SLSPR_QTY	This is the quantity of current merchandise financial plan	10 Y	NUMBER(18,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_SLSCL_QTY	This is the quantity of current merchandise financial plan	11 Y	NUMBER(18,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_TAX_RTL_AMT	This is the retail value of current merchandise financial	12 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_SLSTE_RTL_AMT	This is the retail value of current merchandise financial	13 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_MARGIN_RTL_AMT	This is the value of current merchandise financial plan	14 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_COGS_COST_AMT	This is the value of current merchandise financial plan	15 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_MKDNPM_RTL_AMT	This is the retail value of current merchandise financial	16 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_MKDNPR_RTL_AMT	This is the retail value of current merchandise financial	17 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_MKDNCL_RTL_AMT	This is the retail value of current merchandise financial	18 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_MKUP_RTL_AMT	This is the retail value of current merchandise financial	19 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_BOH_COST_AMT	This is the retail value of current merchandise financial	20 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_BOH_RTL_AMT	This is the retail value of current merchandise financial	21 Y	NUMBER(20,4)

W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_BOH_QTY	This is the quantity of current merchandise financial plan	22 Y	NUMBER(18,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_EOH_COST_AMT	This is the retail value of current merchandise financial	23 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_EOH_RTL_AMT	This is the retail value of current merchandise financial	24 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_EOH_QTY	This is the quantity of current merchandise financial plan	25 Y	NUMBER(18,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_INVRC_COST_AMT	This is the retail value of current merchandise financial	26 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_INVRC_RTL_AMT	This is the retail value of current merchandise financial	27 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_INVRC_QTY	This is the quantity of current merchandise financial plan	28 Y	NUMBER(18,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_SHRINK_RTL_AMT	This is the retail value of current merchandise financial	29 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_SHRINK_QTY	This is the quantity of current merchandise financial plan	30 Y	NUMBER(18,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_MISCO_RTL_AMT	This is the retail value of current merchandise financial	31 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_MISCO_QTY	This is the quantity of current merchandise financial plan	32 Y	NUMBER(18,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_MISCI_RTL_AMT	This is the retail value of current merchandise financial	33 Y	NUMBER(20,4)
W_RTL_MFPCPR_SC_CH_WK_FS	MFPCPR_MISCI_QTY	This is the quantity of current merchandise financial plan	34 Y	NUMBER(18,4)
W_RTL_MFPCPR_SC_CH_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	35 Y	DATE
W_RTL_MFPCPR_SC_CH_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	36 Y	DATE
W_RTL_MFPCPR_SC_CH_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	37 Y	DATE
W_RTL_MFPCPR_SC_CH_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	38 Y	DATE
W_RTL_MFPCPR_SC_CH_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	39 Y	VARCHAR2(80)
W_RTL_MFPCPR_SC_CH_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	40 Y	DATE
W_RTL_MFPCPR_SC_CH_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	41 Y	VARCHAR2(80)
W_RTL_MFPCPR_SC_CH_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	42 Y	DATE
W_RTL_MFPCPR_SC_CH_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	43 N	NUMBER(10,0)
W_RTL_MFPCPR_SC_CH_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	44 Y	CHAR(1)
W_RTL_MFPCPR_SC_CH_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	45 Y	VARCHAR2(30)
W_RTL_MFPCPR_SC_CH_WK_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	46 Y	NUMBER(4,0)
W_RTL_MFPCPR_SC_CH_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	47 N	VARCHAR2(80)
W_RTL_MFPCPR_SC_CH_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	48 Y	VARCHAR2(30)
W_RTL_MFPCPR_SC_CH_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	49 Y	VARCHAR2(80)
W_RTL_MFPCPR_SC_CH_WK_FS	X_CUSTOM	This column is used as a generic field for customer	50 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MFPOPC_SC_CH_WK_FS
<b>TABLE DESCRIPTION:</b>	This table is a staging table that contains original merchandise financial plan cost accounting fact data at the subclass/channel/week level.
<b>BUSINESS RULES:</b>	<p>This table contains Original planning (Cost) data for a subclass, and location for a given week. PROD_SC_NUM, PROD_CL_NUM, PROD_SP_NUM, CHANNEL_NUM and MFP_WK_NUM makes the alternate key/ business key for this table. All values are to be in primary currency. Fact Staging table is a truncate and load. It holds one day's transaction only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.</p> <p>All the Cost measures of Original planning whose grain is subclass/week/channel will be loaded into this table.</p> <p>Percent values are expected to be decimals.</p> <p>Amount columns expect the data to be sent to RA in same currency as primary currency for RMS.</p>

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MFPOPC_SC_CH_WK_FS	PROD_SC_NUM	This is the Subclass Number from the W_PRODUCT_D	1	N	VARCHAR2(80)
W_RTL_MFPOPC_SC_CH_WK_FS	PROD_CL_NUM	This is the Class Number from the W_PRODUCT_D table	2	N	VARCHAR2(80)
W_RTL_MFPOPC_SC_CH_WK_FS	PROD_DP_NUM	This is the Dept Number from the W_PRODUCT_D table	3	N	VARCHAR2(80)
W_RTL_MFPOPC_SC_CH_WK_FS	MFP_WK_NUM	This is the week number from the W_WEEK_D table	4	N	NUMBER(15,0)
W_RTL_MFPOPC_SC_CH_WK_FS	CHANNEL_NUM	The unique identifier within source system of the channel	5	N	NUMBER(4,0)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_SLS_QTY	This is the quantity of original merchandise financial plan	6	Y	NUMBER(18,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_SLS_RTL_AMT	This is the costl value of original merchandise financial	7	Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_SLS_COST_AMT	This is the cost value of original merchandise financial	8	Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_TAX_RTL_AMT	This is the cost value of original merchandise financial	9	Y	NUMBER(20,4)



W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_SLSTE_RTL_AMT	This is the cost nvalue of original merchandise financial	10 Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_PROF_COST_AMT	This is the value of original merchandise financial plan	11 Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_BOH_COST_AMT	This is the cost value of original merchandise financial	12 Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_BOH_QTY	This is the quantity of original merchandise financial plan	13 Y	NUMBER(18,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_EOH_COST_AMT	This is the cost value of original merchandise financial	14 Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_EOH_QTY	This is the quantity of original merchandise financial plan	15 Y	NUMBER(18,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_INVRC_COST_AMT	This is the cost value of original merchandise financial	16 Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_INVRC_QTY	This is the quantity of original merchandise financial plan	17 Y	NUMBER(18,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_SHRINK_COST_AMT	This is the cost value of original merchandise financial	18 Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_SHRINK_QTY	This is the quantity of original merchandise financial plan	19 Y	NUMBER(18,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_MISCO_COST_AMT	This is the cost value of original merchandise financial	20 Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_MISCO_QTY	This is the quantity of original merchandise financial plan	21 Y	NUMBER(18,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_MISCI_COST_AMT	This is the cost value of original merchandise financial	22 Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_MISCI_QTY	This is the quantity of original merchandise financial plan	23 Y	NUMBER(18,4)
W_RTL_MFPOPC_SC_CH_WK_FS	MFPOPC_DVAL_COST_AMT	This is the cost value of original merchandise financial	24 Y	NUMBER(20,4)
W_RTL_MFPOPC_SC_CH_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	25 Y	DATE
W_RTL_MFPOPC_SC_CH_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	26 Y	DATE
W_RTL_MFPOPC_SC_CH_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	27 Y	DATE
W_RTL_MFPOPC_SC_CH_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	28 Y	DATE
W_RTL_MFPOPC_SC_CH_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	29 Y	VARCHAR2(80)
W_RTL_MFPOPC_SC_CH_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	30 Y	DATE
W_RTL_MFPOPC_SC_CH_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	31 Y	VARCHAR2(80)
W_RTL_MFPOPC_SC_CH_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	32 Y	DATE
W_RTL_MFPOPC_SC_CH_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	33 N	NUMBER(10,0)
W_RTL_MFPOPC_SC_CH_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	34 Y	CHAR(1)
W_RTL_MFPOPC_SC_CH_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	35 Y	VARCHAR2(30)
W_RTL_MFPOPC_SC_CH_WK_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	36 Y	NUMBER(4,0)
W_RTL_MFPOPC_SC_CH_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	37 N	VARCHAR2(80)
W_RTL_MFPOPC_SC_CH_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	38 Y	VARCHAR2(30)
W_RTL_MFPOPC_SC_CH_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	39 Y	VARCHAR2(80)
W_RTL_MFPOPC_SC_CH_WK_FS	X_CUSTOM	This column is used as a generic field for customer	40 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MFPOPR_SC_CH_WK_FS
<b>TABLE DESCRIPTION:</b>	This table is a staging table that contains original merchandise financial plan retail accounting fact data at the subclass/channel/week level.
<b>BUSINESS RULES:</b>	<p>This table contains Original planning (Retail) data for a subclass, and location for a given week. PROD_SC_NUM, PROD_CL_NUM, PROD_SP_NUM, CHANNEL_NUM and MFP_WK_NUM makes the alternate key/ business key for this table. All values are to be in primary currency. Fact Staging table is a truncate and load. It holds one day's transaction only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.</p> <p>All the Retail measures of Original planning whose grain is subclass/week/channel will be loaded into this table.</p> <p>Percent values are expected to be decimals.</p> <p>Amount columns expect the data to be sent to RA in same currency as primary currency for RMS.</p>

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MFPOPR_SC_CH_WK_FS	PROD_SC_NUM	This is the Subclass Number from the W_PRODUCT_D	1	N	VARCHAR2(80)
W_RTL_MFPOPR_SC_CH_WK_FS	PROD_CL_NUM	This is the Class Number from the W_PRODUCT_D table	2	N	VARCHAR2(80)
W_RTL_MFPOPR_SC_CH_WK_FS	PROD_DP_NUM	This is the Dept Number from the W_PRODUCT_D table	3	N	VARCHAR2(80)
W_RTL_MFPOPR_SC_CH_WK_FS	MFP_WK_NUM	This is the week number from the W_WEEK_D table	4	N	NUMBER(15,0)
W_RTL_MFPOPR_SC_CH_WK_FS	CHANNEL_NUM	The unique identifier within source system of the channel	5	N	NUMBER(4,0)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_SLSRG_RTL_AMT	This is the retail value of original merchandise financial	6	Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_SLSPR_RTL_AMT	This is the retail value of original merchandise financial	7	Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_SLSCL_RTL_AMT	This is the retail value of original merchandise financial	8	Y	NUMBER(20,4)



W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_SLSRG_QTY	This is the quantity of original merchandise financial plan	9 Y	NUMBER(18,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_SLSPR_QTY	This is the quantity of original merchandise financial plan	10 Y	NUMBER(18,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_SLSCL_QTY	This is the quantity of original merchandise financial plan	11 Y	NUMBER(18,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_TAX_RTL_AMT	This is the retail value of original merchandise financial	12 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_SLSTE_RTL_AMT	This is the retail value of original merchandise financial	13 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_MARGIN_RTL_AMT	This is the value of original merchandise financial plan	14 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_COGS_COST_AMT	This is the value of original merchandise financial plan	15 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_MKDNPM_RTL_AMT	This is the retail value of original merchandise financial	16 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_MKDNPR_RTL_AMT	This is the retail value of original merchandise financial	17 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_MKDNCL_RTL_AMT	This is the retail value of original merchandise financial	18 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_MKUP_RTL_AMT	This is the retail value of original merchandise financial	19 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_BOH_COST_AMT	This is the cost value of original merchandise financial	20 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_BOH_RTL_AMT	This is the retail value of original merchandise financial	21 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_BOH_QTY	This is the quantity of original merchandise financial plan	22 Y	NUMBER(18,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_EOH_COST_AMT	This is the retail value of original merchandise financial	23 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_EOH_RTL_AMT	This is the retail value of original merchandise financial	24 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_EOH_QTY	This is the quantity of original merchandise financial plan	25 Y	NUMBER(18,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_INVRC_COST_AMT	This is the retail value of original merchandise financial	26 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_INVRC_RTL_AMT	This is the retail value of original merchandise financial	27 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_INVRC_QTY	This is the quantity of original merchandise financial plan	28 Y	NUMBER(18,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_SHRINK_RTL_AMT	This is the retail value of original merchandise financial	29 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_SHRINK_QTY	This is the quantity of original merchandise financial plan	30 Y	NUMBER(18,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_MISCO_RTL_AMT	This is the retail value of original merchandise financial	31 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_MISCO_QTY	This is the quantity of original merchandise financial plan	32 Y	NUMBER(18,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_MISCI_RTL_AMT	This is the retail value of original merchandise financial	33 Y	NUMBER(20,4)
W_RTL_MFPOPR_SC_CH_WK_FS	MFPOPR_MISCI_QTY	This is the quantity of original merchandise financial plan	34 Y	NUMBER(18,4)
W_RTL_MFPOPR_SC_CH_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	35 Y	DATE
W_RTL_MFPOPR_SC_CH_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	36 Y	DATE
W_RTL_MFPOPR_SC_CH_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	37 Y	DATE
W_RTL_MFPOPR_SC_CH_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	38 Y	DATE
W_RTL_MFPOPR_SC_CH_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	39 Y	VARCHAR2(80)
W_RTL_MFPOPR_SC_CH_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	40 Y	DATE
W_RTL_MFPOPR_SC_CH_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	41 Y	VARCHAR2(80)
W_RTL_MFPOPR_SC_CH_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	42 Y	DATE
W_RTL_MFPOPR_SC_CH_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	43 N	NUMBER(10,0)
W_RTL_MFPOPR_SC_CH_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	44 Y	CHAR(1)
W_RTL_MFPOPR_SC_CH_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	45 Y	VARCHAR2(30)
W_RTL_MFPOPR_SC_CH_WK_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	46 Y	NUMBER(4,0)
W_RTL_MFPOPR_SC_CH_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	47 N	VARCHAR2(80)
W_RTL_MFPOPR_SC_CH_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	48 Y	VARCHAR2(30)
W_RTL_MFPOPR_SC_CH_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	49 Y	VARCHAR2(80)
W_RTL_MFPOPR_SC_CH_WK_FS	X_CUSTOM	This column is used as a generic field for customer	50 Y	VARCHAR2(10)

TABLE NAME:	W_RTL_MKDN_IT_LC_DY_FS
TABLE DESCRIPTION:	This table contains markdown fact data at the item/location/day level. This table includes permanent, promotion and clearance markdowns

<b>BUSINESS RULES:</b>	<p>This table contains point of sale, permanent, and clearance markdown and markup information for an item, location, and retail type on a given day. PROD_IT_NUM, ORG_NUM, RTL_TYPE_CODE and DAY_DT makes the alternate key/ business key for this table.</p> <p>This table contains neither break-to-sell items nor packs that contain break-to sell component items. Fact Staging table is a truncate and load. It holds one day's transaction only.</p> <p>ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.</p> <p>Typical markdowns, markups, markdown cancels, and markup cancels should be positive values in their respective fields.</p> <p>Any reversals of the transactions that use the same tran data codes contain negative values in those applicable fields.</p>
------------------------	---

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MKDN_IT_LC_DY_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	1	Y	VARCHAR2(30)
W_RTL_MKDN_IT_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	2	Y	VARCHAR2(30)
W_RTL_MKDN_IT_LC_DY_FS	RTL_TYPE_CODE	The price type ('R'egular, 'P'romotion, 'C'learance,	3	Y	VARCHAR2(50)
W_RTL_MKDN_IT_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	4	Y	DATE
W_RTL_MKDN_IT_LC_DY_FS	MKDN_AMT_LCL	This is the value of the clearance, promotion, and	5	Y	NUMBER(20,4)
W_RTL_MKDN_IT_LC_DY_FS	MKDN_QTY	This is the quantity of units on clearance, promotion, and	6	Y	NUMBER(18,4)
W_RTL_MKDN_IT_LC_DY_FS	MKUP_AMT_LCL	This is the value of the clearance, promotion, and	7	Y	NUMBER(20,4)
W_RTL_MKDN_IT_LC_DY_FS	MKUP_QTY	This is the quantity of units on clearance, promotion, and	8	Y	NUMBER(18,4)
W_RTL_MKDN_IT_LC_DY_FS	MKDN_CAN_AMT_LCL	This is the value of a permanent markdown amount that	9	Y	NUMBER(20,4)
W_RTL_MKDN_IT_LC_DY_FS	MKDN_CAN_QTY	This is the quantity of units for which the markup has been	10	Y	NUMBER(18,4)
W_RTL_MKDN_IT_LC_DY_FS	MKUP_CAN_AMT_LCL	This is the value of a permanent markup amount that has	11	Y	NUMBER(20,4)
W_RTL_MKDN_IT_LC_DY_FS	MKUP_CAN_QTY	This is the quantity of units for which the markup has been	12	Y	NUMBER(18,4)
W_RTL_MKDN_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_MKDN_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	14	Y	DATE
W_RTL_MKDN_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	15	Y	DATE
W_RTL_MKDN_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	16	Y	DATE
W_RTL_MKDN_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	17	Y	VARCHAR2(80)
W_RTL_MKDN_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	18	Y	DATE
W_RTL_MKDN_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	19	Y	VARCHAR2(80)
W_RTL_MKDN_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	20	Y	DATE
W_RTL_MKDN_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	21	N	NUMBER(10,0)
W_RTL_MKDN_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	22	Y	CHAR(1)
W_RTL_MKDN_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	23	Y	VARCHAR2(30)
W_RTL_MKDN_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	24	Y	NUMBER(4,0)
W_RTL_MKDN_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	25	Y	NUMBER(22,7)
W_RTL_MKDN_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	26	Y	NUMBER(22,7)
W_RTL_MKDN_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	27	Y	NUMBER(22,7)
W_RTL_MKDN_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	28	N	VARCHAR2(80)
W_RTL_MKDN_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	29	Y	VARCHAR2(30)
W_RTL_MKDN_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	30	Y	NUMBER(22,7)
W_RTL_MKDN_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	31	Y	VARCHAR2(80)
W_RTL_MKDN_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	32	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MKTSLS_TA_CH_CNG_WK_FS
<b>TABLE DESCRIPTION:</b>	This table contains the market sales data at market product/trade area/retail type/consumer group/channel/week level.

<b>BUSINESS RULE:</b>	<p>MARKET_PROD_NUM, TRADE_AREA_NUM, RTL_TYPE_CODE, CONSUMER_GRP_ID, CHANNEL_NUM and EOW_DT makes the alternate key/ business key for this table.</p> <p>Fact Staging table is a truncate and load. It holds one day's transactions. In case of back posted records exist in the fact staging table the table holds more than one day's transactions.</p> <p>Back posting is supported for inserts and updates. While the posting the updates for back posted data only the change (delta) values should be posted instead of posting the reversal and repost.</p> <p>ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.</p>
-----------------------	--

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	MARKET_PROD_NUM	This is market item ID	1	N	VARCHAR2(50)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	TRADE_AREA_NUM	The trade area ID.	2	N	VARCHAR2(50)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	RTL_TYPE_CODE	This is foreign key to W_XACT_TYPE_D table	3	N	VARCHAR2(50)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	CONSUMER_GRP_ID	Consumer group ID	4	N	VARCHAR2(50)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	CHANNEL_NUM	This is a foreign key to the retail specific	5	N	NUMBER(4,0)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	EOW_DT	This is used to derive Week Id using week start date and	6	N	DATE
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	AVG_CONSUMER_SCORE	Consumer score is defined as a method/indicator that can	7	Y	VARCHAR2(50)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	GROSS_SPEND_QTY	This column is the TOTAL quantity of market items sold	8	Y	NUMBER(18,4)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	GROSS_SPEND_AMT	This column is the TOTAL retail value of market items sold	9	Y	NUMBER(20,4)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	AVG_RTL_PRICE_AMT	This is the average retail price	10	Y	NUMBER(20,4)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	RET_RTL_QTY	This column is the TOTAL number of market items	11	Y	NUMBER(18,4)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	RET_RTL_AMT	This column is the TOTAL retail value of market items	12	Y	NUMBER(20,4)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	TIME_ON_SHOPPING	This column is the total time taken by a consumer for	13	Y	NUMBER(18,4)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	NUM_OF_TRIPS_TO_STORE	The numbers of trips that consumer made over a period of	14	Y	NUMBER(18,4)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	NET_SPEND_AMT_PER_STORE_TRIP	Average monetary value spent per trip.	15	Y	NUMBER(20,4)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	16	Y	VARCHAR2(30)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	17	Y	VARCHAR2(30)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	18	Y	NUMBER(22,7)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	19	Y	NUMBER(22,7)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	20	Y	NUMBER(22,7)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	21	Y	NUMBER(22,7)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	22	Y	NUMBER(10,0)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	23	Y	NUMBER(10,0)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was initially	24	Y	DATE
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	CREATED_ON_DT	This column stores the date up to which the source record	25	Y	DATE
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	26	Y	DATE
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	27	Y	DATE
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	28	Y	DATE
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	29	Y	DATE
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	30	Y	CHAR(1)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	EXCHANGE_DT	This is the date when the price change or cost change was	31	Y	DATE
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	32	N	NUMBER(10,0)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	33	Y	NUMBER(4,0)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	34	N	NUMBER(10,0)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	35	N	VARCHAR2(80)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	36	Y	VARCHAR2(80)
W_RTL_MKTSLS_TA_CH_CNG_WK_FS	X_CUSTOM	This column is used as a generic field for customer	37	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MKTSLS_TA_CH_HG_WK_FS
<b>TABLE DESCRIPTION:</b>	This table contains the market sales data at market product/trade area/retail type/household group/channel/week level.

<b>BUSINESS RULE:</b>	<p>MARKET_PROD_NUM, TRADE_AREA_NUM, RTL_TYPE_CODE, HOUSEHOLD_GRP_ID, CHANNEL_NUM and EOW_DT.</p> <p>Fact Staging table is a truncate and load. It holds one day's transactions. In case of back posted records exist in the fact staging table the table holds more than one day's transactions.</p> <p>Back posting is supported for inserts and updates. While the posting the updates for back posted data only the change (delta) values should be posted instead of posting the reversal and repost.</p> <p>ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.</p>
-----------------------	--

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_MKTSLS_TA_CH_HG_WK_FS	MARKET_PROD_NUM	This is market item ID	1	N	VARCHAR2(50)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	TRADE_AREA_NUM	The trade area ID	2	N	VARCHAR2(50)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	RTL_TYPE_CODE	This is foreign key to W_XACT_TYPE_D table	3	N	VARCHAR2(50)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	HOUSEHOLD_GRP_ID	This is unique identifier for Household group ID. House	4	N	VARCHAR2(50)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	CHANNEL_NUM	This is a foreign key to the retail specific	5	N	NUMBER(4,0)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	EOW_DT	This is used to derive Week Id using week start date and	6	N	DATE
W_RTL_MKTSLS_TA_CH_HG_WK_FS	AVG_CONSUMER_SCORE	Consumer score is defined as a method/indicator that can	7	Y	VARCHAR2(50)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	GROSS_SPEND_QTY	This column is the TOTAL quantity of market items sold	8	Y	NUMBER(18,4)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	GROSS_SPEND_AMT	This column is the TOTAL retail value of market items sold	9	Y	NUMBER(20,4)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	AVG_RTL_PRICE_AMT	This is the average retail price	10	Y	NUMBER(20,4)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	RET_RTL_QTY	This column is the TOTAL number of market items	11	Y	NUMBER(18,4)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	RET_RTL_AMT	This column is the TOTAL retail value of market items	12	Y	NUMBER(20,4)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	TIME_ON_SHOPPING	This column is the total time taken by a consumer for	13	Y	NUMBER(18,4)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	NUM_OF_TRIPS_TO_STORE	The numbers of trips that consumer made over a period of	14	Y	NUMBER(18,4)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	NET_SPEND_AMT_PER_STORE_TRIP	Average monetary value spent per trip.	15	Y	NUMBER(20,4)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	16	Y	VARCHAR2(30)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	17	Y	VARCHAR2(30)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	18	Y	NUMBER(22,7)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	19	Y	NUMBER(22,7)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	20	Y	NUMBER(22,7)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	21	Y	NUMBER(22,7)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	22	Y	NUMBER(10,0)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	23	Y	NUMBER(10,0)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was initially	24	Y	DATE
W_RTL_MKTSLS_TA_CH_HG_WK_FS	CREATED_ON_DT	This column stores the date up to which the source record	25	Y	DATE
W_RTL_MKTSLS_TA_CH_HG_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	26	Y	DATE
W_RTL_MKTSLS_TA_CH_HG_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	27	Y	DATE
W_RTL_MKTSLS_TA_CH_HG_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	28	Y	DATE
W_RTL_MKTSLS_TA_CH_HG_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	29	Y	DATE
W_RTL_MKTSLS_TA_CH_HG_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	30	Y	CHAR(1)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	EXCHANGE_DT	This is the date when the price change or cost change was	31	Y	DATE
W_RTL_MKTSLS_TA_CH_HG_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	32	N	NUMBER(10,0)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	33	Y	NUMBER(4,0)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	34	N	NUMBER(10,0)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	35	N	VARCHAR2(80)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	36	Y	VARCHAR2(80)
W_RTL_MKTSLS_TA_CH_HG_WK_FS	X_CUSTOM	This column is used as a generic field for customer	37	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_NCOST_IT_LC_DY_FS
--------------------	-------------------------

<b>TABLE DESCRIPTION:</b>	This table contains compressed positional net cost fact data at the item/location/day/supplier level. If a cost change occurs in the middle of a day, the cost that exists at the time of batch will be written. This table holds item/location/primary supplier combinations for a given day.
<b>BUSINESS RULES:</b>	This table contains Net Cost information for an item, and location combination on a given day. PROD_IT_NUM, ORG_NUM and DAY_DT makes the alternate key/ business key for this table. This table contains neither break-to-sell items nor packs that contain break-to-sell component items. Fact Staging table is a truncate and load. It holds one day's transaction only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table. The data is compressed and will be decompressed at report execution time. This table contains only the current day's new or changed information. Supplier Should be associated with each record.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_NCost_IT_LC_DY_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	1	N	VARCHAR2(80)
W_RTL_NCost_IT_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	2	N	VARCHAR2(80)
W_RTL_NCost_IT_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	N	DATE
W_RTL_NCost_IT_LC_DY_FS	SUPPLIER_NUM	This column is the Supplier Number from	4	N	VARCHAR2(80)
W_RTL_NCost_IT_LC_DY_FS	BASE_COST_AMT_LCL	This is the primary supplier's initial base cost prior to any	5	Y	NUMBER(20,4)
W_RTL_NCost_IT_LC_DY_FS	NET_COST_AMT_LCL	This is the primary supplier's initial base cost less any off-	6	Y	NUMBER(20,4)
W_RTL_NCost_IT_LC_DY_FS	NET_NET_COST_AMT_LCL	This is the primary supplier's net cost less any bill-back	7	Y	NUMBER(20,4)
W_RTL_NCost_IT_LC_DY_FS	DEAD_NET_COST_AMT_LCL	This is the primary supplier's net net cost less any rebate	8	Y	NUMBER(20,4)
W_RTL_NCost_IT_LC_DY_FS	CURRENCY_CODE	This is the Supplier's currency code	9	Y	VARCHAR2(3)
W_RTL_NCost_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change	10	Y	DATE
W_RTL_NCost_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_NCost_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_NCost_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_NCost_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	14	Y	DATE
W_RTL_NCost_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	15	Y	VARCHAR2(80)
W_RTL_NCost_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	16	Y	DATE
W_RTL_NCost_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	17	Y	VARCHAR2(80)
W_RTL_NCost_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	18	Y	DATE
W_RTL_NCost_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	19	N	NUMBER(10,0)
W_RTL_NCost_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	20	Y	CHAR(1)
W_RTL_NCost_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	21	Y	VARCHAR2(30)
W_RTL_NCost_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	22	Y	NUMBER(4,0)
W_RTL_NCost_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	23	Y	NUMBER(22,7)
W_RTL_NCost_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	24	Y	NUMBER(22,7)
W_RTL_NCost_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	25	Y	NUMBER(22,7)
W_RTL_NCost_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	26	N	VARCHAR2(80)
W_RTL_NCost_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	27	Y	VARCHAR2(30)
W_RTL_NCost_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	28	Y	NUMBER(22,7)
W_RTL_NCost_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	29	Y	VARCHAR2(80)
W_RTL_NCost_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	30	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_ORG_FIN_DS
<b>TABLE DESCRIPTION:</b>	This table contains the relationship between set of books, organization units, transfer entities and locations. If a transfer entity is assigned to multiple organizational units, a record of the transfer entity will exist for each organizational unit. As a result, aggregations must occur by organizational unit in order to prevent double counting.

<b>BUSINESS RULE:</b>	<p>This table contains the relationship between set of books, organization units, transfer entities and locations.</p> <p>This table cannot contain duplicate records for TSF_ENTITY_ID, ORG_UNIT_ID and SET_OF_BOOKS_ID.</p> <p>Dimension Staging table is a truncate and load. It holds one day's transaction only.</p> <p>This table contains neither break-to-sell items nor packs that contain break-to-sell component items.</p>
-----------------------	--

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_ORG_FIN_DS	TSF_ENTITY_ID	This is a unique ID from the source system that identifies a	1	Y	VARCHAR2(80)
W_RTL_ORG_FIN_DS	ORG_UNIT_ID	This is a unique ID from the source system that identifies a	2	Y	VARCHAR2(80)
W_RTL_ORG_FIN_DS	SET_OF_BOOKS_ID	This is a unique ID from the source system that identifies a	3	Y	VARCHAR2(80)
W_RTL_ORG_FIN_DS	FIN_ORG_LEVEL	This indicates the level within the financial organization	4	Y	VARCHAR2(1)
W_RTL_ORG_FIN_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	5	Y	DATE
W_RTL_ORG_FIN_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	6	Y	DATE
W_RTL_ORG_FIN_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_ORG_FIN_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_ORG_FIN_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	9	Y	VARCHAR2(80)
W_RTL_ORG_FIN_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	10	Y	DATE
W_RTL_ORG_FIN_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	11	Y	VARCHAR2(80)
W_RTL_ORG_FIN_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	12	Y	DATE
W_RTL_ORG_FIN_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	13	N	NUMBER(10,0)
W_RTL_ORG_FIN_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	14	Y	CHAR(1)
W_RTL_ORG_FIN_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	15	N	VARCHAR2(80)
W_RTL_ORG_FIN_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	16	Y	DATE
W_RTL_ORG_FIN_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	17	Y	DATE
W_RTL_ORG_FIN_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	18	Y	VARCHAR2(80)
W_RTL_ORG_FIN_DS	X_CUSTOM	This column is used as a generic field for customer	19	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_PRACT_IT_LC_DY_FS
<b>TABLE DESCRIPTION:</b>	This table will hold the Actual fact data of Items for specific location, day combination for a specific promotion event and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	<p>This table stores PRACT_ACTUAL_COST that incurred for a Promotion Event at Item, Location and Day. Business key for this table should be PROD_IT_NUM, ORG_NUM, DAY_DT and PROMO_EVENT_ID.</p> <p>Data for this table needs to be provided by an external/legacy system.</p>

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PRACT_IT_LC_DY_FS	PROD_IT_NUM	This is the foreign key to W_PRODUCT_D_RTL_TEMP.	1	N	VARCHAR2(80)
W_RTL_PRACT_IT_LC_DY_FS	ORG_NUM	This is the number to identify the organization.	2	N	VARCHAR2(80)
W_RTL_PRACT_IT_LC_DY_FS	PROMO_EVENT_ID	This is the foreign key to W_RTL_PROMO_D.	3	N	VARCHAR2(30)
W_RTL_PRACT_IT_LC_DY_FS	DAY_DT	This column maps to MCAL_DAY_D table.	4	N	DATE
W_RTL_PRACT_IT_LC_DY_FS	PRACT_ACTUAL_COST	Actual Cost for executing the promotion event	5	Y	NUMBER(20,4)
W_RTL_PRACT_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	6	Y	VARCHAR2(30)
W_RTL_PRACT_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	7	Y	VARCHAR2(30)
W_RTL_PRACT_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	8	Y	NUMBER(22,7)
W_RTL_PRACT_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	9	Y	NUMBER(22,7)
W_RTL_PRACT_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	10	Y	NUMBER(22,7)
W_RTL_PRACT_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	11	Y	NUMBER(22,7)
W_RTL_PRACT_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	12	Y	VARCHAR2(1)
W_RTL_PRACT_IT_LC_DY_FS	W_INSERT_DT	This column stores the date on which the record was	13	Y	DATE
W_RTL_PRACT_IT_LC_DY_FS	W_UPDATE_DT	This column stores the date on which the record was last	14	Y	DATE
W_RTL_PRACT_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15	N	NUMBER(10,0)
W_RTL_PRACT_IT_LC_DY_FS	ETL_THREAD_VAL	This column is used for multithreading purpose.	16	Y	NUMBER(4,0)

W_RTL_PRACT_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	17	N	VARCHAR2(80)
W_RTL_PRACT_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a Tenant in a multi-	18	Y	VARCHAR2(80)
W_RTL_PRACT_IT_LC_DY_FS	X_CUSTOM	This column stores the date on which the record was	19	Y	VARCHAR2(10)
W_RTL_PRACT_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	20	Y	NUMBER(10,0)
W_RTL_PRACT_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	21	Y	NUMBER(10,0)
W_RTL_PRACT_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	22	Y	DATE
W_RTL_PRACT_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	23	Y	DATE
W_RTL_PRACT_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	24	Y	DATE
W_RTL_PRACT_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	25	Y	DATE
W_RTL_PRACT_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	26	Y	DATE
W_RTL_PRACT_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	27	Y	DATE

<b>TABLE NAME:</b>	W_RTL_PRBDGT_IT_LC_FS
<b>TABLE DESCRIPTION:</b>	This table contains Sales Promotion Budget fact at Promotion Event, Item, Location level and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	This table stores Budget requested and assigned amount for a Promotion Event at Item and Location. Business key for this table should be PROD_IT_NUM, ORG_NUM, and PROMO_EVENT_ID. Data for this table needs to be provided by an external/legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PRBDGT_IT_LC_FS	PROD_IT_NUM	This is used to derive foreign key to the	1	N	VARCHAR2(80)
W_RTL_PRBDGT_IT_LC_FS	ORG_NUM	This is used to derive foreign key to the	2	N	VARCHAR2(80)
W_RTL_PRBDGT_IT_LC_FS	PROMO_EVENT_ID	This field gives the promotion id at event level.	3	N	VARCHAR2(30)
W_RTL_PRBDGT_IT_LC_FS	PRBDGT_RQST_BDGT_AMT	Budget requested to execute the promotion event	4	Y	NUMBER(20,4)
W_RTL_PRBDGT_IT_LC_FS	PRBDGT_ASSGND_BDGT_AMT	Budget Assigned to execute the promotion event	5	Y	NUMBER(20,4)
W_RTL_PRBDGT_IT_LC_FS	DOC_CURR_CODE	Code for the currency in which the document was created	6	Y	VARCHAR2(30)
W_RTL_PRBDGT_IT_LC_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	7	Y	VARCHAR2(30)
W_RTL_PRBDGT_IT_LC_FS	LOC_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	8	Y	NUMBER(22,7)
W_RTL_PRBDGT_IT_LC_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	9	Y	NUMBER(22,7)
W_RTL_PRBDGT_IT_LC_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	10	Y	NUMBER(22,7)
W_RTL_PRBDGT_IT_LC_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	11	Y	NUMBER(22,7)
W_RTL_PRBDGT_IT_LC_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	12	Y	VARCHAR2(1)
W_RTL_PRBDGT_IT_LC_FS	W_INSERT_DT	This column stores the date on which the record was	13	Y	DATE
W_RTL_PRBDGT_IT_LC_FS	W_UPDATE_DT	This column stores the date on which the record was last	14	Y	DATE
W_RTL_PRBDGT_IT_LC_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15	N	NUMBER(10,0)
W_RTL_PRBDGT_IT_LC_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	16	N	VARCHAR2(80)
W_RTL_PRBDGT_IT_LC_FS	ETL_THREAD_VAL	This column is used for multithreading purpose.	17	Y	NUMBER(4,0)
W_RTL_PRBDGT_IT_LC_FS	TENANT_ID	This column is the unique identifier for a Tenant in a multi-	18	Y	VARCHAR2(80)
W_RTL_PRBDGT_IT_LC_FS	X_CUSTOM	This column stores the date on which the record was	19	Y	VARCHAR2(10)
W_RTL_PRBDGT_IT_LC_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	20	Y	NUMBER(10,0)
W_RTL_PRBDGT_IT_LC_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	21	Y	NUMBER(10,0)
W_RTL_PRBDGT_IT_LC_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	22	Y	DATE
W_RTL_PRBDGT_IT_LC_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	23	Y	DATE
W_RTL_PRBDGT_IT_LC_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	24	Y	DATE
W_RTL_PRBDGT_IT_LC_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	25	Y	DATE
W_RTL_PRBDGT_IT_LC_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	26	Y	DATE
W_RTL_PRBDGT_IT_LC_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	27	Y	DATE

<b>TABLE NAME:</b>	W_RTL_PRICE_IT_LC_DY_FS
--------------------	-------------------------

<b>TABLE DESCRIPTION:</b>	This table contains compressed positional price fact data at the item/location/day level. If a price change occurs in the middle of a day, the price that exists at the time of batch will be written.
<b>BUSINESS RULES:</b>	This table contains Prices for an item, and location combination on a given day. PROD_IT_NUM, ORG_NUM and DAY_DT makes the alternate key/ business key for this table. This table contains neither break-to-sell items nor packs that contain break-to-sell component items. Fact Staging table is a truncate and load. It holds one day's transaction only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table. The data is compressed and will be decompressed at report execution time. This table contains only the current day's new or changed information.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PRICE_IT_LC_DY_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	1	N	VARCHAR2(80)
W_RTL_PRICE_IT_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	2	N	VARCHAR2(80)
W_RTL_PRICE_IT_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	N	DATE
W_RTL_PRICE_IT_LC_DY_FS	PRICE_CHANGE_TRAN_TYPE	This indicates the type of reason that a price change	4	N	VARCHAR2(2)
W_RTL_PRICE_IT_LC_DY_FS	MULTI_SELLING_UOM	This is the unit of measure for an item when a multiple	5	Y	VARCHAR2(4)
W_RTL_PRICE_IT_LC_DY_FS	SELLING_UOM	This is the unit of measure for an item when it is sold in a	6	Y	VARCHAR2(4)
W_RTL_PRICE_IT_LC_DY_FS	MULTI_UNIT_QTY	This is the number of units of the MULTI_SELLING_UOM	7	Y	NUMBER(12,4)
W_RTL_PRICE_IT_LC_DY_FS	MULTI_UNIT_RTL_AMT_LCL	This is the retail value for an item when a multiple quantity	8	Y	NUMBER(20,4)
W_RTL_PRICE_IT_LC_DY_FS	STANDARD_UNIT_RTL_AMT_LCL	This is the retail value for an item when it is sold in a	9	Y	NUMBER(20,4)
W_RTL_PRICE_IT_LC_DY_FS	SELLING_UNIT_RTL_AMT_LCL	This is the retail value for an item when it is sold in a	10	Y	NUMBER(20,4)
W_RTL_PRICE_IT_LC_DY_FS	BASE_COST_AMT_LCL	This is the primary supplier's initial base cost prior to any	11	Y	NUMBER(20,4)
W_RTL_PRICE_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change	12	Y	DATE
W_RTL_PRICE_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_PRICE_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	14	Y	DATE
W_RTL_PRICE_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	15	Y	DATE
W_RTL_PRICE_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	16	Y	DATE
W_RTL_PRICE_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	17	Y	VARCHAR2(80)
W_RTL_PRICE_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	18	Y	DATE
W_RTL_PRICE_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	19	Y	VARCHAR2(80)
W_RTL_PRICE_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	20	Y	DATE
W_RTL_PRICE_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	21	N	NUMBER(10,0)
W_RTL_PRICE_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	22	Y	CHAR(1)
W_RTL_PRICE_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	23	Y	VARCHAR2(30)
W_RTL_PRICE_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	24	Y	NUMBER(4,0)
W_RTL_PRICE_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	25	Y	NUMBER(22,7)
W_RTL_PRICE_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	26	Y	NUMBER(22,7)
W_RTL_PRICE_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	27	Y	NUMBER(22,7)
W_RTL_PRICE_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	28	N	VARCHAR2(80)
W_RTL_PRICE_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	29	Y	VARCHAR2(30)
W_RTL_PRICE_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	30	Y	NUMBER(22,7)
W_RTL_PRICE_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	31	Y	VARCHAR2(80)
W_RTL_PRICE_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	32	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_PRODUCT_ATTR_DS
<b>TABLE DESCRIPTION:</b>	
<b>BUSINESS RULE:</b>	

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PRODUCT_ATTR_DS	PROD_ATTR_ID	Product Attribute ID	1	N	VARCHAR2(50)
W_RTL_PRODUCT_ATTR_DS	PROD_ATTR_TYPE	Product type	2	N	VARCHAR2(6)
W_RTL_PRODUCT_ATTR_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	VARCHAR2(80)



W_RTL_PRODUCT_ATTR_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	4 Y	VARCHAR2(80)
W_RTL_PRODUCT_ATTR_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	5 Y	DATE
W_RTL_PRODUCT_ATTR_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	6 Y	DATE
W_RTL_PRODUCT_ATTR_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7 Y	DATE
W_RTL_PRODUCT_ATTR_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8 Y	DATE
W_RTL_PRODUCT_ATTR_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9 Y	DATE
W_RTL_PRODUCT_ATTR_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10 Y	DATE
W_RTL_PRODUCT_ATTR_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	11 Y	DATE
W_RTL_PRODUCT_ATTR_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	12 Y	DATE
W_RTL_PRODUCT_ATTR_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	13 Y	CHAR(1)
W_RTL_PRODUCT_ATTR_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	14 N	NUMBER(10,0)
W_RTL_PRODUCT_ATTR_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	15 N	VARCHAR2(80)
W_RTL_PRODUCT_ATTR_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16 Y	VARCHAR2(80)
W_RTL_PRODUCT_ATTR_DS	X_CUSTOM	This column is used as a generic field for customer	17 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_PRODUCT_BRAND_DS
<b>TABLE DESCRIPTION:</b>	This table contains customer loyalty scores fact data at the promotion component TYPE/department/customer segment/location/day level, and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	This table stores the customer segment loyalty score towards promotion component type, and department at a particular location and day. PROD_DH_WID with their respective ROW_WID's. PROMO_COMPONENT_TYPE_WID is the ROW_WID of W_RTL_PROMO_COMP_TYPE_D table which will always have 4 rows of type "6 ? FINANCE", "0 ? MULTI-BUY", "1 ? SIMPLE" and "2 ? THRESHOLD". Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PRODUCT_BRAND_DS	BRAND_ID	Product brand ID	1	N	VARCHAR2(50)
W_RTL_PRODUCT_BRAND_DS	SUB_BRAND_ID	Product Sub Brand ID	2	N	VARCHAR2(50)
W_RTL_PRODUCT_BRAND_DS	LEVEL_NAME	Identifies the level of brand.	3	Y	VARCHAR2(50)
W_RTL_PRODUCT_BRAND_DS	BRAND	Product brand	4	N	VARCHAR2(30)
W_RTL_PRODUCT_BRAND_DS	CREATED_BY_ID	This is used to derive a foreign key to the W_USER_D	5	Y	VARCHAR2(80)
W_RTL_PRODUCT_BRAND_DS	CHANGED_BY_ID	This is used derive a foreign key to the W_USER_D	6	Y	VARCHAR2(80)
W_RTL_PRODUCT_BRAND_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	7	Y	DATE
W_RTL_PRODUCT_BRAND_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	8	Y	DATE
W_RTL_PRODUCT_BRAND_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_PRODUCT_BRAND_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_PRODUCT_BRAND_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_PRODUCT_BRAND_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_PRODUCT_BRAND_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	13	Y	DATE
W_RTL_PRODUCT_BRAND_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	14	Y	DATE
W_RTL_PRODUCT_BRAND_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	15	Y	CHAR(1)
W_RTL_PRODUCT_BRAND_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	16	N	VARCHAR2(80)
W_RTL_PRODUCT_BRAND_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	17	N	NUMBER(10,0)
W_RTL_PRODUCT_BRAND_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	18	Y	VARCHAR2(80)
W_RTL_PRODUCT_BRAND_DS	X_CUSTOM	This column is used as a generic field for customer	19	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_PRODUCT_COLOR_DS
--------------------	------------------------

<b>TABLE DESCRIPTION:</b>	This table holds the product color data. The color data can be extracted from RMS. The sub color data should be extracted from external source system or legacy system if customer has those details.
<b>BUSINESS RULE:</b>	COLOR_ID and SUBCOLOR_ID makes the alternate key/ business key for this table

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PRODUCT_COLOR_DS	COLOR_ID	Product Color ID	1	N	VARCHAR2(50)
W_RTL_PRODUCT_COLOR_DS	SUBCOLOR_ID	Product Sub Color ID	2	N	VARCHAR2(50)
W_RTL_PRODUCT_COLOR_DS	LEVEL_NAME	Identifies the level of color.	3	Y	VARCHAR2(50)
W_RTL_PRODUCT_COLOR_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_PRODUCT_COLOR_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	5	Y	VARCHAR2(80)
W_RTL_PRODUCT_COLOR_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	6	Y	DATE
W_RTL_PRODUCT_COLOR_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	7	Y	DATE
W_RTL_PRODUCT_COLOR_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_PRODUCT_COLOR_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_PRODUCT_COLOR_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_PRODUCT_COLOR_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_PRODUCT_COLOR_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	12	Y	DATE
W_RTL_PRODUCT_COLOR_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	13	Y	DATE
W_RTL_PRODUCT_COLOR_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	14	Y	CHAR(1)
W_RTL_PRODUCT_COLOR_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15	N	NUMBER(10,0)
W_RTL_PRODUCT_COLOR_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	16	N	VARCHAR2(80)
W_RTL_PRODUCT_COLOR_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	17	Y	VARCHAR2(80)
W_RTL_PRODUCT_COLOR_DS	X_CUSTOM	This column is used as a generic field for customer	18	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_RTL_PROMO_COMP_TYPE_DS</b>
<b>TABLE DESCRIPTION:</b>	This table contains customer loyalty scores fact data at the promotion component TYPE/department/customer segment/location/day level, and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULES:</b>	This table stores the customer segment loyalty score towards promotion component type, and department at a particular location and day. PROD_DH_WID with their respective ROW_WID's. PROMO_COMPONENT_TYPE_WID is the ROW_WID of W_RTL_PROMO_COMP_TYPE_D table which will always have 4 rows of type "6 ? FINANCE", "0 ? MULTI-BUY", "1 ? SIMPLE" and "2 ? THRESHOLD". Data for this table has to be provided by an external source system or a legacy system.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PROMO_COMP_TYPE_DS	PROMO_COMPONENT_TYPE_ID	This indicates the promotion component type id that is	1	N	VARCHAR2(50)
W_RTL_PROMO_COMP_TYPE_DS	PROMO_COMPONENT_TYPE	This indicates the promotion component type that is	2	N	VARCHAR2(250)
W_RTL_PROMO_COMP_TYPE_DS	CREATED_BY_ID	This is used to derive a foreign key to the W_USER_D	3	Y	VARCHAR2(80)
W_RTL_PROMO_COMP_TYPE_DS	CHANGED_BY_ID	This is used derive a foreign key to the W_USER_D	4	Y	VARCHAR2(80)
W_RTL_PROMO_COMP_TYPE_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	5	Y	DATE
W_RTL_PROMO_COMP_TYPE_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	6	Y	DATE
W_RTL_PROMO_COMP_TYPE_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_PROMO_COMP_TYPE_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_PROMO_COMP_TYPE_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_PROMO_COMP_TYPE_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_PROMO_COMP_TYPE_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	11	Y	DATE
W_RTL_PROMO_COMP_TYPE_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	12	Y	DATE
W_RTL_PROMO_COMP_TYPE_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	13	Y	VARCHAR2(1)

W_RTL_PROMO_COMP_TYPE_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	14 N	VARCHAR2(80)
W_RTL_PROMO_COMP_TYPE_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15 N	NUMBER(10,0)
W_RTL_PROMO_COMP_TYPE_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16 Y	VARCHAR2(80)
W_RTL_PROMO_COMP_TYPE_DS	X_CUSTOM	This column is used as a generic field for customer	17 Y	VARCHAR2(80)

<b>TABLE NAME:</b>	W_RTL_PROMO_DS
<b>TABLE DESCRIPTION:</b>	This table contains promotion events, promotion parents and promotion details and their related attributes. This table also indicates the relationship between promotion events, promotion parents and promotion details.
<b>BUSINESS RULE:</b>	This table contains the complete snapshot of active information. This table cannot contain duplicate records for PROMO_EVENT_ID, PROMO_PARENT_ID and PROMO_DETAIL_ID. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PROMO_DS	PROMO_EVENT_ID	This is the unique ID from the source system that identifies	1	N	VARCHAR2(30)
W_RTL_PROMO_DS	PROMO_PARENT_ID	This is the unique ID from the source system that identifies	2	N	VARCHAR2(30)
W_RTL_PROMO_DS	PROMO_PARENT_NAME	This is the name of a promotion parent. A promotion	3	Y	VARCHAR2(255)
W_RTL_PROMO_DS	PROMO_DETAIL_ID	This is the unique ID from the source system that identifies	4	N	VARCHAR2(30)
W_RTL_PROMO_DS	PROMO_LEVEL	This indicates the level within the promotion hierarchy with	5	N	CHAR(1)
W_RTL_PROMO_DS	PROMO_COMPONENT_TYPE	This indicates the promotion component type that is	6	Y	VARCHAR2(250)
W_RTL_PROMO_DS	PROMO_COMPONENT_ID	This is the unique ID from the source system that identifies	7	N	VARCHAR2(30)
W_RTL_PROMO_DS	PROMO_COMPONENT_NAME	This is the name of a promotion component. A promotion	8	Y	VARCHAR2(255)
W_RTL_PROMO_DS	PROMO_DISCOUNT_LIMIT	This attribute can derive if the promotion can be repeated	9	Y	NUMBER(3)
W_RTL_PROMO_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_PROMO_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_PROMO_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_PROMO_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_PROMO_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	14	Y	VARCHAR2(80)
W_RTL_PROMO_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	15	Y	DATE
W_RTL_PROMO_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	16	Y	VARCHAR2(80)
W_RTL_PROMO_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	17	Y	DATE
W_RTL_PROMO_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	18	N	NUMBER(10,0)
W_RTL_PROMO_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	19	Y	CHAR(1)
W_RTL_PROMO_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	20	N	VARCHAR2(80)
W_RTL_PROMO_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	21	Y	DATE
W_RTL_PROMO_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	22	Y	DATE
W_RTL_PROMO_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	23	Y	VARCHAR2(80)
W_RTL_PROMO_DS	X_CUSTOM	This column is used as a generic field for customer	24	Y	VARCHAR2(10)
W_RTL_PROMO_DS	TOTAL_OFFERS_COUNT	Indicate the number of offers that will be sent to customer	25	Y	NUMBER(10)

<b>TABLE NAME:</b>	W_RTL_SEASON_DS
<b>TABLE DESCRIPTION:</b>	This table contains retail seasons and their related attributes. This table is the parent table to W_RTL_SEASON_PHASE_D.
<b>BUSINESS RULE:</b>	This table contains seasons. Seasons are arbitrary periods of time around which some retailers organize their buying and selling patterns. Each day should fall within no more than one season. This table cannot contain duplicate records for SEASON_NUM. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SEASON_DS	SEASON_NUM	This is the unique ID from the source system that identifies	1	N	VARCHAR2(30)
W_RTL_SEASON_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	2	Y	DATE

W_RTL_SEASON_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	3 Y	DATE
W_RTL_SEASON_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	4 Y	DATE
W_RTL_SEASON_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	5 Y	DATE
W_RTL_SEASON_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	6 Y	VARCHAR2(80)
W_RTL_SEASON_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	7 Y	DATE
W_RTL_SEASON_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	8 Y	VARCHAR2(80)
W_RTL_SEASON_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	9 Y	DATE
W_RTL_SEASON_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	10 N	NUMBER(10,0)
W_RTL_SEASON_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	11 Y	CHAR(1)
W_RTL_SEASON_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	12 N	VARCHAR2(80)
W_RTL_SEASON_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	13 Y	DATE
W_RTL_SEASON_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	14 Y	DATE
W_RTL_SEASON_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	15 Y	VARCHAR2(80)
W_RTL_SEASON_DS	X_CUSTOM	This column is used as a generic field for customer	16 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_SEASON_IT_DS
<b>TABLE DESCRIPTION:</b>	This table contains retail seasons and their associated items. This table is used by fact load programs for looking up seasons for an item in a particular time range.
<b>BUSINESS RULE:</b>	This table contains associations between a tracking level or above item, and a product season. This table cannot contain duplicate records for PROD_NUM and SEASON_NUM. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SEASON_IT_DS	PROD_NUM	Product Number	1	N	VARCHAR2(30)
W_RTL_SEASON_IT_DS	SEASON_NUM	This is the unique ID from the source system that identifies	2	N	VARCHAR2(30)
W_RTL_SEASON_IT_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	3	Y	DATE
W_RTL_SEASON_IT_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	4	Y	DATE
W_RTL_SEASON_IT_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	5	Y	DATE
W_RTL_SEASON_IT_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	6	Y	DATE
W_RTL_SEASON_IT_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	7	Y	VARCHAR2(80)
W_RTL_SEASON_IT_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	8	Y	DATE
W_RTL_SEASON_IT_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	9	Y	VARCHAR2(80)
W_RTL_SEASON_IT_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	10	Y	DATE
W_RTL_SEASON_IT_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	11	N	NUMBER(10,0)
W_RTL_SEASON_IT_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	12	Y	CHAR(1)
W_RTL_SEASON_IT_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	13	N	VARCHAR2(80)
W_RTL_SEASON_IT_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	14	Y	DATE
W_RTL_SEASON_IT_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	15	Y	DATE
W_RTL_SEASON_IT_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16	Y	VARCHAR2(80)
W_RTL_SEASON_IT_DS	X_CUSTOM	This column is used as a generic field for customer	17	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_SEASON_PHASE_DS
<b>TABLE DESCRIPTION:</b>	This table contains retail phases and their related attributes. This table also indicates the relationship between a phase and season.
<b>BUSINESS RULE:</b>	This table contains associations between a tracking level or above item, and a product season/phase. This table cannot contain duplicate records for PHASE_ID, SEASON_NUM and DAY_DT. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SEASON_PHASE_DS	PHASE_ID	This is the unique ID from the source system that identifies	1	Y	VARCHAR2(30)

W_RTL_SEASON_PHASE_DS	SEASON_NUM	This is the unique ID from the source system that identifies	2 Y	VARCHAR2(30)
W_RTL_SEASON_PHASE_DS	DAY_DT	Day Date	3 Y	DATE
W_RTL_SEASON_PHASE_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	4 Y	DATE
W_RTL_SEASON_PHASE_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	5 Y	DATE
W_RTL_SEASON_PHASE_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	6 Y	DATE
W_RTL_SEASON_PHASE_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	7 Y	DATE
W_RTL_SEASON_PHASE_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	8 Y	VARCHAR2(80)
W_RTL_SEASON_PHASE_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	9 Y	DATE
W_RTL_SEASON_PHASE_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	10 Y	VARCHAR2(80)
W_RTL_SEASON_PHASE_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	11 Y	DATE
W_RTL_SEASON_PHASE_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	12 N	NUMBER(10,0)
W_RTL_SEASON_PHASE_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	13 Y	CHAR(1)
W_RTL_SEASON_PHASE_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	14 N	VARCHAR2(80)
W_RTL_SEASON_PHASE_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	15 Y	DATE
W_RTL_SEASON_PHASE_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	16 Y	DATE
W_RTL_SEASON_PHASE_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	17 Y	VARCHAR2(80)
W_RTL_SEASON_PHASE_DS	X_CUSTOM	This column is used as a generic field for customer	18 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_SLSFC_IT_LC_DY_FS
<b>TABLE DESCRIPTION:</b>	This table contains sales forecast fact data at the item/location/day/forecast week level. Each record represents a week that a forecast is issued for a day that the forecast applies to for all active item/locations. If multiple forecasts are issued in a single week, the latest issued forecast will persist.
<b>BUSINESS RULES:</b>	This table contains Sales forecast information for an item, and location combination on a given day. PROD_IT_NUM, ORG_NUM and DAY_DT makes the alternate key/ business key for this table. This table contains neither break-to-sell items nor packs that contain break-to-sell component items. Fact Staging table is a truncate and load. It holds one day's transaction only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SLSFC_IT_LC_DY_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	1	N	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	2	N	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_DY_FS	SLSFC_FOR_DAY_DT	This is a foreign key to the W_MCAL_DAY_D table that	3	N	DATE
W_RTL_SLSFC_IT_LC_DY_FS	SLSFC_ON_DAY_DT	This is a foreign key to the W_MCAL_DAY_D table that	4	Y	DATE
W_RTL_SLSFC_IT_LC_DY_FS	SLSFC_QTY	This is the number of sales units that have been	5	Y	NUMBER(18,4)
W_RTL_SLSFC_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change	6	Y	DATE
W_RTL_SLSFC_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_SLSFC_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_SLSFC_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_SLSFC_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_SLSFC_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	11	Y	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	12	Y	DATE
W_RTL_SLSFC_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	13	Y	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	14	Y	DATE
W_RTL_SLSFC_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15	N	NUMBER(10,0)
W_RTL_SLSFC_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	16	Y	CHAR(1)
W_RTL_SLSFC_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	17	Y	VARCHAR2(30)
W_RTL_SLSFC_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	18	Y	NUMBER(4,0)
W_RTL_SLSFC_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	19	N	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	20	Y	VARCHAR2(30)
W_RTL_SLSFC_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	21	Y	NUMBER(22,7)
W_RTL_SLSFC_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	22	Y	VARCHAR2(80)

W\_RTL\_SLSFC\_IT\_LC\_DY\_FS

X\_CUSTOM

This column is used as a generic field for customer

23 Y

VARCHAR2(10)

<b>TABLE NAME</b>	<b>W_RTL_SLSFC_IT_LC_WK_FS</b>
<b>TABLE DESCRIPTION</b>	This table contains sales forecast fact data at the item/location/week/forecast week level. Each record represents a week that a forecast is issued for a week that the forecast applies to for all active item/locations. If multiple forecasts are issued in a single week, the latest issued forecast will persist
<b>BUSINESS RULES</b>	The base level will exist at the the item/loc/week/forecase date level. Forecasts occur for total sales and are not broken down by retail type. Retailers may forecast at the item level or subclass level. Oracle Retail Demand Forecasting allows for both levels of forecasting. Note that forecast sales units are gross sales not net sales. Return sales are not forecasted. Fact Staging table is a truncate and load. Holds One day Transactions Only. Fact Staging table is a truncate and load. Holds One day Transactions Only. PROD_IT_NUM, ORG_NUM, SLSFC_FOR_EOW_DT, SLSFC_ON_DAY_DT makes the alternare key/ business key for this table. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SLSFC_IT_LC_WK_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	1	N	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_WK_FS	ORG_NUM	This is the location number from W_INT_ORG_D	2	N	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_WK_FS	SLSFC_FOR_EOW_DT	This is a foreign key to the W_MCAL_WEEK_D table that	3	N	DATE
W_RTL_SLSFC_IT_LC_WK_FS	SLSFC_ON_DAY_DT	This is a foreign key to the W_MCAL_DAY_D table that	4	N	DATE
W_RTL_SLSFC_IT_LC_WK_FS	SLSFC_QTY	This is the number of sales units that have been	5	Y	NUMBER(18,4)
W_RTL_SLSFC_IT_LC_WK_FS	EXCHANGE_DT	This is the date when the price change or cost change	6	Y	DATE
W_RTL_SLSFC_IT_LC_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_SLSFC_IT_LC_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_SLSFC_IT_LC_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_SLSFC_IT_LC_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_SLSFC_IT_LC_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	11	Y	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	12	Y	DATE
W_RTL_SLSFC_IT_LC_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	13	Y	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	14	Y	DATE
W_RTL_SLSFC_IT_LC_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15	N	NUMBER(10,0)
W_RTL_SLSFC_IT_LC_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	16	Y	CHAR(1)
W_RTL_SLSFC_IT_LC_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	17	Y	VARCHAR2(30)
W_RTL_SLSFC_IT_LC_WK_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	18	Y	NUMBER(4,0)
W_RTL_SLSFC_IT_LC_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	19	N	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	20	Y	VARCHAR2(30)
W_RTL_SLSFC_IT_LC_WK_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	21	Y	NUMBER(22,7)
W_RTL_SLSFC_IT_LC_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	22	Y	VARCHAR2(80)
W_RTL_SLSFC_IT_LC_WK_FS	X_CUSTOM	This column is used as a generic field for customer	23	Y	VARCHAR2(10)

<b>TABLE NAME</b>	<b>W_RTL_SLSPK_IT_LC_DY_FS</b>
<b>TABLE DESCRIPTION</b>	This table contains sales pack fact data at the item/location/day level. This table contains only store locations.
<b>BUSINESS RULES</b>	This staging fact table loads the Fact table which supports As-Is, As-Was and PIT analysis. As-Is and As-Was reports at base level will always result in same data. As-Is, As-Was, PIT is useful for hierarchical reports (This should be tested only for levels above base fact against Product and Org hierarchies). Business Key for this table: ORG_NUM, PROD_IT_NUM, PACK_NUM, RTL_TYPE_CODE, DAY_DT. Fact Staging table is a truncate and load. Holds One day Transactions Only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SLSPK_IT_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	1	Y	VARCHAR2(30)
W_RTL_SLSPK_IT_LC_DY_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	2	Y	VARCHAR2(30)
W_RTL_SLSPK_IT_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	Y	DATE

W_RTL_SLSPK_IT_LC_DY_FS	RTL_TYPE_CODE	The price type ('R'egular, 'P'romotion, 'C'learance,	4	Y	VARCHAR2(30)
W_RTL_SLSPK_IT_LC_DY_FS	PACK_NUM	This is a foreign key to the W_PROD_GRP2_D table	5	Y	VARCHAR2(30)
W_RTL_SLSPK_IT_LC_DY_FS	SLSPK_QTY	This is the quantity of units sold for a pack component	6	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	SLSPK_AMT_LCL	This is the derived sales value for a pack component item.	7	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	SLSPK_PROF_AMT_LCL	This is the derived profit value for a pack component item.	8	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	SLSPK_TAX_AMT_LCL	This is the derived tax value for a pack component item.	9	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	SLSPK_EMP_DISC_AMT_LCL	This is the derived employee discount value for a pack	10	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	LIAPK_QTY	This is the quantity of units ordered as liability for a pack	11	Y	NUMBER(18,4)
W_RTL_SLSPK_IT_LC_DY_FS	LIAPK_AMT_LCL	This is the quantity of units ordered as liability for a pack	12	Y	NUMBER(20,4)
W_RTL_SLSPK_IT_LC_DY_FS	RETPK_QTY	This is the quantity of units returned for a pack component	13	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	RETPK_AMT_LCL	This is the derived return value for a pack component	14	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	RETPK_PROF_AMT_LCL	This is the derived return profit value for a pack	15	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	RETPK_TAX_AMT_LCL	This is the derived return tax value for a pack component	16	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	RETPK_EMP_DISC_AMT_LCL	This is the derived return employee discount value for a	17	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	LIAPK_CAN_QTY	This is the quantity of units ordered as liability for a pack	18	Y	NUMBER(18,4)
W_RTL_SLSPK_IT_LC_DY_FS	LIAPK_CAN_AMT_LCL	This is the quantity of units ordered as liability for a pack	19	Y	NUMBER(20,4)
W_RTL_SLSPK_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change	20	Y	DATE
W_RTL_SLSPK_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	21	Y	DATE
W_RTL_SLSPK_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	22	Y	DATE
W_RTL_SLSPK_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	23	Y	DATE
W_RTL_SLSPK_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	24	Y	DATE
W_RTL_SLSPK_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	25	Y	VARCHAR2(80)
W_RTL_SLSPK_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	26	Y	DATE
W_RTL_SLSPK_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	27	Y	VARCHAR2(80)
W_RTL_SLSPK_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	28	Y	DATE
W_RTL_SLSPK_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	29	N	NUMBER(10,0)
W_RTL_SLSPK_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	30	Y	CHAR(1)
W_RTL_SLSPK_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	31	Y	VARCHAR2(30)
W_RTL_SLSPK_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	32	Y	NUMBER(4,0)
W_RTL_SLSPK_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	33	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	34	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	35	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	36	N	VARCHAR2(80)
W_RTL_SLSPK_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	37	Y	VARCHAR2(30)
W_RTL_SLSPK_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	38	Y	NUMBER(22,7)
W_RTL_SLSPK_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	39	Y	VARCHAR2(80)
W_RTL_SLSPK_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	40	Y	VARCHAR2(10)
W_RTL_SLSPK_IT_LC_DY_FS	LIAPK_PROFIT_AMT_LCL		41	Y	NUMBER(20,4)
W_RTL_SLSPK_IT_LC_DY_FS	LIAPK_CAN_PROFIT_AMT_LCL		42	Y	NUMBER(20,4)

<b>TABLE NAME:</b>	W_RTL_SLSPRFC_PC_CS_DY_FS
<b>TABLE DESCRIPTION:</b>	This table holds Promotion Forecast fact at Promotion component, Customer Segment and Day level and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULE:</b>	Data for this table needs to be provided by an external/legacy system. Business Key : CUSTSEG_ID, DAY_DT, PROMO_COMP_ID.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SLSPRFC_PC_CS_DY_FS	CUSTSEG_ID	This is used to derive a foreign key to the	1	N	VARCHAR2(50)
W_RTL_SLSPRFC_PC_CS_DY_FS	DAY_DT	This column represents when the Forecast is applied.	2	N	DATE
W_RTL_SLSPRFC_PC_CS_DY_FS	SLSPRFC_ON_DAY_DT	This column represents the date that a forecast is issued.	3	N	DATE

W_RTL_SLSPRFC_PC_CS_DY_FS	PROMO_COMP_ID	This is the PROMO_COMPONENT_ID from	4	N	VARCHAR2(30)
W_RTL_SLSPRFC_PC_CS_DY_FS	ETL_THREAD_VAL	This column is used for multithreading purpose.	5	Y	NUMBER(4,0)
W_RTL_SLSPRFC_PC_CS_DY_FS	SLSPRFC_SLS_AMT	Sales amount forecasted for a specific promotion in	6	Y	NUMBER(20,4)
W_RTL_SLSPRFC_PC_CS_DY_FS	SLSPRFC_SLS_QTY	Sales quantity forecasted for a specific promotion	7	Y	NUMBER(18,4)
W_RTL_SLSPRFC_PC_CS_DY_FS	SLSPRFC_GRS_PRFT_LCL	Gross profit forecasted for a specific promotion in local	8	Y	NUMBER(20,4)
W_RTL_SLSPRFC_PC_CS_DY_FS	SLSPRFC_DISC_AMT	Discount Amount for a specific promotion in primary	9	Y	NUMBER(20,4)
W_RTL_SLSPRFC_PC_CS_DY_FS	SLSPRFC_LOC_COUNT	Count of stores connected to that promotion	10	Y	NUMBER(18,4)
W_RTL_SLSPRFC_PC_CS_DY_FS	SLSPRFC_TRX_COUNT	Forecasted Trx count that will contain promoted items.	11	Y	NUMBER(18,4)
W_RTL_SLSPRFC_PC_CS_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	12	Y	VARCHAR2(30)
W_RTL_SLSPRFC_PC_CS_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	13	Y	VARCHAR2(30)
W_RTL_SLSPRFC_PC_CS_DY_FS	LOC_EXCHANGE_RATE	Usually the reporting currency code for the financial	14	Y	NUMBER(22,7)
W_RTL_SLSPRFC_PC_CS_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	15	Y	NUMBER(22,7)
W_RTL_SLSPRFC_PC_CS_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	16	Y	NUMBER(22,7)
W_RTL_SLSPRFC_PC_CS_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from Document Currency to the	17	Y	NUMBER(22,7)
W_RTL_SLSPRFC_PC_CS_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	18	Y	VARCHAR2(80)
W_RTL_SLSPRFC_PC_CS_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	19	Y	VARCHAR2(80)
W_RTL_SLSPRFC_PC_CS_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	20	Y	DATE
W_RTL_SLSPRFC_PC_CS_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	21	Y	DATE
W_RTL_SLSPRFC_PC_CS_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	22	Y	DATE
W_RTL_SLSPRFC_PC_CS_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	23	Y	DATE
W_RTL_SLSPRFC_PC_CS_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	24	Y	DATE
W_RTL_SLSPRFC_PC_CS_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	25	Y	DATE
W_RTL_SLSPRFC_PC_CS_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	26	Y	VARCHAR2(1)
W_RTL_SLSPRFC_PC_CS_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	27	N	NUMBER(10,0)
W_RTL_SLSPRFC_PC_CS_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	28	N	VARCHAR2(80)
W_RTL_SLSPRFC_PC_CS_DY_FS	TENANT_ID	This column is the unique identifier for a Tenant in a multi-	29	Y	VARCHAR2(80)
W_RTL_SLSPRFC_PC_CS_DY_FS	X_CUSTOM	This column stores the date on which the record was	30	Y	VARCHAR2(10)
W_RTL_SLSPRFC_PC_CS_DY_FS	W_INSERT_DT	This column stores the date on which the record was	31	Y	DATE
W_RTL_SLSPRFC_PC_CS_DY_FS	W_UPDATE_DT	This column stores the date on which the record was last	32	Y	DATE

<b>TABLE NAME:</b>	W_RTL_SLSPRFC_PC_CS_WK_FS
<b>TABLE DESCRIPTION:</b>	This table holds Promotion Forecast fact at Promotion component, Customer Segment and Week level and the programs extracts that will load it will be created during the implementation.
<b>BUSINESS RULE:</b>	This table forecasted facts for a Promotion at Customer Segment and Week. Data for this table needs to be provided by an external/legacy system. Business Key: Custseg_Id, MCal_Week_Key, Promo_Comp_Id.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SLSPRFC_PC_CS_WK_FS	CUSTSEG_ID	This is used to derive a foreign key to the	1	N	VARCHAR2(50)
W_RTL_SLSPRFC_PC_CS_WK_FS	SLSPRFC_FOR_EOW_DT	This is used to derive Week Id using week start date and	2	N	DATE
W_RTL_SLSPRFC_PC_CS_WK_FS	SLSPRFC_ON_DAY_DT	This is used to derive Week Id using week start date and	3	N	DATE
W_RTL_SLSPRFC_PC_CS_WK_FS	PROMO_COMP_ID	This is used to derive a foreign key to the	4	N	VARCHAR2(30)
W_RTL_SLSPRFC_PC_CS_WK_FS	SLSPRFC_SLS_AMT	Sales amount forecasted for a specific promotion in	5	Y	NUMBER(20,4)
W_RTL_SLSPRFC_PC_CS_WK_FS	SLSPRFC_SLS_QTY	Sales quantity forecasted for a specific promotion	6	Y	NUMBER(18,4)
W_RTL_SLSPRFC_PC_CS_WK_FS	SLSPRFC_GRS_PRFT	Gross profit forecasted for a specific promotion in primary	7	Y	NUMBER(20,4)
W_RTL_SLSPRFC_PC_CS_WK_FS	SLSPRFC_DISC_AMT	Discount Amount for a specific promotion in primary	8	Y	NUMBER(20,4)
W_RTL_SLSPRFC_PC_CS_WK_FS	SLSPRFC_LOC_COUNT	Count of stores connected to that promotion.	9	Y	NUMBER(18,4)
W_RTL_SLSPRFC_PC_CS_WK_FS	SLSPRFC_TRX_COUNT	Forecasted Trx count that will contain promoted items.	10	Y	NUMBER(18,4)
W_RTL_SLSPRFC_PC_CS_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	11	Y	VARCHAR2(30)
W_RTL_SLSPRFC_PC_CS_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	12	Y	VARCHAR2(30)
W_RTL_SLSPRFC_PC_CS_WK_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	13	Y	NUMBER(22,7)



W_RTL_SLSPRFC_PC_CS_WK_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	14 Y	NUMBER(22,7)
W_RTL_SLSPRFC_PC_CS_WK_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	15 Y	NUMBER(22,7)
W_RTL_SLSPRFC_PC_CS_WK_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	16 Y	NUMBER(22,7)
W_RTL_SLSPRFC_PC_CS_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	17 Y	VARCHAR2(80)
W_RTL_SLSPRFC_PC_CS_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	18 Y	VARCHAR2(80)
W_RTL_SLSPRFC_PC_CS_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	19 Y	DATE
W_RTL_SLSPRFC_PC_CS_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	20 Y	DATE
W_RTL_SLSPRFC_PC_CS_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	21 Y	DATE
W_RTL_SLSPRFC_PC_CS_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	22 Y	DATE
W_RTL_SLSPRFC_PC_CS_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	23 Y	DATE
W_RTL_SLSPRFC_PC_CS_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	24 Y	DATE
W_RTL_SLSPRFC_PC_CS_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	25 Y	VARCHAR2(1)
W_RTL_SLSPRFC_PC_CS_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	26 Y	NUMBER(10,0)
W_RTL_SLSPRFC_PC_CS_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	27 Y	VARCHAR2(80)
W_RTL_SLSPRFC_PC_CS_WK_FS	TENANT_ID	This column is the unique identifier for a Tenant in a multi-	28 Y	VARCHAR2(80)
W_RTL_SLSPRFC_PC_CS_WK_FS	X_CUSTOM	This column stores the date on which the record was	29 Y	VARCHAR2(10)
W_RTL_SLSPRFC_PC_CS_WK_FS	ETL_THREAD_VAL	This field is used for multithreading purpose.	30 Y	NUMBER(4,0)

<b>TABLE NAME</b>	<b>W_RTL_SLSPR_TX_IT_LC_DY_FS</b>
<b>TABLE DDESCRIPTION</b>	This table contains sales promotion data at the item/location/day level. This table contains only store locations. If an item is associated with multiple promotions for a given day, a record of the item/loc will exist for each promotion. As a result, aggregations must occur by promotion in order to prevent double counting.
<b>BUSINESS RULES</b>	This Staging fact table loads the Fact table which supports As-Is, As-Was and PIT analysis. As-Is and As-Was reports at base level will always result in same data. As-Is, As-Was, PIT is useful for hierarchical reports (This should be tested only for levels above base fact against Product and Org hierarchies). Source provides this information at transaction, minute level and will have to be rolled up to day level during ETL process. Business Key for this table: ORG_NUM, PROD_IT_NUM, DAY_DT, PROMO_DETAIL_ID. Fact Staging table is a truncate and load. Holds One day Transactions Only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SLSPR_TX_IT_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	1	Y	DATE
W_RTL_SLSPR_TX_IT_LC_DY_FS	MIN_NUM	This is the HOUR_24_NUM & MINUTE_NUM from	2	Y	NUMBER(4,0)
W_RTL_SLSPR_TX_IT_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	3	Y	VARCHAR2(80)
W_RTL_SLSPR_TX_IT_LC_DY_FS	SLS_TRX_ID	This is a unique ID from the source system that identifies a	4	Y	VARCHAR2(30)
W_RTL_SLSPR_TX_IT_LC_DY_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	5	Y	VARCHAR2(80)
W_RTL_SLSPR_TX_IT_LC_DY_FS	PROMO_DETAIL_ID	This is the unique ID from the source system that identifies	6	Y	VARCHAR2(30)
W_RTL_SLSPR_TX_IT_LC_DY_FS	SLSPR_MKDN_AMT_LCL	The promotional markdown amount in local currency	7	Y	NUMBER(20,4)
W_RTL_SLSPR_TX_IT_LC_DY_FS	RETPR_MKDN_AMT_LCL	The promotional markdown return amount in local	8	Y	NUMBER(20,4)
W_RTL_SLSPR_TX_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change	9	Y	DATE
W_RTL_SLSPR_TX_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_SLSPR_TX_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_SLSPR_TX_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_SLSPR_TX_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_SLSPR_TX_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	14	Y	VARCHAR2(80)
W_RTL_SLSPR_TX_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	15	Y	DATE
W_RTL_SLSPR_TX_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	16	Y	VARCHAR2(80)
W_RTL_SLSPR_TX_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	17	Y	DATE
W_RTL_SLSPR_TX_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	18	N	NUMBER(10,0)
W_RTL_SLSPR_TX_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	19	Y	CHAR(1)
W_RTL_SLSPR_TX_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	20	Y	VARCHAR2(30)
W_RTL_SLSPR_TX_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	21	Y	NUMBER(4,0)

W_RTL_SLSPR_TX_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	22 Y	NUMBER(22,7)
W_RTL_SLSPR_TX_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	23 Y	NUMBER(22,7)
W_RTL_SLSPR_TX_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	24 Y	NUMBER(22,7)
W_RTL_SLSPR_TX_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	25 N	VARCHAR2(80)
W_RTL_SLSPR_TX_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	26 Y	VARCHAR2(30)
W_RTL_SLSPR_TX_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	27 Y	NUMBER(22,7)
W_RTL_SLSPR_TX_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	28 Y	VARCHAR2(80)
W_RTL_SLSPR_TX_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	29 Y	VARCHAR2(10)

<b>TABLE NAME</b>	W_RTL_SLSWF_IT_LC_DY_FS
<b>TABLE DESCRIPTION</b>	This table contains wholesale/franchise sales fact data at the item/location/day level. This table contains only wholesale/franchise locations.
<b>BUSINESS RULES</b>	This Staging fact table loads the Fact table which supports As-Is, As-Was and PIT analysis. As-Is and As-Was reports at base level will always result in same data. As-Is, As-Was, PIT is useful for hierarchical reports (This should be tested only for levels above base fact against Product and Org hierarchies). Business Key for this table: ORG_NUM, PROD_IT_NUM, DAY_DT. Fact Staging table is a truncate and load. Holds One day Transactions Only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SLSWF_IT_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	1	Y	VARCHAR2(80)
W_RTL_SLSWF_IT_LC_DY_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	2	Y	VARCHAR2(80)
W_RTL_SLSWF_IT_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	Y	DATE
W_RTL_SLSWF_IT_LC_DY_FS	SLSWF_QTY	This is the quantity of units sold to a wholesale or	4	Y	NUMBER(18,4)
W_RTL_SLSWF_IT_LC_DY_FS	SLSWF_AMT_LCL	This is the retail value of units sold to a wholesale or	5	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	SLSWF_TAX_AMT_LCL	This is the value of the tax incurred due to the	6	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	SLSWF_ACQ_COST_AMT_LCL	This is the weighted average cost at the location that the	7	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	SLSWF_MKDN_AMT_LCL	This is the value of the difference of original retail minus	8	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	SLSWF_MKUP_AMT_LCL	This is the value of the difference of selling price minus	9	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	RETFW_QTY	This is the quantity of units returned to a wholesale or	10	Y	NUMBER(18,4)
W_RTL_SLSWF_IT_LC_DY_FS	RETFW_AMT_LCL	This is the retail value of units returned to a wholesale or	11	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	RETFW_TAX_AMT_LCL	This is the value of the tax incurred due to the	12	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	RETFW_ACQ_COST_AMT_LCL	This is the weighted average cost at the location that the	13	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	RETFW_RSTK_FEE_AMT_LCL	This is the value of the fee that is charged to a	14	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	RETFW_MKDN_AMT_LCL	This is the value of the difference of original retail minus	15	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	RETFW_MKUP_AMT_LCL	This is the value of the difference of selling price minus	16	Y	NUMBER(20,4)
W_RTL_SLSWF_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change	17	Y	DATE
W_RTL_SLSWF_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	18	Y	DATE
W_RTL_SLSWF_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	19	Y	DATE
W_RTL_SLSWF_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	20	Y	DATE
W_RTL_SLSWF_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	21	Y	DATE
W_RTL_SLSWF_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	22	Y	VARCHAR2(80)
W_RTL_SLSWF_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	23	Y	DATE
W_RTL_SLSWF_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	24	Y	VARCHAR2(80)
W_RTL_SLSWF_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	25	Y	DATE
W_RTL_SLSWF_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	26	N	NUMBER(10,0)
W_RTL_SLSWF_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	27	Y	CHAR(1)
W_RTL_SLSWF_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	28	Y	VARCHAR2(30)
W_RTL_SLSWF_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	29	Y	NUMBER(4,0)
W_RTL_SLSWF_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	30	Y	NUMBER(22,7)
W_RTL_SLSWF_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	31	Y	NUMBER(22,7)
W_RTL_SLSWF_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	32	Y	NUMBER(22,7)

W_RTL_SLSWF_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	33	N	VARCHAR2(80)
W_RTL_SLSWF_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	34	Y	VARCHAR2(30)
W_RTL_SLSWF_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	35	Y	NUMBER(22,7)
W_RTL_SLSWF_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	36	Y	VARCHAR2(80)
W_RTL_SLSWF_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	37	Y	VARCHAR2(10)

<b>TABLE NAME</b>	<b>W_RTL_SLS_TRX_IT_LC_DY_FS</b>
<b>TABLE DESCRIPTION</b>	This table contains sales fact data at the item/location/day/transaction/voucher/customer/promotion/Customer Order level. This table contains only store locations.
<b>BUSINESS RULES</b>	Business Key for this table: ORG_NUM, PROD_IT_NUM, SLS_TRX_ID, VOUCHER_ID, DAY_DT, PROMO_COMP_ID, CO_LINE_ID. Fact Staging table is a truncate and load. Holds One day Transactions Only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SLS_TRX_IT_LC_DY_FS	SLS_TRX_ID	This is a unique ID from the source system that identifies a	1	Y	VARCHAR2(30)
W_RTL_SLS_TRX_IT_LC_DY_FS	PROD_IT_NUM		2	Y	VARCHAR2(80)
W_RTL_SLS_TRX_IT_LC_DY_FS	ORG_NUM		3	Y	VARCHAR2(80)
W_RTL_SLS_TRX_IT_LC_DY_FS	CO_HEAD_ID	The unique identifier of a customer order Head	4	N	VARCHAR2(50)
W_RTL_SLS_TRX_IT_LC_DY_FS	CO_LINE_ID	The unique identifier of a customer order line	5	N	VARCHAR2(50)
W_RTL_SLS_TRX_IT_LC_DY_FS	DAY_DT		6	Y	DATE
W_RTL_SLS_TRX_IT_LC_DY_FS	VOUCHER_ID	This is a unique ID from the source system that identifies a	7	Y	VARCHAR2(30)
W_RTL_SLS_TRX_IT_LC_DY_FS	RTL_TYPE_CODE	The price type ('R'egular, 'P'romotion, 'C'learance,	8	Y	VARCHAR2(50)
W_RTL_SLS_TRX_IT_LC_DY_FS	MIN_NUM	This is the HOUR_24_NUM & MINUTE_NUM from	9	Y	NUMBER(4,0)
W_RTL_SLS_TRX_IT_LC_DY_FS	EMPLOYEE_NUM	Source system Employee ID generated by	10	Y	VARCHAR2(80)
W_RTL_SLS_TRX_IT_LC_DY_FS	SLS_QTY	This is the quantity of units sold.	11	Y	NUMBER(18,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	SLS_AMT_LCL	This is the retail value of units sold. It can be tax inclusive	12	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	SLS_PROFIT_AMT_LCL	This is the difference of sales amount minus the cost of	13	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	SLS_TAX_AMT_LCL	This is the tax incurred due to the sales amount. This is	14	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	SLS_EMP_DISC_AMT_LCL	This is the retail value of the employee discount due to the	15	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	LIA_QTY	This is the quantity of units ordered as liability	16	Y	NUMBER(18,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	LIA_AMT_LCL	This is the retail value of units ordered as liability. This is	17	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	SLS_MANUAL_COUNT	This is the quantity of units sold that were manually	18	Y	NUMBER(18,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	SLS_SCAN_COUNT	This is the quantity of units sold that were electronically	19	Y	NUMBER(18,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	RET_QTY	This is the quantity of units returned.	20	Y	NUMBER(18,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	RET_AMT_LCL	This is the retail value of units returned. It can be tax	21	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	RET_PROFIT_AMT_LCL	This is the difference of return amount minus the cost of	22	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	RET_TAX_AMT_LCL	This is the tax incurred due to the return amount. This is	23	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	RET_EMP_DISC_AMT_LCL	This is the retail value of the employee discount due to the	24	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	LIA_CAN_QTY	This is the quantity of units cancelled from customer order	25	Y	NUMBER(18,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	LIA_CAN_AMT_LCL	This is the retail value of units cancelled from customer	26	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	RET_MANUAL_COUNT	This is the quantity of units returned that were manually	27	Y	NUMBER(18,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	RET_SCAN_COUNT	This is the quantity of units returned that were	28	Y	NUMBER(18,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	REJECT_FLG		29	Y	CHAR(1)
W_RTL_SLS_TRX_IT_LC_DY_FS	SLS_MANUAL_MKDN_AMT_LCL	This is the difference between the original retail after	30	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	SLS_MANUAL_MKUP_AMT_LCL	This is the difference between the price that was actually	31	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	RET_MANUAL_MKDN_AMT_LCL	This is the difference between the original retail after	32	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	RET_MANUAL_MKUP_AMT_LCL	This is the difference between the price that was actually	33	Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	EXCHANGE_DT	This is the date when the price change or cost change was	34	Y	DATE
W_RTL_SLS_TRX_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	35	Y	DATE
W_RTL_SLS_TRX_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	36	Y	DATE

W_RTL_SLS_TRX_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	37 Y	DATE
W_RTL_SLS_TRX_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	38 Y	DATE
W_RTL_SLS_TRX_IT_LC_DY_FS	CHANGED_BY_ID		39 Y	VARCHAR2(80)
W_RTL_SLS_TRX_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	40 Y	DATE
W_RTL_SLS_TRX_IT_LC_DY_FS	CREATED_BY_ID		41 Y	VARCHAR2(80)
W_RTL_SLS_TRX_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	42 Y	DATE
W_RTL_SLS_TRX_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	43 N	NUMBER(10,0)
W_RTL_SLS_TRX_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	44 Y	CHAR(1)
W_RTL_SLS_TRX_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	45 Y	VARCHAR2(30)
W_RTL_SLS_TRX_IT_LC_DY_FS	ETL_THREAD_VAL		46 Y	NUMBER(4,0)
W_RTL_SLS_TRX_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	47 Y	NUMBER(22,7)
W_RTL_SLS_TRX_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	48 Y	NUMBER(22,7)
W_RTL_SLS_TRX_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	49 Y	NUMBER(22,7)
W_RTL_SLS_TRX_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	50 N	VARCHAR2(80)
W_RTL_SLS_TRX_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	51 Y	VARCHAR2(30)
W_RTL_SLS_TRX_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	52 Y	NUMBER(22,7)
W_RTL_SLS_TRX_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	53 Y	VARCHAR2(80)
W_RTL_SLS_TRX_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	54 Y	VARCHAR2(10)
W_RTL_SLS_TRX_IT_LC_DY_FS	PROMO_COMP_ID	This is the PROMO_COMPONENT_ID from	55 Y	VARCHAR2(30)
W_RTL_SLS_TRX_IT_LC_DY_FS	CUST_REF_TYPE	This is customer type from the source system.	56 Y	VARCHAR2(6)
W_RTL_SLS_TRX_IT_LC_DY_FS	CUST_REF_NUMBER	This is the CUSTOMER_NUM from from the source	57 Y	VARCHAR2(80)
W_RTL_SLS_TRX_IT_LC_DY_FS	SLSPR_DISC_AMT_LCL	This is the value of the difference of promotion sales	58 Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	RETPR_DISC_AMT_LCL	This is the value of the difference of promotion return	59 Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	IT_SEQ_NUM	This is required to identify the primary parent and primary	60 Y	NUMBER(4,0)
W_RTL_SLS_TRX_IT_LC_DY_FS	REVISION_NUM		61 Y	NUMBER(3)
W_RTL_SLS_TRX_IT_LC_DY_FS	LIA_PROFIT_AMT_LCL	The profit value of goods/units that are ordered as liability	62 Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	LIA_CAN_PROFIT_AMT_LCL	The loss on profit amount occurred due to cancelation of	63 Y	NUMBER(20,4)
W_RTL_SLS_TRX_IT_LC_DY_FS	SELLING_ITEM_NUM	The unique identifier of a selling item.	64 Y	VARCHAR2(25)

<b>TABLE NAME</b>	W_RTL_STCKLDGR_SC_LC_MH_FS
<b>TABLE DESCRIPTION</b>	This table holds stock ledger values at subclass, location and Month level.
<b>BUSINESS RULE</b>	As-Is, PIT and Season Level reporting is not required for Stock Ledger. Combination of ORG_NUM, PROD_SC_NUM, EOM_DT, SET_OF_BOOKS_ID make an alternate/business key for this table. Fact Staging table is a truncate and load. Holds One day Transactions Only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_STCKLDGR_SC_LC_MH_FS	ORG_NUM	This is the location number from W_INT_ORG_D	1	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_MH_FS	PROD_SC_NUM	This is the Subclass Number from the W_PRODUCT_D	2	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_MH_FS	PROD_CL_NUM	This is the Class Number from the W_PRODUCT_D table	3	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_MH_FS	PROD_DP_NUM	This is the Dept Number from the W_PRODUCT_D table	4	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_MH_FS	EOM_DT	This is end of month date from W_MCAL_PERIOD_D	5	N	DATE
W_RTL_STCKLDGR_SC_LC_MH_FS	SET_OF_BOOKS_ID	This is a unique ID from the source system that identifies a	6	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_ADJ_COGS_COST_AMT	Cost value of the adjustment made to the cost of goods	7	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_ADJ_COGS_COST_AMT_LCL	Cost value of the adjustment made to the cost of goods	8	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_ADJ_COGS_RTL_AMT	Retail value of the adjustment made to the cost of goods	9	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_ADJ_COGS_RTL_AMT_LCL	Retail value of the adjustment made to the cost of goods	10	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_BEG_SOH_COST_AMT	Cost value of owned inventory units at the beginning of the	11	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_BEG_SOH_COST_AMT_LCL	Cost value of owned inventory units at the beginning of the	12	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_BEG_SOH_RTL_AMT	Retail value of owned inventory units at the beginning of	13	Y	NUMBER(20,4)

W_RTL_STCKLDGR_SC_LC_MH_FS	SL_BEG_SOH_RTL_AMT_LCL	Retail value of owned inventory units at the beginning of	14 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_CASH_DISC_AMT	Discount credited by vendors. This will increase gross	15 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_CASH_DISC_AMT_LCL	Discount credited by vendors. This will increase gross	16 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_CLRC_MKDN_AMT	Amount of reduction to the original selling price for	17 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_CLRC_MKDN_AMT_LCL	Amount of reduction to the original selling price for	18 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_COST_VAR_AMT	Used in the cost method of accounting to record the	19 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_COST_VAR_AMT_LCL	Used in the cost method of accounting to record the	20 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_CUM_MKON_PCT	Amount added to the cost to determine the selling price	21 Y	NUMBER(12,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_DEAL_INCM_PURCH_AMT	Amount billed back to a supplier from a deal. This is	22 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_DEAL_INCM_PURCH_AMT_LCL	Amount billed back to a supplier from a deal. This is	23 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_DEAL_INCM_SLS_AMT	Amount billed back to a supplier from a deal. This is	24 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_DEAL_INCM_SLS_AMT_LCL	Amount billed back to a supplier from a deal. This is	25 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_EMPTY_DISC_AMT	Retail value of the employee discount incurred due to a	26 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_EMPTY_DISC_AMT_LCL	Retail value of the employee discount incurred due to a	27 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_END_SOH_COST_AMT	Cost value of owned inventory units at the end of the	28 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_END_SOH_COST_AMT_LCL	Cost value of owned inventory units at the end of the	29 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_END_SOH_RTL_AMT_LCL	Retail value of owned inventory units at the end of the	30 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_END_SOH_RTL_AMT	Retail value of owned inventory units at the end of the	31 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRGHT_COST_AMT	Cost of moving goods from one location to another and	32 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRGHT_COST_AMT_LCL	Cost of moving goods from one location to another and	33 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRGHT_CLAIM_COST_AMT	Cost value of lost or damaged freight inventory that is	34 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRGHT_CLAIM_COST_AMT_LCL	Cost value of lost or damaged freight inventory that is	35 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRGHT_CLAIM_RTL_AMT	Retail value of lost or damaged freight inventory that is	36 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRGHT_CLAIM_RTL_AMT_LCL	Retail value of lost or damaged freight inventory that is	37 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_GAFS_COST_AMT_LCL	Cost value of goods available for sale. This is used in the	38 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_GAFS_COST_AMT	Cost value of goods available for sale. This is used in the	39 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_GAFS_RTL_AMT	Retail value of goods available for sale.	40 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_GAFS_RTL_AMT_LCL	Retail value of goods available for sale. This is stored in	41 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_GRS_PRFT_AMT	Difference between sales revenue and the cost of units	42 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_GRS_PRFT_AMT_LCL	Difference between sales revenue and the cost of units	43 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_MARGIN_AMT	Change in margin/profit due to an intercompany transfer.	44 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_MARGIN_AMT_LCL	Change in margin/profit due to an intercompany transfer.	45 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_MKDN_AMT	Reduction in price due to an intercompany transfer. This	46 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_MKDN_AMT_LCL	Reduction in price due to an intercompany transfer. This	47 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_MKUP_AMT	Increase in price due to an intercompany transfer. This	48 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_MKUP_AMT_LCL	Increase in price due to an intercompany transfer. This	49 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_TSF_IN_COST_AMT_LCL	Cost value of merchandise that has been intercompany	50 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_TSF_IN_COST_AMT	Cost value of merchandise that has been intercompany	51 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_TSF_IN_RTL_AMT	Retail value of merchandise that has been intercompany	52 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_TSF_IN_RTL_AMT_LCL	Retail value of merchandise that has been intercompany	53 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_TSF_OUT_COST_AMT_LCL	Cost value of merchandise that has been intercompany	54 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_TSF_OUT_COST_AMT	Cost value of merchandise that has been intercompany	55 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_TSF_OUT_RTL_AMT_LCL	Retail value of merchandise that has been intercompany	56 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_IC_TSF_OUT_RTL_AMT	Retail value of merchandise that has been intercompany	57 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_MARGIN_COST_VAR_AMT	New cost variance using cost method of accounting.	58 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_MARGIN_COST_VAR_AMT_LCL	New cost variance using cost method of accounting. This	59 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_MKDN_CNCLLD_AMT	Value of a clearance markdown amount that has been	60 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_MKDN_CNCLLD_AMT_LCL	Value of a clearance markdown amount that has been	61 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_MKUP_AMT	Extra amount a retailer charges a customer for an item,	62 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_MKUP_AMT_LCL	Extra amount a retailer charges a customer for an item,	63 Y	NUMBER(20,4)

W_RTL_STCKLDGR_SC_LC_MH_FS	SL_MKUP_CNCLLD_AMT	Value of a markup amount that has been cancelled. A	64 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_MKUP_CNCLLD_AMT_LCL	Value of a markup amount that has been cancelled. A	65 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_PERM_MKDN_AMT	Amount of permanent reduction to the selling price of	66 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_PERM_MKDN_AMT_LCL	Amount of permanent reduction to the selling price of	67 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_PRMTN_MKDN_AMT	Amount of temporary reduction to a selling price to boost	68 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_PRMTN_MKDN_AMT_LCL	Amount of temporary reduction to a selling price to boost	69 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RCPTS_COST_AMT	Cost value of inventory units received.	70 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RCPTS_COST_AMT_LCL	Cost value of inventory units received. This is stored in	71 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RCPTS_RTL_AMT	Retail value of inventory units received.	72 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RCPTS_RTL_AMT_LCL	Retail value of inventory units received. This is stored in	73 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RECLASS_IN_COST_AMT	Cost value of merchandise that has been reclassified into	74 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RECLASS_IN_COST_AMT_LCL	Cost value of merchandise that has been reclassified into	75 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RECLASS_IN_RTL_AMT	Retail value of merchandise that has been reclassified into	76 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RECLASS_IN_RTL_AMT_LCL	Retail value of merchandise that has been reclassified into	77 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RECLASS_OUT_COST_AMT	Cost value of merchandise that has been reclassified out	78 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RECLASS_OUT_COST_AMT_LCL	Cost value of merchandise that has been reclassified out	79 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RECLASS_OUT_RTL_AMT	Retail value of merchandise that has been reclassified out	80 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RECLASS_OUT_RTL_AMT_LCL	Retail value of merchandise that has been reclassified out	81 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RSTK_FEE_AMT	Fee that is charged to a customer for the return of an item.	82 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RSTK_FEE_AMT_LCL	Fee that is charged to a customer for the return of an item.	83 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RTRNS_COST_AMT	Cost value of units returned. It Indicates lost revenue that	84 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RTRNS_COST_AMT_LCL	Cost value of units returned. It Indicates lost revenue that	85 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RTRNS_RTL_AMT	Retail value of units returned. It Indicates lost revenue that	86 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RTRNS_RTL_AMT_LCL	Retail value of units returned. It Indicates lost revenue that	87 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RTV_COST_AMT	Cost value of inventory units that have been returned to	88 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RTV_COST_AMT_LCL	Cost value of inventory units that have been returned to	89 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RTV_RTL_AMT	Retail value of inventory units that have been returned to	90 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_RTV_RTL_AMT_LCL	Retail value of inventory units that have been returned to	91 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SLS_COST_AMT	Cost value of units sold, calculated by adding sale	92 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SLS_COST_AMT_LCL	Cost value of units sold, calculated by adding sale	93 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SLS_QTY	Total units of merchandise sold.	94 Y	NUMBER(18,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SLS_RTL_AMT	Retail value of units sold, calculated by adding sale	95 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SLS_RTL_AMT_LCL	Retail value of units sold, calculated by adding sale	96 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SLS_RTL_EX_VAT_AMT	Retail value of units sold, calculated by adding sale	97 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SLS_RTL_EX_VAT_AMT_LCL	Retail value of units sold, calculated by adding sale	98 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SHRK_COST_AMT	Cost value of inventory lost through means other than a	99 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SHRK_COST_AMT_LCL	Cost value of inventory lost through means other than a	100 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SHRK_RTL_AMT	Retail value of inventory lost through means other than a	101 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SHRK_RTL_AMT_LCL	Retail value of inventory lost through means other than a	102 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SOH_ADJ_RTL_AMT	Retail value of an adjustment to stock on hand due to	103 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_SOH_ADJ_RTL_AMT_LCL	Retail value of an adjustment to stock on hand due to	104 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_IN_BOOK_COST_AMT	Cost value of merchandise that has been book transferred	105 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_IN_BOOK_COST_AMT_LCL	Cost value of merchandise that has been book transferred	106 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_IN_BOOK_RTL_AMT	Retail value of merchandise that has been book	107 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_IN_BOOK_RTL_AMT_LCL	Retail value of merchandise that has been book	108 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_IN_COST_AMT	Cost value of merchandise that has been transferred into	109 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_IN_COST_AMT_LCL	Cost value of merchandise that has been transferred into	110 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_IN_RTL_AMT	Retail value of merchandise that has been transferred into	111 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_IN_RTL_AMT_LCL	Retail value of merchandise that has been transferred into	112 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_OUT_BOOK_COST_AMT	Cost value of merchandise that has been book transferred	113 Y	NUMBER(20,4)

W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_OUT_BOOK_COST_AMT_LCL	Cost value of merchandise that has been book transferred	114 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_OUT_BOOK_RTL_AMT_LCL	Retail value of merchandise that has been book	115 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_OUT_BOOK_RTL_AMT	Retail value of merchandise that has been book	116 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_OUT_COST_AMT	Cost value of merchandise that has been transferred out	117 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_OUT_COST_AMT_LCL	Cost value of merchandise that has been transferred out	118 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_OUT_RTL_AMT	Retail value of merchandise that has been transferred out	119 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_TSF_OUT_RTL_AMT_LCL	Retail value of merchandise that has been transferred out	120 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_UP_CHRG_EXP_AMT	Cost incurred by the origin location to transfer	121 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_UP_CHRG_EXP_AMT_LCL	Cost incurred by the origin location to transfer	122 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_UP_CHRG_PRFT_AMT	Profit gained from an up charge due to an intercompany	123 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_UP_CHRG_PRFT_AMT_LCL	Profit gained from an up charge due to an intercompany	124 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_WO_POST_FIN_COST_AMT	Cost value of merchandise required work order activity -	125 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_WO_POST_FIN_COST_AMT_LCL	Cost value of merchandise required work order activity -	126 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_WO_UPD_INV_COST_AMT	Cost value of merchandise required work order activity -	127 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_WO_UPD_INV_COST_AMT_LCL	Cost value of merchandise required work order activity -	128 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_WRKRM_COST_AMT	Cost of value added services to make merchandise	129 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_WRKRM_COST_AMT_LCL	Cost of value added services to make merchandise	130 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_MKDN_RTL_AMT	Amount of reduction to the selling price of inventory for a	131 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_MKDN_RTL_AMT_LCL	Amount of reduction to the selling price of inventory for a	132 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_MKUP_RTL_AMT_LCL	Extra amount a retailer charges a franchise customer for	133 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_MKUP_RTL_AMT	Extra amount a retailer charges a franchise customer for	134 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_RSTK_FEE_AMT	Fee that is charged to franchise/franchise customers by a	135 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_RSTK_FEE_AMT_LCL	Fee that is charged to franchise/franchise customers by a	136 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_RET_COST_AMT	Cost value of units returned from a franchise location. It	137 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_RET_COST_AMT_LCL	Cost value of units returned from a franchise location. It	138 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_RET_RTL_AMT	Retail value of units returned from a franchise location. It	139 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_RET_RTL_AMT_LCL	Retail value of units returned from a franchise location. It	140 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_SLS_COST_AMT	Cost value of units sold to franchise locations, calculated	141 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_SLS_COST_AMT_LCL	Cost value of units sold to franchise locations, calculated	142 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_SLS_RTL_AMT	Retail value of units sold to franchise locations, calculated	143 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_FRANCHISE_SLS_RTL_AMT_LCL	Retail value of units sold to franchise locations, calculated	144 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_VAT_IN_AMT	Input VAT which is VAT charged by a supplier to the	145 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_VAT_IN_AMT_LCL	Input VAT which is VAT charged by a supplier to the	146 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_VAT_OUT_AMT	Output VAT which is VAT charged by a business to a	147 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_VAT_OUT_AMT_LCL	Output VAT which is VAT charged by a business to a	148 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_WEIGHT_VAR_RTL_AMT	Retail variance due to variance in weight for catchweight	149 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	SL_WEIGHT_VAR_RTL_AMT_LCL	Retail variance due to variance in weight for catchweight	150 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_MH_FS	EXCHANGE_DT	This is the date when the price change or cost change	151 Y	DATE
W_RTL_STCKLDGR_SC_LC_MH_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	152 Y	DATE
W_RTL_STCKLDGR_SC_LC_MH_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	153 Y	DATE
W_RTL_STCKLDGR_SC_LC_MH_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	154 Y	DATE
W_RTL_STCKLDGR_SC_LC_MH_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	155 Y	DATE
W_RTL_STCKLDGR_SC_LC_MH_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	156 Y	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_MH_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	157 Y	DATE
W_RTL_STCKLDGR_SC_LC_MH_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	158 Y	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_MH_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	159 Y	DATE
W_RTL_STCKLDGR_SC_LC_MH_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	160 N	NUMBER(10,0)
W_RTL_STCKLDGR_SC_LC_MH_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	161 Y	CHAR(1)
W_RTL_STCKLDGR_SC_LC_MH_FS	DOC_CURR_CODE	Code for the currency in which the document was created	162 Y	VARCHAR2(30)
W_RTL_STCKLDGR_SC_LC_MH_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	163 Y	NUMBER(4,0)



W_RTL_STCKLDGR_SC_LC_MH_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	164 Y	NUMBER(22,7)
W_RTL_STCKLDGR_SC_LC_MH_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	165 Y	NUMBER(22,7)
W_RTL_STCKLDGR_SC_LC_MH_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	166 Y	NUMBER(22,7)
W_RTL_STCKLDGR_SC_LC_MH_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	167 N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_MH_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	168 Y	VARCHAR2(30)
W_RTL_STCKLDGR_SC_LC_MH_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	169 Y	NUMBER(22,7)
W_RTL_STCKLDGR_SC_LC_MH_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	170 Y	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_MH_FS	X_CUSTOM	This column is used as a generic field for customer	171 Y	VARCHAR2(10)

<b>TABLE NAME</b>	W_RTL_STCKLDGR_SC_LC_WK_FS
<b>TABLE DESCRIPTION</b>	This table holds stock ledger values at subclass, location and Week level.
<b>BUSINESS RULES</b>	As-Is, PIT and Season Level reporting is not required for Stock Ledger. Combination of ORG_NUM, PROD_SC_NUM, EOW_DT, SET_OF_BOOKS_ID make an alternate/business key for this table. Fact Staging table is a truncate and load. Holds One day Transactions Only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_STCKLDGR_SC_LC_WK_FS	ORG_NUM	This is the location number from W_INT_ORG_D	1	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_WK_FS	PROD_SC_NUM	This is the Subclass Number from the W_PRODUCT_D	2	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_WK_FS	PROD_CL_NUM	This is the Class Number from the W_PRODUCT_D table	3	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_WK_FS	PROD_DP_NUM	This is the Dept Number from the W_PRODUCT_D table	4	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_WK_FS	EOW_DT	This is the End of Week date from W_MCAL_WEEK_D	5	N	DATE
W_RTL_STCKLDGR_SC_LC_WK_FS	SET_OF_BOOKS_ID	This is a unique ID from the source system that identifies a	6	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_ADJ_COGS_COST_AMT	Cost value of the adjustment made to the cost of goods	7	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_ADJ_COGS_COST_AMT_LCL	Cost value of the adjustment made to the cost of goods	8	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_ADJ_COGS_RTL_AMT	Retail value of the adjustment made to the cost of goods	9	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_ADJ_COGS_RTL_AMT_LCL	Retail value of the adjustment made to the cost of goods	10	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_BEG_SOH_COST_AMT	Cost value of owned inventory units at the beginning of the	11	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_BEG_SOH_COST_AMT_LCL	Cost value of owned inventory units at the beginning of the	12	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_BEG_SOH_RTL_AMT	Retail value of owned inventory units at the beginning of	13	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_BEG_SOH_RTL_AMT_LCL	Retail value of owned inventory units at the beginning of	14	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_CASH_DISC_AMT	Discount credited by vendors. This will increase gross	15	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_CASH_DISC_AMT_LCL	Discount credited by vendors. This will increase gross	16	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_CLRC_MKDN_AMT	Amount of reduction to the original selling price for	17	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_CLRC_MKDN_AMT_LCL	Amount of reduction to the original selling price for	18	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_COST_VAR_AMT	Used in the cost method of accounting to record the	19	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_COST_VAR_AMT_LCL	Used in the cost method of accounting to record the	20	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_CUM_MKON_PCT	Amount added to the cost to determine the selling price	21	Y	NUMBER(12,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_DEAL_INCM_PURCH_AMT	Amount billed back to a supplier from a deal. This is	22	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_DEAL_INCM_PURCH_AMT_LCL	Amount billed back to a supplier from a deal. This is	23	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_DEAL_INCM_SLS_AMT	Amount billed back to a supplier from a deal. This is	24	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_DEAL_INCM_SLS_AMT_LCL	Amount billed back to a supplier from a deal. This is	25	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_EMPTY_DISC_AMT	Retail value of the employee discount incurred due to a	26	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_EMPTY_DISC_AMT_LCL	Retail value of the employee discount incurred due to a	27	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_END_SOH_COST_AMT	Cost value of owned inventory units at the end of the	28	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_END_SOH_COST_AMT_LCL	Cost value of owned inventory units at the end of the	29	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_END_SOH_RTL_AMT_LCL	Retail value of owned inventory units at the end of the	30	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_END_SOH_RTL_AMT	Retail value of owned inventory units at the end of the	31	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRGHT_COST_AMT	Cost of moving goods from one location to another and	32	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRGHT_COST_AMT_LCL	Cost of moving goods from one location to another and	33	Y	NUMBER(20,4)



W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRGHT_CLAIM_COST_AMT	Cost value of lost or damaged freight inventory that is	34 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRGHT_CLAIM_COST_AMT_LCL	Cost value of lost or damaged freight inventory that is	35 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRGHT_CLAIM_RTL_AMT	Retail value of lost or damaged freight inventory that is	36 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRGHT_CLAIM_RTL_AMT_LCL	Retail value of lost or damaged freight inventory that is	37 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_GAFS_COST_AMT_LCL	Cost value of goods available for sale. This is used in the	38 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_GAFS_COST_AMT	Cost value of goods available for sale. This is used in the	39 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_GAFS_RTL_AMT	Retail value of goods available for sale.	40 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_GAFS_RTL_AMT_LCL	Retail value of goods available for sale. This is stored in	41 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_GRS_PRFT_AMT	Difference between sales revenue and the cost of units	42 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_GRS_PRFT_AMT_LCL	Difference between sales revenue and the cost of units	43 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_MARGIN_AMT	Change in margin/profit due to an intercompany transfer.	44 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_MARGIN_AMT_LCL	Change in margin/profit due to an intercompany transfer.	45 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_MKDN_AMT	Reduction in price due to an intercompany transfer. This	46 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_MKDN_AMT_LCL	Reduction in price due to an intercompany transfer. This	47 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_MKUP_AMT	Increase in price due to an intercompany transfer. This	48 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_MKUP_AMT_LCL	Increase in price due to an intercompany transfer. This	49 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_TSF_IN_COST_AMT_LCL	Cost value of merchandise that has been intercompany	50 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_TSF_IN_COST_AMT	Cost value of merchandise that has been intercompany	51 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_TSF_IN_RTL_AMT	Retail value of merchandise that has been intercompany	52 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_TSF_IN_RTL_AMT_LCL	Retail value of merchandise that has been intercompany	53 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_TSF_OUT_COST_AMT_LCL	Cost value of merchandise that has been intercompany	54 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_TSF_OUT_COST_AMT	Cost value of merchandise that has been intercompany	55 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_TSF_OUT_RTL_AMT_LCL	Retail value of merchandise that has been intercompany	56 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_IC_TSF_OUT_RTL_AMT	Retail value of merchandise that has been intercompany	57 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_MARGIN_COST_VAR_AMT	New cost variance using cost method of accounting.	58 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_MARGIN_COST_VAR_AMT_LCL	New cost variance using cost method of accounting. This	59 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_MKDN_CNCLLD_AMT	Value of a clearance markdown amount that has been	60 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_MKDN_CNCLLD_AMT_LCL	Value of a clearance markdown amount that has been	61 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_MKUP_AMT	Extra amount a retailer charges a customer for an item,	62 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_MKUP_AMT_LCL	Extra amount a retailer charges a customer for an item,	63 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_MKUP_CNCLLD_AMT	Value of a markup amount that has been cancelled. A	64 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_MKUP_CNCLLD_AMT_LCL	Value of a markup amount that has been cancelled. A	65 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_PERM_MKDN_AMT	Amount of permanent reduction to the selling price of	66 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_PERM_MKDN_AMT_LCL	Amount of permanent reduction to the selling price of	67 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_PRMTN_MKDN_AMT	Amount of temporary reduction to a selling price to boost	68 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_PRMTN_MKDN_AMT_LCL	Amount of temporary reduction to a selling price to boost	69 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RCPTS_COST_AMT	Cost value of inventory units received.	70 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RCPTS_COST_AMT_LCL	Cost value of inventory units received. This is stored in	71 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RCPTS_RTL_AMT	Retail value of inventory units received.	72 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RCPTS_RTL_AMT_LCL	Retail value of inventory units received. This is stored in	73 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RECLASS_IN_COST_AMT	Cost value of merchandise that has been reclassified into	74 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RECLASS_IN_COST_AMT_LCL	Cost value of merchandise that has been reclassified into	75 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RECLASS_IN_RTL_AMT	Retail value of merchandise that has been reclassified into	76 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RECLASS_IN_RTL_AMT_LCL	Retail value of merchandise that has been reclassified into	77 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RECLASS_OUT_COST_AMT	Cost value of merchandise that has been reclassified out	78 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RECLASS_OUT_COST_AMT_LCL	Cost value of merchandise that has been reclassified out	79 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RECLASS_OUT_RTL_AMT	Retail value of merchandise that has been reclassified out	80 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RECLASS_OUT_RTL_AMT_LCL	Retail value of merchandise that has been reclassified out	81 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RSTK_FEE_AMT	Fee that is charged to a customer for the return of an item.	82 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RSTK_FEE_AMT_LCL	Fee that is charged to a customer for the return of an item.	83 Y	NUMBER(20,4)

W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RTRNS_COST_AMT	Cost value of units returned. It Indicates lost revenue that	84 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RTRNS_COST_AMT_LCL	Cost value of units returned. It Indicates lost revenue that	85 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RTRNS_RTL_AMT	Retail value of units returned. It Indicates lost revenue that	86 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RTRNS_RTL_AMT_LCL	Retail value of units returned. It Indicates lost revenue that	87 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RTV_COST_AMT	Cost value of inventory units that have been returned to	88 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RTV_COST_AMT_LCL	Cost value of inventory units that have been returned to	89 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RTV_RTL_AMT	Retail value of inventory units that have been returned to	90 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_RTV_RTL_AMT_LCL	Retail value of inventory units that have been returned to	91 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SLS_COST_AMT	Cost value of units sold, calculated by adding sale	92 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SLS_COST_AMT_LCL	Cost value of units sold, calculated by adding sale	93 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SLS_QTY	Total units of merchandise sold.	94 Y	NUMBER(18,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SLS_RTL_AMT	Retail value of units sold, calculated by adding sale	95 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SLS_RTL_AMT_LCL	Retail value of units sold, calculated by adding sale	96 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SLS_RTL_EX_VAT_AMT	Retail value of units sold, calculated by adding sale	97 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SLS_RTL_EX_VAT_AMT_LCL	Retail value of units sold, calculated by adding sale	98 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SHRK_COST_AMT	Cost value of inventory lost through means other than a	99 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SHRK_COST_AMT_LCL	Cost value of inventory lost through means other than a	100 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SHRK_RTL_AMT	Retail value of inventory lost through means other than a	101 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SHRK_RTL_AMT_LCL	Retail value of inventory lost through means other than a	102 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SOH_ADJ_RTL_AMT	Retail value of an adjustment to stock on hand due to	103 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_SOH_ADJ_RTL_AMT_LCL	Retail value of an adjustment to stock on hand due to	104 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_IN_BOOK_COST_AMT	Cost value of merchandise that has been book transferred	105 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_IN_BOOK_COST_AMT_LCL	Cost value of merchandise that has been book transferred	106 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_IN_BOOK_RTL_AMT	Retail value of merchandise that has been book	107 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_IN_BOOK_RTL_AMT_LCL	Retail value of merchandise that has been book	108 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_IN_COST_AMT	Cost value of merchandise that has been transferred into	109 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_IN_COST_AMT_LCL	Cost value of merchandise that has been transferred into	110 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_IN_RTL_AMT	Retail value of merchandise that has been transferred into	111 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_IN_RTL_AMT_LCL	Retail value of merchandise that has been transferred into	112 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_OUT_BOOK_COST_AMT	Cost value of merchandise that has been book transferred	113 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_OUT_BOOK_COST_AMT_LCL	Cost value of merchandise that has been book transferred	114 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_OUT_BOOK_RTL_AMT_LCL	Retail value of merchandise that has been book	115 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_OUT_BOOK_RTL_AMT	Retail value of merchandise that has been book	116 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_OUT_COST_AMT	Cost value of merchandise that has been transferred out	117 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_OUT_COST_AMT_LCL	Cost value of merchandise that has been transferred out	118 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_OUT_RTL_AMT	Retail value of merchandise that has been transferred out	119 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_TSF_OUT_RTL_AMT_LCL	Retail value of merchandise that has been transferred out	120 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_UP_CHRG_EXP_AMT	Cost incurred by the origin location to transfer	121 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_UP_CHRG_EXP_AMT_LCL	Cost incurred by the origin location to transfer	122 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_UP_CHRG_PRFT_AMT	Profit gained from an up charge due to an intercompany	123 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_UP_CHRG_PRFT_AMT_LCL	Profit gained from an up charge due to an intercompany	124 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_WO_POST_FIN_COST_AMT	Cost value of merchandise required work order activity -	125 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_WO_POST_FIN_COST_AMT_LCL	Cost value of merchandise required work order activity -	126 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_WO_UPD_INV_COST_AMT	Cost value of merchandise required work order activity -	127 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_WO_UPD_INV_COST_AMT_LCL	Cost value of merchandise required work order activity -	128 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_WRKRM_COST_AMT	Cost of value added services to make merchandise	129 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_WRKRM_COST_AMT_LCL	Cost of value added services to make merchandise	130 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_MKDN_RTL_AMT	Amount of reduction to the selling price of inventory for a	131 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_MKDN_RTL_AMT_LCL	Amount of reduction to the selling price of inventory for a	132 Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_MKUP_RTL_AMT	Extra amount a retailer charges a franchise customer for	133 Y	NUMBER(20,4)

W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_MKUP_RTL_AMT_LCL	Extra amount a retailer charges a franchise customer for	134	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_RSTK_FEE_AMT	Fee that is charged to franchise/franchise customers by a	135	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_RSTK_FEE_AMT_LCL	Fee that is charged to franchise/franchise customers by a	136	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_RET_COST_AMT	Cost value of units returned from a franchise location. It	137	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_RET_COST_AMT_LCL	Cost value of units returned from a franchise location. It	138	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_RET_RTL_AMT	Retail value of units returned from a franchise location. It	139	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_RET_RTL_AMT_LCL	Retail value of units returned from a franchise location. It	140	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_SLS_COST_AMT	Cost value of units sold to franchise locations, calculated	141	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_SLS_COST_AMT_LCL	Cost value of units sold to franchise locations, calculated	142	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_SLS_RTL_AMT	Retail value of units sold to franchise locations, calculated	143	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_FRANCHISE_SLS_RTL_AMT_LCL	Retail value of units sold to franchise locations, calculated	144	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_VAT_IN_AMT	Input VAT which is VAT charged by a supplier to the	145	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_VAT_IN_AMT_LCL	Input VAT which is VAT charged by a supplier to the	146	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_VAT_OUT_AMT	Output VAT which is VAT charged by a business to a	147	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_VAT_OUT_AMT_LCL	Output VAT which is VAT charged by a business to a	148	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_WEIGHT_VAR_RTL_AMT	Retail variance due to variance in weight for catchweight	149	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	SL_WEIGHT_VAR_RTL_AMT_LCL	Retail variance due to variance in weight for catchweight	150	Y	NUMBER(20,4)
W_RTL_STCKLDGR_SC_LC_WK_FS	EXCHANGE_DT	This is the date when the price change or cost change	151	Y	DATE
W_RTL_STCKLDGR_SC_LC_WK_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	152	Y	DATE
W_RTL_STCKLDGR_SC_LC_WK_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	153	Y	DATE
W_RTL_STCKLDGR_SC_LC_WK_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	154	Y	DATE
W_RTL_STCKLDGR_SC_LC_WK_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	155	Y	DATE
W_RTL_STCKLDGR_SC_LC_WK_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	156	Y	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_WK_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	157	Y	DATE
W_RTL_STCKLDGR_SC_LC_WK_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	158	Y	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_WK_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	159	Y	DATE
W_RTL_STCKLDGR_SC_LC_WK_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	160	N	NUMBER(10,0)
W_RTL_STCKLDGR_SC_LC_WK_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	161	Y	CHAR(1)
W_RTL_STCKLDGR_SC_LC_WK_FS	DOC_CURR_CODE	Code for the currency in which the document was created	162	Y	VARCHAR2(30)
W_RTL_STCKLDGR_SC_LC_WK_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	163	Y	NUMBER(4,0)
W_RTL_STCKLDGR_SC_LC_WK_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	164	Y	NUMBER(22,7)
W_RTL_STCKLDGR_SC_LC_WK_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	165	Y	NUMBER(22,7)
W_RTL_STCKLDGR_SC_LC_WK_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	166	Y	NUMBER(22,7)
W_RTL_STCKLDGR_SC_LC_WK_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	167	N	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_WK_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	168	Y	VARCHAR2(30)
W_RTL_STCKLDGR_SC_LC_WK_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	169	Y	NUMBER(22,7)
W_RTL_STCKLDGR_SC_LC_WK_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	170	Y	VARCHAR2(80)
W_RTL_STCKLDGR_SC_LC_WK_FS	X_CUSTOM	This column is used as a generic field for customer	171	Y	VARCHAR2(10)

<b>TABLE NAME</b>	W_RTL_SUPPCMUF_LC_DY_FS
<b>TABLE DESCRIPTION</b>	This table contains supplier compliance data at the location/day/supplier level.
<b>BUSINESS RULE</b>	As-Is and PIT is not required for vendor compliance. Combination of ORG_NUM, DAY_DT, SUPPLIER_NUM make an alternate/business key for this table. Fact Staging table is a truncate and load. Holds One day Transactions Only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SUPPCMUF_LC_DY_FS	SUPPLIER_NUM	This column is the Supplier Number from	1	N	VARCHAR2(30)
W_RTL_SUPPCMUF_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	2	N	VARCHAR2(30)
W_RTL_SUPPCMUF_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	N	DATE

W_RTL_SUPPCMUF_LC_DY_FS	UNFULFILLED_ASN_COUNT	This is the number of advance shipment notices (ASN)	4 Y	NUMBER(22,7)
W_RTL_SUPPCMUF_LC_DY_FS	UNFULFILLED_PO_COUNT	This is the number of purchase orders where the total	5 Y	NUMBER(22,7)
W_RTL_SUPPCMUF_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	6 Y	VARCHAR2(30)
W_RTL_SUPPCMUF_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	7 Y	VARCHAR2(30)
W_RTL_SUPPCMUF_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	8 Y	NUMBER(22,7)
W_RTL_SUPPCMUF_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	9 Y	NUMBER(22,7)
W_RTL_SUPPCMUF_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	10 Y	NUMBER(22,7)
W_RTL_SUPPCMUF_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	11 Y	NUMBER(22,7)
W_RTL_SUPPCMUF_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	12 Y	VARCHAR2(80)
W_RTL_SUPPCMUF_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	13 Y	VARCHAR2(80)
W_RTL_SUPPCMUF_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	14 Y	DATE
W_RTL_SUPPCMUF_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	15 Y	DATE
W_RTL_SUPPCMUF_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	16 Y	DATE
W_RTL_SUPPCMUF_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	17 Y	DATE
W_RTL_SUPPCMUF_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	18 Y	DATE
W_RTL_SUPPCMUF_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	19 Y	DATE
W_RTL_SUPPCMUF_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	20 Y	CHAR(1)
W_RTL_SUPPCMUF_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	21 N	NUMBER(10,0)
W_RTL_SUPPCMUF_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	22 N	VARCHAR2(80)
W_RTL_SUPPCMUF_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	23 Y	VARCHAR2(80)
W_RTL_SUPPCMUF_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	24 Y	VARCHAR2(10)
W_RTL_SUPPCMUF_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	25 Y	NUMBER(4,0)

<b>TABLE NAME</b>	W_RTL_SUPPCM_IT_LC_DY_FS
<b>TABLE DESCRIPTION</b>	This table contains supplier compliance data at the item/location/day/supplier/purchase order/shipment level.
<b>BUSINESS RULES</b>	As-Is and PIT is not required for vendor compliance. Combination of ORG_NUM, PROD_IT_NUM, DAY_DT, SUPPLIER_NUM, PURCHASE_ORDER_ID, SHIPMENT_ID makes an alternate/business key for this table. Fact Staging table is a truncate and load. Holds One day Transactions Only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SUPPCM_IT_LC_DY_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	1	N	VARCHAR2(80)
W_RTL_SUPPCM_IT_LC_DY_FS	ORG_NUM	This is the location number from W_INT_ORG_D	2	N	VARCHAR2(80)
W_RTL_SUPPCM_IT_LC_DY_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	N	DATE
W_RTL_SUPPCM_IT_LC_DY_FS	SUPPLIER_NUM	This column is the Supplier Number from	4	Y	VARCHAR2(80)
W_RTL_SUPPCM_IT_LC_DY_FS	SHIPMENT_ID	This is a unique ID from the source system that identifies a	5	N	NUMBER(10,0)
W_RTL_SUPPCM_IT_LC_DY_FS	PURCHASE_ORDER_ID	This is a unique ID from the source system that identifies a	6	N	NUMBER(12,0)
W_RTL_SUPPCM_IT_LC_DY_FS	ORDERED_QTY	This is the quantity of units ordered in a purchase order.	7	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	RECEIVED_QTY	This is the quantity of units received in a shipment	8	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	EXPECTED_QTY	This is the quantity of units that is expected to be received	9	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	PO_MET_COUNT	This is the number of purchase orders when ordered	10	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	PO_UNDER_COUNT	This is the number of purchase orders when ordered	11	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	PO_OVER_COUNT	This is the number of purchase orders when ordered	12	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	PO_ABSENT_COUNT	This is the number of shipment deliveries that were	13	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	SHIP_EARLY_COUNT	This is the number of shipment deliveries that arrived	14	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	SHIP_LATE_COUNT	This is the number of shipment deliveries that arrived after	15	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	SHIP_ON_TIME_COUNT	This is the number of shipment deliveries that arrived	16	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	DAYS_EARLY_SHIP	This is the number of days that a shipment delivery arrived	17	Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	DAYS_LATE_SHIP	This is the number of days that a shipment delivery arrived	18	Y	NUMBER(18,4)

W_RTL_SUPPCM_IT_LC_DY_FS	ASN_MET_COUNT	This is the number of advance shipment notices (ASN)	19 Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	ASN_UNDER_COUNT	This is the number of advance shipment notices (ASN)	20 Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	ASN_OVER_COUNT	This is the number of advance shipment notices (ASN)	21 Y	NUMBER(18,4)
W_RTL_SUPPCM_IT_LC_DY_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	22 Y	VARCHAR2(30)
W_RTL_SUPPCM_IT_LC_DY_FS	DOC_CURR_CODE	Code for the currency in which the document was created	23 Y	VARCHAR2(30)
W_RTL_SUPPCM_IT_LC_DY_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	24 Y	NUMBER(22,7)
W_RTL_SUPPCM_IT_LC_DY_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	25 Y	NUMBER(22,7)
W_RTL_SUPPCM_IT_LC_DY_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	26 Y	NUMBER(22,7)
W_RTL_SUPPCM_IT_LC_DY_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	27 Y	NUMBER(22,7)
W_RTL_SUPPCM_IT_LC_DY_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	28 Y	VARCHAR2(80)
W_RTL_SUPPCM_IT_LC_DY_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	29 Y	VARCHAR2(80)
W_RTL_SUPPCM_IT_LC_DY_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	30 Y	DATE
W_RTL_SUPPCM_IT_LC_DY_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	31 Y	DATE
W_RTL_SUPPCM_IT_LC_DY_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	32 Y	DATE
W_RTL_SUPPCM_IT_LC_DY_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	33 Y	DATE
W_RTL_SUPPCM_IT_LC_DY_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	34 Y	DATE
W_RTL_SUPPCM_IT_LC_DY_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	35 Y	DATE
W_RTL_SUPPCM_IT_LC_DY_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	36 Y	CHAR(1)
W_RTL_SUPPCM_IT_LC_DY_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	37 N	NUMBER(10,0)
W_RTL_SUPPCM_IT_LC_DY_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	38 N	VARCHAR2(80)
W_RTL_SUPPCM_IT_LC_DY_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	39 Y	VARCHAR2(80)
W_RTL_SUPPCM_IT_LC_DY_FS	X_CUSTOM	This column is used as a generic field for customer	40 Y	VARCHAR2(10)
W_RTL_SUPPCM_IT_LC_DY_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	41 Y	NUMBER(4,0)

<b>TABLE NAME:</b>	W_RTL_SUPPLIER_TRAIT_DS
<b>TABLE DESCRIPTION:</b>	This table contains supplier traits and their relationship to suppliers. Supplier traits are attributes of a supplier used to group suppliers with similar characteristics.
<b>BUSINESS RULE:</b>	This table defines the associations between supplier and supplier trait. This table cannot contain duplicate records for SUPPLIER_NUM and SUPPLIER_TRAIT_ID. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SUPPLIER_TRAIT_DS	SUPPLIER_NUM	This is the unique ID from the source system that identifies	1	N	VARCHAR2(30)
W_RTL_SUPPLIER_TRAIT_DS	SUPPLIER_TRAIT_ID	This is the unique ID from the source system that identifies	2	N	VARCHAR2(30)
W_RTL_SUPPLIER_TRAIT_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	3	Y	DATE
W_RTL_SUPPLIER_TRAIT_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	4	Y	DATE
W_RTL_SUPPLIER_TRAIT_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	5	Y	DATE
W_RTL_SUPPLIER_TRAIT_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	6	Y	DATE
W_RTL_SUPPLIER_TRAIT_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	7	Y	VARCHAR2(80)
W_RTL_SUPPLIER_TRAIT_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	8	Y	DATE
W_RTL_SUPPLIER_TRAIT_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	9	Y	VARCHAR2(80)
W_RTL_SUPPLIER_TRAIT_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	10	Y	DATE
W_RTL_SUPPLIER_TRAIT_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	11	N	NUMBER(10,0)
W_RTL_SUPPLIER_TRAIT_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	12	Y	CHAR(1)
W_RTL_SUPPLIER_TRAIT_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	13	N	VARCHAR2(80)
W_RTL_SUPPLIER_TRAIT_DS	SRC_EFF_FROM_DT	This column stores the date from which the dimension	14	Y	DATE
W_RTL_SUPPLIER_TRAIT_DS	SRC_EFF_TO_DT	This column stores the date until which the dimension	15	Y	DATE
W_RTL_SUPPLIER_TRAIT_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16	Y	VARCHAR2(80)
W_RTL_SUPPLIER_TRAIT_DS	X_CUSTOM	This column is used as a generic field for customer	17	Y	VARCHAR2(10)

<b>TABLE NAME</b>	<b>W_RTL_SUPP_IVC_PO_IT_FS</b>
<b>TABLE DESCRIPTION</b>	This table holds the supplier invoice and purchase order cost of each item on a matched invoice
<b>BUSINESS RULES</b>	Combination of PROD_IT_NUM, SUPPLIER_NUM, INVOICE_ID, PURCHASE_ORDER_ID, ORG_NUM make an alternate/business key for this table. Fact Staging table is a truncate and load. Holds One day Transactions Only. ETL_THREAD_VAL column should have valid thread values (Depends on maximum number of threads that are used for loading). The value of this will be from 1 through the maximum number of threads based on the ORG_NUM. This maximum number value can be configured in C_ODI_PARAM table for each table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_SUPP_IVC_PO_IT_FS	ORG_NUM	This is the location number from W_INT_ORG_D	1	Y	VARCHAR2(80)
W_RTL_SUPP_IVC_PO_IT_FS	PROD_IT_NUM	This is the Item Number from the W_PRODUCT_D table	2	N	VARCHAR2(80)
W_RTL_SUPP_IVC_PO_IT_FS	DAY_DT	This is the Day Date from W_MCAL_DAY_D	3	Y	DATE
W_RTL_SUPP_IVC_PO_IT_FS	SUPPLIER_NUM	This column is the Supplier Number from	4	N	VARCHAR2(80)
W_RTL_SUPP_IVC_PO_IT_FS	PURCHASE_ORDER_ID	This is the unique ID from the source system that identifies	5	N	VARCHAR2(30)
W_RTL_SUPP_IVC_PO_IT_FS	INVOICE_ID	This is the unique ID from the source system that identifies	6	N	VARCHAR2(30)
W_RTL_SUPP_IVC_PO_IT_FS	INVOICE_QTY	This is the number of units that a supplier is requesting	7	Y	NUMBER(18,4)
W_RTL_SUPP_IVC_PO_IT_FS	INVOICE_UNIT_COST_AMT_LCL	This is the unit cost being charged by the supplier to the	8	Y	NUMBER(20,4)
W_RTL_SUPP_IVC_PO_IT_FS	PO_UNIT_COST_AMT_LCL	This is the unit cost that was indicated when an order was	9	Y	NUMBER(20,4)
W_RTL_SUPP_IVC_PO_IT_FS	EXCHANGE_DT	This is the date when the price change or cost change	10	Y	DATE
W_RTL_SUPP_IVC_PO_IT_FS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	11	Y	DATE
W_RTL_SUPP_IVC_PO_IT_FS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_RTL_SUPP_IVC_PO_IT_FS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_RTL_SUPP_IVC_PO_IT_FS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	14	Y	DATE
W_RTL_SUPP_IVC_PO_IT_FS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	15	Y	VARCHAR2(80)
W_RTL_SUPP_IVC_PO_IT_FS	CHANGED_ON_DT	Identifies the date and time when the record was last	16	Y	DATE
W_RTL_SUPP_IVC_PO_IT_FS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	17	Y	VARCHAR2(80)
W_RTL_SUPP_IVC_PO_IT_FS	CREATED_ON_DT	Identifies the date and time when the record was initially	18	Y	DATE
W_RTL_SUPP_IVC_PO_IT_FS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	19	N	NUMBER(10,0)
W_RTL_SUPP_IVC_PO_IT_FS	DELETE_FLG	This flag indicates the deletion status of the record in the	20	Y	CHAR(1)
W_RTL_SUPP_IVC_PO_IT_FS	DOC_CURR_CODE	Code for the currency in which the document was created	21	Y	VARCHAR2(30)
W_RTL_SUPP_IVC_PO_IT_FS	ETL_THREAD_VAL	When we execute our Extract program in multithreading ,	22	Y	NUMBER(4,0)
W_RTL_SUPP_IVC_PO_IT_FS	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	23	Y	NUMBER(22,7)
W_RTL_SUPP_IVC_PO_IT_FS	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	24	Y	NUMBER(22,7)
W_RTL_SUPP_IVC_PO_IT_FS	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	25	Y	NUMBER(22,7)
W_RTL_SUPP_IVC_PO_IT_FS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	26	N	VARCHAR2(80)
W_RTL_SUPP_IVC_PO_IT_FS	LOC_CURR_CODE	Usually the reporting currency code for the financial	27	Y	VARCHAR2(30)
W_RTL_SUPP_IVC_PO_IT_FS	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	28	Y	NUMBER(22,7)
W_RTL_SUPP_IVC_PO_IT_FS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	29	Y	VARCHAR2(80)
W_RTL_SUPP_IVC_PO_IT_FS	X_CUSTOM	This column is used as a generic field for customer	30	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_RTL_TNDR_TYPE_DS</b>
<b>TABLE DESCRIPTION:</b>	This table holds tender Type information that customer can use for tender payment. Any records that are not loaded in staging table are considered as closed. Complete data should be extracted not depending on the dates.
<b>BUSINESS RULE:</b>	TNDR_TYPE_ID makes the alternate key/ business key for this table. A full snapshot of customer payment tender type information listed below should be provided in the staging table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_TNDR_TYPE_DS	TNDR_TYPE_ID	The unique identifier of tender type.	1	N	VARCHAR2(50)
W_RTL_TNDR_TYPE_DS	TNDR_TYPE_GRP_ID	The tender type group the tender belong to.	2	Y	VARCHAR2(50)
W_RTL_TNDR_TYPE_DS	CASH_EQUIV_FLG	The cash equivalent flag.	3	Y	CHAR(1)
W_RTL_TNDR_TYPE_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	NUMBER(10,0)
W_RTL_TNDR_TYPE_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	5	Y	NUMBER(10,0)

W_RTL_TNDR_TYPE_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	6 Y	DATE
W_RTL_TNDR_TYPE_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	7 Y	DATE
W_RTL_TNDR_TYPE_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	8 Y	DATE
W_RTL_TNDR_TYPE_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	9 Y	DATE
W_RTL_TNDR_TYPE_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	10 Y	DATE
W_RTL_TNDR_TYPE_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	11 Y	DATE
W_RTL_TNDR_TYPE_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	12 Y	DATE
W_RTL_TNDR_TYPE_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	13 Y	DATE
W_RTL_TNDR_TYPE_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	14 Y	CHAR(1)
W_RTL_TNDR_TYPE_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	15 N	NUMBER(10,0)
W_RTL_TNDR_TYPE_DS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	16 N	NUMBER(10,0)
W_RTL_TNDR_TYPE_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	17 N	VARCHAR2(80)
W_RTL_TNDR_TYPE_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	18 Y	VARCHAR2(80)
W_RTL_TNDR_TYPE_DS	X_CUSTOM	This column is used as a generic field for customer	19 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_TRADE_AREA_DS
<b>TABLE DESCRIPTION:</b>	This table holds the trade area data.
<b>BUSINESS RULE:</b>	TRADE_AREA_NUM and DATASOURCE_NUM_ID makes the alternate key / business key for this table

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_TRADE_AREA_DS	TRADE_AREA_NUM	The trade area ID.	1	N	VARCHAR2(50)
W_RTL_TRADE_AREA_DS	TRADE_AREA_TYPE	Trade area types (Urban, Suburban, Rural, and others)	2	N	VARCHAR2(50)
W_RTL_TRADE_AREA_DS	TRADE_AREA_CAPTURE	component of Pull factor calculation is first computed by	3	Y	NUMBER(18,4)
W_RTL_TRADE_AREA_DS	CITY_POPULATION	City population for this trade area	4	Y	NUMBER(18,4)
W_RTL_TRADE_AREA_DS	COMMUTER_POPULATION	Number of people who commute in this trade area.	5	Y	NUMBER(18,4)
W_RTL_TRADE_AREA_DS	PEAK_SEASON_POPULATION	Peak season population for this trade area	6	Y	NUMBER(18,4)
W_RTL_TRADE_AREA_DS	TOURIST_POPULATION	Tourist population for this trade area	7	Y	NUMBER(18,4)
W_RTL_TRADE_AREA_DS	STATE_POPULATION	State population for this trade area	8	Y	NUMBER(18,4)
W_RTL_TRADE_AREA_DS	HOUSEHOLD_COUNT	Number of households covered in this trade area	9	Y	NUMBER(18,4)
W_RTL_TRADE_AREA_DS	AVG_FAMILY_SIZE	Average family size in this trade area	10	Y	NUMBER(18,4)
W_RTL_TRADE_AREA_DS	PER_CAPITA_INCOME	Per capita income in this trade area	11	Y	NUMBER(20,4)
W_RTL_TRADE_AREA_DS	AVG_NUM_OF_VEHICLES	Average number of vehicles per household in this trade	12	Y	NUMBER(18,4)
W_RTL_TRADE_AREA_DS	AVERAGE_DRIVE_TIME	Average Drive Time in minutes for a Trade Area	13	Y	NUMBER(10,0)
W_RTL_TRADE_AREA_DS	PULL_FACTOR	Pull factors are ratios that estimate the proportion of local	14	Y	NUMBER(22,7)
W_RTL_TRADE_AREA_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	15	Y	VARCHAR2(80)
W_RTL_TRADE_AREA_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	16	Y	VARCHAR2(80)
W_RTL_TRADE_AREA_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	17	Y	DATE
W_RTL_TRADE_AREA_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	18	Y	DATE
W_RTL_TRADE_AREA_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	19	Y	DATE
W_RTL_TRADE_AREA_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	20	Y	DATE
W_RTL_TRADE_AREA_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	21	Y	DATE
W_RTL_TRADE_AREA_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	22	Y	DATE
W_RTL_TRADE_AREA_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	23	Y	DATE
W_RTL_TRADE_AREA_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	24	Y	DATE
W_RTL_TRADE_AREA_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	25	Y	CHAR(1)
W_RTL_TRADE_AREA_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	26	N	NUMBER(10,0)
W_RTL_TRADE_AREA_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	27	N	VARCHAR2(80)
W_RTL_TRADE_AREA_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	28	Y	VARCHAR2(80)
W_RTL_TRADE_AREA_DS	X_CUSTOM	This column is used as a generic field for customer	29	Y	VARCHAR2(10)



<b>TABLE NAME:</b>	<b>W_RTL_TRADE_AREA_LOC_MTX_DS</b>
<b>TABLE DESCRIPTION:</b>	This table holds the trade area location matrix data.
<b>BUSINESS RULE:</b>	TRADE_AREA_NUM, ORG_NUM and DATASOURCE_NUM_ID makes the alternate key/ business key for this table

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_TRADE_AREA_LOC_MTX_DS	TRADE_AREA_NUM	The trade area ID.	1	N	VARCHAR2(50)
W_RTL_TRADE_AREA_LOC_MTX_DS	ORG_NUM	This is a foreign key to the W_INT_ORG_D table	2	N	VARCHAR2(30)
W_RTL_TRADE_AREA_LOC_MTX_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	3	Y	VARCHAR2(80)
W_RTL_TRADE_AREA_LOC_MTX_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	4	Y	VARCHAR2(80)
W_RTL_TRADE_AREA_LOC_MTX_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	5	Y	DATE
W_RTL_TRADE_AREA_LOC_MTX_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	6	Y	DATE
W_RTL_TRADE_AREA_LOC_MTX_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	7	Y	DATE
W_RTL_TRADE_AREA_LOC_MTX_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	8	Y	DATE
W_RTL_TRADE_AREA_LOC_MTX_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	9	Y	DATE
W_RTL_TRADE_AREA_LOC_MTX_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	10	Y	DATE
W_RTL_TRADE_AREA_LOC_MTX_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	11	Y	DATE
W_RTL_TRADE_AREA_LOC_MTX_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	12	Y	DATE
W_RTL_TRADE_AREA_LOC_MTX_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	13	Y	CHAR(1)
W_RTL_TRADE_AREA_LOC_MTX_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	14	N	NUMBER(10,0)
W_RTL_TRADE_AREA_LOC_MTX_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	15	N	VARCHAR2(80)
W_RTL_TRADE_AREA_LOC_MTX_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	16	Y	VARCHAR2(80)
W_RTL_TRADE_AREA_LOC_MTX_DS	X_CUSTOM	This column is used as a generic field for customer	17	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_STATUS_DS</b>
<b>TABLE DESCRIPTION:</b>	This staging table holds all the statuses that customer order can go into. Any records that are not loaded in staging table are considered as closed. Complete data should be extracted not depending on the dates.
<b>BUSINESS RULE:</b>	W_STATUS_CLASS and STATUS_CODE makes the alternate key/ business key for this table. A full snapshot of status dimension information listed below should be provided in the staging table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_STATUS_DS	W_STATUS_CLASS	Identifies the classification of the status. For example,	1	N	VARCHAR2(50)
W_STATUS_DS	STATUS_CODE	Identifies the status code as defined in the source system	2	N	VARCHAR2(50)
W_STATUS_DS	STATUS_NAME	Identifies the status name as defined in the source system.	3	Y	VARCHAR2(80)
W_STATUS_DS	SUBSTATUS_CODE	Identifies the sub status code as defined in the source	4	Y	VARCHAR2(50)
W_STATUS_DS	SUBSTATUS_NAME	Identifies the sub status name as defined in the source	5	Y	VARCHAR2(80)
W_STATUS_DS	SUBSTATUS_DESC	Detailed description of the sub status code as defined in	6	Y	VARCHAR2(255)
W_STATUS_DS	ACTIVE_FLG	Identifies whether the record is Active/Enabled in the	7	Y	CHAR(1)
W_STATUS_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	8	Y	NUMBER(10,0)
W_STATUS_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	9	Y	NUMBER(10,0)
W_STATUS_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	10	Y	DATE
W_STATUS_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	11	Y	DATE
W_STATUS_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	12	Y	DATE
W_STATUS_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	13	Y	DATE
W_STATUS_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	14	Y	DATE
W_STATUS_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	15	Y	DATE
W_STATUS_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record	16	Y	DATE
W_STATUS_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record	17	Y	DATE
W_STATUS_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	18	Y	CHAR(1)
W_STATUS_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	19	N	NUMBER(10,0)
W_STATUS_DS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for	20	N	NUMBER(10,0)



W_STATUS_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	21 N	VARCHAR2(80)
W_STATUS_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	22 Y	VARCHAR2(80)
W_STATUS_DS	X_CUSTOM	This column is used as a generic field for customer	23 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_XACT_TYPE_DS
<b>TABLE DESCRIPTION:</b>	The W_XACT_TYPE_D dimension table defines various transaction types available from the domain and client value lists. This table is designed to be a Type-1 dimension
<b>BUSINESS RULE:</b>	This table contains the complete snapshot of active information. This table cannot contain duplicate records for W_XACT_CODE and XACT_TYPE_CODE. Dimension Staging table is a truncate and load. It holds one day's transaction only. This table contains neither break-to-sell items nor packs that contain break-to-sell component items.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_XACT_TYPE_DS	W_XACT_CODE	Identifies the code for classification and grouping of the	1	Y	VARCHAR2(50)
W_XACT_TYPE_DS	W_XACT_CAT_CODE	Identifies the code of the transaction category. It is a	2	N	VARCHAR2(50)
W_XACT_TYPE_DS	XACT_TYPE_CODE	Identifies the transaction type code as defined in the	3	Y	VARCHAR2(50)
W_XACT_TYPE_DS	XACT_TYPE_CODE1	Identifies the transaction type code as defined in the	4	Y	VARCHAR2(50)
W_XACT_TYPE_DS	XACT_TYPE_CODE2	Identifies the transaction type code as defined in the	5	Y	VARCHAR2(50)
W_XACT_TYPE_DS	XACT_SUBTYPE_CODE	Identifies the transaction sub type code as defined in the	6	Y	VARCHAR2(50)
W_XACT_TYPE_DS	W_XACT_TYPE_CODE	Identifies the transaction type code as converted in the	7	N	VARCHAR2(50)
W_XACT_TYPE_DS	W_XACT_TYPE_CODE1	Identifies the transaction type code as converted in the	8	Y	VARCHAR2(50)
W_XACT_TYPE_DS	W_XACT_TYPE_CODE2	Identifies the transaction type code as converted in the	9	Y	VARCHAR2(50)
W_XACT_TYPE_DS	W_XACT_SUBTYPE_CODE	Identifies the transaction sub type code as converted in	10	Y	VARCHAR2(50)
W_XACT_TYPE_DS	ACTIVE_FLG	Identifies whether the record is Active/Enabled in the	11	Y	CHAR(1)
W_XACT_TYPE_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	12	Y	VARCHAR2(80)
W_XACT_TYPE_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	13	Y	VARCHAR2(80)
W_XACT_TYPE_DS	CREATED_ON_DT	Identifies the date and time when the record was initially	14	Y	DATE
W_XACT_TYPE_DS	CHANGED_ON_DT	Identifies the date and time when the record was last	15	Y	DATE
W_XACT_TYPE_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	16	Y	DATE
W_XACT_TYPE_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	17	Y	DATE
W_XACT_TYPE_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	18	Y	DATE
W_XACT_TYPE_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	19	Y	DATE
W_XACT_TYPE_DS	DELETE_FLG	This flag indicates the deletion status of the record in the	20	Y	CHAR(1)
W_XACT_TYPE_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	21	N	NUMBER(10,0)
W_XACT_TYPE_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	22	N	VARCHAR2(80)
W_XACT_TYPE_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-	23	Y	VARCHAR2(80)
W_XACT_TYPE_DS	X_CUSTOM	This column is used as a generic field for customer	24	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_DOMAIN_MEMBER_DS_TL
<b>TABLE DESCRIPTION:</b>	W_DOMAIN_MEMBER_DS_TL is the staging table for W_DOMAIN_MEMBER_LKP_TL
<b>BUSINESS RULE:</b>	This table supports MLS columns for many low volume dimensions which doesn't require their own TL table.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_DOMAIN_MEMBER_DS_TL	DOMAIN_CODE	Domain code	1	N	VARCHAR2(255)
W_DOMAIN_MEMBER_DS_TL	DOMAIN_TYPE_CODE	Domain Type code	2	N	VARCHAR2(30)
W_DOMAIN_MEMBER_DS_TL	DOMAIN_MEMBER_CODE	Domain Member code	3	N	VARCHAR2(255)
W_DOMAIN_MEMBER_DS_TL	DOMAIN_MEMBER_REF_CODE	Domain Member Reference code	4	Y	VARCHAR2(30)

W_DOMAIN_MEMBER_DS_TL	DOMAIN_MEMBER_NAME	Domain Member name	5	N	VARCHAR2(255)
W_DOMAIN_MEMBER_DS_TL	DOMAIN_MEMBER_DESCR	Domain Member Description	6	Y	VARCHAR2(255)
W_DOMAIN_MEMBER_DS_TL	LANGUAGE_CODE	Language code	7	Y	VARCHAR2(4)
	SRC_LANGUAGE_CODE	This identifies the primary language in which the code value is maintained.		Y	VARCHAR2(4)
W_DOMAIN_MEMBER_DS_TL	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who created the record in the source system	8	Y	VARCHAR2(80)
W_DOMAIN_MEMBER_DS_TL	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who last modified the record in the source system.	9	Y	VARCHAR2(80)
W_DOMAIN_MEMBER_DS_TL	CREATED_ON_DT	Identifies the date and time when the record was initially created in the source system.	10	Y	DATE
W_DOMAIN_MEMBER_DS_TL	CHANGED_ON_DT	Identifies the date and time when the record was last modified in the source system.	11	Y	DATE
W_DOMAIN_MEMBER_DS_TL	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	12	Y	DATE
W_DOMAIN_MEMBER_DS_TL		Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	13		
W_DOMAIN_MEMBER_DS_TL	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	14	Y	DATE
W_DOMAIN_MEMBER_DS_TL	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	15	Y	DATE
W_DOMAIN_MEMBER_DS_TL	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	16	Y	DATE
W_DOMAIN_MEMBER_DS_TL	DELETE_FLG	This flag indicates the deletion status of the record in the source system. A value of "Y" indicates that the record is deleted from the source system and logically deleted from the data warehouse' a value of "N" indicates that the record is active.	17	Y	CHAR(1)
W_DOMAIN_MEMBER_DS_TL	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances.	18	N	NUMBER(10,0)
W_DOMAIN_MEMBER_DS_TL	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment. This would typically be used in an Application Service Provider (ASP) / Software As a Service (SOAS) model.	19	Y	VARCHAR2(80)

W\_DOMAIN\_MEMBER\_DS\_TL

X\_CUSTOM

This column is used as a generic field for customer extensions.

20 Y

VARCHAR2(10)

<b>TABLE NAME:</b>	<b>W_INT_ORG_DHS</b>
<b>TABLE DESCRIPTION:</b>	<b>W_INT_ORG_DHS is the staging table of W_INT_ORG_DH.</b>
<b>BUSINESS RULE:</b>	<p>This table stores organization hierarchy data which support the operational structure of retailer's company. Hierarchy levels can be based on geography, business types or any manner as required by the retailer.</p> <p>The names of each level of hierarchy should be defined. Each level should be assigned to an individual responsible, for that areas of business.</p> <p>The least level of the hierarchy should be the retailer's stores or warehouses or external finisher (partner). These stores, External Finishers and warehouses should be defined at one level in the organization hierarchy. At any point in time one store/Warehouse/external finisher location belongs to only one hierarchy</p>

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_INT_ORG_DHS	ORG_TOP_NUM	This is the top level number.	1	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER13_NUM	This is the level13 number.	2	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER12_NUM	This is the level12 number.	3	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER11_NUM	This is the level11 number.	4	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER10_NUM	This is the level10 number.	5	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER9_NUM	This is the level9 number.	6	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER13_MGR	This is the level13 manager name.	7	Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER12_MGR	This is the level12 manager name.	8	Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER11_MGR	This is the level11 manager name.	9	Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER10_MGR	This is the level10 manager name.	10	Y	VARCHAR2(255)
W_INT_ORG_DHS	LEVEL_NAME	This indicates whether this row represents channel or banner.	11	Y	VARCHAR2(40)
W_INT_ORG_DHS	BASE_ORG_NUM	This is the Base Organization number.	12	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER1_NUM	This is the level1 number	13	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER2_NUM	This is the level2 number.	14	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER3_NUM	This is the level3 number.	15	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER4_NUM	This is the level4 number.	16	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER5_NUM	This is the level5 number.	17	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER6_NUM	This is the level6 number.	18	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER7_NUM	This is the level7 number.	19	Y	VARCHAR2(30)
W_INT_ORG_DHS	ORG_HIER8_NUM	This is the level8 number.	20	Y	VARCHAR2(30)

W_INT_ORG_DHS	HIERARCHY_NAME	This is the hierarchy name.	21 Y	VARCHAR2(80)
W_INT_ORG_DHS	HIERARCHY_VERSION	This column gives the version of the Hierarchy	22 Y	VARCHAR2(15)
W_INT_ORG_DHS	W_HIERARCHY_CLASS	This is the domain value of the Hierarchy name	23 Y	VARCHAR2(50)
W_INT_ORG_DHS	PRIMARY_FLG	This is the primary hierarchy within a domain value.	24 Y	CHAR(1)
W_INT_ORG_DHS	FIXED_HIER_LEVEL	This is the fixed hierarchy level.	25 Y	NUMBER(10,0)
W_INT_ORG_DHS	DIVN_FLG	Indicates whether the organization is a division or department	26 Y	CHAR(1)
W_INT_ORG_DHS	BU_FLG	Indicates whether the organization is a business unit.	27 Y	CHAR(1)
W_INT_ORG_DHS	SALES_GROUP_FLG	Indicates whether the organization is a sales group.	28 Y	CHAR(1)
W_INT_ORG_DHS	PRTNR_FLG	Indicates whether the organization is a partner.	29 Y	CHAR(1)
W_INT_ORG_DHS	INTERNAL_FLG	Indicates whether the organization is internal.	30 Y	CHAR(1)
W_INT_ORG_DHS	CNTCT_REP_ORG_FLG	Indicates whether the organization is a contact representative organization.	31 Y	CHAR(1)
W_INT_ORG_DHS	BUSINESS_AREA_FLG	Indicates whether the organization is a SAP/JDE business area.	32 Y	CHAR(1)
W_INT_ORG_DHS	COMPANY_FLG	Indicates whether the organization is a financial company.	33 Y	CHAR(1)
W_INT_ORG_DHS	LEGAL_ENTITY_FLG	Indicates whether the organization is a legal entity.	34 Y	CHAR(1)
W_INT_ORG_DHS	OPERATING_UNIT_FLG	Indicates whether the organization is an operating unit.	35 Y	CHAR(1)
W_INT_ORG_DHS	BUSINESS_GROUP_FLG	Indicates whether the organization is a business group.	36 Y	CHAR(1)
W_INT_ORG_DHS	INV_ORG_FLG	Indicates whether the organization is an inventory organization.	37 Y	CHAR(1)
W_INT_ORG_DHS	HR_ORG_FLG	Indicates whether the organization is a human resource organization.	38 Y	CHAR(1)
W_INT_ORG_DHS	GOVT_REPT_ENTITY_FLG	Indicates whether the organization is a government reporting entity.	39 Y	CHAR(1)
W_INT_ORG_DHS	BALANCING_ENTITY_FLG	Indicates whether the organization is a balancing entity.	40 Y	CHAR(1)
W_INT_ORG_DHS	ASSET_ORG_FLG	Indicates whether the organization is an asset organization.	41 Y	CHAR(1)
W_INT_ORG_DHS	PROJECT_ORG_FLG	Indicates whether the organization is a project organization.	42 Y	CHAR(1)
W_INT_ORG_DHS	PROJECT_BU_FLG	Project BU flag	43 Y	CHAR(1)
W_INT_ORG_DHS	CONTROL_AREA_FLG	Indicates whether the organization is a SAP control area.	44 Y	CHAR(1)
W_INT_ORG_DHS	CONTRACT_BU_FLG	Contract BU flag	45 Y	CHAR(1)

W_INT_ORG_DHS	FIN_AREA_FLG	Indicates whether the organization is a SAP financial area. Indicates whether the	46 Y	CHAR(1)
W_INT_ORG_DHS	VALUATION_AREA_FLG	Indicates whether the organization is a SAP valuation area. Indicates whether the	47 Y	CHAR(1)
W_INT_ORG_DHS	SALES_AREA_FLG	Indicates whether the organization is a SAP sales area. Indicates whether the	48 Y	CHAR(1)
W_INT_ORG_DHS	MARKETING_ORG_FLG	Indicates whether the organization is a marketing organization.	49 Y	CHAR(1)
W_INT_ORG_DHS	PURCH_ORG_FLG	Indicates whether the organization is a purchasing organization.	50 Y	CHAR(1)
W_INT_ORG_DHS	SALES_ORG_FLG	Indicates whether the organization is a sales organization. Indicates whether the	51 Y	CHAR(1)
W_INT_ORG_DHS	PAYABLES_ORG_FLG	Indicates whether the organization is a Payables organization.	52 Y	CHAR(1)
W_INT_ORG_DHS	RECEIVABLES_ORG_FLG	Indicates whether the organization is a Receivables organization.	53 Y	CHAR(1)
W_INT_ORG_DHS	SERVICE_ORG_FLG	Indicates whether the organization is a service organization.	54 Y	CHAR(1)
W_INT_ORG_DHS	BRANCH_FLG	Indicates if the organization is a branch	55 Y	CHAR(1)
W_INT_ORG_DHS	PROJECT_EXP_ORG_FLG	PROJECT_EXP_ORG_FLG	55 Y	CHAR(1)
W_INT_ORG_DHS	PROJECT_EXP_ORG_FLG	Indicates if the organization is a Project Expenditure Organization	56 Y	CHAR(1)
W_INT_ORG_DHS	ORG_TYPE_CODE	Indicates the type of the Organization	57 Y	VARCHAR2(50)
<p>This column represents a unique identifier often used by source systems for the purpose of data sharing, reducing redundancies and minimizing system maintenance tasks, or even to drive data visibility. From a data warehouse standpoint, the intended use of this column is to drive dimensional data security, primarily.</p>				
W_INT_ORG_DHS	SET_ID	Indicates whether the organization is a retail organization	58 Y	VARCHAR2(30)
W_INT_ORG_DHS	RETAIL_FLG	Indicates whether the organization is a retail organization	59 Y	VARCHAR2(1)
W_INT_ORG_DHS	ENTERPRISE_FLG	Enterprise flag	60 Y	CHAR(1)
W_INT_ORG_DHS	REPORTING_EST_FLG	Reporting Est flag	61 Y	CHAR(1)
W_INT_ORG_DHS	BASE_ORG_MGR	This is the Base Organization name.	62 Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER1_MGR	This is the level1 manager name.	63 Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER2_MGR	This is the level2 manager name.	64 Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER3_MGR	This is the level3 manager name.	65 Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER4_MGR	This is the level4 manager name.	66 Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER5_MGR	This is the level5 manager name.	67 Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER6_MGR	This is the level6 manager name.	68 Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER7_MGR	This is the level7 manager name.	69 Y	VARCHAR2(255)
W_INT_ORG_DHS	ORG_HIER8_MGR	This is the level8 manager name.	70 Y	VARCHAR2(255)

W_INT_ORG_DHS	ORG_HIER9_MGR	This is the level9 manager name.	71 Y	VARCHAR2(255)
W_INT_ORG_DHS	TOP_ORG_MGR	This is the top level manager name.	72 Y	VARCHAR2(255)
W_INT_ORG_DHS	EXPENDITURE_ORG_FLG	Expenditure Org flag	73 Y	CHAR(1)
W_INT_ORG_DHS	PAYROLL_STATUTORY_UNIT_FLG	Payroll Statutory Unit flag	74 Y	CHAR(1)
W_INT_ORG_DHS	CUSTOMER_PAYMENTS_BU_FLG	Customer Payment BU flag	75 Y	CHAR(1)
W_INT_ORG_DHS	EXPENSE_BU_FLG	Expense BU flag	76 Y	CHAR(1)
W_INT_ORG_DHS	COLLECTIONS_BU_FLG	Collections BU flag	77 Y	CHAR(1)
W_INT_ORG_DHS	MATERIALS_MANAGEMENT_BU_FLG	Material Management BU flag	78 Y	CHAR(1)
W_INT_ORG_DHS	PRC_CONTRACT_MANAGEMENT_BU_FLG	PRC Contract Management BU flag	79 Y	CHAR(1)
W_INT_ORG_DHS	RECEIVING_BU_FLG	Receiving BU flag	80 Y	CHAR(1)
W_INT_ORG_DHS	FINANCIAL_BU_FLG	Financial BU flag	81 Y	CHAR(1)
W_INT_ORG_DHS	REQUISITION_BU_FLG	Requisition BU flag	82 Y	CHAR(1)
W_INT_ORG_DHS	COST_ORG_FLG	Cost Org flag	83 Y	CHAR(1)
W_INT_ORG_DHS	PROJECT_UNIT_FLG	Project Unit flag	84 Y	CHAR(1)
W_INT_ORG_DHS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who created the record in the source system	85 Y	VARCHAR2(80)
W_INT_ORG_DHS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who last modified the record in the source system.	86 Y	VARCHAR2(80)
W_INT_ORG_DHS	CREATED_ON_DT	Identifies the date and time when the record was initially created in the source system.	87 Y	DATE
W_INT_ORG_DHS	CHANGED_ON_DT	Identifies the date and time when the record was last modified in the source system.	88 Y	DATE
W_INT_ORG_DHS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	89 Y	DATE
W_INT_ORG_DHS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	90 Y	DATE
W_INT_ORG_DHS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	91 Y	DATE
W_INT_ORG_DHS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	92 Y	DATE
W_INT_ORG_DHS	SRC_EFF_FROM_DT	This column stores the date from which the source record (in the Source system) is effective. The value is extracted from the source (whenever available)	93 Y	DATE

W_INT_ORG_DHS	SRC_EFF_TO_DT	This column stores the date up to which the source record (in the Source system) is effective. The value is extracted from the source (whenever available)	94 Y	DATE
W_INT_ORG_DHS	DELETE_FLG	This flag indicates the deletion status of the record in the source system. A value of "Y" indicates that the record is deleted from the source system and logically deleted from the data warehouse' a value of "N" indicates that the record is active.	95 Y	CHAR(1)
W_INT_ORG_DHS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances.	96 N	NUMBER(10,0)
W_INT_ORG_DHS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact entity in its source system. In case of composite keys, the value in this column can consist of concatenated parts.	97 N	VARCHAR2(80)
W_INT_ORG_DHS	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment. This would typically be used in an Application Service Provider (ASP) / Software As a Service (SOAS) model.	98 Y	VARCHAR2(80)
W_INT_ORG_DHS	X_CUSTOM	This column is used as a generic field for customer extensions.	99 Y	VARCHAR2(10)

TABLE NAME:	W_INT_ORG_DS_TL	
TABLE DESCRIPTION:	W_INT_ORG_DS_TL is the staging table for W_INT_ORG_D_TL.	

**BUSINESS RULE:**

This table contains the translation requirements of Organization information. SRC\_LANGUAGE\_CODE should be mapped with source primary language. The source primary language should be consistent throughout RA. The Intergartion\_ID column should be populated with organization id. DATASOURCE\_NUM\_ID column should be mapped to the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances and these ID's should be used consistently throughout RA.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_INT_ORG_DS_TL	ORG_NAME	Organization name□	1	Y	VARCHAR2(150)
W_INT_ORG_DS_TL	ORG_DESCR	Organization Description	2	Y	VARCHAR2(255)
W_INT_ORG_DS_TL	LANGUAGE_CODE	language code This identifies the primary language in which the code value is maintained.□	3	Y	VARCHAR2(240)
W_INT_ORG_DS_TL	SRC_LANGUAGE_CODE	This is a foreign key to the W_USER_D dimension indicating the user who created the record in the source system□	4	Y	VARCHAR2(4)
W_INT_ORG_DS_TL	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who last modified the record in the source system.□	5	Y	VARCHAR2(80)
W_INT_ORG_DS_TL	CHANGED_BY_ID	Identifies the date and time when the record was initially created in the source system.□	6	Y	VARCHAR2(80)
W_INT_ORG_DS_TL	CREATED_ON_DT	Identifies the date and time when the record was last modified in the source system.□	7	Y	DATE
W_INT_ORG_DS_TL	CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.□	8	Y	DATE
W_INT_ORG_DS_TL	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.□	9	Y	DATE
W_INT_ORG_DS_TL	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.□	10	Y	DATE



W_INT_ORG_DS_TL	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table. □	11 Y	DATE
W_INT_ORG_DS_TL	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table. □	12 Y	DATE
W_INT_ORG_DS_TL	INTEGRATION_ID	This column is the unique identifier of a dimension or fact entity in its source system. In case of composite keys, the value in this column can consist of concatenated parts. □	13 Y	VARCHAR2(80)
W_INT_ORG_DS_TL	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances. □	14 Y	NUMBER(10,0)
W_INT_ORG_DS_TL	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment. This would typically be used in an Application Service Provider (ASP) / Software As a Service (SOAS) model. □	15 Y	VARCHAR2(80)
W_INT_ORG_DS_TL	X_CUSTOM	This column is used as a generic field for customer extensions. □	16 Y	VARCHAR2(10)
<b>TABLE NAME:</b>	W_PROD_CAT_DHS			
<b>TABLE DESCRIPTION:</b>	W_PROD_CAT_DHS is the staging table for W_PROD_CAT_DH.			

**BUSINESS RULE:**

This table holds the merchandising hierarchy that allows the creation of the relationships that are necessary to support the product management throughout the company. The names of each level of hierarchy should be defined. Each level should be assigned to an individual responsible, for those areas of business. These relationships can be used to define drill paths for reports.

RI has 6 level Merchandising hierarchy, as COMPANY , DIVISION , GROUP , DEPARTMENT , CLASS , SUBCLASS. These levels are mapped as mentioned in RI,  
 TOP\_LVL\_PROD\_CAT\_ID - COMPANY  
 Level,LVL8ANC\_PROD\_CAT\_ID - DIVISION  
 Level,LVL7ANC\_PROD\_CAT\_ID - GROUP  
 Level,LVL6ANC\_PROD\_CAT\_ID - DEPARTMENT  
 Level,LVL5ANC\_PROD\_CAT\_ID - CLASS Level and  
 LVL4ANC\_PROD\_CAT\_ID - SUBCLASS Level.

RI is capable of supporting 10 levels of merchandising/product hierarchy. TOP\_LVL columns should be loaded with highest level of retailer's merchandising hierarchy, followed by the lower level hierarchies in LVL8ANC\_PRODUCT to LVL1ANC\_PROD\_CAT, the least level should be populated in BASE\_LVL\_PRODUCT (if all the 10 levels present in retailer's merchandising/product hierarchy, else it can stop at LVL\*ANC\_PRODUCT level columns) columns as explained in the above RMS example.

The LEVEL\_NAME column should be loaded with corresponding merchandising hierarchy level name.

RI treats Integration\_ID column very important while populating data and referenced in many tables. Hence population of Intergartion\_ID column in Merchandise hierarchy table is important and should be populated with merchandise level\_name-merchandise level ID. The merchandise's level name

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_PROD_CAT_DHS	FIXED_HIER_LEVEL	Fixed Hierarchy Level	1	Y	NUMBER(10,0)
W_PROD_CAT_DHS	BASE_LVL_PROD_CAT_ID	The lowest or the base level product hierarchy code	2	Y	VARCHAR2(255)
W_PROD_CAT_DHS	LVL1ANC_PROD_CAT_ID	Level 1 product hierarchy code	3	Y	VARCHAR2(255)
W_PROD_CAT_DHS	LVL2ANC_PROD_CAT_ID	Level 1 product hierarchy code	4	Y	VARCHAR2(255)
W_PROD_CAT_DHS	LVL3ANC_PROD_CAT_ID	Level 1 product hierarchy code	5	Y	VARCHAR2(255)
W_PROD_CAT_DHS	LVL4ANC_PROD_CAT_ID	Level 1 product hierarchy code	6	Y	VARCHAR2(255)
W_PROD_CAT_DHS	LVL5ANC_PROD_CAT_ID	Level 5 Category ID	7	Y	VARCHAR2(255)
W_PROD_CAT_DHS	LVL6ANC_PROD_CAT_ID	Level 6 Category ID	8	Y	VARCHAR2(255)
W_PROD_CAT_DHS	LVL7ANC_PROD_CAT_ID	Level 7 Category ID	9	Y	VARCHAR2(255)
W_PROD_CAT_DHS	LVL8ANC_PROD_CAT_ID	Level 8 Category ID	10	Y	VARCHAR2(255)
W_PROD_CAT_DHS	TOP_LVL_PROD_CAT_ID	Top level product ID	11	Y	VARCHAR2(255)
W_PROD_CAT_DHS	HIERARCHY_CODE	A pre-defined hierarchy. code to identify the current hierarchy.	12	Y	VARCHAR2(80)
W_PROD_CAT_DHS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who created the record in the source system	13	Y	VARCHAR2(80)

W_PROD_CAT_DHS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who last modified the record in the source system.	14 Y	VARCHAR2(80)
W_PROD_CAT_DHS	CREATED_ON_DT	Identifies the date and time when the record was initially created in the source system.	15 Y	DATE
W_PROD_CAT_DHS	CHANGED_ON_DT	Identifies the date and time when the record was last modified in the source system.	16 Y	DATE
W_PROD_CAT_DHS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	17 Y	DATE
W_PROD_CAT_DHS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	18 Y	DATE
W_PROD_CAT_DHS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	19 Y	DATE
W_PROD_CAT_DHS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	20 Y	DATE
W_PROD_CAT_DHS	SRC_EFF_FROM_DT	This column stores the date from which the source record (in the Source system) is effective. The value is extracted from the source (whenever available)	21 Y	DATE
W_PROD_CAT_DHS	SRC_EFF_TO_DT	This column stores the date up to which the source record (in the Source system) is effective. The value is extracted from the source (whenever available)	22 Y	DATE
W_PROD_CAT_DHS	DELETE_FLG	This flag indicates the deletion status of the record in the source system. A value of "Y" indicates that the record is deleted from the source system and logically deleted from the data warehouse' a value of "N" indicates that the record is active.	23 Y	CHAR(1)
W_PROD_CAT_DHS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances.	24 N	NUMBER(10,0)
W_PROD_CAT_DHS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact entity in its source system. In case of composite keys, the value in this column can consist of concatenated parts.	25 N	VARCHAR2(80)

W_PROD_CAT_DHS	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment. This would typically be used in an Application Service Provider (ASP) / Software As a Service (SOAS) model.	26 Y	VARCHAR2(80)
W_PROD_CAT_DHS	X_CUSTOM	This column is used as a generic field for customer extensions.	27 Y	VARCHAR2(10)
W_PROD_CAT_DHS	CATALOG_CREATION_DATE	Catalog Creation Date	28 Y	DATE
W_PROD_CAT_DHS	LEVEL_NAME	Identifies the name of the level for the entity within product hierarchy.	29 Y	VARCHAR2(40)
W_PROD_CAT_DHS	HIERARCHY_TYPE_CODE	Hierarchy Type code	30 Y	VARCHAR2(80)

<b>TABLE NAME:</b>	W_RTL_PRODUCT_IMAGE_DS	
<b>TABLE DESCRIPTION:</b>	This staging table stores the Item image details extracted from RMS	
<b>BUSINESS RULE:</b>	This staging table stores the Item image details extracted from RMS	

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PRODUCT_IMAGE_DS	PROD_NUM	The is the item code in the source system.	1	N	VARCHAR2(30)
W_RTL_PRODUCT_IMAGE_DS	PRODUCT_IMAGE_NAME	The column stores the image name at the specified URL.	2	N	VARCHAR2(120)
W_RTL_PRODUCT_IMAGE_DS	PRODUCT_IMAGE_ADDR	The column stores the URL to the image.	3	N	VARCHAR2(255)
W_RTL_PRODUCT_IMAGE_DS	PRODUCT_IMAGE_DESC	This columns stores a short image description.	4	N	VARCHAR2(40)
W_RTL_PRODUCT_IMAGE_DS	CREATED_BY_WID	This is a foreign key to the W_USER_D dimension indicating the user who created the record in the source system.	5	Y	NUMBER(10,0)
W_RTL_PRODUCT_IMAGE_DS	CHANGED_BY_WID	This is a foreign key to the W_USER_D dimension indicating the user who last modified the record in the source system.	6	Y	NUMBER(10,0)
W_RTL_PRODUCT_IMAGE_DS	CREATED_ON_DT	Identifies the date and time when the record was initially created in the source system.	7	N	DATE
W_RTL_PRODUCT_IMAGE_DS	CHANGED_ON_DT	Identifies the date and time when the record was last modified in the source system.	8	N	DATE
W_RTL_PRODUCT_IMAGE_DS	W_INSERT_DT	This column stores the date on which the record was inserted in the data warehouse table.	9	Y	DATE
W_RTL_PRODUCT_IMAGE_DS	W_UPDATE_DT	This column stores the date on which the record was last updated in the data warehouse table.	10	Y	DATE
W_RTL_PRODUCT_IMAGE_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances. □	11	N	NUMBER(10,0)
W_RTL_PRODUCT_IMAGE_DS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for the specific ETL process used to create or update this data. □	12	N	NUMBER(10,0)

W_RTL_PRODUCT_IMAGE_DS	INTEGRATION_ID	This column represents a unique identifier often used by source systems for the purpose of data sharing, reducing redundancies and minimizing system maintenance tasks, or even to drive data visibility. From a data warehouse standpoint, the intended use of this column is to drive dimensional data security, primarily.	13	N	VARCHAR2(80)
W_RTL_PRODUCT_IMAGE_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment. This would typically be used in an Application Service Provider (ASP) / Software As a Service (SOAS) model.	14	Y	VARCHAR2(80)
W_RTL_PRODUCT_IMAGE_DS	X_CUSTOM	This column is used as a generic field for customer extensions.	15	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_PROMO_DS_TL				
<b>TABLE DESCRIPTION:</b>	W_RTL_PROMO_DS_TL is the staging table for W_RTL_PROMO_DS_TL.				
<b>BUSINESS RULE:</b>	This table contains the translation requirements of Promotion Dimension. SRC_LANGUAGE_CODE should be mapped with source primary language. The source primary language should be consistent throughout RA. INTEGRATION_ID should be populated with PARENT_EVENT_ID for an EVENT and for PARENT with COALESCE(PROMO_EVENT_ID,-2)  '~'  PROMO_PARENT_ID DATASOURCE_NUM_ID column should be mapped to the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances and these ID's should be used consistently throughout RA.				

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PROMO_DS_TL	PROMO_EVENT_DESC	This is the description of a promotion event. A promotion event is an intentional grouping of promotion parents.	1	Y	VARCHAR2(250)
W_RTL_PROMO_DS_TL	PROMO_PARENT_DESC	This is the description of a promotion parent. A promotion parent is an intentional grouping of promotion components within a promotion event. A promotion parent will only be a child of a single promotion event. Multiple promotion parents within a promotion event may have overlapping timeframes within the promotion event.	2	Y	VARCHAR2(255)
W_RTL_PROMO_DS_TL	PROMO_THEME	This is the description of a promotion event theme that is used to further identify and describe the promotion event.	3	Y	VARCHAR2(250)

W_RTL_PROMO_DS_TL	LANGUAGE_CODE	This identifies the language in which the code value is maintained.	4 Y	VARCHAR2(6)
W_RTL_PROMO_DS_TL	SRC_LANGUAGE_CODE	This identifies the primary language in which the code value is maintained.	5 Y	VARCHAR2(6)
W_RTL_PROMO_DS_TL	PROMO_LEVEL	This indicates the level within the promotion hierarchy with values of 'E' for Events, 'P' for Parents, 'C' for Components, 'D' for Details.	6 Y	VARCHAR2(1)
W_RTL_PROMO_DS_TL	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	7 Y	DATE
W_RTL_PROMO_DS_TL	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	8 Y	DATE
W_RTL_PROMO_DS_TL	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	9 Y	DATE
W_RTL_PROMO_DS_TL	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary table's record which acts as a source for the current table.	10 Y	DATE
W_RTL_PROMO_DS_TL	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who last modified the record in the source system.	11 Y	VARCHAR2(80)
W_RTL_PROMO_DS_TL	CHANGED_ON_DT	Identifies the date and time when the record was last modified in the source system.	12 Y	DATE
W_RTL_PROMO_DS_TL	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who created the record in the source system.	13 Y	VARCHAR2(80)
W_RTL_PROMO_DS_TL	CREATED_ON_DT	Identifies the date and time when the record was initially created in the source system.	14 Y	DATE
W_RTL_PROMO_DS_TL	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances.	15 N	NUMBER(10,0)
W_RTL_PROMO_DS_TL	ETL_PROC_WID	Oracle system field. This column is the unique identifier for the specific ETL process used to create or update this data.	16 N	NUMBER(10,0)
W_RTL_PROMO_DS_TL	INTEGRATION_ID	This column is the unique identifier of a dimension or fact entity in its source system. In case of composite keys, the value in this column can consist of concatenated parts.	17 N	VARCHAR2(80)

W_RTL_PROMO_DS_TL	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment. This would typically be used in an Application Service Provider (ASP) / Software As a Service (SOAS) model.	18 Y	VARCHAR2(80)
W_RTL_PROMO_DS_TL	W_INSERT_DT	This column stores the date on which the record was inserted in the data warehouse table.	19 Y	DATE
W_RTL_PROMO_DS_TL	W_UPDATE_DT	This column stores the date on which the record was last updated in the data warehouse table.	20 Y	DATE
W_RTL_PROMO_DS_TL	X_CUSTOM	This column is used as a generic field for customer extensions.	21 Y	VARCHAR2(10)
W_RTL_PROMO_DS_TL	PROMO_EVENT_STRATEGY		22 Y	VARCHAR2(240)
W_RTL_PROMO_DS_TL	PROMO_EVENT_TYPE		23 Y	VARCHAR2(240)
W_RTL_PROMO_DS_TL	PROMO_COMPONENT_MKT_CHANNEL		24 Y	VARCHAR2(240)

<b>TABLE NAME:</b>	W_RTL_PRODUCT_ATTR_IMG_DS
<b>TABLE DESCRIPTION:</b>	W_RTL_PRODUCT_ATTR_IMG_DS is the staging table for W_RTL_PRODUCT_ATTR_IMG_D
<b>BUSINESS RULE:</b>	This table holds Image Address of Product Attributes.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
W_RTL_PRODUCT_ATTR_IMG_DS	PROD_ATTR_ID	This is flex attribute 2 of W_RTL_ITEM_GRP1_D. This colt	1	N	VARCHAR2(50)
W_RTL_PRODUCT_ATTR_IMG_DS	PROD_ATTR_TYPE	This is flex attribute 10 of W_RTL_ITEM_GRP1_D. This co	2	N	VARCHAR2(50)
W_RTL_PRODUCT_ATTR_IMG_DS	PROD_GRP_TYPE	This identifies the product group type with values of ITEM	3	N	VARCHAR2(30)
W_RTL_PRODUCT_ATTR_IMG_DS	PROD_ATTR_IMAGE_NAME	This column stores the image name at the specified URL.	4	N	VARCHAR2(120)
W_RTL_PRODUCT_ATTR_IMG_DS	PROD_ATTR_IMAGE_ADDR	This column stores the URL to the image.	5	N	VARCHAR2(255)
W_RTL_PRODUCT_ATTR_IMG_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record (	6	Y	DATE
W_RTL_PRODUCT_ATTR_IMG_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record (	7	Y	DATE
W_RTL_PRODUCT_ATTR_IMG_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	8	Y	DATE
W_RTL_PRODUCT_ATTR_IMG_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	9	Y	DATE
W_RTL_PRODUCT_ATTR_IMG_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	10	Y	DATE
W_RTL_PRODUCT_ATTR_IMG_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	11	Y	DATE
W_RTL_PRODUCT_ATTR_IMG_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	12	Y	VARCHAR2(80)
W_RTL_PRODUCT_ATTR_IMG_DS	CHANGED_ON_DT	Identifies the date and time when the record was last modifi	13	Y	DATE
W_RTL_PRODUCT_ATTR_IMG_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	14	Y	VARCHAR2(80)
W_RTL_PRODUCT_ATTR_IMG_DS	CREATED_ON_DT	Identifies the date and time when the record was initially cre	15	Y	DATE
W_RTL_PRODUCT_ATTR_IMG_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system frc	16	N	NUMBER(10,0)
W_RTL_PRODUCT_ATTR_IMG_DS	DELETE_FLG	This flag indicates the deletion status of the record in the sc	17	Y	CHAR(1)
W_RTL_PRODUCT_ATTR_IMG_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact e	18	N	VARCHAR2(80)
W_RTL_PRODUCT_ATTR_IMG_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-te	19	Y	VARCHAR2(80)
W_RTL_PRODUCT_ATTR_IMG_DS	W_INSERT_DT	This column stores the date on which the record was insert	20	Y	DATE
W_RTL_PRODUCT_ATTR_IMG_DS	W_UPDATE_DT	This column stores the date on which the record was last up	21	Y	DATE
W_RTL_PRODUCT_ATTR_IMG_DS	X_CUSTOM	This column is used as a generic field for customer extensions.	22	Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_PROD_HIER_IMAGE_DS
<b>TABLE DESCRIPTION:</b>	W_RTL_PROD_HIER_IMAGE_DS is the staging table of W_RTL_PROD_HIER_IMAGE_D.
<b>BUSINESS RULE:</b>	This table holds image address for Product Hierarchy.

TABLE_NAME	COLUMN_NAME	DESCRIPTION	COLUMN_ID	NULLABLE	DATA_TYPE
------------	-------------	-------------	-----------	----------	-----------

W_RTL_PROD_HIER_IMAGE_DS	PROD_HIER_INTEGRATION_ID	This column is used to uniquely identify an item hierarchy	1 N	VARCHAR2(30)
W_RTL_PROD_HIER_IMAGE_DS	PROD_HIER_IMAGE_NAME	The column stores the image name at the specified URL.	2 N	VARCHAR2(120)
W_RTL_PROD_HIER_IMAGE_DS	PROD_HIER_IMAGE_ADDR	The column stores the URL to the image.	3 N	VARCHAR2(255)
W_RTL_PROD_HIER_IMAGE_DS	CREATED_BY_WID	This is a foreign key to the W_USER_D dimension indicator	4 Y	NUMBER(10,0)
W_RTL_PROD_HIER_IMAGE_DS	CHANGED_BY_WID	This is a foreign key to the W_USER_D dimension indicator	5 Y	NUMBER(10,0)
W_RTL_PROD_HIER_IMAGE_DS	CREATED_ON_DT	Identifies the date and time when the record was initially created	6 N	DATE
W_RTL_PROD_HIER_IMAGE_DS	CHANGED_ON_DT	Identifies the date and time when the record was last modified	7 N	DATE
W_RTL_PROD_HIER_IMAGE_DS	W_INSERT_DT	This column stores the date on which the record was inserted	8 Y	DATE
W_RTL_PROD_HIER_IMAGE_DS	W_UPDATE_DT	This column stores the date on which the record was last updated	9 Y	DATE
W_RTL_PROD_HIER_IMAGE_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted.	10 N	NUMBER(10,0)
W_RTL_PROD_HIER_IMAGE_DS	ETL_PROC_WID	Oracle system field. This column is the unique identifier for the ETL process.	11 N	NUMBER(10,0)
W_RTL_PROD_HIER_IMAGE_DS	INTEGRATION_ID	This column represents a unique identifier often used by source systems.	12 N	VARCHAR2(80)
W_RTL_PROD_HIER_IMAGE_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment.	13 Y	VARCHAR2(80)
W_RTL_PROD_HIER_IMAGE_DS	X_CUSTOM	This column is used as a generic field for customer extensions.	14 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_PRODUCT_DS_TL	
<b>TABLE DESCRIPTION:</b>	W_PRODUCT_DS_TL is the staging table of W_PRODUCT_D_TL.	
<b>BUSINESS RULE:</b>	<p>This table supports MLS column of product dimension . SRC_LANGUAGE_CODE should be mapped with source primary language. The source primary language should be consistent throughout RA.</p> <p>The Intergartion_ID column should be populated with Product Number/ID.</p> <p>DATASOURCE_NUM_ID column should be mapped to the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances and these ID's should be used consistently throughout RA.</p>	

W_PRODUCT_DS_TL	PRODUCT_NAME	Product name	1 Y	VARCHAR2(255)
W_PRODUCT_DS_TL	PRODUCT_DESCR	Product Description	2 Y	VARCHAR2(1000)
W_PRODUCT_DS_TL	LANGUAGE_CODE	Language code	3 Y	VARCHAR2(4)
W_PRODUCT_DS_TL	SRC_LANGUAGE_CODE	This identifies the primary language in which the code value is stored.	4 Y	VARCHAR2(4)
W_PRODUCT_DS_TL	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted.	5 N	NUMBER(10,0)
W_PRODUCT_DS_TL	INTEGRATION_ID	This column is the unique identifier of a dimension or fact table.	6 N	VARCHAR2(80)
W_PRODUCT_DS_TL	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment.	7 Y	VARCHAR2(80)
W_PRODUCT_DS_TL	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicator.	8 Y	VARCHAR2(80)
W_PRODUCT_DS_TL	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicator.	9 Y	VARCHAR2(80)
W_PRODUCT_DS_TL	CREATED_ON_DT	Identifies the date and time when the record was initially created.	10 Y	DATE
W_PRODUCT_DS_TL	CHANGED_ON_DT	Identifies the date and time when the record was last modified.	11 Y	DATE
W_PRODUCT_DS_TL	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date.	12 Y	DATE
W_PRODUCT_DS_TL	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date.	13 Y	DATE
W_PRODUCT_DS_TL	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date.	14 Y	DATE
W_PRODUCT_DS_TL	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date.	15 Y	DATE
W_PRODUCT_DS_TL	X_CUSTOM	This column is used as a generic field for customer extensions.	16 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MARKET_PRODUCT_DS_TL	
<b>TABLE DESCRIPTION:</b>	W_RTL_MARKET_PRODUCT_DS_TL is the staging table of W_RTL_MARKET_PRODUCT_D_TL.	
<b>BUSINESS RULE:</b>		



W_RTL_MARKET_PRODUCT_DS_TL	MARKET_PROD_NAME	Indicate the name of Market Item	1 N	VARCHAR2(250)
W_RTL_MARKET_PRODUCT_DS_TL	LANGUAGE_CODE	Supported Language code for the Product	2 N	VARCHAR2(4)
W_RTL_MARKET_PRODUCT_DS_TL	SRC_LANGUAGE_CODE	This identifies the primary language in which the code value	3 Y	VARCHAR2(4)
W_RTL_MARKET_PRODUCT_DS_TL	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	4 Y	NUMBER(10,0)
W_RTL_MARKET_PRODUCT_DS_TL	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	5 Y	NUMBER(10,0)
W_RTL_MARKET_PRODUCT_DS_TL	CREATED_ON_DT	Identifies the date and time when the record was initially cre	6 Y	DATE
W_RTL_MARKET_PRODUCT_DS_TL	CHANGED_ON_DT	Identifies the date and time when the record was last modifi	7 Y	DATE
W_RTL_MARKET_PRODUCT_DS_TL	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	8 Y	DATE
W_RTL_MARKET_PRODUCT_DS_TL	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	9 Y	DATE
W_RTL_MARKET_PRODUCT_DS_TL	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	10 Y	DATE
W_RTL_MARKET_PRODUCT_DS_TL	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	11 Y	DATE
W_RTL_MARKET_PRODUCT_DS_TL	DATASOURCE_NUM_ID	This column is the unique identifier of the source system frc	12 N	NUMBER(10,0)
W_RTL_MARKET_PRODUCT_DS_TL	INTEGRATION_ID	This column is the unique identifier of a dimension or fact e	13 N	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_DS_TL	TENANT_ID	This column is the unique identifier for a tenant in a multi-te	14 Y	VARCHAR2(80)
W_RTL_MARKET_PRODUCT_DS_TL	X_CUSTOM	This column is used as a generic field for customer extensio	15 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_MARKET_PROD_DHS
<b>TABLE DESCRIPTION:</b>	W_RTL_MARKET_PROD_DHS is the staging table of W_RTL_MARKET_PROD_DH.
<b>BUSINESS RULE:</b>	

W_RTL_MARKET_PROD_DHS	MARKET_PROD_LVL1_NUM	Transalation is required for lvl1 description	1 N	VARCHAR2(255)
W_RTL_MARKET_PROD_DHS	MARKET_PROD_LVL2_NUM	Transalation is required for lvl2 description	2 N	VARCHAR2(255)
W_RTL_MARKET_PROD_DHS	MARKET_PROD_LVL3_NUM	Transalation is required for lvl3 description	3 N	VARCHAR2(255)
W_RTL_MARKET_PROD_DHS	MARKET_PROD_LVL4_NUM	Transalation is required for lvl4 description	4 N	VARCHAR2(255)
W_RTL_MARKET_PROD_DHS	MARKET_PROD_LVL5_NUM	Transalation is required for lvl5 description	5 N	VARCHAR2(255)
W_RTL_MARKET_PROD_DHS	MARKET_PROD_LVL6_NUM	Transalation is required for lvl6 description	6 N	VARCHAR2(255)
W_RTL_MARKET_PROD_DHS	MARKET_PROD_LVL_NAME	Level name defines if it is category , subcategory, departme	7 N	VARCHAR2(80)
W_RTL_MARKET_PROD_DHS	MARKET_PARENT_COMPANY_NUM	Translation required	8 Y	VARCHAR2(255)
W_RTL_MARKET_PROD_DHS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	9 Y	VARCHAR2(80)
W_RTL_MARKET_PROD_DHS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	10 Y	VARCHAR2(80)
W_RTL_MARKET_PROD_DHS	CREATED_ON_DT	Identifies the date and time when the record was initially cre	11 Y	DATE
W_RTL_MARKET_PROD_DHS	CHANGED_ON_DT	Identifies the date and time when the record was last modifi	12 Y	DATE
W_RTL_MARKET_PROD_DHS	AUX1_CHANGED_ON_DT	Oracle system field.?This column identifies the last modifiec	13 Y	DATE
W_RTL_MARKET_PROD_DHS	AUX2_CHANGED_ON_DT	Oracle system field.?This column identifies the last modifiec	14 Y	DATE
W_RTL_MARKET_PROD_DHS	AUX3_CHANGED_ON_DT	Oracle system field.?This column identifies the last modifiec	15 Y	DATE
W_RTL_MARKET_PROD_DHS	AUX4_CHANGED_ON_DT	Oracle system field.?This column identifies the last modifiec	16 Y	DATE
W_RTL_MARKET_PROD_DHS	SRC_EFF_FROM_DT	This column stores the date from which the source record (	17 Y	DATE
W_RTL_MARKET_PROD_DHS	SRC_EFF_TO_DT	This?column stores the date up to which the source record	18 Y	DATE
W_RTL_MARKET_PROD_DHS	DELETE_FLG	This flag indicates the deletion status of the record in the sc	19 Y	CHAR(1)
W_RTL_MARKET_PROD_DHS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system frc	20 N	NUMBER(10,0)
W_RTL_MARKET_PROD_DHS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact e	21 N	VARCHAR2(80)
W_RTL_MARKET_PROD_DHS	TENANT_ID	This column is the unique identifier for a tenant in a multi-te	22 Y	VARCHAR2(80)
W_RTL_MARKET_PROD_DHS	X_CUSTOM	This column is used as a generic field for customer extensio	23 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_PRODUCT_ATTR_DS_TL
<b>TABLE DESCRIPTION:</b>	W_RTL_PRODUCT_ATTR_DS_TL is the staging table of W_RTL_PRODUCT_ATTR_D_TL.
<b>BUSINESS RULE:</b>	

W_RTL_PRODUCT_ATTR_DS_TL	PROD_ATTR_ID	Product Attribute ID	1 N	VARCHAR2(250)
W_RTL_PRODUCT_ATTR_DS_TL	PROD_ATTR_DESC	This column will only be available in multi language table	2 Y	VARCHAR2(250)
W_RTL_PRODUCT_ATTR_DS_TL	PROD_ATTR_TYPE_DESC	This column will only be available in multi language table	3 Y	VARCHAR2(250)
W_RTL_PRODUCT_ATTR_DS_TL	LANGUAGE_CODE	Supported Language code for the Product	4 N	VARCHAR2(4)

W_RTL_PRODUCT_ATTR_DS_TL	SRC_LANGUAGE_CODE	This identifies the primary language in which the code value	5 Y	VARCHAR2(4)
W_RTL_PRODUCT_ATTR_DS_TL	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	6 Y	NUMBER(10,0)
W_RTL_PRODUCT_ATTR_DS_TL	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	7 Y	NUMBER(10,0)
W_RTL_PRODUCT_ATTR_DS_TL	CREATED_ON_DT	Identifies the date and time when the record was initially cre	8 Y	DATE
W_RTL_PRODUCT_ATTR_DS_TL	CHANGED_ON_DT	Identifies the date and time when the record was last modifi	9 Y	DATE
W_RTL_PRODUCT_ATTR_DS_TL	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	10 Y	DATE
W_RTL_PRODUCT_ATTR_DS_TL	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	11 Y	DATE
W_RTL_PRODUCT_ATTR_DS_TL	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	12 Y	DATE
W_RTL_PRODUCT_ATTR_DS_TL	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	13 Y	DATE
W_RTL_PRODUCT_ATTR_DS_TL	DATASOURCE_NUM_ID	This column is the unique identifier of the source system frc	14 N	NUMBER(10,0)
W_RTL_PRODUCT_ATTR_DS_TL	INTEGRATION_ID	This column is the unique identifier of a dimension or fact e	15 N	VARCHAR2(80)
W_RTL_PRODUCT_ATTR_DS_TL	TENANT_ID	This column is the unique identifier for a tenant in a multi-te	16 Y	VARCHAR2(80)
W_RTL_PRODUCT_ATTR_DS_TL	X_CUSTOM	This column is used as a generic field for customer extensio	17 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_PRODUCT_BRAND_DS_TL
<b>TABLE DESCRIPTION:</b>	W_RTL_PRODUCT_BRAND_DS_TL is the staging table of W_RTL_PRODUCT_BRAND_D_TL.
<b>BUSINESS RULE:</b>	

W_RTL_PRODUCT_BRAND_DS_TL	BRAND_DESCR	This column will only be available in multi language table	1 Y	VARCHAR2(250)
W_RTL_PRODUCT_BRAND_DS_TL	SUB_BRAND_DESCR	This column will only be available in multi language table	2 Y	VARCHAR2(250)
W_RTL_PRODUCT_BRAND_DS_TL	LANGUAGE_CODE	Language code□	3 N	VARCHAR2(4)
W_RTL_PRODUCT_BRAND_DS_TL	SRC_LANGUAGE_CODE	This identifies the primary language in which the code value	4 Y	VARCHAR2(4)
W_RTL_PRODUCT_BRAND_DS_TL	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	5 Y	NUMBER(10,0)
W_RTL_PRODUCT_BRAND_DS_TL	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	6 Y	NUMBER(10,0)
W_RTL_PRODUCT_BRAND_DS_TL	CREATED_ON_DT	Identifies the date and time when the record was initially cre	7 Y	DATE
W_RTL_PRODUCT_BRAND_DS_TL	CHANGED_ON_DT	Identifies the date and time when the record was last modifi	8 Y	DATE
W_RTL_PRODUCT_BRAND_DS_TL	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	9 Y	DATE
W_RTL_PRODUCT_BRAND_DS_TL	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	10 Y	DATE
W_RTL_PRODUCT_BRAND_DS_TL	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	11 Y	DATE
W_RTL_PRODUCT_BRAND_DS_TL	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	12 Y	DATE
W_RTL_PRODUCT_BRAND_DS_TL	DATASOURCE_NUM_ID	This column is the unique identifier of the source system frc	13 N	NUMBER(10,0)
W_RTL_PRODUCT_BRAND_DS_TL	INTEGRATION_ID	This column is the unique identifier of a dimension or fact e	14 N	VARCHAR2(80)
W_RTL_PRODUCT_BRAND_DS_TL	TENANT_ID	This column is the unique identifier for a tenant in a multi-te	15 Y	VARCHAR2(80)
W_RTL_PRODUCT_BRAND_DS_TL	X_CUSTOM	This column is used as a generic field for customer extensio	16 Y	VARCHAR2(10)
W_RTL_PRODUCT_BRAND_DS_TL	LEVEL_NAME	Identifies the level of brand.	17 Y	VARCHAR2(50)

<b>TABLE NAME:</b>	W_RTL_PROD_HIER_ATTR_LKP_DHS
<b>TABLE DESCRIPTION:</b>	W_RTL_PROD_HIER_ATTR_LKP_DHS is the staging table of W_RTL_PROD_HIER_ATTR_LKP_DH.
<b>BUSINESS RULE:</b>	

W_RTL_PROD_HIER_ATTR_LKP_DHS	W_CATEGORY	Identifies the designated domain value code for the requisit	1 Y	VARCHAR2(240)
W_RTL_PROD_HIER_ATTR_LKP_DHS	LEVEL_NAME	Identifies the level of brand.	2 Y	VARCHAR2(40)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR1_NAME	This is the Product Hierarchy attribute name 1	3 Y	VARCHAR2(120)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR2_NAME	This is the Product Hierarchy attribute name 2	4 Y	VARCHAR2(120)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR3_NAME	This is the Product Hierarchy attribute name 3	5 Y	VARCHAR2(120)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR4_NAME	This is the Product Hierarchy attribute name 4	6 Y	VARCHAR2(120)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR5_NAME	This is the Product Hierarchy attribute name 5	7 Y	VARCHAR2(120)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR6_NAME	This is the Product Hierarchy attribute name 6	8 Y	VARCHAR2(120)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR7_NAME	This is the Product Hierarchy attribute name 7	9 Y	VARCHAR2(120)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR8_NAME	This is the Product Hierarchy attribute name 8	10 Y	VARCHAR2(120)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR9_NAME	This is the Product Hierarchy attribute name 9	11 Y	VARCHAR2(120)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR10_NAME	This is the Product Hierarchy attribute name 10	12 Y	VARCHAR2(120)

W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR1_NUM_VALUE	This is the Product Hierarchy attribute num value 1	13 Y	NUMBER(4,0)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR2_NUM_VALUE	This is the Product Hierarchy attribute num value 2	14 Y	NUMBER(4,0)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR3_NUM_VALUE	This is the Product Hierarchy attribute num value 3	15 Y	NUMBER(20,4)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR4_NUM_VALUE	This is the Product Hierarchy attribute num value 4	16 Y	NUMBER(20,4)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR5_NUM_VALUE	This is the Product Hierarchy attribute num value 5	17 Y	NUMBER(24,4)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR6_NUM_VALUE	This is the Product Hierarchy attribute num value 6	18 Y	NUMBER(24,4)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR7_NUM_VALUE	This is the Product Hierarchy attribute num value 7	19 Y	NUMBER(20,4)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR8_NUM_VALUE	This is the Product Hierarchy attribute num value 8	20 Y	NUMBER(20,4)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR9_NUM_VALUE	This is the Product Hierarchy attribute num value 9	21 Y	NUMBER(20,4)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR10_NUM_VALUE	This is the Product Hierarchy attribute num value 10	22 Y	NUMBER(20,4)
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR1_DATE	This is the Product Hierarchy attribute date 1	23 Y	DATE
W_RTL_PROD_HIER_ATTR_LKP_DHS	PROD_ATTR2_DATE	This is the Product Hierarchy attribute date 2	24 Y	DATE
W_RTL_PROD_HIER_ATTR_LKP_DHS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	25 Y	VARCHAR2(80)
W_RTL_PROD_HIER_ATTR_LKP_DHS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicatir	26 Y	VARCHAR2(80)
W_RTL_PROD_HIER_ATTR_LKP_DHS	CREATED_ON_DT	Identifies the date and time when the record was initially cre	27 Y	DATE
W_RTL_PROD_HIER_ATTR_LKP_DHS	CHANGED_ON_DT	Identifies the date and time when the record was last modifi	28 Y	DATE
W_RTL_PROD_HIER_ATTR_LKP_DHS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	29 Y	DATE
W_RTL_PROD_HIER_ATTR_LKP_DHS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	30 Y	DATE
W_RTL_PROD_HIER_ATTR_LKP_DHS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	31 Y	DATE
W_RTL_PROD_HIER_ATTR_LKP_DHS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	32 Y	DATE
W_RTL_PROD_HIER_ATTR_LKP_DHS	SRC_EFF_FROM_DT	This column stores the date from which the dimension reco	33 Y	DATE
W_RTL_PROD_HIER_ATTR_LKP_DHS	SRC_EFF_TO_DT	This column stores the date until which the dimension recor	34 Y	DATE
W_RTL_PROD_HIER_ATTR_LKP_DHS	DELETE_FLG	This flag indicates the deletion status of the record in the sc	35 Y	CHAR(1)
W_RTL_PROD_HIER_ATTR_LKP_DHS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system frc	36 N	NUMBER(10,0)
W_RTL_PROD_HIER_ATTR_LKP_DHS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact e	37 N	VARCHAR2(80)
W_RTL_PROD_HIER_ATTR_LKP_DHS	TENANT_ID	This column is the unique identifier for a tenant in a multi-te	38 Y	VARCHAR2(80)
W_RTL_PROD_HIER_ATTR_LKP_DHS	X_CUSTOM	This column is used as a generic field for customer extensio	39 Y	VARCHAR2(10)

<b>TABLE NAME:</b>	W_RTL_ITEM_DEL_TMP
<b>TABLE DESCRIPTION:</b>	W_RTL_ITEM_DEL_TMP stores the deleted items in Merchandising source system
<b>BUSINESS RULE:</b>	

W_RTL_ITEM_DEL_TMP	PROD_NUM	This is the number to identify the product.	1 Y	VARCHAR2(80)
W_RTL_ITEM_DEL_TMP	CREATED_ON_DATE	Identifies the date and time when the record was initially cre	2 Y	DATE
W_RTL_ITEM_DEL_TMP	INTEGRATION_ID	This column is the unique identifier of a dimension or fact e	3 Y	VARCHAR2(80)
		Oracle system field. This column is the unique identifier for the specific ETL process used to create or update this data.		
W_RTL_ITEM_DEL_TMP	DATASOURCE_NUM_ID		4 Y	NUMBER(10,0)

<b>TABLE NAME:</b>	W_RTL_IT_LC_DEL_TMP
<b>TABLE DESCRIPTION:</b>	W_RTL_IT_LC_DEL_TMP stores the deleted items in Merchandising source system
<b>BUSINESS RULE:</b>	

W_RTL_IT_LC_DEL_TMP	PROD_NUM	This is the number to identify the product.	1 Y	VARCHAR2(30)
W_RTL_IT_LC_DEL_TMP	CREATED_ON_DATE	Identifies the date and time when the record was initially cre	2 Y	DATE
		Oracle system field. This column is the unique identifier for the specific ETL process used to create or update this data.		
W_RTL_IT_LC_DEL_TMP	DATASOURCE_NUM_ID		3 Y	NUMBER(10,0)
W_RTL_IT_LC_DEL_TMP	INTEGRATION_ID	This column is the unique identifier of a dimension or fact e	4 Y	VARCHAR2(80)

<b>TABLE NAME:</b>	W_RTL_RECLASS_DP_GP_TMP
<b>TABLE DESCRIPTION:</b>	W_RTL_RECLASS_DP_GP_TMP stores department/group reclassification information

BUSINESS RULE:				
W_RTL_RECLASS_DP_GP_TMP	IDNT	This will hold PROD_DP_NUM for department reclassification or PROD_GP_NUM for group reclassification.	1 Y	VARCHAR2(25)
W_RTL_RECLASS_DP_GP_TMP	TABLE_NAME	This will hold 'DEPS' for department reclassification or 'GR'	2 Y	VARCHAR2(30)
W_RTL_RECLASS_DP_GP_TMP	SRC_EFF_FROM_DT	This column stores the date from which the dimension reco	3 Y	DATE
W_RTL_RECLASS_DP_GP_TMP	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	4 Y	DATE
W_RTL_RECLASS_DP_GP_TMP	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	5 Y	DATE
W_RTL_RECLASS_DP_GP_TMP	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	6 Y	DATE
W_RTL_RECLASS_DP_GP_TMP	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	7 Y	DATE
W_RTL_RECLASS_DP_GP_TMP	CHANGED_BY_WID	This is a foreign key to the W_USER_D dimension indicatir	8 Y	NUMBER(10,0)
W_RTL_RECLASS_DP_GP_TMP	CHANGED_ON_DT	Identifies the date and time when the record was last modifi	9 Y	DATE
W_RTL_RECLASS_DP_GP_TMP	CREATED_BY_WID	This is a foreign key to the W_USER_D dimension indicatir	10 Y	NUMBER(10,0)
W_RTL_RECLASS_DP_GP_TMP	CREATED_ON_DT	Identifies the date and time when the record was initially cre	11 Y	DATE
W_RTL_RECLASS_DP_GP_TMP	DATASOURCE_NUM_ID	Oracle system field. This column is the unique identifier for the specific ETL process used to create or update this data.	12 Y	NUMBER(10,0)
W_RTL_RECLASS_DP_GP_TMP	ETL_PROC_WID	Oracle system field. This column is the unique identifier for the specific ETL process used to create or update this data.	13 Y	NUMBER(10,0)
W_RTL_RECLASS_DP_GP_TMP	INTEGRATION_ID	This column is the unique identifier of a dimension or fact e	14 Y	VARCHAR2(80)
W_RTL_RECLASS_DP_GP_TMP	TENANT_ID	This column is the unique identifier for a tenant in a multi-te	15 Y	VARCHAR2(80)
W_RTL_RECLASS_DP_GP_TMP	W_INSERT_DT	This column stores the date on which the record was inserted in the data warehouse table.	16 Y	DATE
W_RTL_RECLASS_DP_GP_TMP	W_UPDATE_DT	This column stores the date on which the record was last updated in the data warehouse table.	17 Y	DATE
W_RTL_RECLASS_DP_GP_TMP	X_CUSTOM	This column is used as a generic field for customer extensio	18 Y	VARCHAR2(10)
TABLE NAME:		W_RTL_RECLASS_IT_SC_CL_TMP		
TABLE DESCRIPTION:		W_RTL_RECLASS_IT_SC_CL_TMP stores item reclassification information		
BUSINESS RULE:				
W_RTL_RECLASS_IT_SC_CL_TMP	ITEM	This is the number to identify the product.	1 Y	VARCHAR2(25)
W_RTL_RECLASS_IT_SC_CL_TMP	NEW_DEPT	New Department identifier	2 Y	NUMBER(4,0)
W_RTL_RECLASS_IT_SC_CL_TMP	NEW_CLASS	New Class identifier	3 Y	NUMBER(4,0)
W_RTL_RECLASS_IT_SC_CL_TMP	NEW_SUBCLASS	New Subclass identifier	4 Y	NUMBER(4,0)
W_RTL_RECLASS_IT_SC_CL_TMP	OLD_DEPT	Old department identifier	5 Y	NUMBER(4,0)
W_RTL_RECLASS_IT_SC_CL_TMP	OLD_CLASS	Old Class identifier	6 Y	NUMBER(4,0)
W_RTL_RECLASS_IT_SC_CL_TMP	OLD_SUBCLASS	Old Subclass identifier	7 Y	NUMBER(4,0)
W_RTL_RECLASS_IT_SC_CL_TMP	RECLASS_DATE	Reclass date	8 Y	DATE
W_RTL_RECLASS_IT_SC_CL_TMP	SRC_EFF_FROM_DT	This column stores the date from which the dimension reco	9 Y	DATE
W_RTL_RECLASS_IT_SC_CL_TMP	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	10 Y	DATE
W_RTL_RECLASS_IT_SC_CL_TMP	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	11 Y	DATE
W_RTL_RECLASS_IT_SC_CL_TMP	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	12 Y	DATE
W_RTL_RECLASS_IT_SC_CL_TMP	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modifiec	13 Y	DATE
W_RTL_RECLASS_IT_SC_CL_TMP	CHANGED_BY_WID	This is a foreign key to the W_USER_D dimension indicatir	14 Y	NUMBER(10,0)
W_RTL_RECLASS_IT_SC_CL_TMP	CHANGED_ON_DT	Identifies the date and time when the record was last modifi	15 Y	DATE
W_RTL_RECLASS_IT_SC_CL_TMP	CREATED_BY_WID	This is a foreign key to the W_USER_D dimension indicatir	16 Y	NUMBER(10,0)
W_RTL_RECLASS_IT_SC_CL_TMP	CREATED_ON_DT	Identifies the date and time when the record was initially cre	17 Y	DATE

W_RTL_RECLASS_IT_SC_CL_TMP	DATASOURCE_NUM_ID	Oracle system field. This column is the unique identifier for the specific ETL process used to create or update this data.	18 Y	NUMBER(10,0)
W_RTL_RECLASS_IT_SC_CL_TMP	ETL_PROC_WID	Oracle system field. This column is the unique identifier for the specific ETL process used to create or update this data.	19 Y	NUMBER(10,0)
W_RTL_RECLASS_IT_SC_CL_TMP	INTEGRATION_ID	This column is the unique identifier of a dimension or fact e	20 Y	VARCHAR2(80)
W_RTL_RECLASS_IT_SC_CL_TMP	TENANT_ID	This column is the unique identifier for a tenant in a multi-te	21 Y	VARCHAR2(80)
W_RTL_RECLASS_IT_SC_CL_TMP	W_INSERT_DT	This column stores the date on which the record was inserted in the data warehouse table.	22 Y	DATE
W_RTL_RECLASS_IT_SC_CL_TMP	W_UPDATE_DT	This column stores the date on which the record was last updated in the data warehouse table.	23 Y	DATE
W_RTL_RECLASS_IT_SC_CL_TMP	X_CUSTOM	This column is used as a generic field for customer extensio	24 Y	VARCHAR2(10)
<b>TABLE NAME:</b>	W_RTL_PROD_ATTR_SIM_CDT_G			
<b>TABLE DESCRIPTION:</b>	W_RTL_PROD_ATTR_SIM_CDT_G is the staging table for W_RTL_PROD_ATTR_SIM_CDT_F			
<b>BUSINESS RULE:</b>	This table holds the similarity score for a pair of product attributes of same Attribute Type & Group. Attribute Type ITEMUDA & ITEMLIST are excluded for this table.			
W_RTL_PROD_ATTR_SIM_CDT_G	CDT_ID	This is the CDT ID that is attached to the similarity score	1 N	NUMBER(10,0)
W_RTL_PROD_ATTR_SIM_CDT_G	PROD_ATTR_1_ID	This is the attribute value for the first half of the attribute	2 N	VARCHAR2(50)
W_RTL_PROD_ATTR_SIM_CDT_G	PROD_ATTR_2_ID	This is the attribute value for the second half of the	3 N	VARCHAR2(50)
W_RTL_PROD_ATTR_SIM_CDT_G	PROD_ATTR_TYPE	This is flex attribute 10 of W_RTL_ITEM_GRP1_D. This	4 N	VARCHAR2(50)
W_RTL_PROD_ATTR_SIM_CDT_G	PROD_GRP_TYPE	This identifies the product group type with values of	5 N	VARCHAR2(30)
W_RTL_PROD_ATTR_SIM_CDT_G	DAY_DT	Date when score calculated, this is the foreign key to	6 N	DATE
W_RTL_PROD_ATTR_SIM_CDT_G	PROD_HIER_TYPE	This is the type of product hierarchy that the CDT is	7 Y	VARCHAR2(50)
W_RTL_PROD_ATTR_SIM_CDT_G	PROD_HIER_INTEGRATION_ID	This is the product hierarchy INTEGRATION_ID or CAT-	8 Y	VARCHAR2(80)
W_RTL_PROD_ATTR_SIM_CDT_G	SIM_SCORE	Similarity Score	9 Y	NUMBER(22,4)
W_RTL_PROD_ATTR_SIM_CDT_G	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension	10 Y	VARCHAR2(80)
W_RTL_PROD_ATTR_SIM_CDT_G	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension	11 Y	VARCHAR2(80)
W_RTL_PROD_ATTR_SIM_CDT_G	CREATED_ON_DT	Identifies the date and time when the record was initially	12 Y	DATE
W_RTL_PROD_ATTR_SIM_CDT_G	CHANGED_ON_DT	Identifies the date and time when the record was last	13 Y	DATE
W_RTL_PROD_ATTR_SIM_CDT_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last	14 Y	DATE
W_RTL_PROD_ATTR_SIM_CDT_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last	15 Y	DATE
W_RTL_PROD_ATTR_SIM_CDT_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last	16 Y	DATE
W_RTL_PROD_ATTR_SIM_CDT_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last	17 Y	DATE
W_RTL_PROD_ATTR_SIM_CDT_G	DELETE_FLG	This flag indicates the deletion status of the record in the	18 Y	CHAR(1)
W_RTL_PROD_ATTR_SIM_CDT_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system	19 N	NUMBER(10,0)
W_RTL_PROD_ATTR_SIM_CDT_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact	20 N	VARCHAR2(80)
W_RTL_PROD_ATTR_SIM_CDT_G	EXCHANGE_DT	Exchange Date.	21 Y	DATE
W_RTL_PROD_ATTR_SIM_CDT_G	DOC_CURR_CODE	Code for the currency in which the document was created	22 Y	VARCHAR2(30)
W_RTL_PROD_ATTR_SIM_CDT_G	LOC_CURR_CODE	Usually the reporting currency code for the financial	23 Y	VARCHAR2(30)
W_RTL_PROD_ATTR_SIM_CDT_G	ETL_THREAD_VAL	Oracle system field. This column is the unique identifier for	24 Y	NUMBER(4,0)
W_RTL_PROD_ATTR_SIM_CDT_G	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the	25 Y	NUMBER(22,7)
W_RTL_PROD_ATTR_SIM_CDT_G	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the	26 Y	NUMBER(22,7)
W_RTL_PROD_ATTR_SIM_CDT_G	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the	27 Y	NUMBER(22,7)
W_RTL_PROD_ATTR_SIM_CDT_G	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the	28 Y	NUMBER(22,7)

W_RTL_PROD_ATTR_SIM_CDT_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-	29 Y	VARCHAR2(80)
W_RTL_PROD_ATTR_SIM_CDT_G	X_CUSTOM	This column is used as a generic field for customer	30 Y	VARCHAR2(10)

TABLE NAME:	W_RTL_PROD_SIM_IT_CDT_G			
TABLE DESCRIPTION:	W_RTL_PROD_SIM_IT_CDT_G is the staging table for W_RTL_PROD_SIM_IT_CDT_F			
BUSINESS RULE:	This table holds the similarity score for a pair of products belonging to same product hierarchy.			

W_RTL_PROD_SIM_IT_CDT_G	CDT_ID	This is the CDT ID that is attached to the similarity score	1 N	NUMBER(10,0)
W_RTL_PROD_SIM_IT_CDT_G	PROD_1_IT_NUM	This is the INTEGRATION_ID for the first half of the product pair. This is a foreign key to W_PRODUCT_D.	2 N	VARCHAR2(80)
W_RTL_PROD_SIM_IT_CDT_G	PROD_2_IT_NUM	This is the INTEGRATION_ID for the second half of the product pair. This is a foreign key to W_PRODUCT_D.	3 N	VARCHAR2(80)
W_RTL_PROD_SIM_IT_CDT_G	PROD_1_SCD1_WID	This is SCD1 WID for the first half of the product pair. This is a foreign key to W_PRODUCT_D.	4 N	NUMBER(10,0)
W_RTL_PROD_SIM_IT_CDT_G	PROD_2_SCD1_WID	This is SCD1 WID for the second half of the product pair. This is a foreign key to W_PRODUCT_D.	5 N	NUMBER(10,0)
W_RTL_PROD_SIM_IT_CDT_G	DAY_DT	Date when score calculated, this is the foreign key to W_MCAL_DAY_D	6 N	DATE
W_RTL_PROD_SIM_IT_CDT_G	PROD_HIER_TYPE	This is the type of product hierarchy that the CDT is created for. The valid value is "Product Hierarchy" or "Cat-Man Group Hierarchy"	7 Y	VARCHAR2(50)
W_RTL_PROD_SIM_IT_CDT_G	PROD_HIER_INTEGRATION_ID	This is the product hierarchy INTEGRATION_ID or CAT-MAN Group INTEGRATION_ID for which the similarity score is	8 Y	VARCHAR2(80)
W_RTL_PROD_SIM_IT_CDT_G	SIM_SCORE	Similarity Score	9 Y	NUMBER(22,4)
W_RTL_PROD_SIM_IT_CDT_G	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who created the record in the source system	10 Y	VARCHAR2(80)
W_RTL_PROD_SIM_IT_CDT_G	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who last modified the record in the source system.	11 Y	VARCHAR2(80)
W_RTL_PROD_SIM_IT_CDT_G	CREATED_ON_DT	Identifies the date and time when the record was initially created in the source system.	12 Y	DATE
W_RTL_PROD_SIM_IT_CDT_G	CHANGED_ON_DT	Identifies the date and time when the record was last modified in the source system.	13 Y	DATE
W_RTL_PROD_SIM_IT_CDT_G	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	14 Y	DATE
W_RTL_PROD_SIM_IT_CDT_G	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	15 Y	DATE
W_RTL_PROD_SIM_IT_CDT_G	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	16 Y	DATE
W_RTL_PROD_SIM_IT_CDT_G	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	17 Y	DATE

W_RTL_PROD_SIM_IT_CDT_G	DELETE_FLG	This flag indicates the deletion status of the record in the source system. A value of Y indicates that the record is deleted from the source system and logically deleted from the data warehouse a value of N indicates that the record is active.	18 Y	CHAR(1)
W_RTL_PROD_SIM_IT_CDT_G	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances.	19 N	NUMBER(10,0)
W_RTL_PROD_SIM_IT_CDT_G	INTEGRATION_ID	This column is the unique identifier of a dimension or fact entity in its source system. In case of composite keys, the value in this column can consist of concatenated parts.	20 N	VARCHAR2(80)
W_RTL_PROD_SIM_IT_CDT_G	EXCHANGE_DT	Exchange Date.	21 Y	DATE
W_RTL_PROD_SIM_IT_CDT_G	DOC_CURR_CODE	Code for the currency in which the document was created in the source system.	22 Y	VARCHAR2(30)
W_RTL_PROD_SIM_IT_CDT_G	LOC_CURR_CODE	Usually the reporting currency code for the financial company in which the document was created.	23 Y	VARCHAR2(30)
W_RTL_PROD_SIM_IT_CDT_G	ETL_THREAD_VAL	Oracle system field. This column is the unique identifier for the specific Nos of ETL thread.	24 Y	NUMBER(4,0)
W_RTL_PROD_SIM_IT_CDT_G	GLOBAL1_EXCHANGE_RATE	This is the exchange rate from document currency to the first global currency. The global currencies are defined in the global currency master table.	25 Y	NUMBER(22,7)
W_RTL_PROD_SIM_IT_CDT_G	GLOBAL2_EXCHANGE_RATE	This is the exchange rate from document currency to the second global currency. The global currencies are defined in the global currency master table.	26 Y	NUMBER(22,7)
W_RTL_PROD_SIM_IT_CDT_G	GLOBAL3_EXCHANGE_RATE	This is the exchange rate from document currency to the third global currency. The global currencies are defined in the global currency master table.	27 Y	NUMBER(22,7)
W_RTL_PROD_SIM_IT_CDT_G	LOC_EXCHANGE_RATE	This is the exchange rate from document currency to the local currency.	28 Y	NUMBER(22,7)
W_RTL_PROD_SIM_IT_CDT_G	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment. This would typically be used in an Application Service Provider (ASP) / Software As a Service (SOAS) model.	29 Y	VARCHAR2(80)
W_RTL_PROD_SIM_IT_CDT_G	X_CUSTOM	This column is used as a generic field for customer extensions.	30 Y	VARCHAR2(10)

TABLE NAME:	W_RTL_CUSTSEG_BEHAVIOR_DS			
TABLE DESCRIPTION:	This is the staging table under RI data schema to hold Customer Segment Behavior Flavor attributes extracted from ORASE scehma			
BUSINESS RULE:				
W_RTL_CUSTSEG_BEHAVIOR_DS	CUSTSEG_ID	Customer Segment ID	1 N	VARCHAR2(50)
W_RTL_CUSTSEG_BEHAVIOR_DS	CATEGORY_ID	Category ID	2 N	VARCHAR2(80)
W_RTL_CUSTSEG_BEHAVIOR_DS	CUSTSEG_NAME	Customer Segment Name	3 N	VARCHAR2(80)
W_RTL_CUSTSEG_BEHAVIOR_DS	CUSTSEG_TYPE	Indicate the type of customer segment. Possible values are - Geographic segment, Psychographic segment, Behavioristic Segment and Demographic Segment	4 Y	VARCHAR2(50)
W_RTL_CUSTSEG_BEHAVIOR_DS	CUSTSEG_SRC_TYPE	This is the source for Customer Segment	5 Y	VARCHAR2(50)

		Identifies the name of the level for the entity within product hierarchy. □		
W_RTL_CUSTSEG_BEHAVIOR_DS	LEVEL_NAME		6 Y	VARCHAR2(40)
W_RTL_CUSTSEG_BEHAVIOR_DS	TOTAL_TRIP	This is the total number trips	7 Y	NUMBER(10,0)
W_RTL_CUSTSEG_BEHAVIOR_DS	AVG_TRIP	This is the average number of trips between the dates	8 Y	NUMBER(10,0)
W_RTL_CUSTSEG_BEHAVIOR_DS	AVG_TRX_CNT	This is the average transaction count between the effective dates	9 Y	NUMBER(10,0)
W_RTL_CUSTSEG_BEHAVIOR_DS	AVG_PURCHASE	This is the Customer average spent in days	10 Y	NUMBER(22,4)
W_RTL_CUSTSEG_BEHAVIOR_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record (in the Source system) is effective. The value is extracted from the source (whenever available)	11 Y	DATE
W_RTL_CUSTSEG_BEHAVIOR_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record (in the Source system) is effective. The value is extracted from the source (whenever available)	12 Y	DATE
W_RTL_CUSTSEG_BEHAVIOR_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who created the record in the source system.	13 Y	NUMBER(10,0)
W_RTL_CUSTSEG_BEHAVIOR_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who last modified the record in the source system.	14 Y	NUMBER(10,0)
W_RTL_CUSTSEG_BEHAVIOR_DS	CREATED_ON_DT	Identifies the date and time when the record was initially created in the source system.	15 Y	DATE
W_RTL_CUSTSEG_BEHAVIOR_DS	CHANGED_ON_DT	Identifies the date and time when the record was last modified in the source system.	16 Y	DATE
W_RTL_CUSTSEG_BEHAVIOR_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	17 Y	DATE
W_RTL_CUSTSEG_BEHAVIOR_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	18 Y	DATE
W_RTL_CUSTSEG_BEHAVIOR_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	19 Y	DATE
W_RTL_CUSTSEG_BEHAVIOR_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	20 Y	DATE
W_RTL_CUSTSEG_BEHAVIOR_DS	DELETE_FLG	This flag indicates the deletion status of the record in the source system. A value of Y indicates that the record is deleted from the source system and logically deleted from the data warehouse a value of N indicates that the record is active.	21 Y	VARCHAR2(1)
W_RTL_CUSTSEG_BEHAVIOR_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances.	22 N	NUMBER(10,0)
W_RTL_CUSTSEG_BEHAVIOR_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact entity in its source system. In case of composite	23 N	VARCHAR2(80)



W_RTL_CUSTSEG_BEHAVIOR_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment. This would typically be used in an Application Service Provider (ASP)/Software. As a Service (SOAS) model.	24 Y	VARCHAR2(80)
W_RTL_CUSTSEG_BEHAVIOR_DS	X_CUSTOM	This column is used as a generic field for customer extensions.	25 Y	VARCHAR2(10)

TABLE NAME:	W_RTL_CUSTSEG_ATTR_DS
TABLE DESCRIPTION:	This is the staging table under RI data schema to hold Customer Segment flexible attribute data extracted from ORASE schema
BUSINESS RULE:	

W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ID	Customer Segment ID	1 N	VARCHAR2(50)
		Indicate the type of customer segment. Possible values are - Geographic segment, Psychographic segment, Behavioristic Segment and Demographic Segment	2 Y	VARCHAR2(50)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_TYPE		2 Y	VARCHAR2(50)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_SRC_TYPE	This is the source for Customer Segment	3 Y	VARCHAR2(50)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR1_NAME	This is Customer Segment Flex attribute 1	4 Y	VARCHAR2(120)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR2_NAME	This is Customer Segment Flex attribute 2	5 Y	VARCHAR2(120)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR3_NAME	This is Customer Segment Flex attribute 3	6 Y	VARCHAR2(120)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR4_NAME	This is Customer Segment Flex attribute 4	7 Y	VARCHAR2(120)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR5_NAME	This is Customer Segment Flex attribute 5	8 Y	VARCHAR2(120)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR6_NAME	This is Customer Segment Flex attribute 6	9 Y	VARCHAR2(120)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR7_NAME	This is Customer Segment Flex attribute 7	10 Y	VARCHAR2(120)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR8_NAME	This is Customer Segment Flex attribute 8	11 Y	VARCHAR2(120)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR9_NAME	This is Customer Segment Flex attribute 9	12 Y	VARCHAR2(120)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR10_NAME	This is Customer Segment Flex attribute 10	13 Y	VARCHAR2(120)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR11_NAME	This is Customer Segment Flex attribute 11	14 Y	VARCHAR2(250)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR12_NAME	This is Customer Segment Flex attribute 12	15 Y	VARCHAR2(250)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR13_NAME	This is Customer Segment Flex attribute 13	16 Y	VARCHAR2(250)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR14_NAME	This is Customer Segment Flex attribute 14	17 Y	VARCHAR2(250)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR15_NAME	This is Customer Segment Flex attribute 15	18 Y	VARCHAR2(250)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR16_NAME	This is Customer Segment Flex attribute 16	19 Y	VARCHAR2(250)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR17_NAME	This is Customer Segment Flex attribute 17	20 Y	VARCHAR2(250)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR18_NAME	This is Customer Segment Flex attribute 18	21 Y	VARCHAR2(250)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR19_NAME	This is Customer Segment Flex attribute 19	22 Y	VARCHAR2(250)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR20_NAME	This is Customer Segment Flex attribute 20	23 Y	VARCHAR2(250)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR1_DATE	This is Customer Segment Flex attribute date 1	24 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR2_DATE	This is Customer Segment Flex attribute date 2	25 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR3_DATE	This is Customer Segment Flex attribute date 3	26 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR4_DATE	This is Customer Segment Flex attribute date 4	27 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR5_DATE	This is Customer Segment Flex attribute date 5	28 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR6_DATE	This is Customer Segment Flex attribute date 6	29 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR7_DATE	This is Customer Segment Flex attribute date 7	30 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR8_DATE	This is Customer Segment Flex attribute date 8	31 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR9_DATE	This is Customer Segment Flex attribute date 9	32 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR10_DATE	This is Customer Segment Flex attribute date 10	33 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR1_NUM_VALUE	This is Customer Segment Flex attribute num value 1	34 Y	NUMBER(20,4)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR2_NUM_VALUE	This is Customer Segment Flex attribute num value 2	35 Y	NUMBER(20,4)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR3_NUM_VALUE	This is Customer Segment Flex attribute num value 3	36 Y	NUMBER(20,4)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR4_NUM_VALUE	This is Customer Segment Flex attribute num value 4	37 Y	NUMBER(20,4)

W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR5_NUM_VALUE	This is Customer Segment Flex attribute num value 5	38 Y	NUMBER(20,4)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR6_NUM_VALUE	This is Customer Segment Flex attribute num value 6	39 Y	NUMBER(20,4)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR7_NUM_VALUE	This is Customer Segment Flex attribute num value 7	40 Y	NUMBER(20,4)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR8_NUM_VALUE	This is Customer Segment Flex attribute num value 8	41 Y	NUMBER(20,4)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR9_NUM_VALUE	This is Customer Segment Flex attribute num value 9	42 Y	NUMBER(20,4)
W_RTL_CUSTSEG_ATTR_DS	CUSTSEG_ATTR10_NUM_VALUE	This is Customer Segment Flex attribute num value 10	43 Y	NUMBER(20,4)
W_RTL_CUSTSEG_ATTR_DS	AUX1_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	44 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	AUX2_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	45 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	AUX3_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	46 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	AUX4_CHANGED_ON_DT	Oracle system field. This column identifies the last modified date and time of the auxiliary tables record which acts as a source for the current table.	47 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CHANGED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who last modified the record in the source system.	48 Y	VARCHAR2(80)
W_RTL_CUSTSEG_ATTR_DS	CHANGED_ON_DT	Identifies the date and time when the record was last modified in the source system.	49 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	CREATED_BY_ID	This is a foreign key to the W_USER_D dimension indicating the user who created the record in the source system.	50 Y	VARCHAR2(80)
W_RTL_CUSTSEG_ATTR_DS	CREATED_ON_DT	Identifies the date and time when the record was initially created in the source system.	51 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	DATASOURCE_NUM_ID	This column is the unique identifier of the source system from which data was extracted. In order to be able to trace the data back to its source, Oracle recommends that you define separate unique source IDs for each of your different source instances.	52 N	NUMBER(10,0)
W_RTL_CUSTSEG_ATTR_DS	DELETE_FLG	This flag indicates the deletion status of the record in the source system. A value of "Y" indicates that the record is deleted from the source system and logically deleted from the data warehouse a value of "N" indicates that the record is active.	53 Y	CHAR(1)
W_RTL_CUSTSEG_ATTR_DS	INTEGRATION_ID	This column is the unique identifier of a dimension or fact entity in its source system. In case of composite	54 N	VARCHAR2(80)
W_RTL_CUSTSEG_ATTR_DS	SRC_EFF_FROM_DT	This column stores the date from which the source record (in the Source system) is effective. The value is extracted from the source (whenever available)	55 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	SRC_EFF_TO_DT	This column stores the date up to which the source record (in the Source system) is effective. The value is extracted from the source (whenever available)	56 Y	DATE
W_RTL_CUSTSEG_ATTR_DS	TENANT_ID	This column is the unique identifier for a tenant in a multi-tenant environment. This would typically be used in an Application Service Provider (ASP)/Software. As a Service (SOAS) model.	57 Y	VARCHAR2(80)

W\_RTL\_CUSTSEG\_ATTR\_DS

X\_CUSTOM

This column is used as a generic field for customer extensions.

58 Y

VARCHAR2(10)