

**Oracle® Hospitality Cruise Shipboard
Property Management System**
eNOAD User Guide
Release 8.0
E91434-03

October 2021

Copyright © 1995, 2021, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Tables	4
Figures	5
Preface	6
Audience	6
Customer Support.....	6
Documentation.....	6
Revision History.....	6
Prerequisites and Compatibility	7
Prerequisites	7
Compatibility.....	7
1 SPMS Parameters	8
PAR_GROUP ENOAD	8
2 System Configuration	17
2.1. Operational Position Setup	17
2.2. APIS XML Setup.....	18
2.3. Ship Information Setup	19
2.4. Port Setup	20
2.5. Submission Setup	21
2.6. Transfer Folder Setup	21
2.7. Document Type Setup	21
3 Creating Arrival/Departure Notice	22
Appendix A. Document Type Mapping Field	25

Tables

Table 1-1 - PAR Group ENOAD	8
Table 2-1 - APIS File list.....	18
Table 2-2 - Port Symbol Stored in APIS file	20
Table A-1 eNOAD Document Type.....	25

Figures

Figure 2-1 – Crew Operational Position Code setup..... 17

Figure 2-2 - Mismatch Error prompt 18

Figure 2-3 – Sample Invalid crew type log time 19

Figure 2-4 – Standard Parameter Configuration – Ship Information Setup..... 19

Figure 2-5 – eNOAD – Port list..... 20

Figure 2-6 – Document type setup..... 21

Figure 3-1 – Create Arrival/Departure Notice..... 22

Figure 3-2 – Create Arrival/Departure Notice – Previous Port Info..... 23

Figure 3-3 –Crew/Passenger list for Validation 23

Figure 3-4 – Sample Log File 24

Preface

The eNOAD module is a program that manages the electronic Notice of Arrival/Departure of the vessel movement to the National Vessel Movement Centre (NVMC) outlined by The United States Coast Guard (USCG).

Audience

This document is intended for application specialist and end-users of Oracle Hospitality Cruise Shipboard Property Management System.

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received and any associated log files
- Screen shots of each step you take.

Documentation

Oracle Hospitality product documentation is available on the Oracle Help Center at <http://docs.oracle.com/en/industries/hospitality/>

Revision History

Date	Description of Change
December 2017	<ul style="list-style-type: none">• Initial publication
October 2018	<ul style="list-style-type: none">• Updated Submission by Web• Minor typo correction• Revised notification prompt
May 2021	<ul style="list-style-type: none">• Enhanced to support ENOAD Schema version 3.7

Prerequisites and Compatibility

This section describes the minimum requirements to run the eNOAD module in Oracle Hospitality Cruise Shipboard Property Management System (SPMS).

Prerequisites

- Administration.exe
- Management.exe
- Crew.exe
- eNOAD.exe

Compatibility

SPMS version 8.0 or later. For customer operating on version below 8.0 database upgrade to the recommended or latest version is required.

1

SPMS Parameters

This section describes the available Parameters for the eNOAD module and they are accessible in **Administration module, System Setup, Parameter**.

PAR_GROUP ENOAD

Table 1-1 - PAR Group ENOAD

PAR Name	PAR Value	Description
Allow Blank Date	1	1 – Enable to allow blank date for expected guests/crew handling 0 – Disable
Allow Reuse of Departure-Notice-ID During Arrival	1	1 – Enable to allow reuse of departure-notice-ID during arrival 0 - If Set To FALSE, Use INITIAL Notification When Returning To Port
CARICOM Countries	<Country Name>	Specify the <Country name> to be tag as CARICOM members. These countries listed will have the country name populated in State element as required for CARICOM submissions to NVMC. For example, <BAHAMAS><BELIZE><ANTIGUA AND BARBUDA><BARBADOS><DOMINICA><GRENADA><GUYANA><HAITI><JAMAICA><MONTserrat><SAINT KITTS AND NEVIS><SAINT LUCIA><SAINT VINCENT AND THE GRENADINES><SURINAME><TRINIDAD AND TOBAGO>
Default to FNU on Blank UXP_A_FSTN or FIRST_NAME	1	1 – Enable. If the guest first name is null, it defaults the First Name field as “FNU” 0 – Disable. If disabled, the First Name field cannot be null
ENOAD Web Service SOAPAction		The NVMC Web Service SOAP Action for the ENOAD System. Please obtain from NVMC website.
ENOAD Web Service SOAPHeader		The NVMC Web Service SOAP Header for the ENOAD System. Please obtain from NVMC website.
ENOAD Web Service URL		The NVMC Web Service URL for the ENOAD System. Please obtain from NVMC website.

PAR Name	PAR Value	Description
FIELD TO STRIP	<element>	<p>Comma Separated XML Field Name(s)</p> <p>These field(s) will be stripped of invalid characters according to Parameter setting "STRIP INVAL CHAR"</p> <p>For example,</p> <p>LAST_NAME,FIRST_NAME,ID_NUM,US_ADDRESS_STREET,US_ADDRESS_CITY,US_ADDRESS_STATE,US_ADDRESS_STATE_ABBR,US_ADDRESS_ZIP</p>
File Output Folder	<path>	<p>Allows output file to be saved to a user-defined local or network path folder. For example, C:\temp\apis\enoad</p>
Foreign Voyage Type	<value>	<p>Specify the Foreign Voyage Type options to be displayed in OHC ENOAD from the Voyage Type drop-down. Uses Comma Delimited values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example,</p> <p>Foreign To US,Foreign To CARICOM,US To CARICOM,US To Foreign,CARICOM To Foreign,CARICOM To US,Foreign To Saint Lawrence Seaway,Saint Lawrence Seaway To Foreign</p>
Include VOYAGE_NUMBER During submission		<p>Voyage Number:</p> <p>1 - Time Stamp,</p> <p>2 - Cruise external system identifier</p> <p>0 - NULL/ or <blank></p>
Mandatory Birthdate Field	1	<p>1 - Enable the birthdate field as mandatory</p> <p>0 - Disable birthdate field for guests/crew handling</p>
Mandatory Field For <ARRIVE>	<element>	<p>Specify the mandatory XML fields for <ARRIVE> element that eNOAD program will check during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example,</p> <p>ARRIVE_DT,ARRIVE_TIME,PORT_NAME,CITY,STATE,FACILITY,PLACE</p>

PAR Name	PAR Value	Description
Mandatory Fields For <CARGO>	<element>	Specify the mandatory XML fields for <CARGO> element that eNOAD program checks during file creation. Use Comma Delimited Values. These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail. For example, GENERAL_DESC,CDC_ON_BOARD
Mandatory Fields For <COMP_CERT>	<element>	Specify the mandatory XML fields for <COMP_CERT> element that eNOAD program will check during file creation. Use Comma Delimited Values. These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail. For example, ISSUED_DT,EXPIRATION_DT,AGENCY
Mandatory Fields For <CONTACT>	<element>	Specify the mandatory XML fields for <CONTACT> element that eNOAD program will check for during file creation. Use Comma Delimited Values. These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail. For example, NAME,PHONE
Mandatory Fields For <CREW>	<element>	Specify the mandatory XML fields for <CREW> element that eNOAD program checks during file creation. Use Comma Delimited Values. These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail. For example, POSITION, LAST_NAME, FIRST_NAME, BIRTH_DT, GENDER, NATIONALITY, NATIONALITY_CODE, COUNTRY_RESIDENCE, COUNTRY_RESIDENCE_CODE, ID_TYPE, ID_NUM, ID_COUNTRY, ID_COUNTRY_CODE, EMBARK_COUNTRY, EMBARK_COUNTRY_CODE, EMBARK_STATE, EMBARK_PORT_NAME, EMBARK_PORT_CODE, EMBARK_DATE

PAR Name	PAR Value	Description
Mandatory Fields For <DEPART>	<element>	<p>Specify the mandatory XML fields for <DEPART> element that eNOAD program will check during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example, DEPART_DT,DEPART_TIME,PORT_NAME,CITY,STATE,PLACE</p>
Mandatory Fields For <ISSC>	<element>	<p>Specify the mandatory XML fields for <ISSC> element that eNOAD program will check during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example, ISSUED_DT,VSP_IMPLEMENTATION,ISSC_TYPE,INTERIM_ISSC,FLAG_ADMINISTRATION,FLAG_ADMINISTRATION_CODE,CSO_NAME,CSO_PHONE</p>
Mandatory Fields For <LAST_PORT>	<element>	<p>Specify the mandatory XML fields for <LAST_PORT> element that eNOAD program checks during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example, ARRIVE_DT,DEPARTURE_DT,LAST_PORT_COUNTRY,LAST_PORT_COUNTRY_CODE,LAST_PORT_STATE,LAST_PORT_NAME,LAST_PORT_CODE,LAST_PORT_PLACE</p>

PAR Name	PAR Value	Description
Mandatory Fields For <NEXT_PORT>	<element>	<p>Specify the mandatory XML fields for <NEXT_PORT> element that eNOAD program checks during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example,</p> <p>ARRIVE_DT,ARRIVE_TIME,NEXT_PORT_COUNTRY,NEXT_PORT_COUNTRY_CODE,NEXT_PORT_STATE,NEXT_PORT_NAME,NEXT_PORT_CODE,NEXT_PORT_PLACE</p>
Mandatory Fields For <NONCREW>	<element>	<p>Specify the mandatory XML fields for <NONCREW> element that eNOAD program checks during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example,</p> <p>LAST_NAME,FIRST_NAME,BIRTH_DT,GENDER,NATIONALITY,NATIONALITY_CODE,COUNTRY_RESIDENCE,COUNTRY_RESIDENCE_CODE,ID_TYPE,ID_NUM,ID_COUNTRY,ID_COUNTRY_CODE,ID_EXPIRATION_DT,US_ADDRESS_STREET,US_ADDRESS_CITY,US_ADDRESS_ZIP</p>
Mandatory Fields For <NONCREW> 1	<element>	<p>Specify the mandatory XML fields for <NONCREW> element that eNOAD program checks during file creation. Use Comma Delimited Values. (Continued)</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example,</p> <p>EMBARK_COUNTRY,EMBARK_COUNTRY_CODE,EMBARK_STATE,EMBARK_PORT_NAME,EMBARK_PORT_CODE,EMBARK_DATE</p>

PAR Name	PAR Value	Description
Mandatory Fields For <NOTICE_DETAIL S>	<element>	<p>Specify the mandatory XML fields for <NOTICE_DETAILS> element that eNOAD program checks during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example, CREATED_DATE_TIME,NOTICE_ID,NOTICE_TRANSACTION_TYPE,NOTICE_TYPE,VERSION</p>
Mandatory Fields For <PREVIOUS_FOREIGN_PORT_LIST>	<element>	<p>Specify the mandatory XML fields for <PREVIOUS_FOREIGN_PORT_LIST> element that eNOAD program checks during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example, ARRIVAL_DT,DEPARTURE_DT,PREVIOUS_COUNTRY,PREVIOUS_COUNTRY_CODE,PREVIOUS_PORT_NAME,PREVIOUS_PORT_CODE,PREVIOUS_PLACE</p>
Mandatory Fields For <REPORTING_PARTY>	<element>	<p>Specify the mandatory XML fields for <REPORTING_PARTY> element that eNOAD program checks during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example, NAME,EMAIL,COMPANY</p>
Mandatory Fields For <SFTYMGMT_CERT>	<element>	<p>Specify the mandatory XML fields for <SFTYMGMT_CERT> element that eNOAD program checks during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example, ISSUED_DT,EXPIRATION_DT,AGENCY</p>

PAR Name	PAR Value	Description
Mandatory Fields For <VESSEL>	<element>	<p>Specify the mandatory XML fields for <VESSEL> element that eNOAD program checks during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example, NAME,CALL_SIGN,ID_NUM,ID_TYPE,FLAG,FLAG_CODE,OWNER,OPERATOR,CLASS_SOCIETY,CHARTERER,OCE,OCE_DESC,NTVRP_NUMBER</p>
Mandatory Fields For <VESSEL_LOC>	<element>	<p>Specify the mandatory XML fields for <VESSEL_LOC> element that eNOAD program checks during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example, LOCATION_DESC,LAT_DEG,LAT_MIN,LAT_SEC,N_S,LONG_DEG,LONG_MIN,LONG_SEC,E_W</p>
Mandatory Fields For <VOYAGE>	<element>	<p>Specify the mandatory XML fields for <VOYAGE> element that eNOAD program checks during file creation. Use Comma Delimited Values.</p> <p>These values must not be edited unless advised to do so by Oracle Cruise Support as the changes may cause the ENOAD manifest submissions to fail.</p> <p>For example, VOYAGE_TYPE</p>
Mandatory First Name Field	1	<p>1 - First Name Mandatory for expected crew or passengers</p> <p>0 – Not mandatory for First Name</p> <p>Only crew/passenger records that contain this information is included in ENOAD Manifest submission when expected crew/passenger is chosen during file creation.</p>

PAR Name	PAR Value	Description
Mandatory Gender Field	1	1 - Gender is mandatory for expected crew or passengers 0 – Not mandatory for gender Only crew/passenger records that contain this information is included in ENOAD Manifest submission when expected crew/passenger is chosen during file creation.
Mandatory ID Field	1	1 - Passport (or other form of identification) is mandatory for expected crew or passengers. 0 – Not mandatory for passport Only crew/passenger records that contain this information is included in ENOAD Manifest submission when expected crew/passenger is chosen during file creation.
Mandatory Last Name Field	1	1 - Last Name is mandatory for expected crew or passengers 0 – Not mandatory for last name Only crew/passenger records that contain this information is included in ENOAD Manifest submission when expected crew/passenger is chosen during file creation.
Mandatory Nationality Field	1	1 - Nationality is mandatory for expected crew or passengers 0 – Not mandatory for nationality Only crew/passenger records that contain this information is included in ENOAD Manifest submission when expected crew/passenger is chosen during file creation.
Manifest Submission Tracker	<path>	If specified, a Tracker File is created with matching XML File Name; for example, C:\Temp\APIS\Enoad. Else, the default path is C:\Users\Public\Documents\Oracle Hospitality Cruise\ENOAD
STRIP INVALID CHAR	<ASCII Code>	Comma Separated ASCII Code(s). Specify the non-alphanumeric characters (in ASCII Code) that will be stripped from the passenger/crew records section in the ENOAD Manifest. Specify the fields to which this handling needs to be applied in FIELDS TO STRIP parameter. For example, 33,35,36,37,38,42,61,91,93,94,123,125

PAR Name	PAR Value	Description
Source Column For Record Locator	<value>	Specifies the Database Column Used for <PASSENGER_RECORD_LOCATOR> For example, RES_ACC
UNSUBMITTED NONCREW FIELDS	<element>	Comma Separated XML Field Name(s) Specify the XML elements that should have their value left empty even if the information exists. This should only be done for non-mandatory fields that are known to contain data not formatted to NVMC specifications. For example, US_ADDRESS_STATE_ABBR

2 System Configuration

This section describes the Operational Position Setup within the Administration module.

2.1. Operational Position Setup

An Operational Position is required in the Advanced Passenger Information System (APIS) for references and reporting, and this is set up in Administration module.

1. Login to **Administration module** and select **Crew Setup, Operational Position** from the drop-down list.
2. Right-click on the left panel and select **Add** to create a new Operational Position or select from the existing list.

The screenshot shows the 'Crew Operational Positions Setup' window. On the left is a scrollable list of position codes and titles, with '10000 Master' selected. On the right, the 'Operational Position' tab is active, displaying the following configuration:

- Description:** 10000 Master
- Comments:** (empty)
- Additional Information:**
 - Position Code in CMS Shoreside: 10000
 - External ID: (empty)
 - Standard Cabin: (empty)
 - Spending Limit: 0
 - Service Charge Points Per Position: 0
 - Position Rank: (empty)
 - Operational Division: 110 Engine Officer
 - Operational Group: (empty)
 - Headcount: 0
 - TEST: (empty)
 - Disc Template: (None)
- Allowance:**
 - Amount: 0
 - Frequency: Daily (selected), Weekly, Bi-Weekly, Monthly
- APIS Reference:**
 - Crew Duty (CARICOM): Master
 - Crew Duty (Other APIS): Master
 - Time Attendance Sublocations for ClockIn/Out: 110-LocB 110-LocB (selected), 110-LocC 110-LocC, A A, HouseA HouseA
 - Common Area Access: 111 Hello
 - Position Enabled

Buttons for OK, Cancel, and Apply are at the bottom right.

Figure 2-1 – Crew Operational Position Code setup

3. Navigate to the Operational Position tab and enter the **Position code**, description and comment.
4. Under the **Additional Information** section, select the Operational Division from the drop-down list.
5. Under the **APIS Reference** section,
 - a. Define Crew Duty (CARICOM) position
 - b. Define Crew Duty (Other APIS) position
6. Click **OK** to save.

2.2. APIS XML Setup

A related APIS xml file is required to be uploaded into SPMS database and below are the affected tables.

Table 2-1 - APIS File list

Description	XML file	Table
Agency List	Agency_List.xml	SCA
CARICOM Port	CARICOMPORTS.xlsx	CCP
Crew Type List	Crew Type List	CWT
Foreign Port List	Foreign_Port_List.xml	FPL
International Ship Security Certificate Recognized Security Organization (RSO)	RSO.xml	RSO
Port Code	PortCode.csv	PCO
UK Port List	Port_UK_List.xml	UKP

1. Place all the XML files in \\Public Documents\Oracle Hospitality Cruise folder for the respective data to be updated into the database.
2. The system prompts an error message when opening the ENOAD setup if a mismatch is found in the position or crew type maintained in Administration module and the Crew Type.XML file. Please ensure all the required Operational Position is in the XML file before generating the report. Click **OK** to continue.




Figure 2-2 - Mismatch Error prompt

3. Review and correct all the invalid data listed the log file.

```

InvalCrewType.log - Notepad
File Edit Format View Help
07 Apr 2017 09:52:02

Full path of this log is at C:\Users\Public\Documents\Oracle Hospitality Cruise\InvalCrewType.log

Following crew type(s) are not specified as per Crew_Type_List.xml. Please correct and try again.

NOT PROVIDED =>      OPO record = 136b - 2nd Purser\Accounting Mgr
NOT PROVIDED =>      OPO record = 394 - Hostess\Immigration
NOT PROVIDED =>      OPO record = 846 - Tour Leader
NOT PROVIDED =>      OPO record = 297 - Electronic Tech.
NOT PROVIDED =>      OPO record = 511 - Bar Boy
NOT PROVIDED =>      OPO record = 271a - Waiter
NOT PROVIDED =>      OPO record = 272a - Asst. Waiter Room Serv.
NOT PROVIDED =>      OPO record = 273a - Asst. Maitre d'Hotel
NOT PROVIDED =>      OPO record = 138A - Cadet Purser
NOT PROVIDED =>      OPO record = 301a - F&B Manager - ICS Supervisor
NOT PROVIDED =>      OPO record = 365a - Coffemaker
NOT PROVIDED =>      OPO record = 266 - Captain Station IC
NOT PROVIDED =>      OPO record = 276 - Captain Station IG
NOT PROVIDED =>      OPO record = 285 - Captain Station CDM
NOT PROVIDED =>      OPO record = 286 - Captain Waiter
NOT PROVIDED =>      OPO record = 512 - Wine keeper
NOT PROVIDED =>      OPO record = 122 - Communication Officer
NOT PROVIDED =>      OPO record = 219 - Night supervisor
NOT PROVIDED =>      OPO record = 306 - Yeoman
NOT PROVIDED =>      OPO record = 195A - Asst. Electronic Technician

```

Figure 2-3 – Sample Invalid crew type log time

2.3. Ship Information Setup

The Ship Information must be entered before one is allowed to generate the report and this is setup in the eNoad application.

Figure 2-4 – Standard Parameter Configuration – Ship Information Setup

1. Run the eNOAD.exe.
2. Select ENOAD Setup from the ENOAD Transfer.
3. At the Ship Information Setup tab, enter the ship's information.
4. Click OK to save.

2.4. Port Setup

The Port Setup is differentiated by the symbols used and stored in the XML files. For example, the ISO Port Code for Acapulco has "<" and "-". This means the ISO Port shown in the eNOAD module, ISO Port Codes whereas the port for Devil's Island is excluded from eNOAD. See below table and figures for symbol use in the port setup.

Table 2-2 - Port Symbol Stored in APIS file

Description	Symbol
CARICOM Port	^
eNOAD Port	<
Panama Canal ADR Port	-
eBorder UK Port	#




Figure 2-5 – eNOAD – Port list

2.5. Submission Setup

The Submission Setup is a field where you define the Webservice Submission path and it supports manual report generation and online submission.

- Web Services Submission Token String
- Web Services Submission URL Address
- Web Services Submission SOAP Header
- Web Service Submission SOAP Action

More information can be found at <https://www.nvmc.uscg.gov/> on how to setup the Web Services Submission.

2.6. Transfer Folder Setup

A transfer folder is required when generating the report file. Manually create the folder and then enter the path in **Parameter, File Output Folder** if wish to save the file to a default location. If none is defined in the Parameter, the system defaults the folder to "C:\Users\Public\Documents\Oracle Hospitality Cruise\[Folder]."

If the Transfer folder does not exist, an error message 'Invalid path [path]' is prompt.

2.7. Document Type Setup

The Document Types accepted in SPMS must be mapped with a correct eNOAD code.

1. Login to **Administration module**.
2. Select **Administration, System Codes** and the **Document Types** from the menu option.
3. Select the Document Types from the left panel and in the **APIS <ID_TYPE> Mapping:** field, enter the hardcoded document type. See [Document Type Mapping Field](#) for more information.
4. Click **OK** to save.




Figure 2-6 – Document type setup

3

Creating Arrival/Departure Notice

There are two Data Submission Methods for eNOAD:

- **Submit by Web**
The data is generated and submit directly to eNOAD Web Services based on the setup in Submission Setup. This is the preferred method for electronic data submission.
- **Submit by File**
The data is generated in an XML files format and this indirect submission allows for the use of burst or manual e-mail to the NOAD authorities.

Below are the steps to create the eNOAD file for submission.

1. Run **eNOAD.exe**.
2. Select **ENOAD Transfer, ENOAD File Creation** from the menu option.

The screenshot shows a software window titled "Create Arrival/Departure Notice". It is divided into three main sections: Voyage Setting, Arrival Information, and Last Port Information. The Voyage Setting section includes fields for Notice Transaction Type (Initial/Update/Cancel), Notice Type (Arrival/Departure), Voyage Type (US to US), Account Selection (Not Specified), Expected Account (Not Specified, 2017-11-24), Voyage Duration (Yes/No), Location Description (US Location), Latitude & Longitude (Deg, Min, Sec), OCE (Operational), and Description (if not operational). The Arrival Information section includes Date (2017-11-24), Time (00:00:01), Estimated Departure Date (2017-11-24), Estimated Departure Time (23:59:59), Country (UNITED STATES), Port Name (Miami), State (Florida), City (US City), Place (if Port not available), Facility (arrival only) (US Facility), Anchorage (arrival only) (US Anchorage), and Longshoreman Work (Not Specified). The Last Port Information section includes Arrival Date (2017-11-23), Departure Date (2017-11-23), Country (UNITED STATES), Port Name (Miami), State (Florida), Place (if Port not available), and a checkbox for Close Loop Voyage Comments. At the bottom, there are buttons for "Submit By File", "Submit By Web", "Back", "Next", and "Cancel". A status bar at the bottom left says "Web Submission Ready".

Figure 3-1 – Create Arrival/Departure Notice

3. In the Create Arrival/Departure Notice window, update all the fields per APIS requirement and then click **Next**.
4. Select and update all the mandatory fields in **Default Embarkation Port**, including the information of previous five ports and then click **Next**.

The screenshot shows a web form titled "Create Arrival/Departure Notice". It is divided into several sections for entering port information:

- Default Embarkation Ports:** Country: UNITED STATES, Port Name: CIPS, State: SAINT LAWRENCE SEAWAY.
- Default Disembarkation Ports:** Country: UNITED STATES, Port Name: CIPS, State: SAINT LAWRENCE SEAWAY.
- Second Foreign Port:** Arrival Date: 2015-08-21, Departure Date: 2015-08-21, Country: BERMUDA, Port Name: HAMILTON.
- Third Foreign Port:** Arrival Date: 2015-03-01, Departure Date: 2015-03-01, Country: BARBADOS, Port Name: BRIDGETOWN.
- Fourth Foreign Port:** Arrival Date: 2014-09-23, Departure Date: 2014-09-23, Country: Belgium, Port Name: ZEEBRUGGE.
- Fifth Foreign Port:** Arrival Date: 2014-09-21, Departure Date: 2014-09-21, Country: BARBADOS, Port Name: BRIDGETOWN.
- First Foreign Port (checked):** Arrival Date: 2015-08-27, Departure Date: 2015-08-27, Country: BARBADOS, Port Name: BRIDGETOWN.

At the bottom, there are buttons for "Submit By File", "Submit By Web", "Back", "Next", and "Cancel". A "Web Submission Ready" indicator is present.

Figure 3-2 – Create Arrival/Departure Notice – Previous Port Info

- At the result grid, click **Validate Data** to validate and ensure all information is sufficient for submission.

The screenshot shows the same form, but now displaying a table of crew and passenger information. At the bottom, a "Validate Data" button is highlighted.

Type	Name	Travel Dates	ID No/Expiry	ID Type	Birth Date	Nation	Gender
CREW Bar Service	MORXWYZ, RODELIO	10/31/2012 06/08/2020	P12345 01/16/2018	Passport	4/26/1966	PH	M
CREW Chief Purser	FROXWYZ, JESSIE	10/31/2012 06/08/2020	P12345 04/28/2013	Passport	6/11/1979	US	F
CREW Housekeeping Staff	DABXWYZ, FELICIANO CRUZ	10/31/2012 06/08/2020	P12345 02/19/2016	Passport	1/23/1954	PH	M
CREW Bar Service	MANXWYZ, ISAGANI GUINTO	10/31/2012 06/08/2020	P12345 12/26/2017	Passport	11/7/1959	PH	M
CREW Bar Service	JOYXWYZ, DAN LINLEY	10/31/2012 06/08/2020	P12345 11/08/2016	Passport	10/21/1966	PH	M
CREW Motorman	CADXWYZ, WINDELL JOSE	10/31/2012 07/09/2016	P12345 04/18/2018	Passport	11/26/1957	PH	M
CREW Food Service	HIDXWYZ, KARNA	10/31/2012 07/09/2016	P12345 11/20/2016	Passport	4/8/1971	ID	M
CREW Provision Master	HERXWYZ, FNUJ	10/31/2012 07/09/2016	P12345 12/05/2017	Passport	3/13/1973	ID	M
CREW Facilities Crew	DE XWYZ, GLOBENCITO B	10/31/2012 06/08/2020	P12345 08/18/2017	Passport	11/25/1971	PH	M
CREW Motorman	MASXWYZ, MARIO BASILAN	10/31/2012 07/09/2016	P12345 06/15/2017	Passport	11/4/1965	PH	M
CREW Food Service	MIYXWYZ, ARIS	10/31/2012 07/09/2016	P12345 05/01/2016	Passport	12/5/1979	ID	M
CREW Food Service	JUNXWYZ, I KETUT	10/31/2012 06/08/2020	P12345 08/27/2016	Passport	6/21/1975	ID	M
CREW Food Service	BARXWYZ, MARIA LAURA	10/31/2012 06/08/2020	P12345 08/21/2017	Passport	3/22/1968	PH	M
CREW	FLOXWYZ, SILVESTER AGUSTINUS	10/31/2012	P12345	Passport	8/12/1975	ID	M

At the bottom of the table, there is a note: "Validate data will ensure the submission information is sufficient. If there is any missing or invalid data, a log file will be created for reference." and a "Validate Data" button.


Figure 3-3 –Crew/Passenger list for Validation

- The system creates and saves the log file to a user-defined local folder or network path folder defined in the parameter, if the information supplied is insufficient. If all the mandatory information is supplied and the data validation complete successfully, the systems prompts a confirmation message **“There is no missing/incorrect data. Do you wish to proceed to file submission?”** Click **Yes** on the confirmation prompt to continue. If there is a missing or incorrect date is found, correct the record and repeat step 5.

```
USCS-CALL_missing_20170410141350.log - Notepad
File Edit Format View Help
Cabin <NONCREW> 1013 TESTER,851 06 has missing , <NATIONALITY>, <NATIONALITY_CODE>,
Cabin <NONCREW> 1004 MAO,JICHUAN has missing or Duplicate Passport Country 'CN' and
Cabin <NONCREW> 12345Z MAO,JICHUAN has missing or Duplicate Passport Country 'CN' an
Cabin <NONCREW> 10000 CHAN,ANDY has missing , <NATIONALITY>, <NATIONALITY_CODE>, <CO
Cabin <NONCREW> 10002 SPMS001,TESTER has missing , <NATIONALITY>, <NATIONALITY_CODE>
Cabin <NONCREW> 10004 TESTER,KEYRUN 03 has missing , <NATIONALITY>, <NATIONALITY_COD
```

Figure 3-4 – Sample Log File

7. Choose to submit the report either by file or by web, and then click **Process**.
8. The system prompts a message box once the submission is successful. Click **OK** to close the window.



Appendix A. Document Type Mapping Field

The following section lists the mapping codes available to eNOAD.

Table A-1 eNOAD Document Type

Code	Description	Document Types
A	Alien Registration Card	U.S. Alien Registration Card
B	Birth Certificate	Birth Certificate
CCERT	Crew Member Certificate	Government Issued Picture ID(US)
CP	CARIPASS CARD	(**only for CARICOM)
CRBA	Consular Report of Birth Abroad	Consular Report of Birth Abroad
D	Driver License	Government Issued Picture ID(US)
DIPID	Diplomatic Identification	Government Issued Picture ID(US)
EDL_BC	Enhanced Driver's License (BC)	EDL (BC)
EDL_MB	Enhanced Driver's License (MB)	EDL (MB)
EDL_MI	Enhanced Driver's License (MI)	EDL (MI)
EDL_NY	Enhanced Driver's License (NY)	EDL (NY)
EDL_ON	Enhanced Driver's License (ON)	EDL (ON)
EDL_QC	Enhanced Driver's License (QC)	EDL (QC)
EDL_VT	Enhanced Driver's License (VT)	EDL (VT)
EDL_WA	Enhanced Driver's License (WA)	EDL (WA)
F	Refugee Permit	Government Issued Picture ID(US)
FAST	FAST ID Type	FAST
FD	Facilitation Document (Deportee) or (Consular)	Facilitation Document (Deportee) or (Consular)
FMD	Foreign Mariner Document	Foreign Mariner Document
GLOENT	Global Entry	Global Entry
GP	Group Passport	Government Issued Picture ID(US)
I	Ins Pass Document	Government Issued Picture ID(US)
L	License	Pilot License
M	Military Id	Military ID
MMC	U.S. Merchant Mariner Credential	U.S. Merchant Mariner Credential
MMD	Merchant Mariner Document	U.S. Merchant Mariner Document
N	National Picture ID	Government Issued Picture ID(US)

Code	Description	Document Types
NEXUS	Nexus	Nexus
NTV_US	Native American	Native American
O	Certificate of Naturalization	Certificate of Naturalization
OD	Official Government Document	Official Government Document
P	Passport	Passport Number
PPC	Passport Card	Passport Card
R	Residence Permit	Residence Permit
RID	Regional ID	Government Issued Picture ID(US)
SENTRI	SENTRI	SENTRI
SFR	Seafarer's Identification Document	Seafarer's Identification Document
TP_RFG	TP - Refugee Travel Document	TP - Refugee Travel Document
TRANS	Transportation Worker Identification Credential	Transportation Worker Identification Credential
TRBC	Tribal Card (IC)	Tribal Card (IC)
TRBC2	Tribal Card (II)	Tribal Card (II)
TR_REE	TR - Permit to Re-enter	TR - Permit to Re-enter
TT	Travel Title	Government Issued Picture ID(US)
US_GID	Government Issued Picture ID(US)	Government Issued Picture ID(US)
US_PRC	U.S. Permanent Resident Card	U.S. Permanent Resident Card
CA_GID	Canada Government Issued Picture ID	Government. Issued Picture ID (CANADA)
C	U.S. Government Issued Picture ID	Government Issued Picture ID(US)
V	U.S. Government Issued Picture ID	Government Issued Picture ID(US)