

FXPKS_FXDTRONL_UTILS Package

Extensible Hook Details

12.4

April 2017

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_COPY/8/1	1
2. FN_COPY/8/2	1
3. FN_DELETE/8/1	2
4. FN_DELETE/8/2	2
5. FN_ENRICH_ON_AMEND/9/1	3
6. FN_ENRICH_ON_AMEND/9/2	3
7. FN_PRODUCT_DEFAULT/8/1	4
8. FN_PRODUCT_DEFAULT/8/2	4
9. FN_REVERSE/8/1	5
10. FN_REVERSE/8/2	5
11. FN_SAVE/9/1	5
12. FN_SAVE/9/2	6
13. FN_SUBSYS_PICKUP/9/1	6
14. FN_SUBSYS_PICKUP/9/2	7
15. FN_UPLOAD_DB/9/1	7
16. FN_UPLOAD_DB/9/2	8

Parameter	Description
Function	FN_COPY
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_COPY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Copy()
Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Copy()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18837266

Parameter	Description
Function	FN_COPY
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_COPY
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Copy()
Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Copy()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18837266

Parameter	Description
Function	FN_DELETE
No of Parameters	8
Function Call Id	1

Cluster/Custom Function Name	FN_PRE_DELETE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for Fxpks_Fxdtronl_Utils.FN_DELETE()
Description	<p>Hooks provided for Fxpks_Fxdtronl_Utils.FN_DELETE()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17448488

Parameter	Description
Function	FN_DELETE
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_DELETE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for Fxpks_Fxdtronl_Utils.FN_DELETE()
Description	<p>Hooks provided for Fxpks_Fxdtronl_Utils.FN_DELETE()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17448488

Parameter	Description
Function	FN_ENRICH_ON_AMEND
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_ENRICH_ON_AMEND
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtronl_utils.sql in the function Fn_Enrich_On_Amend()

Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Enrich_On_Amend()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18837266

Parameter	Description
Function	FN_ENRICH_ON_AMEND
No of Parameters	9
Function Call Id	2
Cluster/Custom Function Name	FN_POST_ENRICH_ON_AMEND
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Enrich_On_Amend()</p>
Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Enrich_On_Amend()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18837266

Parameter	Description
Function	FN_PRODUCT_DEFAULT
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_PRODUCT_DEFAULT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function fn_product_default().</p> <p>Code in kernel package will be skipped and the product default changes that are required will be updated from the Custom package.</p>

Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function fn_product_default().</p> <p>Code in kernel package will be skipped and the product default changes that are required will be updated from the Custom package.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18837266

Parameter	Description
Function	FN_PRODUCT_DEFAULT
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_PRODUCT_DEFAULT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function fn_product_default().</p> <p>Code in kernel package will be skipped and the product default changes that are required will be updated from the Custom package.</p>
Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function fn_product_default().</p> <p>Code in kernel package will be skipped and the product default changes that are required will be updated from the Custom package.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18837266

Parameter	Description
Function	FN_REVERSE
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_REVERSE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for Fxpks_Fxdtroni_Utils.FN_REVERSE()

Description	<p>Hooks provided for Fxpks_Fxdtroni_Utils.FN_REVERSE()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17448488

Parameter	Description
Function	FN_REVERSE
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_REVERSE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided for Fxpks_Fxdtroni_Utils.FN_REVERSE().
Description	<p>Hooks provided for Fxpks_Fxdtroni_Utils.FN_REVERSE().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17448488

Parameter	Description
Function	FN_SAVE
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SAVE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Save()
Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Save()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18837266

Parameter	Description
Function	FN_SAVE
No of Parameters	9
Function Call Id	2
Cluster/Custom Function Name	FN_POST_SAVE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Save()
Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Save()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18837266

Parameter	Description
Function	FN_SUBSYS_PICKUP
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SUBSYS_PICKUP
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Subsys_Pickup()
Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Subsys_Pickup()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18837266

Parameter	Description
Function	FN_SUBSYS_PICKUP
No of Parameters	9
Function Call Id	2

Cluster/Custom Function Name	FN_POST_SUBSYS_PICKUP
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Subsys_Pickup()
Description	<p>A call with standard pre and post hooks has been made from fxpks_fxdtroni_utils.sql in the function Fn_Subsys_Pickup()</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18837266
Parameter	Description
Function	FN_UPLOAD_DB
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_UPLOAD_DB
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_UPLOAD_DB().
Description	<p>Hook is provided in FN_UPLOAD_DB().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	0

Parameter	Description
Function	FN_UPLOAD_DB
No of Parameters	9
Function Call Id	2
Cluster/Custom Function Name	FN_POST_UPLOAD_DB
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in FN_UPLOAD_DB().

Description	<p>Hook is provided in FN_UPLOAD_DB().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	0