

# **Oracle® Communications**

## **Diameter Signaling Router**

DSR Security App Using Mediation Example Procedure

Release 8.1

**E88989-01**

July 2017

**ORACLE®**

Oracle Communications Diameter Signaling Router Security App Using Mediation Example Procedure User's Guide,  
Release 8.1

Copyright © 2017 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.



**CAUTION:** Use only the Upgrade procedure included in the Upgrade Kit.

Before upgrading any system, please access My Oracle Support (MOS) (<https://support.oracle.com>) and review any Technical Service Bulletins (TSBs) that relate to this upgrade.

My Oracle Support (MOS) (<https://support.oracle.com>) is your initial point of contact for all product support and training needs. A representative at Customer Access Support (CAS) can assist you with MOS registration.

Call the CAS main number at 1-800-223-1711 (toll-free in the US), or call the Oracle Support hotline for your local country from the list at <http://www.oracle.com/us/support/contact/index.html>.

See more information on My Oracle Support (MOS).

**Disclaimer:** This is just a reference to an example for creating security application using DSR Mediation functionality.

## Table of Contents

<b>1. Introduction</b> .....	<b>5</b>
1.1 Purpose and Scope .....	5
1.2 Overview of Security Application .....	5
<b>2. Example Procedure</b> .....	<b>6</b>
2.1 Define Internal Variables .....	6
2.2 Define Measurements.....	7
2.3 Add AVP to DSR Custom Dictionary.....	7
2.3.1 OC-Supported-Features AVP.....	7
2.3.2 OC-OLR AVP.....	8
2.3.3 DRMP AVP .....	8
2.4 Ruleset Configuration .....	8
2.4.1 Template 1: Roaming Scenario Identification.....	9
2.4.2 Template 2: Application ID and CC WhiteList for Inbound Roamers.....	10
2.4.3 Template 3: Application ID and CC Whitelist for Outbound Roamers .....	12
2.4.4 Template 4: OR Whitelist .....	14
2.4.5 Template 5: DR Whitelist.....	16
2.4.6 Template 6: OH Ends with OR .....	18
2.4.7 Template 7: Handle Route Record AVP .....	20
2.4.8 Template 8: Handle Disallowed Requests.....	22
2.4.9 Template 9a: Remove DOIC AVP .....	23
2.4.10 Template 9b: Remove DRMP AVP .....	25
2.4.11 Template 10: Roaming Scenario Identification .....	26
2.4.12 Template 11: Destination-Realm Whitelist.....	28
2.4.13 Template 12a: Remove DOIC AVP .....	30
2.4.14 Template 12b: Remove DRMP AVP .....	32
2.5 Insert Rules within a Rule Set.....	32
2.6 State and Properties of Ruleset .....	36
2.7 Association of Ruleset to a Trigger Point .....	38
<b>Appendix A. My Oracle Support (MOS)</b> .....	<b>38</b>

## List of Tables

Table 1: Internal Variables .....	6
Table 2: Measurements .....	7
Table 3: Mediation Templates.....	8
Table 4: Sample IMSIs.....	9

## List of Figures

Figure 1: Define Internal Variables .....	6
Figure 2: Screenshot of Measurements.....	7
Figure 3: Screenshot of DRMP AVP .....	8
Figure 4: Screenshot of Roaming Scenario Identification Template.....	10
Figure 5: Screenshot of Application ID and CC Whitelist for Inbound Roamers Configured Template ....	11
Figure 6: Screenshot of Application ID and CC Whitelist for Outbound Roamers Configured Template..	13
Figure 7: Screenshot of OR Whitelist Configured Template .....	15
Figure 8: Screenshot of DR Whitelist Configured Template .....	17
Figure 9: Screenshot of OH Ends with OR Configured Template .....	19
Figure 10: Screenshot of Handle Route Record AVP Configured Template .....	21
Figure 11: Screenshot of Handle Disallowed Requests Configured Template.....	22
Figure 12: Screenshot of Remove DOIC AVP Configured Template .....	24
Figure 13: Screenshot of Remove DRMP AVP Configured Template .....	25
Figure 14: Screenshot of Roaming Scenario Identification Configured Template .....	27
Figure 15: Screenshot of Destination-Realm Whitelist Configured Template .....	29
Figure 16: Screenshot of Remove DOIC AVP Configured Template .....	31
Figure 17: Screenshot of Configured Template .....	32
Figure 18: Template 1: Roaming Scenario Identification .....	33
Figure 19: Template 2: Application ID and CC Whitelist for Inbound Roamers.....	33
Figure 20: Template 3: Application ID and CC Whitelist for Outbound Roamers.....	33
Figure 21: Template 4: OR Whitelist.....	34
Figure 22: Template 5: DR Whitelist .....	34
Figure 23: Template 6: OH Ends with OR .....	34
Figure 24: Template 7: Handle RouteRecord AVP .....	34
Figure 25: Template 8: Handle Disallowed Requests.....	35
Figure 26: Template 9a: Remove DOIC AVP .....	35
Figure 27: Template 9b: Remove DRMP AVP.....	35
Figure 28: Template 10. Roaming Scenario Identification .....	35
Figure 29: Template 11. Destination-Realm Whitelist .....	36
Figure 30: Template 12a. Remove DOIC AVP .....	36
Figure 31: Template 12b. Remove DRMP AVP .....	36
Figure 32: Active Templates Used as Reference .....	37
Figure 33: Screenshot of Rule Set Attached to its Trigger Points .....	38

# 1. Introduction

## 1.1 Purpose and Scope

This document provides a sample procedure required to build a security application using mediation.

No additional software installation is required before executing this procedure. The standard DSR installation procedure loads all required software. You do need to activate the Mediation feature before implementing the security application.

## 1.2 Overview of Security Application

- Most of the Diameter security vulnerabilities are for interconnect from roaming networks through IPX or directly from roaming partner networks.
- DEA is considered as the only point of contact into and out of an operator's network at the Diameter application level.
- Attacks are induced in operator's home network through Diameter messages passing through DEA.
- Security threats currently being discussed for SS7 are around below mentioned attacks:
  - Location tracking
  - Call intercept
  - Subscriber Denial of Service
  - Subscriber Account fraud
  - SMS SPAMS
- DSR based Diameter Security Countermeasures can be used to mitigate different diameter attacks.
- Diameter security countermeasures shall be implemented using ART or Mediation rules based screening.
- In this user guide, we use Mediation to configure and implement Diameter security countermeasures (Security Application).
- Diameter Security Countermeasures shall be applied on:
  - Ingress messages received from the peers of external foreign network
  - Egress messages sent from home network to external foreign network.
- For the purposes of applying countermeasures, subscribers are classified into one of following three types:
  - Inbound roaming subscribers: Security countermeasures are applicable for visited network subscribers roaming in home network
  - Outbound roaming subscribers: Security countermeasures are applicable for home network subscribers roaming in visited network
  - Non-Roaming home network subscribers: Security countermeasures are applicable for home network subscribers who are not roaming outside home network

## 2. Example Procedure

This section list the steps followed to build the sample security application using mediation. The security application uses various countermeasure checks. User may vary the templates (add/delete/modify) as per their needs.

**Test Setup topology:** DSR Setup with 1 NO + 1 SO + 1 MP. In the example (sample testing), DSR 80.14.1 is used with 1 NO + 1 SO + 1 MP, and taken as reference in this user guide.

### 2.1 Define Internal Variables

The internal variable provides inputs (i.e., Peer Type, Roamer Type, etc.) to templates, which implements countermeasures, generates alarms, and drops the vulnerable message.

To configure Internal Variables:

1. Launch an active SO GUI.
2. Navigate to **Main Menu -> Diameter -> Mediation -> Internal Variables Screen.**
3. Click **Insert** to insert each internal variable individually.
4. Define the internal variables as shown in Table 1 and shown in Figure 1 as reference. The templates set and read these internal variables.

**Table 1: Internal Variables**

Variable Name	Description	Type	Default Value
\$msgDisallowed	If true, then message is not allowed further; false then message is allowed and it is still tracked by other templates.	Integer32	0
\$foreignIngressPeer	If true, then message is from foreign network to home network.	Integer32	0
\$foreignEgressPeer	If true, then message is from home network to foreign network.	Integer32	0
\$inboundRoaming	If true, then subscriber is inbound subscriber.	Integer32	0
\$outboundRoaming	If true, then subscriber is outbound subscriber.	Integer32	0
\$index	Used as an index to delete the multiple occurrence of an AVP in one shot	Integer32	0

Main Menu: Diameter -> Mediation -> Internal Variables

Filter\* ▼

Table Description: Internal Variables Table

Variable Name	Type	Default Value	Description
foreignEgressPeer	Integer32	0	It determines whether peer is foreign peer or not for egress message.
foreignIngressPeer	Integer32	0	It determines whether peer is foreign peer or not.
inboundRoaming	Integer32	0	If non-zero, it decides the message is from inbound roaming subscriber.
index	Integer32	0	Use as an index to delete the multiple occurrence of an AVP in one shot.
msgDisallowed	Integer32	0	if non-zero then message will not be allowed.
outboundRoaming	Integer32	0	If non-zero, it decides the message is from outbound roaming subscriber.

**Figure 1: Define Internal Variables**

## 2.2 Define Measurements

Measurements calculate the number of vulnerable messages dropped by the Security application. For each type of countermeasure, create an entry.

To configure Measurements,


1. Launch an active SO GUI.
2. Navigate to **Main Menu -> Diameter -> Mediation -> Measurements.**
3. Click **Insert** to insert each measurement individually.

Use the measurements from Table 2 and shown in Figure 2 as a reference for this example.

**Table 2: Measurements**

Measurement Name	Description
measurement_inbound_10	Application ID and CC whitelist for inbound roamers
measurement_outbound_20	Application ID and CC whitelist for outbound roamers
measurement_DRWhitelist_40	DR whitelist
measurement_DestRealm_ER_100	Destination Realm Egress Request
measurement_Handle_RRecordAVP_60	Handle Route Record AVP
measurement_OH_ends_with_OR_50	OH ends with OR
measurement_ORWhitelist_30	OR whitelist

**Main Menu: Diameter -> Mediation -> Measurements**



**Figure 2: Screenshot of Measurements**

## 2.3 Add AVP to DSR Custom Dictionary

Add the following AVPs to the DSR custom dictionary:

### 2.3.1 OC-Supported-Features AVP

OC-Supported-Features ::= < AVP Header: 621 >

[ OC-Feature-Vector ]

\* [ AVP ]

### 2.3.2 OC-OLR AVP

```

OC-OLR ::= < AVP Header: 623 >
           < OC-Sequence-Number >
           < OC-Report-Type >
           [ OC-Reduction-Percentage ]
           [ OC-Validity-Duration ]
           * [ AVP ]
    
```

### 2.3.3 DRMP AVP

The DRMP (AVP code 301) is an Enumerated type. Use Figure 3 as a reference.

**Main Menu: Diameter -> AVP Dictionary -> Custom Dictionary**

**Table Description:** Custom Dictionary Table

Attribute Name	AVP Code	V	M	P	r3	r4	r5	r6	r7	Vendor ID	Data Type	Protocol
DRMP	301	0	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0	Participant-Access-Priority	3GPP
OC-Feature-Vector	622	0	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0	Unsigned64	3GPP
OC-OLR	623	0	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0	Grouped	RFC 7683
OC-Reduction-Percentage	627	0	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0	Unsigned32	RFC6733
OC-Report-Type	626	0	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0	CC-Unit-Type	RFC6733
OC-Sequence-Number	624	0	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0	Unsigned64	RFC6733
OC-Supported-Features	621	0	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0	Grouped	3GPP
OC-Validity-Duration	625	0	0/1	0/1	0/1	0/1	0/1	0/1	0/1	0	Unsigned32	RFC6733

**Figure 3: Screenshot of DRMP AVP**

## 2.4 Ruleset Configuration

To implement all six counter measures, configure the 14 Mediation templates. A few of these templates are common (i.e., not related to any specific counter measure), which performs generic actions like computing Peer Type/Roamer Type, generating alarms, pegging corresponding counters, and dropping the vulnerable messages. The remaining templates implement the counter measure specific business logic.

Refer to Table 1 to see counter measures to template mapping.

**Table 3: Mediation Templates**

Counter Measure Name	Used Template
Application-ID Whitelist Screening	Template 2 & 3
Application-ID and Command Code Consistency Check	Template 2 & 3
Origin Realm and Destination Realm Whitelist Screening	Template 4, 5 & 11
Origin host and Origin Realm Consistency Check	Template 6
Route-Record Validation	Template 7
Removal of Blacklisted AVPs	Template 9a, 9b, 12a & 12b

## 2.4.1 Template 1: Roaming Scenario Identification

This template computes Peer Type [Foreign or Home Peer], Roamer Type [Inbound or Outbound roamer], which is used by remaining templates.

It is associated with trigger point RTP1.

### Template Definition

If @dsr.ingress.peer equals list of foreign peers

Then

Set Internal Variable: \$foreignIngressPeer = 1

Set Internal Variable \$outboundRoaming = (@msg.avp["User-Name"][1].imsi.mccmnc == <LOCAL MCCMNC>)

Set Internal Variable: \$inboundRoaming = !\$outboundRoaming

This template sets internal variables if ingress peer is listed in a foreign peer list.


If the peer is in the whitelist then, check IMSI (International Mobile Subscriber Identity) from User-Name AVP to find out the home network of this user.

If the MCCMNC (extracted from IMSI) is equal to the local MCCMNC, then this subscriber is an **outbound** roaming subscriber.

If the MCCMNC (extracted from IMSI) is not equal to the local MCCMNC, then this subscriber is an **inbound** roaming subscriber.

### How to Extract MCC and MNC from IMSI Stored in USIM

The value of MNC (two or three digits) depends on the value of MCC.



In our sample testing, we used the following IMSIs:

**Table 4: Sample IMSIs**

MCC	MNC	Country	IMSI	Network
404	17	India	404179712345678	Home Network Subscriber
460	02	China	460022112345678	Foreign Network Subscriber

These IMSIs have been used for outbound and inbound subscriber in our sample testing and can be used as a reference.

Settings		Description
Rule Template Name	Roaming scenario identification-RTP1	Name used to label this Rule Template in the system (Default = n/a. Range = A-255 character string. Valid characters are [a-z], [A-Z], [0-9], space, dash (-), period (.), @, and underscore (_))
Message type support	Request <input checked="" type="checkbox"/> Answer <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. The message type support depends on the selected conditions and actions.
Conditions		Description
Fast search	<input checked="" type="checkbox"/>	
Name	Identifying the Ingress peer	
Description	Check Peer for Roaming scenario identification	
Left value	@dsr.ingress.peer	
Operator	==	When the condition set matches on the message, the selected actions are applied in the order they are shown. Each condition consists of a <left-hand operand>-<operator>-<right-hand operand>-tuple where <right-hand operand>-is either a value provisioned by the Rule Set Administrator or a fixed value that comes for example from the message being processed. In the former case, "name" is shown on the provisioning screen instead of <left-hand operand>- and the value is pre-filled by the "default value". "Optional" makes the condition optional, and "Fast search" results in fast database lookups.
Right value	Peer	
Default value	FN_MME1	
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
Condition Set	<input type="radio"/> ANDed <input type="radio"/> ORed <input checked="" type="radio"/> Complex Expression: A	Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) AND C AND (D OR E). Notes: Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the fast-search lookups.
Actions		Description
Action	Default Values	Optional
Set internal variable	Internal variable foreignIngressPeer Set Value 1	<input type="checkbox"/>
		<input checked="" type="checkbox"/>
Set internal variable	Internal variable outboundRoaming Set Value { @msg.avpl["User-Name"]	<input type="checkbox"/>
		<input checked="" type="checkbox"/>
Set internal variable	Internal variable inboundRoaming Set Value { \$outboundRoaming=={	<input type="checkbox"/>
		<input checked="" type="checkbox"/>
New action	Modify Diameter Header Parts	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Figure 4: Screenshot of Roaming Scenario Identification Template

## 2.4.2 Template 2: Application ID and CC WhiteList for Inbound Roamers

This template is applicable for the subscriber marked as Valid Inbound Subscriber by Template 1 "Roaming Scenario Identification."

If the diameter message is for inbound subscriber, then this template is executed.

This template checks for \$msgDisallowed (to allow this message or not), @msg.application\_id (to check that application ID is in the whitelist or not) and @msg.command.code (to check that this command code is allowed or not).

If above conditions are satisfied, then it allows the message by setting \$msgDisallowed = 0.

If not satisfied, then it abandons the message by setting \$msgDisallowed = 10. 10 indicates "Application ID and CC whitelist for inbound roamers" template check fails for this message. Hence, every template sets a different msgDisallowed value in case of failure.

It is associated with trigger point RTP1.

### Template Definition

```

IF      $inboundRoaming           is           true
AND     $msgDisallowed             is           false
AND     @msg.application_id        equals      list of application IDs
AND     @msg.command.code          equals      list of command-codes per application ID
THEN    Set Internal Variable:     $msgDisallowed = 0 for all the rules except the default rule:
                                         $msgDisallowed = 10
  
```

**Note:** CC can be optional, i.e., App-ID can be put on the whitelist without setting any CC. If you decide not to put CC in the whitelist, then only the App-ID filters the messages irrespective of CC in messages.

Settings		
Rule Template Name	Application Id and CC white list for inbound roamers-RTP1 *	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid ch
Message type support	Request: <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is support conditions and actions.
Conditions		
Fast search	<input checked="" type="checkbox"/>	A
Name	Check for InboundRoamers *	
Description	Check for InboundRoamers	
Left value	\$inboundRoaming *	[ wizard ]
Operator	is true <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		[ wizard ]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	B
Name	Check for msgDisallowed *	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed *	[ wizard ]
Operator	is false <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		[ wizard ]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	C
Name	Check for ApplicationId *	
Description	Check for ApplicationId	
Left value	@msg.application_id *	[ wizard ]
Operator	== <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	16777251	[ wizard ]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	D
Name	Check for CommandCode *	
Description	Check for CommandCode	
Left value	@msg.command.code *	[ wizard ]
Operator	== <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	360	[ wizard ]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	B
Name	Check for msgDisallowed *	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed *	[ wizard ]
Operator	is false <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		[ wizard ]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	C
Name	Check for ApplicationId *	
Description	Check for ApplicationId	
Left value	@msg.application_id *	[ wizard ]
Operator	== <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	16777251	[ wizard ]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	D
Name	Check for CommandCode *	
Description	Check for CommandCode	
Left value	@msg.command.code *	[ wizard ]
Operator	== <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	360	[ wizard ]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
Condition Set	<input checked="" type="radio"/> ANDed <input type="radio"/> ORed <input type="radio"/> Complex Expression: A AND B AND C AND D	Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) A the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the fast-search k
Actions		Description
Action	Default Values	Optional
Set internal variable	Internal variable msgDisallowed Set Value 0 [ wizard ]	<input type="checkbox"/> [ wizard ]
New action	Modify Diameter Header Parts [ wizard ]	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.
<input type="button" value="Ok"/> <input type="button" value="Apply"/> <input type="button" value="Cancel"/>		

Figure 5: Screenshot of Application ID and CC Whitelist for Inbound Roamers Configured Template

### 2.4.3 Template 3: Application ID and CC Whitelist for Outbound Roamers

This template is applicable for the subscriber marked as Valid Outbound Subscriber by Template 1 (i.e., roaming scenario identification).

If the diameter message is from outbound subscriber, then this template is executed.

This template checks for \$msgDisallowed (to allow this message or not), @msg.application\_id (to check that application ID is in the whitelist or not) and @msg.command.code (to check that this command code is allowed or not).

If above conditions satisfied, then it allows the message by setting \$msgDisallowed = 0.

If not satisfied, then it abandons the message by setting \$msgDisallowed = 20. 20 indicates “Application ID and CC whitelist for outbound roamers” template check fails for this message. Hence, every template sets a different msgDisallowed value in case of failure.

It is associated with trigger point RTP1.

#### Template Definition

IF	\$inboundRoaming	is	true
AND	\$msgDisallowed	is	false
AND	@msg.application_id	equals	list of application IDs
AND	@msg.command.code	equals	list of command-codes per application ID
THEN	Set Internal Variable:	\$msgDisallowed = 0 for all the rules except the default rule: \$msgDisallowed = 20	

**Note:** CC can be optional, i.e., App-ID can be put on the whitelist without setting any CC. If you decide not to put CC in the whitelist, then only the App-ID filters the messages irrespective of CC in messages.

Main Menu: Diameter -> Mediation -> Rule Templates [Edit]

Fri Jan 06 12:

Settings		Description
Rule Template Name	Application Id and CC white list for outbound roamers-RTP1 *	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], space, dash (-), period (.), @, and underscore]
Message type support	Request: <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. The message type depends on the selected conditions and actions.
Conditions		Description
<p>Fast search <input checked="" type="checkbox"/> <b>A</b> <input type="button" value="^X"/></p> <p>Name: Check for Outbound Romers * <input type="button" value="v"/></p> <p>Description: Check for Outbound Romers</p> <p>Left value: \$outboundRoaming * <input type="button" value="w"/> [wizard]</p> <p>Operator: is true <input type="button" value="v"/> Case sensitive <input type="checkbox"/></p> <p>Right value: Integer32 <input type="button" value="v"/></p> <p>Default value: <input type="button" value="w"/> [wizard]</p> <p>Optional <input type="checkbox"/> Fixed <input type="checkbox"/></p>		
<p>Fast search <input checked="" type="checkbox"/> <b>B</b> <input type="button" value="^X"/></p> <p>Name: Check for msgDisallowed * <input type="button" value="v"/></p> <p>Description: Check for msgDisallowed</p> <p>Left value: \$msgDisallowed * <input type="button" value="w"/> [wizard]</p> <p>Operator: is false <input type="button" value="v"/> Case sensitive <input type="checkbox"/></p> <p>Right value: Integer32 <input type="button" value="v"/></p> <p>Default value: <input type="button" value="w"/> [wizard]</p> <p>Optional <input type="checkbox"/> Fixed <input type="checkbox"/></p>		
<p>Fast search <input checked="" type="checkbox"/> <b>C</b> <input type="button" value="^X"/></p> <p>Name: Check for ApplicationId * <input type="button" value="v"/></p> <p>Description: Check for ApplicationId</p> <p>Left value: @msg.application_id * <input type="button" value="w"/> [wizard]</p> <p>Operator: == <input type="button" value="v"/> Case sensitive <input type="checkbox"/></p> <p>Right value: Integer32 <input type="button" value="v"/></p> <p>Default value: 16777251 <input type="button" value="w"/> [wizard]</p> <p>Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/></p>		
<p>Name: Check for msgDisallowed * <input type="button" value="v"/></p> <p>Description: Check for msgDisallowed</p> <p>Left value: \$msgDisallowed * <input type="button" value="w"/> [wizard]</p> <p>Operator: is false <input type="button" value="v"/> Case sensitive <input type="checkbox"/></p> <p>Right value: Integer32 <input type="button" value="v"/></p> <p>Default value: <input type="button" value="w"/> [wizard]</p> <p>Optional <input type="checkbox"/> Fixed <input type="checkbox"/></p>		
<p>Fast search <input checked="" type="checkbox"/> <b>C</b> <input type="button" value="^X"/></p> <p>Name: Check for ApplicationId * <input type="button" value="v"/></p> <p>Description: Check for ApplicationId</p> <p>Left value: @msg.application_id * <input type="button" value="w"/> [wizard]</p> <p>Operator: == <input type="button" value="v"/> Case sensitive <input type="checkbox"/></p> <p>Right value: Integer32 <input type="button" value="v"/></p> <p>Default value: 16777251 <input type="button" value="w"/> [wizard]</p> <p>Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/></p>		
<p>Fast search <input checked="" type="checkbox"/> <b>D</b> <input type="button" value="^X"/></p> <p>Name: Check for Commandcode * <input type="button" value="v"/></p> <p>Description: Check for Commandcode</p> <p>Left value: @msg.command.code * <input type="button" value="w"/> [wizard]</p> <p>Operator: == <input type="button" value="v"/> Case sensitive <input type="checkbox"/></p> <p>Right value: Integer32 <input type="button" value="v"/></p> <p>Default value: 316 <input type="button" value="w"/> [wizard]</p> <p>Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/></p>		
<p>[Add]</p>		
Condition Set	<input checked="" type="radio"/> ANDed <input type="radio"/> ORed <input type="radio"/> Complex Expression: A AND B AND C AND D	Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) AND C AND D Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the lookups.
Actions		Description
Action	Default Values	Optional
Set internal variable	Internal variable: msgDisallowed <input type="button" value="v"/> Set Value: 0 <input type="button" value="w"/> [wizard]	<input type="checkbox"/> <input type="button" value="^X"/>
New action	Modify Diameter Header Parts <input type="button" value="w"/> [Add]	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Figure 6: Screenshot of Application ID and CC Whitelist for Outbound Roamers Configured Template

#### 2.4.4 Template 4: OR Whitelist

This template checks the Origin Realm of the incoming diameter message against the whitelist of Origin Realms. If the message's Origin Realm is in the whitelist, then the diameter message is allowed for further processing, otherwise it is not.

This template checks for \$foreignIngressPeer (whitelisted foreign peer), \$msgDisallowed (to allow this message or not), and @msg.avp["Origin-Realm"] (to check that message's Origin Realm is in the whitelist or not).

If above conditions are satisfied, then it allows the message by setting \$msgDisallowed = 0.

If not satisfied, then it abandons the message by setting \$msgDisallowed = 30. 30 indicates "OR whitelist" template check fails for this message. Hence, every template sets a different msgDisallowed value in case of failure.

It is associated with trigger point RTP1.

##### Template Definition

IF	\$foreignIngressPeer	is	true
AND	\$msgDisallowed	is	false
AND	@msg.avp["Origin-Realm"]	equals	list of ORs
THEN	Set Internal Variable:	\$msgDisallowed = 0 for all the rules except the default rule: \$msgDisallowed = 30	

**Note:** The Origin-Realm is an optional condition. If you do not want to check origin realm, then use the empty value of origin realm or do not use this template.

<input type="button" value="Ok"/> <input type="button" value="Apply"/> <input type="button" value="Cancel"/>		
Settings		Description
Rule Template Name	OR Whitelist-RTP1	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], space, dash (-), period (.), @, and underscore (_)]
Message type support	Request: <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. The message type support depends on the selected conditions and actions.
Conditions		Description
Fast search	<input checked="" type="checkbox"/>	
Name	Check for Foreign Ingress Peer	When the condition set matches on the message, the selected actions are applied in the order they are shown. Each condition consists of a <left-hand operand> <operator> <right-hand operand> triple where <right-hand operand> is either a value provisioned by the Rule Set Administrator or a fixed value that comes for example from the message being processed. In the former case, "name" is shown on the provisioning screen instead of <left-hand operand> and the value is pre-filled by the "default value". "Optional" makes the condition optional, and "Fast search" results in fast database lookups.
Description	Check for Foreign Ingress Peer	
Left value	\$foreignIngressPeer	
Operator	is true Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		
Optional	<input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for msgDisallowed	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed	
Operator	is false Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		
Optional	<input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for Origin Realm AVP	
Description	Check for Origin Realm AVP	
Left value	@msg.avp["Origin-Realm"][1].data	
Operator	== Case sensitive <input type="checkbox"/>	
Right value	DiameterIdentity	
Default value	fwmme1.com	
Optional	<input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
[Add]		
Name	Check for Foreign Ingress Peer	When the condition set matches on the message, the selected actions are applied in the order they are shown. Each <left-hand operand> <operator> <right-hand operand> triple where <right-hand operand> is either a value provisioned Administrator or a fixed value that comes for example from the message being processed. In the former case, "name" is shown on the provisioning screen instead of <left-hand operand> and the value is pre-filled by the "default value". "Optional" makes the condition optional, and "Fast search" results in fast database lookups.
Description	Check for Foreign Ingress Peer	
Left value	\$foreignIngressPeer	
Operator	is true Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		
Optional	<input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for msgDisallowed	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed	
Operator	is false Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		
Optional	<input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for Origin Realm AVP	
Description	Check for Origin Realm AVP	
Left value	@msg.avp["Origin-Realm"][1].data	
Operator	== Case sensitive <input type="checkbox"/>	
Right value	DiameterIdentity	
Default value	fwmme1.com	
Optional	<input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
[Add]		
Condition Set	<input checked="" type="radio"/> ANDED <input type="radio"/> ORed <input type="radio"/> Complex Expression: A AND B AND C	Specify whether the conditions are logically ANDED, ORed or they form a complex logical expression like: (A OR B) AND C. Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve fast lookups.
Actions		Description
Action	Default Values	Optional
Set internal variable	Internal variable msgDisallowed Set Value 0	<input type="checkbox"/>
New action		Modify Diameter Header Parts [Add]
<input type="button" value="Ok"/> <input type="button" value="Apply"/> <input type="button" value="Cancel"/>		The action allows setting the value for an internal variable that is valid for the entire duration of a transaction.  Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Figure 7: Screenshot of OR Whitelist Configured Template

## 2.4.5 Template 5: DR Whitelist

After successful execution of Template 4 “OR Whitelist,” if \$msgDisallowed is 0 (message is still allowed for further processing), then Template 5 DR Whitelist is executed.

This template checks the Destination Realm of the incoming diameter message against the whitelist of Destination Realms. If the Destination Realm is in the whitelist, then the diameter message is allowed for further processing.

This template checks for \$foreignIngressPeer (whitelisted foreign peer), \$msgDisallowed (to allow this message or not), and @msg.avp["Destination-Realm"] (to check that Destination Realm is in the whitelist or not).

If above conditions are satisfied, then it allows the message by setting \$msgDisallowed = 0.

If not satisfied, then it abandons the message by setting \$msgDisallowed = 40. 40 indicates “DR whitelist” template check fails for this message. Hence, every template sets different msgDisallowed value in case of failure.

It is associated with trigger point RTP1.

### Template Definition

IF	\$foreignIngressPeer	is	true
AND	\$msgDisallowed	is	false
AND	@msg.avp["Destination-Realm"]	equals	list of DRs
THEN	Set Internal Variable:	\$msgDisallowed = 0 for all the rules except the default rule: \$msgDisallowed = 40	

**Note:** The Destination-Realm is an optional condition. If you do not want to check the destination realm, then use the empty value of destination realm or do not use this template.

Settings	Description
Rule Template Name: DR whitelist-RTP1 *	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], space (-), period (.), @, and ur
Message type support: Request <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. The mess depends on the selected conditions and actions.
Conditions	
Description	
<b>Condition A</b> Fast search: <input checked="" type="checkbox"/> Name: Check for Foreign Ingress Peer * Description: Check for Foreign Ingress Peer Left value: \$foreignIngressPeer * [wizard] Operator: is true Case sensitive: <input type="checkbox"/> Right value: Integer32 Default value: [wizard] Optional: <input type="checkbox"/> Fixed: <input type="checkbox"/>	When the condition set matches on the message, the selected actions are applied in the order they are shown. Each condition set is a <left-hand operand> <operator> <right-hand operand> triple where <right-hand operand> is either a value provisioned by the Rule Administrator or a fixed value that comes for example from the message being processed. In the former case, "name" is shown on the provisioning screen instead of <left-hand operand> and the value is pre-filled by the "default value". "Optional" makes the condition "Fast search" results in fast database lookups.
<b>Condition B</b> Fast search: <input checked="" type="checkbox"/> Name: Check for msgDisallowed * Description: Check for msgDisallowed Left value: \$msgDisallowed * [wizard] Operator: is false Case sensitive: <input type="checkbox"/> Right value: Integer32 Default value: [wizard] Optional: <input type="checkbox"/> Fixed: <input type="checkbox"/>	
<b>Condition C</b> Fast search: <input checked="" type="checkbox"/> Name: Check for Destination-Realm AVP * Description: Check for Destination-Realm AVP Left value: @msg.avp["Destination-Realm"][1].data * [wizard] Operator: == Case sensitive: <input type="checkbox"/> Right value: DiameterIdentity Default value: homme1.com [wizard] Optional: <input checked="" type="checkbox"/> Fixed: <input type="checkbox"/>	
[Add]	
Name: Check for Foreign Ingress Peer * Description: Check for Foreign Ingress Peer Left value: \$foreignIngressPeer * [wizard] Operator: is true Case sensitive: <input type="checkbox"/> Right value: Integer32 Default value: [wizard] Optional: <input type="checkbox"/> Fixed: <input type="checkbox"/>	
<b>Condition B</b> Fast search: <input checked="" type="checkbox"/> Name: Check for msgDisallowed * Description: Check for msgDisallowed Left value: \$msgDisallowed * [wizard] Operator: is false Case sensitive: <input type="checkbox"/> Right value: Integer32 Default value: [wizard] Optional: <input type="checkbox"/> Fixed: <input type="checkbox"/>	
<b>Condition C</b> Fast search: <input checked="" type="checkbox"/> Name: Check for Destination-Realm AVP * Description: Check for Destination-Realm AVP Left value: @msg.avp["Destination-Realm"][1].data * [wizard] Operator: == Case sensitive: <input type="checkbox"/> Right value: DiameterIdentity Default value: homme1.com [wizard] Optional: <input checked="" type="checkbox"/> Fixed: <input type="checkbox"/>	
[Add]	
Condition Set: <ul style="list-style-type: none"> <li><input checked="" type="radio"/> ANDed</li> <li><input type="radio"/> ORed</li> <li><input type="radio"/> Complex Expression: A AND B AND C</li> </ul>	Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) AND C AND (D OR E). Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the fastest lookups.
Actions	
Description	
Action: Set internal variable Default Values: Internal variable: msgDisallowed Set Value: 0 [wizard] Optional: <input type="checkbox"/>	The action allows setting the value for an internal variable that is valid for the entire duration of a transaction.
New action: [Modify Diameter Header Parts] [Add]	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Figure 8: Screenshot of DR Whitelist Configured Template

## 2.4.6 Template 6: OH Ends with OR

After successful screening of the diameter message with Template 5 “DR whitelist,” if the internal variable \$msgDisallowed is still false, then it means the diameter message is allowed for further processing and Template 6 “Origin Host Ends with Origin Realm” is executed.

This template picks the Origin-Host and Origin-Realm AVP from the diameter message and it checks that the Origin-Host is ending with Origin-Realm or not.

If not, then it abandons the diameter message and sets \$msgDisallowed = 50.

It also checks for \$foreignIngressPeer and \$msgDisallowed in the same way as it has been tested by the previous template.

It is associated with trigger point RTP1.

### Template Definition

```
IF      $foreignIngressPeer      is      true
AND    $msgDisallowed            is      false
AND    @msg.avp["Origin-Host"]  does not end with  "." + @msg.avp["Origin-Realm"]
THEN   Set Internal Variable:    $msgDisallowed = 50
```

Below is the screen shot of configured template “OH ends with OR”:

Main Menu: Diameter -> Mediation -> Rule Templates [Edit]

Ok Apply Cancel

Settings		Description
Rule Template Name	OH ends with OR-RTP1 *	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], s
Message type support	Request: <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. F depends on the selected conditions and actions.
Conditions		Description
Fast search <input checked="" type="checkbox"/>	A	
Name	Check for Foreign Ingress Peer *	
Description	Check for Foreign Ingress Peer	
Left value	\$foreignIngressPeer *	[ wizard ]
Operator	is true <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		[ wizard ]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search <input checked="" type="checkbox"/>	B	
Name	Check for msgDisallowed *	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed *	[ wizard ]
Operator	is false <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		[ wizard ]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search <input checked="" type="checkbox"/>	C	
Name	Check for Origin-Host AVP *	
Description	Origin-Host AVP Value does not ends with Origin-Realm AVP Value	
Left value	@msg.avp["Origin-Host"][1].data *	[ wizard ]
Operator	!=\$ <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	xl-value	
Default value	". " + @msg.avp["Origin-Realm"]	[ wizard ]
	Optional <input type="checkbox"/> Fixed <input checked="" type="checkbox"/>	
Name	Check for Foreign Ingress Peer *	
Description	Check for Foreign Ingress Peer	
Left value	\$foreignIngressPeer *	[ wizard ]
Operator	is true <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		[ wizard ]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search <input checked="" type="checkbox"/>	B	
Name	Check for msgDisallowed *	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed *	[ wizard ]
Operator	is false <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		[ wizard ]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search <input checked="" type="checkbox"/>	C	
Name	Check for Origin-Host AVP *	
Description	Origin-Host AVP Value does not ends with Origin-Realm AVP Value	
Left value	@msg.avp["Origin-Host"][1].data *	[ wizard ]
Operator	!=\$ <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	xl-value	
Default value	". " + @msg.avp["Origin-Realm"]	[ wizard ]
	Optional <input type="checkbox"/> Fixed <input checked="" type="checkbox"/>	
Condition Set	<input checked="" type="radio"/> ANDed <input type="radio"/> ORed <input type="radio"/> Complex Expression: A AND B AND C	Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) AND C AND (D OR E) Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the fast-search lookups.
Actions		Description
Action	Default Values	
Set internal variable	Internal variable msgDisallowed Set Value 50 [ wizard ]	The action allows setting the value for an internal variable that is valid for the entire duration of a transaction.
New action	Modify Diameter Header Parts [ Add ]	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Ok Apply Cancel

Figure 9: Screenshot of OH Ends with OR Configured Template

## 2.4.7 Template 7: Handle Route Record AVP

After successful screening of diameter message with Template 6 “OH Ends with OR,” if the internal variable \$msgDisallowed is still false, it means the diameter message is allowed for further processing and Template 7 “Handle Route Record AVP” is executed.

This template basically iterated through all the route record AVPs which are present in the diameter message and will compare each rout record AVP with blacklist of Realms. If any Rout Record AVP from diameter message match with ANY realm from blacklisted realms then it will abandoned the message by setting \$msgDisallowed = 60.

It is associated with trigger point RTP1.

### Template Definition

```
IF      $foreignIngressPeer          is          true
AND    $msgDisallowed                is          false
AND    `@msg.avp["Route-Record"][[any].data  ends with  list of realms
THEN   Set Internal Variable:         $msgDisallowed = 60
```

**Note:** In this template, we are using ANY keyword, which acts as a loop and iterates through all the route record AVPs to find out blacklisted realms present in any of the route record AVPs. Create one rule for each blacklisted realm.

The right hand side type is set to xl-value to a force slow-search.

Main Menu: Diameter -> Mediation -> Rule Templates [Edit]

Settings		Description
Rule Template Name	Handle RouteRecord AVP *	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], space, dash (-), period (.), @, _]
Message type support	Request: <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. The depends on the selected conditions and actions.
Conditions		Description
Fast search	<input checked="" type="checkbox"/>	
Name	Check for Foreign Ingress Peer *	
Description	Check for Foreign Ingress Peer	
Left value	\$foreignIngressPeer *	
Operator	is true <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for msgDisallowed *	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed *	
Operator	is false <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for RouteRecord AVP *	
Description	RouteRecord AVP, if any Route-Record AVP is ending with blacklisted re	
Left value	@msg_avp["Route-Record"][any].data *	
Operator	= \$ <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	xl-value	
Default value	blstmme1.com	
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
[Add]		
Name	Check for Foreign Ingress Peer *	
Description	Check for Foreign Ingress Peer	
Left value	\$foreignIngressPeer *	
Operator	is true <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for msgDisallowed *	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed *	
Operator	is false <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for RouteRecord AVP *	
Description	RouteRecord AVP, if any Route-Record AVP is ending with blacklisted re	
Left value	@msg_avp["Route-Record"][any].data *	
Operator	= \$ <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	xl-value	
Default value	blstmme1.com	
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
[Add]		
Condition Set	<input checked="" type="radio"/> ANDED <input type="radio"/> ORed <input type="radio"/> Complex Expression: A AND B AND C	Specify whether the conditions are logically ANDED, ORed or they form a complex logical expression like: (A OR B) AND C Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve lookups.
Actions		Description
Action	Default Values <input type="checkbox"/> Optional <input type="checkbox"/>	
Set internal variable	Internal variable: msgDisallowed Set Value: 60 [wizard]	The action allows setting the value for an internal variable that is valid for the entire duration of a transaction.
New action	Modify Diameter Header Parts [Add]	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Figure 10: Screenshot of Handle Route Record AVP Configured Template

## 2.4.8 Template 8: Handle Disallowed Requests

Template 8 picks certain AVPs from the diameter message, and tests them again with certain countermeasure, which you configure.

If the diameter message fails at any countermeasure, then \$msgDisallowed is set to a non-zero integer.

This template acts on the \$msgDisallowed value.

Template 8 takes three types of action, but you can be modify the requirements.

- **Peg Counter:** Count the number of disallowed request.
- **Raise Alarm:** Include the value of \$msgDisallowed in the alarm description.
- **Abandon** the diameter message.

It is associated with trigger point RTP1.

### Template Definition

IF	\$msgDisallowed	is true
THEN	Peg counter	Count the number of disallowed ingress requests
	Raise alarm	Include the value of \$msgDisallowed in the alarm description
	Abandon message	

Main Menu: Diameter -> Mediation -> Rule Templates [Edit]

Ok
Apply
Cancel

Settings		Description
Rule Template Name	Handle disallowed requests *	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], space, dash (-), period (.), @, ar
Message type support	Request <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. The r
Conditions		Description
Fast search <input checked="" type="checkbox"/>		
Name	Check for msgDisallowed *	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed *	When the condition set matches on the message, the selected actions are applied in the order they are shown. Ea
Operator	=	
Right value	Integer32	
Default value	0	
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
[Add]		
Condition Set	<input checked="" type="radio"/> ANDed <input type="radio"/> ORed <input type="radio"/> Complex Expression: A	Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) /
Actions		Description
Default Values	Optional	
Assert Alarm/Event	<input checked="" type="checkbox"/>	This action allows raising an alarm if the conditions for the rule match.
Additional info	<input type="checkbox"/>	
Peg Counter	<input checked="" type="checkbox"/>	Peg selected measurement
Abandon Message	<input type="checkbox"/>	Silently drop the message. The action is supported by Requests and Answers.
Exit from Execution Trigger	<input type="checkbox"/>	Exit from the Execution Trigger bypassing any subsequent Rule Template in it
New action	<input type="checkbox"/>	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Ok
Apply
Cancel

Figure 11: Screenshot of Handle Disallowed Requests Configured Template

## 2.4.9 Template 9a: Remove DOIC AVP

After successful execution of Template 8 “Handle Disallowed Requests,” if the message has failed at any countermeasure check, then the “Handle Disallowed Requests” template abandons the message (As per current configuration).

Once the diameter message passes all the above countermeasure checks (\$msgDisallowed is still 0), then Template 9a “Remove DOIC AVP” is executed.

It checks for DOIC AVP (OC-Supported-Features and OC-OLR AVPs). If it is present in the diameter message, then it deletes the DOIC AVPs and forwards the message for further processing.

It is associated with trigger point RTP1.

### Template Definition

IF	\$foreignIngressPeer	is	true
AND	@msg.avp[“OC-Supported-Features”]	exists	
OR	@msg.avp[“OC-OLR”]	exists	
THEN	Delete AVP	OC-Supported-Features	
	Delete AVP	OC-OLR	

Main Menu: Diameter -> Mediation -> Rule Templates [Edit]

Settings		Description
Rule Template Name	Remove DOIC AVP-RTP1 *	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], space, dash (-), period (.), @
Message type support	Request: <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. T depends on the selected conditions and actions.
Conditions		Description
Fast search	<input checked="" type="checkbox"/> A	
Name	Check for foreignIngressPeer *	
Description	Check for foreignIngressPeer	
Left value	\$foreignIngressPeer * [wizard]	
Operator	is true <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	[wizard]	
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/> B	
Name	Check for AVP OC-Supported-Features *	
Description	Check for AVP OC-Supported-Features	
Left value	@msg.avp["OC-Supported-Features"][1].data * [wizard]	When the condition set matches on the message, the selected actions are applied in the order they are shown. <left-hand operand> <operator> <right-hand operand> triple where <right-hand operand> is either a value provided by the Administrator or a fixed value that comes for example from the message being processed. In the former case, "name" is shown on the provisioning screen instead of <left-hand operand> and the value is pre-filled by the "default value". "Optional" makes the condition optional. "Fast search" results in fast database lookups.
Operator	exists <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	[wizard]	
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/> C	
Name	Check for OC-OLR AVP *	
Description	Check for OC-OLR AVP	
Left value	@msg.avp["OC-OLR"][1].data * [wizard]	
Operator	exists <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	[wizard]	
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
[Add]		
<input type="radio"/> ANDed <input type="radio"/> ORed <input checked="" type="radio"/> Complex Expression: A AND (B OR C)		Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) AND C AND D. Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the best performance.
Name	Check for AVP OC-Supported-Features *	
Description	Check for AVP OC-Supported-Features	
Left value	@msg.avp["OC-Supported-Features"][1].data * [wizard]	When the condition set matches on the message, the selected actions are applied in the order they are shown. Each condition is evaluated in the order they are shown. <left-hand operand> <operator> <right-hand operand> triple where <right-hand operand> is either a value provided by the Administrator or a fixed value that comes for example from the message being processed. In the former case, "name" is shown on the provisioning screen instead of <left-hand operand> and the value is pre-filled by the "default value". "Optional" makes the condition optional. "Fast search" results in fast database lookups.
Operator	exists <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	[wizard]	
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/> C	
Name	Check for OC-OLR AVP *	
Description	Check for OC-OLR AVP	
Left value	@msg.avp["OC-OLR"][1].data * [wizard]	
Operator	exists <input type="checkbox"/> Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	[wizard]	
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
[Add]		
<input type="radio"/> ANDed <input type="radio"/> ORed <input checked="" type="radio"/> Complex Expression: A AND (B OR C)		Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) AND C AND D. Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the best performance.
Actions		Description
Action	Default Values	Optional
Delete AVP	Delete parent AVP if it is empty: <input type="checkbox"/> Instance OC-Supported-Features \$index <input checked="" type="checkbox"/> OC-Feature-Vector <input type="checkbox"/> [Add] <input type="checkbox"/> With the value: [wizard]	<input type="checkbox"/> ^vX The action allows deleting a specified AVP in the message.
Delete AVP	Delete parent AVP if it is empty: <input type="checkbox"/> Instance OC-OLR \$index <input checked="" type="checkbox"/> OC-Reduction-Percentage <input type="checkbox"/> [Add] <input type="checkbox"/> With the value: [wizard]	<input type="checkbox"/> ^vX The action allows deleting a specified AVP in the message.
New action	Modify Diameter Header Parts <input type="checkbox"/> [Add]	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Figure 12: Screenshot of Remove DOIC AVP Configured Template

## 2.4.10 Template 9b: Remove DRMP AVP

After successful execution of Template 8 “Handle Disallowed Requests,” if the message has failed at any countermeasure check, then the “Handle Disallowed Requests” template abandons the message (As per current configuration).

Once the diameter message passes all the above countermeasure checks (\$msgDisallowed is still 0), then Template 9b “Remove DRMP AVP” is executed.

It checks for DRMP AVP. If it is present in the diameter message, then it deletes the DRMP AVP and forwards the message for further processing.

It is associated with trigger point RTP1.

### Template Definition

```

IF      $foreignIngressPeer      is      true
AND    @msg.avp["DRMP"]         exists
THEN   Delete AVP               DRMP
  
```

Settings		Description
Rule Template Name	Remove DRMP AVP-RTP1	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], space, dash (-), period (.), @, and underscore (_)]
Message type support	Request: <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. The message type support depends on the selected conditions and actions.
Conditions		Description
Fast search	<input checked="" type="checkbox"/>	
Name	Check for Foreign Ingress Peer	
Description	Check for Foreign Ingress Peer	
Left value	\$foreignIngressPeer	
Operator	is true	
Right value	Integer32	
Default value		
Optional	<input type="checkbox"/>	
Fixed	<input type="checkbox"/>	
Name	Check for DRMP AVP	
Description	Check for DRMP AVP	
Left value	@msg.avp["DRMP"][1].data	
Operator	exists	
Right value	Integer32	
Default value		
Optional	<input type="checkbox"/>	
Fixed	<input type="checkbox"/>	
Condition Set	<input checked="" type="radio"/> ANded <input type="radio"/> ORed <input type="radio"/> Complex Expression: A AND B	Specify whether the conditions are logically ANded, ORed or they form a complex logical expression like: (A OR B) AND C AND (D OR E) Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the fast-search lookups.
Actions		Description
Action	Delete AVP	
Default Values	Delete parent AVP if it is empty: <input type="checkbox"/> Instance: DRMP All	
Optional	<input type="checkbox"/>	
With the value:	<input type="checkbox"/>	
New action	Modify Diameter Header Parts	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Figure 13: Screenshot of Remove DRMP AVP Configured Template

### 2.4.11 Template 10: Roaming Scenario Identification

Template 10 checks for an egress peer before sending the diameter message to the connection.

It checks for application ID s6a, which is fixed in the current configuration; egress peer (check for egress foreign peer); and command code. In the sample configuration, only two commands are allowed: AIR and ULR.

If the condition is satisfied, then the diameter message is marked for keeping track by setting \$foreignEgressPeer = 1.

It is associated with trigger point RTP10.

#### Template Definition

IF	@msg.application_id	equals	S6a	
AND	@dsr.egress.peer	equals	list of	foreign peers
AND	@msg.command.code	equals	AIR	
OR	@msg.command.code	equals	ULR	
THEN	Set Internal Variable:		\$foreignEgressPeer = 1	

Settings		Description
Rule Template Name	Roaming scenario identification-RTP10	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], space, dash (-), period (.), @
Message type support	Request: <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. It depends on the selected conditions and actions.
Conditions		Description
Fast search	<input checked="" type="checkbox"/>	
Name	Identifying the Egress peer	
Description	Check Peer for Roaming scenario identification	
Left value	@dsr.egress.peer	[ wizard ]
Operator	== Case sensitive <input type="checkbox"/>	
Right value	Peer	
Default value	FN_HSS1	[ wizard ]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for Application ID	
Description	Check for Application ID	
Left value	@msg.application_id	[ wizard ]
Operator	== Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	16777251	[ wizard ]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for Command code	
Description	Check for Command code	
Left value	@msg.command.code	[ wizard ]
Operator	== Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	316	[ wizard ]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
[ Add ]		
Condition Set	<input checked="" type="radio"/> ANDed <input type="radio"/> ORed <input type="radio"/> Complex Expression: A AND B AND C	Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B AND C AND D). Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to reduce database lookups.
Actions		Description
Fast search	<input checked="" type="checkbox"/>	
Name	Identifying the Egress peer	
Description	Check Peer for Roaming scenario identification	
Left value	@dsr.egress.peer	[ wizard ]
Operator	== Case sensitive <input type="checkbox"/>	
Right value	Peer	
Default value	FN_HSS1	[ wizard ]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for Application ID	
Description	Check for Application ID	
Left value	@msg.application_id	[ wizard ]
Operator	== Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	16777251	[ wizard ]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	Check for Command code	
Description	Check for Command code	
Left value	@msg.command.code	[ wizard ]
Operator	== Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value	316	[ wizard ]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
[ Add ]		
Condition Set	<input checked="" type="radio"/> ANDed <input type="radio"/> ORed <input type="radio"/> Complex Expression: A AND B AND C	Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) AND C AND D. Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the best database lookups.
Actions		Description
Action	Default Values	Optional
Set internal variable	Internal variable foreignEgressPeer Set Value 1 [ wizard ]	<input type="checkbox"/>
New action	Modify Diameter Header Parts [ Add ]	
<input type="button" value="Ok"/> <input type="button" value="Apply"/> <input type="button" value="Cancel"/>		

Figure 14: Screenshot of Roaming Scenario Identification Configured Template

## 2.4.12 Template 11: Destination-Realm Whitelist

Once the Template 10 “Roaming Scenario Identification” successfully executes, and \$foreignEgressPeer is set to 1, Template 11 checks for Destination Realm AVP.

If the Destination Realm of the current diameter message is in the Destination Realm whitelist, then the \$msgDisallowed is set to 0; otherwise, \$msgDisallowed is 100, where 100 indicates the “Destination-Realm Whitelist” template check failed.

It is associated with trigger point RTP10.

### Template Definition

IF	\$foreignEgressPeer	is	true
AND	\$msgDisallowed	is	false
AND	@msg.avp["Destination-Realm"]	equals	list of DRs
THEN	Set Internal Variable:	\$msgDisallowed = 0 for all the rules except the default rule: \$msgDisallowed = 100	

Settings		Description
Rule Template Name	Destination-Realm whitelist-RTP10	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], space, dash (-), period (.), @, and _]
Message type support	Request: <input checked="" type="checkbox"/> Answer: <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. The rule is only applied to the selected message types.
Conditions		Description
Fast search	<input checked="" type="checkbox"/>	
Name	A Check for Foreign Egress Peer	
Description	Check for Foreign Egress Peer	
Left value	\$foreignEgressPeer	[wizard]
Operator	is true Case sensitive <input type="checkbox"/>	
Right value	Integer32	[wizard]
Default value		[wizard]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	B Check for msgDisallowed	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed	[wizard]
Operator	is false Case sensitive <input type="checkbox"/>	
Right value	Integer32	[wizard]
Default value		[wizard]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	C Check for Destination-Realm AVP	
Description	Check for Destination-Realm AVP	
Left value	@msg.avp["Destination-Realm"][1].data	[wizard]
Operator	== Case sensitive <input type="checkbox"/>	
Right value	DiameterIdentity	[wizard]
Default value	fwhss1.com	[wizard]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
[Add]		
Condition Set	<input checked="" type="radio"/> ANDed <input type="radio"/> ORed <input type="radio"/> Complex Expression: A AND B AND C	Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) AND C. Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the fast-search lookups.
Actions		Description
Name	Check for Foreign Egress Peer	
Description	Check for Foreign Egress Peer	
Left value	\$foreignEgressPeer	[wizard]
Operator	is true Case sensitive <input type="checkbox"/>	
Right value	Integer32	[wizard]
Default value		[wizard]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	B Check for msgDisallowed	
Description	Check for msgDisallowed	
Left value	\$msgDisallowed	[wizard]
Operator	is false Case sensitive <input type="checkbox"/>	
Right value	Integer32	[wizard]
Default value		[wizard]
	Optional <input type="checkbox"/> Fixed <input type="checkbox"/>	
Fast search	<input checked="" type="checkbox"/>	
Name	C Check for Destination-Realm AVP	
Description	Check for Destination-Realm AVP	
Left value	@msg.avp["Destination-Realm"][1].data	[wizard]
Operator	== Case sensitive <input type="checkbox"/>	
Right value	DiameterIdentity	[wizard]
Default value	fwhss1.com	[wizard]
	Optional <input checked="" type="checkbox"/> Fixed <input type="checkbox"/>	
[Add]		
Condition Set	<input checked="" type="radio"/> ANDed <input type="radio"/> ORed <input type="radio"/> Complex Expression: A AND B AND C	Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) AND C AND (D OR E). Note Use parentheses for the condition set that contains both AND and OR. Try to optimize the complex expression to achieve the fast-search lookups.
Actions		Description
Action	Default Values	Optional
Set internal variable	Internal variable msgDisallowed Set Value 0 [wizard]	<input type="checkbox"/>
		The action allows setting the value for an internal variable that is valid for the entire duration of a transaction.
New action	Modify Diameter Header Parts [Add]	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Figure 15: Screenshot of Destination-Realm Whitelist Configured Template

### 2.4.13 Template 12a: Remove DOIC AVP

This template's behavior is same as Template 9a, but association to trigger point is different and this works for egress peer.

It checks for DOIC AVP (OC-Supported-Features and OC-OLR AVPs). If it is present in the diameter message, then it deletes the AVPs and forwards the message for further processing.

It is associated with trigger point RTP10.

#### Template Definition

IF	\$foreignEgressPeer	is	true
AND	@msg.avp["OC-Supported-Features"]	exists	
OR	@msg.avp["OC-OLR"]	exists	
THEN	Delete AVP	OC-Supported-Features	
	Delete AVP	OC-OLR	

Settings		Description
Rule Template Name	Remove DOIC AVP-RTP10	Name used to label this Rule Template in the system [Default = n/a. Range = A 255 character string. Valid characters are [a-z], [A-Z], [0-9], space, dash (-), period (.), @, and underscore (_)]
Message type support	Request <input checked="" type="checkbox"/> Answer <input checked="" type="checkbox"/>	Indicates what type of message processing is supported by the Rule Template, i.e. Request, Answer, or both. The message type support depends on the selected actions.
Conditions		Description
Fast search <input checked="" type="checkbox"/>	<b>A</b>	
Name	Check for Foreign Egress Peer	
Description	Check for Foreign Egress Peer	
Left value	\$foreignEgressPeer	* [wizard]
Operator	is true Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		[wizard]
Optional <input type="checkbox"/> Fixed <input type="checkbox"/>		
Fast search <input checked="" type="checkbox"/>	<b>B</b>	
Name	Match for OC-Supported-Feature AVP	
Description	Match for OC-Supported-Feature AVP	
Left value	@msg_avp["OC-Supported-Features"][1].data	* [wizard]
Operator	exists Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		[wizard]
Optional <input type="checkbox"/> Fixed <input type="checkbox"/>		
Fast search <input checked="" type="checkbox"/>	<b>C</b>	
Name	Match for OC-OLR AVP	
Description	Match for OC-OLR AVP	
Left value	@msg_avp["OC-OLR"][1].data	* [wizard]
Operator	exists Case sensitive <input type="checkbox"/>	
Right value	Integer32	
Default value		[wizard]
Optional <input type="checkbox"/> Fixed <input type="checkbox"/>		
<p>When the condition set matches on the message, the selected actions are applied in the order they are shown. Each condition consists of a &lt;left-hand operand&gt; &lt;operator&gt; &lt;right-hand operand&gt; triple where &lt;right-hand operand&gt; is either a value provisioned by the Rule Set Administrator or a fixed value that comes for example from the message being processed. In the former case, "name" is shown on the provisioning screen instead of &lt;left-hand operand&gt; and the value is pre-filled by the "default value". "C" the condition optional, and "Fast search" results in fast database lookups.</p>		
<p>When the condition set matches on the message, the selected actions are applied in the order they are shown. Each condition consists of a &lt;left-hand operand&gt; &lt;operator&gt; &lt;right-hand operand&gt; triple where &lt;right-hand operand&gt; is either a value provisioned by the Rule Set Administrator or a fixed value that comes for example from the message being processed. In the former case, "name" is shown on the provisioning screen instead of &lt;left-hand operand&gt; and the value is pre-filled by the "default value". "Optional" the condition optional, and "Fast search" results in fast database lookups.</p>		
<p>When the condition set matches on the message, the selected actions are applied in the order they are shown. Each condition consists of a &lt;left-hand operand&gt; &lt;operator&gt; &lt;right-hand operand&gt; triple where &lt;right-hand operand&gt; is either a value provisioned by the Rule Set Administrator or a fixed value that comes for example from the message being processed. In the former case, "name" is shown on the provisioning screen instead of &lt;left-hand operand&gt; and the value is pre-filled by the "default value". "Optional" the condition optional, and "Fast search" results in fast database lookups.</p>		
<p>Specify whether the conditions are logically ANDed, ORed or they form a complex logical expression like: (A OR B) AND C AND (D OR E). Notes: Use parentheses for the complex set that contains both AND and OR. Try to optimize the complex expression to achieve the fast-search lookups.</p>		
Actions		Description
Action	Default Values	Optional
Delete AVP	Delete parent AVP if it is empty: <input type="checkbox"/> Instance OC-Supported-Features \$index <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> OC-Feature-Vector <input type="checkbox"/> [Add] With the value: [wizard]	<input type="checkbox"/> ^vX
Delete AVP	Delete parent AVP if it is empty: <input type="checkbox"/> Instance OC-OLR \$index <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> OC-Reduction-Percentage <input type="checkbox"/> [Add] With the value: [wizard]	<input type="checkbox"/> ^vX
New action	Modify Diameter Header Parts [Add]	Add a new action to the action list that is applied when the conditions of the Rule Template match on the message.

Figure 16: Screenshot of Remove DOIC AVP Configured Template

## 2.4.14 Template 12b: Remove DRMP AVP

This template behavior is same as template 9b but association to trigger point is different and this will work for egress peer.

It checks for DRMP AVP. If it is present in the diameter message, then it deletes the DFRMP AVP and forwards the message for further processing.

It is associated with trigger point RTP10.

### Template Definition

```
IF      $foreignEgressPeer      is      true
AND    @msg.avp["DRMP"]        exists
THEN   Delete AVP              DRMP
```

Figure 17: Screenshot of Configured Template

## 2.5 Insert Rules within a Rule Set

Insert rules within each rule set according to configuration. The condition value within each rule can be customized according to requirements.

In this sample application testing, templates are created (see screenshots of each of the Templates in Figure 4 though Figure 17) and rules are added accordingly in each template.

To insert a rule into the rule set:

1. Navigate to **Main Menu -> Diameter -> Mediation -> Rule Sets**.
2. Select a rule set and click Insert.

The following screenshots display each rule set with rules that can be used as a reference.

Display Filter: - None - = Reset Go

IF A  
THEN Set internal variable, Set internal variable, Set internal variable

Displaying Records 1-4 of 4 | First | Prev | 1 | Next | Last | Restore Order

Rule Id	A	Set internal variable		Set internal variable		Set internal variable	
		Internal variable	Set Value	Internal variable	Set Value	Internal variable	Set Value
48	FN_HSS1	foreignIngressPeer	1	outboundRoaming	(@msg.avp["User-Name"][1].imsi.mccmnc==40417)	inboundRoaming	(\$outboundRoaming==0)
49	FN_HSS2	foreignIngressPeer	1	outboundRoaming	(@msg.avp["User-Name"][1].imsi.mccmnc==40417)	inboundRoaming	(\$outboundRoaming==0)
46	FN_MME1	foreignIngressPeer	1	outboundRoaming	(@msg.avp["User-Name"][1].imsi.mccmnc==40417)	inboundRoaming	(\$outboundRoaming==0)
47	FN_MME2	foreignIngressPeer	1	outboundRoaming	(@msg.avp["User-Name"][1].imsi.mccmnc==40417)	inboundRoaming	(\$outboundRoaming==0)

Displaying Records 1-4 of 4 | First | Prev | 1 | Next | Last | Restore Order

Insert Import Delete All Rules Edit Delete Export Show Counters >>  Pause Updates

Figure 18: Template 1: Roaming Scenario Identification

IF A AND B AND C AND D  
THEN Set internal variable

Displaying Records 1-6 of 6 | First | Prev | 1 | Next | Last | Restore Order

Rule Id	A	B	C	D	Set internal variable	
	Check for InboundRoamers	Check for msgDisallowed	Check for ApplicationId	Check for CommandCode	Internal variable	Set Value
169	IS TRUE	IS FALSE	16777251	317	msgDisallowed	0
170	IS TRUE	IS FALSE	16777251	319	msgDisallowed	0
171	IS TRUE	IS FALSE	16777251	320	msgDisallowed	0
172	IS TRUE	IS FALSE	16777251	322	msgDisallowed	0
173	IS TRUE	IS FALSE	16777252		msgDisallowed	0
174	IS TRUE	IS FALSE			msgDisallowed	10

Displaying Records 1-6 of 6 | First | Prev | 1 | Next | Last | Restore Order

Figure 19: Template 2: Application ID and CC Whitelist for Inbound Roamers

Displaying Records 1-6 of 6 | First | Prev | 1 | Next | Last | Restore Order

Rule Id	A	B	C	D	Set internal variable	
	Check for Outbound Romers	Check for msgDisallowed	Check for ApplicationId	Check for Commandcode	Internal variable	Set Value
175	IS TRUE	IS FALSE	16777251	316	msgDisallowed	0
176	IS TRUE	IS FALSE	16777251	318	msgDisallowed	0
177	IS TRUE	IS FALSE	16777251	321	msgDisallowed	0
178	IS TRUE	IS FALSE	16777251	323	msgDisallowed	0
179	IS TRUE	IS FALSE	16777252		msgDisallowed	0
180	IS TRUE	IS FALSE			msgDisallowed	20

Displaying Records 1-6 of 6 | First | Prev | 1 | Next | Last | Restore Order

Figure 20: Template 3: Application ID and CC Whitelist for Outbound Roamers

IF A AND B AND C  
 THEN Set internal variable

Displaying Records 1-5 of 5 | [First](#) | [Prev](#) | 1 | [Next](#) | [Last](#) | [Restore Order](#)

Rule Id	A	B	C	Set internal variable	
	Check for Foreign Ingress Peer	Check for msgDisallowed	Check for Origin Realm AVP	Internal variable	Set Value
183	IS TRUE	IS FALSE	fwsss1.com	msgDisallowed	0
184	IS TRUE	IS FALSE	fwsss2.com	msgDisallowed	0
181	IS TRUE	IS FALSE	fwmme1.com	msgDisallowed	0
182	IS TRUE	IS FALSE	fwmme2.com	msgDisallowed	0
185	IS TRUE	IS FALSE		msgDisallowed	30

Displaying Records 1-5 of 5 | [First](#) | [Prev](#) | 1 | [Next](#) | [Last](#) | [Restore Order](#)

**Figure 21: Template 4: OR Whitelist**

IF A AND B AND C  
 THEN Set internal variable

Displaying Records 1-5 of 5 | [First](#) | [Prev](#) | 1 | [Next](#) | [Last](#) | [Restore Order](#)

Rule Id	A	B	C	Set internal variable	
	Check for Foreign Ingress Peer	Check for msgDisallowed	Check for Destination-Realm AVP	Internal variable	Set Value
188	IS TRUE	IS FALSE	hohss1.com	msgDisallowed	0
189	IS TRUE	IS FALSE	hohss2.com	msgDisallowed	0
186	IS TRUE	IS FALSE	homme1.com	msgDisallowed	0
187	IS TRUE	IS FALSE	homme2.com	msgDisallowed	0
190	IS TRUE	IS FALSE		msgDisallowed	40

Displaying Records 1-5 of 5 | [First](#) | [Prev](#) | 1 | [Next](#) | [Last](#) | [Restore Order](#)

**Figure 22: Template 5: DR Whitelist**

THEN Set internal variable

Displaying Records 1-1 of 1 | [First](#) | [Prev](#) | 1 | [Next](#) | [Last](#) | [Restore Order](#)

Rule Id	A	B	C	Set internal variable	
	Check for Foreign Ingress Peer	Check for msgDisallowed	Check for Origin-Host AVP	Internal variable	Set Value
211	IS TRUE	IS FALSE	".*" + @msg.avp["Origin-Realm"]	msgDisallowed	50

Displaying Records 1-1 of 1 | [First](#) | [Prev](#) | 1 | [Next](#) | [Last](#) | [Restore Order](#)

**Figure 23: Template 6: OH Ends with OR**

THEN Set internal variable

Displaying Records 1-2 of 2 | [First](#) | [Prev](#) | 1 | [Next](#) | [Last](#) | [Restore Order](#)

Rule Id	Move the rule	A	B	C	Set internal variable		Move the rule
		Check for Foreign Ingress Peer	Check for msgDisallowed	Check for RouteRecord AVP	Internal variable	Set Value	
148	<a href="#">Down</a>	IS TRUE	IS FALSE	blistmme2.com	msgDisallowed	60	<a href="#">Down</a>
147	<a href="#">Up</a> <a href="#">Down</a>	IS TRUE	IS FALSE	blistmme1.com	msgDisallowed	60	<a href="#">Up</a> <a href="#">Down</a>

Displaying Records 1-2 of 2 | [First](#) | [Prev](#) | 1 | [Next](#) | [Last](#) | [Restore Order](#)

**Figure 24: Template 7: Handle RouteRecord AVP**

IF A  
 THEN Assert Alarm/Event, Peg Counter, Abandon Message, Exit from Execution Trigger

Displaying Records 1-7 of 7 | First | Prev | 1 | Next | Last | Restore Order

Rule Id	A	Assert Alarm/Event	Measurement
	Check for msgDisallowed	Alarm/Event	
213	10	Mediation Generic Alarm -- Major [" + "Error Code :-" + String(\$msgDisallowed) + ":" + "Error Description :-" + " Application Id and CC white list for inbound roamers check failed. Abandoned the message"	measurement_inbound_10
219	100	Mediation Generic Alarm -- Major [" + "Error Code :-" + String(\$msgDisallowed) + ":" + "Error Description :-" + " Destination-Realm whitelist check failed. Abandoned the message"	measurement_DestRealm_ER_100
214	20	Mediation Generic Alarm -- Major [" + "Error Code :-" + String(\$msgDisallowed) + ":" + "Error Description :-" + " Application Id and CC white list for outbound roamers check failed. Abandoned the message"	measurement_outbound_20
215	30	Mediation Generic Alarm -- Major [" + "Error Code :-" + String(\$msgDisallowed) + ":" + "Error Description :-" + " OR whitelist check failed. Abandoned the message"	measurement_ORWhitelist_30
216	40	Mediation Generic Alarm -- Major [" + "Error Code :-" + String(\$msgDisallowed) + ":" + "Error Description :-" + " DR whitelist check failed. Abandoned the message"	measurement_DRWhitelist_40
217	50	Mediation Generic Alarm -- Major [" + "Error Code :-" + String(\$msgDisallowed) + ":" + "Error Description :-" + " OH ends with OR check failed. Abandoned the message"	measurement_OH_ends_with_OR_50
218	60	Mediation Generic Alarm -- Major [" + "Error Code :-" + String(\$msgDisallowed) + ":" + "Error Description :-" + " Handle RouteRecord A/P check failed. Abandoned the message"	measurement_Handle_RRecordA/P_60

Displaying Records 1-7 of 7 | First | Prev | 1 | Next | Last | Restore Order

Insert Import Delete All Rules Edit Delete Export Show Counters >>  Pause Updates

Figure 25: Template 8: Handle Disallowed Requests

Displaying Records 1-1 of 1 | First | Prev | 1 | Next | Last | Restore Order

Rule Id	Move the rule	A	B	C	Delete AVP	Delete AVP	Move the rule
		Check for foreignIngressPeer	Check for AVP OC-Supported-Features	Check for OC-OLR AVP	OC-Supported-Features[\$index]	OC-OLR[\$index]	
192		IS TRUE	EXISTS	EXISTS			

Displaying Records 1-1 of 1 | First | Prev | 1 | Next | Last | Restore Order

Figure 26: Template 9a: Remove DOIC AVP

THEN Delete AVP

Displaying Records 1-1 of 1 | First | Prev | 1 | Next | Last | Restore Order

Rule Id	A	B	Delete AVP	Rule Counters
	Check for Foreign Ingress Peer	Check for DRMP AVP	DRMP[0]	Total Pegs
193	IS TRUE	EXISTS	DRMP[0]	0

Displaying Records 1-1 of 1 | First | Prev | 1 | Next | Last | Restore Order

Figure 27: Template 9b: Remove DRMP AVP

THEN Set internal variable

Displaying Records 1-4 of 4 | First | Prev | 1 | Next | Last | Restore Order

Rule Id	A	B	C	Set internal variable	Rule Counters
	Identifying the Egress peer	Check for Application ID	Check for Command code	Internal variable	Set Value
74	FN_HSS1	16777251	316	foreignEgressPeer	1
76	FN_HSS1	16777251	318	foreignEgressPeer	1
77	FN_HSS2	16777251	316	foreignEgressPeer	1
75	FN_HSS2	16777251	318	foreignEgressPeer	1

Displaying Records 1-4 of 4 | First | Prev | 1 | Next | Last | Restore Order

All Rules Edit Delete Export << Hide Counters Expand Counters  Pause Updates

Figure 28: Template 10. Roaming Scenario Identification

IF A AND B AND C  
 THEN Set internal variable

Displaying Records 1-3 of 3 | First | Prev | 1 | Next | Last | Restore Order

Rule Id	A	B	C	Set internal variable	
	Check for Foreign Egress Peer	Check for msgDisallowed	Check for Destination-Realm AVP	Internal variable	Set Value
195	IS TRUE	IS FALSE	fwhss1.com	msgDisallowed	0
196	IS TRUE	IS FALSE	fwhss2.com	msgDisallowed	0
197	IS TRUE	IS FALSE		msgDisallowed	100

Displaying Records 1-3 of 3 | First | Prev | 1 | Next | Last | Restore Order

**Figure 29: Template 11. Destination-Realm Whitelist**

IF A AND ( B OR C )  
 THEN Delete AVP, Delete AVP

Displaying Records 1-1 of 1 | First | Prev | 1 | Next | Last | Restore Order

Rule Id	Move the rule	A	B	C	Delete AVP	Delete AVP	Move the rule
		Check for Foreign Egress Peer	Match for OC-Supported-Feature AVP	Match for OC-OLR AVP	OC-Supported-Features[\$index]	OC-OLR[\$index]	
194		IS TRUE	EXISTS	EXISTS	OC-Supported-Features[\$index]	OC-OLR[\$index]	

Displaying Records 1-1 of 1 | First | Prev | 1 | Next | Last | Restore Order

**Figure 30: Template 12a. Remove DOIC AVP**

IF A AND B  
 THEN Delete AVP

Displaying Records 1-1 of 1 | First | Prev | 1 | Next | Last | Restore Order

Rule Id	A	B	Delete AVP
	Check for Foreign Egress Peer	Check for DRMP AVP	
198	IS TRUE	EXISTS	DRMP[0]

Displaying Records 1-1 of 1 | First | Prev | 1 | Next | Last | Restore Order

**Figure 31: Template 12b. Remove DRMP AVP**

## 2.6 State and Properties of Ruleset

After injecting rules within a rule set, change the state of the template to Active.

1. Navigate to **Main Menu -> Diameter -> Mediation -> State & Properties**.
2. Select a template and click **Edit**.
3. Change the State to **Active**.
4. You can change the Action Error Handling: Ignore the error depending on your requirements.
5. You can change the Status of Rule Counters: Checked. If checked, then you can see the peg counter for each rule.

Main Menu: Diameter -> Mediation -> State & Properties

Display Filter:  =

Displaying Records 1-20 of 35 | [First](#) | [Prev](#) | [1](#) | [2](#) | [Next](#) | [Last](#)

Rule Template Name	State	Action Error Handling	Status of Rule Counters
Application Id and CC white list for inbound roamers-RTP1	Test	Ignore the error	Stopped
Application Id and CC white list for inbound roamers-RTP1-First Ver	Active	Ignore the error	Active
Application Id and CC white list for outbound roamers-RTP1	Test	Ignore the error	Stopped
Application Id and CC white list for outbound roamers-RTP1-First Ver	Active	Ignore the error	Active
DR whitelist-RTP1	Test	Ignore the error	Stopped
DR whitelist-RTP1-First Ver	Active	Ignore the error	Active
Destination-Realm whitelist-RTP10	Test	Ignore the error	Stopped
Destination-Realm whitelist-RTP10-First Ver	Active	Ignore the error	Active
Handle RouteRecord AVP	Test	Ignore the error	Stopped
Handle RouteRecord AVP-First Ver	Active	Ignore the error	Active
Handle disallowed requests	Test	Ignore the error	Stopped
Handle disallowed requests-First Ver	Active	Ignore the error	Active
Handle disallowed requests-RTP1-copy	Test	Ignore the error	Active
MiklosTest1	Development	Ignore the error	Stopped
MiklosTest1-copy	Development	Ignore the error	Stopped
MiklosTest11	Development	Ignore the error	Stopped
OH ends with OR-RTP1	Test	Ignore the error	Stopped
OH ends with OR-RTP1-First Ver	Active	Ignore the error	Active
OR whitelist-RTP1	Test	Ignore the error	Stopped
OR whitelist-RTP1-First Ver	Active	Ignore the error	Active

Rule Template Name	State	Action Error Handling	Status of Rule Counters
Remove DOIC AVP-RTP1	Test	Ignore the error	Stopped
Remove DOIC AVP-RTP1-First Ver	Active	Ignore the error	Active
Remove DOIC AVP-RTP10	Test	Ignore the error	Stopped
Remove DOIC AVP-RTP10-First Ver	Active	Ignore the error	Active
Remove DRMP AVP-RTP1	Test	Ignore the error	Stopped
Remove DRMP AVP-RTP1-First Ver	Active	Ignore the error	Active
Remove DRMP AVP-RTP10	Test	Ignore the error	Stopped
Remove DRMP AVP-RTP10-First Ver	Active	Ignore the error	Active
Roaming scenario identification-RTP1	Test	Ignore the error	Stopped
Roaming scenario identification-RTP1-First Ver	Active	Ignore the error	Active
Roaming scenario identification-RTP10	Test	Ignore the error	Stopped
Roaming scenario identification-RTP10-First Ver	Active	Ignore the error	Active
set extra logs	Test	Ignore the error	Stopped
testGC	Test	Ignore the error	Stopped
try4	Test	Ignore the error	Stopped

Displaying Records 21-35 of 35 | [First](#) | [Prev](#) | [1](#) | [2](#) | [Next](#) | [Last](#)

Figure 32: Active Templates Used as Reference

## 2.7 Association of Ruleset to a Trigger Point

This procedure associates the templates to a trigger point.

Associate Template 1 to Template 9b on trigger point RTP1 in increasing order. Associate Template 10, Template 11, Template 8, Template 12a, and Template 12b on trigger point RTP 10 in given sequence.

Associate Template 12a and 12b for the answer message on trigger point ATP10.

**Main Menu: Diameter -> Mediation -> Triggers**

Rule Set Name	Live	DSR Application	Request	Scope
<b>Trigger: Diameter request message received from connection</b>				
Roaming scenario identification-RTP1-First Ver	✓		Normal Request	-- All --
Application Id and CC white list for inbound roamers-RTP1-First Ver	✓		Normal Request	-- All --
Application Id and CC white list for outbound roamers-RTP1-First Ver	✓		Normal Request	-- All --
OR whitelist-RTP1-First Ver	✓		Normal Request	-- All --
DR whitelist-RTP1-First Ver	✓		Normal Request	-- All --
OH ends with OR-RTP1-First Ver	✓		Normal Request	-- All --
Handle RouteRecord AVP-First Ver	✓		Normal Request	-- All --
Handle disallowed requests-First Ver	✓		Normal Request	-- All --
Remove DOIC AVP-RTP1-First Ver	✓		Normal Request	-- All --
Remove DRMP AVP-RTP1-First Ver	✓		Normal Request	-- All --
Insert Remove Up Down				
<b>Trigger: Diameter request message prior to be forwarded to connection</b>				
Roaming scenario identification-RTP10-First Ver	✓		Normal Request	-- All --
Destination-Realm whitelist-RTP10-First Ver	✓		Normal Request	-- All --
Handle disallowed requests-First Ver	✓		Normal Request	-- All --
Remove DOIC AVP-RTP10-First Ver	✓		Normal Request	-- All --
Remove DRMP AVP-RTP10-First Ver	✓		Normal Request	-- All --
Insert Remove Up Down				
<b>Trigger: Diameter request message attempted for reroute</b>				
Insert Remove Up Down				
<b>Trigger: Diameter answer message received from connection</b>				
Insert Remove Up Down				
<b>Trigger: Diameter answer message prior to be forwarded to connection</b>				
Remove DOIC AVP-RTP10-First Ver	✓			-- All --
Remove DRMP AVP-RTP10-First Ver	✓			-- All --

**Figure 33: Screenshot of Rule Set Attached to its Trigger Points**

## Appendix A. My Oracle Support (MOS)

### My Oracle Support

MOS (<https://support.oracle.com>) is your initial point of contact for all product support and training needs. A representative at Customer Access Support (CAS) can assist you with MOS registration.

Call the CAS main number at **1-800-223-1711** (toll-free in the US), or call the Oracle Support hotline for your local country from the list at <http://www.oracle.com/us/support/contact/index.html>. When calling, make the selections in the sequence shown on the Support telephone menu:

1. Select 2 for New Service Request.
1. Select 3 for Hardware, Networking and Solaris Operating System Support.
2. Select one of the following options:

For technical issues such as creating a new Service Request (SR), select 1.

For non-technical issues such as registration or assistance with MOS, select 2.

You are connected to a live agent who can assist you with MOS registration and opening a support ticket. MOS is available 24 hours a day, 7 days a week, 365 days a year.

### Emergency Response

In the event of a critical service situation, emergency response is offered by the CAS main number at 1-800-223-1711 (toll-free in the US), or by calling the Oracle Support hotline for your local country from the list at <http://www.oracle.com/us/support/contact/index.html>. The emergency response provides immediate coverage, automatic escalation, and other features to ensure that the critical situation is resolved as rapidly as possible.

A critical situation is defined as a problem with the installed equipment that severely affects service, traffic, or maintenance capabilities, and requires immediate corrective action. Critical situations affect service and/or system operation resulting in one or several of these situations:

- A total system failure that results in loss of all transaction processing capability
- Significant reduction in system capacity or traffic handling capability
- Loss of the system's ability to perform automatic system reconfiguration
- Inability to restart a processor or the system
- Corruption of system databases that requires service affecting corrective actions
- Loss of access for maintenance or recovery operations
- Loss of the system ability to provide any required critical or major trouble notification

Any other problem severely affecting service, capacity/traffic, billing, and maintenance capabilities may be defined as critical by prior discussion and agreement with Oracle.

### Locate Product Documentation on the Oracle Help Center

Oracle Communications customer documentation is available on the web at the Oracle Help Center (OHC) site, <http://docs.oracle.com>. You do not have to register to access these documents. Viewing these files requires Adobe Acrobat Reader, which can be downloaded at <http://www.adobe.com>.

1. Access the **Oracle Help Center** site at <http://docs.oracle.com>.
2. Click **Industries**.
3. Under the **Oracle Communications** subheading, click the **Oracle Communications documentation** link. The Communications Documentation page appears. Most products covered by these documentation sets display under the headings **Network Session Delivery and Control Infrastructure** or **"Platforms."**
4. Click on your Product and then the Release Number. A list of the entire documentation set for the selected product and release displays. To download a file to your location, right-click the PDF link, select *Save target as* (or similar command based on your browser), and save to a local folder.