Standalone Scheduler Deployment in Websphere

Oracle FLEXCUBE Investment Servicing

Release 12.4.0.0.0

### [May] [2017]

ORACLE®

FINANCIAL SERVICES

Table of Contents

1. Standalone Scheduler Full Deployment

1. Launch Oracle FLEXCUBE Investor Servicing Installer.

2. Click on "Next" to display the screen below.

3. Select "Scheduler".

4. Click on "Next" to display the screen below.

5. Select "Deploy Application".

6. Choose the appropriate Server's Operating System from the drop down.

7. Choose "Websphere" from the Application Server drop down.

8. Click on "Next" to display the screen below.

Admin IP

Not applicable.

Admin Port

Not applicable.

Admin UserName

Please provide the appropriate Admin Username of the websphere application server.

Admin Password

Please provide the appropriate Admin Password of the websphere application server.

Type of Deployment

Choose "Full Deployment".

ORACLE®

9. Click on "**Test Connection**" to test the connection with the application server. On successful connection, the following message will be displayed.

10. Click on "OK" and click on "Next" to display the screen below.

WAR Path

Please select the application WAR to be deployed using the browse button.

Note: The Application WAR path cannot be copied and pasted on to the text box, thereby demanding the use of the browse button to the select the WAR.

Property File Path

Please select the appropriate path to the external properties file.

If the properties file is internal to the application WAR, it would be fetched on selection of the WAR and will be in a non-editable state.

Application Name

Application Name would be fetched on selection of the WAR and will be in a non-editable state.

Application Context

Please provide the Application Context as required.

Manage Resources

Not Applicable for websphere application server.

11. Click on "Next" to display the screen below.

Application Name

Not applicable for application full deployment.

Status

Not applicable for application full deployment.

Cell Name

Please provide the appropriate Cell Name.

Node Name

Please provide the appropriate Node Name.

Target Type

Please choose the appropriate target type.

ORACLE®

Server Name

Please provide the appropriate Server Name if the selected Target Type is "**Server**".

Cluster Name

Please provide the appropriate Cluster Name if the selected Target Type is "**Cluster**".

Note: The values fed in the above screen are not validated at the screen level as a result of a limitation and hence, please provide accurate information.

12. Click on "Next" to display the screen below.

13. Click on "**Start Deployment**" to begin the process of application deployment.

14. On successful deployment, you will get the following message and the screen is expected to look like below.

ORACLE

ORACLE®

Application Deployment in Websphere
[May] [2017]
Version 12.4.0.0.0

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

ORACLE®