

Oracle® Communications
EAGLE Application Processor
Incremental Upgrade/Installation Guide
Release 16.2
E87680-06

April 2022

ORACLE®

Copyright © 2000, 2022, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notices are applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.



CAUTION: Use only the guide downloaded from the Oracle Technology Network (OTN) (<http://www.oracle.com/technetwork/indexes/documentation/oracle-comms-tekelec-2136003.html>). Before running upgrade on your system, access the My Oracle Support web portal (<https://support.oracle.com>) and review any Knowledge Alerts that may be related to the System Health Check or the I Upgrade.

Before beginning this procedure, contact My Oracle Support and inform them of your upgrade plans. Refer to Appendix E for instructions on accessing My Oracle Support.

TABLE OF CONTENTS

1. INTRODUCTION	7
1.1 Purpose and Scope	7
1.2 References	7
1.2.1 External	7
1.2.2 Internal (Oracle)	7
1.3 Software Release Numbering	7
1.4 Acronyms	7
1.5 Terminology	8
1.6 Recommendations	9
1.8 Requirements	10
2. GENERAL DESCRIPTION	11
2.1 Upgrading Provisionable EPAP Mated Pairs	12
2.3 Backout Provisionable EPAP Mated Pairs	13
2.4 Upgrading EPAP Non-Provisionable MPS Servers	13
2.4.1 Non-Provisional MPS pairs in Mixed EPAP configuration	13
2.4.2 Non-Provisional MPS pairs in Standalone PDB configuration	14
3. UPGRADE OVERVIEW	16
3.1 Upgrade Provisioning Rules	16
3.2 Required Materials	16
3.3 Installation Phases	18
3.3.1 Installation Phases for Mixed and Non-Provisionable EPAP	18
3.3.2 Installation Phases for Standalone PDB	19
3.4 Major Upgrade Phases	20
3.4.1 Major Upgrade Phases for Mixed and Non-Provisionable EPAP	20
3.4.2 Major Upgrade Phases for Standalone PDB	21
3.5 Incremental Upgrade Phases	22
3.5.1 Incremental Upgrade Phases for Mixed and Non-Provisionable EPAP	22
3.5.2 Incremental Upgrade Phases for Standalone PDB	23
3.6 Backout Phases	24
3.6.1 Backout Phases for Mixed and Non-Provisionable EPAP	24
3.6.2 Backout Phases for Standalone PDB	25
3.7 Log Files	26
4. UPGRADE PREPARATION	27
Procedure 1 Setting up the upgrade environment	27
Procedure 2 Determine if upgrade or installation is required	28
Procedure 3 Pre-upgrade requirements	29
Procedure 4 System Health check	30
5. SOFTWARE INSTALLATION PROCEDURES	31
Procedure 5 Pre-Install configuration on server A	31
Procedure 6 Pre-Install configuration on server B	36
Procedure 7 Install Application on server A	40
Procedure 8 Install Application on server B	44
Procedure 9 Switch Configuration	49
Procedure 10 Procedure to Configure Sync Network Redundancy	59
Procedure 11 Configuring the application	64
Procedure 12 PDB Configuration	80
6. SOFTWARE UPGRADE PROCEDURES	85

Procedure 13	Assess MPS server's readiness for upgrade	85
Procedure 14	Pre and Post Upgrade Backups.....	87
Procedure 15	Pre-upgrade system time check	89
Procedure 16	Upgrade Server B.....	90
Procedure 17	Upgrade server A	99
Procedure 18	Reboot EAGLE Cards	107
5.	SOFTWARE RECOVERY PROCEDURES.....	108
5.1	Backout Setup	108
5.2	Perform Backout.....	108
Procedure 19	Server B Backout.....	108
Procedure 20	Backout both Server A and B	112
Procedure 21	Restart PDBA Software (Post-Backout and Post-Upgrade)	118
APPENDIX A	GENERIC PROCEDURES.....	121
Procedure A.1	Perform System Health Check	121
Procedure A.2	Validate Upgrade Media.....	123
Procedure A.3	System Configuration Backup	125
Procedure A.4	PDB Backup.....	128
Procedure A.5	RTDB Backup	130
Procedure A.6	EuiDB Backup.....	132
Procedure A.7	RTDB Reload from PDBA	134
Procedure A.8	RTDB Restore.....	137
Procedure A.9	RTDB Reload from Remote.....	138
Procedure A.10	ISO Image copy from USB Media.....	140
Procedure A.11	IPM MPS Server with TPD 7.4.X.....	143
Procedure A.12	Standalone PDB Segmented Configuration.....	152
Procedure A.13	Password change for EPAP System Users	156
Procedure A.14	E5-APP-B Halt/Shutdown.....	158
Procedure A.15	Procedure to Configure EPAP switch ports and EAGLE SM cards to support 1G EPAP-to-Eagle RTDB download speed	159
Procedure A.16	Upgrade SSL certificate from SHA-1 to SHA-512.....	178
Procedure A.17	Disable Epap VIP And Deactivate PDBA Proxy Feature	179
Procedure A.18	Enable EPAP PDBA Proxy and EPAP VIP Optional Features.....	185
Procedure A.19	Configure DSM Min Mem Size	195
Procedure A.20	Restart Mysql service for PDB on Query Server.....	196
APPENDIX B	INTERCONNECTION DIAGRAM.....	198
APPENDIX C	SWOPS SIGN OFF.....	200
APPENDIX D	CUSTOMER SIGN OFF	201
APPENDIX E	MY ORACLE SUPPORT.....	202

List of Figures

Figure 1: Example of a step that indicates the Server on which it needs to be executed.....	8
Figure 2: Initial Application Installation Path – Example shown.....	11
Figure 3: Major Upgrade Path – EPAP 16.2.....	11
Figure 4: Incremental Upgrade Path – EPAP 16.2.....	12
Figure 5: EPAP Mated Pairs.....	12
Figure 6: EPAP Mated Pairs with Non-Provisioning MPS Servers.....	14
Figure 7: Slide the Ejector Switch.....	159
Figure 8: Release Lever.....	159
Figure 9: Interconnectivity Diagram for Sync Network Redundancy (Eth04 used for Sync Network) ...	198
Figure 10: Default Interconnectivity Diagram (Eth04 used for Backup Provisioning Network).....	199

List of Tables

Table 1. Acronyms.....	7
Table 2. Terminology.....	8
Table 3 Install-Upgrade paths.....	11
Table 4: System Configuration Information.....	16
Table 5. User Password Table.....	17
Table 6. Installation Phases for Mixed EPAP and Non-Provisional EPAP.....	18
Table 7 Installation Phases for Standalone PDB.....	19
Table 8 Major Upgrade Phases for Mixed and Non-Provisionable EPAP.....	20
Table 9 Major Upgrade Phases on Standalone PDB.....	21
Table 10 Incremental Upgrade Phases for Mixed and Non-Provisionable EPAP.....	22
Table 11 Incremental Upgrade Phases on Standalone PDB.....	23
Table 12. Backout Phases for Mixed and Non-Provisionable EPAP.....	24
Table 13. Backout Phases for Standalone PDB.....	25

List of Procedures

Procedure 1: Setting up the upgrade environment.....	27
Procedure 2: Determine if upgrade or installation is required.....	28
Procedure 3: Verifying Pre-Upgrade Requirements and Capturing Upgrade Data.....	29
Procedure 4: System Health Check.....	30
Procedure 5: Pre-Install Configuration on Server A.....	31
Procedure 6: Pre-Install Configuration on Server B.....	36
Procedure 7: Install the Application on Server A.....	40
Procedure 8: Install the Application on Server B.....	44
Procedure 9: Switch Configuration.....	49
Procedure 10: Procedure to Configure Sync Network Redundancy.....	59
Procedure 11: Configuring the Application.....	64
Procedure 12: PDB Configuration (Active Provisionable Site as designated by customer).....	80
Procedure 13: Assess the MPS Server’s Readiness for Upgrade.....	85
Procedure 14: Pre and Post Upgrade Backups.....	87
Procedure 15: Pre-Upgrade System Time Check.....	89
Procedure 16: Upgrade Server B.....	90

Procedure 17: Upgrade Server A	99
Procedure 18: Reboot EAGLE Cards	107
Procedure 19: Server B Backout.....	108
Procedure 20: Backout both MPS A and B.....	112
Procedure 21: Restart the PDBA Software Post-Backout and Post-Upgrade.....	118

1. INTRODUCTION

1.1 Purpose and Scope

This document describes methods utilized and procedures executed to perform the following tasks:

- a. An initial installation of the EPAP 16.2 application software if it is not currently installed on an in-service E5-APP-B system running a release of TPD 7.4.x.
- b. A major software upgrade on an in-service E5-APP-B system running a release equal to TPD 7.0.x and EPAP Release 16.1.x
- c. An incremental software upgrade on an in-service E5-APP-B system running a release equal to TPD 7.4.x and EPAP Release 16.2.x

The audience for this document consists of Oracle customers and the following groups: Software System, Product Verification, Documentation, and Customer Service including Software Operations and NPI. This document provides step-by-step instructions to execute any MPS upgrade or installation using an ISO image.

This document does not address requirements relating to the interaction, if any, between EAGLE and MPS upgrade. This document does not address feature activation.

1.2 References

1.2.1 External

- [1] *EAGLE Application Processor (EPAP) Administration Guide*, E54368-01, latest revision, Oracle
- [2] *EPAP 16.2 Administration Manual*, Oracle

1.2.2 Internal (Oracle)

The following are references internal to Oracle. They are provided here to capture the source material used to create this document. Internal references are only available to Oracle's personnel.

- [1] *TEKELEC Acronym Guide*, MS005077, revision 2.35, September 2005.
- [2] *Software Upgrade Procedure Template*, TM005074, Current Version
- [3] *Integrating MPS into the Customer Network*, TR005014, version 3.1, October 2009
- [4] *TPD Initial Product Manufacture – TPD 7.4+*, E53017-04, Latest revision
- [5] *PFS EPAP 16.2*, CGBU_019468, Latest revision
- [6] *EPAP Administration Manual for EPAP 16.2*, Latest version

1.3 Software Release Numbering

Refer to Engineering Release Notes or other appropriate document with the most recent build numbers in order to identify the proper components (software loads, GPLs, etc.) that comprise the product's software release.

1.4 Acronyms

An alphabetized list of acronyms used in the document that are not included in [1]:

Table 1. Acronyms

AS	Application Server
E5-APP-B	E5 Based Application Card
E5APPB-01	E5 Based Application card installed with 300G SSD Hard Drive
E5APPB-02	E5 Based Application card installed with 480G SSD Hard Drive
OCEPAP	Oracle Communication EAGLE Provisioning Application Processor
GA	General Availability
IPM	Initial Product Manufacture

LA	Limited Availability
MPS	Multi-Purpose Server
MOS	My Oracle Support
SM	Service Module
TPD	Tekelec Platform Distribution

1.5 Terminology

Multiple servers may be involved with the procedures in this manual. Therefore, most steps in the written procedures begin with the name or type of server to which the step applies. For example:

Each step has a checkbox for every command within the step that the technician should check to keep track of the progress of the procedure.




Figure 1: Example of a step that indicates the Server on which it needs to be executed

Other terminology follows.

Table 2. Terminology

Backout (abort)	The process to take a system back to a Source Release prior to completion of upgrade to Target release. Includes preservation of databases and system configuration.
Mixed EPAP	An EPAP where both PDB and RTDB databases reside.
Non-provisionable (Non-prov) EPAP	An EPAP server hosting a Real Time DB without any provisioning interfaces to external provisioning applications. Non-Prov servers are connected to a pair of Provisionable EPAP from where they get their updates.
Provisionable EPAP	An EPAP server hosting PDB with provisioning interfaces to AS. Both Mixed EPAP and Standalone PDB are Provisionable EPAP.
Rollback	The process to take a system from a Target Release back to a Source Release including preservation of databases and system configuration.
Source release	Software release to upgrade from.

Split Mirror	Systems that use software RAID instead of hardware RAID can use the software RAID mirrors as a backout mechanism. Conceptually in a software RAID1 with two disks there are two sides to the mirror; let them be side A and side B. For a system with multiple software RAID devices, each device will have an A side and a B side. For an upgrade with a BACKOUT_TYPE=SPLIT_MIRROR the upgrade will break the mirrors at the beginning of the upgrade and perform the upgrade on the <i>Asides</i> of the mirrors. The other sides of the mirrors (<i>B sides</i>) are left intact in their pre-upgrade state throughout the duration of the upgrade. When a backout is performed the system is rebooted into the same 'backout environment'. Inside this 'backout environment' the RAID mirrors are rebuilt from the <i>B sides</i> of the arrays, thus restoring the system to the pre-upgrade state
Standalone PDB	Also known as 'PDB Only', this type of EPAP shall have PDB database only. No RTDB database shall exist on the standalone PDB site.
Target release	Software release to upgrade to.
Upgrade media	USB media or ISO image for E5-APP-B.

1.6 Recommendations

This procedure should be followed thoroughly utilizing the steps as written. **When planning to run upgrade on the server, contact My Oracle Support at least 48 hours before the upgrade process has been planned to be initiated.** In the event any unexpected results are returned while executing steps in this procedure, halt the activity and contact My Oracle Support for assistance.

Please read the following notes on procedures:

- Any procedure completion times are estimates. Times may vary due to differences in database size, user experience, and user preparation.
- The shaded area within response steps must be verified in order to successfully complete that step.
- Output displayed in the procedures' response steps is presented. Actual output varies depending on system. Output is presented for reference only.
- Where possible, command response outputs are shown as accurately as possible. However, exceptions may include the following:
 - Information such as *time* and *date*.
 - ANY information marked with "XXXX." Where appropriate, instructions are provided to determine what output should be expected in place of "XXXX."
- After completing each step and **at each point where data is recorded from the screen, the technician performing the procedure must check each step.** A checkbox has been provided beneath each step number for this purpose.
- Captured data is required for future support reference if My Oracle Support is not present during the execution of procedures.
- In procedures that require a command to be executed on a specific MPS, the command is prefaced with MPS A: or MPS B:
- User Interface menu items displayed in this document were correct at the time the document was published but may appear differently at time that this procedure is executed.

1.8 Requirements

- Screen logging is required throughout the procedure. These logs should be made available to My Oracle Support in the event their assistance is needed.
- Target-release USB media or ISO image

2. GENERAL DESCRIPTION

This document defines the step-by-step actions performed to execute a software upgrade of an in-service MPS running the EPAP application from the source release to the target release on **E5-APP-B-01/02**.

For the EPAP application, some steps in this procedure refer to the PDB application feature on the MPS A of the MPS pair. The EPAP application makes it optional for a newly installed MPS A node to be configured as a Provisioning (PDB) node (upgrades of MPS A nodes already configured as a provisioning node does not change this configuration).

The EPAP application can be installed and upgraded based on the table below.

Table 3 Install-Upgrade paths

TPD Release for IPM	EPAP Initial Installation Release
7.4.0.0.0_88.31.0 or later	16.2
Major Upgrade Source Release	Major Upgrade Destination Release
16.1	16.2
Incremental Upgrade Source Release	Incremental Upgrade Destination Release
16.2.x	16.2.y

The EPAP upgrade paths are shown in the figures below. The general timeline for all processes to perform a software incremental upgrade, from pre-upgrade backups to a final system health check, is also included below.




Figure 2: Initial Application Installation Path – Example shown




Figure 3: Major Upgrade Path – EPAP 16.2




Figure 4: Incremental Upgrade Path – EPAP 16.2

2.1 Upgrading Provisionable EPAP Mated Pairs

Current deployments of the EPAP support two geographically separated EPAP systems that are “mated”, meaning they communicate and replicate PDB information between the two sites. An EPAP system is a pair of MPS servers (an **A** and a **B** node). So a mated pair of EPAP systems consists of four MPS servers, an **A** and a **B** node for each EPAP system (see Figure 5: EPAP Mated Pairs). EPAP allows more than two EPAP systems in a related configuration (up to 22 Non-Provisionable MPS servers).

This document describes upgrade (and, if necessary, backout) of the EPAP software on one system, that system consisting of two MPS servers (A and B). However, for mated pairs of EPAP systems, upgrades (and backouts) must be coordinated between both the local EPAP system and the remote EPAP system and performed during the same maintenance period.




Figure 5: EPAP Mated Pairs

Upgrade of mated EPAP systems must be carried out in the following order:

1. **Ensure PDB databases are at the same level. Stop all provisioning to ensure that all PDB databases are in sync before proceeding. Also, ensure that no PDB/RTDB maintenance activity is in progress and clear all scheduled activities.**
2. Local MPS-B
3. Local MPS-A (Standby PDBA)
4. Remote MPS-B
5. Remote MPS-A (Active PDBA)

When upgrade is initiated on the local MPS-B, the scripts controlling the upgrade will cause the local MPS-B to communicate using Secure-Shell to both the local MPS-A and the remote MPS-A to stop the PDBA software. The PDBAs should be restarted only after both the local and remote EPAP systems have successfully completed the upgrade.

NOTE: Since the PDBA software is not running immediately after an upgrade, the syscheck utility will alarm the fact that the PDBA is not running on the local and remote EPAP A-servers.

2.2 Backout Provisionable EPAP Mated Pairs

Backout of Provisionable EPAP Mated Pairs should be done in the reverse order that the upgrade was performed:

1. **Identify a PDB backup that was made prior to upgrade, on the EPAP release that backout will target. Note that backout always carries the risk of losing data, should a restore from database backup become necessary.**
2. Remote MPS-A (Active PDBA)
3. Remote MPS-B
4. Local MPS-A (Standby PDBA)
5. Local MPS-B

On a backout of an upgrade, the server will remain in runlevel 3 (no applications running). The user will be required to manually reboot the server to bring it back into service and a syscheck can be performed.

2.3 Upgrading EPAP Non-Provisionable MPS Servers

EPAP Non-Provisional MPS pairs can connect to: Mixed EPAP or Standalone PDB.

2.3.1 Non-Provisional MPS pairs in Mixed EPAP configuration

EPAP provides the ability to expand the concept of a mated pair of EPAP systems to have up to 24 EPAP systems (48 MPS servers total) configured such that two of the MPS-A servers will run the PDBA software and RTDB software both and handle provisioning (Provisionable nodes) and the other 24 MPS-B and 24 MPS-A servers will only run the RTDB software, taking their updates from the two Provisionable MPS-A servers. In such a configuration, it is required that the EPAP systems containing the Provisionable MPS-A servers be upgraded first, before any EPAP systems containing non-Provisionable MPS-A servers are upgraded.

An example showing 4 EPAP systems,
two of which are provisioning nodes.




Figure 6: EPAP Mated Pairs with Non-Provisioning MPS Servers

Upgrade of such configuration must be carried out in the following order:

Mixed EPAP (with standby PDBA)

1. Mixed EPAP (MPS B)
2. Mixed EPAP (MPS A)

Mixed EPAP (with active PDBA)

3. Mixed EPAP (MPS B)
4. Mixed EPAP (MPS A)

Non-provisionable EPAPs (All Non-Provs)

5. Non-Provisionable (MPS B)
6. Non-Provisionable (MPS A)

2.3.2 Non-Provisional MPS pairs in Standalone PDB configuration

EPAP provides the ability to separate the RTDB from PDB to create two architectures: Standalone PDB running PDB process only and Non-Provisionable running RTDB only. Up to 22 Non-Provisional EPAP mated pairs are connected to 2 Standalone PDB that are configured as Active/Standby. In such a configuration, it is required that the Standalone PDB MPS servers be upgraded first, before any EPAP systems containing non-Provisionable MPS-A servers are upgraded.

Upgrade of Non-prov MPS pairs in standalone PDB configuration must be carried out in the following order:

1. Standby PDBonly
2. Active PDBonly
3. Non-Provisionable (MPS B)
4. Non-Provisionable (MPS A)

2.4 Backout EPAP Non-provisionable MPS servers

EPAP Non-Provisional MPS pairs can connect to: Mixed EPAP or Standalone PDB.

2.4.1 Backout Non-Provisionable MPS pairs in dual PDBonly configuration

Backout of Non-Provisionable MPS pairs in Standalone configuration should be done in the reverse order that the upgrade was performed. Please follow the below mentioned steps for backout:

1. Non-Provisionable (MPS - A)
2. Non-Provisionable (MPS - B)
3. Active PDBonly
4. Standby PDBonly

On a backout of an upgrade, the server will remain in runlevel 3 (no applications running). The user will be required to manually reboot the server to bring it back into service and a syscheck can be performed.

2.4.2 Backout Non-Provisionable MPS pairs in mixed EPAP configuration

Backout of EPAP Non-provisionable MPS pairs in mixed EPAP configuration should be done in the reverse order that the upgrade was performed:

Non-provisionable EPAP

1. Non-Provisionable (MPS A)
2. Non-Provisionable (MPS B)

Mixed EPAP (**with active PDBA**)

3. Mixed EPAP (MPS A)
4. Mixed EPAP (MPS B)

Mixed EPAP (**with standby PDBA**)

5. Mixed EPAP (MPS A)
6. Mixed EPAP (MPS B)

3. UPGRADE OVERVIEW

3.1 Upgrade Provisioning Rules

When a Provisionable EPAP mated pair is upgraded or backed out, the EPAP upgrade scripts disable provisioning when the upgrade is initiated on the first MPS server. The PDBA software remains disabled until the last server in the MPS in the mated pair has been upgraded or backed out. The user has to enable the PDBA software, allowing provisioning, after the upgrade/backout is complete on last MPS server in an EPAP mated pair. Provisioning is not disabled during the upgrade of a Non-Provisionable MPS.

Because EPAP MPS pairs are generally located at geographically distinct sites, significant time may elapse between the upgrade of the Provisionable EPAP pair and the upgrade of the Non-Provisionable EPAP pairs. Provisionable EPAP MPS pairs must always be upgraded before Non-Provisionable EPAP pairs.

3.2 Required Materials

- For Mixed EPAP or Non-Provisional EPAP: Two (2) target-release USB media or a target-release ISO file.
For Standalone PDB: One (1) target-release USB media or a target-release ISO file
- A terminal and null modem cable to establish a serial connection.
- Write down the system configuration information.

Description	Information
PROVISIONABLE (Yes/No)	
PDBA state (Active/Standby)	
Provisioning IP (IPv4)	
Provisioning Mask (IPv4)	
Provisioning Default Router IP (IPv4)	
Provisioning IP (IPv6)	
Provisioning Netmask (IPv6)	
Provisioning Default Router IP (IPv6)	
NTP1 IP (IPv4/IPv6)	
NTP2 IP (IPv4/IPv6)	
NTP3 IP (IPv4/IPv6)	
Local VIP	
Remote VIP	
Local PDBA IP (IPv4)	
Local PDBA IP (IPv6)	
Remote PDBA IP (IPv4/IPv6)	
Remote PDBA B IP (IPv4/IPv6)	
RTDB Homing	
Time Zone	
PDBA Proxy Feature	
Others	

Table 4: System Configuration Information

- Passwords for users on the local system:

EPAP USERS		
login	MPS A password	MPS B password
epapconfig		
epapdev (needed for backout only)		
syscheck		
root		
epapall (needed for GUI access)		
admusr		

Table 5. User Password Table

3.3 Installation Phases

The following table illustrates the progression of the installation process by procedure with estimated times. The estimated times and the phases that must be completed may vary due to differences in typing ability and system configuration. The phases outlined in Table 6 and Table 7 are to be executed in the order they are listed.

3.3.1 Installation Phases for Mixed and Non-Provisionable EPAP

Phase	Elapsed Time (Minutes)		Activity	Procedure
	This Step	Cum.		
Connectivity setup	15	15	Set up connectivity to the MPS Servers.	Procedure 1
Verify install	5	20	Verify this should be an install.	Procedure 2
Pre-upgrade check	15	35	Verify requirements for install are met.	Procedure 3
Pre-install health check	5	40	Run the syscheck utility to verify that all servers are operationally sound.	Procedure 4
Configure Server 1A	5	45	Set hostname, designation, function and time.	Procedure 5
Configure Server 1B	5	50	Set hostname, designation, function and time.	Procedure 6
Install Servers	30	80	Install software on sides 1A and 1B	Procedure 7 Procedure 8
Configure Switches	30*	110*	Configure the Switches	Procedure 9
Post-install application processing	30	140	Perform first time configuration.	Procedure 11 Procedure 12
Post-upgrade health check	5	145	Run the syscheck utility to verify all servers are operationally sound.	Procedure 4
Check EPAP-EAGLE connectivity speed	20	185	Configure and verify that EAGLE SM cards are getting auto-negotiated to 1000Mbps/Full Duplex	

Table 6. Installation Phases for Mixed EPAP and Non-Provisional EPAP

*NOTE: If configuring 4 switches, add 30 minutes to the current setup

3.3.2 Installation Phases for Standalone PDB

Note: In the procedures below, skip the steps which need to be executed on MPS B, since MPS B is not present in the Standalone PDB configuration".

Phase	Elapsed Time (Minutes)		Activity	Procedure
	This Step	Cum.		
Connectivity setup	15	15	Set up connectivity to the MPS Servers.	Procedure 1
Verify install	5	20	Verify this should be an install.	Procedure 2
Pre-upgrade check	15	35	Verify requirements for install are met.	Procedure 3
Pre-install health check	5	40	Run the syscheck utility to verify that all servers are operationally sound.	Procedure 4
Configure Server 1A	5	45	Set hostname, designation, function and time.	Procedure 5
Install Server	30	75	Install software on sides 1A	Procedure 7
Post-install application processing	30	105	Perform first time configuration. Refer to Procedure A.11 to configure the Standalone PDB in segmented network configuration.	Procedure 11 Procedure 12
Post-upgrade health check	5	110	Run the syscheck utility to verify all servers are operationally sound.	Procedure 4

Table 7 Installation Phases for Standalone PDB

3.4 Major Upgrade Phases

The following table illustrates the progression of the Major upgrade process by procedure with estimated times and may vary due to differences in typing ability and system configuration. The procedures outlined in below **Table 8** are to be executed in the order they are listed.

Note: Before proceeding with the Major upgrade process, refer to section 2.1 to get the overview of the EPAP setup and upgrade order.

3.4.1 Major Upgrade Phases for Mixed and Non-Provisionable EPAP

Phase	Elapsed Time (Minutes)		Activity	Procedure
	This Step	Cum.		
Connectivity setup	15	15	Set up connectivity to the MPS servers.	Procedure 1
Verify Major upgrade	5	20	Verify this should be a Major upgrade.	Procedure 2
Pre-upgrade check	15	35	Verify requirements for Major Upgrade are met.	Procedure 3
Pre-upgrade health check	5	55	Run the syscheck utility to verify the MPS server is operationally sound.	Procedure 4
Assess readiness for upgrade	15	50	Assess the server's readiness for upgrade.	Procedure 13
Pre-upgrade Backup	*See notes below	*See notes below	Backup application databases and other pertinent information.	Procedure 14
Pre-upgrade system time check	5	60	Pre-upgrade system time check.	Procedure 15
Upgrade MPS B	30	90	Execute the upgrade procedure on MPS B.	Procedure 16
Upgrade MPS A	30	120	Execute the upgrade procedure on MPS A.	Procedure 17
Post-upgrade health check	5	125	Run the syscheck utility to verify the MPS server is operationally sound.	Procedure 4
Start the PDB software.	10	135	Step only necessary during upgrade of a Provisionable mated EPAP pair. Re-activate the PDB on the Provisionable MPS A servers.	Procedure 21
Verify pdbaips table in EuiDB.	5	140	Verify the pdbaips table in EuiDB. This procedure should only be executed on MPS A.	Procedure A.21
Post-upgrade Backups	*See notes below	*See notes below	Backup application databases and other pertinent information.	Procedure 14

Table 8 Major Upgrade Phases for Mixed and Non-Provisionable EPAP

3.4.2 Major Upgrade Phases for Standalone PDB

Phase	Elapsed Time (Minutes)		Activity	Procedure
	This Step	Cum.		
Connectivity setup	15	15	Set up connectivity to the MPS servers.	Procedure 1
Verify Major upgrade	5	20	Verify this should be a Major upgrade.	Procedure 2
Pre-upgrade check	15	35	Verify requirements for upgrade are met.	Procedure 3
Pre-upgrade health check	5	55	Run the syscheck utility to verify the MPS server is operationally sound.	Procedure 4
Assess readiness for upgrade	15	50	Assess the server's readiness for upgrade.	Procedure 13
Pre-upgrade Backup	*See notes below	*See notes below	Backup application databases and other pertinent information.	Procedure 14
Pre-upgrade system time check	5	60	Pre-upgrade system time check.	Procedure 15
Upgrade MPS A	30	90	Execute the upgrade procedure on MPS A.	Procedure 17
Post-upgrade health check	5	95	Run the syscheck utility to verify the MPS server is operationally sound.	Procedure 4
Start the PDB software.	10	105	Step only necessary during upgrade of a Provisionable mated EPAP pair. Re-activate the PDB on the Provisionable MPS A servers.	Procedure 21
Verify pdbaips table.	5	140	Verify the pdbaips table in EuiDB.	Procedure A.21
Post-upgrade Backups	*See notes below	*See notes below	Backup application databases and other pertinent information.	Procedure 14

Table 9 Major Upgrade Phases on Standalone PDB

***NOTE:** The time needed to backup application data is dependent on the amount of application data. This procedure cannot specify an exact length of time since different customers have different amounts of application data.

3.5 Incremental Upgrade Phases

The following table illustrates the progression of the incremental upgrade process by procedure with estimated times and may vary due to differences in typing ability and system configuration. The procedures outlined in below **Table 8** are to be executed in the order they are listed.

Note: Before proceeding with the incremental upgrade process, refer to section 2.1 to get the overview of the EPAP setup and upgrade order.

3.5.1 Incremental Upgrade Phases for Mixed and Non-Provisionable EPAP

Phase	Elapsed Time (Minutes)		Activity	Procedure
	This Step	Cum.		
Connectivity setup	15	15	Set up connectivity to the MPS servers.	Procedure 1
Verify incremental upgrade	5	20	Verify this should be an incremental upgrade.	Procedure 2
Pre-upgrade check	15	35	Verify requirements for upgrade are met.	Procedure 3
Pre-upgrade health check	5	55	Run the syscheck utility to verify the MPS server is operationally sound.	Procedure 4
Assess readiness for upgrade	15	50	Assess the server's readiness for upgrade.	Procedure 13
Pre-upgrade Backup	*See notes below	*See notes below	Backup application databases and other pertinent information.	Procedure 14
Pre-upgrade system time check	5	60	Pre-upgrade system time check.	Procedure 15
Upgrade MPS B	30	90	Execute the upgrade procedure on MPS B.	Procedure 16
Upgrade MPS A	30	120	Execute the upgrade procedure on MPS A.	Procedure 17
Post-upgrade health check	5	125	Run the syscheck utility to verify the MPS server is operationally sound.	Procedure 4
Start the PDB software.	10	135	Step only necessary during upgrade of a Provisionable mated EPAP pair. Re-activate the PDB on the Provisionable MPS A servers.	Procedure 21
Post-upgrade Backups	*See notes below	*See notes below	Backup application databases and other pertinent information.	Procedure 14

Table 10 Incremental Upgrade Phases for Mixed and Non-Provisionable EPAP

3.5.2 Incremental Upgrade Phases for Standalone PDB

Phase	Elapsed Time (Minutes)		Activity	Procedure
	This Step	Cum.		
Connectivity setup	15	15	Set up connectivity to the MPS servers.	Procedure 1
Verify incremental upgrade	5	20	Verify this should be an incremental upgrade.	Procedure 2
Pre-upgrade check	15	35	Verify requirements for upgrade are met.	Procedure 3
Pre-upgrade health check	5	55	Run the syscheck utility to verify the MPS server is operationally sound.	Procedure 4
Assess readiness for upgrade	15	50	Assess the server's readiness for upgrade.	Procedure 13
Pre-upgrade Backup	*See notes below	*See notes below	Backup application databases and other pertinent information.	Procedure 14
Pre-upgrade system time check	5	60	Pre-upgrade system time check.	Procedure 15
Upgrade MPS A	30	90	Execute the Upgrade procedure on MPS A.	Procedure 17
Post-upgrade health check	5	95	Run the syscheck utility to verify the MPS server is operationally sound.	Procedure 4
Start the PDB software.	10	105	Step only necessary during upgrade of a Provisionable mated EPAP pair. Re-activate the PDB on the Provisionable MPS A servers.	Procedure 21
Post-upgrade Backups	*See notes below	*See notes below	Backup application databases and other pertinent information.	Procedure 14

Table 11 Incremental Upgrade Phases on Standalone PDB

***NOTE:** The time needed to backup application data is dependent on the amount of application data. This procedure cannot specify an exact length of time since different customers have different amounts of application data.

3.6 Backout Phases

Note: Before proceeding with the backout process, refer to sections 7.1 and 7.2 to get the overview of the EPAP setup and the backout order.

3.6.1 Backout Phases for Mixed and Non-Provisionable EPAP

Phase	Elapsed Time (Hours or Minutes)		Activity	Impact	Procedure
	This Step	Cum.			
Determine state of system	15-30	15-30	Investigate and determine the state of the MPS system. This may take anywhere from 15 to 30 minutes.	Cannot proceed with backout until failure analysis is complete. Some hand-fixes may be required before proceeding with backout.	Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E
Backout MPS B only	30	45-60	If required, backout MPS B. If backout of MPS A and B is required, execute Procedure 20 . Otherwise, if backout required only on MPS B, then execute Procedure 19		Procedure 19
Backout MPS A and B	100	145-160	Backout MPS A and B.		Procedure 20
Post-backout health check	10	155-170	Run the syscheck utility to verify the MPS server is operationally sound.	Verify that the backout was successful.	Procedure 4
Start the PDBA software	5	160-175	Re-activate the PDB on the Provisionable MPS A servers. Note: Read the instructions given in Procedure A.1 before executing the procedure.		Procedure 21

Table 12. Backout Phases for Mixed and Non-Provisionable EPAP

3.6.2 Backout Phases for Standalone PDB

Phase	Elapsed Time (Hours or Minutes)		Activity	Impact	Procedure
	This Step	Cum.			
Determine state of system	15-30	15-30	Investigate and determine the state of the MPS system. This may take anywhere from 15 to 30 minutes.	Cannot proceed with backout until failure analysis is complete. Some hand-fixes may be required before proceeding with backout.	Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.
Backout MPS A	30	45-60	Backout MPS A.		Procedure 20 step 1 through 14.
Post-backout health check	10	155-170	Run the syscheck utility to verify the MPS server is operationally sound.	Verify that the backout was successful.	Procedure 4
Start the PDBA software	5	160-175	Re-activate the PDB on the Provisionable MPS A servers.		Procedure 21

Table 13. Backout Phases for Standalone PDB

3.7 Log Files

All commands executed during an upgrade or installation, are logged in the “/var/TKLC/log/upgrade/upgrade.log” file. This log file is automatically initiated when upgrade software is invoked. This log file is rolled every time an upgrade is initiated. A total of up to five upgrade log files are stored on the server.

The upgrade wrapper script, ugwrap, logs its actions also to the “/var/TKLC/log/upgrade/ugwrap.log” file. This log file is rolled every time ugwrap is initiated. A total of up to five ugwrap log files are stored on the server.

4. UPGRADE PREPARATION

Procedure 1 Setting up the upgrade environment

Procedure 1: Setting up the upgrade environment

S T E P #	<p>This procedure sets up the upgrade environment. Windows are opened for both MPS servers.</p> <p>NOTE: Call My Oracle Support for assistance if modem access is the method use for upgrade.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u>.</p>	
1. <input type="checkbox"/>	Establish a connection to MPS A.	<p>If access to the MPS servers is not available through an IP network, connect to the E5-APP-B card via the serial port.</p> <p>For connecting the E5-APP-B A card, disconnect the console cable from the serial port on the E5-APP-B B card's adapter. The cable should be disconnected at the point where it connects to the serial port labeled 'S1' on the E5-APP-B B card's adapter and use it for serial access. Cable part numbers - 830-1220-xx</p>
2. <input type="checkbox"/>	On the workstation, open one terminal window in preparation for establishing remote connections to the MPS servers.	Create a terminal window
3. <input type="checkbox"/>	Create a terminal window for MPS A.	Create a terminal window and give it a title of "MPS A"
4. <input type="checkbox"/>	MPS A: Enable capture file and verify the correspondent file is created.	Enable the data capture and verify that the data capture file is created at the path specified.
5. <input type="checkbox"/>	Log into MPS A.	<hostname> console login: admusr password: <password>
6. <input type="checkbox"/>	MPS A: Start screen Session.	<p>Execute the following command to start screen and establish a console session with MPS A.</p> <p>\$ screen -L</p> <p>If for Standalone PDB, the procedure is complete. Otherwise, continue with the next step.</p>
7. <input type="checkbox"/>	Establish a connection to MPS B.	<p>If access to the MPS servers is not available through an IP network, connect to the E5-APP-B card via the serial port.</p> <p>For connecting the E5-APP-B B card, disconnect the console cable from the serial port on the E5-APP-B A card's adapter. The cable should be disconnected at the point where it connects to the serial port labeled 'S1' on the E5-APP-B A card's adapter and use it for serial access. Cable part numbers - 830-1220-xx</p>
8. <input type="checkbox"/>	Create a terminal window for MPS B.	Create a terminal window and give it a title of "MPS B"
9. <input type="checkbox"/>	MPS B: Enable capture file and verify a correspondent file is created.	Enable the data capture and verify that the data capture file is created at the path specified.

Procedure 1: Setting up the upgrade environment

<input type="checkbox"/>	10. Log into MPS B.	<code><hostname> console login: admusr password: <password></code>
<input type="checkbox"/>	11. MPS B: Start screen Session.	Execute the following command to start screen and establish a console session with MPS B. <code>\$ screen -L</code>
<input type="checkbox"/>	6 12. MPS A and B: Procedure Complete.	This procedure is complete.

Procedure 2 Determine if upgrade or installation is required

Procedure 2: Determine if upgrade or installation is required

S T E P #	This procedure executes the steps required to determine if an upgrade of the system is required or an initial application installation is required. Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number. IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR UPGRADE ASSISTANCE.	
<input type="checkbox"/>	1. MPS A: Log in to MPS A.	If not already logged-in, login at MPS A as 'admusr'. <code><hostname> console login: admusr password: <password></code> .
<input type="checkbox"/>	2. MPS B: Log in to MPS B.	If not already logged-in, login at MPS B as 'admusr'. <code><hostname> console login: admusr password: <password></code>
<input type="checkbox"/>	3. MPS B: Determine if the application is currently installed on the servers. (MPS B will be used to determine the current state of the servers. We will assume that the state of the A server is the same).	Execute an rpm query command and examine the output: <code>\$ rpm -qi TKLCepap</code>
<input type="checkbox"/>	4. MPS B: Observe the output from the rpm query.	The following is an example of what the output may look like: <code>\$ appRev Install Time: Mon Feb 6 21:33:35 2017 Product Name: EPAP Product Release: 16.2.0.0.0_162.6.0 Base Distro Product: TPD Base Distro Release: 7.4.0.0.0_88.32.0 Base Distro ISO: TPD.install-7.4.0.0.0_88.32.0-OracleLinux6.8-x86_64.iso ISO name: EPAP-16.2.0.0.0_162.6.0-x86_64.iso OS: OracleLinux 6.8</code>

Procedure 2: Determine if upgrade or installation is required

		If the output similar to the above example is displayed, then skip to step 6. Otherwise, proceed to the next step.
5. <input type="checkbox"/>	MPS B: Installation is required if the application is not present on the server, else upgrade is required.	If the application is not currently installed, output similar to the example below will be returned from the rpm -qi command in the previous step. If this is the case, then an application installation is required. Refer to section 3.3 to perform EPAP installation. \$ rpm -qi TKLCepap package TKLCepap is not installed Skip to step 10.
6. <input type="checkbox"/>	MPS B: Determine which version of the application is present.	Write Down the Release Number: Release Number: _____ If the release number on the MPS is less than the release number on the upgrade media, then an upgrade is required.
7. <input type="checkbox"/>	Determine if a major Upgrade is required.	If the current release is 16.1.x and target release is 16.2.y, it is a MAJOR UPGRADE .
8. <input type="checkbox"/>	Determine if an incremental Upgrade is required.	If the current release is 162.x.x and target release is 16.2.y.y (x.x is less than the number y.y on the upgrade media), it is an INCREMENTAL Upgrade .
9. <input type="checkbox"/>	MPS A: Determine if it is Provisionable or Non-Provisionable EPAP setup.	Execute the following command to determine if the EPAP is Provisionable or Non-Provisionable. \$ uiEdit grep "PROVISIONABLE" "PROVISIONABLE_MPS" is set to "YES" If the above output contains "YES", then the EPAP is Provisionable. Otherwise, the EPAP is Non-Provisionable. Write down this information. EPAP setup type: _____
10. <input type="checkbox"/>	MPS A and B: Procedure Complete.	This procedure is complete.

Procedure 3 Pre-upgrade requirements

Procedure 3: Verifying Pre-Upgrade Requirements and Capturing Upgrade Data

S T E P #	This procedure verifies that all pre-upgrade requirements have been met.	
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.	
	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR UPGRADE ASSISTANCE .	
1. <input type="checkbox"/>	Verify all required materials are present.	Verify that the materials listed in Upgrade Material List (Section 3.2) are present.
2. <input type="checkbox"/>	Verify the availability of passwords for MPS systems.	Refer to Table 5 for the list of users.
3. <input type="checkbox"/>	Review provisioning rules.	Please review the Provisioning information as defined in Section 3.1. If you do not understand the information provided in this section, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.

<p>4. <input type="checkbox"/></p>	<p>Verify and close active GUI Sessions.</p> <p>On the menu, click User Administration->HTTP(s) Support->Terminate UI Sessions</p>	<p>Login to EPAP GUI as uiadmin user. Terminate all the active GUI sessions from EPAP GUI.</p> <div style="text-align: right;"> <p>Terminate Active UI Sessions</p> </div> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;">Delete?</th> <th style="width: 15%;">Session Id</th> <th style="width: 10%;">User Id</th> <th style="width: 15%;">User Name</th> <th style="width: 10%;">Admin</th> <th style="width: 15%;">IP Addr</th> <th style="width: 25%;">Last Access</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><input type="radio"/></td> <td style="text-align: center;">44</td> <td style="text-align: center;">99</td> <td>uiadmin</td> <td style="text-align: center;">YES</td> <td style="text-align: center;">10.250.32.216</td> <td style="text-align: center;">2017-06-20 07:04:11</td> </tr> <tr> <td style="text-align: center;"><input type="radio"/></td> <td style="text-align: center;">45</td> <td style="text-align: center;">99</td> <td>uiadmin</td> <td style="text-align: center;">YES</td> <td style="text-align: center;">10.250.32.216</td> <td style="text-align: center;">2017-06-20 07:04:20</td> </tr> <tr> <td style="text-align: center;"><input type="radio"/></td> <td style="text-align: center;">46</td> <td style="text-align: center;">99</td> <td>uiadmin</td> <td style="text-align: center;">YES</td> <td style="text-align: center;">10.250.32.216</td> <td style="text-align: center;">2017-06-20 07:04:33</td> </tr> </tbody> </table> <p style="text-align: center; margin-top: 5px;"><input type="button" value="Delete Selected Active Session"/></p> <p>Select all sessions and click on “Delete Selected Active Session” to delete all active sessions.</p>	Delete?	Session Id	User Id	User Name	Admin	IP Addr	Last Access	<input type="radio"/>	44	99	uiadmin	YES	10.250.32.216	2017-06-20 07:04:11	<input type="radio"/>	45	99	uiadmin	YES	10.250.32.216	2017-06-20 07:04:20	<input type="radio"/>	46	99	uiadmin	YES	10.250.32.216	2017-06-20 07:04:33
Delete?	Session Id	User Id	User Name	Admin	IP Addr	Last Access																								
<input type="radio"/>	44	99	uiadmin	YES	10.250.32.216	2017-06-20 07:04:11																								
<input type="radio"/>	45	99	uiadmin	YES	10.250.32.216	2017-06-20 07:04:20																								
<input type="radio"/>	46	99	uiadmin	YES	10.250.32.216	2017-06-20 07:04:33																								
<p>5. <input type="checkbox"/></p>	<p>Procedure Complete.</p>	<p>This procedure is complete.</p>																												

Procedure 4 System Health check

Procedure 4: System Health Check



<p>S T E P #</p>	<p>This procedure determines the health of the MPS System before beginning an upgrade.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR UPGRADE ASSISTANCE.</p>	
<p>1. <input type="checkbox"/></p>	<p>MPS A: Verify health of MPS A.</p>	<p>Execute Procedure A.1 on MPS A to verify the health of MPS A.</p>
<p>2. <input type="checkbox"/></p>	<p>MPS B: Verify health of MPS B.</p>	<p>Execute Procedure A.1 on MPS B to verify the health of MPS B.</p>
<p>3. <input type="checkbox"/></p>	<p>Procedure Complete.</p>	<p>This procedure is complete.</p>

5. SOFTWARE INSTALLATION PROCEDURES





Pre install configuration and initial installation of EPAP can be done on any of the server in the mated pair in any order. These operations can be done simultaneously on both the servers.

Procedure 5 Pre-Install configuration on server A



Procedure 5: Pre-Install Configuration on Server A

S T E P #	<p>This procedure provides instructions to perform pre configuration for an initial install of the application.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR ASSISTANCE.</p>	
<p>IMPORTANT: Installation of the Operating System on an Oracle Application Server should be completed before starting installation procedure. Refer to Procedure A.11 or [4] for TPD installation guide.</p>		
1. <input type="checkbox"/>	Connect to the Server.	<p>If not already connected, connect to the E5-APP-B card via the serial port.</p> <p>For connecting the E5-APP-B A card, disconnect the console cable from the serial port on the E5-APP-B B card's adapter. The cable should be disconnected at the point where it connects to the serial port labeled 'S1' on the E5-APP-B B card's adapter and use it for serial access. Cable part numbers - 830-1220-xx</p>
2. <input type="checkbox"/>	Log in as "admusr" user.	<p>If not already logged in, then login as "admusr":</p> <p>[hostname] consolelogin: admusr password: password</p>
3. <input type="checkbox"/>	Start platcfg utility.	\$ sudo su - platcfg
4. <input type="checkbox"/>	Navigate to the Server Configuration screen.	<p>Select Server Configuration and press [ENTER]</p>  <pre> +-----+ Main Menu +-----+ Maintenance ^ Diagnostics : Server Configuration # Security : Remote Consoles : Network Configuration : Exit v +-----+ </pre>
5. <input type="checkbox"/>	Navigate to the Hostname screen.	<p>Select Hostname and press [ENTER]</p>  <pre> ++ Server Configuration Menu ++ Hostname ^ Designation/Function # Configure Storage : Set Clock : Time Zone : Exit v +-----+ </pre>






Procedure 5: Pre-Install Configuration on Server A

<p>6. <input type="checkbox"/></p>	<p>Select Edit to edit the hostname.</p>	<p>Select Edit and press [ENTER]</p>  <pre> +-----+ Options +-----+ +-----+ +-----+ Edit Exit +-----+ +-----+ +-----+ +-----+ </pre>
<p>7. <input type="checkbox"/></p>	<p>Enter the hostname and press ok.</p>	<p>Delete the default entry and enter the Hostname as mps-xxxx-a where xxxx is the last 4 digits of server serial number. Press OK when done.</p>  <pre> +-----+ Edit Hostname +-----+ Hostname: OSORNA-A +-----+ +-----+ OK Cancel +-----+ +-----+ +-----+ +-----+ </pre> <p>While connected to the serial console, some console output might come when the user is using the serial console to configure the EPAP. Those serial output are harmless and can be ignored.</p>
<p>8. <input type="checkbox"/></p>	<p>Exit Back to the Server Configuration Menu.</p>	<p>Select EXIT to exit back to the Server Configuration Menu. Verify that the hostname has been properly set.</p>  <pre> Copyright (C) 2003, 2016, Oracle and/or its affiliates. All rights reserved. +-----+ Options +-----+ Hostname: OSORNA-A Hostname Configuration +-----+ +-----+ Edit Exit +-----+ +-----+ Current Hostname: OSORNA-A +-----+ +-----+ </pre>
<p>9. <input type="checkbox"/></p>	<p>Navigate to the Designation/Function menu option.</p>	<p>Select Designation/Function and press [ENTER]</p>  <pre> ++ Server Configuration Menu ++ Hostname ^ Designation/Function : Configure Storage # Set Clock : Time Zone : Exit v +-----+ </pre>



Procedure 5: Pre-Install Configuration on Server A

<p>10. <input type="checkbox"/></p>	<p>View the current designation and function.</p>	<p>The screen will show the current designation and function setting. On initial install, these fields are blank.</p>  <p>Copyright (C) 2003, 2016, Oracle and/or its affiliates. All+----+ Options +----+ Hostname: OSORNA-A Designation Information +-----+ +-----+ Edit Exit +-----+ +-----+ Designation: 1A Function: EPAP</p> <p>If not blank, the values should be as follows for Mixed EPAP or Non-Provisional EPAP.</p> <ol style="list-style-type: none"> 1. The Designation is "1A" for the A server 2. The Function field should be set to EPAP. <p>If not blank, the values should be as follows for Standalone PDB.</p> <ol style="list-style-type: none"> 1. The Designation is "1A" for the A server 2. The Function field should be set to PDBOnly. <p>If both the fields are blank or either value is not correct, then select Edit and press [ENTER]. If both values are correct, select Exit, press [ENTER] and skip the next step.</p>
<p>11. <input type="checkbox"/></p>	<p>View the current designation and function.</p>	<p>Skip to Step 13 if Exit was selected in the previous step, otherwise if Edit was selected, delete the current designation and function if already set, and type in the desired values. Enter the appropriate designation in the Designation field (Note: the designation must be capitalized). Select OK and press [ENTER].</p> <p>For Mixed EPAP or Non-Provisional EPAP, the following is a correct example:</p>  <p>+-----+ Edit Designation +-----+ Designation: A Function: EPAP +----+ +-----+ OK Cancel +----+ +-----+ +-----+</p> <p>For Standalone PDB, the following is a correct example:</p>

Procedure 5: Pre-Install Configuration on Server A



		
<p>12. <input type="checkbox"/></p>	<p>Verify that the Designation and Function information is correct then select and press “Exit”.</p>	<p>For Mixed EPAP or Non-Provisional EPAP, the following is a correct example:</p>  <p>For Standalone PDB, the following is a correct example:</p> 
<p>13. <input type="checkbox"/></p>	<p>Select “Set Clock” Menu.</p>	
<p>14. <input type="checkbox"/></p>	<p>1) Select “Edit” from the options dialogue box. 2) Using an NTP source, set the Date/Time to be correct for the Eastern Time zone (GMT -5) and press “OK”.</p>	

Procedure 5: Pre-Install Configuration on Server A





	<p>NOTE: All systems default to Eastern time post IPM. It is important to set the time for the Eastern Time zone at this time.</p>	 <pre> +--+ Change Date and Time +--+ Date: 01_/02_/2017_ Time: 20_:06_:12_ +-----+ +-----+ OK Cancel +-----+ +-----+ +-----+ </pre>
<p>15. <input type="checkbox"/></p>	<p>Verify that the Date and Time is correct then select and press "Exit".</p>	 <pre> Time Configuration Current Date: 01/02/2017 Current Time: 20:01:12 +-----+ Options +-----+ Edit Exit +-----+ +-----+ </pre>
<p>16. <input type="checkbox"/></p>	<p>Exit from platcfg menu.</p>	<p>Select EXIT until the platcfg menu is closed and the command line is displayed.</p>
<p>17. <input type="checkbox"/></p>	<p>Reboot the Server.</p>	<p>\$ sudo reboot</p>
<p>18. <input type="checkbox"/></p>	<p>Procedure complete.</p>	<p>Procedure is complete.</p>

Procedure 6 Pre-Install configuration on server B

Procedure 6: Pre-Install Configuration on Server B

S T E P #	<p>This procedure provides instructions to perform pre configuration for an initial install of the application.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR ASSISTANCE.</p>	
<p>IMPORTANT: Installation of the Operating System on an Oracle Application Server should be completed before starting installation procedure. Refer to Procedure A.11 or [4] for TPD installation.</p>		
1. <input type="checkbox"/>	Connect to the Server.	<p>If not already connected, connect to the E5-APP-B card via the serial port.</p> <p>For connecting the E5-APP-B B card, disconnect the console cable from the serial port on the E5-APP-B A card's adapter. The cable should be disconnected at the point where it connects to the serial port labeled 'S1' on the E5-APP-B A cards' adapter and use it for serial access. Cable part numbers - 830-1220-xx</p>
2. <input type="checkbox"/>	Log in as "admusr" user.	<p>If not already logged in, then login as 'admusr':</p> <p>[hostname] consolelogin: admusr password: password</p>
3. <input type="checkbox"/>	Start platcfg utility.	<p>\$ sudo su - platcfg</p>
4. <input type="checkbox"/>	Navigate to the Server Configuration screen.	<p>Select Server Configuration and press [ENTER]</p>  <pre> +-----+ Main Menu +-----+ Maintenance ^ Diagnostics : Server Configuration # Security : Remote Consoles : Network Configuration : Exit v +-----+ </pre>
5. <input type="checkbox"/>	Navigate to the Hostname screen.	<p>Select Hostname and press [ENTER]</p>  <pre> ++ Server Configuration Menu ++ Hostname ^ Designation/Function # Configure Storage : Set Clock : Time Zone : Exit v +-----+ </pre>





Procedure 6: Pre-Install Configuration on Server B

<p>6. <input type="checkbox"/></p>	<p>Select Edit to edit the hostname.</p>	<p>Select Edit and press [ENTER]</p>  <pre> +-----+ Options +-----+ +-----+ +-----+ Edit Exit +-----+ +-----+ +-----+ </pre>
<p>7. <input type="checkbox"/></p>	<p>Enter the hostname and press ok.</p>	<p>Delete the default entry and enter the Hostname as mps-xxxx-b where xxxx is the last 4 digits of server serial number. Press OK when done.</p>  <pre> +-----+ Edit Hostname +-----+ Hostname: OSORNA-B +-----+ +-----+ OK Cancel +-----+ +-----+ +-----+ </pre> <p>While connected to the serial console, some console output might come when the user is using the serial console to configure the EPAP. Those serial output are harmless and can be ignored.</p>
<p>8. <input type="checkbox"/></p>	<p>Exit Back to the Server Configuration Menu.</p>	<p>Select EXIT to exit back to the Server Configuration Menu. Verify that the hostname has been properly set.</p>  <pre> Copyright (C) 2003, 2016, Oracle and/or its affiliates. All rights reserved. +-----+ Options +-----+ Hostname: OSORNA-B Hostname Configuration +-----+ +-----+ Edit Exit +-----+ +-----+ Current Hostname: OSORNA-B +-----+ </pre>
<p>9. <input type="checkbox"/></p>	<p>Navigate to the Designation/Function menu option.</p>	<p>Select Designation/Function and press [ENTER]</p>  <pre> ++ Server Configuration Menu ++ Hostname ^ Designation/Function : Configure Storage # Set Clock : Time Zone : Exit v +-----+ </pre>

Procedure 6: Pre-Install Configuration on Server B

<p>10. <input type="checkbox"/></p>	<p>View the current designation and function.</p>	<p>The screen will show the current designation and function setting. On initial install, these fields are blank.</p> <pre>Copyright (C) 2003, 2016, Oracle and/or its affiliates. All rights reserved. Hostname: OSORNA-B Designation Information +-----+ +-----+ Edit Exit +-----+ +-----+ Designation: 1B Function: EPAP</pre> <p>If not blank the values should be as follows.</p> <ol style="list-style-type: none"> 1. The Designation is "1B" for the B server 2. The Function field should be set to EPAP. <p>If either value is not correct, then select Edit and press [ENTER]. If both values are correct, select Exit, press [ENTER] and skip the next step.</p>
<p>11. <input type="checkbox"/></p>	<p>View the current designation and function.</p>	<p>Skip to Step 13 if Exit was selected in the previous step, otherwise if Edit was selected, delete the current designation and function if already set, and type in the desired values. Enter the appropriate designation in the Designation field (Note: The designation must be capitalized). Select OK and press [ENTER].</p> <pre>+-----+ Edit Designation +-----+ Designation: B Function: EPAP +----+ +-----+ OK Cancel +----+ +-----+ +-----+</pre>
<p>12. <input type="checkbox"/></p>	<p>Verify that the Designation and Function information is correct then select and press "Exit".</p>	<pre>Copyright (C) 2003, 2016, Oracle and/or its affiliates. All rights reserved. Hostname: OSORNA-B Designation Information +-----+ +-----+ Edit Exit +-----+ +-----+ Designation: 1B Function: EPAP</pre>
<p>13. <input type="checkbox"/></p>	<p>Select "Set Clock" Menu.</p>	<pre>++ Server Configuration Menu ++ Hostname ^ Designation/Function : Configure Storage : Set Clock # Time Zone : Exit v +-----+</pre>

Procedure 6: Pre-Install Configuration on Server B



<p>14. <input type="checkbox"/></p>	<p>1) Select "Edit" from the options dialogue box.</p> <p>2) Using an NTP source, set the Date/Time to be correct for the Eastern Time zone (GMT -5) and press "OK".</p> <p>NOTE: All systems default to Eastern time post IPM. It is important to set the time for the Eastern Time zone at this time.</p>	 
<p>15. <input type="checkbox"/></p>	<p>Verify that the Date and Time is correct then select and press "Exit".</p>	 
<p>16. <input type="checkbox"/></p>	<p>Exit from platcfg menu.</p>	<p>Select EXIT until the platcfg menu is closed and the command line is displayed.</p>
<p>17. <input type="checkbox"/></p>	<p>Reboot the Server.</p>	<p>\$ sudo reboot</p>
<p>18. <input type="checkbox"/></p>	<p>Procedure complete.</p>	<p>Procedure is complete.</p>

Procedure 7 Install Application on server A



Procedure 7: Install the Application on Server A

S T E P #	This procedure installs the application on the server.		
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.		
	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR ASSISTANCE.		
	1. <input type="checkbox"/>	MPS A: Install EPAP on 1A.	Perform Procedure in Procedure A.10 or copy EPAP 16.2 ISO to /var/TKLC/upgrade directory.
	2. <input type="checkbox"/>	Create a terminal window and log into MPS A.	If not already connected, connect to the E5-APP-B card via the serial Port. For connecting the E5-APP-B A card, disconnect the console cable from the serial port on the E5-APP-B B card's adapter. The cable should be disconnected at the point where it connects to the serial port labeled 'S1' on the E5-APP-B B card's adapter and use it for serial access. Cable part numbers - 830-1220-xx
	3. <input type="checkbox"/>	MPS A: Login prompt is displayed.	<hostname> console login: Note: Hit enter if no login prompt is displayed.
4. <input type="checkbox"/>	MPS A: log in as "admusr" user.	[hostname] console login: admusr password: password	
5. <input type="checkbox"/>	MPS A: Start platcfg utility.	\$ sudo su - platcfg	
6. <input type="checkbox"/>	MPS A: Navigate to the Upgrade menu.	The platcfg Main Menu appears. On the Main Menu , select Maintenance and press [ENTER]. <div data-bbox="773 1087 1222 1438" data-label="Image"> <pre> Main Menu ----- Maintenance Diagnostics Server Configuration Security Network Configuration Remote Consoles Exit </pre> </div> Select the Upgrade menu and press [ENTER].	

Procedure 7: Install the Application on Server A

		
<p>7. <input type="checkbox"/></p>	<p>MPS A: Select Early Upgrade Checks</p>	<p>Select the “Early Upgrade Checks” menu to verify that the system is ready for upgrade.</p>  <p>If the Early Upgrade Checks fail due to the ongoing syncing of raid mirrors, then wait until the resync is completed and run the “Early Upgrade Checks” again.</p> <pre> Early Checks failed for the next upgrade Look at earlyChecks.log for more info tarting Early Upgrade Checks at 1011413059 Running earlyUpgradeChecks() for Upgrade::EarlyPolicy::TPDEarlyChecks upgrade policy... Verified server is not pending accept of previous upgrade ERROR: Raid mirrors are syncing! ERROR: md2 is syncing! ERROR: earlyUpgradeChecks() code failed for Upgrade::EarlyPolicy::TPDEarlyChecks ERROR: Failed running earlyUpgradeChecks() code Hardware architectures match Install products match. No Application installed yet.. Skip alarm check! ERROR: Early Upgrade Checks Failed! User has requested just to run early checks. No upgrade will be performed... Early Upgrade Checks finished at 1011413059 [admsr@epappri ~]\$ cat /proc/mdstat Personalities : [raid1] md1 : active raid1 sdb2[1] sda2[0] 262080 blocks super 1.0 [2/2] [UU] md2 : active raid1 sda1[0] sdb1[1] 468447232 blocks super 1.1 [2/2] [UU] [====>.....] resync = 29.7% (139377920/468447232) finish=73.0min speed=75060K/sec bitmap: 4/4 pages [16KB], 65536KB chunk unused devices: <none> </pre> <p>Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E if the early upgrade checks fail due to any other reason</p>

Procedure 7: Install the Application on Server A

<p>8. <input type="checkbox"/></p>	<p>MPS A: Navigate to the Initiate Upgrade menu</p>	<p>Select the Initiate Upgrade menu and press [ENTER].</p> 
<p>9. <input type="checkbox"/></p>	<p>MPS A: Select the Upgrade Media.</p>	<p>The screen displays a message that it is searching for upgrade media. When the upgrade media is found, an Upgrade Media selection menu appears similar to the example below. Select the desired upgrade media and press [ENTER].</p> 
<p>10. <input type="checkbox"/></p>	<p>MPS A: Upgrade proceeds.</p>	<p>The screen displays the output like following, indicating that the upgrade software is first running the upgrade checks, and then proceeding with the upgrade.</p> <pre>No Application installed yet.. Skip alarm check! Verified all raid mirrors are synced. Early Upgrade Checks Have Passed! Early Upgrade Checks finished at 1447429031 Initializing upgrade information...</pre>
<p>11. <input type="checkbox"/></p>	<p>MPS A: Upgrade proceeds.</p>	<p>Many informational messages appear on the terminal screen as the upgrade proceeds. The messages are not shown here for clarity sake. When installation is complete, the server reboots.</p>
<p>12. <input type="checkbox"/></p>	<p>MPS A: Upgrade completed.</p>	<p>After the final reboot, the screen displays the login prompt as in the example below.</p> <pre>Starting atd: [OK] ~~ /etc/rc4.d/S98ExQueue start ~~ ExQueue started. Starting TKLCe5appb: [OK] Checking network config files: [OK] Daemon is not running... AlarmMgr daemon is not running, delaying by 1 minute ~~ /etc/rc4.d/S99Epap start ~~ EPAP configuration data not found. Exiting... ~~ /etc/rc4.d/S99Pdba start ~~ EPAP configuration data not found. Exiting... Starting smartd: [OK] Daemon is not running... AlarmMgr daemon is not running, delaying by 1 minute TPDhpDiskStatus stop/pre-start, process 5527 TKLChwmgmtcli stop/pre-start, process 5508 Oracle Linux Server release 6.8 Kernel 2.6.32-642.6.2.el6preel7.4.0.0_88.32.0.x86_64 on an x86_64</pre>

Procedure 7: Install the Application on Server A

<p>13. <input type="checkbox"/></p>	<p>MPS A: log in as “epapdev” user.</p>	<p>[hostname] consolelogin: epapdev password: password</p>
<p>14. <input type="checkbox"/></p>	<p>MPS A: Check the Upgrade log.</p>	<p>Examine the upgrade logs in the directory /var/TKLC/log/upgrade and verify that no errors and warnings were reported.</p> <p>\$ grep -i error /var/TKLC/log/upgrade/upgrade.log</p> <p>Check the output of the upgrade log. Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the output contains any errors beside the following:</p> <p>1487820277::2017-02-23T03:24:40.278652Z 0 [Warning] 'NO_ZERO_DATE', 'NO_ZERO_IN_DATE' and 'ERROR_FOR_DIVISION_BY_ZERO' sql modes should be used with strict mode. They will be merged with strict mode in a future release. All those messages are expected, and therefore aren't considered errors.</p> <p>Also note that sometime a carriage return is inserted in the log file causing some of the error messages to appear truncated, for example in “1252687151::myisamchk: error: File “ case, “1252687169::myisa“ might show up on one line while the rest “mchk: error: File ”” might show up on the next line. This is acceptable and should be ignored.</p> <p>\$ grep -i warning /var/TKLC/log/upgrade/upgrade.log</p> <p>Examine the output of the above command to determine if any warnings were reported. Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the output contains any warnings beside the following:</p> <pre>[1487820277::2017-02-23T03:24:40.278652Z 0 [warning] 'NO_ZERO_DATE', 'NO_ZERO_IN_DATE' and 'ERROR_FOR_DIVISION_BY_ZERO' sql modes should be used with strict mode. They will be merged with strict mode in a future release. [root@hvar-A ~]# grep -i warning /var/TKLC/log/upgrade/upgrade.log 1487820160::WARNING: /usr/TKLC/plat/etc/alarms/alarms.xml has been updated...reparsing xml... 1487820270::* write: WARNING:: Could not find configured path "/var/TKLC/epap/rt". 1487820270::* write: WARNING:: Could not find configured path "/var/TKLC/epap/db". 1487820270::* write: WARNING:: Could not find configured path "/var/TKLC/epap/logs". 1487820270::* write: WARNING:: Could not find configured path "/var/TKLC/epap/free". 1487820270::* write: WARNING:: Could not find configured path "/var/TKLC/epap/rt". 1487820270::* write: WARNING:: Could not find configured path "/var/TKLC/epap/db". 1487820270::* write: WARNING:: Could not find configured path "/var/TKLC/epap/logs". 1487820270::* write: WARNING:: Could not find configured path "/var/TKLC/epap/free". 1487820272::useradd: warning: the home directory already exists. 1487820277::2017-02-23T03:24:40.278652Z 0 [warning] 'NO_ZERO_DATE', 'NO_ZERO_IN_DATE' and 'ERROR_FOR_DIVISION_BY_ZERO' sql modes should be used with strict mode. They will be merged with strict mode in a future release. 1487820280::2017-02-23T03:24:40.278694Z 0 [warning] 'NO_AUTO_CREATE_USER' sql mode was not set. 1487820709::2017-02-23T03:31:55.022227Z 0 [warning] InnoDB: New log files created, LSN=45792 1487820715::2017-02-23T03:31:55.116112Z 0 [warning] InnoDB: Creating foreign key constraint system tables. 1487820715::2017-02-23T03:31:55.187777Z 0 [warning] No existing UUID has been found, so we assume that this is the first time that this server has been started. Generating a new UUID: 9fafedc2-f978-11e6-a8a8-0010e0850417. 1487820715::2017-02-23T03:31:55.190473Z 0 [warning] Gtid table is not ready to be used. Table 'mysql.gtid_executed' cannot be opened. 1487820715::2017-02-23T03:31:56.233157Z 0 [warning] CA certificate ca.pem is self signed.</pre>

Procedure 7: Install the Application on Server A




		<pre> 1487820716::2017-02-23T03:31:56.702769Z 1 [warning] root@localhost is created with an empty password ! Please consider switching off the --initialize- insecure option. 1487820720::2017-02-23T03:32:03.451408Z 0 [warning] TIMESTAMP with implicit DEFAULT value is deprecated. Please use --explicit_defaults_for_timestamp server option (see documentation for more details). 1487820723::2017-02-23T03:32:04.023504Z 0 [warning] InnoDB: New log files created, LSN=45790 1487820724::2017-02-23T03:32:04.116918Z 0 [warning] InnoDB: Creating foreign key constraint system tables. 1487820724::2017-02-23T03:32:04.178096Z 0 [warning] No existing UUID has been found, so we assume that this is the first time that this server has been started. Generating a new UUID: a50bbe8f-f978-11e6-bcbc-0010e0850417. 1487820724::2017-02-23T03:32:04.178895Z 0 [warning] Gtid table is not ready to be used. Table 'mysql.gtid_executed' cannot be opened. 1487820724::2017-02-23T03:32:05.957583Z 0 [warning] CA certificate ca.pem is self signed. 1487820726::2017-02-23T03:32:06.165059Z 1 [warning] root@localhost is created with an empty password ! Please consider switching off the --initialize- insecure option. 1487820753::WARNING: A new file was added to xml alarm files...reparsing xml... 1487820754::WARNING: FILE: /usr/TKLC/plat/etc/alarms/alarms_mps.xml 1487820761::TKLCepap-HA #####warning: group root} does not exist - using root Refer to section 3.7 to know more about logging. </pre>
15.	MPS A: Check that the upgrade completed successfully.	\$ grep "Upgrade returned success" /var/TKLC/log/upgrade/upgrade.log
16.	MPS A: Check that the upgrade completed successfully.	<p>Verify that the message "Upgrade returned success!" is displayed. If it is not, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.</p> <pre>1399367207:: upgrade returned success!</pre>
17.	MPS A: Install Complete.	Install Procedure is complete.

Procedure 8 Install Application on server B



Procedure 8: Install the Application on Server B

S T E P #	This procedure installs the application on the server.	
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.	
	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR ASSISTANCE.	
1.	MPS B: Install 1B.	Perform Procedure in Procedure A.10 or copy EPAP 16.2 ISO to /var/TKLC/upgrade directory.
2.	Create a terminal window log into MPS B.	<p>If not already connected, connect to the E5-APP-B card via the serial port.</p> <p>For connecting the E5-APP-B B card, disconnect the console cable from the serial port on the E5-APP-B A card's adapter. The cable should be disconnected at the point where it connects to the serial port labeled 'S1' on the E5-APP-B A card's adapter and use it for serial access. Cable part numbers - 830-1220-xx</p>
3.	MPS B: Login prompt is displayed.	<pre><hostname> console login:</pre> <p>Note: Hit enter if no login prompt is displayed.</p>

Procedure 8: Install the Application on Server B

4. <input type="checkbox"/>	MPS B: log in as “admusr” user.	<code>[hostname] consolelogin: admusr password: password</code>
5. <input type="checkbox"/>	MPS B: Start platcfg utility.	<code>\$ sudo su - platcfg</code>
6. <input type="checkbox"/>	MPS B: Navigate to the Upgrade menu.	<p>The platcfg Main Menu appears. On the Main Menu, select Maintenance and press [ENTER].</p>  <p>Select the Upgrade menu and press [ENTER].</p> 
7. <input type="checkbox"/>	MPS A: Select Early Upgrade Checks	<p>Select the “Early Upgrade Checks” menu to verify that the system is ready for upgrade.</p> 

Procedure 8: Install the Application on Server B

		<p>If the Early Upgrade Checks fail due to the ongoing syncing of raid mirrors, then wait until the resync is completed and run the “Early Upgrade Checks” again.</p> <pre> Early Checks failed for the next upgrade Look at earlyChecks.log for more info Starting Early Upgrade Checks at 1011413059 Running earlyUpgradeChecks() for Upgrade::EarlyPolicy::TPDEarlyChecks upgrade policy... Verified server is not pending accept of previous upgrade ERROR: Raid mirrors are syncing! ERROR: md2 is syncing! ERROR: earlyUpgradeChecks() code failed for Upgrade::EarlyPolicy::TPDEarlyChecks ERROR: Failed running earlyUpgradeChecks() code Hardware architectures match Install products match. No Application installed yet.. Skip alarm check! ERROR: Early Upgrade Checks Failed! User has requested just to run early checks. No upgrade will be performed... Early Upgrade Checks finished at 1011413059 [admin@epappri ~]\$ cat /proc/mdstat Personalities : [raid1] md1 : active raid1 sdb2[1] sda2[0] 262080 blocks super 1.0 [2/2] [UU] md2 : active raid1 sda1[0] sdb1[1] 468447232 blocks super 1.1 [2/2] [UU] [====>.....] resync = 29.7% (139377920/468447232) finish=73.0min speed=75060K/sec bitmap: 4/4 pages [16KB], 65536KB chunk unused devices: <none> </pre> <p>Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the early upgrade checks fail due to any other reason.</p>
<p>8. <input type="checkbox"/></p>	<p>MPS A: Navigate to the Initiate Upgrade menu</p>	<p>Select the Initiate Upgrade menu and press [ENTER].</p>  <p>The screenshot shows a terminal window titled "Upgrade Menu" with the following options: Validate Media, Early Upgrade Checks, Initiate Upgrade (highlighted with a red bar), Copy USB Upgrade Image, Non Tekelec RPM Management, and Exit.</p>
<p>9. <input type="checkbox"/></p>	<p>MPS B: Select the Upgrade Media.</p>	<p>The screen displays a message that it is searching for upgrade media. When the upgrade media is found, an Upgrade Media selection menu appears similar to the example below. Select the desired upgrade media and press [ENTER].</p>  <p>The screenshot shows a terminal window titled "Choose Upgrade Media Menu" with the following options: EPAP-16.2.0.0.0 162.4.0-x86_64.iso - 16.2.0.0.0 162.4.0 (highlighted with a red bar) and Exit.</p>
<p>10. <input type="checkbox"/></p>	<p>MPS B: Upgrade proceeds.</p>	<p>The screen displays the following, indicating that the upgrade software is first validating the media, and then proceeding with the upgrade.</p>

Procedure 8: Install the Application on Server B

		<pre>No Application installed yet.. Skip alarm check! Verified all raid mirrors are synced. Early Upgrade Checks Have Passed! Early Upgrade Checks finished at 1447429031 Initializing upgrade information...</pre>
11.	MPS B: Upgrade proceeds.	<p>Many informational messages appear on the terminal screen as the upgrade proceeds. The messages are not shown here for clarity sake.</p> <p>When installation is complete, the server reboots.</p>
12.	MPS B: Upgrade completed.	<p>After the final reboot, the screen displays the login prompt as in the example below.</p> <pre>Cleaning up chroot environment... Stopping remoteExec background process Shutting down /mnt/upgrade/upgrade/remoteExec... Verifying disk configuration for S.M.A.R.T.: [OK] Starting atd: [OK] ~~ /etc/rc4.d/S98ExQueue start ~~ ExQueue started. Starting TKLCE5appb: [OK] Checking network config files: [OK] Daemon is not running... AlarmMgr daemon is not running, delaying by 1 minute ~~ /etc/rc4.d/S99Epap start ~~ EPAP configuration data not found. Exiting... Starting smartd: [OK] Daemon is not running... AlarmMgr daemon is not running, delaying by 1 minute TPDhpDiskStatus stop/pre-start, process 5393 TKLChwmgmtcli stop/pre-start, process 5369 Oracle Linux Server release 6.8 Kernel 2.6.32-642.6.2.el6prere17.4.0.0_88.32.0.x86_64 on an x86_64</pre>
13.	MPS B: log in as "epapdev" user.	<pre>[hostname] consolelogin: epapdev password: password</pre>
14.	MPS B: Check the Upgrade log.	<p>Examine the upgrade logs in the directory /var/TKLC/log/upgrade and verify that no errors and warnings were reported.</p> <pre>\$ grep -i error /var/TKLC/log/upgrade/upgrade.log</pre> <p>Check the output of the upgrade log, Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the output contains any error except the following:</p> <pre>1487896226:: 2017-02-24T00:30:28.652213Z 0 [warning] 'NO_ZERO_DATE', 'NO_ZERO_IN_DATE' and 'ERROR_FOR_DIVISION_BY_ZERO' sql modes should be used with strict mode. They will be merged with strict mode in a future release.</pre> <p>All those messages are expected, and therefore aren't considered errors. Also note that sometime a carriage return is inserted in the log file causing some of the error messages to appear truncated. This is acceptable and should be ignored.</p> <pre>\$ grep -i warning /var/TKLC/log/upgrade/upgrade.log</pre>

Procedure 8: Install the Application on Server B

		<p>Examine the output of the above command to determine if any warnings were reported. Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the output contains any warnings beside the following:</p> <pre> 1487896226::2017-02-24T00:30:28.652213Z 0 [warning] 'NO_ZERO_DATE', 'NO_ZERO_IN_DATE' and 'ERROR_FOR_DIVISION_BY_ZERO' sql modes should be used with strict mode. They will be merged with strict mode in a future release. [epapdev@hvar-b ~]\$ grep -i warning /var/TKLC/log/upgrade/upgrade.log 1487896106::WARNING: /usr/TKLC/plat/etc/alarms/alarms.xml has been updated...reparsing xml... 1487896218:::* write: WARNING:: Could not find configured path "/var/TKLC/epap/rt". 1487896219:::* write: WARNING:: Could not find configured path "/var/TKLC/epap/db". 1487896219:::* write: WARNING:: Could not find configured path "/var/TKLC/epap/logs". 1487896219:::* write: WARNING:: Could not find configured path "/var/TKLC/epap/free". 1487896219:::* write: WARNING:: Could not find configured path "/var/TKLC/epap/rt". 1487896219:::* write: WARNING:: Could not find configured path "/var/TKLC/epap/db". 1487896219:::* write: WARNING:: Could not find configured path "/var/TKLC/epap/logs". 1487896219:::* write: WARNING:: Could not find configured path "/var/TKLC/epap/free". 1487896220::useradd: warning: the home directory already exists. 1487896226::2017-02-24T00:30:28.652213Z 0 [warning] 'NO_ZERO_DATE', 'NO_ZERO_IN_DATE' and 'ERROR_FOR_DIVISION_BY_ZERO' sql modes should be used with strict mode. They will be merged with strict mode in a future release. 1487896229::2017-02-24T00:30:28.652254Z 0 [warning] 'NO_AUTO_CREATE_USER' sql mode was not set. 1487896242::2017-02-24T00:30:46.762649Z 0 [warning] InnoDB: New log files created, LSN=45791 1487896247::2017-02-24T00:30:46.856447Z 0 [warning] InnoDB: Creating foreign key constraint system tables. 1487896247::2017-02-24T00:30:46.918223Z 0 [warning] No existing UUID has been found, so we assume that this is the first time that this server has been started. Generating a new UUID: 7c1b5ac5-fa28-11e6-ac40-0010e08503fb. 1487896247::2017-02-24T00:30:46.919104Z 0 [warning] Gtid table is not ready to be used. Table 'mysql.gtid_executed' cannot be opened. 1487896247::2017-02-24T00:30:48.561021Z 0 [warning] CA certificate ca.pem is self signed. 1487896249::2017-02-24T00:30:49.018012Z 1 [warning] root@localhost is created with an empty password ! Please consider switching off the --initialize- insecure option. 1487896252::2017-02-24T00:30:55.321537Z 0 [warning] TIMESTAMP with implicit DEFAULT value is deprecated. Please use --explicit_defaults_for_timestamp server option (see documentation for more details). 1487896255::2017-02-24T00:30:55.888792Z 0 [warning] InnoDB: New log files created, LSN=45790 1487896256::2017-02-24T00:30:55.977153Z 0 [warning] InnoDB: Creating foreign key constraint system tables. 1487896256::2017-02-24T00:30:56.040240Z 0 [warning] No existing UUID has been found, so we assume that this is the first time that this server has been started. Generating a new UUID: 818b4391-fa28-11e6-946c-0010e08503fb. 1487896256::2017-02-24T00:30:56.041013Z 0 [warning] Gtid table is not ready to be used. Table 'mysql.gtid_executed' cannot be opened. 1487896256::2017-02-24T00:30:56.765311Z 0 [warning] CA certificate ca.pem is self signed. 1487896257::2017-02-24T00:30:57.213158Z 1 [warning] root@localhost is created with an empty password ! Please consider switching off the --initialize- insecure option. 1487896284::WARNING: A new file was added to xml alarm files...reparsing xml... 1487896285::WARNING: FILE: /usr/TKLC/plat/etc/alarms/alarms_mps.xml 1487896292::TKLCepap-HA #####warning: group root} does not exist - using root </pre>
<p>15. <input type="checkbox"/></p>	<p>MPS B: Check that the upgrade completed successfully.</p>	<p>\$ grep "Upgrade returned success" /var/TKLC/log/upgrade/upgrade.log</p>
<p>16. <input type="checkbox"/></p>	<p>MPS B: Check that the upgrade completed successfully.</p>	<p>Verify that the message “Upgrade returned success!” is displayed. If it is not, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.</p>

Procedure 8: Install the Application on Server B




		1399367207:: Upgrade returned success!
17.	MPS B: Install Complete.	Install Procedure is complete.

Procedure 9 Switch Configuration




Procedure 9: Switch Configuration

S T E P #	<p>This procedure Configures the Switches of a new Installed E5-APP-B EPAP Server Pair.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR ASSISTANCE.</p>	
1. <input type="checkbox"/>	Make the cross-over cable connections.	<p style="text-align: center;">NOTE: THIS IS IMPORTANT</p> <p>CONNECT the cross-over cable from Port 1 of Switch1A to Port 1 of Switch1B.</p> <p>DISCONNECT the cross-over cable from Port 2 of Switch1A to Port 2 of Switch1B. Please make a note that the switch configuration should only be attempted by a skilled technician and not all.</p> <p>All uplinks should be removed while switch configuration.</p> <p>There should not be any loop in the switches during their configuration.</p>
2. <input type="checkbox"/>	MPS B: log in as "admusr" user.	[hostname] consolelogin: admusr password: password
3. <input type="checkbox"/>	MPS B: Set Telco Switch with non-default speed.	<p>Note: The default speed to be set on the switch is 100Mbps. However, the recommended setting can be changed to 'auto'. At the EAGLE end, the operator can set the IP LINK to 'auto' and at the EPAP side, follow below steps to set the Telco switch speed. Otherwise proceed to step 4.</p> <p>To set the speed to auto</p> <pre>\$ cd /usr/TKLC/plat/etc \$ sudo cp vlan.auto.sm4g.e5appb.conf vlan.conf cp: overwrite `vlan.conf'? y</pre> <p>In case the EAGLE set IP LINK speed=1000, duplex=full, follow the below steps to set the Telco switch speed to 1000 Mbps.</p> <pre>\$ cd /usr/TKLC/plat/etc \$ sudo cp vlan.1000.sm4g.e5appb.conf vlan.conf cp: overwrite `vlan.conf'? y</pre>
4. <input type="checkbox"/>	MPS B: Start platcfg utility.	\$ sudo su - platcfg
5. <input type="checkbox"/>	MPS B: Navigate to the Network Configuration Menu.	On the platcfg Main Menu , select Network Configuration and press [ENTER].



Procedure 9: Switch Configuration

		 <p>A screenshot of the 'Main Menu' with the following options: Maintenance, Diagnostics, Server Configuration, Security, Network Configuration (highlighted in red), Remote Consoles, and Exit.</p>
<p>6. <input type="checkbox"/> MPS B: Navigate to the Configure Switch Menu.</p>	<p>On the Network Configuration menu, select Configure Switch and press [ENTER].</p>	 <p>A screenshot of the 'Network Configuration Menu' with the following options: SNMP Configuration, Network Interfaces, Configure Network, Network Bridges, Routing, Iptables, Resolv, IPSEC Configuration, Stunnel, Modify Hosts File, Configure Switch (highlighted in red), and Exit.</p>
<p>7. <input type="checkbox"/> MPS B: Select Switch1B.</p>	<p>On the Select Switch Menu, select Switch1B – Second Switch in Frame 1 and press [ENTER].</p>	 <p>A screenshot of the 'Select Switch Menu' with the following options: switch1A - Upper Switch in Frame 1, switch1B - Second Switch in Frame 1 (highlighted in red), switch1C - Third Switch in Frame 1, switch1D - Lower Switch in Frame 1, All Switches, and Exit.</p>
<p>8. <input type="checkbox"/> MPS B: Confirm Switch 1B Configuration.</p>	<p>Select Yes and press [ENTER] to configure Switch 1B.</p>	





Procedure 9: Switch Configuration

		
<p>9. <input type="checkbox"/></p>	<p>MPS B: Switch Configuration Screen.</p>	<p>Configuring the switch takes about 10 minutes, once complete press [ENTER] to continue.</p>  
<p>10. <input type="checkbox"/></p>	<p>MPS B: Exit out of platcfg.</p>	<p>Select Exit and press [ENTER] to return to the Network Configuration Menu. Select Exit and press [ENTER] to return to the Main Menu. Select Exit and press [ENTER] to exit out of platcfg.</p>
<p>11. <input type="checkbox"/></p>	<p>MPS A: Connect to Server 1A.</p>	<p>Now that Switch 1B is configured, we need to configure switch 1A. Connect to server 1A to configure switch 1A</p> <pre>[hostname] consolelogin: admusr password: password</pre>
<p>12. <input type="checkbox"/></p>	<p>MPS A: Set Telco Switch with non-default speed.</p>	<p>Note: The default speed to be set on the switch is 100Mbps. However, the recommended setting can be changed to 'auto'.</p>



Procedure 9: Switch Configuration

		<p>At the EAGLE end, the operator can set the IP LINK to 'auto' and at the EPAP side, follow below steps to set the Telco switch speed. Otherwise proceed to step 13.</p> <p>To set the speed auto:</p> <pre>\$ cd /usr/TKLC/plat/etc \$ sudo cp vlan.auto.sm4g.e5appb.conf vlan.conf cp: overwrite `vlan.conf'? y</pre> <p>In case the EAGLE set IP LINK speed=1000, duplex=full, follow the below steps to set the Telco switch speed to 1000 Mbps.</p> <pre>\$ cd /usr/TKLC/plat/etc \$ sudo cp vlan.1000.sm4g.e5appb.conf vlan.conf cp: overwrite `vlan.conf'? y</pre>
<p>13. <input type="checkbox"/></p>	<p>MPS A: Start platcfg. utility</p>	<pre>\$ sudo su - platcfg</pre>
<p>14. <input type="checkbox"/></p>	<p>MPS A: Navigate to the Network Configuration Menu.</p>	<p>On the platcfg Main Menu, select Network Configuration and press [ENTER].</p>  <pre> Main Menu ----- Maintenance Diagnostics Server Configuration Security Network Configuration Remote Consoles Exit </pre>
<p>15. <input type="checkbox"/></p>	<p>MPS A: Navigate to the Configure Switch Menu.</p>	<p>On the Network Configuration menu, select Configure Switch and press [ENTER].</p>  <pre> Network Configuration Menu ----- SNMP Configuration Network Interfaces Configure Network Network Bridges Routing Iptables Resolv IPSEC Configuration Stunnel Modify Hosts File Configure Switch Exit </pre>
<p>16. <input type="checkbox"/></p>	<p>MPS A: Select Switch1A.</p>	<p>On the Select Switch Menu, select Switch1A – Upper Switch in Frame 1 and press [ENTER].</p>




Procedure 9: Switch Configuration

		
<p>17. <input type="checkbox"/></p>	<p>MPS A: Confirm Switch 1A Configuration.</p>	<p>Select Yes and press [ENTER] to configure Switch 1A.</p> 
<p>18. <input type="checkbox"/></p>	<p>MPS A: Navigate to the Configure Switch Menu.</p>	<p>Configuring the switch takes about 10 minutes, once complete press [ENTER] to continue.</p>  



Procedure 9: Switch Configuration

19. <input type="checkbox"/>	MPS A: Exit out of platcfg.	Select Exit and press [ENTER] to return to the Network Configuration Menu. Select Exit and press [ENTER] to return to the Main Menu. Select Exit and press [ENTER] to exit out of platcfg.
20. <input type="checkbox"/>	MPS A: Optional Configuration of Switch 1C.	If the system is installed with 4 switches, proceed with the next step, otherwise skip to step 37.
21. <input type="checkbox"/>	Move Serial Cables.	On the front of switches 1A and 1B, unplug the serial cables connected to Console port and plug them in switches 1C and 1D Console port respectively.
22. <input type="checkbox"/>	MPS A: Start platcfg utility.	\$ sudo su - platcfg
23. <input type="checkbox"/>	MPS A: Navigate to the Network Configuration Menu.	On the platcfg Main Menu , select Network Configuration and press [ENTER].  <pre> Main Menu ----- Maintenance Diagnostics Server Configuration Security Network Configuration Remote Consoles Exit </pre>
24. <input type="checkbox"/>	MPS A: Navigate to the Configure Switch Menu.	On the Network Configuration menu, select Configure Switch and press [ENTER].  <pre> Network Configuration Menu ----- SNMP Configuration Network Interfaces Configure Network Network Bridges Routing Iptables Resolve IPSEC Configuration Stunnel Modify Hosts File Configure Switch Exit </pre>
25. <input type="checkbox"/>	MPS A: Select Switch1C.	On the Select Switch Menu, select Switch1C – Third Switch in Frame 1 and press [ENTER].




Procedure 9: Switch Configuration

		
<p>26. <input type="checkbox"/></p>	<p>MPS A: Confirm Switch 1C Configuration.</p>	<p>Select Yes and press [ENTER] to configure Switch 1C</p> 
<p>27. <input type="checkbox"/></p>	<p>MPS A: Navigate to the Configure Switch Menu.</p>	<p>Configuring the switch takes about 10 minutes, once complete press [ENTER] to continue.</p> 



Procedure 9: Switch Configuration

		
28. <input type="checkbox"/>	MPS A: Exit out of platcfg.	<p>Select Exit and press [ENTER] to return to the Network Configuration Menu. Select Exit and press [ENTER] to return to the Main Menu. Select Exit and press [ENTER] to exit out of platcfg.</p>
29. <input type="checkbox"/>	MPS B: Connect to Server 1B.	<pre>[hostname] consolelogin: admusr password: password</pre>
30. <input type="checkbox"/>	MPS B: Start platcfg utility.	<pre>\$ sudo su - platcfg</pre>
31. <input type="checkbox"/>	MPS B: Navigate to the Network Configuration Menu.	<p>On the platcfg Main Menu, select Network Configuration and press [ENTER].</p> 
32. <input type="checkbox"/>	MPS B: Navigate to the Configure Switch Menu.	<p>On the Network Configuration menu, select Configure Switch and press [ENTER].</p>

Procedure 9: Switch Configuration

		 <p>Network Configuration Menu</p> <ul style="list-style-type: none"> SNMP Configuration Network Interfaces Configure Network Network Bridges Routing Iptables Resolv IPSEC Configuration Stunnel Modify Hosts File Configure Switch Exit
<p>33. <input type="checkbox"/></p>	<p>MPS B: Select Switch1D.</p>	<p>On the Select Switch Menu, select Switch1D – Lower Switch in Frame 1 and press [ENTER].</p>  <p>Select Switch Menu</p> <ul style="list-style-type: none"> switch1A - Upper Switch in Frame 1 switch1B - Second Switch in Frame 1 switch1C - Third Switch in Frame 1 switch1D - Lower Switch in Frame 1 All Switches Exit
<p>34. <input type="checkbox"/></p>	<p>MPS B: Confirm Switch 1D Configuration.</p>	<p>Select Yes and press [ENTER] to configure Switch 1D.</p>  <p>Verify Action</p> <p>Really configure switch switch1D? Disrupt network connectivity?</p> <p>Yes No</p>
<p>35. <input type="checkbox"/></p>	<p>MPS B: Switch Configuration Screen.</p>	<p>Configuring the switch takes about 10 minutes, once complete press [ENTER] to continue.</p>



Procedure 9: Switch Configuration




	<pre>Successfully enabled on switch switch1D. Reloading switch switch1D with defaults, please standby... Switch switch1D successfully set to default configuration. Successfully started management VLAN on switch1D. Startup configuration created OK. Successfully uploaded startup config for switch1D. Removing config file switch1D.startup-config from /tftpboot. Reloading switch switch1D, please standby... Reload of switch switch1D complete.</pre> 
<p>36. <input type="checkbox"/> MPS B: Exit out of platcfg.</p>	<p>Select Exit and press [ENTER] to return to the Network Configuration Menu. Select Exit and press [ENTER] to return to the Main Menu. Select Exit and press [ENTER] to exit out of platcfg.</p>
<p>37. <input type="checkbox"/> Connect the cross-over cable from Port 2 of Switch1A to Port 2 of Switch1B.</p>	
<p>38. <input type="checkbox"/> Procedure complete.</p>	<p>Procedure is complete.</p>




Procedure 10 Procedure to Configure Sync Network Redundancy



Note: This procedure will configure the E5-APP-B EPAP cards with the Sync Network Redundancy feature. This will use the Backup Provisioning Network ports, therefore the Backup Provisioning Network feature cannot be used.

Procedure 10: Procedure to Configure Sync Network Redundancy

S T E P #	This procedure will sync network redundancy in place of backup provisioning network. Note: Estimated time of completion is 90 minutes.	
1. <input type="checkbox"/>	MPS A: Log in as "admusr" user to the serial console of E5-APP-B card.	<code>[hostname] consolelogin: admusr password: password</code>
2. <input type="checkbox"/>	MPS A: Start platcfg utility.	<code>\$ sudo su - platcfg</code>
3. <input type="checkbox"/>	MPS A: Navigate to the Network Configuration Menu.	On the platcfg Main Menu , select Network Configuration and press [ENTER].  <pre> Main Menu ----- Maintenance Diagnostics Server Configuration Remote Consoles Network Configuration Security Exit </pre>
4. <input type="checkbox"/>	MPS A: Navigate to the Network Interfaces Menu.	On the Network Configuration menu, select Network Interfaces and press [ENTER].  <pre> Network Configuration Menu ----- Network Interfaces SNMP Configuration Routing Configure Network Network Bridges Iptables Resolv IPSEC Configuration Stunnel Modify Hosts File Configure Switch Exit </pre>

<p>5.</p> <input type="checkbox"/>	<p>MPS A: Navigate to the Delete an Interface Menu.</p>	<p>On the Network Interfaces Menu, select Delete an Interface and press [ENTER].</p>  <pre> Network Interfaces Menu Add an Interface Edit an Interface Delete an Interface Restart an Interface Exit </pre>
<p>6.</p> <input type="checkbox"/>	<p>MPS A: Select to delete eth03.1 and press Enter.</p>	<p>On the Connection to delete Menu, select eth03.1 and press [ENTER].</p>  <pre> Connection to delete Menu eth01 eth02 eth03 eth03.1 eth03.3 eth04 Exit </pre>
<p>7.</p> <input type="checkbox"/>	<p>MPS A: Confirm eth03.1 interface deletion.</p>	<p>Select Yes and press [ENTER] to delete the eth03.1 interface.</p>  <pre> Delete Interface Do you wish to remove the eth03.1 interface? No Yes </pre>

		
<p>8. <input type="checkbox"/></p>	<p>MPS A: Press any key to continue.</p> <p>Navigate to the Delete an Interface Menu.</p>	<p>On the Network Interfaces Menu, select Delete an Interface and press [ENTER].</p> 
<p>9. <input type="checkbox"/></p>	<p>MPS A: Select to delete eth03.3 and press Enter.</p>	<p>On the Connection to delete Menu, select eth03.3 and press [ENTER].</p> 
<p>10. <input type="checkbox"/></p>	<p>MPS A: Confirm eth03.3 interface deletion.</p>	<p>Select Yes and press [ENTER] to delete the eth03.3 interface.</p>

		 
11. <input type="checkbox"/>	MPS A: Press any key to continue and exit out of platcfg.	<p>Select Exit and press [ENTER] to return to the Network Configuration Menu.</p> <p>Select Exit and press [ENTER] to return to the Main Menu.</p> <p>Select Exit and press [ENTER] to exit out of platcfg.</p>
12. <input type="checkbox"/>	MPS A: Verify that eth03.1 and eth03.3 are deleted.	<pre>\$ sudo netAdm show eth01 eth02 eth03 eth04</pre> <p>The interfaces eth03.1 and eth03.3 should not be listed.</p>
13. <input type="checkbox"/>	MPS A: Take the backup of original net.conf.	<pre>\$ sudo cp /usr/TKLC/plat/etc/net.conf /usr/TKLC/plat/etc/net.conf_orig</pre>
14. <input type="checkbox"/>	MPS A: Replace the network configuration file for sync network redundancy.	<pre>\$ sudo cp /usr/TKLC/plat/etc/net.sync.conf /usr/TKLC/plat/etc/net.conf</pre> <p>cp: overwrite `/usr/TKLC/plat/etc/net.conf'? y</p>
15. <input type="checkbox"/>	MPS A A: Take the backup of original vlan.conf.	<pre>\$ sudo cp /usr/TKLC/plat/etc/vlan.conf /usr/TKLC/plat/etc/vlan.conf_orig</pre>

<p>16. <input type="checkbox"/></p>	<p>MPS A: Replace the vlan configuration file for sync network redundancy.</p>	<p><u>E5-APP-B Card:</u></p> <p>Single Pair of Switch(18 SM Cards): vlan.sync.single_pair_switch.e5appb.conf</p> <p>(Ports 7 to 24 on switch 1A and ports 5 to 24 on switch 1B can be used for SM card connectivity)</p> <p>Two Pair of switches (40 SM Cards): vlan.sync.e5appb.conf</p> <p>(Ports 7 to 22 on switch 1A and ports 5 to 22 on switch 1B can be used for SM card connectivity, no change for switch 1C and 1D)</p> <p>For e.g., on T1200 server for Single pair of switches:</p> <pre>\$ sudo cp /usr/TKLC/plat/etc/vlan.sync.single_pair_switch.t1200.conf /usr/TKLC/plat/etc/vlan.conf</pre> <p>cp: overwrite `usr/TKLC/plat/etc/vlan.conf'? y</p>
<p>17. <input type="checkbox"/></p>	<p>MPS A: Reconfigure the network interfaces.</p>	<pre>\$ sudo netAdm init</pre> <p>Interface bond0 added</p> <p>Interface eth01 added</p> <p>Interface eth02 added</p> <p>Interface bond0.3 added</p> <p>Interface eth03 added</p> <p>Interface eth04 added</p> <p>Interface bond0.1 added</p> <p>Successfully configured network</p>
<p>18. <input type="checkbox"/></p>	<p>MPS A: Restart network service.</p>	<pre>\$ sudo service network restart</pre>
<p>19. <input type="checkbox"/></p>	<p>MPS B</p>	<p>Repeat all the above steps on the MPS B.</p>
<p>20. <input type="checkbox"/></p>	<p>Network Connectivity</p>	<p>Connect eth04 on MPS A to port 5 on Switch 1A and connect eth04 on MPS B to port 6 on Switch 1A.</p>
<p>21. <input type="checkbox"/></p>	<p>Configure Switch 1B first and then Switch 1A using Procedure 9.</p>	<p>Perform Procedure 9 – Switch1B and Switch1A Configuration to configure Switch1B and then Switch1A.</p>
<p>22. <input type="checkbox"/></p>	<p>MPS A: Verify that ping mate is working.</p> <p>Also ensure that the sync redundancy is working fine by turning off one switch and running ping mate.</p>	<pre>\$ ping -c 4 mate</pre> <p>PING mate (192.168.2.100) 56(84) bytes of data.</p> <p>64 bytes from mate (192.168.2.100): icmp_seq=1 ttl=64 time=0.189 ms</p> <p>64 bytes from mate (192.168.2.100): icmp_seq=2 ttl=64 time=0.188 ms</p> <p>64 bytes from mate (192.168.2.100): icmp_seq=3 ttl=64 time=0.166 ms</p> <p>64 bytes from mate (192.168.2.100): icmp_seq=4 ttl=64 time=0.143 ms</p>

		<pre>--- mate ping statistics --- 4 packets transmitted, 4 received, 0% packet loss, time 3001ms rtt min/avg/max/mdev = 0.143/0.171/0.189/0.022 ms</pre>
23. <input type="checkbox"/>	MPS A: Reconfigure EPAP using epapconfig menu if the configuration was done before configuring sync network redundancy.	\$ su - epapconfig Please follow the instructions written in Procedure 11.
24. <input type="checkbox"/>	Procedure complete.	Procedure is complete.

Procedure 11 Configuring the application

Procedure 11: Configuring the Application

S T E P #	This procedure configures the application on the server.	
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.	
	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR ASSISTANCE.	
NOTE: This procedure configures the application in the IPv4 configuration. To configure the application in the IPv6 configuration, refer to [6].		
1. <input type="checkbox"/>	MPS A: Log on Server A.	<code>[hostname] consolelogin: admusr</code> <code>password: <i>password</i></code>
2. <input type="checkbox"/>	MPS A: Switch user to epapconfig.	\$ sudo su - epapconfig
3. <input type="checkbox"/>	MPS A: A note of caution appears. Evaluate the conditions listed. When all the conditions are satisfied, press Return to continue.	Caution: This is the first login of the text user interface. Please review the following checklist before continuing. Failure to enter complete and accurate information at this time will have unpredictable results. <ol style="list-style-type: none"> 1. The mate MPS servers (MPS A and MPS B) must be powered on. 2. "Initial Platform Manufacture" for the mate MPS servers must be complete. 3. The sync network between the mate MPS servers must be operational. 4. You must have the correct password for the epapdev user on the mate MPS server. 5. You must be prepared to designate this MPS as provisionable or non-provisionable. Press return to continue...

Procedure 11: Configuring the Application

<p>4. <input type="checkbox"/></p>	<p>MPS A: Upon pressing Return you can now abort or proceed with the initial configuration. To continue with the configuration, enter Y.</p>	<p>Are you sure you wish to continue? [N]:Y</p>
<p>5. <input type="checkbox"/></p>	<p>MPS A: For Mixed EPAP or Non-Provisionable EPAP: You are prompted for the epapdev, root and admusr user password on the mate MPS server in order to confirm the secure shell keys are successfully exchanged. The example shows the output generated when the correct password is entered, the secure shell keys are successfully exchanged, and the UI database is set up on MPS A and MPS B at this site. Type Y if this site is Provisionable, otherwise Type N.</p> <p>For Standalone PDB: You are prompted for the System Number and Network Configuration Type.</p>	<pre> Password of epapdev: ssh is working correctly. Password of root: ssh is working correctly. Password of admusr: ssh is working correctly. Password of root: ssh is working correctly. Building the initial database on side A. Stopping local slave Stopping remote slave EuiDB already exists. FIPS integrity verification test failed. Starting local slave Starting remote slave The provisioning architecture of the EPAP software allows for exactly 2 customer provisionable sites. Additional sites that are to receive the data provisioned to the provisionable sites should answer 'N' here. If there are only 2 mated sites, it is safe to answer 'Y' here. Is this site provisionable? [Y]: Y Caution: This is the first login of the text user interface. Press return to continue... Are you sure you wish to continue? [N]: Y Building the initial database on side A. Stopping local slave No preexisting EuiDB database was detected. Set EPAP System Number: ES12345678 Enter the Network Configuration Type (1 for Single, 2 for Segmented): 2 </pre>
<p>6. <input type="checkbox"/></p>	<p>MPS A: The EPAP Configuration Menu is displayed. Select choice 2, Configure Network Interfaces Menu.</p>	<pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration </pre>

Procedure 11: Configuring the Application

		<pre> 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit ----- Enter Choice: 2 </pre>
<p>7. <input type="checkbox"/></p>	<p>MPS A: The Configure Network Interfaces Menu is displayed. Select choice 1, Configure Provisioning Network.</p>	<p>Configuration Menu for Mixed EPAP and Non-Provisionable EPAP:</p> <pre> /-----Configure Network Interfaces Menu-----\ 1 Configure Provisioning Network 2 Configure Sync Network 3 Configure DSM Network 4 Configure Backup Provisioning Network 5 Configure Static NAT Addresses 6 Configure Provisioning VIP Addresses e Exit ----- Enter Choice: 1 Configuration Menu for Standalone PDB: /-----Configure Network Interfaces Menu-----\ 1 Configure Provisioning Network 2 Configure Backup Provisioning Network 3 Configure Static NAT Addresses e Exit ----- Enter Choice: 1 </pre>
<p>8. <input type="checkbox"/></p>	<p>MPS A: The submenu for configuring communications networks and other information is displayed.</p>	<pre> /-----Configure Provisioning Network Menu-----\ 1 IPv4 Configuration 2 IPv6 Configuration e Exit ----- Enter Choice: █ Example output for Mixed EPAP and Non-Provisionable EPAP in IPv4 configuration: </pre>

Procedure 11: Configuring the Application

	<p>Note: Enter choice “1” for IPv4 configuration. Otherwise, enter choice “2” for IPv6 configuration.</p>	<pre>Enter Choice: 1 Verifying connectivity with mate... EPAP A provisioning network IP Address: 10.75.141.47 EPAP B provisioning network IP Address: 10.75.141.48 EPAP provisioning network netmask: 255.255.255.128 EPAP provisioning network default router: 10.75.141.1 Example output Standalone PDB in IPv4 configuration: EPAP A provisioning network IP Address:10.75.141.47 EPAP provisioning network netmask:255.255.255.128 EPAP provisioning network default router:10.75.141.1</pre>
<p>9. <input type="checkbox"/></p>	<p>MPS A: The Configure Network Interfaces menu is displayed. Select choice e, Exit.</p>	<pre>Configuration Menu for Mixed EPAP and Non-Provisionable EPAP: /-----Configure Network Interfaces Menu-----\ 1 Configure Provisioning Network 2 Configure Sync Network 3 Configure DSM Network 4 Configure Backup Provisioning 5 Configure Static NAT Addresses 6 Configure Provisioning VIP e Exit \-----\ Enter Choice: e Configuration Menu for Standalone PDB: /-----Configure Network Interfaces Menu-----\ 1 Configure Provisioning Network 2 Configure Backup Provisioning 3 Configure Static NAT Addresses e Exit \-----\ Enter Choice: e</pre>
<p>10. <input type="checkbox"/></p>	<p>MPS A: The EPAP Configuration Menu is displayed. Select choice 3, Set Time Zone.</p>	<pre>Enter Choice: 3</pre>
<p>11. <input type="checkbox"/></p>	<p>MPS A: An important Caution statement is displayed. After noting the caution, press Return to continue.</p>	<pre>Caution: This action requires a reboot of the affected MPS servers to activate the change. Operation of the EPAP software before the MPS servers are rebooted may have unpredictable consequences. Press return to continue...<return> Are you sure you wish to change the timezone for MPS A and B? [N]: Y</pre>

Procedure 11: Configuring the Application

	<p>You are prompted for confirmation on setting the time zone for the MPS A and MPS B at this site for Mixed EPAP or Non-provisionable EPAP. For Standalone PDB, time zone for MPS A is prompted only. Enter y to confirm the change. (Pressing Return accepts the default of 'N' (no), cancels the action and you are returned to the EPAP Configuration Menu). Type Y to set the time zone.</p>																																																																																																				
<p>12. <input type="checkbox"/></p>	<p>MPS A: The following prompt is displayed. If the time zone is known, it can be entered at the prompt. If the exact time zone value is not known, press Return, and a list of the valid names is displayed.</p>	<p>Enter a time zone:</p>																																																																																																			
<p>13. <input type="checkbox"/></p>	<p>If an incorrect time zone is entered or if only the Return key is pressed, a list of all available time zone values is displayed.</p> <p>Note: The time zone change does not take effect until the next time the MPS is rebooted.</p>	<p>Valid time zone files are:</p> <table border="0"> <tr> <td>Australia/Broken_Hill</td> <td>Australia/LHI</td> <td></td> </tr> <tr> <td>Australia/NSW</td> <td>Australia/Queensland</td> <td></td> </tr> <tr> <td>Australia/North</td> <td>Australia/Victoria</td> <td></td> </tr> <tr> <td>Australia/South</td> <td></td> <td></td> </tr> <tr> <td>Australia/Tasmania</td> <td></td> <td></td> </tr> <tr> <td>Australia/West</td> <td></td> <td></td> </tr> <tr> <td>Australia/Yancowinna</td> <td>Australia/ACT</td> <td>Brazil/Acre</td> </tr> <tr> <td>Brazil/DeNoronha</td> <td>Brazil/East</td> <td>Brazil/West</td> </tr> <tr> <td>Canada/Atlantic</td> <td>Canada/Central</td> <td>Canada/East-</td> </tr> <tr> <td>Saskatchewan</td> <td></td> <td></td> </tr> <tr> <td>Canada/Eastern</td> <td>Canada/Mountain</td> <td></td> </tr> <tr> <td>Canada/Newfoundland</td> <td></td> <td></td> </tr> <tr> <td>Canada/Pacific</td> <td>Canada/Yukon</td> <td></td> </tr> <tr> <td>Chile/Continental</td> <td></td> <td></td> </tr> <tr> <td>Chile/EasterIsland</td> <td>Etc/GMT</td> <td>Etc/GMT+1</td> </tr> </table> <p>-----Sample Output continues----- -----End of output below-----</p> <table border="0"> <tr> <td>MST</td> <td>MST7MDT</td> <td>NZ</td> </tr> <tr> <td>NZ-CHAT</td> <td>PRC</td> <td>PST8PDT</td> </tr> <tr> <td>Poland</td> <td>Portugal</td> <td>ROC</td> </tr> <tr> <td>ROK</td> <td>Singapore</td> <td>Turkey</td> </tr> <tr> <td>W-SU</td> <td>WET</td> <td>africa</td> </tr> <tr> <td>asia</td> <td>australasia</td> <td>backward</td> </tr> <tr> <td>etcetera</td> <td>europa</td> <td>factory</td> </tr> <tr> <td>northamerica</td> <td>pacificnew</td> <td>solar87</td> </tr> <tr> <td>solar88</td> <td>solar89</td> <td>southamerica</td> </tr> <tr> <td>GB-Eire</td> <td>GMT</td> <td>GMT+0</td> </tr> <tr> <td>GMT+1</td> <td>GMT+10</td> <td>GMT+11</td> </tr> <tr> <td>GMT+12</td> <td>GMT+13</td> <td>GMT+2</td> </tr> <tr> <td>GMT+3</td> <td>GMT+4</td> <td>GMT+5</td> </tr> <tr> <td>GMT+6</td> <td>GMT+7</td> <td>GMT+8</td> </tr> <tr> <td>GMT+9</td> <td>GMT-0</td> <td>GMT-1</td> </tr> <tr> <td>GMT-10</td> <td>GMT-11</td> <td>GMT-12</td> </tr> <tr> <td>GMT-2</td> <td>GMT-3</td> <td>GMT-4</td> </tr> <tr> <td>GMT-5</td> <td>GMT-6</td> <td>GMT-7</td> </tr> </table>	Australia/Broken_Hill	Australia/LHI		Australia/NSW	Australia/Queensland		Australia/North	Australia/Victoria		Australia/South			Australia/Tasmania			Australia/West			Australia/Yancowinna	Australia/ACT	Brazil/Acre	Brazil/DeNoronha	Brazil/East	Brazil/West	Canada/Atlantic	Canada/Central	Canada/East-	Saskatchewan			Canada/Eastern	Canada/Mountain		Canada/Newfoundland			Canada/Pacific	Canada/Yukon		Chile/Continental			Chile/EasterIsland	Etc/GMT	Etc/GMT+1	MST	MST7MDT	NZ	NZ-CHAT	PRC	PST8PDT	Poland	Portugal	ROC	ROK	Singapore	Turkey	W-SU	WET	africa	asia	australasia	backward	etcetera	europa	factory	northamerica	pacificnew	solar87	solar88	solar89	southamerica	GB-Eire	GMT	GMT+0	GMT+1	GMT+10	GMT+11	GMT+12	GMT+13	GMT+2	GMT+3	GMT+4	GMT+5	GMT+6	GMT+7	GMT+8	GMT+9	GMT-0	GMT-1	GMT-10	GMT-11	GMT-12	GMT-2	GMT-3	GMT-4	GMT-5	GMT-6	GMT-7
Australia/Broken_Hill	Australia/LHI																																																																																																				
Australia/NSW	Australia/Queensland																																																																																																				
Australia/North	Australia/Victoria																																																																																																				
Australia/South																																																																																																					
Australia/Tasmania																																																																																																					
Australia/West																																																																																																					
Australia/Yancowinna	Australia/ACT	Brazil/Acre																																																																																																			
Brazil/DeNoronha	Brazil/East	Brazil/West																																																																																																			
Canada/Atlantic	Canada/Central	Canada/East-																																																																																																			
Saskatchewan																																																																																																					
Canada/Eastern	Canada/Mountain																																																																																																				
Canada/Newfoundland																																																																																																					
Canada/Pacific	Canada/Yukon																																																																																																				
Chile/Continental																																																																																																					
Chile/EasterIsland	Etc/GMT	Etc/GMT+1																																																																																																			
MST	MST7MDT	NZ																																																																																																			
NZ-CHAT	PRC	PST8PDT																																																																																																			
Poland	Portugal	ROC																																																																																																			
ROK	Singapore	Turkey																																																																																																			
W-SU	WET	africa																																																																																																			
asia	australasia	backward																																																																																																			
etcetera	europa	factory																																																																																																			
northamerica	pacificnew	solar87																																																																																																			
solar88	solar89	southamerica																																																																																																			
GB-Eire	GMT	GMT+0																																																																																																			
GMT+1	GMT+10	GMT+11																																																																																																			
GMT+12	GMT+13	GMT+2																																																																																																			
GMT+3	GMT+4	GMT+5																																																																																																			
GMT+6	GMT+7	GMT+8																																																																																																			
GMT+9	GMT-0	GMT-1																																																																																																			
GMT-10	GMT-11	GMT-12																																																																																																			
GMT-2	GMT-3	GMT-4																																																																																																			
GMT-5	GMT-6	GMT-7																																																																																																			

Procedure 11: Configuring the Application

		<p>GMT-8 Jamaica UTC</p> <p>GMT-9 Navajo Universal</p> <p>Greenwich UCT Zulu</p> <p>Enter a time zone file (relative to /usr/share/lib/zoneinfo): US/Eastern</p>
<p>14. <input type="checkbox"/></p>	<p>NOTE: If an NTP server does not need to be added at this time, you can skip all steps related to option 7 Configure NTP Server Menu, and proceed to the PDB Configuration Menu at step 20.</p> <p>SERVER A: Enter choice 7, Configure NTP Server Menu.</p>	<pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit \-----/ Enter Choice: 7 </pre>
<p>15. <input type="checkbox"/></p>	<p>MPS A: The EPAP Configure NTP Server Menu is displayed. Enter choice 2, Add External NTP Server.</p> <p>Note: Enter choice "1" to configure IPv4 NTP server. Otherwise, enter choice "2" to</p>	<pre> /-----EPAP Configure NTP Server Menu-----\ 1 Display External NTP Server 2 Add External NTP Server 3 Remove External NTP Server e Exit \-----/ Enter Choice: 2 </pre>

Procedure 11: Configuring the Application

	<p>configure IPv6 NTP server.</p>	<pre> /-----Add External NTP Server Menu-\ /-----\ 1 IPv4 Configuration \ ----- \ 2 IPv6 Configuration \ ----- \ e Exit \ \-----\ Enter Choice: █ </pre>
<p>16. <input type="checkbox"/></p>	<p>MPS A: You are prompted to confirm the action of adding a new NTP Server. (Pressing Return would accept the default of 'N' or 'no', and would cancel the action to add an external NTP server.) Type Y and press return.</p> <p>NOTE: All NTP Server IP addresses shown are only examples.</p>	<pre> Are you sure you wish to add new NTP Server? [N]: Y Enter the EPAP NTP Server IP Address: <NTP_server_IP_Addr> External NTP Server [<NTP_server_IP_Addr>] has been added. Press return to continue...<return> </pre>
<p>17. <input type="checkbox"/></p>	<p>MPS A: The EPAP Configure NTP Server Menu is displayed. Enter choice 1, Display External NTP Server.</p>	<pre> /-----EPAP Configure NTP Server Menu-\ /-----\ 1 Display External NTP Server \ ----- \ 2 Add External NTP Server \ ----- \ 3 Remove External NTP Server \ ----- \ e Exit \ \-----\ Enter Choice: 1 </pre>
<p>18. <input type="checkbox"/></p>	<p>MPS A: Verify the External NTP Server IP address is correct and press Return.</p> <p>NOTE: All NTP Server IP addresses shown are only examples.</p>	<pre> ntpserver1 <Ipaddress> Press return to continue...<return> </pre>
<p>19. <input type="checkbox"/></p>	<p>MPS A: The EPAP Configure NTP Server Menu is displayed. Select choice e, Exit.</p>	<pre> /-----EPAP Configure NTP Server Menu-\ /-----\ 1 Display External NTP Server \ ----- \ 2 Add External NTP Server \ ----- \ 3 Remove External NTP Server \ ----- \ e Exit \ \-----\ Enter Choice: e </pre>

Procedure 11: Configuring the Application

<p>20. <input type="checkbox"/></p>	<p>MPS A: The EPAP Configuration Menu is displayed. Select choice 8, PDB Configuration Menu.</p> <p>Note: Execute the PDB Configuration Menu (except step 26) even if the EPAP is to be configured as Non-Provisionable.</p>	<pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit </pre>
<p>21. <input type="checkbox"/></p>	<p>MPS A: The Configure PDB Menu is displayed. Select choice 1.</p>	<p>Configuration Menu for Mixed EPAP and Non-Provisionable EPAP:</p> <pre> /-----Configure PDB Menu-----\ 1 Configure PDB Network 2 RTDB Homing Menu 3 Change MPS Provisionable State 4 Create PDB 5 Change Auto DB Recovery State 6 Change PDBA Proxy State e Exit </pre> <p>Enter choice: 1</p> <p>Configuration Menu for Standalone PDB:</p> <pre> /-----Configure PDB Menu-----\ 1 Configure PDB Network 2 Create PDB 3 Change Auto DB Recovery State e Exit </pre>

Procedure 11: Configuring the Application

	<p>Note: Configure the PDB network in the same format as that of the provisioning network format.</p>	<pre> Enter Choice: 1 /-----PDB Network Configuration Menu-----\ 1 IPv4 Configuration ----- ----- 2 IPv6 Configuration ----- ----- e Exit \----- ----- Enter Choice: </pre>
<p>22. <input type="checkbox"/></p>	<p>MPS A: Provide the IP address of the MPS A on EAGLE A and the IP address for the MPS A on EAGLE B where the remote PDBA database is to reside. Enter the password for MPS A on EAGLE B. If configuration of the PDB network is successful, the output confirms the secure shell keys are successfully exchanged, as shown in the output for Provisionable MPSs</p> <p>Note: If the default values shown are correct press return to accept them. Otherwise, enter the values and press Return.</p> <p>In case of Non-Provisionable EPAP provide the IP address of Active and Standby PDBA.</p> <p>In case of Standalone PDB, provide remote PDBA IP address.</p>	<p>Following is the output on Mixed EPAP.</p> <pre> Verifying connectivity with mate... This MPS is configured to be provisionable. The EPAP local PDBA IPv4 address is currently set to <IP>. The EPAP local PDBA IPv6 address is currently not configured. The EPAP local PDBA IPv4 Address is <IP>. EPAP remote PDBA IP Address [0.0.0.0]: <A IP Address> EPAP remote PDBA B machine IP Address [0.0.0.0]: <B IP Address> The server does not know of <A IP Address> Will just exchange host keys for the name given! Password of epapdev: <epapdev password> </pre> <p>Following is the output on Non-Provisionable EPAP.</p> <pre> Verifying connectivity with mate... This MPS is configured to be non-provisionable. You will be prompted for both of the remote PDBA addresses. Order does not matter. Enter one of the two PDBA IP addresses [0.0.0.0]: <IP Address> Enter the other of the two PDBA IP addresses [0.0.0.0]: <IP Address> </pre> <p>Following is the output on Standalone PDB.</p> <pre> This MPS is configured to be provisionable. The EPAP local PDBA IPv4 address is currently set to <IP> The EPAP local PDBA IPv6 address is currently not set. The EPAP local PDBA IPv4 Address is <IP>. EPAP remote PDBA IP Address [0.0.0.0]: </pre>
<p>23. <input type="checkbox"/></p>	<p>MPS A: Press Return to return to the Configure PDB Menu.</p> <p>Enter choice 2, RTDB Homing Menu.</p>	<p>Skip this step if EPAP configured as Standalone PDB.</p> <pre> /-----Configure PDB Menu-----\ 1 Configure PDB Network ----- ----- 2 RTDB Homing Menu ----- ----- 3 Change MPS Provisionable State ----- ----- 4 Create PDB ----- ----- 5 Change Auto DB Recovery State \----- ----- </pre>

Procedure 11: Configuring the Application

		<pre> 6 Change PDBA Proxy State e Exit ----- Enter Choice: 2 </pre>
<p>24. <input type="checkbox"/></p>	<p>MPS A: The RTDB Homing Menu is displayed. Enter choice 3, Configure Standby RTDB Homing.</p>	<p>Skip this step if for Standalone PDB.</p> <pre> /-----RTDB Homing Menu-----\ 1 Configure Specific RTDB Homing 2 Configure Active RTDB Homing 3 Configure Standby RTDB Homing e Exit ----- Enter Choice: 3 In the event that the Standby PDB is unavailable, should updates be allowed to the RTDBs from the Active MPS? [Y]:Y The RTDBs will home to the standby and will allow updates from the Active PDB. Press return to continue...<return> </pre>
<p>25. <input type="checkbox"/></p>	<p>MPS A: The RTDB Homing Menu is displayed. Enter e to exit.</p>	<p>Skip this step if for Standalone PDB.</p> <pre> /-----RTDB Homing Menu-----\ 1 Configure Specific RTDB Homing 2 Configure Active RTDB Homing 3 Configure Standby RTDB Homing e Exit ----- Enter Choice: e </pre>
<p>26. <input type="checkbox"/></p>	<p>MPS A: Enter choice 4, Create PDB.</p> <p>NOTE: It may be asked to stop the EPAP software if it is running. Stop it by answering 'Y'.</p>	<p>Note: Perform this step only for the Provisionable EPAP (Mixed EPAP or Standalone PDB). Skip this step if the EPAP is configured as Non-Provisionable.</p> <p>The Menu for Mixed EPAP.</p> <pre> /-----Configure PDB Menu-----\ 1 Configure PDB Network 2 RTDB Homing Menu 3 Change MPS Provisionable State 4 Create PDB 5 Change Auto DB Recovery State 6 Change PDBA Proxy State e Exit ----- </pre>

Procedure 11: Configuring the Application

		<pre> Enter Choice: 4 The Menu for Standalone PDB. /-----Configure PDB Menu-----\ 1 Configure PDB Network 2 Create PDB 3 Change Auto DB Recovery State e Exit \-----\ Enter Choice: 2 localIp = 10.75.141.47 localName=Natal-47A remoteIp = 0.0.0.0 There is no remote PDB remoteBip = 0.0.0.0 There is no remote B PDB mysqld is alive Local PDB database does not exist. Creating the local database ~~ /etc/init.d/Pdba stop ~~ PDBA process is already stopped. Removing local pdba status file. Creating the remote database </pre>
<p>27. <input type="checkbox"/></p>	<p>NOTE: The example output to the right has been truncated for brevity.</p>	<p>TRUNCATED OUTPUT</p> <pre> MyISAM file: /var/TKLC/epap/db/pdb/stats/pdbaStats.MYI is already checked Waiting for mysqlpdb to start done Removing local pdba status file. Removing remote pdba status file. </pre>
<p>28. <input type="checkbox"/></p>	<p>MPS A: The Configure PDB Menu is displayed. Enter choice e, Exit. The Configure PDB Menu is displayed. Enter choice e, Exit.</p>	<pre> The Configure PDB Menu for Mixed EPAP: /-----Configure PDB Menu-----\ 1 Configure PDB Network 2 RTDB Homing Menu 3 Change MPS Provisionable State 4 Create PDB 5 Change Auto DB Recovery State 6 Change PDBA Proxy State e Exit \-----\ Enter Choice: e </pre>

Procedure 11: Configuring the Application

		<p>The Configure PDB Menu for Standalone PDB:</p> <pre> /-----Configure PDB Menu-----\ 1 Configure PDB Network 2 Create PDB 3 Change Auto DB Recovery State e Exit \-----\ Enter Choice: e </pre>
<p>29. <input type="checkbox"/></p>	<p>MPS A: The EPAP Configuration Menu is displayed. Enter choice 1, Display Configuration.</p>	<pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit \-----\ Enter Choice: 1 </pre>
<p>30. <input type="checkbox"/></p>	<p>MPS A: The configuration information is displayed. Verify that the configuration data displayed is correct.</p>	<p>For Mixed EPAP and Non-Provisionable EPAP configured in IPv4 configuration, the configuration data shall look like:</p> <pre> EPAP A Provisioning Network IP Address = 10.75.141.55 EPAP A Provisioning Network IP Address v6 = Not configured EPAP B Provisioning Network IP Address = 10.75.141.56 EPAP B Provisioning Network IP Address v6 = Not configured Provisioning Network Netmask = 255.255.255.128 Provisioning Network Prefix = Not configured Provisioning Network Default Router = 10.75.141.1 Provisioning Network Default Router v6 = Not configured EPAP A Backup Prov Network IP Address = Not configured EPAP A Backup Prov Network IP Address v6 = Not configured EPAP B Backup Prov Network IP Address = Not configured EPAP B Backup Prov Network IP Address v6 = Not configured Backup Prov Network Netmask = Not configured Backup Prov Network Prefix v6 = Not configured </pre>

Procedure 11: Configuring the Application

```

Backup Prov Network Default Router      = Not configured
Backup Prov Network Default Router v6   = Not configured
EPAP A Sync Network Address             = 192.168.2.100
EPAP B Sync Network Address             = 192.168.2.200
EPAP A Main DSM Network Address         = 192.168.120.100
EPAP B Main DSM Network Address         = 192.168.120.200
EPAP A Backup DSM Network Address       = 192.168.121.100
EPAP B Backup DSM Network Address       = 192.168.121.200
EPAP IP Version                         = IPv4
EPAP A HTTP Port                        = 80
EPAP B HTTP Port                        = 80
EPAP A HTTP SuExec Port                  = 8001
EPAP B HTTP SuExec Port                  = 8001
EPAP A Banner Connection Port           = 8473
EPAP B Banner Connection Port           = 8473
EPAP A Static NAT Address                = Not configured
EPAP B Static NAT Address                = Not configured
PDBI Port                               = 5873
Remote MPS A Static NAT Address          = Not configured
Remote MPS A HTTP Port                   = 80
Local Provisioning VIP                   = Not configured
Remote Provisioning VIP                  = Not configured
Local PDBA Address                       = 10.75.141.55
Local PDBA Address v6                    =
0000:0000:0000:0000:0000:0000:0000:0000
Remote PDBA Address                      = 0.0.0.0
Remote PDBA B Address                    = 0.0.0.0
Time Zone                                = America/New_York
PDB Database                             = Exists
Preferred PDB                            = 10.75.141.55
Allow updates from alternate PDB         = Yes
Auto DB Recovery Enabled                  = No
PDBA Proxy Enabled                       = No

```

Press return to continue...<return>

For Standalone PDB, the configuration data shall look like:

```

EPAP A Provisioning Network IP Address   = 10.250.51.130
EPAP B Provisioning Network IP Address   = Not configured
Provisioning Network Netmask             = 255.255.255.128
Provisioning Network Prefix              = Not configured
Provisioning Network Default Router      = 10.250.51.1
Provisioning Network Default Router v6   = Not configured
EPAP A Backup Prov Network IP Address     = Not configured
EPAP A Backup Prov Network IP Address v6 = Not configured
Backup Prov Network Netmask              = Not configured
Backup Prov Network Prefix v6            = Not configured
Backup Prov Network Default Router       = Not configured
Backup Prov Network Default Router v6    = Not configured
Network Configuration Type               = SINGLE
EPAP IP Version                          = IPv4
EPAP A HTTP Port                         = 80
EPAP A HTTP SuExec Port                   = 8001
EPAP A Banner Connection Port            = 8473
EPAP A Static NAT Address                 = Not configured
PDBI Port                                = 5873
Remote MPS A Static NAT Address           = Not configured
Remote MPS A HTTP Port                   = Not configured
Local PDBA Address                       = 10.250.51.130
Local PDBA Address v6                    = Not configured
Remote PDBA Address                      = 0.0.0.0
Time Zone                                = US/Eastern
PDB Database                             = Exists
Auto DB Recovery Enabled                  = No



```

Press return to continue... <return>


Procedure 11: Configuring the Application

<p>31. <input type="checkbox"/></p>	<p>MPS A: The EPAP Configuration Menu is displayed. Select choice 6, Platform Menu.</p>	<pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit \-----\ Enter Choice: 6 </pre>
<p>32. <input type="checkbox"/></p>	<p>MPS A: The Platform Menu is displayed. Enter Choice 2, Reboot MPS.</p>	<pre> Menu for Mixed EPAP and Non-Provisionable EPAP: /-----EPAP Platform Menu-----\ 1 Initiate Upgrade 2 Reboot MPS 3 MySQL Backup 4 RTDB Backup 5 PDB Backup e Exit \-----\ Enter Choice: 2 Menu for Standalone PDB: /-----EPAP Platform Menu-----\ 1 Initiate Upgrade 2 Reboot MPS 3 MySQL Backup 4 PDB Backup e Exit \-----\ Enter Choice: 2 </pre>


Procedure 11: Configuring the Application

<p>33. <input type="checkbox"/></p>	<p>MPS A: For Mixed EPAP and Non-Provisionable EPAP you are prompted whether MPS A, MPS B or BOTH sides are to be rebooted. Select the default value of BOTH by pressing Return.</p> <p>In case of the Standalone PDB, no prompt is given and the server goes down for a reboot.</p>	<p>For Mixed EPAP and Non-Provisionable EPAP, a prompt is displayed:</p> <pre>Reboot MPS A, MPS B or [BOTH]: <return></pre> <p>For Standalone PDB, the following is displayed.</p> <pre>Reboot local MPS... Broadcast message from root (pts/1) (Thu May 29 16:13:51 2014): The system is going down for reboot NOW!</pre>
<p>34. <input type="checkbox"/></p>	<p>MPS A: The console logon appears at the system prompt signifying the EPAP initial configuration is completed.</p>	<pre><hostname> login: admusr Password:</pre> <p>Note: The console logon will be preceded by many lines of reboot output.</p>
<p>35. <input type="checkbox"/></p>	<p>MPS A: Accept Upgrade</p>	<pre>\$ sudo su - platcfg</pre> <div style="text-align: center;">  <pre> Main Menu ----- Maintenance Diagnostics Server Configuration Security Network Configuration Remote Consoles Exit </pre> </div> <div style="text-align: center;">  <pre> Maintenance Menu ----- Upgrade Patching Backup and Restore Restart Server Save Platform Debug Logs Platform Data Collector Exit </pre> </div>

Procedure 11: Configuring the Application




Note: The "Reject Upgrade" menu is also available after the EPAP installation. However, this option should not be used after the first installation of application. It should be used in subsequent upgrades to return to a previous application release.




```
Called with options: --accept
Loading Backout::BackoutType::RPM
Accepting Upgrade
Executing common accept tasks
Setting POST_UPGRADE_ACTION to ACCEPT in upgrade info.
Cleaning backout directory.
Clearing Upgrade Accept/Reject alarm.
Cleaning message from MOTD.
No patch pending alarm on server so no MOTD update.
Removing SWAP /dev/mapper/vgroot-plat_swap from fstab.
Removed 1 swap entries from fstab
Cleaning up RPM config backup files...
Checking /
Checking /boot
Checking /tmp
Checking /usr
Checking /var
Checking /var/TKLC
Checking /var/TKLC/epap/db
Checking /var/TKLC/epap/free
Checking /var/TKLC/epap/logs
Checking /var/TKLC/epap/rt
Starting cleanup of RCS repository.
INFO: Removing '/etc/sysconfig/network-scripts/ifcfg-eth0' from RCS repository
INFO: Removing '/etc/pam.d/system-auth' from RCS repository
INFO: Removing '/etc/pam.d/password-auth' from RCS repository
INFO: Removing '/var/lib/prelink/force' from RCS repository
```

Procedure 11: Configuring the Application





		
36. <input type="checkbox"/>	MPS B: Accept Upgrade	Repeat the above step on MPS B to accept upgrade.
37. <input type="checkbox"/>	Connected PDBonly: Configure DSM Min Mem Size	Execute Procedure A.19 only if the Non-Prov EPAP is installed and is connected to Standalone PDB server. Otherwise, skip this step if – <ul style="list-style-type: none"> a. This is Mixed EPAP b. This is non-prov EPAP and connected to mixed EPAP.
38. <input type="checkbox"/>	Reconnect console cables.	On E5-APP-B card, reconnect the console cable between the serial port labeled 'S0' on E5-APP-B B card's adapter and the serial port labeled 'S1' on the E5-APP-B A card's adapter and the console cable between the serial port labeled 'S0' on E5-APP-B A card's adapter and the serial port labeled 'S1' on the E5-APP-B B card's adapter. Cable part numbers - 830-1220-xx
39. <input type="checkbox"/>	Procedure complete.	Procedure is complete.

Procedure 12 PDB Configuration

Procedure 12: PDB Configuration (Active Provisionable Site as designated by customer)

S T E P #	<p>This procedure configuring the PDB databases on Active Site</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR ASSISTANCE.</p>	
1. <input type="checkbox"/>	<p>Access the EPAP GUI by opening a web browser (Preferably IE) via HTTPS and providing the IP address of Server A.</p> <p>The EPAP LOGIN screen should appear.</p>	<p>The GUI screen on Mixed EPAP should look like:</p>  <p>The GUI screen on Standalone PDB should look like:</p>

Procedure 12: PDB Configuration (Active Provisionable Site as designated by customer)

		
<p>2. <input type="checkbox"/></p>	<p>Login as uiadmin.</p>	<p>The GUI screen on Mixed EPAP should look like:</p>  <p>The GUI screen on Standalone PDB should look like:</p> 
<p>3. <input type="checkbox"/></p>	<p>On the Site designated by the customer Active PDB GUI select “Switchover PDBA State” to make the PDBA Active.</p>	<p>The screen should look like:</p> 

Procedure 12: PDB Configuration (Active Provisionable Site as designated by customer)

<p>8. <input type="checkbox"/></p>	<p>Click on the “Add NE” button. Network Entity should be successfully added.</p>	<p>The screen should look like:</p>
<p>9. <input type="checkbox"/></p>	<p>Select PDBA → Manage Data → Network Entity → Delete</p>	<p>The screen should look like:</p>
<p>10. <input type="checkbox"/></p>	<p>Enter ID as “12345” and select Type “RN”.</p>	<p>The screen should look like:</p>
<p>11. <input type="checkbox"/></p>	<p>Click on the “Delete NE” button. Network Entity should be successfully deleted.</p>	<p>The screen should look like:</p>
<p>12. <input type="checkbox"/></p>	<p>View PDBA Status</p>	<p>The screen should look like:</p>

Procedure 12: PDB Configuration (Active Provisionable Site as designated by customer)

		<p style="text-align: center;">A View PDBA Status</p> <hr/> <div style="background-color: #f0f0f0; padding: 5px;"> <p style="text-align: center;">PDBA@10.253.103.18 Status</p> <p>Status: ACTIVE Version: 1.0 Level: 2 Birthday: 07/23/2009 15:56:51 GMT DN Prefix: IMSI Prefix: Counts: IMSIs=0, DNs=0, DN Blocks=0, NEs=0, IMEIs=0, IMEI Blocks=0, ASDs=0, DN_DNs=0, DNB_DNs=0</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left;">RTDB Clients:</th> <th style="text-align: left;">Address</th> <th style="text-align: left;">Level</th> </tr> </thead> <tbody> <tr> <td></td> <td>10.253.103.18</td> <td>2</td> </tr> <tr> <td></td> <td>192.168.2.200 (mate)</td> <td>2</td> </tr> </tbody> </table> </div> <div style="background-color: #f0f0f0; padding: 5px; margin-top: 10px;"> <p style="text-align: center;">PDB@10.253.103.18 Status</p> <p>Status: Database daemon is running Counts: IMSIs=0, DNs=0, DNBlocks=0, NEs=0, IMEIs=0, IMEIBlocks=0, ASDs=0, DN_DNs=0, DNB_DNs=0</p> </div>	RTDB Clients:	Address	Level		10.253.103.18	2		192.168.2.200 (mate)	2
RTDB Clients:	Address	Level									
	10.253.103.18	2									
	192.168.2.200 (mate)	2									
<p>13. <input type="checkbox"/></p>	<p>Procedure complete</p>	<p>Procedure is complete.</p>									

6. SOFTWARE UPGRADE PROCEDURES

Procedure 13 Assess MPS server's readiness for upgrade

Procedure 13: Assess the MPS Server's Readiness for Upgrade

S T E P #	<p>This procedure executes the steps required to assess the readiness of a system to be upgraded.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u>.</p>	
1. <input type="checkbox"/>	<p>MPS B: Log in as the user "epapdev".</p>	<p>If not already logged-in, then log in.</p> <pre><hostname> console login: epapdev password: <password></pre>
2. <input type="checkbox"/>	<p>MPS B: Display the /etc/hosts configuration for the pdb entities.</p>	<p>If upgrading the first MPS B of a Provisionable mated pair, execute the following command to display the configuration of pdb entries:</p> <pre>\$ grep pdb /etc/hosts</pre> <p>Otherwise, skip to step 4.</p>
3. <input type="checkbox"/>	<p>MPS B: Verify the correct configuration for pdb entities in the /etc/hosts file.</p>	<p>Below is an example of the output of the grep command:</p> <pre>192.168.55.176 host1-a pdba 192.168.61.76 host2-a prova-ip pddb</pre> <p>If the command output contains 2 entries (pdba and pddb are both configured), continue to the next step .</p> <p>If the command output does not contain unique entries for pdba and pddb, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.</p>
4. <input type="checkbox"/>	<p>MPS B: Determine the mysqld multi log file permissions are correct.</p>	<p>Execute the following command to display the file properties of the mysqld_multi log file:</p> <pre>\$ ls -l /var/TKLC/epap/db/mysqld_multi.log</pre>
5. <input type="checkbox"/>	<p>MPS B: Verify the file permissions.</p>	<p>If the ownerships & permissions are not set mysql:mysql and 664, as illustrated below, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.</p> <pre>-rw-rw-r-- 1 mysql mysql 5460 Jun 21 05:37 /var/TKLC/epap/db/mysqld_multi.log</pre>
6. <input type="checkbox"/>	<p>MPS B: Display the contents of the /var/TKLC/upgrade directory.</p>	<p>Execute the following command to display the presence of EPAP software ISO images:</p> <pre>\$ ls -la /var/TKLC/upgrade</pre>
7. <input type="checkbox"/>	<p>MPS B: Delete old ISO images.</p>	<p>Below is an example of the output of the 'ls -la' command:</p> <pre>total 1548424 dr-xr-xr-x 2 root 4096 May 20 15:27 . dr-xr-xr-x 22 root root 4096 May 20 13:25 .. -rw-r--r-- 1 root root 942241792 May 20 15:27 872-2712- 101-16.0.0_160.8.0-EPAP-x86_64.iso</pre>

Procedure 13: Assess the MPS Server’s Readiness for Upgrade

		<p>Switch user to root.</p> <p>\$ su - root Password:</p> <p>Remove any ISO images that are not the target software ISO image using the following command:</p> <p># rm -f /var/TKLC/upgrade/<filename></p> <p>Switch to epapdev user.</p> <p># su - epapdev</p>
8. <input type="checkbox"/>	<p>MPS B: Determine when last reboot occurred. For any server up longer than 180 days would be a candidate for reboot during a maintenance window.</p>	<p>\$ uptime</p> <p>15:19:34 up 23 days, 3:05, 2 users, load average: 0.10, 0.13, 0.09</p>
9. <input type="checkbox"/>	<p>MPS B: Log in as the user “admusr”.</p>	<p>\$ su - admusr Password:</p>
10. <input type="checkbox"/>	<p>MPS B: Disk Integrity step: Executing self-test on the disk.</p>	<p>Execute the following command: \$ sudo smartctl -t short /dev/sda</p> <p>The output on E5-APP-B card would be like:</p> <pre>smartctl 5.43 2012-06-30 r3573 [x86_64-linux-2.6.32-642.6.2.el6prere17.4.0.0_88.32.0.x86_64] (local build) Copyright (C)2002-12 by Bruce Allen, http://smartmontools.sourceforge.net === START OF OFFLINE IMMEDIATE AND SELF-TEST SECTION === Sending command: "Execute SMART Short self-test routine immediately in off-line mode". Drive command "Execute SMART Short self-test routine immediately in off-line mode" successful. Testing has begun. Please wait 1 minutes for test to complete. Test will complete after Sat Feb 25 22:08:20 2017 Use smartctl -X to abort test. Note: Please wait for 5 minutes for the test to complete.</pre>
11. <input type="checkbox"/>	<p>MPS B: Disk Integrity step.</p> <p>Contact My Oracle Support if the output shows any error/failure.</p>	<p>Execute the following command: \$ sudo smartctl -l selftest /dev/sda</p> <p>The output on E5-APP-B card would be like:</p> <pre>smartctl 5.43 2012-06-30 r3573 [x86_64-linux-2.6.32-642.6.2.el6prere17.4.0.0_88.32.0.x86_64] (local build) Copyright (C) 2002-12 by Bruce Allen, http://smartmontools.sourceforge.net === START OF READ SMART DATA SECTION === SMART Self-test log structure revision number 1</pre>

Procedure 14: Pre and Post Upgrade Backups

6. <input type="checkbox"/>	MPS A: Procedure Complete.	This procedure is complete.
--------------------------------	----------------------------	-----------------------------

Procedure 15 Pre-upgrade system time check

Procedure 15: Pre-Upgrade System Time Check

S T E P #	<p>This procedure performs the pre-upgrade system time check.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u>.</p>	
<p>The MPS servers make use of NTP to keep time synchronized between servers. Under some circumstances, either at initial installation in the customer’s network or due to power interruption and battery failure, it is possible for an MPS server to have a system date/time value too large for NTP to correct. If the system time is 20 minutes or more off from the real time, NTP cannot correct it.</p> <p>Check the date/time on <i>both</i> MPS-A and MPS-B servers, and correct the system time on any server off by more than 15 minutes from the real time.</p>		
1. <input type="checkbox"/>	MPS A: Login as the user “epapdev”.	If not already logged-in, then login at MPS A: <hostname> console login: epapdev password: <password>
2. <input type="checkbox"/>	MPS A: Execute the “date” command.	Execute the “date” command and examine the result. \$ date Sat Feb 25 22:09:58 EST 2017
3. <input type="checkbox"/>	MPS B: Login as the user “epapdev”.	If not already logged-in, then login at MPS B: <hostname> console login: epapdev password: <password>
4. <input type="checkbox"/>	MPS B: Execute the “date” command.	Execute the “date” command and examine the result. \$ date Sat Feb 25 22:09:58 EST 2017
5. <input type="checkbox"/>	Compare result to the real time.	Compare the result from the “date” command in the previous step to the real time. If the difference is 15 minutes or less, then this procedure is complete, otherwise if the difference exceeds 15 minutes, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.
6. <input type="checkbox"/>	Procedure Complete.	This procedure is complete.

Procedure 16 Upgrade Server B


Procedure 16: Upgrade Server B

S T E P #	<p>This procedure upgrades MPS B server.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u>.</p>	
1. <input type="checkbox"/>	<p>Notify potential users not to start the PDBA software during the duration of the upgrade.</p> <p>It is required that the Provisionable EPAP mated pair be upgraded first, before any Non-Provisionable EPAP systems. Refer to section 2.3 for more details on upgrading non-provisional EPAP systems.</p>	
2. <input type="checkbox"/>	<p>Establish a connection to MPS B.</p>	<p>If access to the MPS servers is not available through an IP network, connect to the E5-APP-B card via the serial port.</p> <p>For connecting the E5-APP-B B card, disconnect the console cable from the serial port on the E5-APP-B A card's adapter. The cable should be disconnected at the point where it connects to the serial port labeled 'S1' on the E5-APP-B A card's adapter and use it for serial access. Cable part numbers - 830-1220-xx</p> <p>Skip to step 7, if connected through serial console.</p>
3. <input type="checkbox"/>	<p>Create a terminal window and establish a connection by logging into MPS A.</p> <p>Log in to MPS A.</p>	<p>In a newly created terminal window labeled "MPS B – from MPS A", connect directly into MPS A.</p> <p># ssh admusr@<MPS A> Password: <password></p>
4. <input type="checkbox"/>	<p>MPS A: Start screen session.</p> <p>MPS A: Connect to the console of MPS B.</p>	<p>Execute the following commands to start screen and establish a console session to MPS B.</p> <p>\$ screen -L</p> <p>Execute the following command on E5-APP-B:</p> <p>\$ sudo minicom mate OR \$ sudo cu -l /dev/ttyS1 -s 115200</p>
5. <input type="checkbox"/>	<p>MPS B: Login prompt is displayed.</p>	<p><hostname> console login:</p> <p>Note: Hit enter if no login prompt is displayed.</p>
6. <input type="checkbox"/>	<p>MPS B: Log in to the server as the user "epapdev".</p>	<p><hostname> console login: epapdev password: <password></p>
7.	<p>MPS B: Determine media available for upgrade.</p>	<p>Perform Procedure A.10 or use an EPAP ISO image to perform upgrade.</p>
8.	<p>MPS B: Verify that it is an Incremental Upgrade or a Major upgrade</p>	<p>Check Procedure 2, Step 7 and 8. If the upgrade type is a major upgrade, proceed with the following step. If it's Incremental, proceed to step 11.</p>





Procedure 16: Upgrade Server B

<p>9. <input type="checkbox"/></p>	<p>MPS B: Disable syscheck fs module.</p>	<p>Execute the following command to disable the syscheck fs module.</p> <pre>\$ su - root Password: # syscheckAdm --disable disk fs</pre>
<p>10.</p>	<p>MPS B: Create upgrade.conf for splitting mirrors.</p>	<p>Create a file and add the line “BACKOUT_TYPE=SPLIT_MIRROR” (to trigger the split mirror upgrade) by executing the following command:</p> <pre># echo "BACKOUT_TYPE=SPLIT_MIRROR" >/usr/TKLC/plat/etc/upgrade/upgrade.conf</pre> <p>NOTE: Not performing this step will prevent any successful backout.</p> <p>Execute the following command to verify that the above command has been executed successfully:</p> <pre># cat /usr/TKLC/plat/etc/upgrade/upgrade.conf</pre> <p>The output should be:</p> <pre>[root@MPS-B ~]# cat /usr/TKLC/plat/etc/upgrade/upgrade.conf BACKOUT_TYPE=SPLIT_MIRROR</pre> <pre># su - admusr</pre>
<p>11.</p>	<p>MPS B: Verify that the state of PDBA Proxy Feature is No.</p>	<pre># su - epapconfig</pre> <pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 Configure EMS Server 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community e Exit \-----/ Enter Choice: 1 EPAP A Provisioning Network IP Address = 192.168.61.115 EPAP B Provisioning Network IP Address = 192.168.61.116</pre>



Procedure 16: Upgrade Server B

		<pre> Provisioning Network Netmask = 255.255.255.0 Provisioning Network Default Router = 192.168.61.1 EPAP A Backup Prov Network IP Address = Not configured EPAP B Backup Prov Network IP Address = Not configured Backup Prov Network Netmask = Not configured Backup Prov Network Default Router = Not configured EPAP A Sync Network Address = 192.168.2.100 EPAP B Sync Network Address = 192.168.2.200 EPAP A Main DSM Network Address = 192.168.120.100 EPAP B Main DSM Network Address = 192.168.120.200 EPAP A Backup DSM Network Address = 192.168.121.100 EPAP B Backup DSM Network Address = 192.168.121.200 EPAP A HTTP Port = 80 EPAP B HTTP Port = 80 EPAP A HTTP SuExec Port = 8001 EPAP B HTTP SuExec Port = 8001 EPAP A Banner Connection Port = 8473 EPAP B Banner Connection Port = 8473 EPAP A Static NAT Address = Not configured EPAP B Static NAT Address = Not configured PDBI Port = 5873 Remote MPS A Static NAT Address = Not configured Remote MPS A HTTP Port = 80 Local Provisioning VIP = 192.168.15.152 Remote Provisioning VIP = 192.168.15.172 Local PDBA Address = 192.168.15.115 Remote PDBA Address = 192.168.16.115 Remote PDBA B Address = 192.168.16.116 Time Zone = America/New_York PDB Database = Exists Preferred PDB = Standby Allow updates from alternate PDB = Yes Auto DB Recovery Enabled = Yes PDBA Proxy Enabled = Yes </pre> <p>If PDBA Proxy Enabled = Yes then Execute Procedure A.17 to disable EPAP VIP and PDBA proxy features.</p> <p>Otherwise, if PDBA Proxy Enabled = No, then proceed with the next step.</p>
<p>12. <input type="checkbox"/></p>	<p>MPS B: Execute the platcfg menu.</p>	<p>\$ sudo su - platcfg</p>
<p>13. <input type="checkbox"/></p>	<p>MPS B: Select the Maintenance submenu.</p>	<p>The platcfg Main Menu appears. On the Main Menu, select Maintenance and press [ENTER].</p>  <p>The screenshot shows a terminal window titled "Main Menu" with a list of options: Maintenance (highlighted in red), Diagnostics, Server Configuration, Network Configuration, Remote Consoles, and Exit. A vertical bar of asterisks is on the right side of the menu.</p>
<p>14. <input type="checkbox"/></p>	<p>MPS B: Select the Upgrade submenu.</p>	<p>Select the Upgrade menu and press [ENTER].</p>


Procedure 16: Upgrade Server B

		 <p>Maintenance Menu</p> <ul style="list-style-type: none"> Upgrade Backup and Restore View Mail Queues Restart Server Save Platform Debug Logs Exit
<p>15.</p>	<p>MPS B: Select the Upgrade submenu.</p>	<p>If you have not already accepted the upgrade, do so now, otherwise skip this step.</p>  
<p>16.</p>	<p>MPS B: Select Early Upgrade Checks</p>	<p>Select the “Early Upgrade Checks” menu to verify that the system is ready for upgrade.</p> 

Procedure 16: Upgrade Server B

		<p>If the Early Upgrade Checks fail due to the NTP related alarms, then execute step 17. Otherwise, skip to step 18. Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the early upgrade checks fail due to any other reason.</p>
<p>17. <input type="checkbox"/></p>	<p>MPS B: White List NTP Alarms</p>	<p>1) If the Early Upgrade Checks fail due to the NTP related alarms, then ignore the NTP alarms using the following commands:</p> <ol style="list-style-type: none"> a. Exit the platcfg menu b. Change to root user using the “su –“ command. c. <code>vim /usr/TKLC/plat/etc/upgrade/upgrade.conf</code> d. Edit the following line to include the NTP related alarms. EARLY_CHECK_ALARM_WHITELIST=TKSPLATMI2 <p>For example – To whitelist the NTP alarm “tpdNTPDaemonNotSynchronizedWarning” which has the alarm code TKLCPLATMI10, the above mentioned line should be edited as EARLY_CHECK_ALARM_WHITELIST=TKSPLATMI2,TKSPLATMI10</p> <p>Note: There should not be any space between two alarms i.e. between TKSPLATMI2 and TKSPLATMI10</p> <p>2) If the Early Upgrade Checks fail due to “Server Default Route Network Error”, then this alarm shall be whitelisted in upgrade.conf file. To whitelist this alarm which has the alarm code TKSPLATMA14, the above mentioned line should be edited as EARLY_CHECK_ALARM_WHITELIST=TKSPLATMI2,TKSPLATMI10,TKSPLATMA14</p>
<p>18. <input type="checkbox"/></p>	<p>MPS B: Select Initiate Upgrade.</p>	<p>Select the Initiate Upgrade menu and press [ENTER].</p>  <p>The screenshot shows a terminal window titled "Upgrade Menu" with the following options: Validate Media, Early Upgrade Checks, Initiate Upgrade (highlighted in red), Copy USB Upgrade Image, Non Tekelec RPM Management, and Exit.</p>
<p>19. <input type="checkbox"/></p>	<p>MPS B: Select the Upgrade Media.</p>	<p>The screen will display a message that it is searching for upgrade media. Once the upgrade media is found, an Upgrade Media selection menu will be displayed similar to the example shown below. Select the upgrade media on ISO image. There should only be one selection available, as shown in the example below. If there is more than one selection available, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.</p>  <p>The screenshot shows a terminal window titled "Choose Upgrade Media Menu" with the following output: /sdc1/TPD.install1-7.0.3.0.0_86.46.0-OracleLinux6.7-x86_64.iso - 7.0.3.0.0_86.46.6.2.0.0.0_162.4.0-x86_64.iso - 16.2.0.0.0_162.4.0 (highlighted in red), 6.1.0.0.1_161.34.0-x86_64.iso - 16.1.0.0.1_161.34.0</p>

Procedure 16: Upgrade Server B

<p>20. <input type="checkbox"/></p>	<p>MPS B: Upgrade proceeds.</p>	<p>The screen displays the following, indicating that the upgrade software is first running the early upgrade checks, and then proceeding with the upgrade.</p> 
<p>21. <input type="checkbox"/></p>	<p>MPS B: Upgrade proceeds.</p>	<p>Many informational messages will come across the terminal screen as the upgrade proceeds.</p> <p>Finally, after upgrade is complete, the server will reboot.</p>
<p>22. <input type="checkbox"/></p>	<p>MPS B: Upgrade completed.</p>	<p>After the final reboot, Press Enter the screen will display the login prompt, as shown in the example below.</p> 
<p>23. <input type="checkbox"/></p>	<p>MPS B: Log in to the server as the user “epapdev”.</p>	<p>After upgrade, exit from the console and open new console using EPAP IP and login by epapdev user. <hostname> console login: epapdev password: <password></p> <p>Note: The SSH login for root shall get enabled after the upgrade.</p>
<p>24. <input type="checkbox"/></p>	<p>MPS B: Verify the Upgrade.</p>	<p>Examine the upgrade logs in the directory /var/TKLC/log/upgrade and verify that no errors and warnings were reported.</p> <p>Check Procedure 2, Steps 7 and 8 to determine whether it is incremental or major upgrade.</p> <p>If it is major upgrade, then consider following error and warning.</p> <p>\$ grep -i error /var/TKLC/log/upgrade/upgrade.log</p> <p>Following errors shall be observed:</p> <pre>1494304768::ERROR: Config file is currently checked out! 1494304781::ERROR: LOCKED BY: platcfg 1494304781::ERROR: CONFIG: /usr/TKLC/plat/etc/vlan.conf 1494304781::ERROR: ELEMENT: /var/TKLC/rcs/usr/TKLC/plat/etc/vlan.conf,v 1496215832::Error : Table 'mysql.innodb_index_stats' doesn't exist 1496215832::Error : Table 'mysql.innodb_table_stats' doesn't exist 1496215832::Error : Table 'mysql.slave_master_info' doesn't exist 1496215832::Error : Table 'mysql.slave_relay_log_info' doesn't exist 1496215832::Error : Table 'mysql.slave_worker_info' doesn't exist 1496215832::Error : Table 'mysql.innodb_index_stats' doesn't exist 1496215832::Error : Table 'mysql.innodb_table_stats' doesn't exist 1496215832::Error : Table 'mysql.slave_master_info' doesn't exist 1496215832::Error : Table 'mysql.slave_relay_log_info' doesn't exist 1496215832::Error : Table 'mysql.slave_worker_info' doesn't exist 1496215832::Error : Table 'mysql.innodb_index_stats' doesn't exist 1496215832::Error : Table 'mysql.innodb_table_stats' doesn't exist 1496215832::Error : Table 'mysql.slave_master_info' doesn't exist 1496215832::Error : Table 'mysql.slave_relay_log_info' doesn't exist 1496215832::Error : Table 'mysql.slave_worker_info' doesn't exist</pre>

Procedure 16: Upgrade Server B

Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the output contains any error other than the above mentioned errors.
 Also note that sometime a carriage return is inserted in the log file causing some of the error messages to appear truncated. This is acceptable and should be ignored.

\$ grep -i warning /var/TKLC/log/upgrade/upgrade.log

Examine the output of the above command to determine if any warnings were reported. Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the output contains any warnings beside the following:

```

1488951825::WARNING: /usr/TKLC/plat/etc/alarms/alarms.xml has been
updated...rep
arsing xml...
1488951890::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/weak-updates failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.softdep failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.order failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.networking failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.modetesting failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.drm failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.block failed: No such file or directory
1488951903::kexec-tools          #warning: /etc/kdump.conf created as
/etc/
c/kdump.conf.rpmnew
1488952115::ca-certificates      #####warning:
/etc/pki/tls/ce
rts/ca-bundle.crt created as /etc/pki/tls/certs/ca-bundle.crt.rpmnew
1488952136::samhain              warning: /etc/samhainrc created as
/etc/
samhainrc.rpmnew
1488952138::php-common          #warning: /etc/php.ini created as
/etc/p
hp.ini.rpmnew
1488952209::initscripts         ##warning: /etc/sysctl.conf created as
/
etc/sysctl.conf.rpmnew
1488952260::mysql-commercial-server warning: /etc/my.cnf created as
/etc/my.
cnf.rpmnew
1488952291::ntp                 warning: /etc/ntp.conf created as
/etc/n
tp.conf.rpmnew
1488952302::TKLCPlat           #####warning:
/usr/TKLC/plat/
etc/pid_conf created as /usr/TKLC/plat/etc/pid_conf.rpmnew
1488952302::#warning: /usr/TKLC/plat/etc/service_conf created as
/usr/TKLC/plat/
etc/service_conf.rpmnew
1488952320::TKLCalarms         ###warning:
/usr/TKLC/plat/etc/alarms/al
arms.xml saved as /usr/TKLC/plat/etc/alarms/alarms.xml.rpmsave
1488952328::alarmMgr           ###warning:
/usr/TKLC/plat/etc/alarmMgr/
alarmMgr.conf created as /usr/TKLC/plat/etc/alarmMgr/alarmMgr.conf.rpmnew
1488952471::WARNING: This capability is not defined in the default
capabilities.
1488952471::WARNING: Nor is it defined in the current hardware ID's
capabilities
.
1488952471::WARNING: CAPABILITY: service__disabled
1488952471::WARNING: HARDWARE ID: E5APPB
1488952602::sudo                warning: /etc/sudoers created as
/etc/su
doers.rpmnew
    
```


Procedure 16: Upgrade Server B

```
1488952709::WARNING: /usr/TKLC/plat/etc/alerts/alerts_mps.xml has been
updated..
.reparing xml...
1488952718::TKLCepap-HA
#####warnin
g: group root} does not exist - using root
1488952942::warning:   erase unlink of /usr/TKLC/epap/bin/dbMigration failed:
N
such file or directory
1488952949::WARNING: Module variable EXPECTED_CPUS is deprecated!
1488952951::WARNING: CONFIG:
/usr/TKLC/plat/lib/Syscheck/modules/system/cpu/conf
ig
1488952951::WARNING: Module variable EXPECTED_CPU_ALM is deprecated!
1488952951::WARNING: CONFIG:
/usr/TKLC/plat/lib/Syscheck/modules/system/cpu/conf
ig

If it is an incremental upgrade, then consider following error and
warning
$ grep -i error /var/TKLC/log/upgrade/upgrade.log

Following errors shall be observed:

1494304768::ERROR: Config file is currently checked out!
1494304781::ERROR: LOCKED BY: platcfg
1494304781::ERROR: CONFIG: /usr/TKLC/plat/etc/vlan.conf
1494304781::ERROR: ELEMENT: /var/TKLC/rcs/usr/TKLC/plat/etc/vlan.conf,v
1496215832::Error : Table 'mysql.innodb_index_stats' doesn't exist
1496215832::Error : Table 'mysql.innodb_table_stats' doesn't exist
1496215832::Error : Table 'mysql.slave_master_info' doesn't exist
1496215832::Error : Table 'mysql.slave_relay_log_info' doesn't exist
1496215832::Error : Table 'mysql.slave_worker_info' doesn't exist
1496215832::Error : Table 'mysql.innodb_index_stats' doesn't exist
1496215832::Error : Table 'mysql.innodb_table_stats' doesn't exist
1496215832::Error : Table 'mysql.slave_master_info' doesn't exist
1496215832::Error : Table 'mysql.slave_relay_log_info' doesn't exist
1496215832::Error : Table 'mysql.slave_worker_info' doesn't exist
1496215832::Error : Table 'mysql.innodb_index_stats' doesn't exist
1496215832::Error : Table 'mysql.innodb_table_stats' doesn't exist
1496215832::Error : Table 'mysql.slave_master_info' doesn't exist
1496215832::Error : Table 'mysql.slave_relay_log_info' doesn't exist
1496215832::Error : Table 'mysql.slave_worker_info' doesn't exist

Contact My Oracle Support following the instructions on the front page or the
instructions on the Appendix E, if the output contains any error other than the above
mentioned errors.
Also note that sometime a carriage return is inserted in the log file causing some of the
error messages to appear truncated. This is acceptable and should be ignored.

$ grep -i warning /var/TKLC/log/upgrade/upgrade.log

Examine the output of the above command to determine if any warnings were reported.
Contact My Oracle Support following the instructions on the front page or the
instructions on the Appendix E, if the output contains any warnings beside the
following:

1489042076::WARNING: /usr/TKLC/plat/etc/alerts/alerts.xml has been
updated...rep
arsing xml...
1489042124::warning:   erase unlink of /lib/modules/2.6.32-
642.6.2.el6prere17.4
.0.0.0_88.32.0.x86_64/weak-updates failed: No such file or directory
1489042136::warning:   erase unlink of /lib/modules/2.6.32-
642.6.2.el6prere17.4
.0.0.0_88.32.0.x86_64/modules.order failed: No such file or directory
1489042136::warning:   erase unlink of /lib/modules/2.6.32-
642.6.2.el6prere17.4
.0.0.0_88.32.0.x86_64/modules.networking failed: No such file or directory
1489042136::warning:   erase unlink of /lib/modules/2.6.32-
642.6.2.el6prere17.4
.0.0.0_88.32.0.x86_64/modules.modesetting failed: No such file or directory
```

Procedure 16: Upgrade Server B

		<pre>1489042136::warning: erase unlink of /lib/modules/2.6.32-642.6.2.el6prere17.4 1489042136::warning: erase unlink of /lib/modules/2.6.32-642.6.2.el6prere17.4 1489042136::warning: erase unlink of /lib/modules/2.6.32-642.6.2.el6prere17.4 1489042136::warning: erase unlink of /lib/modules/2.6.32-642.6.2.el6prere17.4 1489042197::WARNING: /usr/TKLC/plat/etc/alarms/alarms_mps.xml has been updated. .reparing xml...</pre> <p>Refer to section 3.7 to know more about logging.</p>
25.	<input type="checkbox"/> MPS B: Verify the Upgrade.	<p>\$ grep "Upgrade returned success" /var/TKLC/log/upgrade/upgrade.log</p> <p>Verify that the message “Upgrade returned success!” is displayed. If it is not, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.</p> <pre>1400786220:: upgrade returned success!</pre>
26.	<input type="checkbox"/> MPS B: Verify that it is an Incremental Upgrade or Major upgrade	<p>Check Procedure 2, Steps 7 and 8. If the upgrade type is a Major upgrade, proceed with the following step. If it’s Incremental, proceed to step 28.</p>
27.	<input type="checkbox"/> MPS B: Enable syscheck fs module.	<p>Execute the following command to enable the syscheck fs module.</p> <p>\$ syscheckAdm --enable disk fs</p>
28.	<input type="checkbox"/> MPS B: Upgrade is complete. Verify Health of MPS B.- check if this step is needed	<p>Execute Procedure A.1 on MPS B to verify the health of MPS B.</p> <p>If this is a Major Upgrade, the syscheck utility will report the “3000000000000002 – Server Internal Disk Error” alarm as the disk mirroring is in progress. The alarm will be cleared after the completion of disk mirroring.</p> <p>Also, the syscheck utility will report the “5000000000000002 - Server Application Process Error” alarm as the Epad processes are not running after the upgrade.</p> <p>Verify that no unexpected alarms are noted.</p> <p>Note: Disk mirroring does not start until the upgrade is accepted.</p> <p>If it is major upgrade Proceed with Procedure A.16 to upgrade SSL certificate.</p>
29.	<input type="checkbox"/> MPS B: Verify that if alarm to accept upgrade is present.	<p>To verify alarm to accept upgrade execute following command:</p> <p>\$ alarmMgr --alarmStatus grep tpdServerUpgradePendingAccept</p> <p>Following output shall be observed:</p> <pre>SEQ: 5 UPTIME: 112 BIRTH: 1498203542 TYPE: SET ALARM: TKSPLATMI33 tpdServerUpgradePendingAccept 1.3.6.1.4.1.323.5.3.18.3.1.3.33 32532 Processing Error Configuration Error</pre> <p>To resolve this alarm, execute step 14.</p> <p>Note: If the upgrade is accepted, Backout cannot be performed.</p>

Procedure 16: Upgrade Server B


30. <input type="checkbox"/>	Reconnect console cable.	On E5-APP-B card, reconnect the console cable between the serial port labeled 'S0' on E5-APP-B B card's adapter and the serial port labeled 'S1' on the E5-APP-B A card's adapter. Cable part numbers - 830-1220-xx
31. <input type="checkbox"/>	Procedure complete.	Procedure is complete.

Procedure 17 Upgrade server A





Procedure 17: Upgrade Server A

S T E P #	<p>This procedure upgrades the MPS-A server in the EPAP System.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u>.</p>	
	1. <input type="checkbox"/>	<p>MPS A: Determine media available for upgrade.</p> <p>Perform Procedure A.10 or use an EPAP ISO image to perform upgrade.</p>
	2. <input type="checkbox"/>	<p>Establish a connection to MPS A.</p> <p>If access to the MPS servers is not available through an IP network, connect to the E5-APP-B card via the serial port.</p> <p>For connecting the E5-APP-B A card, disconnect the console cable from the serial port on the E5-APP-B B card's adapter. The cable should be disconnected at the point where it connects to the serial port labeled 'S1' on the E5-APP-B B card's adapter and use it for serial access. Cable part numbers - 830-1220-xx</p> <p>Skip to step 6, if connected through serial console.</p>
	3. <input type="checkbox"/>	<p>Create a terminal window and establish a connection by logging into MPS B.</p> <p>Log in to MPS B.</p> <p>In a newly created terminal window labeled "MPS B", connect directly into MPS B.</p> <pre># ssh epapdev@<MPS B> Password: <password></pre>
	4. <input type="checkbox"/>	<p>MPS B: Start screen session.</p> <p>Execute the following commands to start screen and establish a console session to MPS A.</p> <pre>#su - root Password: \$ screen -L</pre> <p>Execute the following command on E5-APP-B:</p> <pre>\$ sudo minicom mate OR \$ sudo cu -l /dev/ttyS1 -s 115200</pre> <p>MPS B: Connect to the console of MPS A.</p>
5. <input type="checkbox"/>	<p>MPS A: Login prompt is displayed.</p> <pre><hostname> console login:</pre> <p>Note: Hit enter if no login prompt is displayed.</p>	



Procedure 17: Upgrade Server A

6. <input type="checkbox"/>	MPS A: Log in to the server as the user "epapdev".	<code><hostname> console login: epapdev password: <password></code>
7.	MPS A: Verify that it is an Incremental Upgrade. or a Major Upgrade	Check Procedure 2, Steps 7 and 8. If the upgrade type is Major upgrade, proceed with the following step. If it's Incremental, proceed to step 10.
8. <input type="checkbox"/>	MPS A: Disable syscheck fs module.	<pre>\$ su - root Password:</pre> <p>Execute the following command to disable the syscheck fs module.</p> <pre># syscheckAdm --disable disk fs</pre>
9.	MPS A: Create upgrade.conf for splitting mirrors if this is a Major upgrade.	<p>Create a file and add the line "BACKOUT_TYPE=SPLIT_MIRROR" (to trigger the split mirror upgrade) by executing the following command:</p> <pre># su - root Password: # echo "BACKOUT_TYPE=SPLIT_MIRROR" >/usr/TKLC/plat/etc/upgrade/upgrade.conf</pre> <p><i>NOTE: Not performing this step will prevent any successful backout.</i></p> <p>Execute the following command to verify that the above command has been executed successfully:</p> <pre># cat /usr/TKLC/plat/etc/upgrade/upgrade.conf</pre> <p>The output should be:</p> <pre>[root@MPS-B ~]# cat /usr/TKLC/plat/etc/upgrade/upgrade.conf BACKOUT_TYPE=SPLIT_MIRROR</pre> <pre># su - admusr</pre>
10. <input type="checkbox"/>	MPS A: Execute the platcfg menu.	<pre>\$ sudo su - platcfg</pre>
11. <input type="checkbox"/>	MPS A: Select the Maintenance submenu.	<p>The platcfg Main Menu appears. On the Main Menu, select Maintenance and press [ENTER].</p>  <p>The screenshot shows a terminal window titled "Main Menu" with a list of options: Maintenance (highlighted in red), Diagnostics, Server Configuration, Network Configuration, Remote Consoles, and Exit. A vertical bar is visible on the right side of the menu.</p>
12. <input type="checkbox"/>	MPS A: Select the Upgrade submenu.	Select the Upgrade menu and press [ENTER].

Procedure 17: Upgrade Server A

		 <p>Maintenance Menu</p> <ul style="list-style-type: none"> Upgrade Backup and Restore View Mail Queues Restart Server Save Platform Debug Logs Exit
<p>13.</p>	<p>MPS A: Select the Upgrade submenu</p>	<p>Select the Accept Upgrade menu and press [ENTER].</p>   <p>Upgrade Menu</p> <ul style="list-style-type: none"> Validate Media Early Upgrade Checks Initiate Upgrade Copy USB Upgrade Image Non Tekelec RPM Management Accept Upgrade Reject Upgrade Exit <p>+-----+ Message +-----+</p> <p>The accept has completed.</p> <p>Press any key to continue...</p>
<p>14.</p>	<p>MPS A: Select the Early Upgrade Checks submenu.</p>	<p>Select the “Early Upgrade Checks” menu to verify that the system is ready for upgrade.</p>  <p>Upgrade Menu</p> <ul style="list-style-type: none"> Validate Media Early Upgrade Checks Initiate Upgrade Copy USB Upgrade Image Non Tekelec RPM Management Exit

Procedure 17: Upgrade Server A

		<p>If the Early Upgrade Checks fail due to the NTP related alarms, then execute step 15. Otherwise, skip to step 16.</p> <p>Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the early upgrade checks fail, due to any other reason.</p>
<p>15. <input type="checkbox"/></p>	<p>MPS A: White List NTP Alarms</p>	<p>1) If the Early Upgrade Checks fail due to the NTP related alarms, then ignore the NTP alarms using the following commands:</p> <ul style="list-style-type: none"> e. Exit the platcfg menu f. Change to root user using the “su –“ command. g. vim /usr/TKLC/plat/etc/upgrade/upgrade.conf h. Edit the following line to include the NTP related alarms. EARLY_CHECK_ALARM_WHITELIST=TKSPLATMI2 <p>For example – To whitelist the NTP alarm “tpdNTPDaemonNotSynchronizedWarning” which has the alarm code TKLCPLATMI10, the above mentioned line should be edited as EARLY_CHECK_ALARM_WHITELIST=TKSPLATMI2,TKSPLATMI10</p> <p>Note: There should not be any space between two alarms i.e. between TKSPLATMI2 and TKSPLATMI10</p> <p>2) If the Early Upgrade Checks fail due to “Server Default Route Network Error”, then this alarm shall be whitelisted in upgrade.conf file. To whitelist this alarm which has the alarm code TKSPLATMA14, the above mentioned line should be edited as EARLY_CHECK_ALARM_WHITELIST=TKSPLATMI2,TKSPLATMI10,TKSPLATMA14</p>
<p>16. <input type="checkbox"/></p>	<p>MPS A: Select Initiate Upgrade.</p>	<p>Select the Initiate Upgrade menu and press [ENTER].</p> 
<p>17. <input type="checkbox"/></p>	<p>MPS A: Select the Upgrade Media.</p>	<p>The screen will display a message that it is searching for upgrade media. Once the upgrade media is found, an Upgrade Media selection menu will be displayed similar to the example shown below.</p> <p>Select the upgrade media on ISO image. There should only be one selection available, as shown in the example below. If there is more than one selection available, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.</p> 

Procedure 17: Upgrade Server A

<p>18. <input type="checkbox"/></p>	<p>MPS A: Upgrade proceeds.</p>	<p>The screen displays the following, indicating that the upgrade software is first running the early upgrade checks, and then proceeding with the upgrade.</p> <pre> Replacing <seconds> with the value from the log. Starting Early Upgrade Checks at 1448399773 Running earlyUpgradeChecks() for Upgrade::EarlyPolicy::TPDEarlyChecks upgrade policy... Verified server is not pending accept of previous upgrade Hardware architectures match Install products match. Whitelisted alarms: Verified server is alarm free! Verified all raid mirrors are synced. Early Upgrade Checks Have Passed! Early Upgrade Checks finished at 1448399780 Initializing upgrade information... </pre>
<p>19. <input type="checkbox"/></p>	<p>MPS A: Upgrade proceeds.</p>	<p>Many informational messages will come across the terminal screen as the upgrade proceeds.</p> <p>Finally, after upgrade is complete, the server will reboot.</p>
<p>20. <input type="checkbox"/></p>	<p>MPS A: Upgrade completed.</p>	<p>After the final reboot, Press Enter , the screen will display the login prompt, as shown in the example below.</p> <pre> Starting smartd: [OK] TKLChmmgmtcli stop/pre-start, process 10078 Oracle Linux Server release 6.7 Kernel 2.6.32-573.3.1.el6prere17.0.3.0.0_86.37.0.x86_64 on an x86_64 devloan03 login: </pre>
<p>21. <input type="checkbox"/></p>	<p>MPS A: Log in to the server as the user "epapdev".</p>	<p><hostname> console login: epapdev password: <password></p> <p>Note: The SSH login for root shall get enabled after the upgrade.</p>
<p>22. <input type="checkbox"/></p>	<p>MPS A: Verify the Upgrade.</p>	<p>Examine the upgrade logs in the directory /var/TKLC/log/upgrade and verify that no errors and warnings were reported.</p> <p>Check Procedure 2, Steps 7 and 8to determine whether it is incremental or major upgrade.</p> <p>If it is major upgrade then consider following</p> <pre> \$ grep -i error /var/TKLC/log/upgrade/upgrade.log </pre> <p>Following errors shall be observed:</p> <pre> 1496215832::Error : Table 'mysql.innodb_index_stats' doesn't exist 1496215832::Error : Table 'mysql.innodb_table_stats' doesn't exist 1496215832::Error : Table 'mysql.slave_master_info' doesn't exist 1496215832::Error : Table 'mysql.slave_relay_log_info' doesn't exist 1496215832::Error : Table 'mysql.slave_worker_info' doesn't exist 1496215832::Error : Table 'mysql.innodb_index_stats' doesn't exist 1496215832::Error : Table 'mysql.innodb_table_stats' doesn't exist 1496215832::Error : Table 'mysql.slave_master_info' doesn't exist 1496215832::Error : Table 'mysql.slave_relay_log_info' doesn't exist 1496215832::Error : Table 'mysql.slave_worker_info' doesn't exist 1496215832::Error : Table 'mysql.innodb_index_stats' doesn't exist 1496215832::Error : Table 'mysql.innodb_table_stats' doesn't exist 1496215832::Error : Table 'mysql.slave_master_info' doesn't exist 1496215832::Error : Table 'mysql.slave_relay_log_info' doesn't exist 1496215832::Error : Table 'mysql.slave_worker_info' doesn't exist </pre> <p>Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the output contains any error other than the above mentioned errors.</p>

Procedure 17: Upgrade Server A

Also note that sometime a carriage return is inserted in the log file causing some of the error messages to appear truncated. This is acceptable and should be ignored.

```
$ grep -i warning /var/TKLC/log/upgrade/upgrade.log
```

Examine the output of the above command to determine if any warnings were reported. Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the output contains any warnings beside the following:

```
1488951825::WARNING: /usr/TKLC/plat/etc/alarms/alarms.xml has been
updated...rep
arsing xml...
1488951890::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/weak-updates failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.softdep failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.order failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.networking failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.modetesting failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.drm failed: No such file or directory
1488951902::warning:      erase unlink of /lib/modules/2.6.32-
573.18.1.el6prere17.
0.3.0.0.86.44.0.x86_64/modules.block failed: No such file or directory
1488951903::kexec-tools          #warning: /etc/kdump.conf created as
/etc/
c/kdump.conf.rpmnew
1488952115::ca-certificates      #####warning:
/etc/pki/tls/ce
rts/ca-bundle.crt created as /etc/pki/tls/certs/ca-bundle.crt.rpmnew
1488952136::samhain              warning: /etc/samhainrc created as
/etc/
samhainrc.rpmnew
1488952138::php-common          #warning: /etc/php.ini created as
/etc/p
hp.ini.rpmnew
1488952209::initscripts         ##warning: /etc/sysctl.conf created as
/
etc/sysctl.conf.rpmnew
1488952260::mysql-commercial-server warning: /etc/my.cnf created as
/etc/my.
cnf.rpmnew
1488952291::ntp                 warning: /etc/ntp.conf created as
/etc/n
tp.conf.rpmnew
1488952302::TKLCplat           #####warning:
/usr/TKLC/plat/
etc/pid_conf created as /usr/TKLC/plat/etc/pid_conf.rpmnew
1488952302::#warning: /usr/TKLC/plat/etc/service_conf created as
/usr/TKLC/plat/
etc/service_conf.rpmnew
1488952320::TKLCalarms         ###warning:
/usr/TKLC/plat/etc/alarms/al
arms.xml saved as /usr/TKLC/plat/etc/alarms/alarms.xml.rpmsave
1488952328::alarmMgr           ###warning:
/usr/TKLC/plat/etc/alarmMgr/
alarmMgr.conf created as /usr/TKLC/plat/etc/alarmMgr/alarmMgr.conf.rpmnew
1488952471::WARNING: This capability is not defined in the default
capabilities.
1488952471::WARNING: Nor is it defined in the current hardware ID's
capabilities
.
1488952471::WARNING: CAPABILITY: service__disabled
1488952471::WARNING: HARDWARE ID: E5APPB
1488952602::sudo                warning: /etc/sudoers created as
/etc/su
doers.rpmnew
1488952709::WARNING: /usr/TKLC/plat/etc/alarms/alarms_mps.xml has been
updated..
.reparsing xml...
```


Procedure 17: Upgrade Server A

```
1488952718::TKLCepap-HA
#####warnin
g: group root} does not exist - using root
1488952942::warning:   erase unlink of /usr/TKLC/epap/bin/dbMigration failed
No such file or directory
1488952949::WARNING: Module variable EXPECTED_CPUS is deprecated!
1488952951::WARNING: CONFIG:
/usr/TKLC/plat/lib/Syscheck/modules/system/cpu/conf
ig
1488952951::WARNING: Module variable EXPECTED_CPU_ALM is deprecated!
1488952951::WARNING: CONFIG:
/usr/TKLC/plat/lib/Syscheck/modules/system/cpu/conf
ig
```

If it is an incremental upgrade then consider following

```
$ grep -i error /var/TKLC/log/upgrade/upgrade.log
```

Following errors shall be observed:

```
1494304768::ERROR: Config file is currently checked out!
1494304781::ERROR: LOCKED BY: platcfg
1494304781::ERROR: CONFIG: /usr/TKLC/plat/etc/vlan.conf
1494304781::ERROR: ELEMENT: /var/TKLC/rcs/usr/TKLC/plat/etc/vlan.conf,v
1496215832::Error   : Table 'mysql.innodb_index_stats' doesn't exist
1496215832::Error   : Table 'mysql.innodb_table_stats' doesn't exist
1496215832::Error   : Table 'mysql.slave_master_info' doesn't exist
1496215832::Error   : Table 'mysql.slave_relay_log_info' doesn't exist
1496215832::Error   : Table 'mysql.slave_worker_info' doesn't exist
1496215832::Error   : Table 'mysql.innodb_index_stats' doesn't exist
1496215832::Error   : Table 'mysql.innodb_table_stats' doesn't exist
1496215832::Error   : Table 'mysql.slave_master_info' doesn't exist
1496215832::Error   : Table 'mysql.slave_relay_log_info' doesn't exist
1496215832::Error   : Table 'mysql.slave_worker_info' doesn't exist
1496215832::Error   : Table 'mysql.innodb_index_stats' doesn't exist
1496215832::Error   : Table 'mysql.innodb_table_stats' doesn't exist
1496215832::Error   : Table 'mysql.slave_master_info' doesn't exist
1496215832::Error   : Table 'mysql.slave_relay_log_info' doesn't exist
1496215832::Error   : Table 'mysql.slave_worker_info' doesn't exist
```

Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the output contains any error other than the above mentioned errors.

Also note that sometime a carriage return is inserted in the log file causing some of the error messages to appear truncated. This is acceptable and should be ignored.

```
$ grep -i warning /var/TKLC/log/upgrade/upgrade.log
```

Examine the output of the above command to determine if any warnings were reported.

Contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E, if the output contains any warnings beside the following:

```
1489042076::WARNING: /usr/TKLC/plat/etc/alarms/alarms.xml has been
updated...rep
arsing xml...
1489042124::warning:   erase unlink of /lib/modules/2.6.32-
642.6.2.el6prere17.4
.0.0.0_88.32.0.x86_64/weak-updates failed: No such file or directory
1489042136::warning:   erase unlink of /lib/modules/2.6.32-
642.6.2.el6prere17.4
.0.0.0_88.32.0.x86_64/modules.order failed: No such file or directory
1489042136::warning:   erase unlink of /lib/modules/2.6.32-
642.6.2.el6prere17.4
.0.0.0_88.32.0.x86_64/modules.networking failed: No such file or directory
1489042136::warning:   erase unlink of /lib/modules/2.6.32-
642.6.2.el6prere17.4
.0.0.0_88.32.0.x86_64/modules.modesetting failed: No such file or directory
1489042136::warning:   erase unlink of /lib/modules/2.6.32-
642.6.2.el6prere17.4
.0.0.0_88.32.0.x86_64/modules.drm failed: No such file or directory
1489042136::warning:   erase unlink of /lib/modules/2.6.32-
642.6.2.el6prere17.4
.0.0.0_88.32.0.x86_64/modules.block failed: No such file or directory
1489042197::WARNING: /usr/TKLC/plat/etc/alarms/alarms_mps.xml has been
updated..
.rearsing xml...
```

Procedure 17: Upgrade Server A

		Refer to section 3.7 to know more about logging.
23. <input type="checkbox"/>	MPS A: Verify the Upgrade.	<p>\$ grep "Upgrade returned success" /var/TKLC/log/upgrade/upgrade.log</p> <p>Verify that the message "Upgrade returned success!" is displayed. If it is not, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.</p> <p>1400793814:: Upgrade returned success!</p>
24. <input type="checkbox"/>	MPS A: Verify that it is an Incremental Upgrade. or Major Upgrade	Check Procedure 2, Steps 7 and 8. If the upgrade type is Major upgrade, proceed with the following step. If it's Incremental, proceed to step 26.
25. <input type="checkbox"/>	MPS A: Enable syscheck fs module.	<p>\$ su - root Password:</p> <p>Execute the following command to enable the syscheck fs module.</p> <p># syscheckAdm --enable disk fs</p>
26. <input type="checkbox"/>	MPS A: Upgrade is complete. Verify Health of MPS A.- check if this step is needed	<p>Execute Procedure A.1 on MPS A to verify the health of MPS A.</p> <p>On a Provisionable MPS, expect that the syscheck utility will alarm the fact that the PDBA software is not running. This will appear as a "5000000000000002 – Server Application Process Error" alarm.</p> <p>If this is a Major Upgrade, the syscheck utility will report the "3000000000000002 – Server Internal Disk Error" alarm as the disk mirroring is in progress. The alarm will be cleared after the completion of disk mirroring.</p> <p>Verify that no unexpected alarms are noted.</p> <p>If it is major upgrade, Proceed with Procedure A.16 to upgrade SSL certificate.</p>
27. <input type="checkbox"/>	MPS A: Verify that if alarm to accept upgrade is present.	<p>To verify alarm to accept upgrade execute following command:</p> <p>\$ alarmMgr --alarmStatus grep tpdServerUpgradePendingAccept</p> <p>Following output shall be observed:</p> <p>SEQ: 5 UPTIME: 112 BIRTH: 1498203542 TYPE: SET ALARM: TKSPLATMI33 tpdServerUpgradePendingAccept 1.3.6.1.4.1.323.5.3.18.3.1.3.33 32532 Processing Error Configuration Error</p> <p>To resolve this alarm, execute step 13.</p> <p>Note: If the upgrade is accepted, Backout cannot be performed.</p>
28. <input type="checkbox"/>	MPS B: Enable PDBA proxy and VIP features.	If PDBA Proxy Enabled = Yes, in the step 11 of Procedure 16, then execute Procedure A.18 to enable Epap PDBA Proxy and VIP Features. Otherwise, skip this step.
29. <input type="checkbox"/>	MPS B: Check services for query server.	\$ epapdb -c queryserver

Procedure 17: Upgrade Server A

		If query server is not configured i.e. INFO: No Query Server Configured, then skip this step otherwise Execute Procedure A.20 to restart MYSQL service for PDB on query server.
30. <input type="checkbox"/>	Reconnect console cable.	On E5-APP-B card, reconnect the console cable between the serial port labeled 'S0' on E5-APP-B A card's adapter and the serial port labeled 'S1' on the E5-APP-B B card's adapter. Cable part numbers - 830-1220-xx
31. <input type="checkbox"/>	Procedure is complete.	Procedure is complete. Note: If upgrading an EPAP Provisionable mated pair and you have just completed this procedure for the Local MPS A and MPS B. Repeat the same procedures to upgrade the Remote Pair. See Section 2.1 for more information.

Procedure 18 Reboot EAGLE Cards

Procedure 18: Reboot EAGLE Cards

S T E P #	This procedure reboots EAGLE cards to reload new RTDB.	
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.	
	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u> .	
1. <input type="checkbox"/>	EAGLE: reboot all SM cards to reload new RTDB.	<p>Login onto the connected EAGLE.</p> <p>Reboot 1 SM card on the EAGLE and verify that it comes back to an IS-NR/Active state.</p> <p>Then boot the rest of the EAGLE SM cards over 4 batches (booting 1/4 of the cards at a single time).</p>
2. <input type="checkbox"/>	Procedure is complete	Procedure is complete.

THIS COMPLETES THE UPGRADE

7. SOFTWARE RECOVERY PROCEDURES

Execute this section only if there is a problem and it is desired to revert back to the pre-upgrade version of the software.

Warning: Do not attempt to perform these backout procedures without first contacting the My Oracle Support, following the instructions on the front page or the instructions on the Appendix E.

NOTE: These recovery procedures are provided for the backout of an Upgrade ONLY (i.e., from a failed 16.2.y release to the previously installed 16.2.x release). Backout of an initial installation is not supported.

7.1 Backout Setup

The reason to execute a backout has a direct impact on any backout preparation that must be done. Since the reason cannot be known ahead of time, no definitive procedure can be written.

My Oracle Support personnel will have to have login access to the affected MPS server, probe the server for the root cause of the problem, and execute whatever setup or cleanup is necessary in order to prepare the MPS server for backout.

7.2 Perform Backout


No matter the initial cause of the upgrade problem, once all necessary corrective steps have been taken to prepare for the backout, then the following procedure can be executed to perform a backout. Refer to section 0 for the Backout process overview.

Procedure 19 Server B Backout

Procedure 19: Server B Backout

S T E P #	This procedure provides instructions to perform backout on MPS B server.	
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.	
	Note: Execute this procedure if only MPS B has been upgraded successfully and MPS A is still at the pre-upgrade release. Note: If the upgrade has been accepted, this procedure cannot be executed.	
1. <input type="checkbox"/>	Terminate all previous connections (ssh).	If not already connected, connect to the E5-APP-B card via the serial port. For connecting the E5-APP-B B card, disconnect the console cable from the serial port on the E5-APP-B A card's adapter. The cable should be disconnected at the point where it connects to the serial port labeled 'S1' on the E5-APP-B A cards adapter and use it for serial access. Cable part numbers - 830-1220-xx

Procedure 19: Server B Backout

		Skip to step 5, if connected through serial console.
2. <input type="checkbox"/>	Create a terminal window and establish a connection by logging into MPS A. Log in to MPS A.	In a newly created terminal window labeled “MPS B – from MPS A”, connect directly into MPS A. # ssh admusr@<MPS A> Password: <password>
3. <input type="checkbox"/>	MPS A: Start screen session MPS A: Connect to the console of MPS B.	Execute the following commands to start screen and establish a console session to MPS B. \$ screen -L Execute the following command on E5-APP-B: \$ sudo minicom mate OR \$ sudo cu -l /dev/ttyS1 -s 115200
4. <input type="checkbox"/>	MPS B: Login prompt is displayed.	<hostname> console login: Note: Hit enter if no login prompt is displayed.
5. <input type="checkbox"/>	MPS B: Log in to the server as user “admusr”.	If not already logged-in, then log in. <hostname> console login: admusr Password: <password>
6. <input type="checkbox"/>	MPS B: Change directory.	Change to root user. \$ su - root Password: Change to the backout directory. # cd /var/TKLC/backout
7. <input type="checkbox"/>	MPS B: Execute the backout.	Execute the following command to initiate the backout: Note: Before starting the backout, make sure that all USB devices are removed from the card. # ./reject NOTE: When backout operation asks if you would like to proceed with backout, answer “Y”. 
8. <input type="checkbox"/>	MPS B: Backout proceeds.	Many informational messages will come across the terminal screen as the backout proceeds. Finally, after backout is complete, a message will be displayed stating that a reboot is required.

Procedure 19: Server B Backout

		<p>If this is a backout of a <i>major</i> upgrade, skip to step 12. DO NOT INITIATE A REBOOT MPS-B at this time.</p> <p>If this is a backout of an <i>incremental</i> upgrade, the server will be at runlevel 3 and no applications are running. Proceed to the next step to verify the backout and manually reboot the server.</p>
9. <input type="checkbox"/>	MPS B: Verify the Backout	<p>Examine the upgrade logs in the directory <code>/var/TKLC/log/upgrade</code> and verify that no errors were reported.</p> <p># grep -i error /var/TKLC/log/upgrade/upgrade.log</p> <p>Examine the output of the above commands to determine if any errors were reported.</p> <p>Refer to section 3.7 to know more about logging.</p>
10. <input type="checkbox"/>	MPS B: Verify the Backout.	<p>If the backout was <i>not</i> successful and errors were recorded in the logs, then contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E for further instructions.</p> <p>If the backout <i>was</i> successful, then continue with the following step.</p>
11. <input type="checkbox"/>	MPS B: Reboot the MPS.	<p>Perform the following commands to reboot the MPS:</p> <p># init 6</p>
12. <input type="checkbox"/>	MPS B: Reboot completed.	<p>On a backout of a major upgrade, the server will reboot several times as part of backout. Re-mirroring of the disks will occur in the background – do not initiate a reboot until this process has completed.</p> <p>On a backout of an incremental upgrade, the user has initiated a reboot.</p>
13. <input type="checkbox"/>	MPS B: Login to MPS B.	<p>If the login prompt appears, continue on to step 16.</p> <p>If the login prompt does not appear due to disconnect, go to step 14.</p>
14. <input type="checkbox"/>	Create a terminal window and establish a connection by logging into MPS A. Log into MPS A.	<p>In a newly created terminal window labeled “MPS B – from MPS A”, connect directly into MPS A.</p> <p># ssh epapdev@<MPS A> Password: <password></p>
15. <input type="checkbox"/>	MPS A: Rejoin previous screen session on MPS B.	<p>Execute the following command to disconnect and then rejoin previous screen session:</p> <p>\$ screen -dr</p>
16. <input type="checkbox"/>	MPS B: Verify Health of MPS B.	<p>Execute Procedure A.1 on MPS B to verify the health of MPS B.</p>
17. <input type="checkbox"/>	MPS B: Clear MySQL replication error banner message, if any	<p>Execute the following command to check for MySQL replication error:</p> <p>\$ manageBannerInfo -1</p> <p>Examine the output of the above command to determine if any errors were reported related to MySQL replication such as:</p> <p>MySQL data replication error detected; Attempting to restart Attempt to restart MySQL replication failed</p>

Procedure 19: Server B Backout

		<p>Execute the following command to copy the EuiDB database from B server to A server to clear any of the above observed MySQL replication error.</p> <p>Note: This utility should be executed only with epapdev user.</p> <pre> \$ /usr/TKLC/epap/config/resetReplication Resetting MySql Replication This script will fix EuiDB replication by copying the database from one side of the pair to the other side and then resetting the MySql replication pointers. Are you sure you want to reset replication? (y/n) y Which side do you want to copy FROM? (A/B) [B]: B Copy the EuiDB from B to A? (y/n) y Removing the index and info files from EPAP A Replication files successfully removed from the mate server. Connecting to local DB Connecting to mate DB Copying EuiDB to mate Stopping local slave Stopping mate slave Resetting local master Resetting mate master Resetting local slave Resetting mate slave Starting local slave Starting mate slave Resetting MySql Replication Completed </pre> <p>If there is a failure in resetReplication, execute following commands:</p> <pre> \$ mysql -uroot -peLapRoot -e "GRANT ALL ON EuiDB.* to eLapdev@localhost IDENTIFIED by '<password>'" </pre> <pre> \$ mysql -uroot -peLapRoot -e "GRANT ALL ON EuiDB.* to eLapdev@mate IDENTIFIED by '<password>'" </pre> <p>Execute the following command to verify that the banner messages related to the replication error are cleared after some time.</p> <pre> # manageBannerInfo -1 </pre>
<p>18. <input type="checkbox"/></p>	<p>MPS B: Verify Health of MPS B</p>	<p>Execute Procedure A.1 on MPS B to verify the health of MPS B. If backout of major upgrade was performed, the syscheck utility will report the “3000000000000002 – Server Internal Disk Error” alarm as the disk mirroring is in progress. The alarm will be cleared after the completion of disk mirroring.</p>
<p>19. <input type="checkbox"/></p>	<p>Reconnect console cable.</p>	<p>On E5-APP-B card, reconnect the console cable between the serial port labeled 'S0' on E5-APP-B B card's adapter and the serial port labeled 'S1' on the E5-APP-B A card's adapter. Cable part numbers - 830-1220-xx</p>
<p>20. <input type="checkbox"/></p>	<p>Procedure complete.</p>	<p>This procedure is complete.</p>

The application should now be running at the original software release level

Procedure 20 Backout both Server A and B

Procedure 20: Backout both MPS A and B

S T E P #	<p>This procedure provides instructions to perform backout on both MPS A and MPS B servers.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>Note: Execute this procedure only if both MPS A and MPS B have been upgraded or partially upgraded and you wish to backout both servers to the previous version.</p> <p>Note: If the upgrade has been accepted, this procedure cannot be performed.</p>	
1. <input type="checkbox"/>	<p>Terminate all previous connections (ssh).</p>	<p>If not already connected, connect to the E5-APP-B card via the serial port.</p> <p>For connecting the E5-APP-B A card, disconnect the console cable from the serial port on the E5-APP-B B card's adapter. The cable should be disconnected at the point where it connects to the serial port labeled 'S1' on the E5-APP-B B card's adapter and use it for serial access. Cable part numbers - 830-1220-xx</p> <p>Skip to step 6, if connected through serial console.</p>
2. <input type="checkbox"/>	<p>Create a terminal window and establish a connection by logging into MPS B.</p> <p>Log into MPS B.</p>	<p>In a newly created terminal window labeled "MPS A – from MPS B", connect directly into MPS B.</p> <p># ssh admusr@<MPS B> Password: <password></p>
3. <input type="checkbox"/>	<p>MPS B: Start screen session.</p> <p>MPS B: Connect to the console of MPS A.</p>	<p>Execute the following commands to start screen and establish a console session to MPS A.</p> <p>\$ screen -L</p> <p>Execute the following command on E5-APP-B:</p> <p>\$ sudo minicom mate OR \$ sudo cu -l /dev/ttyS1 -s115200</p>
4. <input type="checkbox"/>	<p>MPS A: Login prompt is displayed.</p>	<p><hostname> console login:</p> <p>Note: Hit enter if no login prompt is displayed.</p>
5. <input type="checkbox"/>	<p>MPS A: Log in to the server as user "admusr".</p>	<p>Log in as 'epapdev'</p> <p><hostname> console login: epapdev Password: <password></p>


Procedure 20: Backout both MPS A and B

<p>6. <input type="checkbox"/></p>	<p>MPS A: Check if RTDB and PDBA databases are synchronized. - update this</p>	<p>Execute the following command to check the RTDB and PDB database levels: \$ sudo dbstattool</p> <p>The outlook may look like:</p> <pre> DBSTATTOOL Platform=EPAP ----- pdb_birthdate = 1399621904 (Fri May 9 03:51:44 2014) pdb_level = 1 rtdb_pdb_birthdate = 1399621904 (Fri May 9 03:51:44 2014) rtdb_begin_dsm_level = 1 rtdb_end_dsm_level = 1 rtdb_dsm_birthdate = 1400784912 (Thu May 22 14:55:12 2014) rtdb_dsm_status = 1 rtdb_load_state = 0 EAGLE_fmt_pdb_birthdate = 2152386348 (EAGLE format - be careful!) EAGLE_fmt_rtdb_pdb_birthdate = 1981720860 (EAGLE format - be careful!) EAGLE_fmt_rtdb_dsm_birthdate = 4003650604 (EAGLE format - be careful!) pdba_last_upd_ipaddr = 0 pdba_last_upd_timestamp = 0 (Wed Dec 31 19:00:00 1969) dbstattool_pad1 = 0 dbstattool_pad2 = 0 dbstattool_pad3 = 0 dbstattool_pad4 = 0 dbstattool_timestamp = 0 (Wed Dec 31 19:00:00 1969) rtdb_version = 4 </pre> <p>Note down the RTDB and PDBA database levels. If they are not the same prior to backout, an RTDB reload from PDBA must be performed after backout!</p>
<p>7.</p>	<p>MPS A: Change directory.</p>	<p>\$ su - root</p> <p>Change to the backout directory.</p> <p># cd /var/TKLC/backout</p>
<p>8.</p>	<p>MPS A: Execute the backout.</p>	<p>Execute the following command to initiate the backout: Note: Before starting the backout, make sure that all USB devices are removed from the card.</p> <p># ./reject</p> <p>NOTE: When backout operation asks if you would like to proceed with backout, answer "Y".</p> <pre> Verifying that backout is possible. Checking for stale RPM DB locks... Current platform version: 7.4.0.0.0-88.32.0 Continue backout? [y/N]: </pre>
<p>9. <input type="checkbox"/></p>	<p>MPS A: Backout proceeds.</p>	<p>Many informational messages will come across the terminal screen as the backout proceeds.</p> <p>Finally, after backout is complete, a message will be displayed stating that a reboot is required.</p> <p>If this is a backout of a <i>major</i> upgrade, skip to step 13. DO NOT INITIATE A REBOOT MPS-A at this time.</p>

Procedure 20: Backout both MPS A and B

		If this is a backout of an <i>incremental</i> upgrade, the server will be at runlevel 3 and no applications are running. Proceed to the next step to verify the backout and manually reboot the server.
10. <input type="checkbox"/>	MPS A: Verify the Backout.	Examine the upgrade logs in the directory <code>/var/TKLC/log/upgrade</code> and verify that no errors were reported. <pre># grep -i error /var/TKLC/log/upgrade/upgrade.log # grep -i error /var/TKLC/log/upgrade/ugwrap.log</pre> <p>Examine the output of the above commands to determine if any errors were reported.</p> <p>Refer to section 3.7 to know more about logging.</p>
11. <input type="checkbox"/>	MPS A: Verify the Backout.	If the backout was <i>not</i> successful and errors were recorded in the logs, then contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E for further instructions. If the backout <i>was</i> successful, then enter continue with the following steps:
12. <input type="checkbox"/>	MPS A: Reboot the MPS.	Perform this step only on a backout of an incremental upgrade. Perform the following commands to reboot the MPS: <pre># init 6</pre>
13. <input type="checkbox"/>	MPS A: Backout completed.	On a backout of a major upgrade, the server will reboot several times as part of backout. Re-mirroring of the disks will occur in the background – do not initiate a reboot until this process has completed. On a backout of an incremental upgrade, the user has initiated a reboot.
14. <input type="checkbox"/>	MPS A: Login to MPS A.	If the login prompt appears, skip to step 17. If the login prompt does not appear due to disconnect, go to step 15.
15. <input type="checkbox"/>	Create a terminal window and establish a connection by logging into MPS B. Log into MPS B.	In a newly created terminal window labeled “ MPS A – from MPS B ”, connect directly into MPS B. <pre># ssh epapdev@<MPS B> Password: <password></pre>
16. <input type="checkbox"/>	MPS B: Rejoin previous screen session on MPS A.	Execute the following command to disconnect and then rejoin previous screen session: <pre>\$ screen -dr</pre>
17. <input type="checkbox"/>	MPS A: Verify Health of MPS A.	Execute Procedure A.1 on MPS A to verify the health of MPS A The syscheck utility may report the “5000000000000002 - Server Application Process Error” for PDBA, if the pdba software is not running.
18. <input type="checkbox"/>	Terminate all previous connections (ssh).	If not already connected, connect to the E5-APP-B card via the serial port. For connecting the E5-APP-B B card, disconnect the console cable from the serial port on the E5-APP-B A card’s adapter. The cable should be disconnected at the point where it connects to the serial port labeled ‘S1’ on the E5-APP-B A cards adapter and use it for serial access.

Procedure 20: Backout both MPS A and B

		Skip to step 21, if connected through serial console.
19. <input type="checkbox"/>	Create a terminal window and establish a connection by logging into MPS A. Log into MPS A.	In a newly created terminal window labeled “MPS B – from MPS A”, connect directly into MPS A. # ssh epapdev@<MPS A> Password: <password>
20. <input type="checkbox"/>	MPS A: Start screen session. MPS A: Connect to the console of MPS B.	Execute the following commands to start screen and establish a console session to MPS B. \$ screen -L Execute the following command on E5-APP-B: \$ sudo minicom mate OR \$ sudo cu -l /dev/ttyS1 -s 115200
21. <input type="checkbox"/>	MPS B: Login prompt is displayed.	<hostname> console login: Note: Hit enter if no login prompt is displayed.
22. <input type="checkbox"/>	MPS B: Log in to the server as user “epapdev”.	<hostname> console login: epapdev Password: <password>
23. <input type="checkbox"/>	MPS B: Change directory.	Change to the backout directory. \$ su - root Password: <password> # cd /var/TKLC/backout
24. <input type="checkbox"/>	MPS B: Execute the backout.	Note: Before starting the backout, make sure that all USB devices are removed from the card. Execute the following command to initiate the backout: # ./reject NOTE: When backout operation asks if you would like to proceed with backout, answer “Y”. 
25. <input type="checkbox"/>	MPS B: Backout proceeds.	Many informational messages will come across the terminal screen as the backout proceeds. Finally, after backout is complete, a message will be displayed stating that a reboot is required. If this is a backout of a <i>major</i> upgrade, skip to step 30. DO NOT INITIATE A REBOOT MPS-B at this time.

Procedure 20: Backout both MPS A and B

		If this is a backout of an <i>incremental</i> upgrade, the server will be at runlevel 3 and no applications are running. Proceed to the next step to verify the backout and manually reboot the server.
26. <input type="checkbox"/>	MPS B: Verify the Backout.	<p>Examine the upgrade logs in the directory <code>/var/TKLC/log/upgrade</code> and verify that no errors were reported.</p> <p>\$ grep -i error /var/TKLC/log/upgrade/upgrade.log</p> <p>Following errors shall be observed:</p> <pre>@ [root@Cusco-A ~]# grep -i error /var/TKLC/log/upgrade/upgrade.log @ 1497252414::Error : Table 'mysql.innodb_index_stats' doesn't exist @ 1497252414::Error : Table 'mysql.innodb_table_stats' doesn't exist @ 1497252414::Error : Table 'mysql.slave_master_info' doesn't exist @ 1497252414::Error : Table 'mysql.slave_relay_log_info' doesn't exist @ 1497252414::Error : Table 'mysql.slave_worker_info' doesn't exist @ 1497252414::Error : Table 'mysql.innodb_index_stats' doesn't exist @ 1497252414::Error : Table 'mysql.innodb_table_stats' doesn't exist @ 1497252414::Error : Table 'mysql.slave_master_info' doesn't exist @ 1497252414::Error : Table 'mysql.slave_relay_log_info' doesn't exist @ 1497252414::Error : Table 'mysql.slave_worker_info' doesn't exist @ 1497252414::Error : Table 'mysql.innodb_index_stats' doesn't exist @ 1497252414::Error : Table 'mysql.innodb_table_stats' doesn't exist @ 1497252414::Error : Table 'mysql.slave_master_info' doesn't exist @ 1497252414::Error : Table 'mysql.slave_relay_log_info' doesn't exist @ 1497252414::Error : Table 'mysql.slave_worker_info' doesn't exist @ mdadm: error opening /dev/md1: No such file or directory</pre> <p>\$ grep -i error /var/TKLC/log/upgrade/ugwrap.log</p> <p>Examine the output of the above command to determine if any errors were reported.</p> <p>Refer to section 3.7 to know more about logging.</p>
27. <input type="checkbox"/>	MPS B: Verify the Backout.	<p>If the backout was <i>not</i> successful and errors were recorded in the logs, then contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E for further instructions.</p> <p>If the backout <i>was</i> successful, then enter continue with the following steps:</p>
28. <input type="checkbox"/>	MPS B: Reboot the MPS.	<p>Perform the following commands to reboot the MPS:</p> <p>\$ init 6</p>
29. <input type="checkbox"/>	MPS B: Login to MPS B.	<p>If the login prompt appears, skip to step 32.</p> <p>If the login prompt does not appear due to disconnect, go to step 30.</p>
30. <input type="checkbox"/>	Create a terminal window and establish a connection by logging into MPS A. Log into MPS A	<p>In a newly created terminal window labeled “MPS B – from MPS A”, connect directly into MPS A.</p> <pre># ssh epapdev@<MPS A> Password: <password></pre>
31. <input type="checkbox"/>	MPS A: Rejoin previous screen session on MPS B	<p>Execute the following command to disconnect and then rejoin previous screen session:</p> <p>\$ screen -dr</p>
32. <input type="checkbox"/>	MPS B: Log in to the server as user “epapdev”.	<pre><hostname> console login: epapdev Password: <password></pre>

Procedure 20: Backout both MPS A and B

<p>33. <input type="checkbox"/></p>	<p>MPS B: Clear MySQL replication error banner message, if any</p>	<p>Execute the following command to check for MySQL replication error: \$ manageBannerInfo -l</p> <p>Examine the output of the above command to determine if any errors were reported related to MySQL replication such as:</p> <p>MySQL data replication error detected; Attempting to restart Attempt to restart MySQL replication failed</p> <p>Execute the following command to copy the EuiDB database from B server to A server to clear any of the above observed MySQL replication error.</p> <p>Note: This utility should be executed only with epapdev user</p> <p>\$ /usr/TKLC/epap/config/resetReplication Resetting MySql Replication This script will fix EuiDB replication by copying the database from one side of the pair to the other side and then resetting the MySql replication pointers. Are you sure you want to reset replication? (y/n) y Which side do you want to copy FROM? (A/B) [B]: B Copy the EuiDB from B to A? (y/n) y Removing the index and info files from EPAP A Replication files successfully removed from the mate server. Connecting to local DB Connecting to mate DB Copying EuiDB to mate Stopping local slave Stopping mate slave Resetting local master Resetting mate master Resetting local slave Resetting mate slave Starting local slave Starting mate slave Resetting MySql Replication Completed</p> <p>If there is a failure in resetReplication, execute following commands:</p> <p>\$ mysql -uroot -peLapRoot -e "GRANT ALL ON EuiDB.* to eLapdev@localhost IDENTIFIED by '<password>'"</p> <p>\$ mysql -uroot -peLapRoot -e "GRANT ALL ON EuiDB.* to eLapdev@mate IDENTIFIED by '<password>'"</p> <p>Execute the following command to verify that the banner messages related to the replication error are cleared after some time. \$ manageBannerInfo -l</p>
<p>34. <input type="checkbox"/></p>	<p>MPS B: Verify Health of MPS B</p>	<p>Execute Procedure A.1 on MPS B to verify the health of MPS B.</p>
<p>35. <input type="checkbox"/></p>	<p>MPS A: Check RTDB and PDB database levels.</p>	<p>Check the result of Step 6. If the RTDB and PDBA database levels were NOT same prior to backout, execute Procedure A.7 to perform an RTDB reload from PDBA.</p>
<p>36. <input type="checkbox"/></p>	<p>Reboot EAGLE Cards.</p>	<p>If the DB levels on EPAP and EAGLE matches and there is no alarm on EAGLE related to "RTDB reload is required", go to step 37.</p> <p>Reboot 1 SM card on the EAGLE and verify that it comes back to an IS-NR/Active state.</p>

Procedure 20: Backout both MPS A and B

		<p>If this is a Non-Provisionable EPAP, boot the rest of the EAGLE SM cards over 4 batches (booting 1/4 of the cards at a single time).</p> <p>If this is a Provisionable EPAP, and the second MPS A on which backout has been executed, reboot the rest of the cards on both local and remote sides over 4 batches (booting 1/4 of the cards at a single time).</p>
37. <input type="checkbox"/>	Procedure is complete.	This procedure is complete.

The application should now be running at the original software release level

Procedure 21 Restart PDBA Software (Post-Backout and Post-Upgrade)



When upgrade is initiated on the first MPS-B, the PDBA software process is stopped on the MPS-A servers configured as **Provisionable**. The PDBA software is intentionally left stopped, and so the operator performing the upgrade must restart the PDBA software after all MPS servers in a set of EPAP systems have been upgraded.

WARNING: If a backout of the MPS A and B units is conducted sometime after an upgrade has successfully completed and after Provisioning has been re-enabled, then the only method of PDB restoration is from backup file. In this case, any new data provisioned since the successful completion of the upgrade will be lost and will need to be re-provisioned.

Procedure 21: Restart the PDBA Software Post-Backout and Post-Upgrade

<p>S T E P #</p>	<p>This procedure restarts the PDBA software after upgrade of all associated MPS systems has been completed.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u>.</p>	
<p>If backout has been performed, then execute this procedure ONLY after backout on all MPS servers in the entire set of EPAP systems. Otherwise, skip this procedure until all MPS servers have been backed out.</p>		
<p>1. <input type="checkbox"/></p>	<p>Local MPS A: Log in to the server as user "epapdev".</p>	<p><hostname> console login: epapdev Password: <password></p>
<p>2. <input type="checkbox"/></p>	<p>Local MPS A: Verify Health of MPS A.</p>	<p>If not done already, execute Procedure A.1 on MPS A to verify the health of MPS A.</p> <p>Expect that the syscheck utility will report the 'Server Application Process Error' alarm for the fact that the PDBA software is not running. Besides the PDBA not running alarm, verify that no other abnormalities are noted.</p>
<p>3. <input type="checkbox"/></p>	<p>Local MPS A: Restart the PDBA software.</p> <p>On the menu, click PDBA->Process</p>	<p>Execute the command below to find if the pdba is running or not:</p> <p>\$ ps -aef grep pdba grep -v "grep"</p> <p>If the output contains an entry for the pdba, as shown below, then skip to the next step.</p>

Procedure 21: Restart the PDBA Software Post-Backout and Post-Upgrade




	Control->Start PDBA software	<pre>[epapdev@MPS A ~]\$ ps -aef grep pdba epapdev 23890 10248 0 Apr07 ? 00:01:18 /opt/TKLCappl/bin/pdba</pre> <p>Otherwise, Login to EPAP GUI by uiadmin user and start PDBA software.</p> 
4.	<input type="checkbox"/> Local MPS A: Verify PDBA is running.	Execute Procedure A.1 on MPS A to verify the health of MPS A Verify that syscheck does <i>not</i> show that the PDBA is <i>not</i> running.
5.	<input type="checkbox"/> Remote MPS A: Log in to the server as user "epapdev".	<hostname> console login: epapdev Password: <password>
6.	<input type="checkbox"/> Remote MPS A: Verify Health of MPS A.	Execute Procedure A.1 on MPS A to verify the health of MPS A. Expect that the syscheck utility will alarm the fact that the PDBA software is not running. This will appear as a "5000000000000002 -- Server Application Process Error" alarm. Besides the PDBA not running alarm, verify that no other abnormalities are noted.
7.	<input type="checkbox"/> Remote MPS A: Restart the PDBA software. On the menu, click PDBA->Process Control->Start PDBA software	Execute the command below to find if the pdba is running or not: \$ ps -aef grep pdba grep -v "grep" If the output contains an entry for the pdba, as shown below, then skip to the next step. epapdev 23890 10248 0 Apr07 ? 00:01:18 /opt/TKLCappl/bin/pdba Otherwise, Login to EPAP GUI by uiadmin user and start PDBA software. 
8.	<input type="checkbox"/> Remote MPS A: Verify PDBA is running.	Execute Procedure A.1 on MPS A to verify the health of MPS A. Verify that syscheck does <i>not</i> show that the PDBA is <i>not</i> running.
9.	<input type="checkbox"/> Procedure complete.	This procedure is complete.

THIS COMPLETES THE BACKOUT


APPENDIX A GENERIC PROCEDURES

Procedure A.1 Perform System Health Check

Procedure A.1: Perform System Health Check

S T E P #	This procedure performs a system health check on any MPS server. Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number. IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u> .	
1. <input type="checkbox"/>	Log in as the admusr user.	<pre><hostname> console login: admusr Password: <password></pre>
2. <input type="checkbox"/>	Execute the platcfg menu.	<pre>\$ sudo su - platcfg</pre>
3. <input type="checkbox"/>	Select the Diagnostics submenu.	The platcfg Main Menu appears. On the Main Menu , select Diagnostics and press [ENTER]. 
4. <input type="checkbox"/>	Select the Online Diagnostics submenu.	Select the Online Diagnostics submenu and press [ENTER]. 
5. <input type="checkbox"/>	Select the Non-Verbose option.	Select the Non-Verbose option and press [ENTER]. 

ProcedureA.1: Perform System Health Check

<p>6. <input type="checkbox"/></p>	<p>Examine the output of the Online Diagnostics.</p>	<p>Example output shown below. Examine the actual output of the Online Diagnostics.</p>  <pre> Copyright (C) 2003, 2014, Oracle and/or its affiliates. All rights reserved. Hostname: santosA Online Diagnostics Output Running modules in class disk... OK Running modules in class system... OK Running modules in class proc... OK Running modules in class hardware... OK Running modules in class net... OK Forward Backward Top Bottom Exit Use arrow keys to move between options <Enter> selects </pre>
<p>7. <input type="checkbox"/></p>	<p>System Check Successful.</p> <p>System Check Failure.</p>	<p>Exit from the above menu.</p> <p>If the System Check was successful, return to the procedure that you came here from.</p> <p>If the “Server Disk Space Shortage Error” was there in the output, proceed to step 8 to clean up the ‘/’ directory.</p> <p>If any other failures were detected by System Check, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.</p>
<p>8. <input type="checkbox"/></p>	<p>Server clean-up to create space.</p>	<p>Execute the following command:</p> <pre>\$ df -h /var/TKLC</pre> <p>The output may look like:</p> <pre>[admusr@hostname ~]\$ df -h /var/TKLC Filesystem Size Used Avail Use% Mounted on /dev/mapper/vgroot-plat_var_tklc 3.9G 2.2G 1.5G 60% /var/TKLC</pre> <p>Verify that there is at least 600M in the Avail column. If not, clean up files until there is space available.</p> <p>CAUTION: Make sure you know what files you can remove safely before cleaning up. It is recommended that you only clean up files in the /var/TKLC/upgrade directory as this is a platform owned directory that should only contain ISO images. This directory should not be expected to contain images for any length of time as they can get purged.</p> <p>Also, execute the following command to check space in ‘/lib/module’ directory.</p> <pre>\$ df -h /lib/modules</pre> <pre>[admusr@hostname ~]\$ df -h /lib/modules Filesystem Size Used Avail Use% Mounted on /dev/mapper/vgroot-plat_root 976M 397M 529M 43% /</pre>

ProcedureA.1: Perform System Health Check



		Verify that the Use% column does not exceed the value 80%.
9. <input type="checkbox"/>	Procedure complete.	Return to the procedure that you came here from.

Procedure A.2 Validate Upgrade Media



This procedure is used to execute a validation of the Upgrade Media (typically an ISO image) separately from executing an upgrade. The upgrade process automatically validates the upgrade media. However, sometime the user may wish to perform just a validation before proceeding with upgrade, thus the reason for this separate process.

Validation could be performed on MPS A or B, however, this procedure specifies MPS X for simplicity.





ProcedureA.2: Validate the Upgrade Media

<p>S T E P #</p>	<p>This procedure provides instructions to perform a validation of the upgrade media on the MPS X server. This procedure assumes that the E5-APP-B card IPM procedure has been executed and the user has an EPAP Upgrade ISO image available.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u>.</p>	
<p>1. <input type="checkbox"/></p>	<p>MPS X: If necessary, log in to the server as the user “admusr”.</p>	<p>If not already logged in to the MPS server, then login as user “admusr”.</p> <pre><hostname> console login: admusr password: <password></pre>
<p>2. <input type="checkbox"/></p>	<p>MPS X: Execute the platcfg menu.</p>	<pre>\$ sudo su - platcfg</pre>
<p>3. <input type="checkbox"/></p>	<p>MPS X: Select the Maintenance submenu.</p>	<p>The platcfg Main Menu appears. On the Main Menu, select Maintenance and press [ENTER].</p>  <pre> Main Menu ----- Maintenance Diagnostics Server Configuration Network Configuration Remote Consoles Exit </pre>
<p>4. <input type="checkbox"/></p>	<p>MPS X: Select the Upgrade submenu.</p>	<p>Select the Upgrade menu and press [ENTER].</p>  <pre> Maintenance Menu ----- Upgrade Backup and Restore View Mail Queues Restart Server Save Platform Debug Logs Exit </pre>


Procedure A.2: Validate the Upgrade Media

<p>5. <input type="checkbox"/></p>	<p>MPS X: Select the Validate Media selection.</p>	<p>Select the Validate Media menu and press [ENTER].</p>  <p>The screenshot shows a terminal window titled "Upgrade Menu". The menu items are: Validate Media (highlighted in red), Early Upgrade Checks, Initiate Upgrade, Copy USB Upgrade Image, Non Tekelec RPM Management, Accept Upgrade, Reject Upgrade, and Exit.</p>
<p>6. <input type="checkbox"/></p>	<p>MPS X: Output from the Validate Media selection.</p>	<p>The screen will display a message that it is searching for upgrade media. Once the upgrade media is found, an Upgrade Media selection menu will be displayed similar to the example shown below.</p> <p>If the upgrade media is not found, follow Procedure A.10 to copy the upgrade ISO.</p> <p>Select the upgrade media or ISO image. There should only be one selection available, as shown in the example below. If there is more than one selection available, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E</p>  <p>The screenshot shows a terminal window titled "Choose Upgrade Media Menu". It lists a single file: /media/sdc1/TPD.install-7.0.3.0.0_86.44.0-OracleLinux6.7-x86_64.iso - 7.0.3.0.EPAP-16.2.0.0.0_162.6.0-x86_64.iso - 16.2.0.0.0_162.6.0. The file name is highlighted in red. Below the list is an "Exit" option.</p>
<p>7. <input type="checkbox"/></p>	<p>MPS X: View the Validation results.</p>	<p>The results of the validation will be displayed, similar to the example below. Press the "enter" key to continue.</p>

ProcedureA.3: System Configuration Backup

		 <p>A screenshot of the 'Main Menu' interface. The menu items are: Maintenance (highlighted in red), Diagnostics, Server Configuration, Security, Remote Consoles, Network Configuration, and Exit.</p>
<p>4. <input type="checkbox"/></p>	<p>MPS X: Select the Backup Platform submenu.</p>	<p>Select the Backup and Restore menu and press [ENTER].</p>  <p>A screenshot of the 'Maintenance Menu' interface. The menu items are: Upgrade, Patching, Backup and Restore (highlighted in red), Restart Server, Save Platform Debug Logs, Platform Data Collector, and Exit.</p>
<p>5. <input type="checkbox"/></p>	<p>MPS X: Select the Backup Platform submenu.</p>	<p>Select the Backup Platform (USB) submenu and press [ENTER].</p>  <p>A screenshot of the 'Backup and Restore Menu' interface. The menu items are: Backup Platform (USB) (highlighted in red), Backup Platform (CD/DVD), Restore Platform, Restore USB Archive, and Exit.</p>
<p>6. <input type="checkbox"/></p>	<p>MPS X: Backup continues.</p>	<p>The backup continues. The following busy screen may appear.</p>  <p>A screenshot of a 'System Busy' screen. The text reads: 'Loading default backup configuration.' followed by 'Please wait...' at the bottom.</p>

ProcedureA.3: System Configuration Backup

<p>7. <input type="checkbox"/></p>	<p>MPS X: Select the Build TGZ file only selection.</p>	<p>Select the Build TGZ file only selection and press [ENTER].</p>  <pre> Backup TekServer Menu ----- Select Backup Type (plat-app) View Index Table of Contents Select Backup Device(none) Build TGZ file only Backup Eject device Exit </pre>
<p>8. <input type="checkbox"/></p>	<p>MPS X: Backup complete – select exit.</p>	<p>Once the TGZ has been created, the “Backup TekServer Menu” will be displayed again. Select the Exit option, and keep selecting the Exit option, until you reach the command line prompt.</p>
<p>9. <input type="checkbox"/></p>	<p>MPS X: Transfer the backup file.</p>	<p>The backup file is in the /var/TKLC/bkp directory and will have a name like <hostname>-plat-app-[date][time].tgz</p> <p>Execute the following command to view the backup file: \$ ls -l /var/TKLC/bkp</p>
<p>10. <input type="checkbox"/></p>	<p>MPS X: Transfer file to remote machine.</p>	<p>Using SFTP (secure-FTP), transfer the ISO to a remote, customer-provided computer. Enter “yes” when prompted if you want to continue to connect.</p> <pre> \$ cd /var/TKLC/bkp \$ sftp <IP address of remote computer> Connecting to <IP address of remote computer>... The authenticity of host '<IP address of remote computer>' can't be established. DSA key fingerprint is 58:a5:7e:1b:ca:fd:1d:fa:99:f2:01:16:79:d8:b4:24. Are you sure you want to continue connecting (yes/no)? yes Warning: Permanently added '<IP address of remote computer>' (DSA) to the list of known hosts. root@<IP address of remote computer>'s password: sftp> cd <target directory> sftp> put <hostname>-plat-app-[date][time].tgz Uploading <hostname>-plat-app-[date][time].tgz to <hostname>-plat- app-[date][time].tgz sftp> bye </pre> <p>If no customer provided remote computer for backups exist, transfer the backup file to the mate using the following command:</p> <pre> \$ su - epapdev \$ scp /var/TKLC/bkp/<TGZ file> epapdev@mate:/var/TKLC/epap/free/ \$ chmod 667 /var/TKLC/bkp/<TGZ file> </pre>
<p>11. <input type="checkbox"/></p>	<p>Procedure complete.</p>	<p>Return to the procedure that you came here from.</p>

Procedure A.4 PDB Backup

Procedure A.4: PDB Backup

S T E P #	<p>This procedure performs a PDB backup on the EPAP server configured as a Provisionable node. This procedure should only be performed on the active PDBA.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR UPGRADE ASSISTANCE.</p>	
1. <input type="checkbox"/>	MPS A: Log in to the server.	If not already logged-in, then login at MPS A: <hostname> console login: epapdev Password: <password>
2. <input type="checkbox"/>	Run syscheck.	Execute the following Command: \$ syscheck
3. <input type="checkbox"/>	<p>Verify the System Check executed successfully.</p> <p>In particular, verify that the PDBA process is running by noting that syscheck does not generate an alarm against the PDBA process.</p>	<pre>Running modules in class disk... OK Running modules in class net... OK Running modules in class proc... OK Running modules in class system... OK Running modules in class hardware... OK</pre> <p>The log is available at: -->/var/TKLC/log/syscheck/fail_log</p> <p>If the syscheck utility reports the “5000000000000002 – Server Application Process Error” alarm, restart the PDBA and execute syscheck again. The above alarm should be removed. If the above alarm is not removed, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.</p>
4. <input type="checkbox"/>	System Check Verifies that PDBA is running.	If the syscheck does not report any errors, proceed to the next step. Otherwise, if any other failures were detected by System Check, contact My Oracle Support following the instructions on the front page or the instructions on the Appendix E.
5. <input type="checkbox"/>	Log into epapconfig.	\$ su - admusr \$ sudo su - epapconfig
6. <input type="checkbox"/>	Main menu is displayed. Select Platform Menu.	<pre>/-----EPAP Configuration Menu-----\ /-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server -----</pre>

Procedure A.4: PDB Backup

		<pre> 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit ----- </pre>
		Enter Choice: 6
7. <input type="checkbox"/>	Platform menu is displayed. Select PDB Backup.	<pre> Menu for standard EPAP designation: /-----EPAP Platform Menu-\ ----- 1 Initiate Upgrade ----- 2 Reboot MPS ----- 3 MySQL Backup ----- 4 RTDB Backup ----- 5 PDB Backup ----- e Exit ----- \-----/ </pre> <p>Enter Choice: 5</p> <pre> Menu for PDB-only designation: /-----EPAP Platform Menu-\ ----- 1 Initiate Upgrade ----- 2 Reboot MPS ----- 3 MySQL Backup ----- 4 PDB Backup ----- e Exit ----- \-----/ </pre> <p>Enter Choice: 4</p>
8. <input type="checkbox"/>	Menu will prompt for a “yes” to continue. Enter a Y.	Are you sure you want to backup the PDB to /var/TKLC/epap/free/pdbBackup_Recife-A_20170220010541_DBBirthdate_20170215103030GMT_DBLevel_7_v7.50.bkp.tar.gz? [N]:
9. <input type="checkbox"/>	While the backup is begin performed, the following output will be displayed to the screen.	<pre> Successfully started backup of PDB. Status will be displayed on the GUI banner. Press return to continue... </pre>
10. <input type="checkbox"/>	Exit this menu and return to the login prompt.	<p>Enter Choice: e</p> <p>Note: If this menu is not exited properly, then the SSH login with root shall remain enabled.</p>
11. <input type="checkbox"/>	Monitor GUI banner.	Monitor the GUI banner. When the backup has completed successfully, continue to the next step.
12. <input type="checkbox"/>	Use SFTP to transfer the backup file to a remote customer provided computer.	Using SFTP (secure-FTP), transfer the PDB backup file to a remote, customer-provided computer. Enter “yes” when prompted if you want to continue to connect.

Procedure A.4: PDB Backup

		<pre> \$ cd /var/TKLC/epap/free \$ sftp <IP address of remote computer> Connecting to <IP address of remote computer>... The authenticity of host '<IP address of remote computer>' can't be established. DSA key fingerprint is 58:a5:7e:1b:ca:fd:1d:fa:99:f2:01:16:79:d8:b4:24. Are you sure you want to continue connecting (yes/no)? yes Warning: Permanently added <IP address of remote computer>' (DSA) to the list of known hosts. root@<IP address of remote computer>'s password: sftp> cd <target directory> sftp> put pdbBackup_<hostname>_20140530151806_DDBirthdate_ 20140530144717GMT_DDBLevel_<DBLevel>.bkp.tar.gz Uploading pdbBackup_<hostname>_20140530151806_DDBirthdate_ 20140530144717GMT_DDBLevel_<DBLevel>.bkp.tar.gz to pdbBackup_<hostname>_ 20140530151806_DDBirthdate_20140530144717GMT_DDBLevel_<DBLevel>.bkp .tar.gz sftp> bye If no customer provided remote computer for backups exist, transfer the backup file to the mate using the following command \$ su - epapdev \$ scp /var/TKLC/epap/free/<pdb backup file> epapdev@mate:/var/TKLC/epap/free/ </pre>
13. <input type="checkbox"/>	Procedure complete.	Return to the procedure that you came here from.

Procedure A.5 RTDB Backup

Procedure A.5: RTDB Backup

S T E P #	This procedure performs an RTDB backup on the EPAP server.	
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.	
	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u> .	
	1. <input type="checkbox"/>	MPS B: Log in to the server. If not already logged-in, then login at the MPS B. <hostname> console login: admusr Password: <password>
2. <input type="checkbox"/>	Enter the epapconfig menu.	Execute the following command: \$ sudo su - epapconfig
3. <input type="checkbox"/>	Main menu is displayed. Select Platform Menu.	<pre> /-----EPAP Configuration Menu-----\ /-----\ 1 Display Configuration </pre>

ProcedureA.5: RTDB Backup

		<pre> ----- ----- 2 Configure Network Interfaces Menu ----- ----- 3 Set Time Zone ----- ----- 4 Exchange Secure Shell Keys ----- ----- 5 Change Password ----- ----- 6 Platform Menu ----- ----- 7 Configure NTP Server ----- ----- 8 PDB Configuration Menu ----- ----- 9 Security ----- ----- 10 SNMP Configuration ----- ----- 11 Configure Alarm Feed ----- ----- 12 Configure Query Server ----- ----- 13 Configure Query Server Alarm Feed ----- ----- 14 Configure SNMP Agent Community ----- ----- 15 Mate Disaster Recovery ----- ----- e Exit ----- ----- </pre> <p>Enter Choice:6</p>
<p>4. <input type="checkbox"/></p>	<p>Platform menu is displayed. Select RTDB Backup.</p>	<pre> /-----EPAP Platform Menu-\ /----- -----\ 1 Initiate Upgrade ----- ----- 2 Reboot MPS ----- ----- 3 MySQL Backup ----- ----- 4 RTDB Backup ----- ----- 5 PDB Backup ----- ----- e Exit ----- ----- </pre> <p>Enter Choice: 4</p>
<p>5. <input type="checkbox"/></p>	<p>The Application software must be stopped.</p>	<p>If the EPAP application software is running, you will be prompted to stop the software for the RTDB backup. Select with a “Y”.</p> <p>EPAP software is running. Stop it? [N]: Y</p>
<p>6. <input type="checkbox"/></p>	<p>Menu will prompt for a “yes” to continue. Enter a Y.</p>	<p>Are you sure you want to backup the PDB to /var/TKLC/epap/free/rtddbBackup_Recife-A_20140530151806.tar.gz? [N]:</p>
<p>7. <input type="checkbox"/></p>	<p>While the backup is begin performed, the following output will be displayed to the screen.</p>	<p>Successfully started backup of RTDB. Status will be displayed on the GUI banner. Press return to continue...</p>

ProcedureA.5: RTDB Backup

8. <input type="checkbox"/>	Exit this menu and return to the login prompt. Continue exiting until you get to the login prompt.	Enter Choice: e Enter Choice: e Note: If this menu is not exited properly, then the SSH login with root shall remain enabled.
9. <input type="checkbox"/>	Monitor GUI banner.	Monitor the GUI banner. When the backup has completed successfully, continue to the next step.
10. <input type="checkbox"/>	Restart the EPAP Software.	Restart the EPAP application software. \$ /etc/init.d/Epap start
11. <input type="checkbox"/>	Use SFTP to transfer the backup file to a remote customer provided computer.	Using SFTP (secure-FTP), transfer the RTDB backup file to a remote, customer-provided computer. Enter “yes” when prompted if you want to continue to connect. \$ cd /var/TKLC/epap/free \$ sftp <IP address of remote computer> Connecting to <IP address of remote computer>... The authenticity of host '<IP address of remote computer>' can't be established. DSA key fingerprint is 58:a5:7e:1b:ca:fd:1d:fa:99:f2:01:16:79:d8:b4:24. Are you sure you want to continue connecting (yes/no)? yes Warning: Permanently added '<IP address of remote computer>' (DSA) to the list of known hosts. root@<IP address of remote computer>'s password: sftp> cd <target directory> sftp> put rtdbBackup_<hostname>_20140530151806.tar.gz Uploading rtdbBackup_<hostname>_20140530151806.tar.gz to rtdbBackup_<hostname>_20140530151806.tar.gz sftp> bye If no customer provided remote computer for backups exist, transfer the backup file to the mate using the following command \$ su - epapdev \$ scp /var/TKLC/epap/free/<rtdb backup file> epapdev@mate:/var/TKLC/epap/free
12. <input type="checkbox"/>	Procedure complete.	Return to the procedure that you came here from.

Procedure A.6 EuiDB Backup

ProcedureA.6: EuiDB Backup

S T E P #	This procedure performs a backup of the User database on the MPS server. Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number. IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u> .	
	1. <input type="checkbox"/>	MPS A: Log in to the server as user “admusr”. <hostname> console login: admusr Password: <password>

ProcedureA.6: EuiDB Backup

<p>2. <input type="checkbox"/></p>	<p>Enter the epapconfig menu.</p>	<p>Execute the following Command:</p> <p>\$ sudo su - epapconfig</p>
<p>3. <input type="checkbox"/></p>	<p>Master menu is displayed. Select Platform Menu.</p>	<pre> /-----EPAP Configuration Menu-----\ /-----\ 1 Display Configuration ----- 2 Configure Network Interfaces Menu ----- 3 Set Time Zone ----- 4 Exchange Secure Shell Keys ----- 5 Change Password ----- 6 Platform Menu ----- 7 Configure NTP Server ----- 8 PDB Configuration Menu ----- 9 Security ----- 10 SNMP Configuration ----- 11 Configure Alarm Feed ----- 12 Configure Query Server ----- 13 Configure Query Server Alarm Feed ----- 14 Configure SNMP Agent Community ----- 15 Mate Disaster Recovery ----- e Exit \-----/ Enter Choice: 6 </pre>
<p>4. <input type="checkbox"/></p>	<p>Platform menu is displayed. Select MySQL Backup.</p>	<pre> /-----EPAP Platform Menu-\ /-----\ 1 Initiate Upgrade ----- 2 Reboot MPS ----- 3 MySQL Backup ----- 4 RTDB Backup ----- 5 PDB Backup ----- e Exit \-----/ Enter Choice: 3 </pre>
<p>5. <input type="checkbox"/></p>	<p>You will then be prompted to verify that</p>	<p>Are you sure you want to backup the MySQL database on MPS A? [N] :</p>

ProcedureA.6: EuiDB Backup




	you want to backup the MySQL Database.	
6. <input type="checkbox"/>	Type “Y” and press enter.	Press Y
7. <input type="checkbox"/>	While the backup is begin performed, the following output will be displayed to the screen.	NPDB Backed up Successfully to /var/TKLC/app1/free/<file name>
8. <input type="checkbox"/>	Exit this menu and return to the Unix login prompt. Continue exiting until you get to the Unix login prompt.	Enter Choice: e Note: If this menu is not exited properly, then the SSH login with root shall remain enabled.
9. <input type="checkbox"/>	Use SFTP to transfer the backup file to a remote customer provided computer.	Using SFTP (secure-FTP), transfer the NPDB backup file to a remote, customer-provided computer. Enter “yes” when prompted if you want to continue to connect. \$ cd /var/TKLC/epap/free \$ sftp <IP address of remote computer> Connecting to <IP address of remote computer>... The authenticity of host '<IP address of remote computer>' can't be established. DSA key fingerprint is 58:a5:7e:1b:ca:fd:1d:fa:99:f2:01:16:79:d8:b4:24. Are you sure you want to continue connecting (yes/no)? yes Warning: Permanently added '<IP address of remote computer>' (DSA) to the list of known hosts. root@<IP address of remote computer>'s password: sftp> cd <target directory> sftp> put npdbBackup_<hostname>_20140530151806.sql.gz Uploading npdbBackup_<hostname>_20140530151806.sql.gz to npdbBackup_<hostname>_20140530151806.sql.gz sftp> bye If no customer provided remote computer for backups exist, transfer the backup file to the mate using the following command \$ su - epapdev \$ scp /var/TKLC/epap/free/<npdb backup file> epapdev@mate:/var/TKLC/epap/free
10. <input type="checkbox"/>	Procedure complete.	Return to the procedure that you came here from.

Procedure A.7 RTDB Reload from PDBA




ProcedureA.7: RTDB Reload from PDBA

S	This procedure provides instructions to reload RTDB from PDBA.
T	
E	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.
P	
#	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR ASSISTANCE.

ProcedureA.7: RTDB Reload from PDBA

<p>1. <input type="checkbox"/> EPAP A: Log in to the web GUI as user “uiadmin”.</p>	
<p>2. <input type="checkbox"/> EPAP A: Put EPAP in Force Standby Mode.</p> <p>Expand the “Maintenance” Folder.</p> <p>Expand the “Force Standby” Folder.</p> <p>Select the “Change Status” link.</p> <p>Click on “Activate STANDBY Restriction” Button.</p>	
<p>3. <input type="checkbox"/> EPAP A: Reload RTDB from PDBA.</p> <p>Expand the “RTDB” Folder.</p> <p>Expand the “Maintenance” Folder.</p> <p>Select the “Reload from PDBA” link.</p> <p>Click on the “Reload” Button.</p> <p>Observe the “SUCCESS” Status.</p>	
<p>4. <input type="checkbox"/> EPAP A: Wait for completion.</p> <p>Observe the GUI informational message and wait for the RTDB Reload completion message before proceeding.</p>	

ProcedureA.7: RTDB Reload from PDBA

<p>5. <input type="checkbox"/></p>	<p>EPAP A: Remove EPAP from Force Standby Mode.</p> <p>Expand the “Maintenance” Folder.</p> <p>Expand the “Force Standby” Folder.</p> <p>Select the “Change Status” link.</p> <p>Click on “Remove STANDBY Restriction” Button.</p>	 
<p>6. <input type="checkbox"/></p>	<p>EPAP A: Verify RTDB status.</p> <p>Expand the “RTDB” Folder.</p> <p>Select the “View RTDB Status” link.</p>	 <p>The RTDB Status must be Coherent.</p>
<p>7. <input type="checkbox"/></p>	<p>Procedure complete.</p>	<p>Return to the procedure that you came here from.</p>

Procedure A.8 RTDB Restore

Procedure A.8: RTDB Restore

<p>S T E P #</p>	<p>This procedure provides instructions to restore RTDB from a backup file.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR ASSISTANCE.</p>
<p>1. <input type="checkbox"/></p>	<p>EPAP A: Log in to the web GUI as user “uiadmin”.</p>
<p>2. <input type="checkbox"/></p>	<p>EPAP A: Stop Software.</p> <p>On the menu, click Process Control->Stop Software.</p> <p>Click “Stop EPAP Software” Button</p>
<p>3. <input type="checkbox"/></p>	<p>EPAP A: Restore RTDB.</p> <p>On the menu, click RTDB->Maintenance->Restore RTDB</p> <p>Select the backup file, then click “Restore RTDB from the Selected File” Button</p> <p>Click “Confirm RTDB Restore” Button</p>

The screenshot shows the web GUI interface for 'EPAP A: uiadmin'. The left sidebar menu is expanded to 'Process Control' > 'Stop Software'. The main content area displays a confirmation dialog titled 'Stop EPAP Software'. A yellow warning icon is present with the text: 'CAUTION: This action will stop all EPAP software processes, and will prevent the selected EPAP from updating the RTDB until the EPAP software is re-started (by executing the Start Software menu item)'. There are two checkboxes: 'Check if you want the software to automatically start on reboot.' (checked) and 'Check if you want the PDBA software to automatically start on reboot.' (checked). A 'Stop EPAP Software' button is visible at the bottom of the dialog. The footer shows the date 'Tue January 06 2015 10:27:03 EST' and copyright information.

The screenshot shows a success message in the web GUI titled 'Stop EPAP Software'. A green checkmark icon is followed by the text: 'SUCCESS: The EPAP Software has been stopped.' The footer shows the date 'Tue January 06 2015 10:29:53 EST' and copyright information.

The screenshot shows the web GUI interface for 'EPAP A: uiadmin'. The left sidebar menu is expanded to 'RTDB' > 'Maintenance' > 'Restore RTDB'. The main content area displays a dialog titled 'Restore the RTDB'. It prompts the user to 'Please specify the sub directory (default is /var/TKLC/epap/free)'. There is a 'File Path' input field and an 'OK' button. The footer shows the date 'Tue January 06 2015 10:30:40 EST' and copyright information.

The screenshot shows a confirmation dialog titled 'Restore the RTDB'. A yellow warning icon is followed by the text: 'CAUTION: This action will restore the RTDB from the specified file on the selected EPAP. The EPAP software must be stopped on the selected EPAP in order for the restore to be allowed.' Below this is a table with the following data:

Select	Type	Originating Host	File Name	File Size	Creation Time
<input type="checkbox"/>	rtdbBackup	Recife-A	rtdbBackup_Recife-A...	577K bytes	Tue January 06 2015 10:25:35 EST

At the bottom of the dialog is a button labeled 'Restore RTDB from the Selected File.'

ProcedureA.8: RTDB Restore





		<p style="text-align: right;">A Restore the RTDB</p> <hr/> <p>Are you sure that you want to restore the RTDB from the file rtdbBackup_Recife-A_20150106102535_v3.72.bkp.tar.gz ?</p> <p style="text-align: center;"><input type="button" value="Confirm RTDB Restore"/></p>
4.	<p>EPAP A: Make EPAP down.</p> <p><input type="checkbox"/></p> <p>An IM alarm should be observed with informational message on EPAP GUI confirming that restore RTDB is in progress.</p> <p>An IM alarm should be observed with informational message on EPAP GUI confirming that restore RTDB completed successfully.</p> <p>Click “Confirm RTDB Restore” Button</p>	
5.	<p>Procedure complete.</p> <p><input type="checkbox"/></p>	Return to the procedure that you came here from.

Procedure A.9 RTDB Reload from Remote

ProcedureA.9: RTDB Reload from Remote

<p>S</p> <p>T</p> <p>E</p> <p>P</p> <p>#</p>	This procedure provides instructions to restore RTDB from a backup file.	
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.	
	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR ASSISTANCE.	
1.	<p>EPAP B: Log in to the web GUI as user “uiadmin”.</p> <p><input type="checkbox"/></p>	

ProcedureA.9: RTDB Reload from Remote

	
<p>2. <input type="checkbox"/> EPAP B: Stop Software.</p> <p>On the menu, click Process Control->Stop Software.</p> <p>Click “Stop EPAP Software” Button</p>	
<p>3. <input type="checkbox"/> EPAP B: Reload RTDB from Remote.</p> <p>On the menu, click RTDB->Maintenance->Reload from Remote</p> <p>Select Mate.</p> <p>Click “Begin RTDB Reload from Remote” Button</p> <p>Click “Confirm RTDB Reload from Remote” Button</p>	
<p>4. <input type="checkbox"/> EPAP B: Reload RTDB from Mate</p> <p>An IM alarm should be observed with informational message on EPAP GUI confirming the start of the reload process</p> <p>An informational alarm should be displayed with informational message when the reload is complete</p>	

ProcedureA.9: RTDB Reload from Remote

		<p>A Informational Messages</p> <hr/> <div style="text-align: center; background-color: #f0f0f0; padding: 5px;"> Informational Messages Reload RTDB from mate completed successfully </div> <div style="background-color: #0056b3; color: white; padding: 2px; text-align: center; font-size: small;"> Thu March 09 2017 05:39:38 EST </div> <p style="text-align: center; font-size: x-small;">Copyright © 2000, 2017, Oracle and/or its affiliates. All rights reserved.</p>																																
5. <input type="checkbox"/>	MPS A and B: Restart the GUI Server process.	<pre>\$ pkill gs \$ ssh mate pkill gs</pre>																																
6. <input type="checkbox"/>	MPS B: Start the Epap software on EPAP A and B.	<pre>\$ ssh mate /etc/init.d/Epap start ~~ /etc/init.d/Epap start ~~ EPAP application started. \$ service Epap start ~~ /etc/init.d/Epap start ~~ EPAP application started.</pre>																																
7. <input type="checkbox"/>	MPS B: Checking the RTDB Status Log onto the GUI of the B server and select RTDB, View RTDB Status. Verify that the DB status for the local and the mate is Coherent	<pre>\$ pkill gs</pre> <div style="border: 1px solid #ccc; padding: 5px;"> <p>B View RTDB Status</p> <hr/> <table style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr style="background-color: #f0f0f0;"> <th colspan="2" style="text-align: center;">Local RTDB Status</th> </tr> </thead> <tbody> <tr> <td>DB Status: Coherent</td> <td>Audit Enabled: Yes</td> </tr> <tr> <td>RTDB Level: 8</td> <td>RTDB Birthday: 12/31/2014 15:01:20 GMT</td> </tr> <tr> <td>PDB Level: 8</td> <td>PDB Birthday: 12/31/2014 15:02:16 GMT</td> </tr> <tr> <td>Counts: IMSIs=0, DNs=7, DN Blocks=0, NEs=1, ASDs=0</td> <td></td> </tr> <tr> <td>Tables: IMSI=0, DN=1, IMEI=0, ASD=0</td> <td></td> </tr> <tr> <td>DB Size: 403 M</td> <td>MinDsmSz: 14336 MB (1105 on epap240m)</td> </tr> <tr> <td>Reload: Unknown</td> <td></td> </tr> </tbody> </table> <table style="width: 100%; border-collapse: collapse; font-size: x-small;"> <thead> <tr style="background-color: #f0f0f0;"> <th colspan="2" style="text-align: center;">Mate RTDB Status</th> </tr> </thead> <tbody> <tr> <td>DB Status: Coherent</td> <td>Audit Enabled: Yes</td> </tr> <tr> <td>RTDB Level: 8</td> <td>RTDB Birthday: 12/31/2014 15:01:20 GMT</td> </tr> <tr> <td>PDB Level: 8</td> <td>PDB Birthday: 12/31/2014 15:02:16 GMT</td> </tr> <tr> <td>Counts: IMSIs=0, DNs=7, DN Blocks=0, NEs=1, ASDs=0</td> <td></td> </tr> <tr> <td>Tables: IMSI=0, DN=1, IMEI=0, ASD=0</td> <td></td> </tr> <tr> <td>DB Size: 403 M</td> <td>MinDsmSz: 14336 MB (1105 on epap240m)</td> </tr> <tr> <td>Reload: Unknown</td> <td></td> </tr> </tbody> </table> </div>	Local RTDB Status		DB Status: Coherent	Audit Enabled: Yes	RTDB Level: 8	RTDB Birthday: 12/31/2014 15:01:20 GMT	PDB Level: 8	PDB Birthday: 12/31/2014 15:02:16 GMT	Counts: IMSIs=0, DNs=7, DN Blocks=0, NEs=1, ASDs=0		Tables: IMSI=0, DN=1, IMEI=0, ASD=0		DB Size: 403 M	MinDsmSz: 14336 MB (1105 on epap240m)	Reload: Unknown		Mate RTDB Status		DB Status: Coherent	Audit Enabled: Yes	RTDB Level: 8	RTDB Birthday: 12/31/2014 15:01:20 GMT	PDB Level: 8	PDB Birthday: 12/31/2014 15:02:16 GMT	Counts: IMSIs=0, DNs=7, DN Blocks=0, NEs=1, ASDs=0		Tables: IMSI=0, DN=1, IMEI=0, ASD=0		DB Size: 403 M	MinDsmSz: 14336 MB (1105 on epap240m)	Reload: Unknown	
Local RTDB Status																																		
DB Status: Coherent	Audit Enabled: Yes																																	
RTDB Level: 8	RTDB Birthday: 12/31/2014 15:01:20 GMT																																	
PDB Level: 8	PDB Birthday: 12/31/2014 15:02:16 GMT																																	
Counts: IMSIs=0, DNs=7, DN Blocks=0, NEs=1, ASDs=0																																		
Tables: IMSI=0, DN=1, IMEI=0, ASD=0																																		
DB Size: 403 M	MinDsmSz: 14336 MB (1105 on epap240m)																																	
Reload: Unknown																																		
Mate RTDB Status																																		
DB Status: Coherent	Audit Enabled: Yes																																	
RTDB Level: 8	RTDB Birthday: 12/31/2014 15:01:20 GMT																																	
PDB Level: 8	PDB Birthday: 12/31/2014 15:02:16 GMT																																	
Counts: IMSIs=0, DNs=7, DN Blocks=0, NEs=1, ASDs=0																																		
Tables: IMSI=0, DN=1, IMEI=0, ASD=0																																		
DB Size: 403 M	MinDsmSz: 14336 MB (1105 on epap240m)																																	
Reload: Unknown																																		
8. <input type="checkbox"/>	Procedure complete.	Procedure Complete.																																

Procedure A.10 ISO Image copy from USB Media

This procedure defines the steps to perform an upgrade or application installation using an ISO image of the USB rather than an actual USB.

Assumption: The USB media contains the desired EPAP ISO.

ProcedureA.10: ISO Image copy from USB media

S T E P #	<p>This procedure provides instructions to copy an ISO image from an USB media.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR UPGRADE ASSISTANCE.</p>	
1. <input type="checkbox"/>	MPS X: Insert USB.	Insert media in USB drive
2. <input type="checkbox"/>	MPS X: Log in to the server as the “admusr” user.	[hostname] console login: admusr password: <admusr_password>
3. <input type="checkbox"/>	MPS X: Run syscheck to make sure there is no error.	<p>Execute the following command:</p> <p>\$ sudo syscheck</p> <p>The output should look like:</p> <pre>[admusr@hostname ~]\$ syscheck Running modules in class disk... OK Running modules in class hardware... OK Running modules in class net... OK Running modules in class proc... OK Running modules in class system... OK Running modules in class upgrade... OK LOG LOCATION: /var/TKLC/log/syscheck/fail_log</pre>
4. <input type="checkbox"/>	MPS X: Verify ISO image doesn't already exist.	<p>Execute the following command to perform directory listing:</p> <p>\$ ls -alrt /var/TKLC/upgrade</p> <p>The output should look like:</p> <pre>[admusr@hostname ~]\$ ls -alrt /var/TKLC/upgrade total 16 dr-xr-xr-x 2 root 4096 Oct 22 16:31 . dr-xr-xr-x 21 root root 4096 Oct 18 13:40 ..</pre> <p>If an ISO image exists, remove it by executing the following command:</p> <p>\$ rm -f /var/TKLC/upgrade/<ISO image></p>
5. <input type="checkbox"/>	MPS X: Delete unwanted ISOs from USB media.	<p>Execute the following command to create a directory to mount the USB media:</p> <p>\$ sudo mkdir -p /mnt/usb</p> <p>Execute the following command to get the USB drive name:</p> <p>\$ sudo fdisk -l grep FAT</p> <p>The output should look like:</p> <pre>/dev/sdc1 * 1 812 831472 6 FAT32</pre> <p>Execute the following command to mount the USB media using the USB drive name from the output above:</p> <p>\$ sudo mount /dev/sdc1 /mnt/usb</p> <p>Execute the following command to perform directory listing and verify the file name format is as expected:</p>

Procedure A.10: ISO Image copy from USB media

		<p>\$ ls -al /mnt/usb</p> <p>The output should look like: <pre>[admusr@hostname ~]\$ ls -al /mnt/usb total 629400 dr-xr-xr-x 2 root root 4096 Oct 16 13:33 . dr-xr-xr-x 22 root root 4096 Oct 16 13:55 .. -rw-r--r-- 1 root root 1101334528 May 6 04:53 EPAP-16.2.0.0.0_162.6.0-x86_64.iso</pre> </p> <p>Only one ISO file should be listed, if additional files are listed, execute the following command to remove unwanted EPAP ISOs: \$ sudo rm -f /mnt/usb/<ISO_NAME>.iso</p> <p>Execute the following command to unmount the USB media: \$ sudo umount /mnt/usb</p>
6. <input type="checkbox"/>	MPS X: Verify space exists for ISO.	<p>Execute the following command to verify the available disk space: \$ sudo df -h /var/TKLC</p> <p>The output should look like: <pre>[admusr@hostname ~]\$ df -h /var/TKLC Filesystem Size Used Avail Use% Mounted on /dev/md7 3.9G 902M 2.8G 24% /var/TKLC</pre> </p> <p>Verify that there is at least 620M in the Avail column. If not, clean up files until there is space available.</p> <p>CAUTION: Make sure you know what files you can remove safely before cleaning up. It is recommended that you only clean up files in the /var/TKLC/upgrade directory as this is a platform owned directory that should only contain ISO images. This directory should not be expected to contain images for any length of time as they can get purged. Contact My Oracle Support beforehand if removing files other than the /var/TKLC/upgrade directory as removing files is dangerous.</p>
7. <input type="checkbox"/>	MPS X: Copy iso from mounted path to the destination path	<p>Execute the following command to copy ISO: \$ cp /mnt/usb/<xyz.iso> /var/TKLC/upgrade/</p>
8. <input type="checkbox"/>	MPS X: Verify ISO image exists.	<p>Execute the following command to perform directory listing: \$ ls -alrt /var/TKLC/upgrade</p> <p>The output should look like: <pre>[admusr@hostname ~]\$ ls -alrt /var/TKLC/upgrade total 16 dr-xr-xr-x 2 root root 4096 Oct 22 16:31 . dr-xr-xr-x 21 root root 4096 Oct 18 13:40 .. -rw-r--r-- 1 root root May 6 04:53 EPAP-16.2.0.0.0_162.6.0-x86_64.iso</pre> </p> <p>Repeat this procedure from step 5 if EPAP ISO file is not as expected.</p>
9. <input type="checkbox"/>	MPS X: Logout from server.	<p>Logout from the server by executing the following command: \$ sudo logout</p>
10. <input type="checkbox"/>	MPS X: Remove USB media.	<p>Remove media from USB drive.</p>


Procedure A.10: ISO Image copy from USB media

<input type="checkbox"/>	11. MPS X: Validate ISO file.	Validate ISO file using Procedure A.2.
<input type="checkbox"/>	12. Procedure complete.	This procedure is complete.



Procedure A.11 IPM MPS Server with TPD 7.4.X

Note: Both the MPS-A and MPS-B servers can be IPM'ed at the same time.



Procedure A.11: IPM with TPD 7.4.x

S T E P #	This procedure will IPM the E5-APP-B Server.	
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.	
	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u> .	
<input type="checkbox"/>	1. MPS X: Insert TPD 7.0.x USB media into the USB port (E5-APP-B)	Reboot server # reboot
<input type="checkbox"/>	2. MPS X: Press 'del' key to enter the BIOS, set System Time to EST time, and System Date.	
<input type="checkbox"/>	3. MPS X: Select <i>Boot</i> → <i>Hard Disk Drives</i> option	



Procedure A.11: IPM with TPD 7.4.x

<p>8. <input type="checkbox"/></p>	<p>MPS X: Select [OK] to save the configuration changes.</p> <p>The server will reboot and TPD boot prompt will appear.</p>	
<p>9. <input type="checkbox"/></p>	<p>MPS X: Start the IPM process by entering the TPDlvm command at the boot prompt.</p>	
<p>10. <input type="checkbox"/></p>	<p>MPS X: After a few seconds, additional messages will begin scrolling by on the screen as the Linux kernel boots, and then the drive formatting and file system creation steps will begin.</p>	



Procedure A.11: IPM with TPD 7.4.x

	
<p>11. <input type="checkbox"/> MPS X: Once the drive formatting and file system creation steps are complete, the screen at right will appear indicating that the package installation step is about to begin.</p>	
<p>12. <input type="checkbox"/> MPS X:</p>	



Procedure A.11: IPM with TPD 7.4.x

<p>After a few minutes, you will see a screen similar to that at right, showing the status of the package installation step. For each package, there will be a status bar at the top indicating how much of the package has been installed, with a cumulative status bar at the bottom indicating how many packages remain. In the middle, you will see text statistics indicating the total number of packages, the number of packages installed, the number remaining, and current and projected time estimates.</p>	 <p>The screenshot shows a terminal window titled "Package Installation". At the top, a progress bar is partially filled, with "58%" displayed above it. Below the progress bar, the text reads "Packages completed: 549 of 818". A green cursor is positioned at the start of the line "Installing selinux-policy-TPD-1.4.0-7.3.0.0.0_88.26.0.noarch (900 KB)". Below this, the text says "Tekelec SELinux policy modules."</p>
<p>13. <input type="checkbox"/> MPS X:</p> <p>Once all the packages have been successfully installed, the screen at right will appear letting you know the installation process is complete.</p> <p>On E5-APP-B server remove the installation media (USB) and press <ENTER> to reboot the system and continue with the next step.</p>	 <p>The screenshot shows a terminal window titled "Welcome to Oracle Linux Server for x86_64". At the top, a progress bar is fully filled, with "Complete" displayed above it. Below the progress bar, the text reads "Congratulations, your Oracle Linux Server installation is complete." followed by "Please reboot to use the installed system. Note that updates may be available to ensure the proper functioning of your system and installation of these updates is recommended after the reboot." A green cursor is positioned at the start of the line "Reboot".</p>



Procedure A.11: IPM with TPD 7.4.x

<p>14. <input type="checkbox"/> MPS X: Press 'del' key to enter the BIOS, set correct System Time in GMT and System Date.</p>	 <p>The screenshot shows the BIOS 'System Overview' screen. The 'Main' menu is selected. The screen displays system information including AMIBIOS version (08.00.15), processor (Intel(R) Xeon(R) CPU L5238 @ 2.66GHz), and system memory (8192MB). The system time is set to [05:56:32] and the system date is [Thu 06/21/2012]. Navigation instructions are provided on the right side of the screen.</p>
<p>15. <input type="checkbox"/> MPS X: Select <i>Boot</i> → <i>Hard Disk Drives</i> option</p>	 <p>The screenshot shows the BIOS 'Boot Settings Configuration' screen. The 'Boot' menu is selected. The screen displays options for boot device priority and hard disk drives. Navigation instructions are provided on the right side of the screen.</p>
<p>16. <input type="checkbox"/> MPS X: Press 'Enter' key and select HDD:P0 as the 1st Drive</p>	<p>(This cell is empty in the provided image, likely representing the next step in the procedure.)</p>


Procedure A.11: IPM with TPD 7.4.x

		
<p>17. <input type="checkbox"/></p>	<p>MPS X: Press 'Esc' key and select Boot Device Priority</p>	
<p>18. <input type="checkbox"/></p>	<p>MPS X: Verify that the 1st Boot Device is set to HDD:P0.</p>	

Procedure A.11: IPM with TPD 7.4.x

	
<p>19. <input type="checkbox"/> MPS X: Press 'Esc' key and select <i>Exit</i> → <i>Save Changes and Exit</i> option</p>	
<p>20. <input type="checkbox"/> MPS X: Select [OK] to save the configuration changes. The server will reboot. Remove USB media from USB drive.</p>	

Procedure A.11: IPM with TPD 7.4.x

		 <p>When the message "Upstart Job ntdMgr: started", is displayed, press the Enter Key to get the Login prompt.</p>
21. <input type="checkbox"/>	MPS X: Log in to the server as the user "admusr"	console login: admusr password: <admusr_password>
22. <input type="checkbox"/>	MPS X: Verify that the platform revision is same as the TPD DVD or ISO used.	\$ getPlatRev 7.4.x.0.0-y.z.0
23. <input type="checkbox"/>	MPS X: Verify the system date.	\$ date -u Wed Mar 21 11:04:54 UTC 2018 Verify that the output time matches the time set in step 14. If mismatch is found, then Refer to Appendix E for instructions on accessing My Oracle Support.
24. <input type="checkbox"/>	Procedure complete.	Return to the procedure that you came here from.

Procedure A.12 Standalone PDB Segmented Configuration

Note: All the networks (Prov, GUI and OAM) should be in different subnets. The networks can be a mix of IPv4 and IPv6 IPs.

ProcedureA.12: Standalone PDB Segmented Configuration

S T E P #	<p>This procedure will configure the standalone PDB in segmented configuration.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>UPGRADE ASSISTANCE</u>.</p>
----------------------------------	---

ProcedureA.12: Standalone PDB Segmented Configuration

1. <input type="checkbox"/>	MPS A: Log on Server A.	<code>[hostname] consolelogin: admusr password: <i>password</i></code>
2. <input type="checkbox"/>	MPS A: Switch user to epapconfig.	<code>\$ sudo su - epapconfig</code>
3. <input type="checkbox"/>	MPS A: A note of caution appears. Press Return to continue.	Caution: This is the first login of the text user interface. <code>Press return to continue...</code>
4. <input type="checkbox"/>	MPS A: Upon pressing Return you can now abort or proceed with the initial configuration. To continue with the configuration, enter Y.	<code>Are you sure you wish to continue? [N]:Y</code>
5. <input type="checkbox"/>	MPS A: Enter the System Number and Network Configuration Type as "Segmented".	<code>Building the initial database on side A. Stopping local slave No preexisting EuiDB database was detected. Set EPAP System Number: <Enter the System Number here> Enter the Network Configuration Type (1 for Single, 2 for Segmented): 2</code>
6. <input type="checkbox"/>	MPS A: The EPAP Configuration Menu is displayed. Select choice 2, Configure Network Interfaces Menu.	<pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit \-----/ Enter Choice: 2 </pre>
7. <input type="checkbox"/>	MPS A: The Configure Network Interfaces Menu is displayed. Select choice 1, Configure Provisioning Network.	<pre> /-----Configure Network Interfaces Menu-----\ 1 Configure Provisioning Network 2 Configure GUI Network \-----/ </pre>

ProcedureA.12: Standalone PDB Segmented Configuration

		<pre> 3 Configure Operations and Maintenance Network --- ----- 4 Configure Backup Provisioning Network --- ----- 5 Configure Static NAT Addresses --- ----- e Exit \-----/ Enter Choice: 1 </pre>
	<p>Note: Enter choice “1” for IPv4 configuration. Otherwise, enter choice “2” for IPv6 configuration.</p>	<pre> /-----Configure Provisiong Network Menu-\ /-----\ 1 IPv4 Configuration --- ----- 2 IPv6 Configuration --- ----- e Exit \-----/ Enter Choice: █ Example output Standalone PDB in IPv4 configuration: EP&P A provisioning network IP Address: 192.168.61.35 EP&P provisioning network netmask: 255.255.255.0 EP&P provisioning network default router: 192.168.61.250 Select choice e to exit to the “Configure Network Interfaces” menu. </pre>
<p>8. <input type="checkbox"/></p>	<p>MPS A: The Configure Network Interfaces Menu is displayed. Select choice 2, Configure GUI Network.</p> <p>Note: Enter choice “1” for IPv4 configuration. Otherwise, enter choice “2” for IPv6 configuration.</p>	<pre> /-----Configure Network Interfaces Menu-----\ /-----\ 1 Configure Provisioning Network --- ----- 2 Configure GUI Network --- ----- 3 Configure Operations and Maintenance Network --- ----- 4 Configure Backup Provisioning Network --- ----- 5 Configure Static NAT Addresses --- ----- e Exit \-----/ Enter Choice: 2 /-----Configure GUI Network-\ /-----\ 1 IPv4 Configuration --- ----- 2 IPv6 Configuration --- ----- e Exit \-----/ Enter Choice: 1 Example output Standalone PDB in IPv4 configuration: EP&P A GUI network IP Address: 192.168.59.27 EP&P GUI network netmask: 255.255.255.0 EP&P GUI network route: 192.168.59.250 </pre>

ProcedureA.12: Standalone PDB Segmented Configuration

<p>9. <input type="checkbox"/></p>	<p>MPS A: The Configure Network Interfaces Menu is displayed. Select choice 3, Configure Operations and Maintenance Network.</p> <p>Note: Enter choice "1" for IPv4 configuration. Otherwise, enter choice "2" for IPv6 configuration.</p>	<p>Select choice e to exit to the "Configure Network Interfaces" menu.</p> <pre> /-----Configure Network Interfaces Menu-----\ /-----\ 1 Configure Provisioning Network ----- 2 Configure GUI Network ----- 3 Configure Operations and Maintenance Network ----- 4 Configure Backup Provisioning Network ----- 5 Configure Static NAT Addresses ----- e Exit \-----\ Enter Choice: 3 /-----Configure Operations and Maintenance Network-\ /-----\ 1 IPv4 Configuration ----- 2 IPv6 Configuration ----- e Exit \-----\ Enter Choice: 1 EPAP A Operations and Maintenance network IP Address: 192.168.60.26 EPAP Operations and Maintenance network netmask: 255.255.255.0 EPAP Operations and Maintenance network route: 192.168.60.250 Select choice e to exit to the "Configure Network Interfaces" menu. </pre>
<p>10. <input type="checkbox"/></p>	<p>MPS A: Select choice e to exit from the epapconfig menu.</p>	<pre> /-----Configure Network Interfaces Menu-----\ /-----\ 1 Configure Provisioning Network ----- 2 Configure GUI Network ----- 3 Configure Operations and Maintenance Network ----- 4 Configure Backup Provisioning Network ----- 5 Configure Static NAT Addresses ----- e Exit \-----\ Enter Choice: e /-----EPAP Configuration Menu-----\ /-----\ 1 Display Configuration ----- 2 Configure Network Interfaces Menu ----- 3 Set Time Zone ----- 4 Exchange Secure Shell Keys ----- 5 Change Password ----- 6 Platform Menu ----- 7 Configure NTP Server \-----\ </pre>

ProcedureA.12: Standalone PDB Segmented Configuration

		<pre> ----- 8 PDB Configuration Menu ----- 9 Security ----- 10 SNMP Configuration ----- 11 Configure Alarm Feed ----- 12 Configure Query Server ----- 13 Configure Query Server Alarm Feed ----- 14 Configure SNMP Agent Community ----- 15 Mate Disaster Recovery ----- e Exit ----- </pre> <p>Enter choice: 2</p> <p>Enter choice: e</p> <p>Note: If this menu is not exited properly, then the SSH login with root shall remain enabled.</p>	
11.	<input type="checkbox"/> MPS A: Procedure is complete.	Procedure is complete.	

Procedure A.13 Password change for EPAP System Users

ProcedureA.13: Password change for EPAP System Users

S T E P #	<p>This procedure will change the password for the EPAP System User(s).</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR UPGRADE ASSISTANCE.</p>	
1.	<input type="checkbox"/> MPS A: Log on Server A with the EPAP System User for which the password is to be changed.	<pre> [hostname]: <EPAP System User> password: <epapdev password> </pre>
2.	<input type="checkbox"/> MPS A: Change Password for an EPAP system user	<p>Execute the command to change to password of an existing EPAP user.</p> <pre> \$ passwd Changing password for user <EPAP System User>. Changing password for <EPAP System User>. (current) UNIX password: <Enter the current password here> New password: <Enter the new password here> Retype new password: <Retype the new password here> passwd: all authentication tokens updated successfully. </pre> <p>Note: The Linux “passwd” command used to change the password of Linux users, follows the Linux PAM rules. Refer to the Linux manual for the PAM rules.</p> <pre> # man pam_cracklib </pre>

ProcedureA.13: Password change for EPAP System Users

3. <input type="checkbox"/>	MPS B: Change Password	Repeat steps 1 and 2 on MPS B also. Note: The new password on MPS A and B should be same.
4. <input type="checkbox"/>	MPS A: Procedure Complete	This procedure is complete.

Procedure A.14 E5-APP-B Halt/Shutdown

Procedure A.14: E5-APP-B Halt/Shutdown

S T E P #	This procedure will halt the E5-APP-B hardware.	
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.	
	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR UPGRADE ASSISTANCE .	
1. <input type="checkbox"/>	E5APPB Card: Slide the ejector switch	On the APP-B card, slide the Ejector switch (4) up to the UNLOCKED position. Refer to Figure 7. Caution: If the Ejector switch goes from locked to unlocked and the E5-APP-B card is in service, the card will halt.
2. <input type="checkbox"/>	E5APPB Card: Monitor the Eject Status LED	WAIT for the E5-APP-B Eject Status LED to go from blinking red to a steady red.
3. <input type="checkbox"/>	E5APPB Card: Lever Release	Grasp the upper and lower card Inject/Eject (I/E) lever release (3) just underneath the I/E lever, and press it to meet the I/E lever. This is the mechanical interlock for the card. Refer to Figure 8.
4. <input type="checkbox"/>	E5APPB Card: Pull out the levers	While holding the I/E interlock and lever, pull the levers (2) away from the shelf until they are parallel to the floor. Refer to Figure 8.
5. <input type="checkbox"/>	E5APPB Card: Slide the ejector switch	Remove the E5-APP-B card from the EAGLE shelf.
6. <input type="checkbox"/>	MPS A: Procedure Complete	This procedure is complete.




Figure 7: Slide the Ejector Switch




Figure 8: Release Lever

Procedure A.15 Procedure to Configure EPAP switch ports and EAGLE SM cards to support 1G EPAP-to-Eagle RTDB download speed

Note: This needs to be done in coordination with the EAGLE team.

Procedure A.15: Procedure to Configure EPAP switch ports and EAGLE SM cards to support 1G EPAP-to-Eagle RTDB download speed

S	This procedure will configure EPAP Switch ports and Eagle SM cards to support 1G EPAP-to-EAGLE download speed.
T	
E	
P	Note: Estimated time of completion is 20 minutes.
#	

1. <input type="checkbox"/>	E5-APP-B A/B: Configure the SM ports on EPAP switch to 1000 Mbps.	Follow Procedure 9 to Configure the SM ports on EPAP switch to 1000 Mbps
2. <input type="checkbox"/>	EAGLE: Configure Ethernet port on EAGLE SM cards that connects to EPAP to Auto-negotiate.	Eagle Command to configure an Ethernet port on EAGLE SM cards that connects to EPAP: CHG-IP-LNK:LOC=<SM card location>;PORT=<Port>;IPADDR=<IP Address>;SUBMASK=<Subnet Mask>;MCAST=YES:AUTO=YES
3. <input type="checkbox"/>	EAGLE: Verify the auto negotiation status of the Ethernet ports on EAGLE SM cards that connects to EPAP. Make sure the ports are getting auto-negotiated to 1000Mbps/Full Duplex.	Eagle Command to verify auto negotiation status of an Ethernet port on EAGLE SM cards that connects to EPAP: PASS: LOC=<SM card location>;CMD="NETSTAT -I" Please go through the “Identifying the Ethernet port status on SM cards using "NETSTAT -I" display” section below. If ports on SM cards are getting auto-negotiated to 1000Mbps/Full Duplex correctly, then stop here. Otherwise continue with next step.
4. <input type="checkbox"/>	E5-APP-B A/B: Configure the SM ports on EPAP switch to auto-negotiate.	Follow Procedure 9 to Configure the SM ports on EPAP switch to ‘auto’.
5. <input type="checkbox"/>	EAGLE: Verify the auto negotiation status of a Ethernet port on EAGLE SM cards that connects to EPAP. Make sure the ports are getting auto-negotiated to 1000Mbps/Full Duplex.	Eagle Command to verify auto negotiation status of an Ethernet port on EAGLE SM cards that connects to EPAP: PASS: LOC=<SM card location>;CMD="NETSTAT -I" Please go through the “Identifying the Ethernet port status on SM cards using "NETSTAT -I" display” section below

[Identifying the Ethernet port status on SM cards using "NETSTAT -I" display:](#)

SM8G-B card running SCCPHC:

```
gei (unit number 2) = ExAP Port A
gei (unit number 3) = ExAP Port B
```

```
> rept-stat-card:mode=full:loc=1307
```

```
eagle1 17-05-04 16:43:49 MST EAGLE 46.5.0.0-70.29.0
CARD  VERSION      TYPE      GPL      PST      SST      AST
1307  140-029-000  DSM      SCCPHC   IS-ANR   MPS Unavl  -----
ALARM STATUS      = No Alarms.
BLMCAP  GPL version = 140-029-000
IMT BUS A          = Conn
IMT BUS B          = Disc
CLOCK A           = Fault
CLOCK B           = Active
CLOCK I           = Idle
MBD BIP STATUS    = Valid
MOTHER BOARD ID   = SMXG B
DBD STATUS        = Valid
DBD TYPE          = None
DBD MEMORY SIZE   = 8192M
HW VERIFICATION CODE= ----
FPGA VERSION      = 9
BIOS VERSION      = 0ABSV01
PSOC VERSION      = 0.1
```



```
CURRENT TEMPERATURE = 34C ( 94F)
PEAK TEMPERATURE:   = 34C ( 94F)   [17-05-04 15:49]
SCCP % OCCUP        = 0%
SCCP SM DATA TYPE  = DN
APPLICATION SERVICING
```

```
          MFC          MFC
SNM      REQ STATUS = 24 hr: ---, 5 min: ---
INM      REQ STATUS = 24 hr: ---, 5 min: ---
MTP3     REQ STATUS = 24 hr: ---, 5 min: ---
SFLOG    REQ STATUS = 24 hr: ---, 5 min: ---
```

IPLNK STATUS

```
IPLNK  IPADDR          STATUS      PST
A      192.168.120.21  DOWN      OOS-MT
B      192.168.121.21  DOWN      OOS-MT
```

DSM IP CONNECTION

```
PORT   PST           SST
A      OOS-MT        Unavail
B      OOS-MT        Unavail
```

Command Completed.

;

```
> pass:loc=1307:cmd="netstat -i"
```

```
eagle1 17-05-04 16:44:26 MST  EAGLE 46.5.0.0.0-70.29.0
SDS Shell Output
```

```
-> tklc_ifShow
```

```
lo (unit number 0):
```

```
Flags: (0x48049) UP LOOPBACK MULTICAST TRAILERS ARP RUNNING INET_UP
Type: SOFTWARE_LOOPBACK
inet: 127.0.0.1
Netmask 0xff000000 Subnetmask 0xff000000
Metric is 0
Maximum Transfer Unit size is 1536
0 packets received; 1 packets sent
0 multicast packets received
0 multicast packets sent
0 input errors; 0 output errors
0 collisions; 0 dropped
0 output queue drops
```

```
DPLend (unit number 0):
```

```
Flags: (0x20043) UP BROADCAST ARP RUNNING
Type: ETHERNET_CSMACD
Ethernet address is 00:00:00:00:00:00
Metric is 0
Maximum Transfer Unit size is 485
0 octets received
0 octets sent
0 unicast packets received
0 unicast packets sent
0 non-unicast packets received
0 non-unicast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
```

```
gei (unit number 2):
```

```
Flags: (0x78043) UP BROADCAST MULTICAST ARP RUNNING INET_UP
PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
Type: ETHERNET_CSMACD
inet: 192.168.120.21
```

```
Broadcast address: 192.168.120.255
Netmask 0xffffffff Subnetmask 0xffffffff
Ethernet address is 00:00:17:0e:b7:d2
Metric is 0
Maximum Transfer Unit size is 1500
250214 octets received
122200 octets sent
0 unicast packets received
0 unicast packets sent
0 multicast packets received
0 multicast packets sent
2075 broadcast packets received
940 broadcast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
```

gei (unit number 3):

```
Flags: (0x78043) UP BROADCAST MULTICAST ARP RUNNING INET_UP
PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
Type: ETHERNET_CSMACD
inet: 192.168.121.21
Broadcast address: 192.168.121.255
Netmask 0xffffffff Subnetmask 0xffffffff
Ethernet address is 00:00:17:0e:b7:d3
Metric is 0
Maximum Transfer Unit size is 1500
248920 octets received
121290 octets sent
0 unicast packets received
0 unicast packets sent
0 multicast packets received
0 multicast packets sent
2062 broadcast packets received
933 broadcast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
```

value = 26 = 0x1a

;

```
eagle1 17-05-04 16:44:36 MST EAGLE 46.5.0.0-70.29.0
```

NETSTAT command complete

;

SM8G-B card running SCCP64:

```
gei (unit number 4) = ExAP Port A
gei (unit number 5) = ExAP Port B
```

> rept-stat-card:mode=full:loc=1307

```
eagle1 17-05-04 17:00:01 MST EAGLE 46.5.0.0-70.29.0
```

```

CARD   VERSION   TYPE      GPL        PST        SST        AST
1307   140-029-000 DSM        SCCP64     IS-ANR     MPS Unavl  -----
ALARM STATUS      = No Alarms.
BLDC64 GPL version = 140-029-000
IMT BUS A         = Conn
IMT BUS B         = Disc
CLOCK A           = Fault
CLOCK B           = Active
CLOCK I           = Idle
MBD BIP STATUS    = Valid
MOTHER BOARD ID   = SMXG B
DBD STATUS        = Valid
DBD TYPE          = None
DBD MEMORY SIZE   = 8192M
HW VERIFICATION CODE= ----
FPGA VERSION      = 9
BIOS VERSION      = 0ABSV01
PSOC VERSION      = 0.1
CURRENT TEMPERATURE = 34C ( 94F)
PEAK TEMPERATURE: = 34C ( 94F) [17-05-04 15:49]
SCCP % OCCUP      = 0%
SCCP SM DATA TYPE = DN
APPLICATION SERVICING

                                MFC          MFC
SNM   REQ STATUS = 24 hr: ---, 5 min: ---
INM   REQ STATUS = 24 hr: ---, 5 min: ---
MTP3  REQ STATUS = 24 hr: ---, 5 min: ---
SFLOG REQ STATUS = 24 hr: ---, 5 min: ---
IPLNK STATUS
IPLNK IPADDR      STATUS      PST
A     192.168.120.21 DOWN      OOS-MT
B     192.168.121.21 DOWN      OOS-MT
DSM IP CONNECTION
PORT  PST         SST
A     OOS-MT      Unavail
B     OOS-MT      Unavail

```

Command Completed.

;

```
> pass:loc=1307:cmd="netstat -i"
```

```
eagle1 17-05-04 17:00:14 MST EAGLE 46.5.0.0.0-70.29.0
SDS Shell Output
```

```
shellLib: unknown LED mode vi.
```

```
-> tklc_ifShow
```

```
lo0 Link type:Local loopback Queue:none
inet 127.0.0.1 mask 255.255.255.255
inet6 unicast fe80::1%lo0 prefixlen 64 automatic
inet6 unicast ::1 prefixlen 128
UP RUNNING LOOPBACK MULTICAST NOARP ALLMULTI
MTU:1500 metric:1 VR:0 ifindex:1
RX packets:761 mcast:3 errors:0 dropped:0
TX packets:761 mcast:3 errors:0
collisions:0 unsupported proto:0
RX bytes:85k TX bytes:85k
```

```
gei4 Link type:Ethernet HWaddr 00:00:17:0e:b7:d2 Queue:none
capabilities: TXCSUM TX6CSUM
inet 192.168.120.21 mask 255.255.255.0 broadcast 192.168.120.255
inet6 unicast fe80::200:17ff:fe0e:b7d2%gei4 prefixlen 64 automatic
UP RUNNING SIMPLEX BROADCAST MULTICAST
MTU:1500 metric:1 VR:0 ifindex:2
```

```
RX packets:791 mcast:0 errors:0 dropped:0
TX packets:386 mcast:6 errors:0
collisions:0 unsupported proto:0
RX bytes:92k TX bytes:48k
```

```
gei5      Link type:Ethernet HWaddr 00:00:17:0e:b7:d3 Queue:none
capabilities: TXCSUM TX6CSUM
inet 192.168.121.21 mask 255.255.255.0 broadcast 192.168.121.255
inet6 unicast fe80::200:17ff:fe0e:b7d3%gei5 prefixlen 64 automatic
UP RUNNING SIMPLEX BROADCAST MULTICAST
MTU:1500 metric:1 VR:0 ifindex:3
RX packets:783 mcast:0 errors:0 dropped:0
TX packets:386 mcast:6 errors:0
collisions:0 unsupported proto:0
RX bytes:91k TX bytes:48k
```

```
gei (unit number 4):
  PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
gei (unit number 5):
  PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
value = 1 = 0x1
```

;

SM8G-B card running ENUMHC/DEIRHC/SIPHC:

```
gei (unit number 2) = ExAP Port
gei (unit number 3) = Signaling Port
```

```
> rept-stat-card:mode=full:loc=1317
```

```
eagle1 17-05-04 15:46:06 MST EAGLE 46.5.0.0.0-70.29.0
CARD  VERSION      TYPE      GPL      PST      SST      AST
1317  140-029-000    DSM      ENUMHC   IS-ANR   MPS Unavl  -----
ALARM STATUS      = No Alarms.
BLMCAP  GPL version = 140-029-000
IMT BUS A         = Conn
IMT BUS B         = Disc
CLOCK A          = Fault
CLOCK B          = Active
CLOCK I          = Idle
MBD BIP STATUS    = Valid
MOTHER BOARD ID  = SMXG B
DBD STATUS       = Valid
DBD TYPE         = None
DBD MEMORY SIZE  = 8192M
HW VERIFICATION CODE= ----
FPGA VERSION     = 9
BIOS VERSION     = 0ABSV01
PSOC VERSION     = 0.1
CURRENT TEMPERATURE = 34C ( 94F)
PEAK TEMPERATURE: = 34C ( 94F) [17-05-02 09:31]
ENUM SM DATA TYPE = DN
IPLNK STATUS
  IPLNK  IPADDR          STATUS  PST
  A      192.168.120.13  UP      IS-NR
  B      10.75.49.21    UP      IS-NR
  C      -----      ----   ----
  D      -----      ----   ----
DSM IP CONNECTION
  PORT  PST          SST
  A     OOS-MT      Unavail
  D     OOS-MA      Ueq
ENUM CONNECTION STATUS
  CNAME          PROT      STATUS
```

```

Command Completed.
;
> pass:loc=1317:cmd="netstat -i"
Command Accepted - Processing

eagle1 17-05-04 15:46:46 MST EAGLE 46.5.0.0.0-70.29.0
pass:loc=1317:cmd="netstat -i"
Command entered at terminal #13.
;

eagle1 17-05-04 15:46:46 MST EAGLE 46.5.0.0.0-70.29.0
PASS: Command sent to card
;

eagle1 17-05-04 15:46:46 MST EAGLE 46.5.0.0.0-70.29.0
SDS Shell Output

-> tklc_ifShow
lo (unit number 0):
  Flags: (0x48049) UP LOOPBACK MULTICAST TRAILERS ARP RUNNING INET_UP
  Type: SOFTWARE_LOOPBACK
  inet: 127.0.0.1
  Netmask 0xff000000 Subnetmask 0xff000000
  Metric is 0
  Maximum Transfer Unit size is 1536
  0 packets received; 1 packets sent
  0 multicast packets received
  0 multicast packets sent
  0 input errors; 0 output errors
  0 collisions; 0 dropped
  0 output queue drops
DPLend (unit number 0):
  Flags: (0x20043) UP BROADCAST ARP RUNNING
  Type: ETHERNET_CSMACD
  Ethernet address is 00:00:00:00:00:00
  Metric is 0
  Maximum Transfer Unit size is 485
  0 octets received
  0 octets sent
  0 unicast packets received
  0 unicast packets sent
  0 non-unicast packets received
  0 non-unicast packets sent
  0 incoming packets discarded
  0 outgoing packets discarded
  0 incoming errors
  0 outgoing errors
  0 unknown protos
  0 collisions; 0 dropped
  0 output queue drops
gei (unit number 2):
  Flags: (0x78043) UP BROADCAST MULTICAST ARP RUNNING INET_UP
  PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
  Type: ETHERNET_CSMACD
  inet: 192.168.120.13
  Broadcast address: 192.168.120.255
  Netmask 0xffffffff Subnetmask 0xffffffff00
  Ethernet address is 00:00:17:0e:b7:d2
  Metric is 0
  Maximum Transfer Unit size is 1500
  16128 octets received
  102048 octets sent
  0 unicast packets received
  0 unicast packets sent

```

```

0 multicast packets received
0 multicast packets sent
252 broadcast packets received
786 broadcast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
gei (unit number 3):
Flags: (0x70043) UP BROADCAST ARP RUNNING INET_UP
PHY Flags: (0x12012) AUTONEG 1000MB FDX DIX
Type: ETHERNET_CSMACD
inet: 10.75.49.21
Broadcast address: 10.75.49.255
Netmask 0xff000000 Subnetmask 0xfffff00
Ethernet address is 00:00:17:0e:b7:d3
Metric is 0
Maximum Transfer Unit size is 1500
0 octets received
128 octets sent
0 unicast packets received
0 unicast packets sent
0 multicast packets received
0 multicast packets sent
0 broadcast packets received
2 broadcast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
value = 26 = 0x1a

```

;

```
eagle1 17-05-04 15:46:56 MST EAGLE 46.5.0.0.0-70.29.0
```

;

```
eagle1 17-05-04 15:46:56 MST EAGLE 46.5.0.0.0-70.29.0
```

NETSTAT command complete

;

SM8G-B card running ENUM64/DEIR64/SIP64:

```
gei (unit number 4) = ExAP Port
gei (unit number 5) = Signaling Port
```

> rept-stat-card:mode=full:loc=1317

```

eagle1 17-05-04 15:23:31 MST EAGLE 46.5.0.0.0-70.29.0
CARD   VERSION   TYPE     GPL      PST      SST      AST
1317   140-029-000 DSM      ENUM64   IS-ANR   MPS Unavl  -----
ALARM STATUS      = ** 0080 Shelf FAN bit is OFF
BLDC64 GPL version = 140-029-000
IMT BUS A         = Conn
IMT BUS B         = Disc

```

```

CLOCK A           = Fault
CLOCK B           = Active
CLOCK I           = Idle
MBD BIP STATUS    = Valid
MOTHER BOARD ID   = SMXG B
DBD STATUS        = Valid
DBD TYPE          = None
DBD MEMORY SIZE   = 8192M
HW VERIFICATION CODE= ----
FPGA VERSION      = 9
BIOS VERSION      = 0ABSV01
PSOC VERSION      = 0.1
CURRENT TEMPERATURE = 34C ( 94F)
PEAK TEMPERATURE: = 34C ( 94F)    [17-05-02 09:31]
ENUM SM DATA TYPE = DN
IPLNK STATUS
  IPLNK  IPADDR          STATUS    PST
  A      192.168.120.13  UP      IS-NR
  B      10.75.49.21    UP      IS-NR
  C      -----      ----
  D      -----      ----
DSM IP CONNECTION
  PORT  PST             SST
  A     OOS-MT          Unavail
  D     OOS-MA          Ueq
ENUM CONNECTION STATUS
  CNAME          PROT      STATUS

```

Command Completed.

;

```
> pass:loc=1317:cmd="netstat -i"
```

```
eagle1 17-05-04 15:23:59 MST EAGLE 46.5.0.0-70.29.0
SDS Shell Output
```

```
shellLib: unknown LED mode vi.
```

```
-> tklc_ifShow
```

```
lo0 Link type:Local loopback Queue:none
  inet 127.0.0.1 mask 255.255.255.255
  inet6 unicast fe80::1%lo0 prefixlen 64 automatic
  inet6 unicast ::1 prefixlen 128
  UP RUNNING LOOPBACK MULTICAST NOARP ALLMULTI
  MTU:1500 metric:1 VR:0 ifindex:1
  RX packets:885990 mcast:3 errors:0 dropped:0
  TX packets:885990 mcast:3 errors:0
  collisions:0 unsupported proto:0
  RX bytes:99M TX bytes:99M
```

```
gei4      Link type:Ethernet HWaddr 00:00:17:0e:b7:d2 Queue:none
capabilities: TXCSUM TX6CSUM
  inet 192.168.120.13 mask 255.255.255.0 broadcast 192.168.120.255
  inet6 unicast fe80::200:17ff:fe0e:b7d2%gei4 prefixlen 64 automatic
  UP RUNNING SIMPLEX BROADCAST MULTICAST
  MTU:1500 metric:1 VR:0 ifindex:2
  RX packets:35807 mcast:0 errors:0 dropped:0
  TX packets:877952 mcast:12 errors:0
  collisions:0 unsupported proto:0
  RX bytes:2148k TX bytes:110M
```

```
gei5      Link type:Ethernet HWaddr 00:00:17:0e:b7:d3 Queue:none
capabilities: TXCSUM TX6CSUM
  inet 10.75.49.21 mask 255.255.255.0 broadcast 10.75.49.255
  inet6 unicast fe80::200:17ff:fe0e:b7d3%gei5 prefixlen 64 automatic
  UP RUNNING SIMPLEX BROADCAST MULTICAST
```

```
MTU:1500 metric:1 VR:0 ifindex:3
RX packets:526 mcast:0 errors:0 dropped:0
TX packets:7 mcast:6 errors:0
collisions:0 unsupported proto:0
RX bytes:57k TX bytes:510
```

```
gei (unit number 4):
  PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
gei (unit number 5):
  PHY Flags: (0x12012) AUTONEG 1000MB FDX DIX
value = 1 = 0x1
```

;

```
eagle1 17-05-04 15:24:09 MST EAGLE 46.5.0.0.0-70.29.0
```

;

```
eagle1 17-05-04 15:24:09 MST EAGLE 46.5.0.0.0-70.29.0
```

```
NETSTAT command complete
```

;

SLIC card running SCCPHC:

```
gei (unit number 2) is ExAP Port A
gei (unit number 0) is ExAP Port B
```

```
> REPT-STAT-CARD:MODE=FULL:LOC=1307
```

```
eagle1 17-05-04 15:10:21 MST EAGLE 46.5.0.0.0-70.29.0
CARD   VERSION   TYPE   GPL   PST   SST   AST
1307   140-029-000  SLIC   SCCPHC  IS-ANR  Standby  98%
ALARM STATUS      = ** 0080 Shelf FAN bit is OFF
BLSLC32 GPL version = 140-029-000
IMT BUS A         = Conn
IMT BUS B         = Disc
CLOCK A           = Fault
CLOCK B           = Active
CLOCK I           = Idle
MBD BIP STATUS    = Valid
MOTHER BOARD ID   = SLIC
DBD STATUS        = Valid
DBD TYPE          = None
DBD MEMORY SIZE   = 16384M
HW VERIFICATION CODE= ----
FPGA VERSION      = 9400036
BIOS VERSION      = 0ACFP00
PSOC VERSION      = 1.0
CURRENT TEMPERATURE = 40C (104F)
PEAK TEMPERATURE: = 40C (104F) [17-05-04 15:05]
SCCP % OCCUP      = 0%
SCCP SM DATA TYPE = DN
APPLICATION SERVICING
                MFC           MFC
SNM   REQ STATUS = 24 hr: ---, 5 min: ---
INM   REQ STATUS = 24 hr: ---, 5 min: ---
MTP3  REQ STATUS = 24 hr: ---, 5 min: ---
SFLOG REQ STATUS = 24 hr: ---, 5 min: ---
IPLNK STATUS
IPLNK IPADDR      STATUS   PST
A     192.168.120.21 DOWN    OOS-MT
B     192.168.121.21 DOWN    OOS-MT
DSM IP CONNECTION
```


PORT	PST	SST
A	OOS-MT	Unavail
B	OOS-MT	Unavail

Command Completed.

;

> PASS:LOC=1307:CMD="NETSTAT -I"

eagle1 17-05-04 15:10:27 MST EAGLE 46.5.0.0.0-70.29.0
SDS Shell Output

-> tklc_ifShow

lo (unit number 0):

Flags: (0x48049) UP LOOPBACK MULTICAST TRAILERS ARP RUNNING INET_UP
Type: SOFTWARE_LOOPBACK
inet: 127.0.0.1
Netmask 0xff000000 Subnetmask 0xff000000
Metric is 0
Maximum Transfer Unit size is 1536
0 packets received; 1 packets sent
0 multicast packets received
0 multicast packets sent
0 input errors; 0 output errors
0 collisions; 0 dropped
0 output queue drops

DPLend (unit number 0):

Flags: (0x20043) UP BROADCAST ARP RUNNING
Type: ETHERNET_CSMACD
Ethernet address is 00:00:00:00:00:00
Metric is 0
Maximum Transfer Unit size is 485
0 octets received
0 octets sent
0 unicast packets received
0 unicast packets sent
0 non-unicast packets received
0 non-unicast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops

gei (unit number 2):

Flags: (0x78043) UP BROADCAST MULTICAST ARP RUNNING INET_UP
PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
Type: ETHERNET_CSMACD
inet: 192.168.120.21
Broadcast address: 192.168.120.255
Netmask 0xffffffff Subnetmask 0xffffffff
Ethernet address is 00:10:e0:bb:26:d2
Metric is 0
Maximum Transfer Unit size is 1500
0 octets received
2014 octets sent
0 unicast packets received
0 unicast packets sent
0 multicast packets received
0 multicast packets sent
0 broadcast packets received
16 broadcast packets sent
0 incoming packets discarded
0 outgoing packets discarded

```

0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
gei (unit number 0):
Flags: (0x78043) UP BROADCAST MULTICAST ARP RUNNING INET_UP
PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
Type: ETHERNET_CSMACD
inet: 192.168.121.21
Broadcast address: 192.168.121.255
Netmask 0xffffffff Subnetmask 0xffffffff00
Ethernet address is 00:10:e0:bb:26:d0
Metric is 0
Maximum Transfer Unit size is 1500
0 octets received
1884 octets sent
0 unicast packets received
0 unicast packets sent
0 multicast packets received
0 multicast packets sent
0 broadcast packets received
15 broadcast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
value = 26 = 0x1a

```

```
;
```

```
eagle1 17-05-04 15:10:37 MST EAGLE 46.5.0.0.0-70.29.0
```

```
NETSTAT command complete
```

```
;
```

SLIC card running SCCP64:

```
gei (unit number 0) = ExAP Port A
gei (unit number 2) = ExAP Port B
```

```
> REPT-STAT-CARD:MODE=FULL:LOC=1307
```

```

eagle1 17-05-04 14:55:03 MST EAGLE 46.5.0.0.0-70.29.0
CARD  VERSION      TYPE      GPL      PST      SST      AST
1307  140-029-000  SLIC      SCCP64   IS-ANR   MPS Unavl  -----
ALARM STATUS          = ** 0080 Shelf FAN bit is OFF
BLSLIC64 GPL version = 140-029-000
IMT BUS A              = Conn
IMT BUS B              = Disc
CLOCK A                = Fault
CLOCK B                = Active
CLOCK I                = Idle
MBD BIP STATUS        = Valid
MOTHER BOARD ID       = SLIC
DBD STATUS             = Valid
DBD TYPE               = None
DBD MEMORY SIZE       = 16384M
HW VERIFICATION CODE = ----
FPGA VERSION          = 9400036
BIOS VERSION           = 0ACFP00

```

```
PSOC VERSION          = 1.0
CURRENT TEMPERATURE  = 36C ( 97F)
PEAK TEMPERATURE:   = 38C (101F)    [17-05-04 14:47]
SCCP % OCCUP         = 0%
SCCP SM DATA TYPE   = DN
APPLICATION SERVICING
```

```
          MFC          MFC
SNM      REQ STATUS = 24 hr: ---, 5 min: ---
INM      REQ STATUS = 24 hr: ---, 5 min: ---
MTP3     REQ STATUS = 24 hr: ---, 5 min: ---
SFLOG    REQ STATUS = 24 hr: ---, 5 min: ---
```

IPLNK STATUS

```
IPLNK  IPADDR          STATUS      PST
A      192.168.120.21   DOWN        OOS-MT
B      192.168.121.21   DOWN        OOS-MT
```

DSM IP CONNECTION

```
PORT   PST            SST
A      OOS-MT         Unavail
B      OOS-MT         Unavail
```

Command Completed.

;

> PASS:LOC=1307:CMD="NETSTAT -I"

Command Accepted - Processing

```
eagle1 17-05-04 14:56:03 MST  EAGLE 46.5.0.0.0-70.29.0
PASS:LOC=1307:CMD="NETSTAT -I"
Command entered at terminal #11.
```

;

```
eagle1 17-05-04 14:56:03 MST  EAGLE 46.5.0.0.0-70.29.0
PASS: Command sent to card
```

;

```
eagle1 17-05-04 14:56:03 MST  EAGLE 46.5.0.0.0-70.29.0
SDS Shell Output
```

shellLib: unknown LED mode vi.

-> tklc_ifShow

```
lo0 Link type:Local loopback Queue:none
inet 127.0.0.1 mask 255.255.255.255
inet6 unicast fe80::1%lo0 prefixlen 64 automatic
inet6 unicast ::1 prefixlen 128
UP RUNNING LOOPBACK MULTICAST NOARP ALLMULTI
MTU:1500 metric:1 VR:0 ifindex:1
RX packets:2213 mcast:3 errors:0 dropped:0
TX packets:2213 mcast:3 errors:0
collisions:0 unsupported proto:0
RX bytes:247k TX bytes:247k
```

```
gei0 Link type:Ethernet HWaddr 00:10:e0:bb:26:d0 Queue:none
capabilities: TXCSUM TX6CSUM VLAN_MTU VLAN_TXHWTAG VLAN_RXHWTAG
inet 192.168.120.21 mask 255.255.255.0 broadcast 192.168.120.255
inet6 unicast fe80::210:e0ff:febb:26d0%gei0 prefixlen 64 automatic
UP RUNNING SIMPLEX BROADCAST MULTICAST
MTU:1500 metric:1 VR:0 ifindex:2
RX packets:695 mcast:0 errors:0 dropped:0
TX packets:634 mcast:12 errors:0
collisions:0 unsupported proto:0
RX bytes:74k TX bytes:79k
```

```
gei2 Link type:Ethernet HWaddr 00:10:e0:bb:26:d2 Queue:none
capabilities: TXCSUM TX6CSUM VLAN_MTU VLAN_TXHWTAG VLAN_RXHWTAG
inet 192.168.121.21 mask 255.255.255.0 broadcast 192.168.121.255
```

```
inet6 unicast fe80::210:e0ff:febb:26d2%gei2 prefixlen 64 automatic
UP RUNNING SIMPLEX BROADCAST MULTICAST
MTU:1500 metric:1 VR:0 ifindex:3
RX packets:702 mcast:0 errors:0 dropped:0
TX packets:639 mcast:6 errors:0
collisions:0 unsupported proto:0
RX bytes:75k TX bytes:80k
```

```
gei (unit number 0):
  PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
gei (unit number 2):
  PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
value = 1 = 0x1
```

```
;
```

```
eagle1 17-05-04 14:56:13 MST EAGLE 46.5.0.0.0-70.29.0
```

```
NETSTAT command complete
```

```
;
```

```
SLIC card running ENUMHC/DEIRHC/SIPHC:
```

```
gei (unit number 2) = ExAP Port A
gei (unit number 0) = Signaling Port #1
gei (unit number 3) = Signaling Port #2
gei (unit number 1) = ExAP Port B
```

```
> rept-stat-card:mode=full:loc=1317
```

```
eagle1 17-05-04 17:34:35 MST EAGLE 46.5.0.0.0-70.29.0
CARD   VERSION   TYPE      GPL       PST       SST       AST
1317   140-029-000 SLIC      ENUMHC    IS-ANR    MPS Unavl  -----
ALARM STATUS      = No Alarms.
BLSLC32 GPL version = 140-029-000
IMT BUS A         = Conn
IMT BUS B         = Disc
CLOCK A           = Fault
CLOCK B           = Active
CLOCK I           = Idle
MBD BIP STATUS    = Valid
MOTHER BOARD ID   = SLIC
DBD STATUS        = Valid
DBD TYPE          = None
DBD MEMORY SIZE   = 16384M
HW VERIFICATION CODE= ----
FPGA VERSION      = 9400036
BIOS VERSION      = 0ACFP00
PSOC VERSION      = 1.0
CURRENT TEMPERATURE = 43C (110F)
PEAK TEMPERATURE: = 43C (110F) [17-05-04 17:27]
ENUM SM DATA TYPE = DN
IPLNK STATUS
  IPLNK  IPADDR          STATUS  PST
  A      192.168.120.13 UP      IS-NR
  B      10.75.49.21  DOWN    OOS-MT
  C      10.75.50.21  UP      IS-NR
  D      192.168.121.13 UP      IS-NR
DSM IP CONNECTION
  PORT  PST          SST
  A     OOS-MT     Unavail
  D     OOS-MT     Unavail
```

```
Command Completed.
```

```

;

> pass:loc=1317:cmd="netstat -i"

Command Accepted - Processing

eagle1 17-05-04 17:34:52 MST EAGLE 46.5.0.0.0-70.29.0
pass:loc=1317:cmd="netstat -i"
Command entered at terminal #13.

;

eagle1 17-05-04 17:34:52 MST EAGLE 46.5.0.0.0-70.29.0
PASS: Command sent to card

;

eagle1 17-05-04 17:34:52 MST EAGLE 46.5.0.0.0-70.29.0
SDS Shell Output

-> tklc_ifShow
lo (unit number 0):
  Flags: (0x48049) UP LOOPBACK MULTICAST TRAILERS ARP RUNNING INET_UP
  Type: SOFTWARE_LOOPBACK
  inet: 127.0.0.1
  Netmask 0xff000000 Subnetmask 0xff000000
  Metric is 0
  Maximum Transfer Unit size is 1536
  0 packets received; 1 packets sent
  0 multicast packets received
  0 multicast packets sent
  0 input errors; 0 output errors
  0 collisions; 0 dropped
  0 output queue drops
DPLend (unit number 0):
  Flags: (0x20043) UP BROADCAST ARP RUNNING
  Type: ETHERNET_CSMACD
  Ethernet address is 00:00:00:00:00:00
  Metric is 0
  Maximum Transfer Unit size is 485
  0 octets received
  0 octets sent
  0 unicast packets received
  0 unicast packets sent
  0 non-unicast packets received
  0 non-unicast packets sent
  0 incoming packets discarded
  0 outgoing packets discarded
  0 incoming errors
  0 outgoing errors
  0 unknown protos
  0 collisions; 0 dropped
  0 output queue drops
gei (unit number 2):
  Flags: (0x78043) UP BROADCAST MULTICAST ARP RUNNING INET_UP
  PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
  Type: ETHERNET_CSMACD
  inet: 192.168.120.13
  Broadcast address: 192.168.120.255
  Netmask 0xffffffff Subnetmask 0xffffffff00
  Ethernet address is 00:10:e0:bb:26:d2
  Metric is 0
  Maximum Transfer Unit size is 1500
  13736 octets received
  16118 octets sent
  0 unicast packets received
  0 unicast packets sent

```

```

0 multicast packets received
0 multicast packets sent
128 broadcast packets received
125 broadcast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
gei (unit number 0):
Flags: (0x70043) UP BROADCAST ARP RUNNING INET_UP
PHY Flags: (0x2012) DIX
Type: ETHERNET_CSMACD
inet: 10.75.49.21
Broadcast address: 10.75.49.255
Netmask 0xff000000 Subnetmask 0xfffff00
Ethernet address is 00:10:e0:bb:26:d0
Metric is 0
Maximum Transfer Unit size is 1500
0 octets received
0 octets sent
0 unicast packets received
0 unicast packets sent
0 multicast packets received
0 multicast packets sent
0 broadcast packets received
0 broadcast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
gei (unit number 3):
Flags: (0x70043) UP BROADCAST ARP RUNNING INET_UP
PHY Flags: (0x12012) 100MB FDX DIX
Type: ETHERNET_CSMACD
inet: 10.75.50.21
Broadcast address: 10.75.50.255
Netmask 0xff000000 Subnetmask 0xfffff00
Ethernet address is 00:10:e0:bb:26:d3
Metric is 0
Maximum Transfer Unit size is 1500
25708 octets received
128 octets sent
0 unicast packets received
0 unicast packets sent
0 multicast packets received
0 multicast packets sent
214 broadcast packets received
2 broadcast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
gei (unit number 1):
Flags: (0x78043) UP BROADCAST MULTICAST ARP RUNNING INET_UP
PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
Type: ETHERNET_CSMACD
inet: 192.168.121.13

```

```
Broadcast address: 192.168.121.255
Netmask 0xffffffff Subnetmask 0xffffffff
Ethernet address is 00:10:e0:bb:26:d1
Metric is 0
Maximum Transfer Unit size is 1500
13544 octets received
16118 octets sent
0 unicast packets received
0 unicast packets sent
0 multicast packets received
0 multicast packets sent
125 broadcast packets received
125 broadcast packets sent
0 incoming packets discarded
0 outgoing packets discarded
0 incoming errors
0 outgoing errors
0 unknown protos
0 collisions; 0 dropped
0 output queue drops
value = 26 = 0x1a
```

;

```
eagle1 17-05-04 17:35:02 MST EAGLE 46.5.0.0-70.29.0
```

;

```
eagle1 17-05-04 17:35:02 MST EAGLE 46.5.0.0-70.29.0
```

```
NETSTAT command complete
```

;

```
SLIC card running DEIR64/ENUM64/SIP64:
```

```
gei (unit number 0) = ExAP Port A
gei (unit number 2) = Signaling Port #1
gei (unit number 1) = Signaling Port #2
gei (unit number 3) = ExAP Port B
```

```
> rept-stat-card:mode=full:loc=1317
```

```
Command Accepted - Processing
```

```
eagle1 17-05-04 16:20:40 MST EAGLE 46.5.0.0-70.29.0
rept-stat-card:mode=full:loc=1317
Command entered at terminal #13.
```

;

```
eagle1 17-05-04 16:20:40 MST EAGLE 46.5.0.0-70.29.0
CARD VERSION TYPE GPL PST SST AST
1317 140-029-000 SLIC ENUM64 IS-ANR MPS Unavl -----
ALARM STATUS = No Alarms.
BLSLC64 GPL version = 140-029-000
IMT BUS A = Conn
IMT BUS B = Disc
CLOCK A = Fault
CLOCK B = Active
CLOCK I = Idle
MBD BIP STATUS = Valid
MOTHER BOARD ID = SLIC
DBD STATUS = Valid
DBD TYPE = None
DBD MEMORY SIZE = 16384M
```

```
HW VERIFICATION CODE= ----
FPGA VERSION       = 9400036
BIOS VERSION       = 0ACFP00
PSOC VERSION       = 1.0
CURRENT TEMPERATURE = 40C (104F)
PEAK TEMPERATURE:  = 42C (108F) [17-05-04 15:51]
ENUM SM DATA TYPE = DN
IPLNK STATUS
```

IPLNK	IPADDR	STATUS	PST
A	192.168.120.13	UP	IS-NR
B	10.75.49.21	DOWN	OOS-MT
C	10.75.50.21	DOWN	OOS-MT
D	192.168.121.13	UP	IS-NR

DSM IP CONNECTION

PORT	PST	SST
A	OOS-MT	Unavail
D	OOS-MT	Unavail

Command Completed.

;

```
> pass:loc=1317:cmd="netstat -i"
```

Command Accepted - Processing

```
eagle1 17-05-04 16:25:06 MST EAGLE 46.5.0.0.0-70.29.0
pass:loc=1317:cmd="netstat -i"
Command entered at terminal #13.
```

;

```
eagle1 17-05-04 16:25:06 MST EAGLE 46.5.0.0.0-70.29.0
PASS: Command sent to card
```

;

```
eagle1 17-05-04 16:25:06 MST EAGLE 46.5.0.0.0-70.29.0
SDS Shell Output
```

shellLib: unknown LED mode vi.

-> tklc_ifShow

```
lo0 Link type:Local loopback Queue:none
inet 127.0.0.1 mask 255.255.255.255
inet6 unicast fe80::1%lo0 prefixlen 64 automatic
inet6 unicast ::1 prefixlen 128
UP RUNNING LOOPBACK MULTICAST NOARP ALLMULTI
MTU:1500 metric:1 VR:0 ifindex:1
RX packets:1487 mcast:3 errors:0 dropped:0
TX packets:1487 mcast:3 errors:0
collisions:0 unsupported proto:0
RX bytes:165k TX bytes:165k
```

```
gei0 Link type:Ethernet HWaddr 00:10:e0:bb:26:d0 Queue:none
capabilities: TXCSUM TX6CSUM VLAN_MTU VLAN_TXHWTAG VLAN_RXHWTAG
inet 192.168.120.13 mask 255.255.255.0 broadcast 192.168.120.255
inet6 unicast fe80::210:e0ff:febb:26d0%gei0 prefixlen 64 automatic
UP RUNNING SIMPLEX BROADCAST MULTICAST
MTU:1500 metric:1 VR:0 ifindex:2
RX packets:929 mcast:0 errors:0 dropped:0
TX packets:745 mcast:6 errors:0
collisions:0 unsupported proto:0
RX bytes:101k TX bytes:93k
```

```
gei2 Link type:Ethernet HWaddr 00:10:e0:bb:26:d2 Queue:none
capabilities: TXCSUM TX6CSUM VLAN_MTU VLAN_TXHWTAG VLAN_RXHWTAG
inet 10.75.49.21 mask 255.255.255.0 broadcast 10.75.49.255
inet6 unicast fe80::210:e0ff:febb:26d2%gei2 prefixlen 64 automatic
UP RUNNING SIMPLEX BROADCAST MULTICAST
```



```
MTU:1500 metric:1 VR:0 ifindex:3
RX packets:37 mcast:0 errors:0 dropped:0
TX packets:7 mcast:6 errors:0
collisions:0 unsupported proto:0
RX bytes:4596 TX bytes:510
```

```
gei1      Link type:Ethernet HWaddr 00:10:e0:bb:26:d1 Queue:none
capabilities: TXCSUM TX6CSUM VLAN_MTU VLAN_TXHWTAG VLAN_RXHWTAG
inet 10.75.50.21 mask 255.255.255.0 broadcast 10.75.50.255
inet6 unicast fe80::210:e0ff:febb:26d1%gei1 prefixlen 64 tentative automatic
UP SIMPLEX BROADCAST MULTICAST
MTU:1500 metric:1 VR:0 ifindex:4
RX packets:0 mcast:0 errors:0 dropped:0
TX packets:0 mcast:0 errors:0
collisions:0 unsupported proto:0
RX bytes:0 TX bytes:0
```

```
gei3      Link type:Ethernet HWaddr 00:10:e0:bb:26:d3 Queue:none
capabilities: TXCSUM TX6CSUM VLAN_MTU VLAN_TXHWTAG VLAN_RXHWTAG
inet 192.168.121.13 mask 255.255.255.0 broadcast 192.168.121.255
inet6 unicast fe80::210:e0ff:febb:26d3%gei3 prefixlen 64 automatic
UP RUNNING SIMPLEX BROADCAST MULTICAST
MTU:1500 metric:1 VR:0 ifindex:5
RX packets:921 mcast:0 errors:0 dropped:0
TX packets:745 mcast:6 errors:0
collisions:0 unsupported proto:0
RX bytes:101k TX bytes:93k
```

```
gei (unit number 0):
  PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
gei (unit number 2):
  PHY Flags: (0x12012) 100MB FDX DIX
gei (unit number 1):
  PHY Flags: (0x2012) DIX
gei (unit number 3):
  PHY Flags: (0x12114) AUTONEG 1000MB FDX DIX
value = 1 = 0x1
```

```
;
```

```
eagle1 17-05-04 16:25:16 MST EAGLE 46.5.0.0-70.29.0
```

```
NETSTAT command complete
```

```
;
```

Procedure A.16 Upgrade SSL certificate from SHA-1 to SHA-512

Procedure A.16: Upgrade SSL certificate from SHA-1 to SHA-512

S T E P #	<p>This procedure upgrade SSL certificate from SHA-1 to SHA-512.</p> <p>Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.</p> <p>IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR UPGRADE ASSISTANCE.</p>	
1. <input type="checkbox"/>	<p>MPS A: Log in to the server.</p>	<p>If not already logged-in, then login at MPS A: <hostname> console login: epapdev Password: <password></p> <p>Change to root user. \$ su – root</p>
2. <input type="checkbox"/>	<p>Verify SSL certificate</p>	<p>To verify SSL certificate execute the following command:</p> <pre># /usr/bin/openssl x509 -in /usr/TKLC/plat/etc/ssl/server.crt -text -noout grep "Signature Algorithm" Signature Algorithm: sha512WithRSAEncryption Signature Algorithm: sha512WithRSAEncryption</pre> <p>If signature algorithm is SHA 512 skip this procedure, otherwise proceed with the following step.</p>
3. <input type="checkbox"/>	<p>Find the IP for which the certificate has been generated in server.crt</p>	<pre># openssl verify /usr/TKLC/plat/etc/ssl/server.crt /usr/TKLC/plat/etc/ssl/server.crt: CN = 10.248.11.14 error 18 at 0 depth lookup:self signed certificate OK</pre>
4. <input type="checkbox"/>	<p>Upgrade to SHA-512 in server.crt</p>	<p>Note: The IP Address to be used in the below command is the IP displayed in the output of step 3.</p> <p>To upgrade SHA-1 to SHA-512 execute the following command:</p> <pre># /usr/bin/openssl req -x509 -sha512 -nodes -days 4015 -subj "/CN=<IP Addr>" -newkey rsa:2048 -keyout /usr/TKLC/plat/etc/ssl/server.key -out /usr/TKLC/plat/etc/ssl/server.crt</pre> <pre>Generating a 2048 bit RSA private key++++++ writing new private key to '/usr/TKLC/plat/etc/ssl/server.key'</pre>
5. <input type="checkbox"/>	<p>Find the IP for which the certificate has been generated in server_dual.crt</p>	<pre># openssl verify /usr/TKLC/plat/etc/ssl/server_dual.crt /usr/TKLC/plat/etc/ssl/server_dual.crt: CN = 10.248.11.14 error 18 at 0 depth lookup:self signed certificate OK</pre>
6. <input type="checkbox"/>	<p>Upgrade to SHA-512 in server_dual.crt</p>	<p>Note: The IP Address to be used in the below command is the IP displayed in the output of step 5.</p> <p>To upgrade SHA-1 to SHA-512 execute the following command:</p> <pre># /usr/bin/openssl req -x509 -sha512 -nodes -days 4015 -subj "/CN=<IP Addr>" -newkey rsa:2048 -keyout /usr/TKLC/plat/etc/ssl/server_dual.key - out /usr/TKLC/plat/etc/ssl/server_dual.crt</pre> <pre>Generating a 2048 bit RSA private key+++</pre>

		<pre>+++ writing new private key to '/usr/TKLC/plat/etc/ssl/server_dual.key' </pre>
7. <input type="checkbox"/>	Procedure Complete.	Return to the procedure that you came here from.

Procedure A.17 Disable Epap VIP And Deactivate PDBA Proxy Feature

If PDBA Proxy feature is NOT enabled and VIP is NOT configured, this procedure can be skipped.

Ensure the provisioning activity has been halted before proceeding!!!

S T E P #	This procedure outlines the steps to disable the PDBA proxy feature. Estimated time: 5 minutes	
1. <input type="checkbox"/>	<p>MPS A: Choose option "8" to display "PDB Configuration Menu.</p>	<p>MPS Side A:</p> <pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 Configure EMS Server 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community e Exit \-----\ </pre> <p>Enter Choice: 8</p>

<p>2.</p> <p><input type="checkbox"/></p>	<p>MPS A: Choose option “6” to “Change PDBA Proxy State”.</p>	<p>MPS Side A:</p> <pre> /-----Configure PDB Menu-----\ /-----\ 1 Configure PDB Network 2 RTDB Homing Menu 3 Change MPS Provisionable State 4 Create PDB 5 Change Auto DB Recovery State 6 Change PDBA Proxy State e Exit \-----/ Enter Choice: 6 </pre>
<p>3.</p> <p><input type="checkbox"/></p>	<p>MPS A: Enter “Y” to stop PDBA / EPAP software and disable PDBA Proxy.</p>	<p>PDBA PROXY is currently ENABLED. Do you want to DISABLE PDBA Proxy? [N]: Y</p>
<p>4.</p> <p><input type="checkbox"/></p>	<p>MPS A: Enter “1” to “Display Configuration”</p>	<p>MPS Side A:</p> <pre> /-----EPAP Configuration Menu-----\ /-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 Configure EMS Server 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community e Exit \-----/ Enter Choice: 1 </pre>
<p>5.</p> <p><input type="checkbox"/></p>	<p>MPS A: Verify that the state of PDBA Proxy Feature is No.</p>	<p>MPS Side A:</p> <pre> EPAP A Provisioning Network IP Address = 192.168.61.115 EPAP B Provisioning Network IP Address = 192.168.61.116 Provisioning Network Netmask = 255.255.255.0 Provisioning Network Default Router = 192.168.61.1 </pre>

	EPAP A Backup Prov Network IP Address = Not configured
	EPAP B Backup Prov Network IP Address = Not configured
	Backup Prov Network Netmask = Not configured
	Backup Prov Network Default Router = Not configured
	EPAP A Sync Network Address = 192.168.2.100
	EPAP B Sync Network Address = 192.168.2.200
	EPAP A Main DSM Network Address = 192.168.120.100
	EPAP B Main DSM Network Address = 192.168.120.200
	EPAP A Backup DSM Network Address = 192.168.121.100
	EPAP B Backup DSM Network Address = 192.168.121.200
	EPAP A HTTP Port = 80
	EPAP B HTTP Port = 80
	EPAP A HTTP SuExec Port = 8001
	EPAP B HTTP SuExec Port = 8001
	EPAP A Banner Connection Port = 8473
	EPAP B Banner Connection Port = 8473
	EPAP A Static NAT Address = Not configured
	EPAP B Static NAT Address = Not configured
	PDBI Port = 5873
	Remote MPS A Static NAT Address = Not configured
	Remote MPS A HTTP Port = 80
	Local Provisioning VIP = 192.168.15.152
	Remote Provisioning VIP = 192.168.15.172
	Local PDBA Address = 192.168.15.115
	Remote PDBA Address = 192.168.16.115
	Remote PDBA B Address = 192.168.16.116
	Time Zone = America/New_York
	PDB Database = Exists
	Preferred PDB = Standby
	Allow updates from alternate PDB = Yes
	Auto DB Recovery Enabled = Yes
	PDBA Proxy Enabled = No
	Press return to continue...

<p>6.</p> <p><input type="checkbox"/></p>	<p>MPS A: Choose option “2” to enter the “Configure Network Interfaces Menu”.</p>	<pre> MPS Side A: /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 Configure EMS Server 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community e Exit \-----\ Enter Choice: 2 </pre>
<p>7.</p> <p><input type="checkbox"/></p>	<p>MPS A: Choose option “7” to enter the “Configure Provisioning VIP Addresses Menu”.</p>	<pre> MPS Side A: /-----Configure Network Interfaces Menu-----\ 1 Configure Provisioning Network 2 Configure Sync Network 3 Configure DSM Network 4 Configure Backup Provisioning Network 5 Configure Forwarded Ports 6 Configure Static NAT Addresses 7 Configure Provisioning VIP Addresses e Exit \-----\ Enter Choice: 7 </pre>
<p>8.</p> <p><input type="checkbox"/></p>	<p>MPS A: Remove the local provisioning VIP and remote provisioning VIP, by entering 0.0.0.0.</p>	<pre> Verifying root connectivity with mate... EPAP local provisioning Virtual IP Address [192.168.15.152]: 0.0.0.0 EPAP remote provisioning Virtual IP Address [192.168.15.172]: 0.0.0.0 </pre>

<p>9.</p> <p><input type="checkbox"/></p>	<p>MPS A: Choose option “e” to exit.</p>	<p>MPS Side A:</p> <pre> /-----Configure Network Interfaces Menu-----\ 1 Configure Provisioning Network 2 Configure Sync Network 3 Configure DSM Network 4 Configure Backup Provisioning Network 5 Configure Forwarded Ports 6 Configure Static NAT Addresses 7 Configure Provisioning VIP Addresses e Exit \-----/ </pre> <p>Enter Choice: e</p>
<p>10.</p> <p><input type="checkbox"/></p>	<p>MPS A: Choose option “1” to “Display Configuration.</p>	<p>MPS Side A:</p> <pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 Configure EMS Server 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community e Exit \-----/ </pre> <p>Enter Choice: 1</p>
<p>11.</p> <p><input type="checkbox"/></p>	<p>MPS A: Verify VIP addresses are set to 0.0.0.0.</p>	<p>MPS Side A:</p> <pre> EPAP A Provisioning Network IP Address = 192.168.61.115 EPAP B Provisioning Network IP Address = 192.168.61.116 Provisioning Network Netmask = 255.255.255.0 Provisioning Network Default Router = 192.168.61.1 EPAP A Backup Prov Network IP Address = Not configured EPAP B Backup Prov Network IP Address = Not configured Backup Prov Network Netmask = Not configured Backup Prov Network Default Router = Not configured </pre>

	EPAP A Sync Network Address	= 192.168.2.100
	EPAP B Sync Network Address	= 192.168.2.200
	EPAP A Main DSM Network Address	=
	192.168.120.100	
	EPAP B Main DSM Network Address	=
	192.168.120.200	
	EPAP A Backup DSM Network Address	=
	192.168.121.100	
	EPAP B Backup DSM Network Address	=
	192.168.121.200	
	EPAP A HTTP Port	= 80
	EPAP B HTTP Port	= 80
	EPAP A HTTP SuExec Port	= 8001
	EPAP B HTTP SuExec Port	= 8001
	EPAP A Banner Connection Port	= 8473
	EPAP B Banner Connection Port	= 8473
	EPAP A Static NAT Address	= Not
	configured	
	EPAP B Static NAT Address	= Not
	configured	
	PDBI Port	= 5873
	Remote MPS A Static NAT Address	= Not
	configured	
	Remote MPS A HTTP Port	= 80
	Local Provisioning VIP	= 0.0.0.0
	Remote Provisioning VIP	= 0.0.0.0
	Local PDBA Address	=
	192.168.15.115	
	Remote PDBA Address	=
	192.168.16.115	
	Remote PDBA B Address	=
	192.168.16.116	
	Time Zone	=
	America/New_York	
	PDB Database	= Exists
	Preferred PDB	= Standby
	Allow updates from alternate PDB	= Yes
	Auto DB Recovery Enabled	= Yes
	PDBA Proxy Enabled	= No
	Press return to continue...	

12. <input type="checkbox"/>	MPS A: Choose “e” to exit.	MPS Side A: <pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 Configure EMS Server 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community e Exit \-----\ Enter Choice: e </pre>
13. <input type="checkbox"/>	Return to the procedure that you came here from.	

Procedure A.18 Enable EPAP PDBA Proxy and EPAP VIP Optional Features

Ensure the provisioning activity has been halted before proceeding!!!

S T E P #	This procedure outlines the steps for provisioning the PDBA proxy VIP. Estimated time: 10 minutes	
1.	MPS A: Login as epapdev to 1A server.	Login: epapdev Password: <epapdev_password>
2.	MPS A: Perform “syscheck” on the 1A server.	<pre> \$ syscheck Running modules in class hardware... OK Running modules in class proc... OK Running modules in class net... OK Running modules in class disk... OK Running modules in class services... OK Running modules in class system... OK </pre>

		LOG LOCATION: /var/TKLC/log/syscheck/fail_log #
3.	MPS A: SSH to EPAP 1B.	\$ssh mate
4.	MPS B: Perform “syscheck” on the 1B.	\$ syscheck Running modules in class hardware... OK Running modules in class proc... OK Running modules in class net... OK Running modules in class disk... OK Running modules in class services... OK Running modules in class system... OK LOG LOCATION: /var/TKLC/log/syscheck/fail_log #
5.	MPS B: Exit back to the 1A server	\$ exit
6.	MPS A: Log into epapconfig	\$su - epapconfig Password:
7.	MPS A: Choose option “1” to display Configuration.	MPS Side A: /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit \ Enter Choice: 1

8.	MPS A: Verify that the VIP is not configured.	MPS Side A: EPAP A Provisioning Network IP Address = 192.168.61.115 EPAP B Provisioning Network IP Address = 192.168.61.116 Provisioning Network Netmask = 255.255.255.0 Provisioning Network Default Router = 192.168.61.1 EPAP A Backup Prov Network IP Address = Not configured EPAP B Backup Prov Network IP Address = Not configured Backup Prov Network Netmask = Not configured Backup Prov Network Default Router = Not configured EPAP A Sync Network Address = 192.168.2.100 EPAP B Sync Network Address = 192.168.2.200 EPAP A Main DSM Network Address = 192.168.120.100 EPAP B Main DSM Network Address = 192.168.120.200 EPAP A Backup DSM Network Address = 192.168.121.100 EPAP B Backup DSM Network Address = 192.168.121.200 EPAP A HTTP Port = 80 EPAP B HTTP Port = 80 EPAP A HTTP SuExec Port = 8001 EPAP B HTTP SuExec Port = 8001 EPAP A Banner Connection Port = 8473 EPAP B Banner Connection Port = 8473 EPAP A Static NAT Address = Not configured EPAP B Static NAT Address = Not configured PDBI Port = 5873 Remote MPS A Static NAT Address = Not configured Remote MPS A HTTP Port = 80 Local Provisioning VIP = Not configured Remote Provisioning VIP = Not configured Local PDBA Address = 192.168.61.115 Remote PDBA Address = 192.168.61.181 Remote PDBA B Address = 192.168.61.182 Time Zone = America/New_York PDB Database = Exists Preferred PDB = Standby Allow updates from alternate PDB = Yes Auto DB Recovery Enabled = Yes PDBA Proxy Enabled = No Press return to continue...
9.	MPS A: Choose option "2" to enter the "Configure Network Interfaces Menu".	MPS Side A:

		<pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit \-----/ Enter Choice: 2 </pre>
10.	<p>MPS A: Choose option “6” to enter the “Configure Provisioning VIP Addresses Menu”.</p>	<pre> MPS Side A: /-----Configure Network Interfaces Menu-----\ 1 Configure Provisioning Network 2 Configure Sync Network 3 Configure DSM Network 4 Configure Backup Provisioning Network 5 Configure Static NAT Addresses 6 Configure Provisioning VIP Addresses e Exit \-----/ Enter Choice: 6 </pre>
11.	<p>MPS A: Enter “Y” to stop PDDBA / EPAP software then enter VIP address for the local and remote PDDBA sites.</p>	<pre> Verifying root connectivity with mate... EPAP software and PDDBA are running. Stop them? [N]: Y EPAP software is running on mate MPS. Stop it? [N]: Y EPAP local provisioning Virtual IP Address [0.0.0.0]: 192.168.15.152 EPAP remote provisioning Virtual IP Address [0.0.0.0]: 192.168.15.172 </pre>

12.	MPS A: Choose option “e” to exit.	MPS Side A: <pre> /-----Configure Network Interfaces Menu-----\ 1 Configure Provisioning Network 2 Configure Sync Network 3 Configure DSM Network 4 Configure Backup Provisioning Network 5 Configure Static NAT Addresses 6 Configure Provisioning VIP Addresses e Exit \-----\ Enter Choice: e </pre>
13.	MPS A: Choose option “1” to “Display Configuration.”	MPS Side A: <pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit \-----\ Enter Choice: 1 </pre>
14.	MPS A: Verify VIP addresses	MPS Side A: <pre> EPAP A Provisioning Network IP Address = 192.168.61.115 EPAP B Provisioning Network IP Address = 192.168.61.116 Provisioning Network Netmask = 255.255.255.0 Provisioning Network Default Router = 192.168.61.1 EPAP A Backup Prov Network IP Address = Not configured EPAP B Backup Prov Network IP Address = Not configured Backup Prov Network Netmask = Not configured Backup Prov Network Default Router = Not configured EPAP A Sync Network Address = 192.168.2.100 EPAP B Sync Network Address = 192.168.2.200 EPAP A Main DSM Network Address = 192.168.120.100 EPAP B Main DSM Network Address = 192.168.120.200 </pre>

		<pre> EPAP A Backup DSM Network Address = 192.168.121.100 EPAP B Backup DSM Network Address = 192.168.121.200 EPAP A HTTP Port = 80 EPAP B HTTP Port = 80 EPAP A HTTP SuExec Port = 8001 EPAP B HTTP SuExec Port = 8001 EPAP A Banner Connection Port = 8473 EPAP B Banner Connection Port = 8473 EPAP A Static NAT Address = Not configured EPAP B Static NAT Address = Not configured PDBI Port = 5873 Remote MPS A Static NAT Address = Not configured Remote MPS A HTTP Port = 80 Local Provisioning VIP = 192.168.15.152 Remote Provisioning VIP = 192.168.15.172 Local PDBA Address = 192.168.15.115 Remote PDBA Address = 192.168.16.115 Remote PDBA B Address = 192.168.16.116 Time Zone = America/New_York PDB Database = Exists Preferred PDB = Standby Allow updates from alternate PDB = Yes Auto DB Recovery Enabled = Yes PDBA Proxy Enabled = No Press return to continue... </pre>
15.	<p>MPS A: Choose "e" to exit</p>	<pre> /-----EPAP Configuration Menu-----\ /-----\ 1 Display Configuration ----- 2 Configure Network Interfaces Menu ----- 3 Set Time Zone ----- 4 Exchange Secure Shell Keys ----- 5 Change Password ----- 6 Platform Menu ----- 7 Configure NTP Server ----- 8 PDB Configuration Menu ----- 9 Security ----- 10 SNMP Configuration ----- 11 Configure Alarm Feed ----- 12 Configure Query Server ----- 13 Configure Query Server Alarm Feed ----- 14 Configure SNMP Agent Community ----- 15 Mate Disaster Recovery ----- e Exit \-----/ Enter Choice: e </pre>
16.	<p>MPS A: Verify that you can ping both VIP addresses.</p>	<pre> \$ ping <local VIP> \$ ping <remote VIP> </pre>
17.	<p>MPS A: Log into epapconfig</p>	<pre> \$ su - epapconfig </pre>

18.	MPS A: Enter "1" to "Display Configuration"	<pre> /-----EPAP Configuration Menu-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit \-----\ Enter Choice: 1 </pre>
19.	MPS A: Verify that the state of PDBA Proxy Feature is No.	<pre> MPS Side A: EPAP A Provisioning Network IP Address = 192.168.61.115 EPAP B Provisioning Network IP Address = 192.168.61.116 Provisioning Network Netmask = 255.255.255.0 Provisioning Network Default Router = 192.168.61.1 EPAP A Backup Prov Network IP Address = Not configured EPAP B Backup Prov Network IP Address = Not configured Backup Prov Network Netmask = Not configured Backup Prov Network Default Router = Not configured EPAP A Sync Network Address = 192.168.2.100 EPAP B Sync Network Address = 192.168.2.200 EPAP A Main DSM Network Address = 192.168.120.100 EPAP B Main DSM Network Address = 192.168.120.200 EPAP A Backup DSM Network Address = 192.168.121.100 EPAP B Backup DSM Network Address = 192.168.121.200 EPAP A HTTP Port = 80 EPAP B HTTP Port = 80 EPAP A HTTP SuExec Port = 8001 EPAP B HTTP SuExec Port = 8001 EPAP A Banner Connection Port = 8473 EPAP B Banner Connection Port = 8473 EPAP A Static NAT Address = Not configured EPAP B Static NAT Address = Not configured PDBI Port = 5873 Remote MPS A Static NAT Address = Not configured Remote MPS A HTTP Port = 80 Local Provisioning VIP = Not configured Remote Provisioning VIP = Not configured Local PDBA Address = 192.168.61.115 Remote PDBA Address = 192.168.61.181 Remote PDBA B Address = 192.168.61.182 Time Zone = America/New_York PDB Database = Exists </pre>

		Preferred PDB = Standby Allow updates from alternate PDB = Yes Auto DB Recovery Enabled = Yes PDBA Proxy Enabled = No
		Press return to continue... MPS Side A:
20.	MPS A: Choose option "8" to display "PDB Configuration Menu	<pre> /-----EPAP Configuration Menu-----\ /-----\ 1 Display Configuration ----- 2 Configure Network Interfaces Menu ----- 3 Set Time Zone ----- 4 Exchange Secure Shell Keys ----- 5 Change Password ----- 6 Platform Menu ----- 7 Configure NTP Server ----- 8 PDB Configuration Menu ----- 9 Security ----- 10 SNMP Configuration ----- 11 Configure Alarm Feed ----- 12 Configure Query Server ----- 13 Configure Query Server Alarm Feed ----- 14 Configure SNMP Agent Community ----- 15 Mate Disaster Recovery ----- e Exit \-----/ </pre> <p>Enter Choice: 8</p>
21.	MPS A: Choose option "6" to "Change PDBA Proxy State".	<pre> /-----Configure PDB Menu-----\ /-----\ 1 Configure PDB Network ----- 2 RTDB Homing Menu ----- 3 Change MPS Provisionable State ----- 4 Create PDB ----- 5 Change Auto DB Recovery State ----- 6 Change PDBA Proxy State ----- e Exit \-----/ </pre> <p>Enter Choice: 6</p>
22.	MPS A:	EPAP software and PDBA are running. Stop them? [N]: Y EPAP software is running on mate MPS. Stop it? [N]: Y PDBA PROXY is currently DISABLED. Do you want to ENABLE PDBA Proxy? [N]: Y

	Enter “Y” to stop PDBA / EPAP software and enable PDBA Proxy.	
23.	MPS A: Enter “e” to exit	MPS Side A: <pre> /-----Configure PDB Menu-----\ 1 Configure PDB Network 2 RTDB Homing Menu 3 Change MPS Provisionable State 4 Create PDB 5 Change Auto DB Recovery State 6 Change PDBA Proxy State e Exit \-----\ </pre> Enter Choice: e
24.	MPS A: Enter “1” to “Display Configuration”	
25.	MPS A: Verify that the state of PDBA Proxy Feature is Yes.	MPS Side A EPAP A Provisioning Network IP Address = 192.168.61.115 EPAP B Provisioning Network IP Address = 192.168.61.116 Provisioning Network Netmask = 255.255.255.0 Provisioning Network Default Router = 192.168.61.1 EPAP A Backup Prov Network IP Address = Not configured EPAP B Backup Prov Network IP Address = Not configured Backup Prov Network Netmask = Not configured Backup Prov Network Default Router = Not configured EPAP A Sync Network Address = 192.168.2.100 EPAP B Sync Network Address = 192.168.2.200 EPAP A Main DSM Network Address = 192.168.120.100 EPAP B Main DSM Network Address = 192.168.120.200 EPAP A Backup DSM Network Address = 192.168.121.100 EPAP B Backup DSM Network Address = 192.168.121.200 EPAP A HTTP Port = 80 EPAP B HTTP Port = 80 EPAP A HTTP SuExec Port = 8001 EPAP B HTTP SuExec Port = 8001 EPAP A Banner Connection Port = 8473 EPAP B Banner Connection Port = 8473 EPAP A Static NAT Address = Not configured EPAP B Static NAT Address = Not configured PDBI Port = 5873 Remote MPS A Static NAT Address = Not configured Remote MPS A HTTP Port = 80 Local Provisioning VIP = 192.168.15.152 Remote Provisioning VIP = 192.168.15.172 Local PDBA Address = 192.168.15.115 Remote PDBA Address = 192.168.16.115 Remote PDBA B Address = 192.168.16.116 Time Zone = America/New_York PDB Database = Exists Preferred PDB = Standby Allow updates from alternate PDB = Yes Auto DB Recovery Enabled = Yes PDBA Proxy Enabled = Yes
26.	MPS A:	MPS Side A:

	Enter "e" to exit	<pre> /-----EPAP Configuration Menu-----\ /-----\ 1 Display Configuration 2 Configure Network Interfaces Menu 3 Set Time Zone 4 Exchange Secure Shell Keys 5 Change Password 6 Platform Menu 7 Configure NTP Server 8 PDB Configuration Menu 9 Security 10 SNMP Configuration 11 Configure Alarm Feed 12 Configure Query Server 13 Configure Query Server Alarm Feed 14 Configure SNMP Agent Community 15 Mate Disaster Recovery e Exit \-----/ Enter Choice: e </pre>
27.	MPS A: Start Epap software	\$ service Epap start
28.	MPS A: Start PDBA software	\$ service Pdaba start
29.	MPS A: Perform "syscheck" on MPS-A.	<pre> \$ syscheck Running modules in class hardware... OK Running modules in class proc... OK Running modules in class net... OK Running modules in class disk... OK Running modules in class services... OK Running modules in class system... OK LOG LOCATION: /var/TKLC/log/syscheck/fail_log </pre>
30.	MPS A: SSH to MPS 1B.	\$ ssh mate
31.	MPS B: Start Epap software on MPS 1B.	\$ service Epap start
32.	MPS B:	<pre> \$ syscheck Running modules in class hardware... OK Running modules in class proc... </pre>

	Perform "syscheck" on MPS 1B.	Running modules in class net... OK Running modules in class disk... OK Running modules in class services... OK Running modules in class system... OK LOG LOCATION: /var/TKLC/log/syscheck/fail_log
33.	Return to the procedure that you came here from.	

Procedure A.19 Configure DSM Min Mem Size

S T E P #	This procedure configures DSM Min Mem Size on standalone PDB server.	
	Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number.	
	IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>INSTALL ASSISTANCE</u> .	
	1.	Standalone PDB : <input type="checkbox"/> Login as epapdev to standalone PDB server.
		Login: epapdev Password: <epapdev_password>
	2.	<input type="checkbox"/> Execute getDsmMinMemSize.pl
	Go to the bin directory to execute the getDsmMinMemSize.pl perl script \$ cd /usr/TKLC/epap/bin Execute getDsmMinMemSize.pl script \$./ getDsmMinMemSize.pl	
3.	<input type="checkbox"/> Restart the pdb Software.	
	\$ service Pdba stop ~~ /etc/init.d/Pdba stop ~~ PDBA application stopped. \$ service Pdba start Starting PDBA in 528M configuration. "PDB_SUB_CAPACITY" is set to "528000000" PDBA application started. \$ service Pdba status ~~ /etc/init.d/Pdba status ~~ PDBA application is running.	
4.	<input type="checkbox"/> Verify that the uiEdit "DSM_MIN_MEM_SIZE" variable is added and updated correctly.	
	\$ uiEdit grep DSM_MIN_MEM_SIZE "DSM_MIN_MEM_SIZE" is set to "3235"	
5.	<input type="checkbox"/> Procedure Complete	
	Procedure is complete.	

Procedure A.20 Restart Mysql service for PDB on Query Server.

Procedure 20: Restart MySQL service for PDB on Query Server NOTE: The MySQL services should be started as non-root admin user only.		
S T E P #	This procedure restarts the MySQL service for PDB on Query Server. Check off (✓)each step as it is completed. Boxes have been provided for this purpose under each step number. IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT AND ASK FOR <u>INSTALL ASSISTANCE</u> .	
1. <input type="checkbox"/>	Login to EAGLE QS as QS admin.	login: <admin_user> Password: <admin_password>
2. <input type="checkbox"/>	Start the mysqlpdb service.	\$ sudo service mysqlpdb stop . . . Waiting for mysqlpdb to stop
3. <input type="checkbox"/>	Verify that mysqlpdb service is running.	\$ sudo service mysqlpdb start Waiting for mysqlpdb to start done
4. <input type="checkbox"/>	Start the mysqlpdb service.	\$sudo service mysqlpdb status PID:8841 mysqlpdb is running.
5. <input type="checkbox"/>	Procedure Complete	Procedure is complete.

Procedure A.21 Verify pdbaips table in EuiDB.

Procedure 21: Verify pdbaips table in EuiDB. NOTE: This procedure should be executed on provisionable MPS .																																						
S T E P #	This procedure verifies the type of ipaddr field in pdbaips table of EuiDB. Check off (✓) each step as it is completed. Boxes have been provided for this purpose under each step number. IF THIS PROCEDURE FAILS, CONTACT MY ORACLE SUPPORT.																																					
1. <input type="checkbox"/>	MPS 1A: Login as epapdev.	Login: epapdev Password: <epapdev_password>																																				
2. <input type="checkbox"/>	MPS 1A: Verify the current type of ipaddr field in pdbaips table.	<pre>\$ mysql -uroot -p EuiDB -e "desc pdbaips;" Enter Password: <MySQL Password></pre> <table border="1" style="width: 100%; border-collapse: collapse; font-family: monospace; font-size: 0.8em;"> <thead> <tr> <th>Field</th> <th>Type</th> <th>Null</th> <th>Key</th> <th>Default</th> <th>Extra</th> </tr> </thead> <tbody> <tr> <td>ipaddr</td> <td>char(50)</td> <td>NO</td> <td>PRI</td> <td>NULL</td> <td></td> </tr> <tr> <td>permission</td> <td>char(10)</td> <td>YES</td> <td></td> <td>NULL</td> <td></td> </tr> <tr> <td>sshtunnel</td> <td>int(11)</td> <td>YES</td> <td></td> <td>0</td> <td></td> </tr> <tr> <td>username</td> <td>char(20)</td> <td>YES</td> <td></td> <td>NULL</td> <td></td> </tr> <tr> <td>port</td> <td>int(11)</td> <td>YES</td> <td></td> <td>0</td> <td></td> </tr> </tbody> </table> <p>Note: If the current type of ipaddr field is char(50) , skip rest of the steps in this procedure otherwise proceed to next step and update the pdbaips table.</p>	Field	Type	Null	Key	Default	Extra	ipaddr	char(50)	NO	PRI	NULL		permission	char(10)	YES		NULL		sshtunnel	int(11)	YES		0		username	char(20)	YES		NULL		port	int(11)	YES		0	
Field	Type	Null	Key	Default	Extra																																	
ipaddr	char(50)	NO	PRI	NULL																																		
permission	char(10)	YES		NULL																																		
sshtunnel	int(11)	YES		0																																		
username	char(20)	YES		NULL																																		
port	int(11)	YES		0																																		
3. <input type="checkbox"/>	MPS 1A: Update the pdbaips table	<pre>\$ mysql -uroot -p EuiDB -e "alter table pdbaips change ipaddr ipaddr char(50);" Enter Password: <MySQL Password></pre>																																				
4. <input type="checkbox"/>	MPS 1A: Verify the changes	<pre>\$ mysql -uroot -p EuiDB -e "desc pdbaips;" Enter Password: <MySQL Password></pre> <table border="1" style="width: 100%; border-collapse: collapse; font-family: monospace; font-size: 0.8em;"> <thead> <tr> <th>Field</th> <th>Type</th> <th>Null</th> <th>Key</th> <th>Default</th> <th>Extra</th> </tr> </thead> <tbody> <tr> <td>ipaddr</td> <td>char(50)</td> <td>NO</td> <td>PRI</td> <td>NULL</td> <td></td> </tr> <tr> <td>permission</td> <td>char(10)</td> <td>YES</td> <td></td> <td>NULL</td> <td></td> </tr> <tr> <td>sshtunnel</td> <td>int(11)</td> <td>YES</td> <td></td> <td>0</td> <td></td> </tr> <tr> <td>username</td> <td>char(20)</td> <td>YES</td> <td></td> <td>NULL</td> <td></td> </tr> <tr> <td>port</td> <td>int(11)</td> <td>YES</td> <td></td> <td>0</td> <td></td> </tr> </tbody> </table> <p>Note: If these changes are not reflected, then Refer to Appendix E for intructions on accessing My Oracle Support.</p>	Field	Type	Null	Key	Default	Extra	ipaddr	char(50)	NO	PRI	NULL		permission	char(10)	YES		NULL		sshtunnel	int(11)	YES		0		username	char(20)	YES		NULL		port	int(11)	YES		0	
Field	Type	Null	Key	Default	Extra																																	
ipaddr	char(50)	NO	PRI	NULL																																		
permission	char(10)	YES		NULL																																		
sshtunnel	int(11)	YES		0																																		
username	char(20)	YES		NULL																																		
port	int(11)	YES		0																																		
5. <input type="checkbox"/>	Procedure Complete	Procedure is complete.																																				

APPENDIX B INTERCONNECTION DIAGRAM




Figure 9: Interconnectivity Diagram for Sync Network Redundancy (Eth04 used for Sync Network)




Figure 10: Default Interconnectivity Diagram (Eth04 used for Backup Provisioning Network)

APPENDIX D CUSTOMER SIGN OFF

Sign-Off Record

*** Please review this entire document. ***

This is to certify that all steps required for the upgrade successfully completed without failure.

Sign your name, showing approval of this procedure, and email this page and the above completed Table to Oracle,
email: upgrades@tekelec.com.

Customer: Company Name: _____ **Date:** _____

Site: Location: _____

Customer :(Print) _____ **Phone:** _____

Fax: _____

Start Date: _____

Completion Date: _____

This procedure has been approved by the undersigned. Any deviations from this procedure must be approved by both Oracle and the customer representative. A copy of this page should be given to the customer for their records. The SWOPS supervisor will also maintain a signed copy of this completion for future reference.

Oracle Signature: _____ **Date:** _____

Customer Signature: _____ **Date:** _____

APPENDIX E MY ORACLE SUPPORT



CAUTION: Use only the guide downloaded from the Oracle Technology Network (OTN) (<http://www.oracle.com/technetwork/indexes/documentation/oracle-comms-tekelec-2136003.html>).

Before upgrading your system, access the **My Oracle Support** web portal (<https://support.oracle.com>) and review any Knowledge Alerts that may be related to the System Health Check or the Upgrade.

Before beginning this procedure, contact My Oracle Support and inform them of your upgrade plans. **If installing for an Oracle customer on a customer site, obtain the customer's Support Identifier (SI) before requesting assistance.**

Web portal (preferred option): My Oracle Support (MOS) (<https://support.oracle.com/>)

Phone: Contact your local Oracle Global Customer Support Center (<http://www.oracle.com/support/contact.html>)

Make the following selections on the Support telephone menu:

1. Select '2' for New Service Request
2. Select '3' for Hardware, Networking and Solaris Operating System Support
3. Select '1' for Technical Issues and when talking to the agent, please indicate that you are an existing Oracle customer