

OFS Profitability Applications Pack

Installation Guide

Release 8.0.6.6.0

May 2020

Exxxx-xx

ORACLE
Financial Services

OFS Profitability Applications Pack Installation Guide

Copyright © 2022 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information on third party licenses, click [here](#).

Document Control

Version Number	Revision Date	Change Log
1.0	August 2020	Created the document to capture the OFS PFT Applications Pack 8.0.6.6.0 Maintenance Level Release installation instructions.

Table of Contents

- 1 Preface..... 5**
 - 1.1 Audience 5
 - 1.2 How this Guide is Organized 5
 - 1.3 Access to Oracle Support 6
 - 1.4 Related Documents 6
 - 1.5 Conventions 6
 - 1.6 Abbreviations 6

- 2 OFS PFT Application Pack Release v8.0.6.6.0 9**
 - 2.1 Pre-installation Requirements 9
 - 2.2 Installing this Release..... 9

- 3 Additional Configurations..... 13**
 - 3.1 Deploying D3 for OBIEE..... 13

1 Preface

This section provides information about the Oracle Financial Services Profitability (OFS PFT) Applications Pack.

You can find the latest copy of this document in the [OHC Documentation Library](#) which includes all the recent additions or revisions (if any) done to date.

Before you begin the installation, ensure that you have access to [My Oracle Support](#) with the required login credentials to quickly notify us of any issues at any stage.

Topics:

- [Audience](#)
- [How this Guide is Organized](#)
- [Access to Oracle Support](#)
- [Related Documents](#)
- [Conventions](#)
- [Abbreviations](#)

1.1 Audience

OFS PFT Application Pack Installation Guide is intended for administrators and implementation consultants who handle installing and maintaining the application pack components.

This document assumes that you have experience in installing Enterprise components and basic knowledge about the following:

- OFS PFT Applications pack components
- OFSAA Architecture
- UNIX Commands
- Database Concepts
- Web server or Web application server

1.2 How this Guide is Organized

The Installation Guide is organized into the following sections:

- [OFS PFT Application Pack Release v8.0.6.6.0](#)
- [Pre Installation Requirements](#)
- [Additional Configurations](#)

1.3 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info>

Or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

1.4 Related Documents

We strive to keep this and all other related documents updated regularly; visit the [OHC Documentation Library](#) to download the latest version available there. The list of related documents is provided here.

- [OFS Profitability Applications pack Installation and Configuration Guide 8.0.6.0.0](#)
- [OFS Funds Transfer Pricing User Guide](#)
- [OFS Profitability Management User Guide](#)
- [OFS Enterprise Financial Performance Analytics User Guide](#)
- [OFS Institutional Performance Analytics User Guide](#)
- [OFS Retail Performance Analytics User Guide](#)
- [OFS Analytical Applications Technology Matrix](#)
- [OFS Analytical Applications Infrastructure Installation and Configuration Guide](#)

1.5 Conventions

The following text conventions are used in this document.

Table 1: Document Conventions

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, file names, text that appears on the screen, or text that you enter.
Hyperlink	Hyperlink type indicates the links to external websites and internal document links.

1.6 Abbreviations

The following table lists the abbreviations used in this document.

Table 2: Abbreviations

Abbreviation	Meaning
BDP	Big Data Processing
DBA	Database Administrator
DDL	Data Definition Language
DEFQ	Data Entry Forms and Queries
DML	Data Manipulation Language
EAR	Enterprise Archive
EJB	Enterprise JavaBean
ERM	Enterprise Resource Management
FTP	File Transfer Protocol
HDFS	Hadoop Distributed File System
HTTPS	Hypertext Transfer Protocol Secure
J2C	J2EE Connector
J2EE	Java 2 Enterprise Edition
JCE	Java Cryptography Extension
JDBC	Java Database Connectivity
JDK	Java Development Kit
JNDI	Java Naming and Directory Interface
JRE	Java Runtime Environment
JVM	Java Virtual Machine
LDAP	Lightweight Directory Access Protocol
LHS	Left Hand Side
MFA	Multi-Factor Authentication
MOS	My Oracle Support
OFSAA	Oracle Financial Services Analytical Applications
OFSAAI	Oracle Financial Services Analytical Application Infrastructure
OFSAAAI	Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack
OHC	Oracle Help Center
OLAP	On-Line Analytical Processing
OLH	Oracle Loader for Hadoop
ORAAH	Oracle R Advanced Analytics for Hadoop
OS	Operating System
RAM	Random Access Memory
RDBMS	Relational Database Management System

Abbreviation	Meaning
RHEL	Red Hat Enterprise Linux
SFTP	Secure File Transfer Protocol
SID	System Identifier
SSL	Secure Sockets Layer
TNS	Transparent Network Substrate
URL	Uniform Resource Locator
VM	Virtual Machine
WAR	Web Archive
XML	Extensible Markup Language

2 OFS PFT Application Pack Release v8.0.6.6.0

OFS Profitability Applications Pack Installation Guide Maintenance Level (ML) release v8.0.6.6.0 includes all the bug fixes and minor enhancements done since the previous Minor release v8.0.6.0.0.

This ML release of OFS PFT Applications Pack can be installed on a setup with any Oracle Financial Services Profitability (OFS PFT) v8.0.6.0.0 Application Pack.

The OFS PFT Applications Pack 8.0.6.6.x release supports Oracle Database Release 19c in addition to the continued support on Oracle Database Release 12c.

2.1 Pre-installation Requirements

- The minimum patch level installed must be OFS PFT Release **8.0.6.0.0**.
- OFS AAI 80660 ML (Patch ID: **31284429**) is a prerequisite for installing the OFS PFT Pack 80660 ML. For more information, see the [Oracle Financial Services Analytical Applications Infrastructure Installation Guide 8.0.6.6.0](#).
- The unlimited cryptographic policy for Java is enabled during the installation of OFS PFT 8.0.6.0.0. For more information, see the *Enabling Unlimited Cryptographic Policy* section in the [OFS Analytical Applications Infrastructure Administration Guide](#).
- It is mandatory to install the OFS PFT 8.0.6.6.0 ML only on *Java 8 with JCE enabled*. Therefore, configure the Java version of the following to *Java 8 with JCE enabled*.
 - OFSAA Processing Tier (where the ML will be installed)
 - Web server (Tomcat, WebSphere, or WebLogic)

NOTE To upgrade Java 7 to Java 8 in an existing OFSAA 8.0.6.x.x instance, see *Appendix H* in the [OFS Profitability Applications pack Installation and Configuration Guide 8.0.6.0.0](#).

2.2 Installing this Release

To install this release patch, follow these steps:

1. Log in to [My Oracle Support](#) and search for **31562914** under the Patches & Updates tab.
2. Download the OFS PFT 8.0.6.6.0 OFS PFT ML Release archive file and copy it to your OFSAA server in **Binary** mode.

NOTE There are different archive files for different operating systems such as AIX, Solaris, and RHEL/OEL.

3. Stop all the OFS AAI services. For more information, see the *Stopping Infrastructure Services* section in the [OFS Profitability Applications Pack Installation and Configuration Guide 8.0.6.0.0](#).

4. Log in to My Oracle Support, search for the 33663417 Mandatory Patch in the Patches & Updates Tab and download it.

ATTENTION: On the 10th of December 2021, Oracle released Security Alert CVE-2021-44228 in response to the disclosure of a new vulnerability affecting Apache Log4J prior to version 2.15. The application of the 33663417 Mandatory Patch fixes the issue.

For details, see the My Oracle Support Doc ID [2827801.1](#).

5. Log in to the OFSAA server as a non-root user and navigate to the `$FIC_HOME` directory.
6. Assign WRITE permission to the files/directories such as commonscripts, EXEWebService, ficapp, ficweb, and ficdb using the command:


```
chmod -R 775 *
```
7. If you have the Unzip utility, skip to the next step or download the Unzip utility (OS-specific) and copy it in Binary mode to the directory that is included in your PATH variable, typically `$HOME` path or directory in which you have copied the 8.0.6.6.0 ML.
 - Uncompress the unzip installer file using the command:

```
uncompress unzip_<os>.Z
```

NOTE If you notice an error message *"uncompress: not found [No such file or directory]"* when the package is not installed, contact your UNIX administrator.

- Assign EXECUTE permission to the utility using the command:

```
chmod 751 unzip_<os>
```

For example, `chmod 751 unzip_aix`

8. Extract the contents of the 8.0.6.6.0 ML archive file using one of the following commands:

```
unzip_<os> -a <name of the file to be unzipped>
```

Or

```
unzip -a <name of the file to be unzipped>
```

NOTE The above `-a` option is mandatory to extract the archive file. An example for the AIX operating system, `unzip_aix -a p31284429_80660_AIX64.zip`

9. Update the parameters in the `params.conf` file present in the `OFS_PFT_PACK/OFS_PFT/conf` directory for the following parameters:

```
UPLOAD_MODEL
```

```
MODEL_TYPE
```

- a. If you have uploaded data model as part of 8.0.6.1.0 installation, then model upload in 8.0.6.6.0 installation can be skipped.

- b. If you have skipped the data model upload for 8.0.6.1.0 and need to upload data model in 8.0.6.6.0, then the 8.0.6.1.0 Erwin patch (Patch 28623828) can be used to customize the model and it can be uploaded as part of 8.0.6.6 installation.

NOTE The Data Model for 8.0.6.6.0 and 8.0.6.1.0 are same. Erwin patch is released only for 8.0.6.1.0 (Patch 28623828). Therefore, the 8.0.6.1.0 Erwin patch can be used if there are any requirements for data model customization in 8.0.6.6.0.

10. Navigate to the `OFS_PFT_PACK/` directory to assign EXECUTE permission to the ML patch installer script using the command:

```
chmod 755 OFSAAIUpdate.sh
```

11. Complete the patch upgrade using the command:

```
./OFSAAIUpdate.sh
```

12. Verify if the ML patch is applied successfully by checking the log file generated in the `OFS_PFT_PACK/OFS_PFT/logs` directory. You can ignore error codes ORA-00001 and ORA-02292 in the log file. For any other errors, contact [My Oracle Support](#).

NOTE For an upgrade on Hive Infodomain, you may encounter an exception "*PL/SQL: ORA-00942: table or view does not exist*". You can ignore this error.

13. After successful installation of the ML, follow these steps:

- Execute the `.profile` using the following command:

```
. $HOME/.profile
```

- Clear the application cache. Navigate to the following path depending on the configured web application server and delete the files.

- Tomcat:

```
<Tomcat installation
folder>/work/Catalina/localhost/<Application
name>/org/apache/jsp
```

- WebLogic:

```
<WebLogic installation location>/domains/<Domain
name>/servers/<Server name>/tmp/_WL_user/<Application name>
```

- WebSphere:

```
<WebSphere installation directory>/AppServer/profiles/<Profile
name>/temp/<Node name>/server1/<Application name>/<.war file
name>
```

14. Delete the existing EAR or WAR file available in the `$FIC_HOME/ficweb` directory.

15. Install the OFSAAIRunner package. This is an optional step and applicable only if you have installed Oracle R Enterprise Edition (ORE). For more information, see [Installing OFSAAIRunner package with enhancements for OFS AAI 8.0.6.6.0](#).

16. Restart all the OFSAI services. For more information, see the *Starting Infrastructure Services* section in the [OFS Profitability Applications Pack Installation and Configuration Guide 8.0.6.0.0](#).
17. Clear the web server cache depending on the configured web application server and delete the files.
 - **Tomcat:**
<Tomcat installation folder>/work/Catalina/localhost/<Application name>/org/apache/jsp
 - **WebLogic:**
<WebLogic installation location>/domains/<Domain name>/servers/<Server name>/tmp/_WL_user/<Application name>
 - **WebSphere:**
<WebSphere installation directory>/AppServer/profiles/<Profile name>/temp/<Node name>/server1/<Application name>/<.war file name>
18. Generate the application EAR/WAR file and redeploy the application onto your configured web application server. For more information on generating and deploying the EAR or WAR file, see the *Post Installation Configurations* section in the [OFS Profitability Applications Pack Installation and Configuration Guide 8.0.6.0.0](#).

3 Additional Configurations

3.1 Deploying D3 for OBIEE

For details on deploying D3 for OBIEE, see the following sections in the [OFS Profitability Management Applications Pack Installation and Configuration Guide](#):

- *Chapter 7 – RPD, Catalog Deployment, D3, and Map View Configuration for OBIEE 11G*
- *Chapter 8 – RPD, Catalog Deployment, D3 and Map View Configuration For OBIEE12c*

OFSAA Support

Raise a Service Request (SR) in [My Oracle Support \(MOS\)](#) for queries related to the OFSAA applications.

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the My Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site that has all the revised or recently released documents.

