

# **Oracle Communications Software**

## **ASAP Cartridge for the Alcatel 8618 Convergent Rating Engine (CRE)**

**Vendor:** Alcatel 8618

**Technology:** Convergent Rating Engine (CRE)

**Software Load:** WSTR2

**Protocol:** SOAP / HTTP

**ASAP Version:** ASAP 5

**Rollback Supported:** Y

The Alcatel Convergent Rating Engine (CRE) network element performs rating and balance management of prepaid (GSM, 3G, CDMA) and postpaid (real time cost control) products and services.

### **Supported Services**

This cartridge supports configuration of the following services:

- Account
- Customer
- Adjustment
- Top-up
- Call History
- Customer Account
- Commercial Offer
- Customer Subscription
- Friends and Family
- Spend Limit
- CusSub
- Bucket
- Counter

***Account***

| <b>Service</b>                | <b>Description</b>   |
|-------------------------------|--|
| Get Account Balance           | Use to return the current value of the main balance of a given account and bundle balances of a given account. |
| Get Account                   | This returns all the values of an account except bundle details.   |
| Create Account                | Used to create an account.   |
| Modify Account                | Used to update a given account.  |
| Activate Account              | Used to activate a given account.  |
| Manage Spend Limit            | Manage the spend limit of a given account.   |
| Manage Low Credit Notice      | Manage the low credit notice of an account.  |
| Manage Pay Trigger LCT        | Used to manage the payment trigger based on low credit.  |
| Manage Price Plan             | Manage the price plan for a given account.   |
| Remove Account                | This request is used to remove a given account.  |
| Block Account                 | Used to block the account to facilitate temporary disconnect.  |
| Balance for Bundles           | Used to transfer credit from account balance to bundles.   |
| Set Scratch Card Suspend Flag | Used to set the scratch card reload suspended flag to suspend or not.  |
| Immediate Charging Request    | This request is used to charge a one-off fee to an account.  |

***Customer***

| <b>Service</b>  | <b>Description</b>                               |
|-----------------|--|
| Get Customer    | Get the details of a customer.                   |
| Create Customer | Create a customer.                               |
| Modify Customer | Modify the customer details.                     |
| Remove Customer | Remove a customer from a given service provider. |

|                          |   |
|--------------------------|---|
| Update Customer Status   | Update the customer status to facilitate temporary suspend. |
| Change MSISDN            | Change the MSISDN of a given customer.                      |
| Manage Closed User Group | Manage the closed user group feature for a given customer.  |
| Modify Customer BAID     | Modify the Customer Billing and Account ID                  |
| Remove Customer and Data | Remove the and all associated objects                       |

### *Adjustment*

| <b>Service</b>                | <b>Description</b>   |
|-------------------------------|--|
| Make Adjustment               | This request is used to adjust the main balance of a given account. The adjustment shall be the delta applied to the current balance and this can be a credit or debit adjustment. |
| Get Adjustment Top-up History | Used to retrieve a list of history details including adjustment and/or top-up of a given customer.   |

### *Top-up*

| <b>Service</b> | <b>Description</b>  |
|----------------|---|
| Make Top-up    | This is used to make top-up the value of the main balance of a given account. The top-up shall be the delta applied to the current balance. |

### *Call History*

| <b>Service</b>        | <b>Description</b>  |
|-----------------------|---|
| Get Call History      | Used to retrieve a list of call history of a given customer.  |
| Get Statement Details | Used to extract the information of call adjustment and top-up history to a zip file. The file name of the zip file will be returned in the request if data is found. The zip file will contain two data files, call history file, and adjustment/top-up file. Only up to 90 days of data is |

|  |                       |
|--|-----------------------|
|  | possible to retrieve. |
|--|-----------------------|

### ***Customer Account***

| <b>Service</b>          | <b>Description</b>   |
|-------------------------|--|
| Get Customer Account    | Get the details of the customer account.   |
| Modify Customer Account | Modify the customer account.   |
| Create Customer Account | A customer can be linked to as many accounts as wanted but of course each account of one customer must be named differently. This request is used to link the account to the customer. |
| Remove Customer Account | Remove the link of the account from the customer.  |
| List Customer Account   | List all the available customer accounts belonging to a given customer.  |

### ***Commercial Offer***

| <b>Service</b>        | <b>Description</b>   |
|-----------------------|--|
| List Commercial Offer | List all the available commercial offers that belong to the service provider ID. |

### ***Customer Subscription***

| <b>Service</b>               | <b>Description</b>   |
|------------------------------|--|
| Create Customer Subscription | Used to create a customer subscription.                              |
| Modify Customer Subscription | Used to modify the optional fields of a customer subscription.       |
| Remove Customer Subscription | Used to remove a customer subscription.                              |
| Get Customer Subscription    | Used to return the details of a customer subscription.               |
| List Customer Subscription   | Lists all the available subscriptions belonging to a given customer. |

### ***Friends and Family***

| <b>Service</b>                   | <b>Description</b>   |
|----------------------------------|--|
| Create a Friends and Family List | Create a name for the friends and family list.   |
| Remove a Friends and Family List | Remove a record from the friends and family list object.   |
| Get Friends and Family List      | Check whether or not a record exists in the friends and family list object.  |
| List FNF List                    | List all the available lists of a friends and family list of a given service provider.                                     |
| Create Friends and Family Member | Create a member in the friends and family list.  |
| Remove Friends and Family Member | Used to remove a friends and family member from a friends and family list.   |
| Get Friends and Family Member    | Used to check whether or not a friends and family member exists in the friends and family list.                            |
| List Friends and Family Member   | List all the available friends and family members that exists in the friends and family list for a given service provider. |
| Remove Customer FNF List         | Remove the Customer Friends and Family List.   |

### ***Spend Limit***

| <b>Service</b>         | <b>Description</b>                                   |
|------------------------|--|
| Activate Spend Limit   | Used to create a spend Limit.                        |
| Modify Spend Limit     | Used to modify the optional fields of a spend limit. |
| Deactivate Spend Limit | Used to remove a spend limit.                        |
| Display Spend Limit    | Used to return the details of a spend limit.         |

### ***CusSub***

| <b>Service</b> | <b>Description</b>   |
|----------------|--|
| Create CusSub  | Used to create a customer subscription.                              |
| Modify CusSub  | Used to modify the optional fields of a customer subscription.       |
| Remove CusSub  | Used to remove a customer subscription.                              |
| Get CusSub     | Used to return the details of a customer subscription.               |
| List CusSub    | Lists all the available subscriptions belonging to a given customer. |

### ***Bucket***

| <b>Service</b> | <b>Description</b>                              |
|----------------|---|
| Create Bucket  | Used to create a Bucket.                        |
| Modify Bucket  | Used to modify the optional fields of a Bucket. |
| Remove Bucket  | Used to remove a Bucket.                        |
| List Buckets   | Lists all the available Buckets.                |

### ***Counter***

| <b>Service</b> | <b>Description</b>                               |
|----------------|--|
| Create Counter | Used to create a counter.                        |
| Modify Counter | Used to modify the optional fields of a counter. |
| Remove Counter | Used to remove a counter.                        |
| List Counters  | Lists all the available counters.                |

## **Cartridge Contents**

This ASAP cartridge includes:

- Service Actions
- Network Actions
- Action processors

- Installation scripts
- Sample work orders
- Design document

## **Cartridge Extension Notes**

There are some limitations with this network element associated with some of the functions. For example when deleting a Friends and Family list it is first necessary to remove the members from the Friends and Family list before the list can be deleted. In addition to the atomic actions that perform the individual actions (e.g. remove Friends and Family member, remove Friends and Family list) it would be ideal to support an atomic action that performs multiple deletes in one go. This could work in conjunction with a query to first retrieve the members in the Friends and Family list.