

Oracle Communications Software

ASAP Cartridge for Acme Packets SD

The *ASAP Cartridge for Acme Packets SD* is an optional software component that enables ASAP to configure the Net-Net Session Director component.

Supported Services

The *ASAP Cartridge for Acme Packets SD* supports the following actions:

Service	Description
Network Interface	Configure a Network Interface Delete a Network Interface Edit Network Interface fields Query Network Interface
Local Policy	Configure a local policy element Delete local policy element Edit local policy fields Query local policy
Realm Configuration	Configure a realm element Delete a realm element Edit realm fields Query realm
Steering Pool	Configure a steering pool element Delete a steering pool element Edit steering pool fields Query steering pool
Session Agent	Configure session agent element Delete a session agent element Edit session agent fields

	Query session agent
Session Agent Group	Configure session agent group Delete a session agent group Edit a session agent group fields Query session agent group
Session Constraints	Configure session constraints Delete a session constraints Edit a session constraints fields Query session constraints
Session Translation	Configure session translation Delete a session translation Edit a session translation fields Query session translation
Translation Rules	Configure translation rules Delete a translation rules Edit a translation rules fields Query translation rules
SIP-NAT Configuration	Configure sip-nat element Delete a sip-nat element Edit sip-nat element fields Query sip-nat
SIP Interface Configuration	Configure SIP Interface element Delete a SIP Interface element Edit SIP Interface element fields Query SIP Interface
Save and Activate Configuration	Save and Activate current Net-Net configuration

Cartridge Contents

The *ASAP Cartridge for Acme Packets SD* includes:

- Common Service Description Layer Commands (CSDLs)
- Atomic Service Description Layer Commands (ASDLs)
- Java methods
- Installation scripts
- Sample work orders
- Cartridge manual

This cartridge can be extended by any of the following:

- Customers
- Systems Integrators
- Oracle Communications Professional Services

The *ASAP Cartridge Development Kit (CDK) for Service Activation* provides guidelines for extending a cartridge.

Technical Specifications

Hardware & Software Requirements

The *ASAP Cartridge for Acme Packets SD* is designed to operate with the following hardware and software:

- ASAP 4.7.1, ASAP 5.2.2
- ACME Session Director 6.4

Network Element Interface

The ASAP cartridge will interface to the ACME SD via the NET-NET EMS. This is an XML/SOAP interface to the EMS.