

Oracle® Hospitality OPERA Web Self-Service
Availability Web Service Specifications
Version 5.1

March 2022

Copyright © 2015, 2022, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface	14
Audience	14
Customer Support.....	14
Documentation.....	14
Revision History.....	14
1 Functional Overview	23
2 Availability	25
AvailabilityRequest	25
General Availability Request	25
General Availability Request with Multiple Room Class	52
General Availability Request (with HCP parameter) Include Public Rates = true	52
General Availability based on Promo Code Request.....	53
General Availability based on Travel Agent Request.....	54
General Availability Request for Repeat Rate Code Posting Rhythm Rule.....	55
Detail Availability Request.....	56
Detailed Availability Request	56
General Availability Request for Repeat Rate Code Posting Rhythm Rule.....	73
AvailabilityResponse	74
General Availability Response by InventoryBlockCode	85
General Availability Response for GDS Channel Type 1P.....	88
General Availability Response for ChildAgeBucket.....	99
General Availability Response with GDS Flags	103
General Availability Response with Alternate Dates Available.....	113
General Availability Response with Alternate Dates Unavailable	124
General Availability based on Promo Code Response	125
General Availability Response by Promotion Code with Room Amenities	131
General Availability Response with Negotiated Rate	136
General Availability Response Best Available.....	141
General Availability Response Travel Agent.....	144
General Availability Response Rate Range	149
General Availability Response with Child Ages	152
General Availability Response by Room Type	160
General Availability Response with Reduced Message Size	175
General Availability Response with Stay Dates and Points Date Ranges.....	189
General Availability Response with Points Only	210

General Availability Response for (Apartment Style Billing) – rateCycleType="WEEKLY"	214
General Availability Response for ASB (Apartment Style Billing) – rateCycleType="MONTHLY"	219
General Availability Response for Amenity	225
General Availability Response for Language Translation	238
General Availability Response with Profile Discount	246
General Availability Response for checkCateringPkgRate="true"	254
General Availability Response for Room Features	261
General Availability Response PseudoRoom = "false"	266
General Availability Response PseudoRoom = "true"	275
General Availability Response with Rank Rate	285
General Availability Response returnOnlyReqRate = "false"	289
General Availability Response returnOnlyReqRate = "true"	292
General Availability with Multiple Room Class as Input Response	293
General Availability Posting Rhythm Response	301
General Availability Response (with HCP parameter) Include Public Rates = true	312
General Availability Response for Repeat Rate Code Posting Rhythm Rule	315
Detailed Availability Response	318
Detailed Availability Response for ChildAgeBucket	322
Detailed Availability Response with Reduced Message Size	326
Detailed Availability Response with Maximum Occupancy	328
Detailed Availability Response with Stay Dates and Points Date Ranges	329
Detailed Availability Response with Points Only	333
Detailed Availability Response for ASB Weekly	336
Detailed Availability Response for ASB Monthly	341
Detailed Availability Response for ASB Floating Week	347
Detailed Availability Response for ASB Floating Month	352
Detailed Availability Response with GuaranteeDetails	358
Detailed Availability Response Language Translation	365
Detailed Availability Response Packages	372
Detailed Availability Response with Package Amount Included in Base Amount	377
Detailed Availability Response with Profile Discount	382
Detailed Availability Response Non-Cancelable	386
Detailed Availability Response with Points Breakdown Per Night	392

3 FetchAvailableItems..... 399

FetchAvailableItemsRequest	399
----------------------------------	-----

FetchAvailableItemsRequest, by Item, with Packages.....	400
FetchAvailableItemsRequest, by Item, without Packages.....	400
FetchAvailableItemsRequest, by Group, without Packages	401
FetchAvailableItemsRequest with Booked Inventory Items Outside of Stay Dates ..	402
FetchAvailableItemsResponse	403
FetchAvailableItemsResponse, by Item, with Packages	406
FetchAvailableItemsResponse, by Item, without Packages	407
FetchAvailableItemsResponse, by Group, without Packages.....	409
FetchAvailableItemsResponse with Booked Inventory Items Outside of Stay Dates	413
4 FetchAvailablePackages	417
FetchAvailablePackagesRequest.....	417
FetchAvailablePackagesRequest with ChildAges.....	418
FetchAvailablePackagesRequest for Package Details.....	418
FetchAvailablePackagesRequest for Total Deposit Amount	419
FetchAvailablePackagesRequest with Language Translation	420
FetchAvailablePackagesRequest with Channel Validation (HCP parameter) = True.....	420
FetchAvailablePackagesRequest with Channel Validation (HCP parameter) = False	421
FetchAvailablePackagesResponse	423
FetchAvailablePackagesResponse when postingRhythm="A"	429
FetchAvailablePackagesResponse when postingRhythm="C01010110110000" ..	441
FetchAvailablePackagesResponse when postingRhythm="D"	455
FetchAvailablePackagesResponse when postingRhythm="F"	468
FetchAvailablePackagesResponse when postingRhythm="I0202"	481
FetchAvailablePackagesResponse when postingRhythm="L"	495
FetchAvailablePackagesResponse when postingRhythm="M"	508
FetchAvailablePackagesResponse when postingRhythm="N"	521
FetchAvailablePackagesResponse when postingRhythm="V"	533
FetchAvailablePackagesResponse when postingRhythm="W0101010"	546
FetchAvailablePackagesResponse for Total Deposit Amount	560
FetchAvailablePackagesResponse Language Translation	564
FetchAvailablePackagesResponse with Channel Validation (HCP parameter) = True.....	569
FetchAvailablePackagesResponse with Channel Validation (HCP parameter) = False	571
5 FetchCalendar.....	575
FetchCalendarRequest.....	575
FetchCalendar with BlockCode Request.....	575

FetchCalendar with ChildAgeBuckets Request	576
FetchCalendar with DBAR Request	577
FetchCalendar with Onbehalf Request	578
FetchCalendar with PromoCode Request	579
FetchCalendar with OWS CALENDAR MODE Set to "BAR" Request	580
FetchCalendar with OWS CALENDAR MODE Set to "BAR Rate Groups" Request	581
FetchCalendar with OWS CALENDAR MODE Set to Single Rate Request	582
FetchCalendar with OWS CALENDAR Mode Set to "Lowest" Request	583
FetchCalendar OnBehalf with OWS CALENDAR CACHE Enabled Request	583
FetchCalendar PromoCode with OWS CALENDAR CACHE Enabled Request	585
FetchCalendar with Number of Nights Request	585
FetchCalendar with RestrictMode=true Request	586
FetchCalendar with RestrictMode=false Request	587
FetchCalendar Inventory Mode = True Request	588
FetchCalendar Inventory Mode = False Request	589
FetchCalendar with OWS GOOLGE CALENDAR MAX NIGHTS STAY Request ...	589
FetchCalendar with OWS GOOLGE CALENDAR MAX NIGHTS STAY Exceeded Request	590

6 FetchCalendarResponse 594

FetchCalendar with BlockCode Response	597
FetchCalendar with ChildAgeBuckets Response	600
FetchCalendar with DBAR Response	602
FetchCalendar with Onbehalf Response	604
FetchCalendar with PromoCode Response	610
FetchCalendar with OWS CALENDAR MODE Set to "BAR" Response	612
FetchCalendar with OWS CALENDAR MODE Set to "BAR Rate Groups" Response	616
FetchCalendar with OWS CALENDAR MODE Set to Single Rate Response	617
FetchCalendar with OWS CALENDAR Mode Set to "Lowest" Response	619
FetchCalendar OnBehalf with OWS CALENDAR CACHE Enabled Response	622
FetchCalendar PromoCode with OWS CALENDAR CACHE Enabled Response ...	625
FetchCalendar for Number of Nights Response	627
FetchCalendar with RestrictMode=true Response	633
FetchCalendar with RestrictMode=false Response	637
FetchCalendar Inventory Mode = True Response	657
FetchCalendar Inventory Mode = False Response	665
FetchCalendar with OWS GOOLGE CALENDAR MAX NIGHTS STAY Response.	811
FetchCalendar with OWS GOOLGE CALENDAR MAX NIGHTS STAY Exceeded Response	815

7	FetchExpectedCharges	817
	FetchExpectedChargesRequest	817
	FetchExpectedCharges for Rate as Tax Inclusive Request	818
	FetchExpectedChargesResponse	819
	FetchExpectedCharges with Rate as Tax Inclusive Response.....	820
8	FetchItemGroups	822
	FetchItemGroupsRequest	822
	FetchItemGroupsRequest, with Items.....	822
	FetchItemGroupsRequest, without Items	823
	FetchItemGroupsRequest with Booked Inventory Items Outside of Stay Dates	823
	FetchItemGroupsResponse.....	824
	FetchItemGroupsResponse with Items	828
	FetchItemGroupsResponse without Items	831
	FetchItemGroupsResponse with Booked Inventory Items Outside of Stay Dates....	833
9	GdsAreaAvailability	837
	GdsAreaAvailabilityRequest.....	837
	GdsAreaAvailability Multi Request	838
	GdsAreaAvailabilityResponse	840
	GdsAreaAvailability Multi Response	841
10	GetCacheStatus	843
	GetCacheStatusRequest	843
	GetCacheStatusResponse.....	844
11	RegionalAvailability	846
	RegionalAvailabilityRequest.....	846
	RegionalAvailabilityRequest by Hotel.....	846
	RegionalAvailabilityRequest by CitySearch	847
	RegionalAvailabilityRequest Region Reduced Message Size	848
	RegionalAvailabilityRequest All Rate Codes.....	849
	RegionalAvailabilityRequest Chain	849
	RegionalAvailabilityRequest City	850
	RegionalAvailabilityRequest CRO	851
	RegionalAvailabilityRequest Region	851
	RegionalAvailabilityRequest Same City Search	852
	RegionalAvailabilityResponse	853
	RegionalAvailabilityResponse by Hotel	854
	RegionalAvailabilityResponse by CitySearch.....	857
	RegionalAvailabilityResponse Region Reduced Message Size	859

RegionalAvailabilityResponse All Rate Codes	862
RegionalAvailabilityResponse Chain.....	863
RegionalAvailabilityResponse City	868
RegionalAvailabilityResponse CRO.....	878
RegionalAvailabilityResponse Region.....	885
RegionalAvailabilityResponse Same City Search.....	888
RegionalAvailabilityResponse with Hotel Coordinates	894
12 RegionalAvailabilityExt	897
RegionalAvailabilityExtRequest	897
RegionalAvailabilityExtRequest	897
RegionalAvailabilityExtRequest by Chain Code.....	898
RegionalAvailabilityExtRequest by City	898
Regional AvailabilityExtRequest by CRO	899
RegionalAvailabilityExtRequest for ExpectedCharges	899
RegionalAvailabilityExtResponse.....	901
RegionalAvailabilityExtResponse	902
RegionalAvailabilityExtResponse For a Chain Code.....	907
RegionalAvailabilityExtResponse for a City	912
RegionalAvailabilityExtResponse for CRO.....	921
RegionalAvailabilityExtResponse with ExpectedCharges.....	930
13 Complex and Simple Type Definitions	937
AdditionalBedAmount.....	937
AdditionalBedType	937
AdditionalDetail.....	938
AdditionalDetailType.....	938
AdditionalGuestAmount	939
Address	940
AgeQualifyingCode.....	941
AlternateDate	941
Amenity	942
AmenityAmenityType	942
AmenityAvailabilityFlag	943
AmenityInfo.....	944
Amount	944
AreaAvailableProperty	945
ArrayOfAdditionalBedAmount.....	945
ArrayOfAdditionalDetail.....	946
ArrayOfAdditionalGuestAmount	946

ArrayOfAddress.....	947
ArrayOfAlternateDate.....	947
ArrayOfAmenity.....	947
ArrayOfAnyURI.....	948
ArrayOfAttractionInfo.....	948
ArrayOfAttractionsTypeAttraction.....	948
ArrayOfAreaAvailableProperty.....	949
ArrayOfAvailResponseSegment.....	950
ArrayOfCalendarDailyDetail.....	950
ArrayOfCancelPenalty.....	950
ArrayOfCreditCardPayment.....	951
ArrayOfDescriptiveText.....	951
ArrayOfChildAge.....	951
ArrayOfEmail.....	952
ArrayOfGdsTotalPricingTax.....	952
ArrayOfGuarantee.....	952
ArrayOfGuaranteeAccepted.....	953
ArrayOfHotelInfo.....	953
ArrayOfHotelReference.....	953
ArrayOfHotelReference.....	954
ArrayOfHotelSearchCriterion.....	954
ArrayOfIDPair.....	955
ArrayOfInventoryItemElement.....	955
ArrayOfItemElement.....	955
ArrayOfItemGroupElement.....	956
ArrayOfMeetingRoomsTypeMeetingRoomCode.....	956
ArrayOfPackageElement.....	956
ArrayOfPackageElement1.....	957
ArrayOfPaymentType.....	957
ArrayOfPaymentType1.....	957
ArrayOfPhone.....	958
ArrayOfRate.....	958
ArrayOfRateCodeInformation.....	958
ArrayOfRateCodeInformation1.....	959
ArrayOfRatePlan.....	959
ArrayOfRatePlanCandidate.....	959
ArrayOfRatePlanRoomTypes.....	960
ArrayOfRegionalAvailableProperty.....	960
ArrayOfRegionalAvailablePropertyExtended.....	960

ArrayOfReservationComment	961
ArrayOfReservationTrace	961
ArrayOfResGuestRPH.....	961
ArrayOfRestaurantsTypeRestaurant.....	962
ArrayOfRestaurantsTypeRestaurantCuisine	962
ArrayOfRestriction	962
ArrayOfRoomFeature.....	963
ArrayOfRoomRate	963
ArrayOfRoomStay	963
ArrayOfRoomStayCandidate	964
ArrayOfRoomType	964
ArrayOfRoomTypeInventory.....	965
ArrayOfSpecialRequest.....	965
ArrayOfText.....	965
ArrayOfTextElement	966
ArrayOfTimeSpanPoints.....	966
ASBRateCycle.....	966
AttractionInfo	966
AttractionInfoType	967
AvailRequestSegment	967
AvailRequestSegmentList.....	972
AvailRequestType.....	973
AvailResponseSegment.....	973
Award.....	975
CalendarDailyDetail	975
CalendarRate	975
CancelDateTime	976
CancelPenalty	976
CancelTerm.....	977
CancelTermType	978
Charge	978
ChargeList.....	978
ChargesForTheDay	979
ChildAge	979
CityCode	980
Commission	981
CreditCard	982
CreditCardPayment.....	983
DailyChargeList	984

DepositRequirement.....	985
DescriptiveText	985
Discount	986
DiscountType	987
DistanceUnitType	987
ECertificate.....	987
Email	992
EncryptedSwipe	993
ExtendedHotelInfo.....	993
FacilityInfoType	994
FacilityInfoTypeGuestRooms.....	995
FacilityInfoTypeGuestRoomsGuestRoom	995
FixedCharge.....	996
FixedChargeList	997
Frequency	997
GDSError.....	998
GdsFlags.....	998
GDSResultStatus	998
GdsTotalPrice	999
GdsTotalPricing.....	1000
GdsTotalPricingElement	1001
GdsTotalPricingTax	1002
GeoCode.....	1003
GeoPosition.....	1003
Guarantee.....	1004
GuaranteeAccepted	1005
GuestCount.....	1006
GuestCountList	1006
HotelContact.....	1007
HotelInfo	1008
HotelInfoType	1009
HotelReference	1009
HotelSearchCriterion.....	1010
IDPair.....	1010
InventoryItemElement	1010
ItemElement.....	1012
ItemGroupElement	1012
MeetingRoomsType.....	1012
MeetingRoomsTypeMeetingRoom.....	1013

MeetingRoomsTypeMeetingRoomCode	1014
MemberAwardInfo	1014
MinMaxRate	1016
MinMaxRateExtended.....	1017
MinMaxRateIndicator	1018
OtherPaymentType.....	1018
PackageDetailCharges.....	1019
PackageElement	1019
PackageMember	1026
Paragraph.....	1026
Payment.....	1027
PaymentType.....	1027
PaymentUsed.....	1028
Phone	1028
PhonePhoneData.....	1029
PointsSchedule	1030
PromotionDetails	1030
PropertyStatusCode.....	1031
PropertyStatusCodeType.....	1032
Rate	1033
RateCalculation	1034
RateCodeInformation.....	1035
RateCycleType.....	1036
RateOccurrenceType	1036
RatePlan.....	1036
RatePlanCandidate	1041
RatePlanRoomTypes	1042
RegionalAvailableProperty	1043
RegionalAvailablePropertyExtended.....	1044
RegionalSearch	1046
RegionalSearchCode.....	1046
RegionalSearchCodeType.....	1047
ReservationComment.....	1047
ResGuestRPH	1048
ReservationTrace.....	1048
RestaurantsTypeRestaurant.....	1049
RestaurantsTypeRestaurantCuisine	1050
Restriction	1050
RestrictionType	1051

ResultStatus	1052
ResultStatusFlag.....	1053
RoomFeature.....	1053
RoomRate	1054
RoomStay	1056
RoomStayCandidate	1059
RoomType.....	1060
RoomTypeInventory	1063
RuleSchedule	1064
SpecialRequest.....	1064
StatusCodeIndicator	1065
Text.....	1065
TextElement	1066
TextList	1066
TimeSpan	1066
TimeSpanPoints	1067
UniqueID.....	1067
UniqueIDType.....	1068
VaultedCardType.....	1068
Vector.....	1068
VectorDirection	1069
VectorDirectionType	1069
VectorDistance.....	1070
Voucher	1071

Preface

This document explains how the Availability Web Service messages function in OPERA Web Suite (OWS). In addition, this document breaks-down the available simple and complex element types.

This document may not contain all the web service messages supported by OWS.

Audience

This document is intended for those who are developing custom applications that interact with OPERA using OWS Availability Web Service operations.

For more information on the OGHeader, please refer to the "OWS_Header_Spec" document.

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

Product version and program/module name

Functional and technical description of the problem (include business impact)

Detailed step-by-step instructions to re-create

Exact error message received and any associated log files

Screen shots of each step you take

Documentation

Oracle Hospitality product documentation is available on the Oracle Help Center at <http://docs.oracle.com/en/industries/hospitality/>

Revision History

Date	Version	Description of Change
January 2004	1.0.0	<ul style="list-style-type: none">Initial Release
January 2004	1.0.1	<ul style="list-style-type: none">Update for minor changes to Room Stay definition
February 2004	1.0.2	<ul style="list-style-type: none">Added period attribute to RatePlan.CancellationDateTime
September 2004	1.0.3	<ul style="list-style-type: none">Update from 5.0 to 5.1. Added Payments, Packages, and HotelExtendedInformation elements.

August 2005	2.0.0	<ul style="list-style-type: none">• Reformatted Document• Added Regional Availability• Update Sample Messages• Added new schemas
September 2005	2.1.0	<ul style="list-style-type: none">• Added Summary Section
March 2006	2.2.0	<ul style="list-style-type: none">• Added FetchAvailablePackages and FetchCalendar
September 2006	3.0.0	<ul style="list-style-type: none">• Revised and Edited
February 2007	3.0.1	<ul style="list-style-type: none">• Additional Revisions
March 2007	4.0	<ul style="list-style-type: none">• Additional Revisions
June 2007	5.0	<ul style="list-style-type: none">• Added totalAvailableRooms to FetchCalendar Response
August 2007	5.1	<ul style="list-style-type: none">• Updated FetchAvailablePackages with Package Group information.
October 2007	5.2	<ul style="list-style-type: none">• Added a sample General Availability XML message for a specific room type.
November 2007	5.3	<ul style="list-style-type: none">• Added item inventory.
December 2007	5.4	<ul style="list-style-type: none">• Replaced all descriptions.
February 2008	5.5	<ul style="list-style-type: none">• Added GDS Area Availability.
March 2008	5.6	<ul style="list-style-type: none">• Regenerated and cleaned up several tables.
April 2008	5.7	<ul style="list-style-type: none">• Added a sample message for GDS channel type 1p. Added both Gen. Avail. RQ and RS.

May 2008	5.8	<ul style="list-style-type: none"> • Added the following request and response messages to reflect the new ItemName element added to the InventoryItemElement complex type: <ul style="list-style-type: none"> ○ FetchItemGroupsResponse With Items. ○ FetchItemGroupsResponse Without Items. ○ FetchAvailableItemsRequest, By Item, With Packages. ○ FetchAvailableItemsRequest, By Item, Without Packages. ○ FetchAvailableItemsRequest, By Group, Without Packages. • Also added new row for the ItemName element to the InventoryItemElement complex type.
June 2008	5.9	<ul style="list-style-type: none"> • Added the following message samples to General and Detailed Availability: <ul style="list-style-type: none"> ○ DetailedAvailability Request and Response for ChildAgeBuckets. ○ General Availability Request and Response for ChildAgeBuckets.
June 2008	5.10	<ul style="list-style-type: none"> • 133235 – Added General Availability Response with GDS Flags message sample to General Availability Response.
July 2008	6.0	<ul style="list-style-type: none"> • 140860 – Added suppressRate attribute to the RatePlan and RoomRate complex types.
July 2008	6.1	<ul style="list-style-type: none"> • 141996 – Added coupon to PromotionCode description. Also, added the following message sample: Query for Coupon Code “Coupon.”

August 2008	6.2	<ul style="list-style-type: none"> 133997 – Added GdsTotalPricing complex type elements. GDS channels now display gds total pricing tags in General and Detail Availability.
August 2008	6.3	<ul style="list-style-type: none"> 139023 – Added ChildAges element to FetchAvailablePackages Request and included sample message.
October 2008	6.4	<ul style="list-style-type: none"> 141900 – AlternateDates element added to Availability response. Sample General Availability request and response messages added showing alternate dates available and unavailable.
February 2009	6.5	<ul style="list-style-type: none"> 154254 - AvailabilityResponse: alternateDates attribute has been changed to use "optional." RoomRate: roomTypeCode attribute changed to use "optional."
March 2009	6.6	<ul style="list-style-type: none"> 147307 - Added decimals attribute to Amount, ChargeList, DailyChargeList, and GdsTotalPricingTax complex types.
April 2009	6.7	<ul style="list-style-type: none"> 150730 – Added new message samples as part of sdk update.
June 2009	6.8	<ul style="list-style-type: none"> Updated the Availability function description.
June 2009	6.9	<ul style="list-style-type: none"> 158620 – Added Regional Availability request and response message samples showing sameCityIndicator attribute as true and false. Added sameCityIndicator attribute to CityCode complex type.

June 2009	7.0	<ul style="list-style-type: none"> 159154 — PackageDetailCharges complex type added to PackageElement. Updated FetchAvailablePackages with sample request message showing the PackageDetails. Message samples also added for FetchAvailablePackages Response showing postingRhythms. Finally, calculationRule and postingRhythm attributes have been added under PackageElement complex type.
August 2009	7.1	<ul style="list-style-type: none"> 156535 — Added Detailed, General, and Regional Availability RQ and RS message samples showing reduced message sizes.
November 2009	7.2	<ul style="list-style-type: none"> 163408 — Message samples added for Detailed Availability showing max occupancy for adults and children. V5.0.02.01
December 2009	7.3	<ul style="list-style-type: none"> 162911 — Added pointsBelow and pointsAbove attributes for the total cost of membership points stay. Also added ratePlanName, awardType and redemRate attributes to RatePlan. Request/response message samples were also added. V5.0.02.01
January 2010	7.4	<ul style="list-style-type: none"> General, Detailed, and Regional Availability reduced RQ and RS message samples updated as part of sdk effort. RegionalAvailabilityByCitySearch RQ and RS messages updated. V5.0.02.01
May 2010	7.5	<ul style="list-style-type: none"> 163789 — FetchCalendar with BlockCode, ChildAgeBuckets, DBAR, Onbehalf, and PromoCode RQ and RS message samples added. v5.0.02.02

May 2010	7.6	<ul style="list-style-type: none"> 172150 — New elements for ASB added to the AvailRequestSegment complex type. New ASBRateCycle complex type also added. Finally, sample RQ and RS messages added to General and Detailed Availability for ASB, showing Weekly, Monthly, and Floating Week and Month. V5.0.02.02
May 2010	7.7	<ul style="list-style-type: none"> 169766 — Several message samples for GdsArea and Regional Availability showing Amenity and commissions were added. V5.0.02.02
June 2010	7.8	<ul style="list-style-type: none"> 177635 — totalDepositAmount attribute can now be returned in the FetchAvailablePackages response. Message samples added. V5.0.02.03
August 2010	7.9	<ul style="list-style-type: none"> 181401 — GuaranteeDetails returned in the DetailedAvailability response. V5.0.02.03
September 2010	8.0	<ul style="list-style-type: none"> 180797 — General and Detailed Availability and FetchAvailablePackages response messages will display the translated language description. Message samples added. V5.0.02.03
October 2010	8.1	<ul style="list-style-type: none"> 183678 — Caching added to the FetchCalendar function to improve performance. FetchCalendar message samples added showing this functionality when new parameter is activated. V5.0.02.04

December 2010	8.2	<ul style="list-style-type: none"> 187298 — When requesting the Detailed Availability for a rate code that includes a package which is also a sell separate package, the package amount is now included in the base amount when the rate group parameter “SHOW ADD SEPARATE LINE PKGS TO RATES ON RATE QUERY” is activated. V5.0.02.04
February 2011	8.3	<ul style="list-style-type: none"> 185328—Profile Discount functionality supported by General and Detailed Availability. Message samples added. V5.0.02.04
July 2011	8.4	<ul style="list-style-type: none"> 194987—FetchExpectedCharges function added along with sample request and response messages. V5.0.03.01
November 2011	8.5	<ul style="list-style-type: none"> 211480—checkCateringPkgRate attribute added along with General Availability message samples. V5.0.03.02
January 2012	8.6	<ul style="list-style-type: none"> 218199—FetchExpectedCharges will now return TaxInclusive="true" if a rate is tax inclusive. V5.0.03.03
January 2012	8.7	<ul style="list-style-type: none"> 216236—Room Features information added to GeneralAvailability. Message samples added. V5.0.03.03
April 2012	8.8	<ul style="list-style-type: none"> 222251—returnPseudoRoom type added to Availability request to indicate if pseudo rooms will be returned. Message samples added. V5.0.03.03

May 2012	8.9	<ul style="list-style-type: none"> • 222647, 224158—Rates based on player ranking can now be returned in Availability response based on the membershipNumber for the profile. Message samples added. V5.0.03.03 • Message samples added for DetailedAvailability with Points Breakdown Per Night. V5.0.03.03
November 2012	9.0	<ul style="list-style-type: none"> • 239452 - Added Messages for Availability to accept multiple room class as input. V5.0.04.00
November 2012	9.1	<ul style="list-style-type: none"> • 239098, 235517 - Added the RestrictedMode and InventoryMode to the FetchCaendar Request. V5.0.04.00
November 2012	9.2	<ul style="list-style-type: none"> • 240079 - Added General Availability Posting Rhythm Response. V5.0.04.00
November 2012	9.3	<ul style="list-style-type: none"> • 232766 - FetchExpectedChargesResponse with Child bucket rates included. V5.0.04.00
December 2012	9.4	<ul style="list-style-type: none"> • 237471- For OPERA2Go FetchAvailablePackages with Channel "Validation" Parameter True or False.
December 2012	9.5	<ul style="list-style-type: none"> • 239098 - Added FetchCalendar inventory Mode True and False Messages.
December 2012	9.6	<ul style="list-style-type: none"> • 228119 - FetchCalendar with OWS GOOLGE CALENDAR MAX NIGHTS STAY Request and Response.
December 2012	9.7	<ul style="list-style-type: none"> • 230436 - Added General Availability with Promo Code and Travel Agent.

December 2013	9.8	<ul style="list-style-type: none"> 239818 – Added sample FetchAvailableItems and FetchItemGroups messages for inventory items that are booked for longer than the reservation dates. V5.0.04.01 242423 – Added sample messages for General Availability Request and General Availability Response when repeating the Rate Code Posting Rhythm. V5.0.04.01
January 2014	9.9	<ul style="list-style-type: none"> 267078: OEDS - Update General Availability with Travel Agent sample to use TRAVEL_AGENT [V5.0.04.03]
September 2017	10.0	<ul style="list-style-type: none"> Rebranded and updated the document format.
March 2022	10.1	<ul style="list-style-type: none"> Updated ArrayOfText, TextList, and ResultStatus.

1 Functional Overview

The following functions are currently provided through the Availability Web Service:

Function	Description
Availability	Retrieves lists of available rooms and rates. The user should provide at least a date range, hotel criteria, number of rooms, total guests, and number of children. Rate range or plans, rate tiers, alternate date searches, and search by membership number, specific room type or block criteria are also allowed. Setting the summaryOnly flag to true results in a General Availability request and setting the flag to false results in a Detail Availability request.
FetchAvailableItems	Retrieves a list of available add-on items by date. The user should provide at least the date range (a maximum of seven days), hotel criteria, and the item class or group. Specifying an item group retrieves a list of available items in that group. Setting the isPackage flag to true adds attached packages to each item in the list and setting the flag false ignores package information for items.
FetchAvailablePackages	Retrieves a list of available add-on packages and package groups by date. The user should provide at least a date range and hotel criteria. Confirmation identifier, leg confirmation identifier, number of rooms, and counts of adults and children are also allowed.
FetchCalendar	Retrieves a list with room occupancy, rate, and restriction details by date. The user should provide at least a date range and hotel criteria. Room type or block, adult or child guest counts, and rate plan information are also allowed.
FetchExpectedCharges	Retrieve a rate, taxes and package breakdown for stay for requested stay date, rate code, room type, property.
FetchItemGroups	Retrieves a list of available add-on items. Hotel criteria must be provided. Setting flag groupOnly to true (the default) retrieves the list of item groups and setting the flag to true retrieves a list of all available items.
GDSAreaAvailability	Fetches the availability status of a list of properties submitted in the request message. The response contains the property status, chain code, Property ID and the minimum and maximum rate ranges dynamically retrieved from the OPERA database.

RegionalAvailability	Retrieves a list of hotels. The user must provide at least a geographic region code or hotel criteria, date range, and the number of guests. Number of rooms and a rate range are also allowed.
RegionalAvailabilityExt	Retrieves a list of and provides extended information about hotels. The user must provide at least a geographic region code or hotel criteria, date range, and number of guests. Number of rooms and a rate range are also allowed.

2 Availability

Retrieves lists of available rooms and rates. The user should provide at least a date range, hotel criteria, number of rooms, total guests, and number of children. Rate range or plans, alternate date searches, and search by membership number, specific room type or block criteria are also allowed.

Setting the summaryOnly flag to true results in a General Availability request and setting the flag to false results in a Detail Availability request.

Soap Action: <http://webservices.micros.com/ows/5.1/Availability.wsdl#Availability>

AvailabilityRequest

General Availability Request

The following XML examples of a General Availability Request are provided:

- By inventory Block Code
- No Filtering Criteria
- Extended to Include Specific Filtering Criteria
- By Promotional Code
- Coupon Code
- Qualifying ID and Code
- Specific Block Code
- Specific Room Type
- GDS Channel Type 1P
- ChildAgeBucket
- Alternate Dates
- Negotiated Rate
- Best Available
- Travel Agent
- Rate Range
- With Child Ages

- By Room Type
- Reduced Message Size
- By Stay Dates and Points Date Ranges
- Points Only
- ASB (Apartment Style Billing) – rateCycleType="WEEKLY"
- ASB (Apartment Style Billing) – rateCycleType="MONTHLY"
- Amenity
- By Room Features

General Availability Request

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2008-12-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
        <a:StayDateRange>
          <hc:StartDate>2009-01-05T00:00:00.0000000-
05:00</hc:StartDate>
          <hc:EndDate>2009-01-06T00:00:00.0000000-
05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate ratePlanCode="DBR" />
        </a:RatePlanCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>
```

```
    </a:AvailRequestSegment>
  </AvailabilityRequest>
</soap:Body>
</soap:Envelope>
```

ByInventoryBlockCode

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="087658726" timeStamp="2008-
12-09T09:55:16.3618750-05:00"
    xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="OWS" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      summaryOnly="true"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
        numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
        <a:StayDateRange>
          <hc:StartDate>2009-04-
01T00:00:00.0000000-05:00</hc:StartDate>
          <hc:EndDate>2009-04-
04T00:00:00.0000000-05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RoomStayCandidates>
          <a:RoomStayCandidate
            invBlockCode="OWS0904012" />
          </a:RoomStayCandidates>
          <a:RateRange currencyCode="USD"/>
          <a:HotelSearchCriteria>
            <a:Criterion>
              <a:HotelRef chainCode="WC"
                hotelCode="SEFIVE"/>
            </a:Criterion>
          </a:HotelSearchCriteria>
        </a:AvailRequestSegment>
      </AvailabilityRequest>
    </soap:Body>
  </soap:Envelope>
```

With No Filtering Criteria

```
<?xml version="1.0" encoding="utf-8"?>
```

```

<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="2" totalNumberOfGuests="2"
numberOfChildren="0">
        <a:StayDateRange>
          <hc:StartDate>2005-08-15T00:00:00.0000000-
05:00</hc:StartDate>
          <hc:EndDate>2005-08-17T00:00:00.0000000-
05:00</hc:EndDate>
        </a:StayDateRange>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC" hotelCode="SEFIVE"/>
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

Extended to Include Specific Filtering Criteria for:

1. A rate range from 0 to 500 \$USD.
2. A rate preference order to the rates "COR" and "BAR" with a qualifying CCN for "COR".

```

...
<a:RateRange minimumRate="0" maximumRate="500"
currencyCode="USD"/>
<a:RatePlanCandidates>
  <a:RatePlanCandidate ratePlanCode="COR"
qualifyingIdType="CORPORATE" qualifyingIdValue="12344321"/>
  <a:RatePlanCandidate ratePlanCode="BAR"/>
</a:RatePlanCandidates>

```

BY Promotional Code

```
<?xml version="1.0" encoding="utf-8"?>
<!-- edited with XML Spy v4.4 U (http://www.xmlspy.com) by Micros
Systems Inc (Micros Systems Inc) -->
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="1453032" timeStamp="2008-12-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
        <a:StayDateRange>
          <hc:StartDate>2009-03-21T00:00:00.0000000-
05:00</hc:StartDate>
          <hc:EndDate>2009-03-24T00:00:00.0000000-
05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate promotionCode="ZEPPELIN" />
        </a:RatePlanCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>...
```

Query for Coupon Code "COUPON"

```
...
<a:RatePlanCandidates>
  <a:RatePlanCandidate promotionCode="COUPON"/>
</a:RatePlanCandidates>
```

Query for the Qualifying ID and Code "00164900"

```
...
<a:RatePlanCandidates>
```

```
    <a:RatePlanCandidate qualifyingIdType="COMPANY"
qualifyingIdValue="001649000"/>
</a:RatePlanCandidates>
...
```

Query for Block Code "BA03312004"

```
...
<a:RoomStayCandidates>
  <a:RoomStayCandidate invBlockCode="BA03312004" />
</a:RoomStayCandidates>
...
```

Query for a Specific Room Type

```
<?xml version="1.0" encoding="utf-8" ?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
<soap:Header>
<OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
  <Origin entityID="WEST" systemType="WEB" />
  <Destination entityID="WEST" systemType="ORS" />
</OGHeader>
</soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room" numberOfRooms="1"
roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
        <a:StayDateRange>
          <hc:StartDate>2007-09-30T00:00:00.0000000-
05:00</hc:StartDate>
          <hc:EndDate>2007-10-04T00:00:00.0000000-
05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate ratePlanCode="ALL" />
        </a:RatePlanCandidates>
        <a:RoomStayCandidates>
          <a:RoomStayCandidate roomTypeCode="KNG" />
        </a:RoomStayCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
```

```
</soap:Envelope>
```

Query for GDS Channel Type 1P

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="043654" primaryLangID="E"
timestamp="2008-12-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="1P" systemType="GDS" />
      <Destination entityID="1P" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
        <a:StayDateRange>
          <hc:StartDate>2009-01-01T00:00:00.0000000-
05:00</hc:StartDate>
          <hc:EndDate>2009-01-02T00:00:00.0000000-
05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate ratePlanCode="ALL" />
        </a:RatePlanCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC" hotelCode="8889" />
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>
```

ChildAgeBucket

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
```

```

<OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00" primaryLangID="ES"
xmlns="http://webservices.micros.com/og/4.3/Core/">
  <Origin entityID="WEST" systemType="WEB"/>
  <Destination entityID="WEST" systemType="ORS"/>
</OGHeader>
</soap:Header>
<soap:Body>
  <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availab
ility/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelC
ommon/" summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availabi
lity.wsdl">
    <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1"
totalNumberOfGuests="1" numberOfChildren="3">
      <a:StayDateRange>
        <hc:StartDate>2008-06-
20</hc:StartDate>
          <hc:EndDate>2008-06-21</hc:EndDate>
        </a:StayDateRange>
      <a:RatePlanCandidates>
        <a:RatePlanCandidate
ratePlanCode="EXP"/>
      </a:RatePlanCandidates>
      <a:ChildAges>
        <a:ChildAge age="3"/>
        <a:ChildAge age="7"/>
        <a:ChildAge age="9"/>
      </a:ChildAges>
      <a:HotelSearchCriteria>
        <a:Criterion>
          <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
        </a:Criterion>
      </a:HotelSearchCriteria>
    </a:AvailRequestSegment>
  </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

With Alternate Dates

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />

```

```

        <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
</soap:Header>
<soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
        <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
            <a:StayDateRange>
                <hc:StartDate>2008-09-17T00:00:00.0000000-
05:00</hc:StartDate>
                <hc:EndDate>2008-09-18T00:00:00.0000000-
05:00</hc:EndDate>
            </a:StayDateRange>
            <a:HotelSearchCriteria>
                <a:Criterion>
                    <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
                </a:Criterion>
            </a:HotelSearchCriteria>
            <a:AlternateDates>
                <a:AlternateDate>
                    <a:StayDateRange>
                        <hc:StartDate>2008-09-19T00:00:00.0000000-
05:00</hc:StartDate>
                        <hc:EndDate>2008-09-20T00:00:00.0000000-
05:00</hc:EndDate>
                    </a:StayDateRange>
                </a:AlternateDate>
                <a:AlternateDate>
                    <a:StayDateRange>
                        <hc:StartDate>2008-10-09T00:00:00.0000000-
05:00</hc:StartDate>
                        <hc:EndDate>2008-10-10T00:00:00.0000000-
05:00</hc:EndDate>
                    </a:StayDateRange>
                </a:AlternateDate>
                <a:AlternateDate>
                    <a:StayDateRange>
                        <hc:StartDate>2008-11-09T00:00:00.0000000-
05:00</hc:StartDate>
                        <hc:EndDate>2008-11-10T00:00:00.0000000-
05:00</hc:EndDate>
                    </a:StayDateRange>
                </a:AlternateDate>
            </a:AlternateDates>
        </a:AvailRequestSegment>
    </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

With Negotiated Rate

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="654321" timeStamp="2008-12-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
        <a:StayDateRange>
          <hc:StartDate>2009-01-17T00:00:00.000-
05:00</hc:StartDate>
          <hc:EndDate>2009-01-18T00:00:00.000-05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate qualifyingIdType="CORPORATE"
qualifyingIdValue="07169312" />
        </a:RatePlanCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>
```

Best Available

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="3298769832"
primaryLangID="E" timeStamp="2009-04-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
```

```

        <soap:Body>
          <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment
availReqType="BestAvailable" numberOfRooms="1" roomOccupancy="1"
totalNumberOfGuests="1" totalNumberOfChildren="0">
                <a:StayDateRange>
                    <hc:StartDate>2009-04-
19T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2009-04-
20T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:RatePlanCandidates>
                    <a:RatePlanCandidate
ratePlanCode="ALL"/>
                </a:RatePlanCandidates>
                <a:HotelSearchCriteria>
                    <a:Criterion>
                        <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                    </a:Criterion>
                </a:HotelSearchCriteria>
            </a:AvailRequestSegment>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

Travel Agent

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="67857878" timeStamp="2009-04-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB" />
            <Destination entityID="TI" systemType="ORS" />
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
                <a:StayDateRange>

```

```

        <hc:StartDate>2009-04-17T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2009-04-18T00:00:00.0000000-
05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
        <a:RatePlanCandidate qualifyingIdType="TRAVEL_AGENT"
qualifyingIdValue="2370954" />
        </a:RatePlanCandidates>
        <a:HotelSearchCriteria>
        <a:Criterion>
        <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
        </a:Criterion>
        </a:HotelSearchCriteria>
        </a:AvailRequestSegment>
    </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

Rate Range

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="349696943" timeStamp="2009-
04-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micos.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micos.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micos.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
                <a:StayDateRange>
                    <hc:StartDate>2009-04-
15T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2009-04-
16T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:RateRange currencyCode="USD"
minimumRate="50" maximumRate="75"/>
                <a:RatePlanCandidates>
                    <a:RatePlanCandidate
ratePlanCode="ALL"/>
                </a:RatePlanCandidates>
            </a:HotelSearchCriteria>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

```

                <a:Criterion>
                    <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                </a:Criterion>
            </a:HotelSearchCriteria>
        </a:AvailRequestSegment>
    </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

With Child Ages

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="3458490437802" primaryLangID="E"
timeStamp="2009-04-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB" />
            <Destination entityID="TI" systemType="ORS" />
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="4"
numberOfChildren="3">
                <a:StayDateRange>
                    <hc:StartDate>2009-04-14T00:00:00.0000000-
05:00</hc:StartDate>
                    <hc:EndDate>2009-04-15T00:00:00.0000000-
05:00</hc:EndDate>
                </a:StayDateRange>
                <a:ChildAges>
                    <a:ChildAge age="3" />
                    <a:ChildAge age="6" />
                    <a:ChildAge age="11" />
                </a:ChildAges>
                <a:HotelSearchCriteria>
                    <a:Criterion>
                        <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
                    </a:Criterion>
                </a:HotelSearchCriteria>
                <a:RoomStayCandidates>
                    <a:RoomStayCandidate roomTypeCode="ELK" />
                </a:RoomStayCandidates>
            </a:AvailRequestSegment>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

```
</soap:Body>
</soap:Envelope>
```

By Room Types

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="3458490437802" primaryLangID="E"
timestamp="2009-04-09T09:55:16.3618750-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="4"
numberOfChildren="3">
        <a:StayDateRange>
          <hc:StartDate>2009-04-14T00:00:00.0000000-
05:00</hc:StartDate>
          <hc:EndDate>2009-04-15T00:00:00.0000000-
05:00</hc:EndDate>
        </a:StayDateRange>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
          </a:Criterion>
        </a:HotelSearchCriteria>
        <a:RoomStayCandidates>
          <a:RoomStayCandidate roomTypeCode="KNG" />
        </a:RoomStayCandidates>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>
```

Reduced Message Size

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
```

```

    <OGHeader transactionID="158660" timeStamp="2009-02-
24T07:45:42+00:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
        <Origin entityID="WEST" systemType="GDS"/>
        <Destination entityID="OWS" systemType="GDS"/>
        <Intermediaries>
            <EndPoint systemType="DEFAULT"/>
            <EndPoint systemType="GDS_TYPA"/>
        </Intermediaries>
    </OGHeader>
</soap:Header>
<soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
        <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
            <a:StayDateRange>
                <hc:StartDate>2009-08-10T00:00:00.0000000-
05:00</hc:StartDate>
                <hc:EndDate>2009-08-11T00:00:00.0000000-
05:00</hc:EndDate>
            </a:StayDateRange>
            <a:RatePlanCandidates>
                <a:RatePlanCandidate ratePlanCode="ALL" />
            </a:RatePlanCandidates>
            <a:HotelSearchCriteria>
                <a:Criterion>
                    <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
                </a:Criterion>
            </a:HotelSearchCriteria>
        </a:AvailRequestSegment>
    </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

By Stay Dates and Points Date Ranges

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="WEST" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
</soap:Body>

```

```

        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
        <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
membershipType="GC" membershipLevel="ELITE">
                <a:StayDateRange>
                        <hc:StartDate>2009-11-04T00:00:00.0000000-
05:00</hc:StartDate>
                        <hc:EndDate>2009-11-05T00:00:00.0000000-
05:00</hc:EndDate>
                </a:StayDateRange>
                <a:HotelSearchCriteria>
                        <a:Criterion>
                                <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                        </a:Criterion>
                </a:HotelSearchCriteria>
                <a:PointsDateRange>
                        <hc:StartDate>2009-11-06T00:00:00.0000000-
05:00</hc:StartDate>
                        <hc:EndDate>2009-11-08T00:00:00.0000000-
05:00</hc:EndDate>
                </a:PointsDateRange>
        </a:AvailRequestSegment>
</AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

Points Only

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
        <soap:Header>
                <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
                        <Origin entityID="WEST" systemType="WEB" />
                        <Destination entityID="WEST" systemType="ORS" />
                </OGHeader>
        </soap:Header>
        <soap:Body>
                <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
                        <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
membershipType="GC" membershipLevel="ELITE">

```



```

    <a:HotelSearchCriteria>
      <a:Criterion>
        <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
      </a:Criterion>
    </a:HotelSearchCriteria>
    <a:PointsDateRange>
      <hc:StartDate>2009-11-25T00:00:00.0000000-
05:00</hc:StartDate>
      <hc:EndDate>2009-11-26T00:00:00.0000000-
05:00</hc:EndDate>
    </a:PointsDateRange>
  </a:AvailRequestSegment>
</AvailabilityRequest>
</soap:Body>
</soap:Envelope >

```

ASB (Apartment Style Billing) – rateCycleType="WEEKLY"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
        <a:StayDateRange>
          <hc:StartDate>2010-04-
27T00:00:00.0000000-05:00</hc:StartDate>
          <hc:EndDate>2010-04-
28T00:00:00.0000000-05:00</hc:EndDate>
        </a:StayDateRange>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
          </a:Criterion>
        </a:HotelSearchCriteria>
        <a:ASBRateCycle rateCycleType="WEEKLY">
          <!--MONTHLY is another option-->
        </a:ASBRateCycle>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

```

        </a:AvailRequestSegment>
    </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

ASB (Apartment Style Billing) – rateCycleType="MONTHLY"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
                <a:StayDateRange>
                    <hc:StartDate>2010-04-
27T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2010-04-
28T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:HotelSearchCriteria>
                    <a:Criterion>
                        <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                    </a:Criterion>
                </a:HotelSearchCriteria>
                <a:ASBRateCycle rateCycleType="MONTHLY">
                    <!--WEEKLY is another option-->
                </a:ASBRateCycle>
            </a:AvailRequestSegment>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

Amenity

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"

```

```

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="GDS"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberofRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
        <a:StayDateRange>
          <hc:StartDate>2010-05-
20T00:00:00.0000000-05:00</hc:StartDate>
          <hc:EndDate>2010-05-
21T00:00:00.0000000-05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate
commissionCode="C">
            <!--value can be "N" or "C"
or "B" -->
            <a:MealPlanCodes>
              <hc:Amenities>
                <hc:Amenity
amenityCode="CB"/>
                <!--these are the
ratemealplans -->
                <hc:Amenity
amenityCode="CP"/>
              </hc:Amenities>
            </a:MealPlanCodes>
          </a:RatePlanCandidate>
        </a:RatePlanCandidates>
        <a:RoomStayCandidates>
          <a:RoomStayCandidate>
            <a:Amenities>
              <hc:Amenities>
                <hc:Amenity
amenityCode="CITY" amenityType="Room"/>
                <!--these are the
room amenities -->
                <hc:Amenity
amenityCode="HIGH" amenityType="Room"/>
              </hc:Amenities>
            </a:Amenities>
          </a:RoomStayCandidate>
        </a:RoomStayCandidates>
      </a:HotelSearchCriteria>
    </a:AvailabilityRequest>
  </soap:Body>

```

```

                <a:Criterion>
                    <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                </a:Criterion>
            </a:HotelSearchCriteria>
        </a:AvailRequestSegment>
    </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

Language Translation

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" primaryLangID="DE"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micos.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micos.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micos.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" totalNumberOfGuests="1">
                <a:StayDateRange>
                    <hc:StartDate>2010-09-
22T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2010-09-
23T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:RatePlanCandidates>
                    <a:RatePlanCandidate
ratePlanCode="MAC"/>
                </a:RatePlanCandidates>
            </a:AvailRequestSegment>
        </a:AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

General Availability Request with Profile Discount

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="654321" timeStamp="2008-12-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
        <a:StayDateRange>
          <hc:StartDate>2011-03-
01T00:00:00.000-05:00</hc:StartDate>
          <hc:EndDate>2011-03-
02T00:00:00.000-05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate
qualifyingIdType="INDIVIDUAL" qualifyingIdValue="987692396"/>
          <a:RatePlanCandidate
qualifyingIdType="COMPANY" qualifyingIdValue="01984182"/>
        </a:RatePlanCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>
```

General Availability Request for Promotion Code with Room Amenities

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
```

```

        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="WEB" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
                <a:StayDateRange>
                    <hc:StartDate>2011-08-
03T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2011-08-
05T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:RatePlanCandidates>
                    <a:RatePlanCandidate
promotionCode="WEBPROMO"/>
                </a:RatePlanCandidates>
                <a:HotelSearchCriteria>
                    <a:Criterion>
                        <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                    </a:Criterion>
                </a:HotelSearchCriteria>
            </a:AvailRequestSegment>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

General Availability Request with checkCateringPkgRate="true"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"

```

```

xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0" checkCateringPkgRate="true">
        <a:StayDateRange>
            <hc:StartDate>2011-09-
17T00:00:00.0000000-05:00</hc:StartDate>
            <hc:EndDate>2011-09-
18T00:00:00.0000000-05:00</hc:EndDate>
        </a:StayDateRange>
        <a:HotelSearchCriteria>
            <a:Criterion>
                <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
            </a:Criterion>
        </a:HotelSearchCriteria>
    </a:AvailRequestSegment>
</AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

General Availability Request by Room Features

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
                <a:StayDateRange>
                    <hc:StartDate>2011-12-
27T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2011-12-
28T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:RoomStayCandidates>

```

```

                                <a:RoomStayCandidate
roomTypeCode="ALL">
                                    <a:RoomFeatures>
                                        <hc:Features
Feature="TILE FLOOR">
                                            </hc:Features>
                                                </a:RoomFeatures>
                                            </a:RoomStayCandidate>
                                        </a:RoomStayCandidates>
                                    <a:HotelSearchCriteria>
                                        <a:Criterion>
                                            <a:HotelRef chainCode="CHA"
hotelCode="CAS"/>
                                                </a:Criterion>
                                            </a:HotelSearchCriteria>
                                        </a:AvailRequestSegment>
                                    </AvailabilityRequest>
                                </soap:Body>
                            </soap:Envelope>

```

General Availability Request PseudoRoom = "false"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="O2G" systemType="O2G"/>
            <Destination entityID="O2G" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
NumberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
returnPseudoRoom="false">
                <a:StayDateRange>
                    <hc:StartDate>2012-04-
21T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2012-04-
22T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:HotelSearchCriteria>
                    <a:Criterion>
                        <a:HotelRef chainCode="CHA"
hotelCode="CASINO"/>
                    </a:Criterion>
                </a:HotelSearchCriteria>
            </a:AvailRequestSegment>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```



```

        </a:HotelSearchCriteria>
    </a:AvailRequestSegment>
</AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

General Availability Request PseudoRoom = "true"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micos.com/og/4.3/Core/">
            <Origin entityID="O2G" systemType="O2G"/>
            <Destination entityID="O2G" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micos.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micos.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
NumberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
returnPseudoRoom="true">
                <a:StayDateRange>
                    <hc:StartDate>2012-04-
21T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2012-04-
22T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:HotelSearchCriteria>
                    <a:Criterion>
                        <a:HotelRef chainCode="CHA"
hotelCode="CASINO"/>
                    </a:Criterion>
                </a:HotelSearchCriteria>
            </a:AvailRequestSegment>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

General Availability Request for Rank Rate

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">

```

```

        <soap:Header>
            <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
                <Origin entityID="WEST" systemType="WEB"/>
                <Destination entityID="CHA" systemType="ORS"/>
            </OGHeader>
        </soap:Header>
        <soap:Body>
            <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
                <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0" returnOnlyReqRate="false"
membershipType="PC" membershipNumber="785694281372">
                    <a:StayDateRange>
                        <hc:StartDate>2011-05-
29T00:00:00.0000000-05:00</hc:StartDate>
                        <hc:EndDate>2011-05-
30T00:00:00.0000000-05:00</hc:EndDate>
                    </a:StayDateRange>
                    <a:HotelSearchCriteria>
                        <a:Criterion>
                            <a:HotelRef chainCode="CHA"
hotelCode="ECHO"/>
                        </a:Criterion>
                    </a:HotelSearchCriteria>
                </a:AvailRequestSegment>
            </AvailabilityRequest>
        </soap:Body>
    </soap:Envelope>

```

General Availability Request returnOnlyReqRate = "false"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="CHA" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"

```

```

summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0" returnOnlyReqRate="false"
membershipType="PC" membershipNumber="7457451">
        <a:StayDateRange>
            <hc:StartDate>2011-05-
29T00:00:00.0000000-05:00</hc:StartDate>
            <hc:EndDate>2011-05-
30T00:00:00.0000000-05:00</hc:EndDate>
        </a:StayDateRange>
        <a:HotelSearchCriteria>
            <a:Criterion>
                <a:HotelRef chainCode="CHA"
hotelCode="ECHO"/>
            </a:Criterion>
        </a:HotelSearchCriteria>
    </a:AvailRequestSegment>
</AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

General Availability Request returnOnlyReqRate = "true"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="CHA" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0" returnOnlyReqRate="true"
membershipType="PC" membershipNumber="7457451">
                <a:StayDateRange>
                    <hc:StartDate>2011-05-
29T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2011-05-
30T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:HotelSearchCriteria>

```

```

                <a:Criterion>
                    <a:HotelRef chainCode="CHA"
hotelCode="ECHO"/>
                </a:Criterion>
            </a:HotelSearchCriteria>
        </a:AvailRequestSegment>
    </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

General Availability Request with Multiple Room Class

General Availability now accepts multiple room classes as valid input.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" primaryLangID="E"
timestamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="O2G" systemType="O2G" />
            <Destination entityID="O2G" systemType="ORS" />
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl"
xmlns:ava="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hot="http://webservices.micros.com/og/4.3/HotelCommon/">
            <ava:AvailRequestSegment returnPseudoRoom="false"
availReqType="Room" numberOfRooms="1" totalNumberOfGuests="1"
numberOfChildren="0" returnOnlyReqRate="false">
                <ava:StayDateRange>
                    <hot:StartDate>2012-11-29</hot:StartDate>
                    <hot:EndDate>2012-11-30</hot:EndDate>
                </ava:StayDateRange>
                <ava:RoomStayCandidates>
                    <ava:RoomStayCandidate roomClass="SINGLE,TOWER" />
                </ava:RoomStayCandidates>
                <ava:HotelSearchCriteria>
                    <ava:Criterion>
                        <ava:HotelRef chainCode="CHA" hotelCode="CASINO" />
                    </ava:Criterion>
                </ava:HotelSearchCriteria>
            </ava:AvailRequestSegment>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

General Availability Request (with HCP parameter) Include Public Rates = true

Includes HCP parameter "Include Public Rates - Yes/No" and which determines if the negotiated rate will also bring back the Public Rates. Only the requested rate is returned.

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" primaryLangID="DE"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEBHOTEL" systemType="WEB" />
      <Destination entityID="WEBHOTEL" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment returnOnlyReqRate="true"
availReqType="Room" numberOfRooms="1" roomOccupancy="1"
totalNumberOfGuests="1 " totalNumberOfChildren="0">
        <a:StayDateRange>
          <hc:StartDate>2012-11-21</hc:StartDate>
          <hc:EndDate>2012-11-22</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate ratePlanCode="FLR" />
        </a:RatePlanCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="CHA" hotelCode="VAKQA" />
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>
```

General Availability based on Promo Code Request

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="O2G" systemType="O2G" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment returnOnlyReqRate="true"
availReqType="Room" numberOfRooms="1" roomOccupancy="1"
totalNumberOfGuests="1 " totalNumberOfChildren="0">
        <a:StayDateRange>
          <hc:StartDate>2012-11-21</hc:StartDate>
          <hc:EndDate>2012-11-22</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate ratePlanCode="FLR" />
        </a:RatePlanCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="CHA" hotelCode="VAKQA" />
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>
```

```

        <Destination entityID="O2G" systemType="ORS" />
    </OGHeader>
</soap:Header>
<soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
        <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
totalNumberOfChildren="0">
            <a:StayDateRange>
                <hc:StartDate>2012-12-21T00:00:00.0000000-
05:00</hc:StartDate>
                <hc:EndDate>2012-12-24T00:00:00.0000000-
05:00</hc:EndDate>
            </a:StayDateRange>
            <a:RatePlanCandidates>
                <a:RatePlanCandidate promotionCode="SCANDIC" />
            </a:RatePlanCandidates>
            <a:HotelSearchCriteria>
                <a:Criterion>
                    <a:HotelRef chainCode="CHA" hotelCode="CASINO" />
                </a:Criterion>
            </a:HotelSearchCriteria>
        </a:AvailRequestSegment>
    </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

General Availability based on Travel Agent Request

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
            <Origin entityID=" WEST" systemType="WEB" />
            <Destination entityID="WEST" systemType="ORS" />
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest summaryOnly="true"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl"
xmlns:ava="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hot="http://webservicess.micross.com/og/4.3/HotelCommon/">
            <ava:AvailRequestSegment returnPseudoRoom="false"
availReqType="Room" numberOfRooms="1" totalNumberOfGuests="1"
numberOfChildren="0" returnOnlyReqRate="false">
                <ava:StayDateRange>

```

```

        <hot:StartDate>2012-11-27</hot:StartDate>
        <hot:EndDate>2012-11-28</hot:EndDate>
    </ava:StayDateRange>
    <ava:RatePlanCandidates>
        <ava:RatePlanCandidate qualifyingIdType="TRAVEL_AGENT"
qualifyingIdValue="5758236" />
    </ava:RatePlanCandidates>
    <ava:HotelSearchCriteria>
        <ava:Criterion>
            <ava:HotelRef chainCode="CHA" hotelCode="CASINO" />
        </ava:Criterion>
    </ava:HotelSearchCriteria>
</ava:AvailRequestSegment>
</AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

General Availability Request for Repeat Rate Code Posting Rhythm Rule

To repeat a Rate Code Posting Rhythm rule, the RATE CODE POSTING RHYTHM application parameter must be enabled. Also, Repeat must be enabled in the Rate Setup screen.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="555" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TCP" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" totalNumberOfGuests="1" numberOfChildren="0">
                <a:StayDateRange>
                    <hc:StartDate>2013-07-12</hc:StartDate>
                    <hc:EndDate>2013-07-16</hc:EndDate>
                </a:StayDateRange>
                <a:RatePlanCandidates>
                    <a:RatePlanCandidate ratePlanCode="ALL"/>
                </a:RatePlanCandidates>
                <a:HotelSearchCriteria>
                    <a:Criterion>
                        <a:HotelRef chainCode="WC" hotelCode="SEFIVE"/>
                    </a:Criterion>
                </a:HotelSearchCriteria>
            </a:AvailRequestSegment>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

```
        </a:Criterion>
      </a:HotelSearchCriteria>
    </a:AvailRequestSegment>
  </AvailabilityRequest>
</soap:Body>
</soap:Envelope
```

Detail Availability Request

The following XML examples of a Detail Availability Request are provided:

- With the summaryOnly Flag Set to “False” and Only One Rate/Room Pair
- A Query for the Specific Block Code
- ChildAgeBucket
- Reduced Message Size
- Maximum Occupancy
- By Stay Dates and Points Date Ranges
- Points Only
- ASB Weekly
- ASB Monthly
- ASB Floating Week
- ASB Floating Month
- GuaranteeDetails
- Language Translation
- Packages
- Package Amount Included in Base Amount
- Profile Discount
- Non-Cancelable
- Points Breakdown Per Night

Detailed Availability Request

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000532" timeStamp="2008-12-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
        <a:StayDateRange>
          <hc:StartDate>2009-04-10T00:00:00.0000000-
05:00</hc:StartDate>
          <hc:EndDate>2009-04-11T00:00:00.0000000-
05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate ratePlanCode="BED" />
        </a:RatePlanCandidates>
        <a:RoomStayCandidates>
          <a:RoomStayCandidate roomTypeCode="KNG" />
        </a:RoomStayCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

With the summaryOnly Flag Set to "False" and Only One Rate/Room Pair

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
        <a:StayDateRange>
          <hc:StartDate>2009-04-10T00:00:00.0000000-
05:00</hc:StartDate>
          <hc:EndDate>2009-04-11T00:00:00.0000000-
05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate ratePlanCode="BED" />
        </a:RatePlanCandidates>
        <a:RoomStayCandidates>
          <a:RoomStayCandidate roomTypeCode="KNG" />
        </a:RoomStayCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

```

        <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
</soap:Header>
<soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
        <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="2" totalNumberOfGuests="2"
numberOfChildren="0">
            <a:StayDateRange>
                <hc:StartDate>2005-08-15T00:00:00.0000000-
05:00</hc:StartDate>
                <hc:EndDate>2005-08-17T00:00:00.0000000-
05:00</hc:EndDate>
            </a:StayDateRange>
            <a:RatePlanCandidates>
                <a:RatePlanCandidate ratePlanCode="EXR"/>
            </a:RatePlanCandidates>
            <a:RoomStayCandidates>
                <a:RoomStayCandidate roomTypeCode="MLQ"/>
            </a:RoomStayCandidates>
            <a:HotelSearchCriteria>
                <a:Criterion>
                    <a:HotelRef chainCode="WC" hotelCode="SEFIVE"/>
                </a:Criterion>
            </a:HotelSearchCriteria>
        </a:AvailRequestSegment>
    </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

A Query for a Specific Block Code

```

...
<a:RatePlanCandidates>
    <a:RatePlanCandidate ratePlanCode=""/>
</a:RatePlanCandidates>
<a:RoomStayCandidates>
    <a:RoomStayCandidate roomTypeCode="MLQ"
invBlockCode="BA03312004"/>
</a:RoomStayCandidates>

```

ChildAgeBucket

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>

```

```

<OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00" primaryLangID="ES"
xmlns="http://webservices.micros.com/og/4.3/Core/">
  <Origin entityID="WEST" systemType="WEB"/>
  <Destination entityID="WEST" systemType="ORS"/>
</OGHeader>
</soap:Header>
<soap:Body>
  <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availab
ility/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelC
ommon/" summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availabi
lity.wsdl">
    <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1"
totalNumberOfGuests="1" numberOfChildren="3">
      <a:StayDateRange>
        <hc:StartDate>2008-06-
20</hc:StartDate>
          <hc:EndDate>2008-06-21</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate
ratePlanCode="EXP"/>
        </a:RatePlanCandidates>
        <a:RoomStayCandidates>
          <a:RoomStayCandidate
roomTypeCode="KNG"/>
        </a:RoomStayCandidates>
        <a:ChildAges>
          <a:ChildAge age="3"/>
          <a:ChildAge age="7"/>
          <a:ChildAge age="9"/>
        </a:ChildAges>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

Reduced Message Size Request

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>

```

```

    <OGHeader transactionID="158660" timeStamp="2009-02-
24T07:45:42+00:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
        <Origin entityID="WEST" systemType="GDS"/>
        <Destination entityID="OWS" systemType="GDS"/>
        <Intermediaries>
            <EndPoint systemType="DEFAULT"/>
            <EndPoint systemType="GDS_TYPA"/>
        </Intermediaries>
    </OGHeader>
</soap:Header>
<soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
        <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
            <a:StayDateRange>
                <hc:StartDate>2009-08-10T00:00:00.0000000-
05:00</hc:StartDate>
                <hc:EndDate>2009-08-11T00:00:00.0000000-
05:00</hc:EndDate>
            </a:StayDateRange>
            <a:RatePlanCandidates>
                <a:RatePlanCandidate ratePlanCode="BAR" />
            </a:RatePlanCandidates>
            <a:RoomStayCandidates>
                <a:RoomStayCandidate roomTypeCode="KNG" />
            </a:RoomStayCandidates>
            <a:HotelSearchCriteria>
                <a:Criterion>
                    <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
                </a:Criterion>
            </a:HotelSearchCriteria>
        </a:AvailRequestSegment>
    </AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

Maximum Occupancy Request

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TESLA" systemType="WEB"/>
            <Destination entityID="TESLA"
systemType="ORS"/>
        </OGHeader>

```

```

        </soap:Header>
        <soap:Body>
            <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
                <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" totalNumberOfGuests="4" numberOfChildren="3">
                    <a:StayDateRange>
                        <hc:StartDate>2009-11-
05</hc:StartDate>
                            <hc:EndDate>2009-11-06</hc:EndDate>
                    </a:StayDateRange>
                    <a:RatePlanCandidates>
                        <a:RatePlanCandidate
ratePlanCode="ABC"/>
                    </a:RatePlanCandidates>
                    <a:RoomStayCandidates>
                        <a:RoomStayCandidate
roomTypeCode="A1A"/>
                    </a:RoomStayCandidates>
                    <a:HotelSearchCriteria>
                        <a:Criterion>
                            <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                        </a:Criterion>
                    </a:HotelSearchCriteria>
                </a:AvailRequestSegment>
            </AvailabilityRequest>
        </soap:Body>
    </soap:Envelope>

```

By Stay Dates and Points Date Ranges

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000532" timeStamp="2008-12-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB" />
            <Destination entityID="TI" systemType="ORS" />
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"

```

```

membershipId="102751" membershipType="GC" membershipLevel="ELITE"
pointsAbove="1" pointsBelow="10000">
  <a:StayDateRange>
    <hc:StartDate>2009-10-25T00:00:00.0000000-
05:00</hc:StartDate>
    <hc:EndDate>2009-10-27T00:00:00.0000000-
05:00</hc:EndDate>
  </a:StayDateRange>
  <a:PointsDateRange>
    <hc:StartDate>2009-10-26T00:00:00.0000000-
05:00</hc:StartDate>
    <hc:EndDate>2009-10-27T00:00:00.0000000-
05:00</hc:EndDate>
  </a:PointsDateRange>
  <a:RatePlanCandidates>
    <a:RatePlanCandidate ratePlanCode="RAC" />
    <a:RatePlanCandidate ratePlanCode="REDEEM"
awardCode="AWARD1" />
  </a:RatePlanCandidates>
  <a:RoomStayCandidates>
    <a:RoomStayCandidate roomTypeCode="KNG" />
  </a:RoomStayCandidates>
  <a:HotelSearchCriteria>
    <a:Criterion>
      <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
    </a:Criterion>
  </a:HotelSearchCriteria>
</a:AvailRequestSegment>
</AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

Points Only

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00" primaryLangID="DE"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="WEST" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
numberOfChildren="0" membershipType="GC" membershipLevel="ELITE">

```

```

        <a:PointsDateRange>
            <hc:StartDate>2009-11-24T00:00:00.0000000-
05:00</hc:StartDate>
            <hc:EndDate>2009-11-25T00:00:00.0000000-
05:00</hc:EndDate>
        </a:PointsDateRange>
        <a:RatePlanCandidates>
            <a:RatePlanCandidate awardType="REDEMP"
ratePlanCode="REDEEM" />
        </a:RatePlanCandidates>
        <a:RoomStayCandidates>
            <a:RoomStayCandidate roomTypeCode="AIJ" />
        </a:RoomStayCandidates>
        <a:HotelSearchCriteria>
            <a:Criterion>
                <a:HotelRef chainCode="WC" hotelCode="SEFIVE" />
            </a:Criterion>
        </a:HotelSearchCriteria>
    </a:AvailRequestSegment>
</AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

ASB Weekly

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="2" totalNumberOfAdults="2"
totalNumberOfChildren="0">
                <a:StayDateRange>
                    <hc:StartDate>2010-04-
27T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2010-04-
28T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:RatePlanCandidates>
                    <a:RatePlanCandidate
ratePlanCode="APTWK"/>
                </a:RatePlanCandidates>
            </a:AvailRequestSegment>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

```

                </a:RatePlanCandidates>
                <a:RoomStayCandidates>
                    <a:RoomStayCandidate
roomTypeCode="AIJ"/>
                </a:RoomStayCandidates>
                <a:HotelSearchCriteria>
                    <a:Criterion>
                        <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                    </a:Criterion>
                </a:HotelSearchCriteria>
            </a:AvailRequestSegment>
        </AvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

ASB Monthly

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" primaryLangID="E"
timestamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="2" totalNumberOfAdults="2"
totalNumberOfChildren="0">
                <a:StayDateRange>
                    <hc:StartDate>2010-04-
27T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2010-04-
28T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:RatePlanCandidates>
                    <a:RatePlanCandidate
ratePlanCode="APTM"/>
                </a:RatePlanCandidates>
            </a:AvailRequestSegment>
            <a:RoomStayCandidates>
                <a:RoomStayCandidate
roomTypeCode="AIJ"/>
            </a:RoomStayCandidates>
        </a:HotelSearchCriteria>
    </soap:Body>

```



```

                                <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                                </a:Criterion>
                                </a:HotelSearchCriteria>
                                </a:AvailRequestSegment>
                                </AvailabilityRequest>
                                </soap:Body>
</soap:Envelope>

```

ASB Floating Week

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="2" totalNumberOfAdults="2"
totalNumberOfChildren="0">
                <a:StayDateRange>
                    <hc:StartDate>2010-04-
27T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2010-04-
28T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:RatePlanCandidates>
                    <a:RatePlanCandidate
ratePlanCode="APFW"/>
                </a:RatePlanCandidates>
                <a:RoomStayCandidates>
                    <a:RoomStayCandidate
roomTypeCode="AIJ"/>
                </a:RoomStayCandidates>
            </a:AvailRequestSegment>
            <a:HotelSearchCriteria>
                <a:Criterion>
                    <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                </a:Criterion>
            </a:HotelSearchCriteria>
        </AvailabilityRequest>
    </soap:Body>

```

```
</soap:Envelope>
```

ASB Floating Month

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micos.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micos.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micos.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="2" totalNumberOfAdults="2"
totalNumberOfChildren="0">
        <a:StayDateRange>
          <hc:StartDate>2010-04-
27T00:00:00.0000000-05:00</hc:StartDate>
          <hc:EndDate>2010-04-
28T00:00:00.0000000-05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate
ratePlanCode="APFM"/>
        </a:RatePlanCandidates>
        <a:RoomStayCandidates>
          <a:RoomStayCandidate
roomTypeCode="AIJ"/>
        </a:RoomStayCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>
```

Detailed Availability Request for GuaranteeDetails

```
<?xml version="1.0" encoding="utf-8"?>
```

```

<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000532" timeStamp="2008-12-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
        <a:StayDateRange>
          <hc:StartDate>2010-10-
01T00:00:00.0000000-05:00</hc:StartDate>
          <hc:EndDate>2010-10-
02T00:00:00.0000000-05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate
ratePlanCode="ABC"/>
        </a:RatePlanCandidates>
        <a:RoomStayCandidates>
          <a:RoomStayCandidate
roomTypeCode="KNG"/>
        </a:RoomStayCandidates>
        <a:HotelSearchCriteria>
          <a:Criterion>
            <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
          </a:Criterion>
        </a:HotelSearchCriteria>
      </a:AvailRequestSegment>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

Detailed Availability Request for Language Translation

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000532" primaryLangID="DE"
timeStamp="2008-12-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">

```

```

                <Origin entityID="WEST" systemType="WEB"/>
                <Destination entityID="TI" systemType="ORS"/>
            </OGHeader>
        </soap:Header>
        <soap:Body>
            <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
                <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
                    <a:StayDateRange>
                        <hc:StartDate>2010-09-
22T00:00:00.0000000-05:00</hc:StartDate>
                        <hc:EndDate>2010-09-
23T00:00:00.0000000-05:00</hc:EndDate>
                    </a:StayDateRange>
                    <a:RatePlanCandidates>
                        <a:RatePlanCandidate
ratePlanCode="MAC"/>
                    </a:RatePlanCandidates>
                    <a:RoomStayCandidates>
                        <a:RoomStayCandidate
roomTypeCode="A3B"/>
                    </a:RoomStayCandidates>
                    <a:HotelSearchCriteria>
                        <a:Criterion>
                            <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                        </a:Criterion>
                    </a:HotelSearchCriteria>
                </a:AvailRequestSegment>
            </AvailabilityRequest>
        </soap:Body>
    </soap:Envelope>

```

Detailed Availability Request for Packages

For this feature to be available, the MyFidelio internal parameter must be activated.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000532" timeStamp="2008-12-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>

```

```

        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
        <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
                <a:StayDateRange>
                        <hc:StartDate>2010-06-
25T00:00:00.0000000-05:00</hc:StartDate>
                        <hc:EndDate>2010-06-
26T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:RatePlanCandidates>
                        <a:RatePlanCandidate
ratePlanCode="BED"/>
                </a:RatePlanCandidates>
                <a:RoomStayCandidates>
                        <a:RoomStayCandidate
roomTypeCode="KNG"/>
                </a:RoomStayCandidates>
                <a:HotelSearchCriteria>
                        <a:Criterion>
                                <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                        </a:Criterion>
                </a:HotelSearchCriteria>
        </a:AvailRequestSegment>
</AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

Detailed Availability Request with Package Amount Included in Base Amount

When requesting the Detailed Availability for a rate code that includes a package which is also a sell separate package, the package amount will be included in the base amount. For this feature to be available, the SHOW ADD SEPARATE LINE PKGS TO RATES ON RATE QUERY application parameter must be activated.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
        <soap:Header>
                <OGHeader transactionID="000532" timeStamp="2008-12-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
                        <Origin entityID="WEST" systemType="WEB"/>
                        <Destination entityID="TI" systemType="ORS"/>
                </OGHeader>
        </soap:Header>
        <soap:Body>
                <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"

```

```

xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
        <a:StayDateRange>
            <hc:StartDate>2010-11-
25T00:00:00.0000000-05:00</hc:StartDate>
            <hc:EndDate>2010-11-
26T00:00:00.0000000-05:00</hc:EndDate>
        </a:StayDateRange>
        <a:RatePlanCandidates>
            <a:RatePlanCandidate
ratePlanCode="BED"/>
        </a:RatePlanCandidates>
        <a:RoomStayCandidates>
            <a:RoomStayCandidate
roomTypeCode="KNG"/>
        </a:RoomStayCandidates>
        <a:HotelSearchCriteria>
            <a:Criterion>
                <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
            </a:Criterion>
        </a:HotelSearchCriteria>
    </a:AvailRequestSegment>
</AvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

Detailed Availability Request with Profile Discount

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="654321" timeStamp="2008-12-
09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
                <a:StayDateRange>
                    <hc:StartDate>2011-03-
03T00:00:00.000-05:00</hc:StartDate>

```

```

                                <hc:EndDate>2011-03-
04T00:00:00.000-05:00</hc:EndDate>
                                </a:StayDateRange>
                                <a:RatePlanCandidates>
                                    <a:RatePlanCandidate
ratePlanCode="BED" qualifyingIdType="INDIVIDUAL"
qualifyingIdValue="987692396"/>
                                    <a:RatePlanCandidate
ratePlanCode="BED" qualifyingIdType="COMPANY"
qualifyingIdValue="01984182"/>
                                </a:RatePlanCandidates>
                                <a:RoomStayCandidates>
                                    <a:RoomStayCandidate
roomTypeCode="KNG"/>
                                </a:RoomStayCandidates>
                                <a:HotelSearchCriteria>
                                    <a:Criterion>
                                        <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                                    </a:Criterion>
                                </a:HotelSearchCriteria>
                                </a:AvailRequestSegment>
                            </AvailabilityRequest>
                        </soap:Body>
                    </soap:Envelope>

```

Detailed Availability Request Non-Cancelable

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000532" primaryLangID="IT"
timeStamp="2008-12-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1">
                <a:StayDateRange>
                    <hc:StartDate>2011-08-
01T00:00:00.0000000-05:00</hc:StartDate>
                    <hc:EndDate>2011-08-
02T00:00:00.0000000-05:00</hc:EndDate>
                </a:StayDateRange>
                <a:RatePlanCandidates>

```

```

                                <a:RatePlanCandidate
ratePlanCode="ABC"/>
                                </a:RatePlanCandidates>
                                <a:RoomStayCandidates>
                                <a:RoomStayCandidate
roomTypeCode="MHQ"/>
                                </a:RoomStayCandidates>
                                <a:HotelSearchCriteria>
                                <a:Criterion>
                                <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                                </a:Criterion>
                                </a:HotelSearchCriteria>
                                </a:AvailRequestSegment>
                                </AvailabilityRequest>
                                </soap:Body>
</soap:Envelope>

```

Detailed Availability Request for Points Breakdown Per Night

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.3618750-05:00" primaryLangID="DE"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="WEST" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" roomOccupancy="1" totalNumberOfGuests="1"
numberOfChildren="0" membershipType="GC" membershipLevel="GOLD"
membershipID="TAMMY" membershipIdSpecified="true">
        <a:PointsDateRange>
          <hc:StartDate>2012-05-
03T00:00:00.0000000-05:00</hc:StartDate>
          <hc:EndDate>2012-05-
06T00:00:00.0000000-05:00</hc:EndDate>
        </a:PointsDateRange>
        <a:RatePlanCandidates>
          <a:RatePlanCandidate
ratePlanCode="AWARD"/>
          <a:RatePlanCandidate
awardType="AWC2" ratePlanCode="AWARD"/>
        </a:RatePlanCandidates>
      </a:RoomStayCandidates>
    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```



```

                                <a:RoomStayCandidate
roomTypeCode="A1S"/>
                                </a:RoomStayCandidates>
                                <a:HotelSearchCriteria>
                                    <a:Criterion>
                                        <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
                                    </a:Criterion>
                                </a:HotelSearchCriteria>
                            </a:AvailRequestSegment>
                        </AvailabilityRequest>
                    </soap:Body>
                </soap:Envelope>

```

General Availability Request for Repeat Rate Code Posting Rhythm Rule

To repeat a Rate Code Posting Rhythm rule, the RATE CODE POSTING RHYTHM application parameter must be enabled. Also, Repeat must be enabled in the Rate Setup screen.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="555" primaryLangID="E"
timeStamp="2004-01-09T09:55:16.3618750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TCP" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <AvailabilityRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <a:AvailRequestSegment availReqType="Room"
numberOfRooms="1" totalNumberOfGuests="1" numberOfChildren="0">
                <a:StayDateRange>
                    <hc:StartDate>2013-07-12</hc:StartDate>
                    <hc:EndDate>2013-07-16</hc:EndDate>
                </a:StayDateRange>
                <a:RatePlanCandidates>
                    <a:RatePlanCandidate ratePlanCode="ALL"/>
                </a:RatePlanCandidates>
                <a:HotelSearchCriteria>
                    <a:Criterion>
                        <a:HotelRef chainCode="WC" hotelCode="SEFIVE"/>
                    </a:Criterion>
                </a:HotelSearchCriteria>
            </a:AvailRequestSegment>

```

```

    </AvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

AvailabilityRequest

```

<xs:complexType name="AvailabilityRequest">
  <xs:annotation>
    <xs:appinfo>
      <keepNamespaceDeclarations>xsn</keepNamespaceDeclarations>
    </xs:appinfo>
  </xs:annotation>
  <xs:complexContent mixed="false">
    <xs:extension
      xmlns:q1="http://webservices.micros.com/og/4.3/Availability/"
      base="q1:AvailRequestSegmentList">
      <xs:attribute name="summaryOnly" type="xs:boolean"
        use="required" />
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
AvailabilityRequest	extension	AvailRequestSegmentList		A collection of AvailRequestSegment elements. At least one AvailRequestSegment element is required.
summaryOnly	attribute	boolean	required	Indicates that this request is a General Availability request (true) or Detail Availability for a specific Rate/Room pair (false).

AvailabilityResponse

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>

```

```

    <OGHeader transactionID="000032" timeStamp="2008-12-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
    <Origin entityID="TI" systemType="ORS" />
    <Destination entityID="WEST" systemType="WEB" />
</OGHeader>
<wsa:Action>http://webservicess.micross.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:607fc356-2d23-4156-939d-
42bee4812d8b</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:425bdc98-7a2d-4639-89dd-
cac22ac310c4</wsa:RelatesTo>

<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <AvailabilityResponse
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:c="http://webservicess.micross.com/og/4.3/Common/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
summaryOnly="true" alternateDates="false"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <AvailResponseSegments>
                <a:AvailResponseSegment>
                    <a:RoomStayList>
                        <hc:RoomStay>
                            <hc:RatePlans>
                                <hc:RatePlan ratePlanCode="DBR" hold="false"
suppressRate="false">
                                    <hc:RatePlanDescription>
                                        <hc:Text>DBAR rate 1</hc:Text>
                                    </hc:RatePlanDescription>
                                    <hc:AdditionalDetails>
                                        <hc:AdditionalDetail
detailType="MarketingInformation">
                                            <hc:AdditionalDetailDescription>
                                                <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                                            </hc:AdditionalDetailDescription>
                                        </hc:AdditionalDetail>
                                    <hc:AdditionalDetail
detailType="CommissionPolicy">
                                            <hc:AdditionalDetailDescription>
                                                <hc:Text>No commission
available</hc:Text>
                                            </hc:AdditionalDetailDescription>
                                        </hc:AdditionalDetail>
                                    <hc:AdditionalDetail
detailType="TaxInformation">
                                            <hc:AdditionalDetailDescription>
                                                <hc:Text>Room tax 17.5 PCT.</hc:Text>
                                            </hc:AdditionalDetailDescription>
                                        </hc:AdditionalDetail>
                                    </hc:AdditionalDetails>
                                </hc:RatePlan>
                            </hc:RoomStay>
                        </a:RoomStayList>
                    </a:AvailResponseSegment>
                </AvailResponseSegments>
            </Result>
        </AvailabilityResponse>
    </soap:Body>
</wsa:To>

```

```
        <hc:CancellationDateTime
period="P1DT19H15M">2009-01-03T14:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="MGM" hold="false"
suppressRate="false">
        <hc:RatePlanDescription>
        <hc:Text>MGM Sefive</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
        <hc:AdditionalDetail
detailType="MarketingInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Room tax 17.5 PCT.</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime
period="P1DT19H15M">2009-01-03T14:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="BED" hold="false"
suppressRate="false">
        <hc:RatePlanDescription>
        <hc:Text>"Breakfast on Fifth Avenue"
package</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
        <hc:AdditionalDetail
detailType="MarketingInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
```

```
                <hc:Text>Room tax 17.5 PCT.</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime
period="P1DT19H15M">2009-01-03T14:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="ARP" hold="false"
suppressRate="false">
            <hc:RatePlanDescription>
                <hc:Text>AARP Rate</hc:Text>
            </hc:RatePlanDescription>
            <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
            </hc:AdditionalDetail>
            <hc:AdditionalDetail
detailType="CommissionPolicy">
                <hc:AdditionalDetailDescription>
                    <hc:Text>No commission
available</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>Room tax 17.5 PCT.</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime
period="P1DT19H15M">2009-01-03T14:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
    <hc:RoomType roomTypeCode="STK"
numberOfUnits="25">
        <hc:RoomTypeDescription>
            <hc:Text>Standard King</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="KNG"
numberOfUnits="22">
        <hc:RoomTypeDescription>
            <hc:Text>This is a very long
description.</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="MLQU"
numberOfUnits="25">
        <hc:RoomTypeDescription>
            <hc:Text>MLQU - ML 1 Queen</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
</hc:RoomTypes>
</hc:RoomTypes>
```

```
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ULS"
numberOfUnits="46">
        <hc:RoomTypeDescription>
        <hc:Text>ULSK - UL 1 King</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ULT"
numberOfUnits="55">
        <hc:RoomTypeDescription>
        <hc:Text>ULTQ - Deluxe room 2 Queen
beds</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ELQ"
numberOfUnits="6">
        <hc:RoomTypeDescription>
        <hc:Text>ELQU - Executive 1 Queen</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="EHQ"
numberOfUnits="1">
        <hc:RoomTypeDescription>
        <hc:Text>EHTQ - Executive 2 Queen
Handicap</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ELK"
numberOfUnits="9">
        <hc:RoomTypeDescription>
        <hc:Text>ELSK - Exec Level King</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ELT"
numberOfUnits="36">
        <hc:RoomTypeDescription>
        <hc:Text>ELST - King Suite: View
Water</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ETQ"
numberOfUnits="17">
        <hc:RoomTypeDescription>
        <hc:Text>ELTQ - Exec 2 Queens</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="EVK"
numberOfUnits="25">
        <hc:RoomTypeDescription>
        <hc:Text>EVSK - Exec View one King</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="EVQ"
numberOfUnits="30">
        <hc:RoomTypeDescription>
        <hc:Text>EVTQ - Exec Level View 2
Qn</hc:Text>
```

```
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="MLQ"
numberOfUnits="78">
        <hc:RoomTypeDescription>
            <hc:Text>MLTQ - ML 2 Queen</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="ULQ"
numberOfUnits="40">
        <hc:RoomTypeDescription>
            <hc:Text>ULQU - Upper Level Queen
Room</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="PRE"
numberOfUnits="11">
        <hc:RoomTypeDescription>
            <hc:Text>PRES - Presidential Suite</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="MLK"
numberOfUnits="16">
        <hc:RoomTypeDescription>
            <hc:Text>MLSK - Mid Level King Room</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="MXN">125</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="MXN">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="MXN">125</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="MXN">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">130</hc:Base>
            </hc:Rate>
        </hc:Rates>
```

```
        <hc:Total currencyCode="USD">130</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">130</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">130</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">75</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">75</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">75</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">75</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">95</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">95</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">95</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">95</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
```

```
                <hc:Base currencyCode="USD">65</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">65</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">145</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">145</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">145</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">145</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="MGM" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">178</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">178</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ULS"
ratePlanCode="MGM" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">178</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">178</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="MGM" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">178</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">178</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="MGM" suppressRate="false">
```

```
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">178</hc:Base>
          </hc:Rate>
        </hc:Rates>
      <hc:Total currencyCode="USD">178</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ULT"
ratePlanCode="MGM" suppressRate="false">
      <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
          <hc:Base currencyCode="USD">178</hc:Base>
        </hc:Rate>
      </hc:Rates>
      <hc:Total currencyCode="USD">178</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="BED" suppressRate="false">
      <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
          <hc:Base currencyCode="USD">100</hc:Base>
        </hc:Rate>
      </hc:Rates>
      <hc:Total currencyCode="USD">100</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="BED" suppressRate="false">
      <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
          <hc:Base currencyCode="USD">100</hc:Base>
        </hc:Rate>
      </hc:Rates>
      <hc:Total currencyCode="USD">100</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ELQ"
ratePlanCode="ARP" suppressRate="false">
      <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
          <hc:Base currencyCode="USD">320</hc:Base>
        </hc:Rate>
      </hc:Rates>
      <hc:Total currencyCode="USD">320</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="EHQ"
ratePlanCode="ARP" suppressRate="false">
      <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
          <hc:Base currencyCode="USD">320</hc:Base>
        </hc:Rate>
      </hc:Rates>
      <hc:Total currencyCode="USD">320</hc:Total>
```

```
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">320</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELT"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">320</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ETQ"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">320</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVK"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">320</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">320</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">320</hc:Base>
```

```
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">320</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLQ"
ratePlanCode="ARP" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">320</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">320</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="ULQ"
ratePlanCode="ARP" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">320</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">320</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="ULS"
ratePlanCode="ARP" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">320</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">320</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="ARP" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">320</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">320</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="PRE"
ratePlanCode="ARP" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">320</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">320</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLK"
ratePlanCode="ARP" suppressRate="false">
    <hc:Rates>
```

```

        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">320</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">320</hc:Total>
</hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
<hc:HotelContact>
    <hc:Addresses>
        <hc:Address>
            <c:AddressLine>1111 Street</c:AddressLine>
            <c:cityName>Anytown</c:cityName>
            <c:stateProv>FL</c:stateProv>
            <c:countryCode>US</c:countryCode>
        </hc:Address>
    </hc:Addresses>
    <hc:ContactEmails>
        <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
    </hc:ContactEmails>
    <hc:ContactPhones>
        <hc:Phone phoneType="FAX">
            <c:PhoneNumber> 123-555-4321</c:PhoneNumber>
        </hc:Phone>
        <hc:Phone phoneType="VOICE">
            <c:PhoneNumber> 123-555-4321</c:PhoneNumber>
        </hc:Phone>
    </hc:ContactPhones>
    <hc:HotelInformation>
        <hc:HotelInfo hotelInfoType="CHECKININFO">
            <c:Text>
                <c:TextElement>09:15</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
        <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
            <c:Text>
                <c:TextElement>08:00</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
    </hc:HotelInformation>
</hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response by InventoryBlockCode

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="087658726" timeStamp="2008-12-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="OWS" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
  <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:e847c101-ab25-4e06-838f-
849b21e9f10d</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:f47a29d0-2c5c-4fc3-9be6-
5eb56488c9cc</wsa:RelatesTo>

  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
</soap:Header>
<soap:Body>
  <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true" alternateDates="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <Result resultStatusFlag="SUCCESS" />
    <AvailResponseSegments>
      <a:AvailResponseSegment>
        <a:RoomStayList>
          <hc:RoomStay>
            <hc:RatePlans>
              <hc:RatePlan hold="false">
                <hc:RatePlanDescription>
                  <hc:Text>Ows</hc:Text>
                </hc:RatePlanDescription>
                <hc:AdditionalDetails>
                  <hc:AdditionalDetail
detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="Miscellaneous">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>Ows</hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                </hc:AdditionalDetails>
                <hc:CancellationDateTime
period="P1DT19H15M">2009-03-30T14:00:00</hc:CancellationDateTime>
              </hc:RatePlan>
            </hc:RatePlan>
          </hc:RoomStay>
        </a:RoomStayList>
      </a:AvailResponseSegment>
    </AvailResponseSegments>
  </AvailabilityResponse>
</soap:Body>
</soap:Envelope>
```

```
        </hc:RatePlans>
        <hc:RoomTypes>
          <hc:RoomType roomTypeCode="STK"
numberOfUnits="1">
            <hc:RoomTypeDescription>
              <hc:Text>Standard King</hc:Text>
            </hc:RoomTypeDescription>
          </hc:RoomType>
          <hc:RoomType roomTypeCode="MLQU"
numberOfUnits="1">
            <hc:RoomTypeDescription>
              <hc:Text>MLQU - ML 1 Queen</hc:Text>
            </hc:RoomTypeDescription>
          </hc:RoomType>
          <hc:RoomType roomTypeCode="AST"
numberOfUnits="5">
            <hc:RoomTypeDescription>
              <hc:Text>Superior Deluxe Room</hc:Text>
            </hc:RoomTypeDescription>
          </hc:RoomType>
        </hc:RoomTypes>
        <hc:RoomRates>
          <hc:RoomRate roomTypeCode="STK">
            <hc:Rates>
              <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">100</hc:Base>
              </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD">300</hc:Total>
          </hc:RoomRate>
          <hc:RoomRate roomTypeCode="MLQU" />
          <hc:RoomRate roomTypeCode="AST">
            <hc:Rates>
              <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">100</hc:Base>
              </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD">300</hc:Total>
          </hc:RoomRate>
        </hc:RoomRates>
        <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
        <hc:HotelContact>
          <hc:Addresses>
            <hc:Address>
              <c:AddressLine>1111 Street</c:AddressLine>
              <c:cityName>Anytown</c:cityName>
              <c:stateProv>FL</c:stateProv>
              <c:countryCode>US</c:countryCode>
            </hc:Address>
          </hc:Addresses>
          <hc:ContactEmails>
            <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
          </hc:ContactEmails>
        </hc:HotelContact>
      </hc:Hotel>
    </c:Hotel>
  </c:Hotels>
</c:Hotels>
```

```

        <hc:ContactPhones>
          <hc:Phone phoneType="FAX">
            <c:PhoneNumber> 123-555-4321</c:PhoneNumber>
          </hc:Phone>
          <hc:Phone phoneType="VOICE">
            <c:PhoneNumber> 123-555-4321</c:PhoneNumber>
          </hc:Phone>
        </hc:ContactPhones>
        <hc:HotelInformation>
          <hc:HotelInfo hotelInfoType="CHECKININFO">
            <c:Text>
              <c:TextElement>09:15</c:TextElement>
            </c:Text>
          </hc:HotelInfo>
          <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
            <c:Text>
              <c:TextElement>08:00</c:TextElement>
            </c:Text>
          </hc:HotelInfo>
        </hc:HotelInformation>
      </hc:HotelContact>
    </hc:RoomStay>
  </a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

      <a:HotelSearchCriteria>
        <a:Criterion>
          <a:HotelRef chainCode="WC"
hotelCode="SEFIVE"/>
        </a:Criterion>
      </a:HotelSearchCriteria>
    </a:AvailRequestSegment>
  </AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response for GDS Channel Type 1P

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="043654" timeStamp="2008-12-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="1P" systemType="ORS" />
      <Destination entityID="1P" systemType="GDS" />
    </OGHeader>
  </soap:Header>
</soap:Envelope>

```



```
</OGHeader>
<wsa:Action>http://webservic.es.micros.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:2c339280-0c83-4d39-a437-
b6f034dcff78</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:a820d89e-4e04-4bab-8238-
bbcc31eda176</wsa:RelatesTo>

<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
</soap:Header>
<soap:Body>
  <AvailabilityResponse
xmlns:a="http://webservic.es.micros.com/og/4.3/Availability/"
xmlns:c="http://webservic.es.micros.com/og/4.3/Common/"
xmlns:hc="http://webservic.es.micros.com/og/4.3/HotelCommon/"
summaryOnly="true" alternateDates="false"
xmlns="http://webservic.es.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <AvailResponseSegments>
    <a:AvailResponseSegment>
      <a:RoomStayList>
        <hc:RoomStay>
          <hc:RatePlans>
            <hc:RatePlan ratePlanCategory="R"
ratePlanCode="BAR" hold="false" suppressRate="false">
              <hc:RatePlanDescription>
                <hc:Text>Best Available Rate</hc:Text>
              </hc:RatePlanDescription>
              <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Marketing-ENGLISH</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CommissionPolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Commissions will not be paid for
this rate</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Room tax 17.5 PCT.</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
              </hc:AdditionalDetails>
              <hc:CancellationDateTime
period="P1DT19H15M">2008-12-30T14:00:00</hc:CancellationDateTime>
              <hc:GdsFlags>
                <hc:LateArrivalTime>2PM</hc:LateArrivalTime>
                <hc:CancellationCode>2D</hc:CancellationCode>
                <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
              </hc:GdsFlags>
            </hc:RatePlan>
          </hc:RatePlans>
        </hc:RoomStay>
      </a:RoomStayList>
    </a:AvailResponseSegment>
  </AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</wsa:Body>
</wsa:Message>
</wsa:Envelope>
```

```
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="01R" hold="false"
suppressRate="false">
            <hc:RatePlanDescription>
                <hc:Text>CURRENCY TEST</hc:Text>
            </hc:RatePlanDescription>
            <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>Marketing-ENGLISH</hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CommissionPolicy">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>Commissions will not be paid for
this rate</hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>Zimmer </hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
            </hc:AdditionalDetails>
            <hc:CancellationDateTime
period="P1DT19H15M">2008-12-30T14:00:00</hc:CancellationDateTime>
            <hc:GdsFlags>
                <hc:LateArrivalTime>2PM</hc:LateArrivalTime>
                <hc:CancellationCode>2D</hc:CancellationCode>
                <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
            </hc:GdsFlags>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="AAA" hold="false"
suppressRate="false">
            <hc:RatePlanDescription>
                <hc:Text>This is negotiated with AAA travel
Agenets.</hc:Text>
            </hc:RatePlanDescription>
            <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>Marketing-ENGLISH</hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CommissionPolicy">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>Commissions will not be paid for
this rate</hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
```

```
        <hc:AdditionalDetailDescription>
          <hc:Text>Room tax 17.5 PCT.</hc:Text>
        </hc:AdditionalDetailDescription>
      </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime>
period="P1DT19H15M">2008-12-30T14:00:00</hc:CancellationDateTime>
    <hc:GdsFlags>
      <hc:LateArrivalTime>2PM</hc:LateArrivalTime>
      <hc:CancellationCode>2D</hc:CancellationCode>
      <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
    </hc:GdsFlags>
  </hc:RatePlan>
  <hc:RatePlan ratePlanCode="DBR" hold="false"
suppressRate="false">
    <hc:RatePlanDescription>
      <hc:Text>DBAR rate 1</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
      <hc:AdditionalDetail
detailType="MarketingInformation">
        <hc:AdditionalDetailDescription>
          <hc:Text>Marketing-ENGLISH</hc:Text>
        </hc:AdditionalDetailDescription>
      </hc:AdditionalDetail>
      <hc:AdditionalDetail
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
          <hc:Text>Commissions will not be paid for
this rate</hc:Text>
        </hc:AdditionalDetailDescription>
      </hc:AdditionalDetail>
      <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
          <hc:Text>Room tax 17.5 PCT.</hc:Text>
        </hc:AdditionalDetailDescription>
      </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime>
period="P1DT19H15M">2008-12-30T14:00:00</hc:CancellationDateTime>
    <hc:GdsFlags>
      <hc:LateArrivalTime>2PM</hc:LateArrivalTime>
      <hc:CancellationCode>2D</hc:CancellationCode>
      <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
    </hc:GdsFlags>
  </hc:RatePlan>
  <hc:RatePlan ratePlanCode="GON" hold="false"
suppressRate="false">
    <hc:RatePlanDescription>
      <hc:Text>Federal Government PERSON</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
      <hc:AdditionalDetail
detailType="MarketingInformation">
        <hc:AdditionalDetailDescription>
          <hc:Text>Marketing-ENGLISH</hc:Text>
        </hc:AdditionalDetailDescription>
      </hc:AdditionalDetail>
    </hc:AdditionalDetails>
  </hc:RatePlan>
</hc:RatePlans>
</hc:RatePlan>
</hc:RatePlans>
```

```
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
        <hc:Text>Commission policy for TRAVEL
AGENTS is 10 PERCENT</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Room tax 17.5 PCT.</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime
period="P1DT19H15M">2008-12-30T14:00:00</hc:CancellationDateTime>
        <hc:GdsFlags>
        <hc:LateArrivalTime>2PM</hc:LateArrivalTime>
        <hc:CancellationCode>2D</hc:CancellationCode>
        <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
        </hc:GdsFlags>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="OWN" hold="false"
suppressRate="false">
        <hc:RatePlanDescription>
        <hc:Text>OWNER RATE</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
        <hc:AdditionalDetail
detailType="MarketingInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Marketing-ENGLISH</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
        <hc:Text>Commissions will not be paid for
this rate</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Room tax 17.5 PCT.</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime
period="P1DT19H15M">2008-12-30T14:00:00</hc:CancellationDateTime>
        <hc:GdsFlags>
        <hc:LateArrivalTime>2PM</hc:LateArrivalTime>
        <hc:CancellationCode>2D</hc:CancellationCode>
        <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
        </hc:GdsFlags>
```

```
        </hc:RatePlan>
    </hc:RatePlans>
    <hc:RoomTypes>
        <hc:RoomType roomTypeCode="A2K"
numberOfUnits="22">
            <hc:RoomTypeDescription>
                <hc:Text>This is a very long
description.</hc:Text>
            </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="A2D"
numberOfUnits="25">
            <hc:RoomTypeDescription>
                <hc:Text>Standard King</hc:Text>
            </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ULK"
numberOfUnits="46">
            <hc:RoomTypeDescription>
                <hc:Text>UL 1 King</hc:Text>
            </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="A1Q"
numberOfUnits="5">
            <hc:RoomTypeDescription>
                <hc:Text>Executive 1 Queen</hc:Text>
            </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="A1J"
numberOfUnits="4">
            <hc:RoomTypeDescription>
                <hc:Text>MH 2 Queen</hc:Text>
            </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="A1B"
numberOfUnits="25">
            <hc:RoomTypeDescription>
                <hc:Text>ML 1 Queen</hc:Text>
            </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="A2S"
numberOfUnits="16">
            <hc:RoomTypeDescription>
                <hc:Text>Mid Level King Room</hc:Text>
            </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="C1K"
numberOfUnits="55">
            <hc:RoomTypeDescription>
                <hc:Text>Deluxe room 2 Queen beds</hc:Text>
            </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="A1S"
numberOfUnits="1">
            <hc:RoomTypeDescription>
                <hc:Text>asdf</hc:Text>
            </hc:RoomTypeDescription>
    </hc:RoomTypes>
</pre>
```

```
        </hc:RoomType>
        <hc:RoomType roomTypeCode="A1D"
numberOfUnits="1">
        <hc:RoomTypeDescription>
        <hc:Text>Executive 2 Queen Handicap</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
    <hc:RoomRate roomTypeCode="A2K"
ratePlanCode="BAR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">115</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">115</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2D"
ratePlanCode="BAR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">115</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">115</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2K"
ratePlanCode="01R" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="EUR">125</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="EUR">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2K"
ratePlanCode="AAA" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">100</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2K"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="MXN">125</hc:Base>
            </hc:Rate>
        </hc:Rates>
```

```
        <hc:Total currencyCode="MXN">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2D"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="MXN">125</hc:Base>
    </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="MXN">125</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2K"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD">130</hc:Base>
    </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">130</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2D"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD">130</hc:Base>
    </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">130</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2K"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD">145</hc:Base>
    </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">145</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2D"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD">145</hc:Base>
    </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">145</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2K"
ratePlanCode="DBR" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
```

```
                <hc:Base currencyCode="USD">95</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">95</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2D"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">95</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">95</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2D"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">65</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">65</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2K"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">75</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">75</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2D"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">75</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">75</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2K"
ratePlanCode="GON" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">126</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">126</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A2K"
ratePlanCode="OWN" suppressRate="false">
```

```
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">100</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="ULK"
ratePlanCode="OWN" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">100</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="A1Q"
ratePlanCode="OWN" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">100</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="A1J"
ratePlanCode="OWN" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">100</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="A1B"
ratePlanCode="OWN" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">100</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="A2S"
ratePlanCode="OWN" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">100</hc:Total>
```

```
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="C1K"
ratePlanCode="OWN" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">100</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="A1S"
ratePlanCode="OWN" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">100</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="A1D"
ratePlanCode="OWN" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">100</hc:Total>
        </hc:RoomRate>
      </hc:RoomRates>
      <hc:HotelReference chainCode="WC"
hotelCode="8889">Opera Demo Hotel, Medium</hc:HotelReference>
      <hc:HotelContact>
        <hc:Addresses>
          <hc:Address>
            <c:AddressLine>1111 Street</c:AddressLine>
            <c:cityName>Anytown</c:cityName>
            <c:stateProv>FL</c:stateProv>
            <c:countryCode>US</c:countryCode>
          </hc:Address>
        </hc:Addresses>
        <hc:ContactEmails>
          <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
        </hc:ContactEmails>
        <hc:ContactPhones>
          <hc:Phone phoneType="FAX">
            <c:PhoneNumber>123-555-4321</c:PhoneNumber>
          </hc:Phone>
          <hc:Phone phoneType="VOICE">
            <c:PhoneNumber>123-555-4321</c:PhoneNumber>
          </hc:Phone>
        </hc:ContactPhones>
      </hc:HotelInformation>
      <hc:HotelInfo hotelInfoType="CHECKININFO">
```

```

        <c:Text>
          <c:TextElement>09:15</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
      <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
        <c:Text>
          <c:TextElement>08:00</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
    </hc:HotelInformation>
  </hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response for ChildAgeBucket

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="ES"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:f63193d0-7dd8-4850-a377-ce821c742228</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:11eea430-11ac-41a4-be95-deabelc1063c</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/" summaryOnly="true"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
    </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>

```

```

    <AvailResponseSegments>
      <a:AvailResponseSegment>
        <a:RoomStayList>
          <hc:RoomStay>
            <hc:RatePlans>
              <hc:RatePlan
                ratePlanCode="EXP
                "
                qualifyingIdType=
                "COMPANY"
                qualifyingIdValue
                ="608218"
                hold="false">

    <hc:RatePlanDescription>

    <hc:Text>micros
    Exped
    ia
    Rate<
    /hc:Text>

    </hc:RatePlanDescription>

    <hc:AdditionalDetails>

    <hc:AdditionalDetailDescription>
    List Booking with WEST-SEFIVE</hc:Text>
    <hc:Text>Thank you for

    </hc:AdditionalDetailDescription>

    </hc:AdditionalDetail>
    <hc:AdditionalDetaildetailType="CommissionPolicy">

    <hc:AdditionalDetailDescription>
    <hc:Text>No commission available</hc:Text>
    </hc:AdditionalDetailDescription>

    </hc:AdditionalDetail>

    <hc:AdditionalDetail detailType="TaxInformation">

```

```
<hc:AdditionalDetailDescription>
  <hc:Text>State Tax 10 PCT City Tax 5 PCT Resort Fee
</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
  <hc:AdditionalDetail detailType="Miscellaneous">
    <hc:AdditionalDetailDescription>
      <hc:Text>micros</hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
</hc:AdditionalDetails>
  <hc:CancellationDateTime period="P1DT7H">2008-06-
19T01:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
  </hc:RatePlans>
  <hc:RoomTypes>
    <hc:RoomType
roomTypeCode="KNG" numberOfUnits="99">
      <hc:RoomTypeDescription>
        <hc:Text>Español - K - King Room UPDATE MP</hc:Text>
      </hc:RoomTypeDescription>
    </hc:RoomType>
  </hc:RoomTypes>
  <hc:RoomRates>
    <hc:RoomRate
roomTypeCode="KNG" ratePlanCode="EXP">
      <hc:Rates>
        <hc:Rate
rate rateOccurrence="DAILY" rateChangeIndicator="false">
          <hc:Base currencyCode="USD">120</hc:Base>
        </hc:Rate>
      </hc:Rates>
    </hc:RoomRate>
  </hc:RoomRates>
  <hc:Total currencyCode="USD">120</hc:Total>
  </hc:RoomRate>
</hc:RoomRates>
  <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
  <hc:HotelContact>
```

```

                <hc:Addresses>

                <hc:Address>

                <c:AddressLine>1111 Street</c:AddressLine>

                <c:cityName>Anytown</c:cityName>

                <c:countryCode>US</c:countryCode>

                </hc:Address>

                </hc:Addresses>

                <hc:ContactEmails>
                <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
                </hc:ContactEmails>

                <hc:ContactPhones>

                <hc:Phone
phoneType="FAX">
                <c:PhoneNumber> 1235554321</c:PhoneNumber>
                </hc:Phone>
                <hc:Phone
phoneType="VOICE">
                <c:PhoneNumber> 1235554321</c:PhoneNumber>
                </hc:Phone>

                </hc:ContactPhones>

                <hc:HotelInformation>

                <hc:HotelIn
fo hotelInfoType="CHECKININFO">
                <c:Text>
                <c:TextElement>08:00</c:TextElement>
                </c:Text>

                </hc:HotelInfo>

                <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
                <c:Text>
                <c:TextElement>15:00</c:TextElement>
                </c:Text>

                </hc:HotelInfo>

                </hc:HotelInformation>

                </hc:HotelContact>
                </hc:RoomStay>
                </a:RoomStayList>
                </a:AvailResponseSegment>

```

```
        </AvailResponseSegments>
    </AvailabilityResponse>
</soap:Body>
</soap:Envelope>
```

General Availability Response with GDS Flags

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="1P" systemType="ORS"/>
      <Destination entityID="1P" systemType="GDS"/>
    </OGHeader>

    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:5127f332-530d-4202-a33e-52d1435ef42f</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:d3f0bd89-db83-4643-8837-53679b3a358f</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/" summaryOnly="true"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan
                  ratePlanCategory="N"
                  ratePlanCode="ARP"
                  hold="false">

                </hc:RatePlan>
              </hc:RatePlans>
            </hc:RoomStay>
          </a:RoomStayList>
        </a:AvailResponseSegment>
      </AvailResponseSegments>
    </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```

```
<hc:Text>Senior Citizen - AARP Member</hc:Text>

</hc:RatePlanDescription>

<hc:AdditionalDetails>

  <hc:AdditionalDetailDescription>

    <hc:Text>Marketing-ENGLISH</hc:Text>

  </hc:AdditionalDetailDescription>

  </hc:AdditionalDetail>

  <hc:AdditionalDetail detailType="CommissionPolicy">

    <hc:AdditionalDetailDescription>

      <hc:Text>Commissions will not be paid for this
rate</hc:Text>

    </hc:AdditionalDetailDescription>

  </hc:AdditionalDetail>

  <hc:AdditionalDetail detailType="TaxInformation">

    <hc:AdditionalDetailDescription>

      <hc:Text>Room tax 15.6 PCT </hc:Text>

    </hc:AdditionalDetailDescription>

  </hc:AdditionalDetail>

</hc:AdditionalDetails>
```

```
<hc:CancellationDateTime period="P6DT23H">2008-03-
25T16:00:00</hc:CancellationDateTime>

<hc:GdsFlags>

<hc:LateArrivalTime>4PM</hc:LateArrivalTime>

<hc:CancellationCode>7D</hc:CancellationCode>

<hc:GuarCancelFlag>XG</hc:GuarCancelFlag>

</hc:GdsFlags>

ratePlanCode="GON" hold="true">
</hc:RatePlan>
<hc:RatePlan
  <hc:RatePlanDescription>
    <hc:Text>Federal Government PERSON</hc:Text>
  </hc:RatePlanDescription>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Marketing-ENGLISH</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail detailType="CommissionPolicy">
      <hc:AdditionalDetailDescription>
        <hc:Text>Commissions will not be paid for this
rate</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail detailType="TaxInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Room tax 15.6 PCT </hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetails>
```

```
<hc:CancellationDateTime period="P6DT23H">2008-03-
25T16:00:00</hc:CancellationDateTime>

<hc:GdsFlags>

<hc:LateArrivalTime>4PM</hc:LateArrivalTime>

<hc:CancellationCode>7D</hc:CancellationCode>

<hc:GuarCancelFlag>AX</hc:GuarCancelFlag>

</hc:GdsFlags>

                                                                    </hc:RatePlan>
                                                                    <hc:RatePlan
ratePlanCode="OWN" hold="true">

<hc:RatePlanDescription>

<hc:Text>OWNER RATE</hc:Text>

</hc:RatePlanDescription>

<hc:AdditionalDetails>

<hc:AdditionalDetail detailType="MarketingInformation">

<hc:AdditionalDetailDescription>

<hc:Text>Marketing-ENGLISH</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="CommissionPolicy">

<hc:AdditionalDetailDescription>

<hc:Text>Commissions will not be paid for this
rate</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="TaxInformation">

<hc:AdditionalDetailDescription>

<hc:Text>Room tax 15.6 PCT </hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

</hc:AdditionalDetails>
```

```
<hc:CancellationDateTime period="P6DT23H">2008-03-
25T16:00:00</hc:CancellationDateTime>

<hc:GdsFlags>

<hc:LateArrivalTime>4PM</hc:LateArrivalTime>

<hc:CancellationCode>7D</hc:CancellationCode>

<hc:GuarCancelFlag>AX</hc:GuarCancelFlag>

</hc:GdsFlags>

</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
  <hc:RoomType
roomTypeCode="A2K" numberOfUnits="20">

    <hc:RoomTypeDescription>

    <hc:Text>This is a very long description.
</hc:Text>

    </hc:RoomTypeDescription>

    </hc:RoomType>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="ULK" numberOfUnits="46">

    <hc:RoomTypeDescription>

    <hc:Text>UL 1 King</hc:Text>

    </hc:RoomTypeDescription>

    </hc:RoomType>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="A1Q" numberOfUnits="83">

    <hc:RoomTypeDescription>

    <hc:Text>ML 2 Queen</hc:Text>

    </hc:RoomTypeDescription>

    </hc:RoomType>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="A1J" numberOfUnits="4">

    <hc:RoomTypeDescription>

    <hc:Text>MH 2 Queen</hc:Text>

    </hc:RoomTypeDescription>

    </hc:RoomType>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="A1B" numberOfUnits="25">

    <hc:RoomTypeDescription>
```

```
<hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD">300</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD">300</hc:Total>

</hc:RoomRate>
<hc:RoomRate
roomTypeCode="A1J" ratePlanCode="ARP">

</hc:Rates>

  <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD">300</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD">300</hc:Total>

</hc:RoomRate>
<hc:RoomRate
roomTypeCode="A1B" ratePlanCode="ARP">

</hc:Rates>

  <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD">300</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD">300</hc:Total>

</hc:RoomRate>
<hc:RoomRate
roomTypeCode="A2S" ratePlanCode="ARP">

</hc:Rates>

  <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD">300</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD">300</hc:Total>

</hc:RoomRate>
<hc:RoomRate
roomTypeCode="C1K" ratePlanCode="ARP">

</hc:Rates>
```

```
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

    <hc:Base currencyCode="USD">300</hc:Base>

    </hc:Rate>

    </hc:Rates>
    <hc:Total
currencyCode="USD">300</hc:Total>

    </hc:RoomRate>
    <hc:RoomRate
roomTypeCode="A2K" ratePlanCode="GON">

    </hc:Rates>

    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

    <hc:Base currencyCode="USD">125</hc:Base>

    </hc:Rate>

    </hc:Rates>
    <hc:Total
currencyCode="USD">125</hc:Total>

    </hc:RoomRate>
    <hc:RoomRate
roomTypeCode="ULK" ratePlanCode="GON">

    </hc:Rates>

    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

    <hc:Base currencyCode="USD">125</hc:Base>

    </hc:Rate>

    </hc:Rates>
    <hc:Total
currencyCode="USD">125</hc:Total>

    </hc:RoomRate>
    <hc:RoomRate
roomTypeCode="A1Q" ratePlanCode="GON">

    </hc:Rates>

    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

    <hc:Base currencyCode="USD">125</hc:Base>

    </hc:Rate>

    </hc:Rates>
    <hc:Total
currencyCode="USD">125</hc:Total>

    </hc:RoomRate>
    <hc:RoomRate
roomTypeCode="A1J" ratePlanCode="GON">

    </hc:Rates>
```

```
<hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD">125</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD">125</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="A2S" ratePlanCode="GON">

</hc:Rates>

  <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD">125</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD">125</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="A2K" ratePlanCode="OWN">

</hc:Rates>

  <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD">100</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD">100</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="ULK" ratePlanCode="OWN">

</hc:Rates>

  <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD">100</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD">100</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="A1Q" ratePlanCode="OWN">

</hc:Rates>
```

```

        <c:PhoneNumber> 123-555-4321</c:PhoneNumber>
                                                    </hc:Phone>
phoneType="VOICE">
                                                    <hc:Phone
        <c:PhoneNumber> 123-555-4321</c:PhoneNumber>
                                                    </hc:Phone>
    </hc:ContactPhones>
    <hc:HotelInformation>
    <hc:HotelInfo hotelInfoType="CHECKININFO">
    <c:Text>
    <c:TextElement>15:00</c:TextElement>
    </c:Text>
    </hc:HotelInfo>
    <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
    <c:Text>
    <c:TextElement>08:00</c:TextElement>
    </c:Text>
    </hc:HotelInfo>
    </hc:HotelInformation>
                                                    </hc:HotelContact>
                                                    </hc:RoomStay>
                                                    </a:RoomStayList>
                                                    </a:AvailResponseSegment>
    </AvailResponseSegments>
    </AvailabilityResponse>
    </soap:Body>
</soap:Envelope>

```

General Availability Response with Alternate Dates Available

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">

```

```

    <Origin entityID="TI" systemType="ORS" />
    <Destination entityID="WEST" systemType="WEB" />
  </OGHeader>

  <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
  dl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:481d5798-946a-4fa2-986d-
  a40683c86984</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:0634b096-edce-46b2-8eb8-
  83fe6cc3c411</wsa:RelatesTo>

  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
  nymous</wsa:To>
    </soap:Header>
    <soap:Body>
      <AvailabilityResponse
  xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
  xmlns:c="http://webservices.micros.com/og/4.3/Common/"
  xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
  summaryOnly="true" alternateDates="true"
  xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
        <Result resultStatusFlag="SUCCESS" />
        <AlternateDates>
          <hc:StartDate>2008-09-19T00:00:00</hc:StartDate>
          <hc:EndDate>2008-09-20T00:00:00</hc:EndDate>
        </AlternateDates>
        <AvailResponseSegments>
          <a:AvailResponseSegment>
            <a:RoomStayList>
              <hc:RoomStay>
                <hc:RatePlans>
                  <hc:RatePlan ratePlanCode="ART" hold="false"
  suppressRate="false">
                    <hc:RatePlanDescription>
                      <hc:Text>Andrea's Inclusive Rate</hc:Text>
                    </hc:RatePlanDescription>
                    <hc:AdditionalDetails>
                      <hc:AdditionalDetail
  detailType="MarketingInformation">
                        <hc:AdditionalDetailDescription>
                          <hc:Text>Thank you for List Booking with
  WEST-SEFIVE</hc:Text>
                        </hc:AdditionalDetailDescription>
                      </hc:AdditionalDetail>
                      <hc:AdditionalDetail
  detailType="CommissionPolicy">
                        <hc:AdditionalDetailDescription>
                          <hc:Text>No commission
  available</hc:Text>
                        </hc:AdditionalDetailDescription>
                      </hc:AdditionalDetail>
                      <hc:AdditionalDetail
  detailType="TaxInformation">
                        <hc:AdditionalDetailDescription>
                          <hc:Text>State Tax 10 PCT</hc:Text>
                        </hc:AdditionalDetailDescription>
                      </hc:AdditionalDetail>
                    </hc:AdditionalDetails>
                  </hc:RatePlan>
                </hc:RoomStay>
              </a:RoomStayList>
            </a:AvailResponseSegment>
          </AvailResponseSegments>
        </AvailabilityResponse>
      </soap:Body>
    </wsa:Header>
  </wsa:Message>
</soap:Envelope>

```

```
        </hc:AdditionalDetails>
        <hc:CancellationDateTime period="P4DT16H">2008-
09-12T16:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="BIN" hold="false"
suppressRate="false">
        <hc:RatePlanDescription>
        <hc:Text>Block Rate Inclusive </hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
        <hc:AdditionalDetail
detailType="MarketingInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>State Tax 10 PCT</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime period="P4DT16H">2008-
09-12T16:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
        <hc:RoomType roomTypeCode="ELQ"
numberOfUnits="6">
        <hc:RoomTypeDescription>
        <hc:Text>ELQU - Executive 1 Queen</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="EHQ"
numberOfUnits="1">
        <hc:RoomTypeDescription>
        <hc:Text>EHTQ - Executive 2 Queen
Handicap</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ELK"
numberOfUnits="9">
        <hc:RoomTypeDescription>
        <hc:Text>ELSK - Exec Level King</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ELT"
numberOfUnits="36">
```

```
        <hc:RoomTypeDescription>
          <hc:Text>ELST - King Suite: View
Water</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="ETQ"
numberOfUnits="17">
        <hc:RoomTypeDescription>
          <hc:Text>ELTQ - Exec 2 Queens</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="EVK"
numberOfUnits="25">
        <hc:RoomTypeDescription>
          <hc:Text>EVSK - Exec View one King</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="EVQ"
numberOfUnits="30">
        <hc:RoomTypeDescription>
          <hc:Text>EVTQ - Exec Level View 2
Qn</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="GN1"
numberOfUnits="4">
        <hc:RoomTypeDescription>
          <hc:Text>MHTQ - MH 2 Queen</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="GN2"
numberOfUnits="55">
        <hc:RoomTypeDescription>
          <hc:Text>ULTQ - Deluxe room 2 Queen
beds</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="MLQU"
numberOfUnits="25">
        <hc:RoomTypeDescription>
          <hc:Text>MLQU - ML 1 Queen</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="MLT"
numberOfUnits="78">
        <hc:RoomTypeDescription>
          <hc:Text>MLTQ - ML 2 Queen</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="RT2"
numberOfUnits="14">
        <hc:RoomTypeDescription>
          <hc:Text>MLST - 2 Queen Suite: No
View</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
```

```
        <hc:RoomType roomTypeCode="PRE"
numberOfUnits="11">
        <hc:RoomTypeDescription>
        <hc:Text>PRES - Presidential Suite</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="KNG"
numberOfUnits="22">
        <hc:RoomTypeDescription>
        <hc:Text>This is a very long
description</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="MHQ"
numberOfUnits="4">
        <hc:RoomTypeDescription>
        <hc:Text>MHTQ - MH 2 Queen</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ULT"
numberOfUnits="55">
        <hc:RoomTypeDescription>
        <hc:Text>ULTQ - Deluxe room 2 Queen
beds</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="MLQ"
numberOfUnits="78">
        <hc:RoomTypeDescription>
        <hc:Text>MLTQ - ML 2 Queen</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ULQ"
numberOfUnits="40">
        <hc:RoomTypeDescription>
        <hc:Text>ULQU - Upper Level Queen
Room</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ULS"
numberOfUnits="46">
        <hc:RoomTypeDescription>
        <hc:Text>ULSK - UL 1 King</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        </hc:RoomTypes>
        <hc:RoomRates>
        <hc:RoomRate roomTypeCode="ELQ"
ratePlanCode="ART" suppressRate="false">
        <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">200</hc:Total>
        </hc:RoomRate>
```

```
        <hc:RoomRate roomTypeCode="EHQ"
ratePlanCode="ART" suppressRate="false">
        <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">200</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="ART" suppressRate="false">
        <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">200</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELT"
ratePlanCode="ART" suppressRate="false">
        <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">200</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ETQ"
ratePlanCode="ART" suppressRate="false">
        <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">200</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVK"
ratePlanCode="ART" suppressRate="false">
        <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">200</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="ART" suppressRate="false">
        <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
```

```
        </hc:Rates>
        <hc:Total currencyCode="USD">200</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="GN1"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">200</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="GN2"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">200</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">200</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLT"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">200</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="RT2"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">200</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLT"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
```

```
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="PRE"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLT"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="GN2"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="GN1"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD">200</hc:Base>
        </hc:Rate>
    </hc:Rates>
    </hc:RoomRate>
```

```
        <hc:RoomRate roomTypeCode="ELQ"
ratePlanCode="BIN" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">100</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EHQ"
ratePlanCode="BIN" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">100</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="BIN" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">100</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELT"
ratePlanCode="BIN" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">100</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ETQ"
ratePlanCode="BIN" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">100</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVK"
ratePlanCode="BIN" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
```

```
        </hc:Rates>
        <hc:Total currencyCode="USD">100</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="BIN" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">100</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="MHQ"
ratePlanCode="BIN" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">100</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="ULT"
ratePlanCode="BIN" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">100</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="BIN" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">100</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLQ"
ratePlanCode="BIN" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">100</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="ULQ"
ratePlanCode="BIN" suppressRate="false">
    <hc:Rates>
```

```
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">100</hc:Base>
        </hc:Rate>
    </hc:Rates>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ULS"
ratePlanCode="BIN" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">100</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="RT2"
ratePlanCode="BIN" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">100</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">100</hc:Total>
    </hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
<hc:HotelContact>
    <hc:Addresses>
        <hc:Address>
            <c:AddressLine>1111 Street</c:AddressLine>
            <c:cityName>Anytown</c:cityName>
            <c:stateProv>FL</c:stateProv>
            <c:countryCode>US</c:countryCode>
            <c:postalCode>34112</c:postalCode>
        </hc:Address>
    </hc:Addresses>
    <hc:ContactEmails>
        <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
    </hc:ContactEmails>
    <hc:ContactPhones>
        <hc:Phone phoneType="FAX">
            <c:PhoneNumber>123-555-4321</c:PhoneNumber>
        </hc:Phone>
        <hc:Phone phoneType="VOICE">
            <c:PhoneNumber>123-555-4321</c:PhoneNumber>
        </hc:Phone>
    </hc:ContactPhones>
    <hc:HotelInformation>
        <hc:HotelInfo hotelInfoType="CHECKININFO">
            <c:Text>
                <c:TextElement>08:00</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
    </hc:HotelInformation>
</hc:HotelContact>
```

```

        </hc:HotelInfo>
        <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
            <c:Text>
                <c:TextElement>08:00</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
    </hc:HotelInformation>
</hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response with Alternate Dates Unavailable

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>

        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:6ea0d2f4-4687-4e1c-be4f-
3e2cdcc32f88</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:bc4e5d01-7716-422e-ae03-
3ca8798ac96d</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true" alternateDates="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <AvailResponseSegments>
                <a:AvailResponseSegment>
                    <a:RoomStayList>
                        <hc:RoomStay isAlternate="true">

```

```

        <hc:HotelReference chainCode="WC"
hotelCode="SEPARA">Opera Demo Hotel, Small</hc:HotelReference>
        <hc:HotelContact>
            <hc:Addresses>
                <hc:Address>
                    <c:AddressLine>724 Pine
Street</c:AddressLine>
                    <c:cityName>Anytown</c:cityName>
                    <c:countryCode>MX</c:countryCode>
                </hc:Address>
            </hc:Addresses>
            <hc:Vector>
                <hc:Distance distanceUnit="Mi">15</hc:Distance>
            </hc:Vector>
        </hc:HotelContact>
    </hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability requests can have a maximum of 5 occurrences of alternate dates. Requesting more than 5 alternate dates will result in the following error message in the response:

```

<soap:Body>
<AvailabilityResponsesummaryOnly="false"alternateDates="false">
    <ResultresultStatusFlag="FAIL">
        <hc:GDSErrorerrorCode="SYS"elementId="81">Alternate dates
exceeds the maximum limit of 5.
    </hc:GDSError>
    </Result>
</AvailabilityResponse>
</soap:Body>

```

General Availability based on Promo Code Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="O2G" systemType="ORS" />
            <Destination entityID="O2G" systemType="O2G" />
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabilit
y.wsdl#AvailabilityResponse</wsa:Action>

```

```
<wsa:MessageID>urn:uuid:3fd7bffd-3982-4080-b994-
a085718da679</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:368a6d83-127c-4e2c-ba51-
ad95b69a1d20</wsa:RelatesTo>
  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role
/anonymous</wsa:To>
</soap:Header>
<soap:Body>
  <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <AvailResponseSegments>
    <a:AvailResponseSegment>
      <a:RoomStayList>
        <hc:RoomStay>
          <hc:RatePlans>
            <hc:RatePlan ratePlanCode="CACOMP"
promotionCode="SCANDIC" hold="false" suppressRate="false"
commissionCode="N" hasPackage="false" rankRate="false"
rateTypeIndicator="P" postingRhythm="1">
              <hc:RatePlanDescription>
                <hc:Text> header</hc:Text>
              </hc:RatePlanDescription>
              <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for booking</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CommissionPolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>No commission
available</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Tax not included State Tax - 6
PCT City Tax - 4 PCT </hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
              </hc:AdditionalDetails>
              <hc:CancellationDateTime>2012-12-
21T00:00:00</hc:CancellationDateTime>
            </hc:RatePlan>
          </hc:RatePlans>
          <hc:RoomTypes>
            <hc:RoomType roomTypeCode="POKB"
numberOfUnits="21">
              <hc:RoomTypeDescription>
```

```

    <hc:Text>Long Pool Side King Main Description
Spanish</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>Pool Side King Main Description
Spanish</hc:Text>
    </hc:RoomTypeShortDescription>
    <hc:AmenityInfo>
    <hc:Amenities>
    <hc:Amenity amenityCode="BAL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="DI"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="DVD"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="GDP"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="HB"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="LAN"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="TILE FLOOR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    </hc:Amenities>
    </hc:AmenityInfo>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="POQB"
numberOfUnits="13">
    <hc:RoomTypeDescription>
    <hc:Text>Pool Side - Queen on the room
long</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>Pool Side - Queen on the room
short</hc:Text>
    </hc:RoomTypeShortDescription>
    <hc:AmenityInfo>
    <hc:Amenities>
    <hc:Amenity amenityCode="BAL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="DI"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="DVD"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="GDP"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="HB"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="LAN"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    <hc:Amenity amenityCode="TILE FLOOR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    </hc:Amenities>

```

```
        </hc:AmenityInfo>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="SEAKG"
numberOfUnits="17">
    <hc:RoomTypeDescription>
        <hc:Text>Seaside King</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
        <hc:Text>Seaside King</hc:Text>
    </hc:RoomTypeShortDescription>
    <hc:AmenityInfo>
        <hc:Amenities>
            <hc:Amenity amenityCode="BAL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DI"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DVD"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="GDP"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="HB"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="LAN"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="TILE FLOOR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        </hc:Amenities>
    </hc:AmenityInfo>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="SEAQN"
numberOfUnits="36">
    <hc:RoomTypeDescription>
        <hc:Text>Seaside 2 Queens</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
        <hc:Text>Seaside 2 Queens</hc:Text>
    </hc:RoomTypeShortDescription>
    <hc:AmenityInfo>
        <hc:Amenities>
            <hc:Amenity amenityCode="BAL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DI"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DVD"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="GDP"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="HB"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="LAN"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="TILE FLOOR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        </hc:Amenities>
    </hc:AmenityInfo>
    </hc:RoomType>
```

```
        </hc:Amenities>
        </hc:AmenityInfo>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="SUK"
numberOfUnits="68">
        <hc:RoomTypeDescription>
            <hc:Text>Superior King</hc:Text>
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
            <hc:Text>Superior King</hc:Text>
        </hc:RoomTypeShortDescription>
        <hc:AmenityInfo>
            <hc:Amenities>
                <hc:Amenity amenityCode="BAL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="DI"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="DVD"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="GDP"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="HB"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="LAN"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="TILE FLOOR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            </hc:Amenities>
        </hc:AmenityInfo>
    </hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
    <hc:RoomRate roomTypeCode="POKB"
ratePlanCode="CACOMP" suppressRate="false" hasPackage="false">
        <hc:Rates>
            <hc:Rate rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">23.23</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">69.69</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="POQB"
ratePlanCode="CACOMP" suppressRate="false" hasPackage="false">
        <hc:Rates>
            <hc:Rate rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">23.23</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">69.69</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="SEAKG"
```

```
ratePlanCode="CACOMP" suppressRate="false" hasPackage="false">
  <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
      <hc:Base currencyCode="USD"
decimals="2">23.23</hc:Base>
      </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">69.69</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="SEAQN"
ratePlanCode="CACOMP" suppressRate="false" hasPackage="false">
  <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
      <hc:Base currencyCode="USD"
decimals="2">23.23</hc:Base>
      </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">69.69</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="SUK"
ratePlanCode="CACOMP" suppressRate="false" hasPackage="false">
  <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
      <hc:Base currencyCode="USD"
decimals="2">23.23</hc:Base>
      </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">69.69</hc:Total>
  </hc:RoomRates>
  <hc:HotelReference chainCode="CHA"
hotelCode="CASINO">Opera Demo Hotel, Small</hc:HotelReference>
  <hc:HotelContact>
    <hc:Addresses>
      <hc:Address>
        <c:AddressLine>See Alicia
Marz</c:AddressLine>
        <c:cityName>Anytown</c:cityName>
        <c:stateProv>FL</c:stateProv>
        <c:countryCode>US</c:countryCode>
        <c:postalCode>34119</c:postalCode>
      </hc:Address>
    </hc:Addresses>
    <hc:ContactPhones>
      <hc:Phone phoneType="VOICE">
        <c:PhoneNumber>1235554321</c:PhoneNumber>
      </hc:Phone>
    </hc:ContactPhones>
  </hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
```

```
</soap:Body>
</soap:Envelope>
```

General Availability Response by Promotion Code with Room Amenities

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEB" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:b8fcec9-f743-4484-8cb5-76b386d6e8ec</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:30129eea-83c8-47c4-8f5c-385d6c00d5ce</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      summaryOnly="true"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan
                  ratePlanCode="VIC" promotionCode="WEBPROMO" hold="false"
                  suppressRate="false" ratePlanName="vic" commissionCode="N"
                  hasPackage="false">

                <hc:RatePlanDescription>

                <hc:Text>VIC VIC</hc:Text>

                </hc:RatePlanDescription>

                <hc:RatePlanShortDescription>
```

```
<hc:Text>vic</hc:Text>
</hc:RatePlanShortDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for your inquiry.</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>No commission available</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2011-08-
03T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
<hc:RoomType
roomTypeCode="STKCHAN" numberOfUnits="25">
<hc:RoomTypeDescription>
<hc:Text>Standard King Channel Description</hc:Text>
</hc:RoomTypeDescription>
<hc:RoomTypeShortDescription>
<hc:Text>Standard King</hc:Text>
</hc:RoomTypeShortDescription>
<hc:AmenityInfo>
<hc:Amenities>
<hc:Amenity amenityCode="73" amenityType="Room"/>
<hc:Amenity amenityCode="79" amenityType="Room"/>
```

```
<hc:Amenity amenityCode="BALCON" amenityType="Room"/>
</hc:Amenities>
</hc:AmenityInfo>
</hc:RoomType>
<hc:RoomType
roomTypeCode="ELQ" numberOfUnits="6">
  <hc:RoomTypeDescription>
  <hc:Text>ELQU - Executive 1 Queen</hc:Text>
  </hc:RoomTypeDescription>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="EHQ" numberOfUnits="1">
  <hc:RoomTypeDescription>
  <hc:Text>EHTQ - Executive 2 Queen Handicap</hc:Text>
  </hc:RoomTypeDescription>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="ELK" numberOfUnits="9">
  <hc:RoomTypeDescription>
  <hc:Text>ELSK - Exec Level King</hc:Text>
  </hc:RoomTypeDescription>
  </hc:RoomType>
  </hc:RoomTypes>
  <hc:RoomRates>
  <hc:RoomRate
roomTypeCode="STKCHAN" ratePlanCode="VIC" suppressRate="false"
hasPackage="false">
  <hc:Rates>
  <hc:Rate rateChangeIndicator="false">
  <hc:Base currencyCode="USD" decimals="2">100</hc:Base>
  </hc:Rate>
  </hc:Rates>
  <hc:Total
currencyCode="USD" decimals="2">200</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate
roomTypeCode="ELQ" ratePlanCode="VIC" suppressRate="false"
hasPackage="false">
  <hc:Rates>
  <hc:Rate rateChangeIndicator="false">
```

```
<hc:Base currencyCode="USD" decimals="2">100</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD" decimals="2">200</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="EHQ" ratePlanCode="VIC" suppressRate="false"
hasPackage="false">
</hc:Rates>

<hc:Rate rateChangeIndicator="false">

<hc:Base currencyCode="USD" decimals="2">100</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD" decimals="2">200</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="ELK" ratePlanCode="VIC" suppressRate="false"
hasPackage="false">
</hc:Rates>

<hc:Rate rateChangeIndicator="false">

<hc:Base currencyCode="USD" decimals="2">100</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD" decimals="2">200</hc:Total>
</hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
<hc:HotelContact>
<hc:Addresses>

<hc:Address>

<c:AddressLine>1111 Street.</c:AddressLine>

<c:cityName>Anytown</c:cityName>

<c:stateProv>FL</c:stateProv>

<c:countryCode>US</c:countryCode>

<c:postalCode>99999</c:postalCode>

</hc:Address>

</hc:Addresses>
```

```
        <hc:ContactEmails>
          <hc:ContactEmail>reservations@examplehotel.com</hc:ContactE
mail>
        </hc:ContactEmails>
        <hc:ContactPhones>
          <hc:Phone
phoneType="FAX">
            <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
          </hc:Phone>
          <hc:Phone
phoneType="VOICE">
            <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
          </hc:Phone>
        </hc:ContactPhones>
        <hc:HotelInformation>
          <hc:HotelInfo hotelInfoType="CHECKININFO">
            <c:Text>
              <c:TextElement>09:15</c:TextElement>
            </c:Text>
          </hc:HotelInfo>
          <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
            <c:Text>
              <c:TextElement>08:00</c:TextElement>
            </c:Text>
          </hc:HotelInfo>
        </hc:HotelInformation>
      </hc:HotelContact>
    </hc:RoomStay>
  </a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>
```

General Availability Response with Negotiated Rate

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="654321" timeStamp="2008-12-09T09:55:16.361875-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>

    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:05f45b96-782c-4eba-814f-21d9d9a1ecb0</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:e7609a8c-b78d-42fe-a427-70274730e57a</wsa:RelatesTo>

  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      summaryOnly="true" alternateDates="false"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan ratePlanCategory="N"
                  ratePlanCode="NEG" qualifyingIdType="COMPANY"
                  qualifyingIdValue="07169312" hold="false" suppressRate="false">
                <hc:RatePlanDescription>
                  <hc:Text>GE CORPORATE OFFICE Negotiated
                    Rate</hc:Text>
                </hc:RatePlanDescription>
                <hc:AdditionalDetails>
                  <hc:AdditionalDetail
                    detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>Thank you for List Booking with
                        WEST-SEFIVE</hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                <hc:AdditionalDetail
                  detailType="CommissionPolicy">
```

```
        <hc:AdditionalDetailDescription>
          <hc:Text>No commission
available</hc:Text>
        </hc:AdditionalDetailDescription>
      </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="TaxInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>State Tax 10 PCT.</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetails>
  <hc:CancellationDateTime
period="P1DT19H15M">2009-01-15T14:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
  <hc:RoomType roomTypeCode="ELQ"
numberOfUnits="6">
    <hc:RoomTypeDescription>
      <hc:Text>ELQU - Executive 1 Queen</hc:Text>
    </hc:RoomTypeDescription>
  </hc:RoomType>
  <hc:RoomType roomTypeCode="EHQ"
numberOfUnits="1">
    <hc:RoomTypeDescription>
      <hc:Text>EHTQ - Executive 2 Queen
Handicap</hc:Text>
    </hc:RoomTypeDescription>
  </hc:RoomType>
  <hc:RoomType roomTypeCode="ELK"
numberOfUnits="9">
    <hc:RoomTypeDescription>
      <hc:Text>ELSK - Exec Level King</hc:Text>
    </hc:RoomTypeDescription>
  </hc:RoomType>
  <hc:RoomType roomTypeCode="ELT"
numberOfUnits="36">
    <hc:RoomTypeDescription>
      <hc:Text>ELST - King Suite: View
Water</hc:Text>
    </hc:RoomTypeDescription>
  </hc:RoomType>
  <hc:RoomType roomTypeCode="ETQ"
numberOfUnits="17">
    <hc:RoomTypeDescription>
      <hc:Text>ELTQ - Exec 2 Queens</hc:Text>
    </hc:RoomTypeDescription>
  </hc:RoomType>
  <hc:RoomType roomTypeCode="EVK"
numberOfUnits="25">
    <hc:RoomTypeDescription>
      <hc:Text>EVSK - Exec View one King</hc:Text>
    </hc:RoomTypeDescription>
  </hc:RoomType>
  <hc:RoomType roomTypeCode="EVQ"
numberOfUnits="30">
```

```
        <hc:RoomTypeDescription>
          <hc:Text>EVTQ - Exec Level View 2
Qn</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="MLQU"
numberOfUnits="25">
        <hc:RoomTypeDescription>
          <hc:Text>MLQU - ML 1 Queen</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="PRE"
numberOfUnits="11">
        <hc:RoomTypeDescription>
          <hc:Text>PRES - Presidential Suite</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="KNG"
numberOfUnits="22">
        <hc:RoomTypeDescription>
          <hc:Text>This is a very long
description.</hc:Text>
        </hc:RoomTypeDescription>
      </hc:RoomType>
    </hc:RoomTypes>
    <hc:RoomRates>
      <hc:RoomRate roomTypeCode="ELQ"
ratePlanCode="NEG" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">83.45</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">83.45</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="EHQ"
ratePlanCode="NEG" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">83.45</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">83.45</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="NEG" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD">83.45</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">83.45</hc:Total>
      </hc:RoomRate>
```

```
        <hc:RoomRate roomTypeCode="ELT"
ratePlanCode="NEG" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">83.45</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">83.45</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ETQ"
ratePlanCode="NEG" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">83.45</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">83.45</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVK"
ratePlanCode="NEG" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">83.45</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">83.45</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="NEG" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">83.45</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">83.45</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="NEG" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">83.45</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD">83.45</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="PRE"
ratePlanCode="NEG" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD">83.45</hc:Base>
            </hc:Rate>
```

```
        </hc:Rates>
        <hc:Total currencyCode="USD">83.45</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="NEG" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD">83.45</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD">83.45</hc:Total>
    </hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
<hc:HotelContact>
    <hc:Addresses>
        <hc:Address>
            <c:AddressLine>1111 Street</c:AddressLine>
            <c:cityName>Anytown</c:cityName>
            <c:stateProv>FL</c:stateProv>
            <c:countryCode>US</c:countryCode>
        </hc:Address>
    </hc:Addresses>
    <hc:ContactEmails>

<hc:ContactEmail>example@hotels.com</hc:ContactEmail>
</hc:ContactEmails>
<hc:ContactPhones>
    <hc:Phone phoneType="FAX">
        <c:PhoneNumber>123-555-4321</c:PhoneNumber>
    </hc:Phone>
    <hc:Phone phoneType="VOICE">
        <c:PhoneNumber>123-555-4321</c:PhoneNumber>
    </hc:Phone>
</hc:ContactPhones>
<hc:HotelInformation>
    <hc:HotelInfo hotelInfoType="CHECKININFO">
        <c:Text>
            <c:TextElement>09:15</c:TextElement>
        </c:Text>
    </hc:HotelInfo>
    <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
        <c:Text>
            <c:TextElement>08:00</c:TextElement>
        </c:Text>
    </hc:HotelInfo>
</hc:HotelInformation>
</hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>
```

General Availability Response Best Available

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="3298769832" timeStamp="2009-04-09T10:55:16.361875-04:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:e6a72b75-3720-410d-89cc-bf191abf2e04</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:3ac1c3a4-b005-40ef-94d7-9e0c2f7a331f</wsa:RelatesTo>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      summaryOnly="true" alternateDates="false"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan ratePlanCode="BAR" hold="false"
                  suppressRate="false" ratePlanName="BAR">
                  <hc:RatePlanDescription>
                    <hc:Text>Best Available Rate</hc:Text>
                  </hc:RatePlanDescription>
                  <hc:AdditionalDetails>
                    <hc:AdditionalDetail
                      detailType="MarketingInformation">
                      <hc:AdditionalDetailDescription>
                        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                      </hc:AdditionalDetailDescription>
                    </hc:AdditionalDetail>
                  </hc:AdditionalDetail>
                </hc:RatePlan>
              </hc:RatePlans>
            </hc:RoomStay>
          </a:RoomStayList>
        </a:AvailResponseSegment>
      </AvailResponseSegments>
    </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```

```
                <hc:Text>No commission
available</hc:Text>
                </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                <hc:AdditionalDetailDescription>
                <hc:Text>Accommodation </hc:Text>
                </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                </hc:AdditionalDetails>
                <hc:CancellationDateTime
period="P2DT17H15M">2009-04-16T16:00:00</hc:CancellationDateTime>
                </hc:RatePlan>
                </hc:RatePlans>
                <hc:RoomTypes>
                <hc:RoomType roomTypeCode="AST"
numberOfUnits="1">
                <hc:RoomTypeDescription>
                <hc:Text>Superior Deluxe Room</hc:Text>
                </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="STK"
numberOfUnits="24">
                <hc:RoomTypeDescription>
                <hc:Text>Standard King</hc:Text>
                </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="KNG"
numberOfUnits="20" roomTypeName="King">
                <hc:RoomTypeDescription>
                <hc:Text>This is a King NS room with
balcony</hc:Text>
                </hc:RoomTypeDescription>
                <hc:RoomTypeShortDescription>
                <hc:Text>King NS room.</hc:Text>
                </hc:RoomTypeShortDescription>
                </hc:RoomType>
                </hc:RoomTypes>
                <hc:RoomRates>
                <hc:RoomRate roomTypeCode="AST"
ratePlanCode="BAR" suppressRate="false">
                <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">149</hc:Base>
                </hc:Rate>
                </hc:Rates>
                <hc:Total currencyCode="USD"
decimals="2">149</hc:Total>
                </hc:RoomRate>
                <hc:RoomRate roomTypeCode="STK"
ratePlanCode="BAR" suppressRate="false">
                <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
```

```
                <hc:Base currencyCode="USD"
decimals="2">149</hc:Base>
                </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">149</hc:Total>
            </hc:RoomRate>
            <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="BAR" suppressRate="false">
            <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                    <hc:Base currencyCode="USD"
decimals="2">149</hc:Base>
                    </hc:Rate>
                </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">149</hc:Total>
            </hc:RoomRate>
        </hc:RoomRates>
        <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
        <hc:HotelContact>
            <hc:Addresses>
                <hc:Address>
                    <c:AddressLine>1111 Street.</c:AddressLine>
                    <c:cityName>Anytown</c:cityName>
                    <c:stateProv>FL</c:stateProv>
                    <c:countryCode>US</c:countryCode>
                    <c:postalCode>99999</c:postalCode>
                </hc:Address>
            </hc:Addresses>
            <hc:ContactPhones>
                <hc:Phone phoneType="FAX">
                    <c:PhoneNumber>123-555-4321</c:PhoneNumber>
                </hc:Phone>
                <hc:Phone phoneType="VOICE">
                    <c:PhoneNumber>123-555-4321</c:PhoneNumber>
                </hc:Phone>
            </hc:ContactPhones>
            <hc:HotelInformation>
                <hc:HotelInfo hotelInfoType="CHECKININFO">
                    <c:Text>
                        <c:TextElement>09:15</c:TextElement>
                    </c:Text>
                </hc:HotelInfo>
                <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
                    <c:Text>
                        <c:TextElement>08:00</c:TextElement>
                    </c:Text>
                </hc:HotelInfo>
            </hc:HotelInformation>
        </hc:HotelContact>
    </hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
```

```
    </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```

General Availability Response Travel Agent

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="O2G" systemType="ORS" />
      <Destination entityID="O2G" systemType="O2G" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:06fe8071-66bd-4403-a786-cd72cbb7a95d</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:8c9966ca-930f-4489-b5c9-75c6c7319ba9</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan ratePlanCode="ENT" hold="false"
suppressRate="false" commissionCode="N" hasPackage="false"
rankRate="false">
                  <hc:RatePlanDescription>
                    <hc:Text>ENTERTAINMENT</hc:Text>
                  </hc:RatePlanDescription>
                  <hc:AdditionalDetails>
                    <hc:AdditionalDetail
detailType="MarketingInformation">
                      <hc:AdditionalDetailDescription>
                        <hc:Text>Thank you for booking</hc:Text>
                      </hc:AdditionalDetailDescription>
                    </hc:AdditionalDetail>
                  </hc:AdditionalDetail>
                </hc:RatePlan>
              </hc:RoomStay>
            </a:RoomStayList>
          </a:AvailResponseSegment>
        </AvailResponseSegments>
      </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```

```
detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
    </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail
detailType="TaxInformation">
    <hc:AdditionalDetailDescription>
        <hc:Text>Tax not included State Tax - 6
PCT City Tax - 4 PCT </hc:Text>
    </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime>2012-11-
27T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
    <hc:RoomType roomTypeCode="POKB"
numberOfUnits="19">
    <hc:RoomTypeDescription>
        <hc:Text>Long Pool Side King Main Description
Spanish</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
        <hc:Text>Pool Side King Main Description
Spanish</hc:Text>
    </hc:RoomTypeShortDescription>
    <hc:AmenityInfo>
        <hc:Amenities>
            <hc:Amenity amenityCode="BAL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DI"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DVD"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="GDP"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="HB"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="LAN"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="TILE FLOOR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        </hc:Amenities>
    </hc:AmenityInfo>
</hc:RoomType>
    <hc:RoomType roomTypeCode="POQB"
numberOfUnits="13">
    <hc:RoomTypeDescription>
        <hc:Text>Pool Side - Queen on the room
long</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
```

```
short</hc:Text>
    <hc:Text>Pool Side - Queen on the room
</hc:RoomTypeShortDescription>
<hc:AmenityInfo>
    <hc:Amenities>
        <hc:Amenity amenityCode="BAL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        <hc:Amenity amenityCode="DI"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        <hc:Amenity amenityCode="DVD"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        <hc:Amenity amenityCode="GDP"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        <hc:Amenity amenityCode="HB"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        <hc:Amenity amenityCode="LAN"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        <hc:Amenity amenityCode="TILE FLOOR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
    </hc:Amenities>
</hc:AmenityInfo>
</hc:RoomType>
<hc:RoomType roomTypeCode="SEAKG"
numberOfUnits="17">
    <hc:RoomTypeDescription>
        <hc:Text>Seaside King</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
        <hc:Text>Seaside King</hc:Text>
    </hc:RoomTypeShortDescription>
    <hc:AmenityInfo>
        <hc:Amenities>
            <hc:Amenity amenityCode="BAL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DI"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DVD"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="GDP"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="HB"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="LAN"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="TILE FLOOR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        </hc:Amenities>
    </hc:AmenityInfo>
</hc:RoomType>
<hc:RoomType roomTypeCode="SEAQN"
numberOfUnits="36">
    <hc:RoomTypeDescription>
        <hc:Text>Seaside 2 Queens</hc:Text>
```

```
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
          <hc:Text>Seaside 2 Queens</hc:Text>
        </hc:RoomTypeShortDescription>
        <hc:AmenityInfo>
          <hc:Amenities>
            <hc:Amenity amenityCode="BAL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DI"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DVD"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="GDP"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="HB"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="LAN"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="TILE FLOOR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
          </hc:Amenities>
        </hc:AmenityInfo>
      </hc:RoomType>
      <hc:RoomType roomTypeCode="SUK"
numberOfUnits="68">
        <hc:RoomTypeDescription>
          <hc:Text>Superior King</hc:Text>
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
          <hc:Text>Superior King</hc:Text>
        </hc:RoomTypeShortDescription>
        <hc:AmenityInfo>
          <hc:Amenities>
            <hc:Amenity amenityCode="BAL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DI"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="DVD"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="GDP"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="HB"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="LAN"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
            <hc:Amenity amenityCode="TILE FLOOR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
          </hc:Amenities>
        </hc:AmenityInfo>
      </hc:RoomType>
    </hc:RoomTypes>
    <hc:RoomRates>
      <hc:RoomRate roomTypeCode="POKB"
```

```
ratePlanCode="ENT" suppressRate="false" hasPackage="false">
  <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
      <hc:Base currencyCode="GBP"
decimals="2">300</hc:Base>
      </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="GBP"
decimals="2">300</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="POQB"
ratePlanCode="ENT" suppressRate="false" hasPackage="false">
  <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
      <hc:Base currencyCode="GBP"
decimals="2">300</hc:Base>
      </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="GBP"
decimals="2">300</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="SEAKG"
ratePlanCode="ENT" suppressRate="false" hasPackage="false">
  <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
      <hc:Base currencyCode="GBP"
decimals="2">300</hc:Base>
      </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="GBP"
decimals="2">300</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="SEAQN"
ratePlanCode="ENT" suppressRate="false" hasPackage="false">
  <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
      <hc:Base currencyCode="GBP"
decimals="2">300</hc:Base>
      </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="GBP"
decimals="2">300</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="SUK"
ratePlanCode="ENT" suppressRate="false" hasPackage="false">
  <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
      <hc:Base currencyCode="GBP"
decimals="2">300</hc:Base>
      </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="GBP"
decimals="2">300</hc:Total>
  </hc:RoomRate>
  </hc:RoomRates>
  <hc:HotelReference chainCode="CHA"
hotelCode="CASINO">Opera Demo Hotel, Small</hc:HotelReference>
```

```

    <hc:HotelContact>
      <hc:Addresses>
        <hc:Address>
          <c:AddressLine>See Alicia
Marz</c:AddressLine>
          <c:cityName>Anytown</c:cityName>
          <c:stateProv>FL</c:stateProv>
          <c:countryCode>US</c:countryCode>
          <c:postalCode>34119</c:postalCode>
        </hc:Address>
      </hc:Addresses>
      <hc:ContactPhones>
        <hc:Phone phoneType="VOICE">
          <c:PhoneNumber>1235554321</c:PhoneNumber>
        </hc:Phone>
      </hc:ContactPhones>
    </hc:HotelContact>
  </hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response Rate Range

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="349696943" timeStamp="2009-04-
09T10:55:16.361875-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
  <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:a3f9833b-983d-466b-8ffa-
d0595060771d</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:d21ffdd5-aa5c-408f-9516-
7c4f9709a702</wsa:RelatesTo>

  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"

```

```
summaryOnly="true" alternateDates="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <AvailResponseSegments>
    <a:AvailResponseSegment>
      <a:RoomStayList>
        <hc:RoomStay>
          <hc:RatePlans>
            <hc:RatePlan ratePlanCode="DBR" hold="false"
suppressRate="false" ratePlanName="DBR">
              <hc:RatePlanDescription>
                <hc:Text>DBAR rate 6</hc:Text>
              </hc:RatePlanDescription>
              <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CommissionPolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>No commission
available</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Accommodation </hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:CancellationDateTime
period="P2DT17H15M">2009-04-12T16:00:00</hc:CancellationDateTime>
              </hc:RatePlan>
            </hc:RatePlans>
          <hc:RoomTypes>
            <hc:RoomType roomTypeCode="KNG"
numberOfUnits="20" roomTypeName="King">
              <hc:RoomTypeDescription>
                <hc:Text>King Room NS</hc:Text>
              </hc:RoomTypeDescription>
              <hc:RoomTypeShortDescription>
                <hc:Text>This is a King NS room.</hc:Text>
              </hc:RoomTypeShortDescription>
            </hc:RoomType>
            <hc:RoomType roomTypeCode="STK"
numberOfUnits="24">
              <hc:RoomTypeDescription>
                <hc:Text>Standard King</hc:Text>
              </hc:RoomTypeDescription>
            </hc:RoomType>
          </hc:RoomTypes>
        </hc:RoomStay>
      </a:RoomStayList>
    </a:AvailResponseSegment>
  </AvailResponseSegments>
</Result>
</Availability>
```

```
        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">75</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">75</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="STK"
ratePlanCode="DBR" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">65</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">65</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="STK"
ratePlanCode="DBR" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">75</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">75</hc:Total>
        </hc:RoomRate>
      </hc:RoomRates>
      <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
      <hc:HotelContact>
        <hc:Addresses>
          <hc:Address>
            <c:AddressLine>1111 Street.</c:AddressLine>
            <c:cityName>Anytown</c:cityName>
            <c:stateProv>FL</c:stateProv>
            <c:countryCode>US</c:countryCode>
            <c:postalCode>99999</c:postalCode>
          </hc:Address>
        </hc:Addresses>
        <hc:ContactPhones>
          <hc:Phone phoneType="FAX">
            <c:PhoneNumber>123-555-4321</c:PhoneNumber>
          </hc:Phone>
          <hc:Phone phoneType="VOICE">
            <c:PhoneNumber>123-555-4321</c:PhoneNumber>
          </hc:Phone>
        </hc:ContactPhones>
```

```

        <hc:HotelInformation>
          <hc:HotelInfo hotelInfoType="CHECKININFO">
            <c:Text>
              <c:TextElement>09:15</c:TextElement>
            </c:Text>
          </hc:HotelInfo>
          <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
            <c:Text>
              <c:TextElement>08:00</c:TextElement>
            </c:Text>
          </hc:HotelInfo>
        </hc:HotelInformation>
      </hc:HotelContact>
    </hc:RoomStay>
  </a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response with Child Ages

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="3458490437802" timeStamp="2009-04-09T10:55:16.361875-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:d347bbd6-fcbb-4204-954c-be27fa9ae8dd</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:05e6a987-ea97-4ea1-963c-e59f4ce68e85</wsa:RelatesTo>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true" alternateDates="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <AvailResponseSegments>

```

```
<a:AvailResponseSegment>
  <a:RoomStayList>
    <hc:RoomStay>
      <hc:RatePlans>
        <hc:RatePlan ratePlanCode="BED" hold="false"
suppressRate="false" ratePlanName="BED">
          <hc:RatePlanDescription>
            <hc:Text>&lt;html&gt;

            &lt;head&gt;
            &lt;/head&gt;
            &lt;body&gt;
              &lt;b&gt;&lt;font size="24"&gt;&lt;i&gt;Florida Residents
Rate&lt;/i&gt;&lt;/font&gt;&lt;/b&gt;&lt;br&gt;&lt;b&gt;&lt;font
color="#ff00ff"&gt;
avail. ONLY to residents of Florida. Proof of residency is
required upon
  check-in. - comm. at
10%&lt;/font&gt;&lt;/b&gt;&lt;br&gt;&lt;b&gt;&lt;font
color="#00ff00"&gt; not
  applicable to airmiles&lt;/font&gt;
&lt;/b&gt;&lt;br&gt;&lt;b&gt;&lt;font color="#800000"&gt;
available
  Thu-Sun&lt;/font&gt; &lt;font color="#800080"&gt;- Guests
travelling on rate 2SDOQR
  will be entitled to 15% off breakfast in EPIC or York's
Kitchen (one
  discount per room, per day).
&lt;/font&gt;&lt;/b&gt;&lt;br&gt;
  &lt;/body&gt;
&lt;/html&gt;
</hc:Text>

          </hc:RatePlanDescription>
          <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="MarketingInformation">
              <hc:AdditionalDetailDescription>
                <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
              </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
            <hc:AdditionalDetail
detailType="CommissionPolicy">
              <hc:AdditionalDetailDescription>
                <hc:Text>No commission
available</hc:Text>
              </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
            <hc:AdditionalDetail
detailType="TaxInformation">
              <hc:AdditionalDetailDescription>
                <hc:Text>Accommodation </hc:Text>
              </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
          </hc:AdditionalDetails>
          <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
      </hc:RatePlans>
    </hc:RoomStay>
  </a:RoomStayList>
</a:AvailResponseSegment>
```

```
        <hc:RatePlan ratePlanCategory="RACK"
ratePlanCode="ART" hold="false" suppressRate="false"
ratePlanName="ART">
            <hc:RatePlanDescription>
                <hc:Text>Andrea's Inclusive Rate</hc:Text>
            </hc:RatePlanDescription>
            <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CommissionPolicy">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>No commission
available</hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>Accommodation </hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
            </hc:AdditionalDetails>
            <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="INR" hold="false"
suppressRate="false" ratePlanName="INR">
            <hc:RatePlanDescription>
                <hc:Text>Inclusive Tax Rate</hc:Text>
            </hc:RatePlanDescription>
            <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CommissionPolicy">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>No commission
available</hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>State Tax 10 PCT. City Tax 5 PCT
Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee
Resort Fee </hc:Text>
```

```
        </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
</hc:AdditionalDetails>
    <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="ARP" hold="false"
suppressRate="false" ratePlanName="ARP">
    <hc:RatePlanDescription>
    <hc:Text>AARP Rate</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
    <hc:AdditionalDetailDescription>
    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
    <hc:Text>No commission
available</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="TaxInformation">
    <hc:AdditionalDetailDescription>
    <hc:Text>Accommodation </hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="REDEEM" hold="false"
suppressRate="false" ratePlanName="REDEEM">
    <hc:RatePlanDescription>
    <hc:Text>Redemption</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
    <hc:AdditionalDetailDescription>
    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
    <hc:Text>No commission
available</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
```

```
        <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>Accommodation </hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
</hc:RatePlan>
    <hc:RatePlan ratePlanCode="PEX" hold="false"
suppressRate="true" ratePlanName="PEX">
        <hc:RatePlanDescription>
            <hc:Text>Package Rate Exclusive</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        </hc:AdditionalDetails>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="PEX" hold="false"
suppressRate="true" ratePlanName="PEX">
        <hc:RatePlanDescription>
            <hc:Text>Package Rate Exclusive</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="CommissionPolicy">
                <hc:AdditionalDetailDescription>
                    <hc:Text>No commission
available</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        </hc:AdditionalDetails>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="PEX" hold="false"
suppressRate="true" ratePlanName="PEX">
        <hc:RatePlanDescription>
            <hc:Text>Package Rate Exclusive</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="TaxInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>State Tax 10 PCT. City Tax 5 PCT
Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee
Resort Fee </hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
</hc:RatePlan>
    <hc:RatePlan ratePlanCode="CBT" hold="false"
suppressRate="false" ratePlanName="CBT">
        <hc:RatePlanDescription>
            <hc:Text>Child Bucket Rate Code</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        </hc:AdditionalDetails>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="CBT" hold="false"
suppressRate="false" ratePlanName="CBT">
        <hc:RatePlanDescription>
            <hc:Text>Child Bucket Rate Code</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="CommissionPolicy">
                <hc:AdditionalDetailDescription>
```

```
                <hc:AdditionalDetailDescription>
                    <hc:Text>No commission
available</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>State Tax 10 PCT. City Tax 5 PCT
Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee
Resort Fee </hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
</hc:RatePlan>
    <hc:RatePlan ratePlanCode="OWM" hold="false"
suppressRate="false" ratePlanName="OWM">
        <hc:RatePlanDescription>
            <hc:Text>OWS MultiRate</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
            <hc:AdditionalDetailDescription>
                <hc:Text>No commission
available</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
            <hc:Text>Accommodation </hc:Text>
        </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
    <hc:RoomTypes>
        <hc:RoomType roomTypeCode="ELK"
numberOfUnits="9">
            <hc:RoomTypeDescription>
                <hc:Text>ELSK - Exec Level King</hc:Text>
            </hc:RoomTypeDescription>
        </hc:RoomType>
    </hc:RoomTypes>
    <hc:RoomRates>
```

```
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="BED" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">190</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">190</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="ART" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">187</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">187</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="INR" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">320</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="REDEEM" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">0</hc:Base>
            </hc:Rate>
          </hc:Rates>
```

```
        <hc:Total currencyCode="USD"
decimals="2">0</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="PEX" suppressRate="true">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">340</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">340</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="CBT" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">10</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">10</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="OWM" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">90</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">90</hc:Total>
</hc:RoomRate>
</hc:RoomRates>
    <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
    <hc:HotelContact>
        <hc:Addresses>
            <hc:Address>
                <c:AddressLine>1111 Street.</c:AddressLine>
                <c:cityName>Anytown</c:cityName>
                <c:stateProv>FL</c:stateProv>
                <c:countryCode>US</c:countryCode>
                <c:postalCode>99999</c:postalCode>
            </hc:Address>
        </hc:Addresses>
        <hc:ContactPhones>
            <hc:Phone phoneType="FAX">
                <c:PhoneNumber>123-555-4321</c:PhoneNumber>
            </hc:Phone>
            <hc:Phone phoneType="VOICE">
```

```

        <c:PhoneNumber>123-555-4321</c:PhoneNumber>
    </hc:Phone>
</hc:ContactPhones>
<hc:HotelInformation>
    <hc:HotelInfo hotelInfoType="CHECKININFO">
        <c:Text>
            <c:TextElement>09:15</c:TextElement>
        </c:Text>
    </hc:HotelInfo>
    <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
        <c:Text>
            <c:TextElement>08:00</c:TextElement>
        </c:Text>
    </hc:HotelInfo>
</hc:HotelInformation>
</hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response by Room Type

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="3458490437802" timeStamp="2009-04-
09T10:55:16.361875-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:9ee63930-84fe-4e26-90a5-
5dc37ac90226</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:7483207a-cb4a-4a15-9421-
ef97523c6a67</wsa:RelatesTo>
    </soap:Header>
    <soap:Body>
        <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"

```

```

summaryOnly="true" alternateDates="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <AvailResponseSegments>
    <a:AvailResponseSegment>
      <a:RoomStayList>
        <hc:RoomStay>
          <hc:RatePlans>
            <hc:RatePlan ratePlanCode="BAR" hold="false"
suppressRate="false" ratePlanName="BAR">
              <hc:RatePlanDescription>
                <hc:Text>Best Available Rate</hc:Text>
              </hc:RatePlanDescription>
              <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CommissionPolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>No commission
available</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Accommodation </hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
              </hc:AdditionalDetails>
              <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
            </hc:RatePlan>
            <hc:RatePlan ratePlanCode="BED" hold="false"
suppressRate="false" ratePlanName="BED">
              <hc:RatePlanDescription>
                <hc:Text>&lt;html&gt;

                &lt;/head&gt;
                &lt;/head&gt;
                &lt;body&gt;
                  &lt;b&gt;&lt;font size="24"&gt;&lt;i&gt;Florida Residents
Rate&lt;/i&gt;&lt;/font&gt;&lt;/b&gt;&lt;br&gt;&lt;b&gt;&lt;font
color="#ff00ff"&gt;
                    avail. ONLY to residents of Florida. Proof of residency is
required upon
                    check-in. - comm. at
                    10%&lt;/font&gt;&lt;/b&gt;&lt;br&gt;&lt;b&gt;&lt;font
color="#00ff00"&gt; not
                    applicable to airmiles&lt;/font&gt;
                    &lt;/b&gt;&lt;br&gt;&lt;b&gt;&lt;font color="#800000"&gt;
                    available

```

```
Thu-Sun</font> <font color="#800080">- Guests
travelling on rate 2SDOQR
will be entitled to 15% off breakfast in EPIC or York's
Kitchen (one
discount per room, per day).
</font></b><br>
</body>
</html>
</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
  <hc:AdditionalDetail
detailType="MarketingInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
  <hc:AdditionalDetail
detailType="CommissionPolicy">
  <hc:AdditionalDetailDescription>
    <hc:Text>No commission
available</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
  <hc:AdditionalDetail
detailType="TaxInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text>Accommodation </hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
  <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
</hc:RatePlan>
  <hc:RatePlan ratePlanCategory="RACK"
ratePlanCode="ART" hold="false" suppressRate="false"
ratePlanName="ART">
  <hc:RatePlanDescription>
    <hc:Text>Andrea's Inclusive Rate</hc:Text>
  </hc:RatePlanDescription>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="CommissionPolicy">
      <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
```

```
                <hc:Text>No commission
available</hc:Text>
                </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                <hc:AdditionalDetailDescription>
                <hc:Text>Accommodation </hc:Text>
                </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                </hc:AdditionalDetails>
                <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
                </hc:RatePlan>
                <hc:RatePlan ratePlanCode="CBT" hold="false"
suppressRate="false" ratePlanName="CBT">
                <hc:RatePlanDescription>
                <hc:Text>Child Bucket Rate Code</hc:Text>
                </hc:RatePlanDescription>
                <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CommissionPolicy">
                <hc:AdditionalDetailDescription>
                <hc:Text>No commission
available</hc:Text>
                </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                <hc:AdditionalDetailDescription>
                <hc:Text>State Tax 10 PCT. City Tax 5 PCT
Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee
Resort Fee </hc:Text>
                </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                </hc:AdditionalDetails>
                <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
                </hc:RatePlan>
                <hc:RatePlan ratePlanCode="DBR" hold="false"
suppressRate="false" ratePlanName="DBR">
                <hc:RatePlanDescription>
                <hc:Text>DBAR rate 1</hc:Text>
                </hc:RatePlanDescription>
                <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
```

```
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Accommodation </hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="EXP" hold="false"
suppressRate="false" ratePlanName="EXP">
        <hc:RatePlanDescription>
        <hc:Text>Expedia Rate.</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
        <hc:AdditionalDetail
detailType="MarketingInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>State Tax 10 PCT. City Tax 5 PCT
Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee
Resort Fee </hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="GOV" hold="false"
suppressRate="false" ratePlanName="GOV">
        <hc:RatePlanDescription>
        <hc:Text>Federal Government PERSON</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
```

```
        <hc:AdditionalDetail
detailType="MarketingInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
        <hc:Text>Commission policy is 10
PERCENT</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Accommodation </hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="INR" hold="false"
suppressRate="false" ratePlanName="INR">
        <hc:RatePlanDescription>
        <hc:Text>Inclusive Tax Rate</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
        <hc:AdditionalDetail
detailType="MarketingInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
        <hc:Text>State Tax 10 PCT. City Tax 5 PCT
Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee
Resort Fee </hc:Text>
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
```

```
<hc:RatePlan ratePlanCode="OWM" hold="false"
suppressRate="false" ratePlanName="OWM">
  <hc:RatePlanDescription>
    <hc:Text>OWS MultiRate</hc:Text>
  </hc:RatePlanDescription>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="CommissionPolicy">
      <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="TaxInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Accommodation </hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetails>
  <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan ratePlanCode="PEX" hold="false"
suppressRate="true" ratePlanName="PEX">
  <hc:RatePlanDescription>
    <hc:Text>Package Rate Exclusive</hc:Text>
  </hc:RatePlanDescription>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="CommissionPolicy">
      <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="TaxInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>State Tax 10 PCT. City Tax 5 PCT
Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee Resort Fee
Resort Fee </hc:Text>
      </hc:AdditionalDetailDescription>
```

```
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="REDEEM" hold="false"
suppressRate="false" ratePlanName="REDEEM">
    <hc:RatePlanDescription>
    <hc:Text>Redemption</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
    <hc:AdditionalDetailDescription>
    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
    <hc:Text>No commission
available</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="TaxInformation">
    <hc:AdditionalDetailDescription>
    <hc:Text>Accommodation </hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="ZAG" hold="false"
suppressRate="false" ratePlanName="ZAG">
    <hc:RatePlanDescription>
    <hc:Text>zagga rates for zag
international</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
    <hc:AdditionalDetailDescription>
    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
    <hc:Text>No commission
available</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
```

```
        <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>Accommodation </hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="ZER"
qualifyingIdType="COMPANY" qualifyingIdValue="2367698"
hold="false" suppressRate="false" ratePlanName="ZER">
        <hc:RatePlanDescription>
            <hc:Text>Maybis IL CURRENCY TEST</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CommissionPolicy
detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
            <hc:Text>No commission
available</hc:Text>
        </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
            <hc:Text>Room tax 10 PCT </hc:Text>
        </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="Miscellaneous">
        <hc:AdditionalDetailDescription>
            <hc:Text>Maybis IL</hc:Text>
        </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime
period="P2DT17H15M">2009-04-11T16:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
</hc:RatePlans>
    <hc:RoomTypes>
        <hc:RoomType roomTypeCode="KNG"
numberOfUnits="11" roomTypeName="King">
            <hc:RoomTypeDescription>
                <hc:Text>&lt;html&gt;
&lt;/head&gt;
&lt;/head&gt;
&lt;body&gt;
&lt;p&gt;
```

```
<!-->
<b>Sefive King NS </b> <b></b></font
color="#008000"><i>Traditional
    guestroom, elegant, comfortable, ~decor, 250 sq ft, high-
speed internet<br></i></font><b>
    </p>
</body>
</html>
</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
        <hc:Text>This is a King NS room.</hc:Text>
    </hc:RoomTypeShortDescription>
</hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="BAR" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">149</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">149</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="BED" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">215</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">215</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">250</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">250</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="01R" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
```

```
                <hc:Base currencyCode="EUR"
decimals="2">125</hc:Base>
                </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="EUR"
decimals="2">125</hc:Total>
            </hc:RoomRate>
            <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="ARP" suppressRate="false">
            <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                    <hc:Base currencyCode="USD"
decimals="2">320</hc:Base>
                    </hc:Rate>
                </hc:Rates>
                <hc:Total currencyCode="USD"
decimals="2">320</hc:Total>
                </hc:RoomRate>
                <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="CBT" suppressRate="false">
                <hc:Rates>
                    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                        <hc:Base currencyCode="USD"
decimals="2">10</hc:Base>
                        </hc:Rate>
                    </hc:Rates>
                    <hc:Total currencyCode="USD"
decimals="2">10</hc:Total>
                    </hc:RoomRate>
                    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
                    <hc:Rates>
                        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                            <hc:Base currencyCode="MXN"
decimals="2">125</hc:Base>
                            </hc:Rate>
                        </hc:Rates>
                        <hc:Total currencyCode="MXN"
decimals="2">125</hc:Total>
                        </hc:RoomRate>
                        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
                        <hc:Rates>
                            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                                <hc:Base currencyCode="USD"
decimals="2">130</hc:Base>
                                </hc:Rate>
                            </hc:Rates>
                            <hc:Total currencyCode="USD"
decimals="2">130</hc:Total>
                            </hc:RoomRate>
                            <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
```

```
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">145</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">145</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">95</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">95</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="DBR" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">75</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">75</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="EXP" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">158</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">158</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="GOV" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
```

```
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="INR" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="OWM" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">90</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">90</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="PEX" suppressRate="true">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">340</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">340</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="REDEEM" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">0</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">0</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="ZAG" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">135</hc:Base>
            </hc:Rate>
```

```
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">135</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="ZER" suppressRate="false">
        <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="EUR"
decimals="2">125</hc:Base>
        </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="EUR"
decimals="2">125</hc:Total>
        </hc:RoomRate>
    </hc:RoomRates>
    <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
    <hc:HotelContact>
    <hc:Addresses>
    <hc:Address>
        <c:AddressLine>1111 Street.</c:AddressLine>
        <c:cityName>Anytown</c:cityName>
        <c:stateProv>FL</c:stateProv>
        <c:countryCode>US</c:countryCode>
        <c:postalCode>99999</c:postalCode>
    </hc:Address>
    </hc:Addresses>
    <hc:ContactPhones>
    <hc:Phone phoneType="FAX">
        <c:PhoneNumber>123-555-4321</c:PhoneNumber>
    </hc:Phone>
    <hc:Phone phoneType="VOICE">
        <c:PhoneNumber>123-555-4321</c:PhoneNumber>
    </hc:Phone>
    </hc:ContactPhones>
    <hc:HotelInformation>
    <hc:HotelInfo hotelInfoType="CHECKININFO">
        <c:Text>
            <c:TextElement>09:15</c:TextElement>
        </c:Text>
    </hc:HotelInfo>
    <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
        <c:Text>
            <c:TextElement>08:00</c:TextElement>
        </c:Text>
    </hc:HotelInfo>
    </hc:HotelInformation>
    </hc:HotelContact>
    </hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>
```

General Availability Response with Reduced Message Size

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="158660" timeStamp="2009-02-
24T02:45:42-05:00" primaryLangID="E"
  xmlns="http://webservices.micros.com/og/4.3/Core/">
    <Origin entityID="OWS" systemType="GDS" />
    <Destination entityID="WEST" systemType="GDS" />
    <Intermediaries>
      <EndPoint systemType="DEFAULT" />
      <EndPoint systemType="GDS_TYPA" />
    </Intermediaries>
  </OGHeader>

  <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:0609ce2c-d752-4fac-8492-
ddc7b0dd0662</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:2ffed409-2bfc-47fe-bd4e-
225635252383</wsa:RelatesTo>

  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
  xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
  xmlns:c="http://webservices.micros.com/og/4.3/Common/"
  xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
  summaryOnly="true" alternateDates="false"
  xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan ratePlanCode="BAR" hold="false"
suppressRate="false" ratePlanName="BAR">
                  <hc:RatePlanDescription>
                    <hc:Text>Best Available Rate</hc:Text>
                  </hc:RatePlanDescription>
                </hc:RatePlan>
                <hc:RatePlan ratePlanCode="RAC" hold="false"
suppressRate="false" ratePlanName="RACK">
                  <hc:RatePlanDescription>
                    <hc:Text>Rack Rate</hc:Text>
                  </hc:RatePlanDescription>
                </hc:RatePlan>
              </hc:RatePlans>
            </hc:RoomStay>
          </a:RoomStayList>
        </a:AvailResponseSegment>
      </AvailResponseSegments>
    </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```

```
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="BED" hold="false"
suppressRate="false" ratePlanName="BED">
        <hc:RatePlanDescription>
        <hc:Text>Bed only rate</hc:Text>
        </hc:RatePlanDescription>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCategory="RACK"
ratePlanCode="ART" hold="false" suppressRate="false"
ratePlanName="ART">
        <hc:RatePlanDescription>
        <hc:Text>Andrea's Inclusive Rate</hc:Text>
        </hc:RatePlanDescription>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="ZER"
qualifyingIdType="COMPANY" qualifyingIdValue="2367698"
hold="false" suppressRate="false" ratePlanName="ZER">
        <hc:RatePlanDescription>
        <hc:Text>Maybis IL CURRENCY TEST</hc:Text>
        </hc:RatePlanDescription>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="01R" hold="false"
suppressRate="false" ratePlanName="01R">
        <hc:RatePlanDescription>
        <hc:Text>CURRENCY TEST</hc:Text>
        </hc:RatePlanDescription>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="ARP" hold="false"
suppressRate="false" ratePlanName="ARP">
        <hc:RatePlanDescription>
        <hc:Text>AARP Rate</hc:Text>
        </hc:RatePlanDescription>
        </hc:RatePlan>
    </hc:RatePlans>
    <hc:RoomTypes>
        <hc:RoomType roomTypeCode="KNG"
numberOfUnits="11" roomTypeName="King">
        <hc:RoomTypeDescription>
        <hc:Text>King Room</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="STK"
numberOfUnits="11">
        <hc:RoomTypeDescription>
        <hc:Text>Standard King</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="AST"
numberOfUnits="11">
        <hc:RoomTypeDescription>
        <hc:Text>Superior Deluxe Room</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ELQ"
numberOfUnits="6">
        <hc:RoomTypeDescription>
        <hc:Text>ELQU - Executive 1 Queen</hc:Text>
```

```
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="EHQ"
numberOfUnits="1">
        <hc:RoomTypeDescription>
            <hc:Text>EHTQ - Executive 2 Queen
Handicap</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="ELK"
numberOfUnits="9">
        <hc:RoomTypeDescription>
            <hc:Text>ELSK - Exec Level King</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="ELT"
numberOfUnits="35">
        <hc:RoomTypeDescription>
            <hc:Text>ELST - King Suite: View
Water</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="ETQ"
numberOfUnits="17">
        <hc:RoomTypeDescription>
            <hc:Text>ELTQ - Exec 2 Queens</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="EVK"
numberOfUnits="23">
        <hc:RoomTypeDescription>
            <hc:Text>EVSK - Exec View one King</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="EVQ"
numberOfUnits="30">
        <hc:RoomTypeDescription>
            <hc:Text>EVTQ - Exec Level View 2
Qn</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="MLQU"
numberOfUnits="25">
        <hc:RoomTypeDescription>
            <hc:Text>MLQU - ML 1 Queen</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="MLQ"
numberOfUnits="59">
        <hc:RoomTypeDescription>
            <hc:Text>MLTQ - ML 2 Queen</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="ULQ"
numberOfUnits="38">
        <hc:RoomTypeDescription>
```

```
                <hc:Text>ULQU - Upper Level Queen
Room</hc:Text>
                </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="ULT"
numberOfUnits="55">
                <hc:RoomTypeDescription>
                <hc:Text>ULTQ - Deluxe room 2 Queen
beds</hc:Text>
                </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="ULS"
numberOfUnits="4">
                <hc:RoomTypeDescription>
                <hc:Text>US 1 King</hc:Text>
                </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="MLK"
numberOfUnits="16">
                <hc:RoomTypeDescription>
                <hc:Text>MLSK - Mid Level King Room</hc:Text>
                </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="MHQ"
numberOfUnits="4">
                <hc:RoomTypeDescription>
                <hc:Text>MHTQ - MH 2 Queen</hc:Text>
                </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="PRE"
numberOfUnits="11">
                <hc:RoomTypeDescription>
                <hc:Text>PRES - Presidential Suite</hc:Text>
                </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="ALS"
numberOfUnits="10">
                <hc:RoomTypeDescription>
                <hc:Text>Diplomat Suite</hc:Text>
                </hc:RoomTypeDescription>
                </hc:RoomType>
                </hc:RoomTypes>
                <hc:RoomRates>
                <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="BAR" suppressRate="false">
                <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">1450</hc:Base>
                </hc:Rate>
                </hc:Rates>
                <hc:Total currencyCode="USD"
decimals="2">1450</hc:Total>
                </hc:RoomRate>
                <hc:RoomRate roomTypeCode="STK"
ratePlanCode="BAR" suppressRate="false">
```

```
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">1450</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">1450</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="AST"
ratePlanCode="BAR" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">1450</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">1450</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="RAC" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">1900</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">1900</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="RAC" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">1900</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">1900</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ELQ"
ratePlanCode="BED" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
```

```
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EHQ"
ratePlanCode="BED" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="BED" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELT"
ratePlanCode="BED" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ETQ"
ratePlanCode="BED" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVK"
ratePlanCode="BED" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
            </hc:Rate>
```

```
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="BED" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="BED" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLQ"
ratePlanCode="BED" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ULQ"
ratePlanCode="BED" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ULT"
ratePlanCode="BED" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
```

```
                <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
                </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
            </hc:RoomRate>
            <hc:RoomRate roomTypeCode="ULS"
ratePlanCode="BED" suppressRate="false">
            <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                    <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
                    </hc:Rate>
                </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
            </hc:RoomRate>
            <hc:RoomRate roomTypeCode="STK"
ratePlanCode="BED" suppressRate="false">
            <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                    <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
                    </hc:Rate>
                </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
            </hc:RoomRate>
            <hc:RoomRate roomTypeCode="AST"
ratePlanCode="BED" suppressRate="false">
            <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                    <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
                    </hc:Rate>
                </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
            </hc:RoomRate>
            <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="BED" suppressRate="false">
            <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                    <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
                    </hc:Rate>
                </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
            </hc:RoomRate>
            <hc:RoomRate roomTypeCode="MLK"
ratePlanCode="BED" suppressRate="false">
```

```
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="MHQ"
ratePlanCode="BED" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="PRE"
ratePlanCode="BED" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">165</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">165</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="ELQ"
ratePlanCode="ART" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="EHQ"
ratePlanCode="ART" suppressRate="false">
        <hc:Rates>
          <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
```

```
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="ART" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELT"
ratePlanCode="ART" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ETQ"
ratePlanCode="ART" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVK"
ratePlanCode="ART" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="ART" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
            </hc:Rate>
```

```
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ULQ"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="A1S"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLK"
ratePlanCode="ART" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
```

```
                <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
                </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
            </hc:RoomRate>
            <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="ART" suppressRate="false">
                <hc:Rates>
                    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                        <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
                            </hc:Rate>
                    </hc:Rates>
                <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
                    </hc:RoomRate>
                    <hc:RoomRate roomTypeCode="ULS"
ratePlanCode="ART" suppressRate="false">
                        <hc:Rates>
                            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                                <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
                                    </hc:Rate>
                            </hc:Rates>
                        <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
                            </hc:RoomRate>
                            <hc:RoomRate roomTypeCode="PRE"
ratePlanCode="ART" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                                        <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
                                            </hc:Rate>
                                    </hc:Rates>
                                <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
                                    </hc:RoomRate>
                                    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="ZER" suppressRate="false">
                                        <hc:Rates>
                                            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                                                <hc:Base currencyCode="EUR"
decimals="2">125</hc:Base>
                                                    </hc:Rate>
                                            </hc:Rates>
                                        <hc:Total currencyCode="EUR"
decimals="2">125</hc:Total>
                                            </hc:RoomRate>
                                            <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="ZER" suppressRate="false">
```

```
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="EUR"
decimals="2">125</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="EUR"
decimals="2">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="01R" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="EUR"
decimals="2">125</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="EUR"
decimals="2">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="01R" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="EUR"
decimals="2">125</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="EUR"
decimals="2">125</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ELQ"
ratePlanCode="ARP" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">320</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">320</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="EHQ"
ratePlanCode="ARP" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">320</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">320</hc:Total>
```

```
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">320</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELT"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">320</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ETQ"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">320</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVK"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">320</hc:Base>
            </hc:Rate>
          </hc:Rates>
          <hc:Total currencyCode="USD"
decimals="2">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="ARP" suppressRate="false">
          <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">320</hc:Base>
            </hc:Rate>
```

```

        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">320</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="ARP" suppressRate="false">
        <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
        <hc:Base currencyCode="USD"
decimals="2">320</hc:Base>
        </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">320</hc:Total>
        </hc:RoomRate>
        </hc:RoomRates>
        <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
        </hc:RoomStay>
        </a:RoomStayList>
        </a:AvailResponseSegment>
        </AvailResponseSegments>
        </AvailabilityResponse>
    </soap:Body>
</soap:Envelope>

```

General Availability Response with Stay Dates and Points Date Ranges

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>

        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
            <wsa:MessageID>urn:uuid:217f8831-243b-4518-a8db-
8fc7719db81e</wsa:MessageID>
            <wsa:RelatesTo>urn:uuid:7512f15e-d543-43e9-9f17-
8cf085c04dbe</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
    </soap:Header>

```

```
<soap:Body>
  <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"

xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS"/>
  <AvailResponseSegments>
    <a:AvailResponseSegment>
      <a:RoomStayList>
        <hc:RoomStay>
          <hc:RatePlans>
            <hc:RatePlan ratePlanCode="AW1"
hold="false" suppressRate="false" ratePlanName="AWARD1"
awardType="GC TAKE" redemRate="true">
              <hc:RatePlanDescription>
                <hc:Text>Award Rate 1000
points</hc:Text>
              </hc:RatePlanDescription>
              <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Thank
you for List Booking with WEST-SEFIVE</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>State
Tax 10 PCT. </hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="PointsPolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Reservation have 1000 POLICY if you donot cancel 1 OF
ARRIVAL.</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
              </hc:AdditionalDetails>
              <hc:CancellationDateTime
period="-PT3H30M">2009-11-04T14:30:00</hc:CancellationDateTime>
            </hc:RatePlan>
            <hc:RatePlan ratePlanCode="REDEM"
hold="false" suppressRate="false" ratePlanName="REDEM"
awardType="REDEEM" redemRate="true">
```

```
<hc:RatePlanDescription>
<hc:Text>Redemption</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
  <hc:AdditionalDetail
    detailType="MarketingInformation">
    <hc:AdditionalDetailDescription>
      <hc:Text>Thank
you for List Booking with WEST-SEFIVE</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail
    detailType="TaxInformation">
    <hc:AdditionalDetailDescription>
      <hc:Text>Room tax
17.5 PCT</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail
    detailType="PointsPolicy">
    <hc:AdditionalDetailDescription>
      <hc:Text>Reservation have 200 POLICY if you donot cancel 3 OF
ARRIVAL.</hc:Text>
    </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetails>
  <hc:CancellationDateTime
    period="-PT3H30M">2009-11-04T14:30:00</hc:CancellationDateTime>
  </hc:RatePlan>
  <hc:RatePlan ratePlanCode="AW10"
    hold="false" suppressRate="false" ratePlanName="AWARD10"
    awardType="REDEEM" redemRate="true">
    <hc:RatePlanDescription>
      <hc:Text>Award Rate 10000
    </hc:RatePlanDescription>
  </hc:RatePlan>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail
      detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Thank
you for List Booking with WEST-SEFIVE</hc:Text>
      </hc:AdditionalDetailDescription>
      </hc:AdditionalDetail>
    </hc:AdditionalDetail>
  </hc:AdditionalDetails>
  <hc:AdditionalDetail
    detailType="TaxInformation">
```

```
<hc:AdditionalDetailDescription>
Tax 10 PCT </hc:Text>
</hc:AdditionalDetailDescription>
detailType="PointsPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>Reservation have 200 POLICY if you donot cancel 3 OF
ARRIVAL.</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime
period="-PT3H30M">2009-11-04T14:30:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan ratePlanCode="AW5"
hold="false" suppressRate="false" ratePlanName="award5"
awardType="REDEEM" redemRate="true">
<hc:RatePlanDescription>
<hc:Text>Award Rate 5000
points</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail
detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank
you for List Booking with WEST-SEFIVE</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail
detailType="TaxInformation">
<hc:AdditionalDetailDescription>
Tax 10 PCT </hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail
detailType="PointsPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>Reservation have 200 POLICY if you donot cancel 3 OF
ARRIVAL.</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
```

```

                </hc:AdditionalDetails>
                <hc:CancellationDateTime
period="-PT3H30M">2009-11-04T14:30:00</hc:CancellationDateTime>
                </hc:RatePlan>
                <hc:RatePlan ratePlanCode="ANIW"
hold="false" suppressRate="false" ratePlanName="name2">
                <hc:RatePlanDescription>
                <hc:Text>Channel
description for the ratecode</hc:Text>
                </hc:RatePlanDescription>
                <hc:RatePlanShortDescription>
                <hc:Text>Channel short
description</hc:Text>
</hc:RatePlanShortDescription>
                <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                <hc:Text>Thank
you for List Booking with WEST-SEFIVE</hc:Text>
                </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CommissionPolicy">
                <hc:AdditionalDetailDescription>
                <hc:Text>Commission policy is 1 PERCENT</hc:Text>
                </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="TaxInformation">
                <hc:AdditionalDetailDescription>
                <hc:Text>Tax
Included Room tax 17.5 PCT</hc:Text>
                </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                </hc:AdditionalDetails>
                <hc:CancellationDateTime
period="P328296DT11H">1111-01-
01T00:00:00</hc:CancellationDateTime>
                </hc:RatePlan>
                <hc:RatePlan
ratePlanCode="BBASE1" hold="false" suppressRate="false"
ratePlanName="BARBASED">
                <hc:RatePlanDescription>
                <hc:Text>testing bbar
ratechange lowest scr</hc:Text>
                </hc:RatePlanDescription>
                </hc:AdditionalDetails>

```

```

                <hc:AdditionalDetails>
                    <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Thank
you for List Booking with WEST-SEFIVE</hc:Text>
                </hc:AdditionalDetailDescription>
                    </hc:AdditionalDetail>
                    <hc:AdditionalDetail
detailType="CommissionPolicy">
                <hc:AdditionalDetailDescription>
                    <hc:Text>No
commission available</hc:Text>
                </hc:AdditionalDetailDescription>
                    </hc:AdditionalDetail>
                    <hc:AdditionalDetail
detailType="TaxInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Room tax
17.5 PCT Transit Tax 1.0 PCT</hc:Text>
                </hc:AdditionalDetailDescription>
                    </hc:AdditionalDetail>
                </hc:AdditionalDetails>
                <hc:CancellationDateTime
period="P1DT20H30M">2009-11-02T14:30:00</hc:CancellationDateTime>
                </hc:RatePlan>
            </hc:RatePlans>
            <hc:RoomTypes>
                <hc:RoomType roomTypeCode="KNG"
numberOfUnits="122">
                    <hc:RoomTypeDescription>
                        <hc:Text>This is a very
long description </hc:Text>
                    </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="AST"
numberOfUnits="1">
                    <hc:RoomTypeDescription>
                        <hc:Text>Superior Deluxe
Room</hc:Text>
                    </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="STK"
numberOfUnits="25">
                    <hc:RoomTypeDescription>
                        <hc:Text>Standard
King</hc:Text>
                    </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="ELQ"
numberOfUnits="6">

```

```

                <hc:RoomTypeDescription>
                    <hc:Text>ELQU - Executive
1 Queen</hc:Text>
                </hc:RoomTypeDescription>
</hc:RoomType>
                <hc:RoomType roomTypeCode="EHQ"
numberOfUnits="1">
                <hc:RoomTypeDescription>
                    <hc:Text>EHTQ - Executive
2 Queen Handicap</hc:Text>
                </hc:RoomTypeDescription>
</hc:RoomType>
                <hc:RoomType roomTypeCode="ELK"
numberOfUnits="9">
                <hc:RoomTypeDescription>
                    <hc:Text>ELSK - Exec
Level King</hc:Text>
                </hc:RoomTypeDescription>
</hc:RoomType>
                <hc:RoomType roomTypeCode="ELT"
numberOfUnits="36" roomTypeName="King">
                <hc:RoomTypeDescription>
                    <hc:Text>ELST - King
Suite: View Water :CHANNEL DESCRIPTION</hc:Text>
                </hc:RoomTypeDescription>
                <hc:RoomTypeShortDescription>
                    <hc:Text>Short
description ELST</hc:Text>
</hc:RoomTypeShortDescription>
</hc:RoomType>
                <hc:RoomType roomTypeCode="ETQ"
numberOfUnits="17">
                <hc:RoomTypeDescription>
                    <hc:Text>ELTQ - Exec 2
Queens</hc:Text>
                </hc:RoomTypeDescription>
</hc:RoomType>
                <hc:RoomType roomTypeCode="EVK"
numberOfUnits="25">
                <hc:RoomTypeDescription>
                    <hc:Text>EVSK - Exec View
one King</hc:Text>
                </hc:RoomTypeDescription>
</hc:RoomType>
                <hc:RoomType roomTypeCode="EVQ"
numberOfUnits="30" roomTypeName="Executive">
                <hc:RoomTypeDescription>
                    <hc:Text>EVTQ - Exec
Level View 2 Qn:Channel description</hc:Text>
                </hc:RoomTypeDescription>
                <hc:RoomTypeShortDescription>
                    <hc:Text>EVTQ short
description</hc:Text>
</hc:RoomTypeShortDescription>
</hc:RoomType>

```

```

        <hc:RoomType roomTypeCode="MLQU"
numberOfUnits="25">
        <hc:RoomTypeDescription>
        <hc:Text>MLQU - ML 1
Queen</hc:Text>
        </hc:RoomTypeDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="MLQ"
numberOfUnits="78" roomTypeName="Queen">
        <hc:RoomTypeDescription>
        <hc:Text>MLTQ - ML 2
Queen :Channel description</hc:Text>
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
        <hc:Text>MLQ short
description</hc:Text>
        </hc:RoomTypeShortDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ULQ"
numberOfUnits="40" roomTypeName="Queen">
        <hc:RoomTypeDescription>
        <hc:Text>ULQU - Upper
Level Queen Room :Channel description</hc:Text>
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
        <hc:Text>short
description</hc:Text>
        </hc:RoomTypeShortDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="ULS"
numberOfUnits="46" roomTypeName="Unique">
        <hc:RoomTypeDescription>
        <hc:Text>ULSK - UL 1 King
:Channel description</hc:Text>
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
        <hc:Text>uls
short</hc:Text>
        </hc:RoomTypeShortDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="PRE"
numberOfUnits="11" roomTypeName="President">
        <hc:RoomTypeDescription>
        <hc:Text>PRES -
Presidential Suite : Channel description</hc:Text>
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
        <hc:Text>Presidential
suite short description</hc:Text>
        </hc:RoomTypeShortDescription>
        </hc:RoomType>
        <hc:RoomType roomTypeCode="MLK"
numberOfUnits="16">
```

```

                <hc:RoomTypeDescription>
                    <hc:Text>MLSK - Mid Level
King Room</hc:Text>
                </hc:RoomTypeDescription>
            </hc:RoomType>
            <hc:RoomType roomTypeCode="MHQ"
numberOfUnits="4">
                <hc:RoomTypeDescription>
                    <hc:Text>MHTQ - MH 2
Queen</hc:Text>
                </hc:RoomTypeDescription>
            </hc:RoomType>
            <hc:RoomType roomTypeCode="ULT"
numberOfUnits="55" roomTypeName="Deluxe">
                <hc:RoomTypeDescription>
                    <hc:Text>ULTQ - Deluxe
room 2 Queen beds</hc:Text>
                </hc:RoomTypeDescription>
            <hc:RoomTypeShortDescription>
                <hc:Text>This is a short
description</hc:Text>
            </hc:RoomTypeShortDescription>
        </hc:RoomType>
    </hc:RoomTypes>
    <hc:RoomRates>
        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="AW1" suppressRate="false" redemRate="true">
            <hc:TotalPoints>60</hc:TotalPoints>
            <hc:TotalPointsSpecified>true</hc:TotalPointsSpecified>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="AST"
ratePlanCode="AW1" suppressRate="false" redemRate="true">
            <hc:TotalPoints>60</hc:TotalPoints>
            <hc:TotalPointsSpecified>true</hc:TotalPointsSpecified>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="REDEM" suppressRate="false" redemRate="true">
            <hc:TotalPoints>64</hc:TotalPoints>
            <hc:TotalPointsSpecified>true</hc:TotalPointsSpecified>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="AST"
ratePlanCode="REDEM" suppressRate="false" redemRate="true">
            <hc:TotalPoints>64</hc:TotalPoints>
            <hc:TotalPointsSpecified>true</hc:TotalPointsSpecified>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="STK"
ratePlanCode="AW10" suppressRate="false" redemRate="true">

```

```
<hc:TotalPoints>400</hc:TotalPoints>

<hc:TotalPointsSpecified>true</hc:TotalPointsSpecified>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="AW10" suppressRate="false" redemRate="true">

<hc:TotalPoints>400</hc:TotalPoints>

<hc:TotalPointsSpecified>true</hc:TotalPointsSpecified>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="AW5" suppressRate="false" redemRate="true">

<hc:TotalPoints>422</hc:TotalPoints>

<hc:TotalPointsSpecified>true</hc:TotalPointsSpecified>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="ELQ"
ratePlanCode="ANIW" suppressRate="false">
    <hc:Rates>
      <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
        <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
      </hc:Rate>
    </hc:Rates>
  <hc:Total currencyCode="MXN"
decimals="3">30</hc:Total>

<hc:TotalPointsSpecified>false</hc:TotalPointsSpecified>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="EHQ"
ratePlanCode="ANIW" suppressRate="false">
    <hc:Rates>
      <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
        <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
      </hc:Rate>
    </hc:Rates>
  <hc:Total currencyCode="MXN"
decimals="3">30</hc:Total>

<hc:TotalPointsSpecified>false</hc:TotalPointsSpecified>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="ANIW" suppressRate="false">
    <hc:Rates>
      <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
        <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
      </hc:Rate>
    </hc:Rates>
```

```
                                <hc:Total currencyCode="MXN"
decimals="3">30</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="ELT"
ratePlanCode="ANIW" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="MXN"
decimals="3">30</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="ETQ"
ratePlanCode="ANIW" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="MXN"
decimals="3">30</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="EVK"
ratePlanCode="ANIW" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="MXN"
decimals="3">30</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="ANIW" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
```

```
                                <hc:Total currencyCode="MXN"
decimals="3">30</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="STK"
ratePlanCode="ANIW" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="MXN"
decimals="3">30</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="PRE"
ratePlanCode="ANIW" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="MXN"
decimals="3">30</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="MLK"
ratePlanCode="ANIW" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="MXN"
decimals="3">30</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="MHQ"
ratePlanCode="ANIW" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">30</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
```

```

                                <hc:Total currencyCode="UDD"
decimals="3">102</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="ULQ"
ratePlanCode="BBASE1" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="UDD" decimals="3">102</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="UDD"
decimals="3">102</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="DAL" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="UDD" decimals="3">110</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="UDD"
decimals="3">110</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="OWN" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="UDD" decimals="3">249</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="UDD"
decimals="3">249</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="MLQ"
ratePlanCode="OWN" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="UDD" decimals="3">249</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>

```

```

                                <hc:Total currencyCode="UDD"
decimals="3">249</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="ULS"
ratePlanCode="OWN" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                        <hc:Base
currencyCode="UDD" decimals="3">223.95</hc:Base>
                                        </hc:Rate>
                                    </hc:Rates>
                                <hc:Total currencyCode="UDD"
decimals="3">223.95</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="MLK"
ratePlanCode="OWN" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                        <hc:Base
currencyCode="UDD" decimals="3">249</hc:Base>
                                        </hc:Rate>
                                    </hc:Rates>
                                <hc:Total currencyCode="UDD"
decimals="3">249</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="MHQ"
ratePlanCode="OWN" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                        <hc:Base
currencyCode="UDD" decimals="3">249</hc:Base>
                                        </hc:Rate>
                                    </hc:Rates>
                                <hc:Total currencyCode="UDD"
decimals="3">249</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="ULT"
ratePlanCode="OWN" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                        <hc:Base
currencyCode="UDD" decimals="3">223.95</hc:Base>
                                        </hc:Rate>
                                    </hc:Rates>

```

```

                                <hc:Total currencyCode="MXN"
decimals="3">125.5</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="STK"
ratePlanCode="SSL" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">125.5</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="MXN"
decimals="3">125.5</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="PRE"
ratePlanCode="SSL" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">125.5</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="MXN"
decimals="3">125.5</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="SSL" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                    <hc:Base
currencyCode="MXN" decimals="3">125.5</hc:Base>
                                    </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="MXN"
decimals="3">125.5</hc:Total>

<hc:TotalPointsSpecified>>false</hc:TotalPointsSpecified>
                                </hc:RoomRate>
                                </hc:RoomRates>
                                <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Sheraton Seattle Hotel</hc:HotelReference>
                                <hc:HotelContact>
                                    <hc:Addresses>
                                        <hc:Address>
                                            <c:AddressLine>1111
Street South</c:AddressLine>

                                <c:cityName>Anytown</c:cityName>

```

```

<c:stateProv>FL</c:stateProv>

<c:countryCode>US</c:countryCode>
    </hc:Address>
</hc:Addresses>
<hc:ContactEmails>

<hc:ContactEmail>example@hotels.com</hc:ContactEmail>
</hc:ContactEmails>
<hc:ContactPhones>
    <hc:Phone phoneType="FAX">
        <c:PhoneNumber>123-555-
4321</c:PhoneNumber>
    </hc:Phone>
    <hc:Phone phoneType="VOICE">
        <c:PhoneNumber>(123) 555-
4321</c:PhoneNumber>
    </hc:Phone>
</hc:ContactPhones>
<hc:HotelInformation>
    <hc:HotelInfo
hotelInfoType="CHECKININFO">
        <c:Text>

<c:TextElement>11:00</c:TextElement>
        </c:Text>
    </hc:HotelInfo>
    <hc:HotelInfo
hotelInfoType="CHECKOUTINFO">
        <c:Text>

<c:TextElement>08:00</c:TextElement>
        </c:Text>
    </hc:HotelInfo>
</hc:HotelInformation>
</hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response with Points Only

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>

```

```
                <hc:Text>Tax Included Room tax 10 PCT
Occupancy Tax 3 PCT Transit Tax 1.0 PCT </hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime period="-
P733734DT14H45M">2009-11-25T00:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="MGC" hold="true"
suppressRate="false" ratePlanName="MGC" awardType="REDEMP"
redemRate="true">
        <hc:RatePlanDescription>
            <hc:Text>GC member rates</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="TaxInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Tax Included Room tax 10 PCT
Occupancy Tax 3 PCT Transit Tax 1.0 PCT </hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime period="-
P733734DT14H45M">2009-11-25T00:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
    <hc:RoomType roomTypeCode="AIJ"
numberOfUnits="16">
        <hc:RoomTypeDescription>
            <hc:Text>Standard King</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="AST"
numberOfUnits="11">
        <hc:RoomTypeDescription>
            <hc:Text>Superior Deluxe Room</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="KNG"
numberOfUnits="20" roomTypeName="King">
        <hc:RoomTypeDescription>
            <hc:Text>This is a very long
description.</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
    <hc:RoomRate roomTypeCode="AIJ"
ratePlanCode="REDEEM" suppressRate="false" redemRate="true">
        <hc:TotalPoints>25</hc:TotalPoints>

<hc:TotalPointsSpecified>true</hc:TotalPointsSpecified>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="AIJ"
ratePlanCode="AWARD" suppressRate="false" redemRate="true">
```

```
        <hc:TotalPoints>45</hc:TotalPoints>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="AST"
ratePlanCode="AWARD" suppressRate="false" redemRate="true">
        <hc:TotalPoints>45</hc:TotalPoints>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="AWARD" suppressRate="false" redemRate="true">
        <hc:TotalPoints>45</hc:TotalPoints>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="AIJ"
ratePlanCode="MGC" suppressRate="false" redemRate="true">
        <hc:TotalPoints>85</hc:TotalPoints>
    </hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
<hc:HotelContact>
    <hc:Addresses>
        <hc:Address>
            <c:AddressLine>1111 Street.</c:AddressLine>
            <c:cityName>Anytown</c:cityName>
            <c:stateProv>FL</c:stateProv>
            <c:countryCode>US</c:countryCode>
            <c:postalCode>99999</c:postalCode>
        </hc:Address>
    </hc:Addresses>
    <hc:ContactPhones>
        <hc:Phone phoneType="FAX">
            <c:PhoneNumber>123-555-4321</c:PhoneNumber>
        </hc:Phone>
        <hc:Phone phoneType="VOICE">
            <c:PhoneNumber>123-555-4321</c:PhoneNumber>
        </hc:Phone>
    </hc:ContactPhones>
    <hc:HotelInformation>
        <hc:HotelInfo hotelInfoType="CHECKININFO">
            <c:Text>
                <c:TextElement>09:15</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
        <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
            <c:Text>
                <c:TextElement>08:00</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
    </hc:HotelInformation>
</hc:HotelContact>
</hc:RoomStay>
```

```

        </a:RoomStayList>
    </a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response for (Apartment Style Billing) – rateCycleType="WEEKLY"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
      xmlns="http://webservices.micos.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micos.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:42ac10dc-71b9-40a2-8c79-dcc09962acb2</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:e4d05624-da38-49a0-8d36-22c53dac1482</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:a="http://webservices.micos.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micos.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micos.com/og/4.3/HotelCommon/"
      summaryOnly="true"
      xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan
                  ratePlanCode="APTWK" hold="false" suppressRate="false"
                  ratePlanName="ASBweek" commissionCode="N" asbRateCycle="WEEKLY">

                <hc:RatePlanDescription>

                <hc:Text>APartment rate calendar week</hc:Text>

```

```
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for List Booking with WEST-
SEFIVE</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>No commission available</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Room tax 10 PCT Occupancy Tax 3 PCT Transit Tax
1.0 PCT </hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2010-04-
27T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan
ratePlanCode="APFW" hold="false" suppressRate="false"
ratePlanName="ASBFW" commissionCode="N" asbRateCycle="WEEKLY">
<hc:RatePlanDescription>
<hc:Text>Apartment rate float week</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
```

```

    <hc:Text>Thank you for List Booking with WEST-
SEFIVE</hc:Text>

    </hc:AdditionalDetailDescription>

    </hc:AdditionalDetail>

    <hc:AdditionalDetail detailType="CommissionPolicy">

    <hc:AdditionalDetailDescription>

    <hc:Text>No commission available</hc:Text>

    </hc:AdditionalDetailDescription>

    </hc:AdditionalDetail>

    <hc:AdditionalDetail detailType="TaxInformation">

    <hc:AdditionalDetailDescription>

    <hc:Text>Room tax 10 PCT Occupancy Tax 3 PCT Transit Tax
1.0 PCT </hc:Text>

    </hc:AdditionalDetailDescription>

    </hc:AdditionalDetail>

    </hc:AdditionalDetails>

    <hc:CancellationDateTime period="PT9H15M">2010-04-
27T00:00:00</hc:CancellationDateTime>

    </hc:RatePlan>
    </hc:RatePlans>
    <hc:RoomTypes>
    <hc:RoomType
roomTypeCode="AIJ" numberOfUnits="25">

    <hc:RoomTypeDescription>

    <hc:Text>&lt;html&gt;
&lt;head&gt;

&lt;/head&gt;
&lt;body&gt;
    &lt;b&gt;Standard King
&lt;/b&gt;&lt;br&gt;&lt;br&gt;&lt;br&gt;a description goes here
    &lt;/body&gt;
&lt;/html&gt;
    </hc:Text>

    </hc:RoomTypeDescription>

    <hc:RoomTypeShortDescription>

    <hc:Text>std. king short description</hc:Text>

```

```

    </hc:RoomTypeShortDescription>
    <hc:AmenityInfo>
    <hc:Amenities>
    <hc:Amenity amenityCode="73" amenityType="Room"/>
    <hc:Amenity amenityCode="79" amenityType="Room"/>
    </hc:Amenities>
    </hc:AmenityInfo>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="A2S" numberOfUnits="10">
    <hc:RoomTypeDescription>
    <hc:Text>Senator Suite</hc:Text>
    </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="A3B" numberOfUnits="10">
    <hc:RoomTypeDescription>
    <hc:Text>Diplomat Suite</hc:Text>
    </hc:RoomTypeDescription>
    </hc:RoomType>
    </hc:RoomTypes>
    <hc:RoomRates>
    <hc:RoomRate
roomTypeCode="AIJ" ratePlanCode="APTWK" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD" decimals="2">23.57</hc:Base>
    </hc:Rate>
    </hc:Rates>
    <hc:Total
currencyCode="USD" decimals="2">23.57</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate
roomTypeCode="A2S" ratePlanCode="APTWK" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD" decimals="2">23.57</hc:Base>

```

```

        </hc:Rate>
                                                    </hc:Rates>
                                                    <hc:Total
currencyCode="USD" decimals="2">23.57</hc:Total>
                                                    </hc:RoomRate>
                                                    <hc:RoomRate
roomTypeCode="A3B" ratePlanCode="APTWK" suppressRate="false">
                                                    <hc:Rates>

        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

        <hc:Base currencyCode="USD" decimals="2">23.57</hc:Base>

        </hc:Rate>
                                                    </hc:Rates>
                                                    <hc:Total
currencyCode="USD" decimals="2">23.57</hc:Total>
                                                    </hc:RoomRate>
                                                    </hc:RoomRates>
                                                    <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
                                                    <hc:HotelContact>
                                                    <hc:Addresses>

        <hc:Address>

        <c:AddressLine>1111 Street.</c:AddressLine>

        <c:cityName>Anytown</c:cityName>

        <c:stateProv>FL</c:stateProv>

        <c:countryCode>US</c:countryCode>

        <c:postalCode>99999</c:postalCode>

        </hc:Address>
                                                    </hc:Addresses>

        <hc:ContactPhones>
                                                    <hc:Phone
phoneType="FAX">
                                                    <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                                    </hc:Phone>
                                                    <hc:Phone
phoneType="VOICE">
                                                    <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                                    </hc:Phone>

        </hc:ContactPhones>

        <hc:HotelInformation>

```

```

    <hc:HotelInfo hotelInfoType="CHECKININFO">
      <c:Text>
        <c:TextElement>09:15</c:TextElement>
      </c:Text>
    </hc:HotelInfo>
    <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
      <c:Text>
        <c:TextElement>08:00</c:TextElement>
      </c:Text>
    </hc:HotelInfo>
  </hc:HotelInformation>
                                </hc:HotelContact>
                                </hc:RoomStay>
                                </a:RoomStayList>
                                </a:AvailResponseSegment>
                                </AvailResponseSegments>
                                </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>

```

General Availability Response for ASB (Apartment Style Billing) – rateCycleType="MONTHLY"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:47341ab0-581f-43eb-b927-deeb2072dd28</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:b3bdd91a-559c-48da-8df9-9a4d8341018f</wsa:RelatesTo>
  </soap:Header>

```

```
<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
</soap:Header>
<soap:Body>
  <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <Result resultStatusFlag="SUCCESS"/>
    <AvailResponseSegments>
      <a:AvailResponseSegment>
        <a:RoomStayList>
          <hc:RoomStay>
            <hc:RatePlans>
              <hc:RatePlan
ratePlanCode="APTM" hold="false" suppressRate="false"
ratePlanName="ASB Month" commissionCode="N"
asbRateCycle="MONTHLY">
                <hc:RatePlanDescription>
                  <hc:Text>apart rate for month</hc:Text>
                </hc:RatePlanDescription>
                <hc:AdditionalDetails>
                  <hc:AdditionalDetail detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>Thank you for List Booking with WEST-
SEFIVE</hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                  <hc:AdditionalDetail detailType="CommissionPolicy">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>No commission available</hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                  <hc:AdditionalDetail detailType="TaxInformation">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                </hc:RatePlan>
              </hc:RatePlans>
            </hc:RoomStay>
          </a:RoomStayList>
        </a:AvailResponseSegment>
      </AvailResponseSegments>
    </Result>
  </AvailabilityResponse>
</soap:Body>
</wsa:Envelope>
```

```
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2010-04-
27T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan
ratePlanCode="APFM" hold="false" suppressRate="false"
ratePlanName="ASBFMonth" commissionCode="N"
asbRateCycle="MONTHLY">
<hc:RatePlanDescription>
<hc:Text>apartment rate float month</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for List Booking with WEST-
SEFIVE</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>No commission available</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
```

```
<hc:CancellationDateTime period="PT9H15M">2010-04-
27T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
  <hc:RoomType
roomTypeCode="AIJ" numberOfUnits="25">
  <hc:RoomTypeDescription>
    <hc:Text>&lt;html&gt;
&lt;head&gt;
&lt;/head&gt;
&lt;body&gt;
  &lt;b&gt;Standard King
&lt;/b&gt;&lt;br&gt;&lt;br&gt;some description goes here
  &lt;/body&gt;
&lt;/html&gt;
</hc:Text>
  </hc:RoomTypeDescription>
  <hc:RoomTypeShortDescription>
  <hc:Text>std. king short description</hc:Text>
  </hc:RoomTypeShortDescription>
  <hc:AmenityInfo>
  <hc:Amenities>
  <hc:Amenity amenityCode="73" amenityType="Room"/>
  <hc:Amenity amenityCode="79" amenityType="Room"/>
  </hc:Amenities>
  </hc:AmenityInfo>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="A2S" numberOfUnits="10">
  <hc:RoomTypeDescription>
  <hc:Text>Senator Suite</hc:Text>
  </hc:RoomTypeDescription>
  </hc:RoomType>
  </hc:RoomTypes>
  <hc:RoomRates>
  <hc:RoomRate
roomTypeCode="AIJ" ratePlanCode="ASB Month" suppressRate="false">
  <hc:Rates>
```

```
<hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD" decimals="2">3.12</hc:Base>

</hc:Rate>

                                                                </hc:Rates>
                                                                <hc:Total
currencyCode="USD" decimals="2">3.12</hc:Total>
                                                                </hc:RoomRate>
                                                                <hc:RoomRate
roomTypeCode="A2S" ratePlanCode="ASB Month" suppressRate="false">
                                                                <hc:Rates>

  <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD" decimals="2">3.12</hc:Base>

</hc:Rate>

                                                                </hc:Rates>
                                                                <hc:Total
currencyCode="USD" decimals="2">3.12</hc:Total>
                                                                </hc:RoomRate>
                                                                <hc:RoomRate
roomTypeCode="A3B" ratePlanCode="ASBFMonth" suppressRate="false">
                                                                <hc:Rates>

  <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD" decimals="2">3.12</hc:Base>

</hc:Rate>

                                                                </hc:Rates>
                                                                <hc:Total
currencyCode="USD" decimals="2">3.12</hc:Total>
                                                                </hc:RoomRate>
                                                                <hc:RoomRate
roomTypeCode="AIJ" ratePlanCode="ASBFMonth" suppressRate="false">
                                                                <hc:Rates>

  <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

  <hc:Base currencyCode="USD" decimals="2">3.12</hc:Base>

</hc:Rate>

                                                                </hc:Rates>
                                                                <hc:Total
currencyCode="USD" decimals="2">3.12</hc:Total>
                                                                </hc:RoomRate>
                                                                </hc:RoomRates>
                                                                <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
```

```
                <hc:HotelContact>
                    <hc:Addresses>

                        <hc:Address>

                            <c:AddressLine>1111 Street.</c:AddressLine>

                            <c:cityName>Anytown</c:cityName>

                            <c:stateProv>FL</c:stateProv>

                            <c:countryCode>US</c:countryCode>

                            <c:postalCode>99999</c:postalCode>

                        </hc:Address>

                    </hc:Addresses>

                    <hc:ContactPhones>

                        <hc:Phone
                            phoneType="FAX">

                                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>

                            </hc:Phone>

                        <hc:Phone
                            phoneType="VOICE">

                                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>

                            </hc:Phone>

                    </hc:ContactPhones>

                    <hc:HotelInformation>

                        <hc:HotelInfo hotelInfoType="CHECKININFO">

                            <c:Text>

                                <c:TextElement>09:15</c:TextElement>

                            </c:Text>

                        </hc:HotelInfo>

                        <hc:HotelInfo hotelInfoType="CHECKOUTINFO">

                            <c:Text>

                                <c:TextElement>08:00</c:TextElement>

                            </c:Text>

                        </hc:HotelInfo>

                    </hc:HotelInformation>

                </hc:HotelContact>
            </hc:RoomStay>
```

```
<hc:AdditionalDetails>
  <hc:AdditionalDetail detailType="MarketingInformation">
    <hc:AdditionalDetailDescription>
      <hc:Text>Thank you for List Booking with WEST-
SEFIVE</hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
      <hc:Text>No commission available</hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail detailType="TaxInformation">
    <hc:AdditionalDetailDescription>
      <hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
</hc:AdditionalDetails>
  <hc:CancellationDateTime period="PT9H15M">2010-05-
20T00:00:00</hc:CancellationDateTime>
  <hc:GdsFlags>
  <hc:LateArrivalTime>11PM</hc:LateArrivalTime>
  <hc:CancellationCode>11PM</hc:CancellationCode>
  <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
</hc:GdsFlags>
  <hc:MealPlanCodes>
  <hc:Amenities>
  <hc:Amenity amenityCode="162" amenityType="Room"
availabilityFlag="ConfirmableCost"/>
```

```
        <hc:Amenity amenityCode="A3" amenityType="Room"
availabilityFlag="ConfirmableCost"/>

        <hc:Amenity amenityCode="CB" amenityType="Room"
availabilityFlag="ConfirmableCost"/>

    </hc:Amenities>

    </hc:MealPlanCodes>

                                                    </hc:RatePlan>
        <hc:RatePlan
ratePlanCategory="RACK" ratePlanCode="BED" hold="false"
suppressRate="false" ratePlanName="BED" commissionCode="N">

    <hc:RatePlanDescription>

    <hc:Text>"Breakfast on Fifth Avenue" package</hc:Text>

    </hc:RatePlanDescription>

    <hc:AdditionalDetails>

    <hc:AdditionalDetail detailType="MarketingInformation">

    <hc:AdditionalDetailDescription>

    <hc:Text>Thank you for List Booking with WEST-
SEFIVE</hc:Text>

    </hc:AdditionalDetailDescription>

    </hc:AdditionalDetail>

    <hc:AdditionalDetail detailType="CommissionPolicy">

    <hc:AdditionalDetailDescription>

    <hc:Text>No commission available</hc:Text>

    </hc:AdditionalDetailDescription>

    </hc:AdditionalDetail>

    <hc:AdditionalDetail detailType="TaxInformation">

    <hc:AdditionalDetailDescription>

    <hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>

    </hc:AdditionalDetailDescription>

    </hc:AdditionalDetail>

    </hc:AdditionalDetails>
```

```
<hc:CancellationDateTime period="PT9H15M">2010-05-
20T00:00:00</hc:CancellationDateTime>

<hc:GdsFlags>

<hc:LateArrivalTime>11PM</hc:LateArrivalTime>

<hc:CancellationCode>11PM</hc:CancellationCode>

<hc:GuarCancelFlag>XG</hc:GuarCancelFlag>

</hc:GdsFlags>

</hc:RatePlan>
<hc:RatePlan
ratePlanCode="AMD" hold="false" suppressRate="false"
ratePlanName="897" commissionCode="N">

<hc:RatePlanDescription>

<hc:Text>Amadas Rate Plan</hc:Text>

</hc:RatePlanDescription>

<hc:AdditionalDetails>

<hc:AdditionalDetail detailType="MarketingInformation">

<hc:AdditionalDetailDescription>

<hc:Text>Thank you for List Booking with WEST-
SEFIVE</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="CommissionPolicy">

<hc:AdditionalDetailDescription>

<hc:Text>No commission available</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="TaxInformation">

<hc:AdditionalDetailDescription>

<hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>
```

```
</hc:AdditionalDetails>

<hc:CancellationDateTime period="PT9H15M">2010-05-
20T00:00:00</hc:CancellationDateTime>

<hc:GdsFlags>

<hc:LateArrivalTime>11PM</hc:LateArrivalTime>

<hc:CancellationCode>11PM</hc:CancellationCode>

<hc:GuarCancelFlag>XG</hc:GuarCancelFlag>

</hc:GdsFlags>
                                                                 </hc:RatePlan>
                                                                 <hc:RatePlan
ratePlanCode="AMXSLG" hold="false" suppressRate="false"
ratePlanName="AMex Test" commissionCode="N">

<hc:RatePlanDescription>

<hc:Text>AMEX1 Breakfast Included for Two</hc:Text>

</hc:RatePlanDescription>

<hc:AdditionalDetails>

<hc:AdditionalDetail detailType="MarketingInformation">

<hc:AdditionalDetailDescription>

<hc:Text>Thank you for List Booking with WEST-
SEFIVE</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="CommissionPolicy">

<hc:AdditionalDetailDescription>

<hc:Text>No commission available</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="TaxInformation">

<hc:AdditionalDetailDescription>

<hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>

</hc:AdditionalDetailDescription>
```

```
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2010-05-
20T00:00:00</hc:CancellationDateTime>
<hc:GdsFlags>
<hc:LateArrivalTime>11PM</hc:LateArrivalTime>
<hc:CancellationCode>11PM</hc:CancellationCode>
<hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
</hc:GdsFlags>
</hc:RatePlan>
<hc:RatePlan
ratePlanCode="ARA" hold="true" suppressRate="false"
ratePlanName="TUM" commissionCode="C">
<hc:RatePlanDescription>
<hc:Text>Andrea's Inclusive Rate</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for List Booking with WEST-
SEFIVE</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>Commission policy is 12 PERCENT Percent</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>
```

```
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2010-05-
20T00:00:00</hc:CancellationDateTime>
<hc:GdsFlags>
<hc:LateArrivalTime>11PM</hc:LateArrivalTime>
<hc:CancellationCode>11PM</hc:CancellationCode>
<hc:GuarCancelFlag>AX</hc:GuarCancelFlag>
</hc:GdsFlags>
<hc:MealPlanCodes>
<hc:Amenities>
<hc:Amenity amenityCode="BREAKC" amenityType="Room"
availabilityFlag="ConfirmableCost"/>
<hc:Amenity amenityCode="CB" amenityType="Room"
availabilityFlag="ConfirmableCost"/>
</hc:Amenities>
</hc:MealPlanCodes>
</hc:RatePlan>
<hc:RatePlan
ratePlanCode="MAC" hold="false" suppressRate="false"
ratePlanName="MAC" commissionCode="N">
<hc:RatePlan
ratePlanCode="BAR" hold="false" suppressRate="false"
ratePlanName="Best Rate" commissionCode="N">
<hc:RatePlanDescription>
<hc:Text>Best Available Rate</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail
detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for List Booking with
WEST-SEFIVE</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail
detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>No commission
available</hc:Text>
</hc:AdditionalDetailDescription>
```

```
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>Tax Included Room tax 10 PCT
Occupancy Tax 3 PCT Transit Tax 1.0 PCT </hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime period="PT9H15M">2010-
05-20T00:00:00</hc:CancellationDateTime>
    <hc:GdsFlags>
        <hc:LateArrivalTime>11PM</hc:LateArrivalTime>

<hc:CancellationCode>11PM</hc:CancellationCode>
    <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
</hc:GdsFlags>
    <hc:MealPlanCodes>
        <hc:Amenities>
            <hc:Amenity amenityCode="162"
amenityType="Room" availabilityFlag="ConfirmableCost" />
            <hc:Amenity amenityCode="A3"
amenityType="Room" availabilityFlag="ConfirmableCost" />
            <hc:Amenity amenityCode="CB"
amenityType="Room" availabilityFlag="ConfirmableCost" />
        </hc:Amenities>
    </hc:MealPlanCodes>
</hc:RatePlan>

    <hc:RatePlanDescription>

    <hc:Text>Macworld rates</hc:Text>

    </hc:RatePlanDescription>

    <hc:AdditionalDetails>

    <hc:AdditionalDetail detailType="MarketingInformation">

    <hc:AdditionalDetailDescription>

    <hc:Text>Thank you for List Booking with WEST-
SEFIVE</hc:Text>

    </hc:AdditionalDetailDescription>

    </hc:AdditionalDetail>

    <hc:AdditionalDetail detailType="CommissionPolicy">

    <hc:AdditionalDetailDescription>

    <hc:Text>No commission available</hc:Text>

    </hc:AdditionalDetailDescription>

    </hc:AdditionalDetail>
```

```
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>State Tax 10 PCT.</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2010-05-
20T00:00:00</hc:CancellationDateTime>
<hc:GdsFlags>
<hc:LateArrivalTime>11PM</hc:LateArrivalTime>
<hc:CancellationCode>11PM</hc:CancellationCode>
<hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
</hc:GdsFlags>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
  <hc:RoomType
roomTypeCode="KNG" numberOfUnits="19" roomTypeName="King">
<hc:RoomTypeDescription>
<hc:Text>King Room.</hc:Text>
</hc:RoomTypeDescription>
<hc:RoomTypeShortDescription>
<hc:Text>King Room - fit for a king</hc:Text>
</hc:RoomTypeShortDescription>
<hc:AmenityInfo>
<hc:Amenities>
<hc:Amenity amenityCode="55" amenityType="Room"/>
<hc:Amenity amenityCode="79" amenityType="Room"/>
<hc:Amenity amenityCode="CITY" amenityType="Room"/>
<hc:Amenity amenityCode="HIGH" amenityType="Room"/>
<hc:Amenity amenityCode="KING" amenityType="Room"/>
```

```
        </hc:Amenities>
        </hc:AmenityInfo>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="A3B" numberOfUnits="8">
        <hc:RoomTypeDescription>
        <hc:Text>Diplomat Suite</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="A2S" numberOfUnits="10">
        <hc:RoomTypeDescription>
        <hc:Text>Senator Suite</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="PRE" numberOfUnits="11">
        <hc:RoomTypeDescription>
        <hc:Text>Room Description for President</hc:Text>
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
        <hc:Text>pres suite</hc:Text>
        </hc:RoomTypeShortDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="MHQ" numberOfUnits="4">
        <hc:RoomTypeDescription>
        <hc:Text>MHTQ - MH 2 Queen</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="MLK" numberOfUnits="16">
        <hc:RoomTypeDescription>
        <hc:Text>MLSK - Mid Level King Room</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
</hc:RoomTypes>
```

```
<hc:RoomRates>
  <hc:RoomRate
roomTypeCode="KNG" ratePlanCode="BAR" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
      <hc:Base currencyCode="USD" decimals="2">199</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total
currencyCode="USD" decimals="2">199</hc:Total>
</hc:RoomRate>
  <hc:RoomRate
roomTypeCode="ULT" ratePlanCode="ARA" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
      <hc:Base currencyCode="USD" decimals="2">200</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total
currencyCode="USD" decimals="2">200</hc:Total>
</hc:RoomRate>
  <hc:RoomRate
roomTypeCode="MLK" ratePlanCode="ARA" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
      <hc:Base currencyCode="USD" decimals="2">200</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total
currencyCode="USD" decimals="2">200</hc:Total>
</hc:RoomRate>
  <hc:RoomRate
roomTypeCode="KNG" ratePlanCode="CEB" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
      <hc:Base currencyCode="USD" decimals="2">158.5</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total
currencyCode="USD" decimals="2">158.5</hc:Total>
</hc:RoomRate>
```

```
roomTypeCode="A1A" ratePlanCode="CEB" suppressRate="false">
    <hc:RoomRate
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
        rateChangeIndicator="false">
            <hc:Base currencyCode="USD" decimals="2">158.5</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total
    currencyCode="USD" decimals="2">158.5</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="A1A" ratePlanCode="MAC" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
        rateChangeIndicator="false">
            <hc:Base currencyCode="USD" decimals="2">100</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total
    currencyCode="USD" decimals="2">100</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="A2S" ratePlanCode="MAC" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
        rateChangeIndicator="false">
            <hc:Base currencyCode="USD" decimals="2">100</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total
    currencyCode="USD" decimals="2">100</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="A3B" ratePlanCode="MAC" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
        rateChangeIndicator="false">
            <hc:Base currencyCode="USD" decimals="2">100</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total
    currencyCode="USD" decimals="2">100</hc:Total>
</hc:RoomRate>
</hc:RoomRates>
```

```

                                <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
                                <hc:HotelContact>
                                <hc:Addresses>

                                <hc:Address>

                                <c:AddressLine>1111 Street.</c:AddressLine>

                                <c:cityName>Anytown</c:cityName>

                                <c:stateProv>FL</c:stateProv>

                                <c:countryCode>US</c:countryCode>

                                <c:postalCode>99999</c:postalCode>

                                </hc:Address>
                                </hc:Addresses>

                                <hc:ContactPhones>
                                <hc:Phone
phoneType="FAX">
                                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                </hc:Phone>
                                <hc:Phone
phoneType="VOICE">
                                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                </hc:Phone>

                                </hc:ContactPhones>

                                <hc:HotelInformation>

                                <hc:HotelInfo hotelInfoType="CHECKININFO">

                                <c:Text>

                                <c:TextElement>09:15</c:TextElement>

                                </c:Text>

                                </hc:HotelInfo>

                                <hc:HotelInfo hotelInfoType="CHECKOUTINFO">

                                <c:Text>

                                <c:TextElement>08:00</c:TextElement>

                                </c:Text>

                                </hc:HotelInfo>

```

```
<hc:Text>Mac Rate</hc:Text>
</hc:RatePlanDescription>
<hc:RatePlanShortDescription>
<hc:Text>Mac Rate</hc:Text>
</hc:RatePlanShortDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>this is german 1st message general</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2010-09-
22T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan
ratePlanCategory="RACK" ratePlanCode="BED" hold="true"
suppressRate="false" ratePlanName="BED" commissionCode="N"
hasPackage="true">
<hc:RatePlanDescription>
<hc:Text>"Breakfast on Fifth Avenue" package</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>this is german 1st message general</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>GERMAN No Comm Avail.</hc:Text>
```

```
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2010-09-
22T00:00:00</hc:CancellationDateTime>
<hc:Packages>
<hc:Package packageCode="BB">
<hc:Description>
<c:Text>
<c:TextElement>B&B Breakfast Value
Pkg.</c:TextElement>
</c:Text>
</hc:Description>
</hc:Package>
</hc:Packages>
</hc:RatePlan>
<hc:RatePlanDescription>
<hc:Text>Chinese rate for MBA grads</hc:Text>
</hc:RatePlanDescription>
<hc:RatePlanShortDescription>
<hc:Text>MBA Rate</hc:Text>
</hc:RatePlanShortDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
```

```
<hc:AdditionalDetailDescription>
<hc:Text>this is german 1st message general</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>Commission policy is 25%</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2010-09-
22T00:00:00</hc:CancellationDateTime>
<hc:Packages>
<hc:Package
packageCode="AMEX">
<hc:Description>
<c:Text>
<c:TextElement>Credit Card Postcard
Promotion</c:TextElement>
</c:Text>
</hc:Description>
</hc:Package>
</hc:Packages>
</hc:RatePlans>
</hc:RoomStay>
<hc:RoomRates>
<hc:RoomRate
roomTypeCode="A1A" ratePlanCode="MAC" suppressRate="false"
hasPackage="false">
```

```

                                                                 <hc:Rates>
                                                                 <hc:Rate
rateChangeIndicator="true">
    <hc:Base currencyCode="USD" decimals="2">100</hc:Base>
                                                                 </hc:Rate>
                                                                 </hc:Rates>
                                                                 <hc:Total
currencyCode="USD" decimals="2">100</hc:Total>
                                                                 </hc:RoomRate>
                                                                 <hc:RoomRate
roomTypeCode="A2S" ratePlanCode="MAC" suppressRate="false"
hasPackage="false">
                                                                 <hc:Rates>
                                                                 <hc:Rate
rateChangeIndicator="true">
    <hc:Base currencyCode="USD" decimals="2">100</hc:Base>
                                                                 </hc:Rate>
                                                                 </hc:Rates>
                                                                 <hc:Total
currencyCode="USD" decimals="2">100</hc:Total>
                                                                 </hc:RoomRate>
                                                                 <hc:RoomRate
roomTypeCode="A3B" ratePlanCode="MAC" suppressRate="false"
hasPackage="false">
                                                                 <hc:Rates>
                                                                 <hc:Rate
rateChangeIndicator="true">
    <hc:Base currencyCode="USD" decimals="2">100</hc:Base>
                                                                 </hc:Rate>
                                                                 </hc:Rates>
                                                                 <hc:Total
currencyCode="USD" decimals="2">100</hc:Total>
                                                                 </hc:RoomRate>
                                                                 <hc:RoomRate
roomTypeCode="A1A" ratePlanCode="BED" suppressRate="false"
hasPackage="true">
                                                                 <hc:Rates>
                                                                 <hc:Rate
rateChangeIndicator="true">
    <hc:Base currencyCode="USD" decimals="2">100</hc:Base>
                                                                 </hc:Rate>
                                                                 </hc:Rates>
                                                                 <hc:Total
currencyCode="USD" decimals="2">100</hc:Total>
                                                                 <hc:Packages>
                                                                 <hc:Package
packageCode="AMEX">
    <hc:Description>
    <c:Text>

```

```
<hc:Description>
  <c:Text>
    <c:TextElement>Credit Card Postcard
Promotion</c:TextElement>
  </c:Text>
</hc:Description>
</hc:Package>
                                </hc:Packages>
                                </hc:RoomRate>
                                <hc:RoomRate
roomTypeCode="A1A" ratePlanCode="ABC" suppressRate="false"
hasPackage="false">
                                <hc:Rates>
                                <hc:Rate
rateChangeIndicator="true">
                                <hc:Base currencyCode="USD" decimals="2">70</hc:Base>
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total
currencyCode="USD" decimals="2">70</hc:Total>
                                </hc:RoomRate>
                                <hc:RoomRate
roomTypeCode="KNG" ratePlanCode="ABC" suppressRate="false"
hasPackage="false">
                                <hc:Rates>
                                <hc:Rate
rateChangeIndicator="true">
                                <hc:Base currencyCode="USD" decimals="2">70</hc:Base>
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total
currencyCode="USD" decimals="2">70</hc:Total>
                                </hc:RoomRate>
                                <hc:RoomRate
roomTypeCode="ULT" ratePlanCode="AAA" suppressRate="false"
hasPackage="false">
                                <hc:Rates>
                                <hc:Rate
rateChangeIndicator="true">
                                <hc:Base currencyCode="USD" decimals="2">155</hc:Base>
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total
currencyCode="USD" decimals="2">155</hc:Total>
                                </hc:RoomRate>
                                <hc:RoomRate
roomTypeCode="ULS" ratePlanCode="AAA" suppressRate="false"
hasPackage="false">
```

```

                                <hc:Rates>
                                <hc:Rate
rateChangeIndicator="true">
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total
                                <hc:RoomRate>
                                </hc:RoomRates>
                                <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
                                <hc:HotelContact>
                                <hc:Addresses>
                                <hc:Address>
                                <hc:AddressLine>1111 Street.</hc:AddressLine>
                                <hc:cityName>Anytown</hc:cityName>
                                <hc:stateProv>FL</hc:stateProv>
                                <hc:countryCode>US</hc:countryCode>
                                <hc:postalCode>99999</hc:postalCode>
                                </hc:Address>
                                </hc:Addresses>
                                <hc:ContactEmails>
                                <hc:ContactEmail>reservations@examplehotel.com</hc:ContactE
mail>
                                </hc:ContactEmails>
                                <hc:ContactPhones>
                                <hc:Phone
phoneType="FAX">
                                </hc:Phone>
                                <hc:Phone
                                <hc:Phone>
                                </hc:Phone>
                                </hc:ContactPhones>
                                <hc:HotelInformation>
                                <hc:HotelInfo
hotelInfoType="CHECKININFO">
                                </hc:HotelInfo>
                                <hc:Text>
                                <hc:TextElement>09:15</hc:TextElement>
                                </hc:Text>
                                </hc:HotelInfo>
                                <hc:HotelInfo
hotelInfoType="CHECKOUTINFO">
                                </hc:HotelInfo>
                                <hc:Text>

```

```

<c:TextElement>08:00</c:TextElement>
</c:Text>
</hc:HotelInfo>
</hc:HotelInformation>
</hc:HotelContact>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>

```

General Availability Response with Profile Discount

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="654321" timeStamp="2008-12-09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:47f31480-d693-4b7f-8cd4-2e0072a5a9f8</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:ceb1ed39-08fd-43b4-b251-47c12359dc7e</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan
ratePlanCode="BED" qualifyingIdType="GUEST"
qualifyingIdValue="987692396" hold="false" suppressRate="false"
ratePlanName="BED" commissionCode="N" hasPackage="false">

```

```
<hc:RatePlanDescription>
  <hc:Text>ADIPRAWAT "Breakfast on Fifth Avenue"
package</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for your inquiry.</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>No commission available</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>City Tax 5 PCT </hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="Miscellaneous">
<hc:AdditionalDetailDescription>
<hc:Text>ADIPRAWAT</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2011-03-
01T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
```

```

                                                                 <hc:RatePlan
ratePlanCode="ABC" hold="false" suppressRate="false"
ratePlanName="ABC" commissionCode="N" hasPackage="false">

  <hc:RatePlanDescription>

  <hc:Text>Rate Header description.C</hc:Text>

</hc:RatePlanDescription>

  <hc:RatePlanShortDescription>

  <hc:Text>Great Rate</hc:Text>

</hc:RatePlanShortDescription>

  <hc:AdditionalDetails>

  <hc:AdditionalDetail detailType="MarketingInformation">

  <hc:AdditionalDetailDescription>

  <hc:Text>Thank you for your inquiry.</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

  <hc:AdditionalDetail detailType="CommissionPolicy">

  <hc:AdditionalDetailDescription>

  <hc:Text>No commission available</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

  <hc:AdditionalDetail detailType="TaxInformation">

  <hc:AdditionalDetailDescription>

  <hc:Text>City Tax 5 PCT </hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

</hc:AdditionalDetails>

  <hc:CancellationDateTime period="PT9H15M">2011-03-
01T00:00:00</hc:CancellationDateTime>

                                                                 </hc:RatePlan>
                                                                 <hc:RatePlan
ratePlanCode="DIS" hold="false" suppressRate="false"
ratePlanName="DISCOUNT RATECODE" commissionCode="N"
hasPackage="false">
```

```
<hc:RatePlanDescription>
<hc:Text>DISCOUNT RATE CODE TESTING</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for your inquiry.</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>No commission available</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Tax Included With Rate Amount</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2011-03-
01T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan
ratePlanCode="GGL" hold="false" suppressRate="false"
ratePlanName="GOOGLE" commissionCode="N" hasPackage="false">
<hc:RatePlanDescription>
<hc:Text>google rates</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
```

```
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for your inquiry.</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>No commission available</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Tax Included City Tax 5 PCT </hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2011-03-
01T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
<hc:RoomType
roomTypeCode="STKCHAN" numberOfUnits="25">
<hc:RoomTypeDescription>
<hc:Text>Standard King Channel Description</hc:Text>
</hc:RoomTypeDescription>
<hc:RoomTypeShortDescription>
<hc:Text>Standard King (Short Channel)</hc:Text>
</hc:RoomTypeShortDescription>
<hc:AmenityInfo>
<hc:Amenities>
<hc:Amenity amenityCode="73" amenityType="Room"/>
```

```
<hc:Amenity amenityCode="79" amenityType="Room"/>
</hc:Amenities>
</hc:AmenityInfo>
</hc:RoomType>
<hc:RoomType
roomTypeCode="AST" numberOfUnits="47">
  <hc:RoomTypeDescription>
  <hc:Text>Superior Deluxe Room</hc:Text>
  </hc:RoomTypeDescription>
  <hc:RoomTypeShortDescription>
  <hc:Text>Superior Deluxe Room</hc:Text>
  </hc:RoomTypeShortDescription>
  <hc:AmenityInfo>
  <hc:Amenities>
  <hc:Amenity amenityCode="CITY" amenityType="Room"/>
  <hc:Amenity amenityCode="HIGH" amenityType="Room"/>
  <hc:Amenity amenityCode="KING" amenityType="Room"/>
  </hc:Amenities>
  </hc:AmenityInfo>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="ULK" numberOfUnits="46">
  <hc:RoomTypeDescription>
  <hc:Text>UL 1 King</hc:Text>
  </hc:RoomTypeDescription>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="USK" numberOfUnits="4">
  <hc:RoomTypeDescription>
  <hc:Text>US 1 King</hc:Text>
  </hc:RoomTypeDescription>
  </hc:RoomType>
</hc:RoomTypes>
```

```
<hc:RoomRates>
  <hc:RoomRate
roomTypeCode="STKCHAN" ratePlanCode="BED" suppressRate="false"
hasPackage="false">
    <hc:Rates>
      <hc:Rate rateChangeIndicator="false">
        <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
      </hc:Rate>
    </hc:Rates>
  </hc:RoomRate>
  <hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
</hc:RoomRates>
<hc:RoomRate
roomTypeCode="AST" ratePlanCode="BED" suppressRate="false"
hasPackage="false">
    <hc:Rates>
      <hc:Rate rateChangeIndicator="false">
        <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
      </hc:Rate>
    </hc:Rates>
  </hc:RoomRate>
  <hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
</hc:RoomRates>
<hc:RoomRate
roomTypeCode="ULK" ratePlanCode="BED" suppressRate="false"
hasPackage="false">
    <hc:Rates>
      <hc:Rate rateChangeIndicator="false">
        <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
      </hc:Rate>
    </hc:Rates>
  </hc:RoomRate>
  <hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
</hc:RoomRates>
<hc:RoomRate
roomTypeCode="USK" ratePlanCode="BED" suppressRate="false"
hasPackage="false">
    <hc:Rates>
      <hc:Rate rateChangeIndicator="false">
        <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
      </hc:Rate>
    </hc:Rates>
  </hc:RoomRate>
  <hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
</hc:RoomRates>
<hc:RoomRate
roomTypeCode="USK" ratePlanCode="BED" suppressRate="false"
hasPackage="false">
    <hc:Rates>
      <hc:Rate rateChangeIndicator="false">
        <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
      </hc:Rate>
    </hc:Rates>
  </hc:RoomRate>
  <hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
</hc:RoomRates>
<hc:RoomRate
roomTypeCode="USK" ratePlanCode="BED" suppressRate="false"
hasPackage="false">
    <hc:Rates>
      <hc:Rate rateChangeIndicator="false">
        <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
      </hc:Rate>
    </hc:Rates>
  </hc:RoomRate>
  <hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
</hc:RoomRates>
```

```

                                <hc:RoomRate
roomTypeCode="STKCHAN" ratePlanCode="ABC" suppressRate="false"
hasPackage="false">
                                <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
    <hc:Base currencyCode="USD" decimals="2">400</hc:Base>
    </hc:Rate>
                                </hc:Rates>
                                <hc:Total
currencyCode="USD" decimals="2">400</hc:Total>
                                </hc:RoomRate>
                                </hc:RoomRates>
                                <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
                                <hc:HotelContact>
                                <hc:Addresses>
    <hc:Address>
    <c:AddressLine>1111 Street.</c:AddressLine>
    <c:cityName>Anytown</c:cityName>
    <c:stateProv>FL</c:stateProv>
    <c:countryCode>US</c:countryCode>
    <c:postalCode>99999</c:postalCode>
    </hc:Address>
                                </hc:Addresses>
    <hc:ContactEmails>
    <hc:ContactEmail>reservations@examplehotel.com</hc:ContactE
mail>
    </hc:ContactEmails>
    <hc:ContactPhones>
                                <hc:Phone
phoneType="FAX">
    <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                </hc:Phone>
                                <hc:Phone
phoneType="VOICE">
    <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                </hc:Phone>
    </hc:ContactPhones>

```

```

    <hc:HotelInformation>
      <hc:HotelInfo hotelInfoType="CHECKININFO">
        <c:Text>
          <c:TextElement>09:15</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
      <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
        <c:Text>
          <c:TextElement>08:00</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
    </hc:HotelInformation>
  </a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>
    </hc:HotelContact>
  </hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response for checkCateringPkgRate="true"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
  <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:9a5c9d95-371f-468c-987e-642cd88f44db</wsa:MessageID>

```

```
        <wsa:RelatesTo>urn:uuid:7fb4caf2-7f62-4a7a-9fb1-
038d83219132</wsa:RelatesTo>

<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"

xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <Result resultStatusFlag="SUCCESS"/>
    <AvailResponseSegments>
        <a:AvailResponseSegment>
            <a:RoomStayList>
                <hc:RoomStay>
                    <hc:RatePlans>
                        <hc:RatePlan ratePlanCode="ABC"
hold="false" suppressRate="false" ratePlanName="ABC"
commissionCode="C">
                            <hc:RatePlanDescription>
                                <hc:Text>Conversion
Description</hc:Text>
                            </hc:RatePlanDescription>
                            <hc:RatePlanShortDescription>
                                <hc:Text>rate header
short description</hc:Text>
                            </hc:RatePlanShortDescription>
                            <hc:AdditionalDetails>
                                <hc:AdditionalDetail
detailType="MarketingInformation">
                                    <hc:AdditionalDetailDescription>
                                        <hc:Text>Thank
you for your inquiry.</hc:Text>
                                    </hc:AdditionalDetailDescription>
                                    </hc:AdditionalDetail>
                                </hc:AdditionalDetail>
                                <hc:AdditionalDetail
detailType="CommissionPolicy">
                                    <hc:AdditionalDetailDescription>
                                        <hc:Text>Commission policy is 2%</hc:Text>
                                    </hc:AdditionalDetailDescription>
                                    </hc:AdditionalDetail>
                                </hc:AdditionalDetail>
                                <hc:AdditionalDetail
detailType="TaxInformation">
                                    <hc:AdditionalDetailDescription>
                                        <hc:Text>Tax not
included Valet Parking Charge</hc:Text>
```

```
</hc:AdditionalDetailDescription>
                                </hc:AdditionalDetail>
                                </hc:AdditionalDetails>
                                <hc:CancellationDateTime
period="PT11H">2011-09-17T00:00:00</hc:CancellationDateTime>
                                </hc:RatePlan>
                                <hc:RatePlan ratePlanCode="BEDW"
hold="false" suppressRate="false" ratePlanName="BEDW"
commissionCode="C">
                                <hc:RatePlanDescription>
                                <hc:Text>"Breakfast on
Fifth Avenue" package</hc:Text>
                                </hc:RatePlanDescription>
                                <hc:AdditionalDetails>
                                <hc:AdditionalDetail
detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
                                <hc:Text>Thank
you for your inquiry.</hc:Text>
                                </hc:AdditionalDetailDescription>
                                </hc:AdditionalDetail>
                                <hc:AdditionalDetail
detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>Commission policy is 7%</hc:Text>
                                </hc:AdditionalDetailDescription>
                                </hc:AdditionalDetail>
                                <hc:AdditionalDetail
detailType="TaxInformation">
<hc:AdditionalDetailDescription>
                                <hc:Text>Tax not
included Zimmer</hc:Text>
                                </hc:AdditionalDetailDescription>
                                </hc:AdditionalDetail>
                                </hc:AdditionalDetails>
                                <hc:CancellationDateTime
period="PT11H">2011-09-17T00:00:00</hc:CancellationDateTime>
                                </hc:RatePlan>
                                <hc:RatePlan
ratePlanCode="ANI_DBAR" hold="true" suppressRate="false"
ratePlanName="ANI_DBAR" commissionCode="N">
                                <hc:RatePlanDescription>
                                <hc:Text>DBAR</hc:Text>
                                </hc:RatePlanDescription>
                                <hc:AdditionalDetails>
                                <hc:AdditionalDetail
detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
```

```

Level Queen Room</hc:Text>
    <hc:Text>ULQU - Upper
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>SHORT
DESCRIPTION</hc:Text>
</hc:RoomTypeShortDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="ULS"
numberOfUnits="46" roomTypeName="Unique">
    <hc:RoomTypeDescription>
    <hc:Text>ULSK - UL 1
King</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>SHORT
DESCRIPTION</hc:Text>
</hc:RoomTypeShortDescription>
    <hc:AmenityInfo>
    <hc:Amenities>
    <hc:Amenity
amenityCode="FIREPL" amenityType="Room"
availabilityFlag="ConfirmableComplimentary"/>
    </hc:Amenities>
    </hc:AmenityInfo>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="STK"
numberOfUnits="25">
    <hc:RoomTypeDescription>
    <hc:Text>Standard
King</hc:Text>
    </hc:RoomTypeDescription>
    <hc:AmenityInfo>
    <hc:Amenities>
    <hc:Amenity
amenityCode="FIREPL" amenityType="Room"
availabilityFlag="ConfirmableComplimentary"/>
    </hc:Amenities>
    </hc:AmenityInfo>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="PRE"
numberOfUnits="11" roomTypeName="President">
    <hc:RoomTypeDescription>
    <hc:Text>PRES -
Presidential Suite</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>Presidential
suite short description</hc:Text>
</hc:RoomTypeShortDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="MHQ"
numberOfUnits="4">
    <hc:RoomTypeDescription>

```

```

                <hc:Text>MHTQ - MH 2
Queen</hc:Text>
                </hc:RoomTypeDescription>
                </hc:RoomType>
                <hc:RoomType roomTypeCode="ULT"
numberOfUnits="55" roomTypeName="Deluxe">
                <hc:RoomTypeDescription>
                <hc:Text>ULTQ - Deluxe
room 2 Queen beds</hc:Text>
                </hc:RoomTypeDescription>
                <hc:RoomTypeShortDescription>
                <hc:Text>This is a short
description</hc:Text>
</hc:RoomTypeShortDescription>
                </hc:RoomType>
                </hc:RoomTypes>
                <hc:RoomRates>
                <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="BBASE1" suppressRate="false">
                <hc:Rates>
                <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                <hc:Base
currencyCode="UDD" decimals="2">102</hc:Base>
                </hc:Rate>
                </hc:Rates>
                <hc:Total currencyCode="UDD"
decimals="2">102</hc:Total>
                </hc:RoomRate>
                <hc:RoomRate roomTypeCode="MLQU"
ratePlanCode="BBASE1" suppressRate="false">
                <hc:Rates>
                <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                <hc:Base
currencyCode="UDD" decimals="2">102</hc:Base>
                </hc:Rate>
                </hc:Rates>
                <hc:Total currencyCode="UDD"
decimals="2">102</hc:Total>
                </hc:RoomRate>
                <hc:RoomRate roomTypeCode="MLQ"
ratePlanCode="BBASE1" suppressRate="false">
                <hc:Rates>
                <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                <hc:Base
currencyCode="UDD" decimals="2">102</hc:Base>
                </hc:Rate>
                </hc:Rates>
                <hc:Total currencyCode="UDD"
decimals="2">102</hc:Total>
                </hc:RoomRate>
                <hc:RoomRate roomTypeCode="ULQ"
ratePlanCode="BBASE1" suppressRate="false">
                <hc:Rates>

```

```

                                <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                <hc:Base
currencyCode="UDD" decimals="2">102</hc:Base>
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="UDD"
decimals="2">102</hc:Total>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="ULS"
ratePlanCode="BBASE1" suppressRate="false">
                                <hc:Rates>
                                <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                <hc:Base
currencyCode="UDD" decimals="2">102</hc:Base>
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="UDD"
decimals="2">102</hc:Total>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="STK"
ratePlanCode="BBASE1" suppressRate="false">
                                <hc:Rates>
                                <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false">
                                <hc:Base
currencyCode="UDD" decimals="2">102</hc:Base>
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="UDD"
decimals="2">102</hc:Total>
                                </hc:RoomRate>
                                </hc:RoomRates>
                                <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
                                <hc:HotelContact>
                                <hc:Addresses>
                                <hc:Address>
                                <c:AddressLine>1111
Street South</c:AddressLine>
                                </c:AddressLine>
                                <c:cityName>Anytown</c:cityName>
                                <c:countryCode>ES</c:countryCode>
                                <c:postalCode>99999</c:postalCode>
                                </hc:Address>
                                </hc:Addresses>
                                <hc:ContactEmails>
                                <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
                                </hc:ContactEmails>
                                <hc:ContactPhones>
                                <hc:Phone phoneType="FAX">
                                <c:PhoneNumber>123-555-
4321</c:PhoneNumber>

```

```

        </hc:Phone>
        <hc:Phone phoneType="VOICE">
            <c:PhoneNumber>(123) 555-
4321</c:PhoneNumber>
        </hc:Phone>
    </hc:ContactPhones>
    <hc:HotelInformation>
        <hc:HotelInfo
hotelInfoType="CHECKININFO">
            <c:Text>
<c:TextElement>11:00</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
        <hc:HotelInfo
hotelInfoType="CHECKOUTINFO">
            <c:Text>
<c:TextElement>08:00</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
    </hc:HotelInformation>
</hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response for Room Features

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#AvailabilityResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:c3165255-81ec-44e0-8df2-
dd0570a61f15</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:2c6ddf27-3776-4e65-b773-
490b199c96dd</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>

```

```
    </soap:Header>
    <soap:Body>
      <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
        <Result resultStatusFlag="SUCCESS"/>
        <AvailResponseSegments>
          <a:AvailResponseSegment>
            <a:RoomStayList>
              <hc:RoomStay>
                <hc:RatePlans>
                  <hc:RatePlan
ratePlanCode="ENT" hold="false" suppressRate="false"
ratePlanName="ENT" commissionCode="N">
                    <hc:RatePlanDescription>
                      <hc:Text>ENTERTAINMENT</hc:Text>
                    </hc:RatePlanDescription>
                    <hc:AdditionalDetails>
                      <hc:AdditionalDetail detailType="MarketingInformation">
                        <hc:AdditionalDetailDescription>
                          <hc:Text>Thank you for booking</hc:Text>
                        </hc:AdditionalDetailDescription>
                      </hc:AdditionalDetail>
                      <hc:AdditionalDetail detailType="CommissionPolicy">
                        <hc:AdditionalDetailDescription>
                          <hc:Text>No commission available</hc:Text>
                        </hc:AdditionalDetailDescription>
                      </hc:AdditionalDetail>
                      <hc:AdditionalDetail detailType="TaxInformation">
                        <hc:AdditionalDetailDescription>
                          <hc:Text>Tax included Sales Tax - 6 PCT </hc:Text>
                        </hc:AdditionalDetailDescription>
                      </hc:AdditionalDetail>
                    </hc:AdditionalDetails>
                  </hc:RatePlan>
                </hc:RoomStay>
              </a:RoomStayList>
            </a:AvailResponseSegment>
          </AvailResponseSegments>
        </Result>
      </AvailabilityResponse>
    </soap:Body>
  </soap:Envelope>
```

```
<hc:CancellationDateTime>2011-12-
27T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan
ratePlanCode="FARGO" hold="false" suppressRate="false"
ratePlanName="FARGO" commissionCode="N">

  <hc:RatePlanDescription>

  <hc:Text>Fargo Rates</hc:Text>

</hc:RatePlanDescription>

  <hc:AdditionalDetails>

  <hc:AdditionalDetail detailType="MarketingInformation">

  <hc:AdditionalDetailDescription>

  <hc:Text>Thank you for booking</hc:Text>

</hc:AdditionalDetailDescription>

  </hc:AdditionalDetail>

  <hc:AdditionalDetail detailType="CommissionPolicy">

  <hc:AdditionalDetailDescription>

  <hc:Text>No commission available</hc:Text>

</hc:AdditionalDetailDescription>

  </hc:AdditionalDetail>

  <hc:AdditionalDetail detailType="TaxInformation">

  <hc:AdditionalDetailDescription>

  <hc:Text>Tax included Sales Tax - 6 PCT </hc:Text>

</hc:AdditionalDetailDescription>

  </hc:AdditionalDetail>

  </hc:AdditionalDetails>

  <hc:CancellationDateTime>2011-12-
27T00:00:00</hc:CancellationDateTime>

  </hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
  <hc:RoomType
roomTypeCode="VIC" numberOfUnits="20">

  <hc:RoomTypeDescription>
```

```
<hc:Text>Pool Side King</hc:Text>
</hc:RoomTypeDescription>
<hc:RoomFeatures>
<hc:Features Feature="TILE FLOOR"/>
</hc:RoomFeatures>
</hc:RoomType>
<hc:RoomType
roomTypeCode="TEST" numberOfUnits="17">
<hc:RoomTypeDescription>
<hc:Text>Seaside King</hc:Text>
</hc:RoomTypeDescription>
<hc:RoomFeatures>
<hc:Features Feature="POOL"/>
</hc:RoomFeatures>
</hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
<hc:RoomRate
roomTypeCode="VIC" ratePlanCode="ENT" suppressRate="false">
<hc:Rates>
<hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
<hc:Base currencyCode="USD" decimals="2">152.25</hc:Base>
</hc:Rate>
</hc:Rates>
<hc:Total
currencyCode="USD" decimals="2">152.25</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="VIC" ratePlanCode="FARGO" suppressRate="false">
<hc:Rates>
<hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
<hc:Base currencyCode="USD" decimals="2">145</hc:Base>
</hc:Rate>
</hc:Rates>
<hc:Total
currencyCode="USD" decimals="2">145</hc:Total>
</hc:RoomRate>
```

```
<hc:Text>Sanna Test</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for booking</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>No commission available</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime>2012-04-
27T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan
ratePlanCode="CABANANEW" hold="false" suppressRate="false"
commissionCode="N" taxInclusive="true" rankRate="false">
<hc:RatePlanDescription>
<hc:Text>Cabana Rate c</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for booking</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
```

```
<hc:Text>No commission available</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Tax Included With Rate Amount</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime>2012-04-
27T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan
ratePlanCode="NEW" hold="false" suppressRate="false"
commissionCode="N" rankRate="false">
<hc:RatePlanDescription>
<hc:Text>NEW</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for booking</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>No commission available</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
```

```
<hc:CancellationDateTime>2012-04-
27T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
  <hc:RoomType
roomTypeCode="SUK" numberOfUnits="66">
  <hc:RoomTypeDescription>
    <hc:Text>Spacious and gracefully appointed room with a
    French Country flair. Etched glass doors open onto a private
    patio with tropical plantings and a pool view. Amenities include
    a Foster -Seeley king size bed, jet-spray Jacuzzi shower with 7
    adjustable heads, and a kitchenette stocked with French wines and
    international delicacies.</hc:Text>
  </hc:RoomTypeDescription>
  <hc:RoomTypeShortDescription>
    <hc:Text>Superior King</hc:Text>
  </hc:RoomTypeShortDescription>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="SEA" numberOfUnits="33">
  <hc:RoomTypeDescription>
    <hc:Text>Ocean View</hc:Text>
  </hc:RoomTypeDescription>
  <hc:RoomTypeShortDescription>
    <hc:Text>Ocean View</hc:Text>
  </hc:RoomTypeShortDescription>
  </hc:RoomType>
  <hc:RoomType
roomTypeCode="POKB" numberOfUnits="21">
  <hc:RoomTypeDescription>
    <hc:Text>Pool Side - King</hc:Text>
  </hc:RoomTypeDescription>
  <hc:RoomTypeShortDescription>
    <hc:Text>Pool Side - King</hc:Text>
  </hc:RoomTypeShortDescription>
  <hc:AmenityInfo>
```

```
        <hc:Amenities>
          <hc:Amenity amenityCode="POOL" amenityType="Room"
availabilityFlag="ConfirmableComplimentary"/>
        </hc:Amenities>
      </hc:AmenityInfo>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="SEAKG" numberOfUnits="16">
      <hc:RoomTypeDescription>
        <hc:Text>Seaside King</hc:Text>
      </hc:RoomTypeDescription>
      <hc:RoomTypeShortDescription>
        <hc:Text>Seaside King</hc:Text>
      </hc:RoomTypeShortDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="PS" numberOfUnits="13">
      <hc:RoomTypeDescription>
        <hc:Text>Poolside</hc:Text>
      </hc:RoomTypeDescription>
      <hc:RoomTypeShortDescription>
        <hc:Text>Poolside</hc:Text>
      </hc:RoomTypeShortDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="POQB" numberOfUnits="3">
      <hc:RoomTypeDescription>
        <hc:Text>Pool Side - Queen</hc:Text>
      </hc:RoomTypeDescription>
      <hc:RoomTypeShortDescription>
        <hc:Text>Pool Side - Queen</hc:Text>
      </hc:RoomTypeShortDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="SEAQN" numberOfUnits="3">
```

```
<hc:RoomTypeDescription>
<hc:Text>Seaside 2 Queens</hc:Text>
</hc:RoomTypeDescription>
<hc:RoomTypeShortDescription>
<hc:Text>Seaside 2 Queens</hc:Text>
</hc:RoomTypeShortDescription>
</hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
  <hc:RoomRate
roomTypeCode="SUK" ratePlanCode="SANNA" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
      <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate
roomTypeCode="SEA" ratePlanCode="SANNA" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
      <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate
roomTypeCode="POKB" ratePlanCode="SANNA" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
      <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
  </hc:RoomRate>
```

```

                                <hc:RoomRate
roomTypeCode="SUK" ratePlanCode="CABANANEW" suppressRate="false">
                                <hc:Rates>

    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

    <hc:Base currencyCode="EUR" decimals="2">250</hc:Base>

    </hc:Rate>

                                </hc:Rates>
                                <hc:Total
currencyCode="EUR" decimals="2">250</hc:Total>
                                </hc:RoomRate>
                                <hc:RoomRate
roomTypeCode="SEA" ratePlanCode="CABANANEW" suppressRate="false">
                                <hc:Rates>

    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

    <hc:Base currencyCode="EUR" decimals="2">250</hc:Base>

    </hc:Rate>

                                </hc:Rates>
                                <hc:Total
currencyCode="EUR" decimals="2">250</hc:Total>
                                </hc:RoomRate>
                                <hc:RoomRate
roomTypeCode="POKB" ratePlanCode="CABANANEW"
suppressRate="false">
                                <hc:Rates>

    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

    <hc:Base currencyCode="EUR" decimals="2">250</hc:Base>

    </hc:Rate>

                                </hc:Rates>
                                <hc:Total
currencyCode="EUR" decimals="2">250</hc:Total>
                                </hc:RoomRate>
                                <hc:RoomRate
roomTypeCode="SEAKG" ratePlanCode="CABANANEW"
suppressRate="false">
                                <hc:Rates>

    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

    <hc:Base currencyCode="EUR" decimals="2">250</hc:Base>

    </hc:Rate>

                                </hc:Rates>
                                <hc:Total
currencyCode="EUR" decimals="2">250</hc:Total>

```



```

currencyCode="USD" decimals="2">121.34</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="SEA" ratePlanCode="NEW" suppressRate="false">
</hc:Rates>

<hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">

<hc:Base currencyCode="USD" decimals="2">121.34</hc:Base>

</hc:Rate>

</hc:Rates>
<hc:Total
currencyCode="USD" decimals="2">121.34</hc:Total>
</hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference
chainCode="CHA" hotelCode="CASINO">Opera Demo Hotel,
Small</hc:HotelReference>

<hc:HotelContact>
<hc:Addresses>

<hc:Address>

<c:AddressLine>Viva Las Vegas</c:AddressLine>

<c:cityName>Anytown</c:cityName>

<c:stateProv>CO</c:stateProv>

<c:countryCode>US</c:countryCode>

<c:postalCode>80523</c:postalCode>

</hc:Address>

</hc:Addresses>
</hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response PseudoRoom = "true"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">

```

```
<soap:Header>
  <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
    <Origin entityID="O2G" systemType="ORS"/>
    <Destination entityID="O2G" systemType="O2G"/>
  </OGHeader>
  <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#AvailabilityResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:f289a848-9799-44c6-ac8d-
7031bc6af5df</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:cef4d7ff-79de-4ebc-89a7-
de46598b60f1</wsa:RelatesTo>

  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
</soap:Header>
<soap:Body>
  <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <Result resultStatusFlag="SUCCESS"/>
    <AvailResponseSegments>
      <a:AvailResponseSegment>
        <a:RoomStayList>
          <hc:RoomStay>
            <hc:RatePlans>
              <hc:RatePlan
ratePlanCode="SANNA" hold="false" suppressRate="false"
commissionCode="N" rankRate="false">

                <hc:RatePlanDescription>

                <hc:Text>Sanna Test</hc:Text>

              </hc:RatePlanDescription>

            <hc:AdditionalDetails>

            <hc:AdditionalDetail detailType="MarketingInformation">

            <hc:AdditionalDetailDescription>

            <hc:Text>Thank you for booking</hc:Text>

            </hc:AdditionalDetailDescription>

            </hc:AdditionalDetail>

            <hc:AdditionalDetail detailType="CommissionPolicy">

            <hc:AdditionalDetailDescription>

            <hc:Text>No commission available</hc:Text>

          </hc:RatePlan>
        </hc:RoomStay>
      </a:RoomStayList>
    </a:AvailResponseSegment>
  </AvailResponseSegments>
</Result>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>
```

```
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime>2012-04-
27T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan
ratePlanCode="CABANANEW" hold="false" suppressRate="false"
commissionCode="N" taxInclusive="true" rankRate="false">
<hc:RatePlanDescription>
<hc:Text>Cabana Rate c</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
<hc:AdditionalDetail detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Thank you for booking</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>No commission available</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Tax Included With Rate Amount</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime>2012-04-
27T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
```

```

                                                                 </hc:RatePlans>
                                                                 <hc:RoomTypes>
                                                                 <hc:RoomType
roomTypeCode="SUK" numberOfUnits="66">
    <hc:RoomTypeDescription>
        <hc:Text>Spacious and gracefully appointed room with a
        French Country flair. Etched glass doors open onto a private
        patio with tropical plantings and a pool view. Amenities include
        a Foster -Seeley king size bed, jet-spray Jacuzzi shower with 7
        adjustable heads, and a kitchenette stocked with French wines and
        international delicacies.</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>Superior King</hc:Text>
    </hc:RoomTypeShortDescription>
                                                                 </hc:RoomType>
                                                                 <hc:RoomType
roomTypeCode="SEA" numberOfUnits="33">
    <hc:RoomTypeDescription>
    <hc:Text>Ocean View</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>Ocean View</hc:Text>
    </hc:RoomTypeShortDescription>
                                                                 </hc:RoomType>
                                                                 <hc:RoomType
roomTypeCode="POKB" numberOfUnits="21">
    <hc:RoomTypeDescription>
    <hc:Text>Pool Side - King</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>Pool Side - King</hc:Text>
    </hc:RoomTypeShortDescription>
    <hc:AmenityInfo>
    <hc:Amenities>

```

```
    <hc:Amenity amenityCode="POOL" amenityType="Room"
availabilityFlag="ConfirmableComplimentary"/>
    </hc:Amenities>
    </hc:AmenityInfo>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="SEAKG" numberOfUnits="16">
    <hc:RoomTypeDescription>
    <hc:Text>Seaside King</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>Seaside King</hc:Text>
    </hc:RoomTypeShortDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="PS" numberOfUnits="13">
    <hc:RoomTypeDescription>
    <hc:Text>Poolside</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>Poolside</hc:Text>
    </hc:RoomTypeShortDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="POQB" numberOfUnits="3">
    <hc:RoomTypeDescription>
    <hc:Text>Pool Side - Queen</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>Pool Side - Queen</hc:Text>
    </hc:RoomTypeShortDescription>
    </hc:RoomType>
    <hc:RoomType
roomTypeCode="SEAQN" numberOfUnits="3">
    <hc:RoomTypeDescription>
```

```
<hc:Text>Seaside 2 Queens</hc:Text>
</hc:RoomTypeDescription>
<hc:RoomTypeShortDescription>
<hc:Text>Seaside 2 Queens</hc:Text>
</hc:RoomTypeShortDescription>
</hc:RoomType>
<hc:RoomType
roomTypeCode="PM" numberOfUnits="155">
  <hc:RoomTypeDescription>
  <hc:Text>Posting Master</hc:Text>
  </hc:RoomTypeDescription>
  <hc:RoomTypeShortDescription>
  <hc:Text>Posting Master</hc:Text>
  </hc:RoomTypeShortDescription>
  </hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
  <hc:RoomRate
roomTypeCode="SUK" ratePlanCode="SANNA" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
      <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
    </hc:Rate>
  </hc:Rates>
</hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate
roomTypeCode="SEA" ratePlanCode="SANNA" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
      <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
    </hc:Rate>
  </hc:Rates>
</hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
  </hc:RoomRate>
```

```
roomTypeCode="POKB" ratePlanCode="CABANANEW"
suppressRate="false">
    <hc:RoomRate
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
        rateChangeIndicator="false">
            <hc:Base currencyCode="EUR" decimals="2">250</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total
currencyCode="EUR" decimals="2">250</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="SEAKG" ratePlanCode="CABANANEW"
suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
        rateChangeIndicator="false">
            <hc:Base currencyCode="EUR" decimals="2">250</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total
currencyCode="EUR" decimals="2">250</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="PS" ratePlanCode="CABANANEW" suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
        rateChangeIndicator="false">
            <hc:Base currencyCode="EUR" decimals="2">250</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total
currencyCode="EUR" decimals="2">250</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="POQB" ratePlanCode="CABANANEW"
suppressRate="false">
    <hc:Rates>
        <hc:Rate rateOccurrence="DAILY"
        rateChangeIndicator="false">
            <hc:Base currencyCode="EUR" decimals="2">250</hc:Base>
        </hc:Rate>
    </hc:Rates>
```

```

currencyCode="EUR" decimals="2">250</hc:Total>
</hc:RoomRate>
</hc:RoomRate>
roomTypeCode="SEAQN" ratePlanCode="CABANANEW"
suppressRate="false">
</hc:Rates>
<hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
<hc:Base currencyCode="EUR" decimals="2">250</hc:Base>
</hc:Rate>
</hc:Rates>
</hc:Total>
currencyCode="EUR" decimals="2">250</hc:Total>
</hc:RoomRate>
</hc:RoomRate>
roomTypeCode="PM" ratePlanCode="CABANANEW" suppressRate="false">
</hc:Rates>
<hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
<hc:Base currencyCode="EUR" decimals="2">250</hc:Base>
</hc:Rate>
</hc:Rates>
</hc:Total>
currencyCode="EUR" decimals="2">250</hc:Total>
</hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference
chainCode="CHA" hotelCode="CASINO">Opera Demo Hotel,
Small</hc:HotelReference>
<hc:HotelContact>
<hc:Addresses>
<hc:Address>
<c:AddressLine>Viva Las Vegas</c:AddressLine>
<c:cityName>Anytown</c:cityName>
<c:stateProv>CO</c:stateProv>
<c:countryCode>US</c:countryCode>
<c:postalCode>80523</c:postalCode>
</hc:Address>
</hc:Addresses>
</hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>

```

```
        </AvailResponseSegments>
    </AvailabilityResponse>
</soap:Body>
</soap:Envelope>
```

General Availability Response with Rank Rate

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="CHA" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:0c852ed0-f13b-4324-ae6e-8688e4afe7d2</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:44f28dfa-58a6-4ab5-941e-490fee9fe12a</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      summaryOnly="true"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan
                  ratePlanCode="OWS" hold="false" suppressRate="false"
                  ratePlanName="OWS" commissionCode="N" taxInclusive="true"
                  rankRate="false">

                <hc:RatePlanDescription>

                <hc:Text>OWS Ranking Test</hc:Text>

              </hc:RatePlanDescription>

            <hc:AdditionalDetails>
```

```
<hc:AdditionalDetail detailType="MarketingInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text>Thank you for booking</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
  <hc:AdditionalDetailDescription>
    <hc:Text>No commission available</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text> Room Tax - 6 PCT </hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
  <hc:CancellationDateTime>2011-05-
29T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
  <hc:RatePlan
ratePlanCode="RANK2" hold="false" suppressRate="false"
ratePlanName="RANK2" commissionCode="N" taxInclusive="true"
rankRate="true">
  <hc:RatePlanDescription>
    <hc:Text>Rate with Rank as 2</hc:Text>
  </hc:RatePlanDescription>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for booking</hc:Text>
      </hc:AdditionalDetailDescription>
```

```
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
  <hc:AdditionalDetailDescription>
    <hc:Text>No commission available</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text> Room Tax - 6 PCT </hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
  <hc:CancellationDateTime>2011-05-
29T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
  <hc:RatePlan
ratePlanCode="RANK5" hold="false" suppressRate="false"
ratePlanName="RANK5" commissionCode="N" taxInclusive="true"
rankRate="true">
  <hc:RatePlanDescription>
    <hc:Text>Rate with Rank as 5</hc:Text>
  </hc:RatePlanDescription>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for booking</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail detailType="CommissionPolicy">
      <hc:AdditionalDetailDescription>
        <hc:Text>No commission available</hc:Text>
```

```
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text> Room Tax - 6 PCT </hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime>2011-05-
29T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
<hc:RoomType
roomTypeCode="KNOV" numberOfUnits="15">
<hc:RoomTypeDescription>
<hc:Text>Seaside 2 Queens</hc:Text>
</hc:RoomTypeDescription>
</hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
<hc:RoomRate
roomTypeCode="KNOV" ratePlanCode="OWS" suppressRate="false">
</hc:Rates>
<hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
<hc:Base currencyCode="USD" decimals="2">100</hc:Base>
</hc:Rate>
</hc:Rates>
<hc:Total
currencyCode="USD" decimals="2">100</hc:Total>
</hc:RoomRate>
<hc:RoomRate
roomTypeCode="KNOV" ratePlanCode="RANK2" suppressRate="false">
</hc:Rates>
<hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
<hc:Base currencyCode="USD" decimals="2">300</hc:Base>
</hc:Rate>
```



```

                                                                 </hc:Rates>
                                                                 <hc:Total
currencyCode="USD" decimals="2">300</hc:Total>
                                                                 </hc:RoomRate>
                                                                 <hc:RoomRate
roomTypeCode="KNOV" ratePlanCode="RANK5" suppressRate="false">
                                                                 <hc:Rates>
                                                                 <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                                                                 <hc:Base currencyCode="USD" decimals="2">50</hc:Base>
                                                                 </hc:Rate>
                                                                 </hc:Rates>
                                                                 <hc:Total
currencyCode="USD" decimals="2">50</hc:Total>
                                                                 </hc:RoomRate>
                                                                 </hc:RoomRates>
                                                                 <hc:HotelReference
chainCode="CHA" hotelCode="ECHO">Opera Demo Hotel,
Small</hc:HotelReference>
                                                                 <hc:HotelContact>
                                                                 <hc:Addresses>
                                                                 <hc:Address>
                                                                 <c:AddressLine>1200 TIFFANY STREET</c:AddressLine>
                                                                 <c:cityName>Anytown</c:cityName>
                                                                 <c:stateProv>FL</c:stateProv>
                                                                 <c:countryCode>US</c:countryCode>
                                                                 <c:postalCode>99999</c:postalCode>
                                                                 </hc:Address>
                                                                 </hc:Addresses>
                                                                 </hc:HotelContact>
                                                                 </hc:RoomStay>
                                                                 </a:RoomStayList>
                                                                 </a:AvailResponseSegment>
                                                                 </AvailResponseSegments>
                                                                 </AvailabilityResponse>
                                                                 </soap:Body>
</soap:Envelope>

```

General Availability Response returnOnlyReqRate = "false"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

```

```
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="CHA" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:4605042d-c8e5-4b73-afcc-
8d48ffe74587</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:92a85927-0eb7-47e1-b34a-
f84256abfdc8</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan
ratePlanCode="OWS" hold="false" suppressRate="false"
ratePlanName="OWS" commissionCode="N" taxInclusive="true"
rankRate="false">

                  <hc:RatePlanDescription>

                    <hc:Text>OWS Ranking Test</hc:Text>

                  </hc:RatePlanDescription>

                  <hc:AdditionalDetails>

                    <hc:AdditionalDetail detailType="MarketingInformation">

                      <hc:AdditionalDetailDescription>

                        <hc:Text>Thank you for booking</hc:Text>

                      </hc:AdditionalDetailDescription>

                    </hc:AdditionalDetail>

                    <hc:AdditionalDetail detailType="CommissionPolicy">
```

```

    <hc:AdditionalDetailDescription>
    <hc:Text>No commission available</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
  <hc:AdditionalDetailDescription>
  <hc:Text> Room Tax - 6 PCT </hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>

  <hc:CancellationDateTime>2011-05-
29T00:00:00</hc:CancellationDateTime>
                                </hc:RatePlan>
                                </hc:RatePlans>
                                <hc:RoomTypes>
                                <hc:RoomType
roomTypeCode="KNOV" numberOfUnits="15">
  <hc:RoomTypeDescription>
  <hc:Text>Seaside 2 Queens</hc:Text>
  </hc:RoomTypeDescription>
                                </hc:RoomType>
                                </hc:RoomTypes>
                                <hc:RoomRates>
                                <hc:RoomRate
roomTypeCode="KNOV" ratePlanCode="OWS" suppressRate="false">
                                </hc:Rates>

  <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
  <hc:Base currencyCode="USD" decimals="2">100</hc:Base>
  </hc:Rate>
                                </hc:Rates>
                                <hc:Total
currencyCode="USD" decimals="2">100</hc:Total>
                                </hc:RoomRate>
                                </hc:RoomRates>
                                <hc:HotelReference
chainCode="CHA" hotelCode="ECHO">Opera Demo Hotel,
Small</hc:HotelReference>
                                <hc:HotelContact>
                                <hc:Addresses>

```

```

    <hc:Address>
      <c:AddressLine>1200 TIFFANY STREET</c:AddressLine>
      <c:cityName>Anytown</c:cityName>
      <c:stateProv>FL</c:stateProv>
      <c:countryCode>US</c:countryCode>
      <c:postalCode>99999</c:postalCode>
    </hc:Address>
  </hc:Addresses>
</hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response returnOnlyReqRate = "true"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="CHA" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:534f9410-29b3-405e-bcba-00072a3bd94e</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:123b3d16-ee78-4441-9df1-9e258de4b168</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"

```

```
        <hc:Text>Sanna Test</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
        <hc:AdditionalDetail
detailType="MarketingInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>Thank you for booking</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
            <hc:AdditionalDetailDescription>
                <hc:Text>No commission
available</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime period="PT18H">2012-
11-29T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
    <hc:RatePlan ratePlanCode="THISISTESTINGAVERYLO"
hold="false" suppressRate="false" commissionCode="C"
rankRate="false">
        <hc:RatePlanDescription>
            <hc:Text>Rack Rate</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for booking</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
            <hc:AdditionalDetail
detailType="CommissionPolicy">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Commission policy for travel
agents is 10%</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime period="PT18H">2012-
11-29T00:00:00</hc:CancellationDateTime>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="CABANANEW"
hold="false" suppressRate="false" commissionCode="N"
taxInclusive="true" rankRate="false">
        <hc:RatePlanDescription>
            <hc:Text>Cabana Rate - Comes with a Cabana by
the Pool</hc:Text>
        </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for booking</hc:Text>
                </hc:AdditionalDetailDescription>
```

```
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
            <hc:AdditionalDetailDescription>
                <hc:Text>No commission
available</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>Tax Included With Rate
Amount</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime period="PT18H">2012-
11-29T00:00:00</hc:CancellationDateTime>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="MIRTEST01"
hold="false" suppressRate="false" commissionCode="N"
rankRate="false">
            <hc:RatePlanDescription>
                <hc:Text>Mirjam test rate code for scr
193200</hc:Text>
            </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for booking</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
            <hc:AdditionalDetail
detailType="CommissionPolicy">
                <hc:AdditionalDetailDescription>
                    <hc:Text>No commission
available</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
            </hc:AdditionalDetails>
            <hc:CancellationDateTime period="PT18H">2012-
11-29T00:00:00</hc:CancellationDateTime>
            </hc:RatePlan>
            <hc:RatePlan ratePlanCode="CABANA" hold="false"
suppressRate="false" commissionCode="N" rankRate="false">
                <hc:RatePlanDescription>
                    <hc:Text>Cabana Rate c</hc:Text>
                </hc:RatePlanDescription>
            <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                        <hc:Text>Thank you for booking</hc:Text>
                    </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
```

```
detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
    </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT18H">2012-
11-29T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
<hc:RatePlan ratePlanCode="POSSD" hold="false"
suppressRate="false" commissionCode="N" rankRate="false">
    <hc:RatePlanDescription>
        <hc:Text>possd</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
        <hc:AdditionalDetail
detailType="MarketingInformation">
    <hc:AdditionalDetailDescription>
        <hc:Text>Thank you for booking</hc:Text>
    </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail
detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
        <hc:Text>No commission
available</hc:Text>
    </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT18H">2012-
11-29T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
    <hc:RoomType roomTypeCode="SUK"
numberOfUnits="66">
        <hc:RoomTypeDescription>
            <hc:Text>Spacious and gracefully appointed
room with a French Country flair. Etched glass doors open onto a
private patio with tropical plantings and a pool view. Amenities
include a Foster -Seeley king size bed, jet-spray Jacuzzi shower
with 7 adjustable heads, and a kitchenette stocked with French
wines and international delicacies.</hc:Text>
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
            <hc:Text>Superior King</hc:Text>
        </hc:RoomTypeShortDescription>
    </hc:RoomType>
    <hc:RoomType roomTypeCode="SEA"
numberOfUnits="33">
        <hc:RoomTypeDescription>
            <hc:Text>Ocean View</hc:Text>
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
            <hc:Text>Ocean View</hc:Text>
        </hc:RoomTypeShortDescription>
```

```
        </hc:RoomType>
        <hc:RoomType roomTypeCode="PS"
numberOfUnits="13">
        <hc:RoomTypeDescription>
        <hc:Text>Poolside</hc:Text>
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
        <hc:Text>Poolside</hc:Text>
        </hc:RoomTypeShortDescription>
        </hc:RoomType>
    </hc:RoomTypes>
    <hc:RoomRates>
        <hc:RoomRate roomTypeCode="SUK"
ratePlanCode="SANNA" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">95</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">95</hc:Total>
    </hc:RoomRate>
        <hc:RoomRate roomTypeCode="SEA"
ratePlanCode="SANNA" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">95</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">95</hc:Total>
    </hc:RoomRate>
        <hc:RoomRate roomTypeCode="PS"
ratePlanCode="SANNA" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">95</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">95</hc:Total>
    </hc:RoomRate>
        <hc:RoomRate roomTypeCode="SUK"
ratePlanCode="THISISTESTINGAVERYLO" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">160</hc:Base>
            </hc:Rate>
        </hc:Rates>
```

```
        <hc:Total currencyCode="USD"
decimals="2">160</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="SEA"
ratePlanCode="THISISTESTINGAVERYLO" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD"
decimals="2">200</hc:Base>
    </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">200</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="PS"
ratePlanCode="THISISTESTINGAVERYLO" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD"
decimals="2">200</hc:Base>
    </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">200</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="SUK"
ratePlanCode="CABANANEW" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="EUR"
decimals="2">100</hc:Base>
    </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="EUR"
decimals="2">100</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="SEA"
ratePlanCode="CABANANEW" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="EUR"
decimals="2">100</hc:Base>
    </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="EUR"
decimals="2">100</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="PS"
ratePlanCode="CABANANEW" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="EUR"
```

```
decimals="2">100</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total currencyCode="EUR"
decimals="2">100</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="SUK"
ratePlanCode="MIRTEST01" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="SEA"
ratePlanCode="MIRTEST01" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="PS"
ratePlanCode="MIRTEST01" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="SUK"
ratePlanCode="CABANA" suppressRate="false">
  <hc:Rates>
    <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
    <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
    </hc:Rate>
  </hc:Rates>
  <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
  </hc:RoomRate>
  <hc:RoomRate roomTypeCode="SEA"
ratePlanCode="CABANA" suppressRate="false">
  <hc:Rates>
```

```
        <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
</hc:RoomRate>
    <hc:RoomRate roomTypeCode="PS"
ratePlanCode="CABANA" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="SUK"
ratePlanCode="POSSD" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
            </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
    </hc:RoomRate>
</hc:RoomRates>
    <hc:HotelReference chainCode="CHA"
hotelCode="CASINO">Opera Demo Hotel, Small</hc:HotelReference>
    <hc:HotelContact>
        <hc:Addresses>
            <hc:Address>
                <c:AddressLine>Viva Las Vegas</c:AddressLine>
                <c:cityName>Anytown</c:cityName>
                <c:stateProv>CO</c:stateProv>
                <c:countryCode>US</c:countryCode>
                <c:postalCode>80523</c:postalCode>
            </hc:Address>
        </hc:Addresses>
    </hc:HotelInformation>
    <hc:HotelInfo hotelInfoType="CHECKININFO">
        <c:Text>
            <c:TextElement>18:00</c:TextElement>
        </c:Text>
    </hc:HotelInfo>
    <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
        <c:Text>
            <c:TextElement>08:00</c:TextElement>
        </c:Text>
    </hc:HotelInfo>
```



```
<hc:Text>Jet Ski Rate</hc:Text>
</hc:RatePlanDescription>
<hc:AdditionalDetails>
  <hc:AdditionalDetail
detailType="MarketingInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text>General Availability text for
ALL resort.</hc:Text>
  </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail
detailType="CommissionPolicy">
  <hc:AdditionalDetailDescription>
    <hc:Text>Detailed Availability /
Commission text for ALL resort.</hc:Text>
  </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail
detailType="TaxInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text>Tax not included Zimmer Room tax
15.6 PCT Valet Parking Charge Zimmer </hc:Text>
  </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
  </hc:AdditionalDetails>
  <hc:CancellationDateTime period="PT10H">2012-
12-12T00:00:00</hc:CancellationDateTime>
  <hc:GdsFlags>
    <hc:LateArrivalTime>11PM</hc:LateArrivalTime>
    <hc:CancellationCode>11PM</hc:CancellationCod
e>
    <hc:GuarCancelFlag>XD</hc:GuarCancelFlag>
  </hc:GdsFlags>
  <hc:Packages>
    <hc:Package packageCode="JETSKI">
      <hc:Description>
        <c:Text>
          <c:TextElement>Jet Ski</c:TextElement>
        </c:Text>
      </hc:Description>
    </hc:Package>
  </hc:Packages>
</hc:RatePlan>
  <hc:RatePlan ratePlanCategory="R"
ratePlanCode="RACK" hold="false" suppressRate="false"
ratePlanName="RACK" commissionCode="N" hasPackage="false"
rankRate="false" rateTypeIndicator="S" postingRhythm="1">
  <hc:RatePlanDescription>
    <hc:Text>Rack Rate</hc:Text>
  </hc:RatePlanDescription>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>General Availability text for
ALL resort.</hc:Text>
      </hc:AdditionalDetailDescription>
```

```
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
            <hc:AdditionalDetailDescription>
                <hc:Text>Detailed Availability /
Commission text for ALL resort.</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>Tax not included Zimmer Room tax
15.6 PCT Valet Parking Charge Zimmer </hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime period="PT10H">2012-
12-12T00:00:00</hc:CancellationDateTime>
        <hc:GdsFlags>
            <hc:LateArrivalTime>11PM</hc:LateArrivalTime>
            <hc:CancellationCode>11PM</hc:CancellationCod
e>
            <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
        </hc:GdsFlags>
        </hc:RatePlan>
        <hc:RatePlan ratePlanCode="203000" hold="false"
suppressRate="false" ratePlanName="203000" commissionCode="N"
hasPackage="true" rankRate="false" rateTypeIndicator="S">
            <hc:RatePlanDescription>
                <hc:Text>Testing SCR</hc:Text>
            </hc:RatePlanDescription>
        <hc:AdditionalDetails>
            <hc:AdditionalDetail
detailType="MarketingInformation">
                <hc:AdditionalDetailDescription>
                    <hc:Text>General Availability text for
ALL resort.</hc:Text>
                </hc:AdditionalDetailDescription>
            </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
            <hc:AdditionalDetailDescription>
                <hc:Text>Detailed Availability /
Commission text for ALL resort.</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>Tax not included Accomodation
</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        </hc:AdditionalDetails>
        <hc:CancellationDateTime period="PT10H">2012-
12-12T00:00:00</hc:CancellationDateTime>
        <hc:GdsFlags>
```

```
<hc:LateArrivalTime>11PM</hc:LateArrivalTime>
<hc:CancellationCode>11PM</hc:CancellationCod
e>
    <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
</hc:GdsFlags>
<hc:Packages>
    <hc:Package packageCode="BRKFAST">
        <hc:Description>
            <c:Text>
                <c:TextElement>Breakfast</c:TextElement
            </c:Text>
        </hc:Description>
    </hc:Package>
</hc:Packages>
</hc:RatePlan>
<hc:RatePlan ratePlanCode="APL" hold="false"
suppressRate="false" ratePlanName="APL" commissionCode="N"
hasPackage="false" taxInclusive="true" rankRate="false"
rateTypeIndicator="S">
    <hc:RatePlanDescription>
        <hc:Text>Apple Corporate Rate</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
        <hc:AdditionalDetail
detailType="MarketingInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>General Availability text for
ALL resort.</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
            <hc:AdditionalDetailDescription>
                <hc:Text>Detailed Availability /
Commission text for ALL resort.</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>Tax included State Tax 10 PCT
City Tax 5 PCT Resort Fee </hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:CancellationDateTime period="PT10H">2012-
12-12T00:00:00</hc:CancellationDateTime>
    <hc:GdsFlags>
        <hc:LateArrivalTime>11PM</hc:LateArrivalTime>
        <hc:CancellationCode>11PM</hc:CancellationCod
e>
            <hc:GuarCancelFlag>XD</hc:GuarCancelFlag>
        </hc:GdsFlags>
    </hc:RatePlan>
    <hc:RatePlan ratePlanCode="DEF" hold="false"
suppressRate="false" ratePlanName="DEF" commissionCode="N"
```

```
hasPackage="false" rankRate="false" rateTypeIndicator="S">
  <hc:RatePlanDescription>
    <hc:Text>DEF</hc:Text>
  </hc:RatePlanDescription>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>General Availability text for
ALL resort.</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetail>
detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
      <hc:Text>Detailed Availability /
Commission text for ALL resort.</hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail
detailType="TaxInformation">
    <hc:AdditionalDetailDescription>
      <hc:Text>Tax not included Zimmer Room tax
15.6 PCT Valet Parking Charge Zimmer </hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
  </hc:AdditionalDetails>
  <hc:CancellationDateTime period="PT10H">2012-
12-12T00:00:00</hc:CancellationDateTime>
  <hc:GdsFlags>
    <hc:LateArrivalTime>11PM</hc:LateArrivalTime>
    <hc:CancellationCode>11PM</hc:CancellationCod
e>
    <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
  </hc:GdsFlags>
</hc:RatePlan>
  <hc:RatePlan ratePlanCode="INC" hold="false"
suppressRate="false" ratePlanName="INCLPKG" commissionCode="N"
hasPackage="false" taxInclusive="true" rankRate="false"
rateTypeIndicator="S">
  <hc:RatePlanDescription>
    <hc:Text>Package Inclusive</hc:Text>
  </hc:RatePlanDescription>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>General Availability text for
ALL resort.</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail
detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
      <hc:Text>Detailed Availability /
Commission text for ALL resort.</hc:Text>
    </hc:AdditionalDetailDescription>
```

```
</hc:AdditionalDetail>
<hc:AdditionalDetail
detailType="TaxInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text>Tax included Zimmer Room tax
15.6 PCT Valet Parking Charge Zimmer </hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT10H">2012-
12-12T00:00:00</hc:CancellationDateTime>
<hc:GdsFlags>
  <hc:LateArrivalTime>11PM</hc:LateArrivalTime>
  <hc:CancellationCode>11PM</hc:CancellationCod
e>
  <hc:GuarCancelFlag>XG</hc:GuarCancelFlag>
</hc:GdsFlags>
</hc:RatePlan>
<hc:RatePlan ratePlanCode="ORACK" hold="false"
suppressRate="false" ratePlanName="ORACK" commissionCode="N"
hasPackage="false" taxInclusive="true" rankRate="false"
rateTypeIndicator="S" postingRhythm="NO_P+PK_ON_03">
  <hc:RatePlanDescription>
    <hc:Text>OWS Rack Rate</hc:Text>
  </hc:RatePlanDescription>
  <hc:AdditionalDetails>
  <hc:AdditionalDetail
detailType="MarketingInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text>General Availability text for
ALL resort.</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail
detailType="CommissionPolicy">
  <hc:AdditionalDetailDescription>
    <hc:Text>Detailed Availability /
Commission text for ALL resort.</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail
detailType="TaxInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text>Tax included State Tax 10 PCT
City Tax 5 PCT Resort Fee </hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT10H">2012-
12-12T00:00:00</hc:CancellationDateTime>
<hc:GdsFlags>
  <hc:LateArrivalTime>11PM</hc:LateArrivalTime>
  <hc:CancellationCode>11PM</hc:CancellationCod
e>
  <hc:GuarCancelFlag>XD</hc:GuarCancelFlag>
</hc:GdsFlags>
</hc:RatePlan>
```

```
        </hc:RatePlans>
        <hc:RoomTypes>
          <hc:RoomType roomTypeCode="KNG"
numberOfUnits="61">
            <hc:RoomTypeDescription>
              <hc:Text>K - King Room1</hc:Text>
            </hc:RoomTypeDescription>
            <hc:AmenityInfo>
              <hc:Amenities>
                <hc:Amenity amenityCode="BALCON"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="FIREPL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="HAIR"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="MOVIES"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
                <hc:Amenity amenityCode="OCNVW"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
              </hc:Amenities>
            </hc:AmenityInfo>
          </hc:RoomType>
          <hc:RoomType roomTypeCode="STK"
numberOfUnits="21">
            <hc:RoomTypeDescription>
              <hc:Text>Standard King</hc:Text>
            </hc:RoomTypeDescription>
          </hc:RoomType>
          <hc:RoomType roomTypeCode="MLK"
numberOfUnits="10">
            <hc:RoomTypeDescription>
              <hc:Text>MLSK - Mid Level King Room</hc:Text>
            </hc:RoomTypeDescription>
          </hc:RoomType>
          <hc:RoomType roomTypeCode="EVQ"
numberOfUnits="9">
            <hc:RoomTypeDescription>
              <hc:Text>ELTQ - Exec 2 Queens</hc:Text>
            </hc:RoomTypeDescription>
          </hc:RoomType>
          <hc:RoomType roomTypeCode="ELK"
numberOfUnits="13">
            <hc:RoomTypeDescription>
              <hc:Text>TWO BEDROOM SUITE SMOKING</hc:Text>
            </hc:RoomTypeDescription>
          </hc:RoomType>
        </hc:RoomTypes>
        <hc:RoomRates>
          <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="JET" suppressRate="false" hasPackage="true">
            <hc:Rates>
              <hc:Rate rateChangeIndicator="false">
                <hc:Base currencyCode="USD"
decimals="2">350</hc:Base>
              </hc:Rate>
            </hc:Rates>
          </hc:RoomRate>
        </hc:RoomRates>
        <hc>Total currencyCode="USD"
```

```
decimals="2">350</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="STK"
ratePlanCode="JET" suppressRate="false" hasPackage="true">
    <hc:Rates>
        <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">350</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">350</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="MLK"
ratePlanCode="JET" suppressRate="false" hasPackage="true">
    <hc:Rates>
        <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">350</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">350</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="JET" suppressRate="false" hasPackage="true">
    <hc:Rates>
        <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">350</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">350</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="JET" suppressRate="false" hasPackage="true">
    <hc:Rates>
        <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">350</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">350</hc:Total>
    </hc:RoomRate>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="RACK" suppressRate="false" hasPackage="false">
    <hc:Rates>
        <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">500</hc:Base>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">500</hc:Total>
    </hc:RoomRate>
```

```
        <hc:RoomRate roomTypeCode="STK"
ratePlanCode="RACK" suppressRate="false" hasPackage="false">
          <hc:Rates>
            <hc:Rate rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">500</hc:Base>
              </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">500</hc:Total>
          </hc:RoomRate>
        <hc:RoomRate roomTypeCode="MLK"
ratePlanCode="RACK" suppressRate="false" hasPackage="false">
          <hc:Rates>
            <hc:Rate rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">500</hc:Base>
              </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">500</hc:Total>
          </hc:RoomRate>
        <hc:RoomRate roomTypeCode="EVQ"
ratePlanCode="RACK" suppressRate="false" hasPackage="false">
          <hc:Rates>
            <hc:Rate rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">500</hc:Base>
              </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">500</hc:Total>
          </hc:RoomRate>
        <hc:RoomRate roomTypeCode="ELK"
ratePlanCode="RACK" suppressRate="false" hasPackage="false">
          <hc:Rates>
            <hc:Rate rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">500</hc:Base>
              </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">500</hc:Total>
          </hc:RoomRate>
        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="203000" suppressRate="false" hasPackage="true">
          <hc:Rates>
            <hc:Rate rateChangeIndicator="false">
              <hc:Base currencyCode="USD"
decimals="2">96.9</hc:Base>
              </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">96.9</hc:Total>
          </hc:RoomRate>
        <hc:RoomRate roomTypeCode="STK"
ratePlanCode="203000" suppressRate="false" hasPackage="true">
```

```
        <hc:Rates>
          <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">96.9</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">96.9</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="APL" suppressRate="false" hasPackage="false">
        <hc:Rates>
          <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">200</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">200</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="STK"
ratePlanCode="APL" suppressRate="false" hasPackage="false">
        <hc:Rates>
          <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">200</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">200</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="STK"
ratePlanCode="DEF" suppressRate="false" hasPackage="false">
        <hc:Rates>
          <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="INC" suppressRate="false" hasPackage="false">
        <hc:Rates>
          <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="STK"
ratePlanCode="INC" suppressRate="false" hasPackage="false">
        <hc:Rates>
          <hc:Rate rateChangeIndicator="false">
```

```
                <hc:Base currencyCode="USD"
decimals="2">125</hc:Base>
                </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">125</hc:Total>
            </hc:RoomRate>
            <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="ORACK" suppressRate="false" hasPackage="false">
            <hc:Rates>
                <hc:Rate rateChangeIndicator="false">
                    <hc:Base currencyCode="USD"
decimals="2">500</hc:Base>
                </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">500</hc:Total>
            </hc:RoomRate>
            <hc:RoomRate roomTypeCode="STK"
ratePlanCode="ORACK" suppressRate="false" hasPackage="false">
            <hc:Rates>
                <hc:Rate rateChangeIndicator="false">
                    <hc:Base currencyCode="USD"
decimals="2">500</hc:Base>
                </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">500</hc:Total>
            </hc:RoomRate>
        </hc:RoomRates>
        <hc:HotelReference chainCode="CHA"
hotelCode="VAKQA">Opera Demo Hotel, Small</hc:HotelReference>
        <hc:HotelContact>
            <hc:Addresses>
                <hc:Address>
                    <c:AddressLine>2640 Golden Gate
Parkway</c:AddressLine>
                    <c:cityName>Anytown</c:cityName>
                    <c:stateProv>FL</c:stateProv>
                    <c:countryCode>US</c:countryCode>
                    <c:postalCode>99999</c:postalCode>
                </hc:Address>
            </hc:Addresses>
            <hc:ContactEmails>
                <hc:ContactEmail>reservations@vakqa.com</hc:Con
tactEmail>
            </hc:ContactEmails>
            <hc:ContactPhones>
                <hc:Phone phoneType="FAX">
                    <c:PhoneNumber>123-555-4321</c:PhoneNumber>
                </hc:Phone>
                <hc:Phone phoneType="VOICE">
                    <c:PhoneNumber>123-555-4321</c:PhoneNumber>
                </hc:Phone>
            </hc:ContactPhones>
        </hc:HotelInformation>
        <hc:HotelInfo hotelInfoType="CHECKININFO">
```

```

        <c:Text>
          <c:TextElement>10:00</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
      <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
        <c:Text>
          <c:TextElement>16:00</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
    </hc:HotelInformation>
  </hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response (with HCP parameter) Include Public Rates = true

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="DE"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEBHOTEL" systemType="ORS" />
      <Destination entityID="WEBHOTEL" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:9e557230-1a95-4a37-a176-3fcfe09b1d25</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:da0b1bd0-be5f-49f4-b7fe-46f775cf32a9</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>

```

```
<hc:RatePlans>
  <hc:RatePlan ratePlanCode="FLR" hold="false"
suppressRate="true" ratePlanName="FLRES" commissionCode="N"
hasPackage="true" taxInclusive="true" rankRate="false"
rateTypeIndicator="B">
  <hc:RatePlanDescription>
    <hc:Text>Florida Rate Code</hc:Text>
  </hc:RatePlanDescription>
  <hc:RatePlanShortDescription>
    <hc:Text>FLRES Short</hc:Text>
  </hc:RatePlanShortDescription>
  <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>thank you for your
interest</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail
detailType="CommissionPolicy">
      <hc:AdditionalDetailDescription>
        <hc:Text>Detailed Availability /
Commission text for ALL resort.</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail
detailType="TaxInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Tax included Zimmer Room tax
15.6 PCT Valet Parking Charge Zimmer </hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetail>
  <hc:CancellationDateTime period="PT10H">2012-
11-21T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
  <hc:RoomType roomTypeCode="STK"
numberOfUnits="21">
    <hc:RoomTypeDescription>
      <hc:Text>Standard King</hc:Text>
    </hc:RoomTypeDescription>
    <hc:AmenityInfo>
      <hc:Amenities>
        <hc:Amenity amenityCode="BATH"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
        <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
      </hc:Amenities>
    </hc:AmenityInfo>
  </hc:RoomType>
  <hc:RoomType roomTypeCode="KNG"
numberOfUnits="61">
    <hc:RoomTypeDescription>
      <hc:Text>King Bed</hc:Text>
```

```
        </hc:RoomTypeDescription>
        <hc:RoomTypeShortDescription>
          <hc:Text>KNG Short Desc</hc:Text>
        </hc:RoomTypeShortDescription>
        <hc:AmenityInfo>
          <hc:Amenities>
            <hc:Amenity amenityCode="POOL"
amenityType="Room" availabilityFlag="ConfirmableComplimentary" />
          </hc:Amenities>
        </hc:AmenityInfo>
      </hc:RoomType>
    </hc:RoomTypes>
    <hc:RoomRates>
      <hc:RoomRate roomTypeCode="STK"
ratePlanCode="FLR" suppressRate="true">
        <hc:Rates>
          <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">112.34</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc>Total currencyCode="USD"
decimals="2">112.34</hc>Total>
      </hc:RoomRate>
      <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="FLR" suppressRate="true">
        <hc:Rates>
          <hc:Rate rateChangeIndicator="false">
            <hc:Base currencyCode="USD"
decimals="2">112.34</hc:Base>
          </hc:Rate>
        </hc:Rates>
        <hc>Total currencyCode="USD"
decimals="2">112.34</hc>Total>
      </hc:RoomRate>
    </hc:RoomRates>
    <hc:HotelReference chainCode="CHA"
hotelCode="VAKQA">Opera Demo Hotel, Small</hc:HotelReference>
    <hc:HotelContact>
      <hc:Addresses>
        <hc:Address>
          <c:AddressLine>2640 Golden Gate
Parkway</c:AddressLine>
          <c:cityName>Anytown</c:cityName>
          <c:stateProv>FL</c:stateProv>
          <c:countryCode>US</c:countryCode>
          <c:postalCode>99999</c:postalCode>
        </hc:Address>
      </hc:Addresses>
      <hc:ContactEmails>
        <hc:ContactEmail>reservations@vakqa.com</hc:Con
tactEmail>
      </hc:ContactEmails>
      <hc:ContactPhones>
        <hc:Phone phoneType="FAX">
          <c:PhoneNumber>123-555-4321</c:PhoneNumber>
        </hc:Phone>
```

```

        <hc:Phone phoneType="VOICE">
            <c:PhoneNumber>123-555-4321</c:PhoneNumber>
        </hc:Phone>
    </hc:ContactPhones>
    <hc:HotelInformation>
        <hc:HotelInfo hotelInfoType="CHECKININFO">
            <c:Text>
                <c:TextElement>10:00</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
        <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
            <c:Text>
                <c:TextElement>16:00</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
    </hc:HotelInformation>
</hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

General Availability Response for Repeat Rate Code Posting Rhythm Rule

To repeat a Rate Code Posting Rhythm rule, the RATE CODE POSTING RHYTHM application parameter must be enabled. Also, Repeat must be enabled in the Rate Setup screen. The General Availability Response returns the following attributes when a Rate Code Posting Rhythm rule is set to repeat: repeatPostingRhythm, DiscountRateAmount, DiscountRatePercentageFlag, and PostingRhythmNights.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="555" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS"/>
            <Destination entityID="TCP" systemType="WEB"/>
        </OGHeader>

        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsd1#AvailabilityResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:bfe2bf55-45ce-4abf-b0c0-b2970a306e27</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:b98b99f0-a596-49e9-a4f4-31d65fd99b78</wsa:RelatesTo>
    </soap:Header>

```

```
<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/a
nonymous</wsa:To>
</soap:Header>
<soap:Body>
  <AvailabilityResponse
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns:c="http://webservicess.micross.com/og/4.3/Common/"
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
summaryOnly="true"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS"/>
  <AvailResponseSegments>
    <a:AvailResponseSegment>
      <a:RoomStayList>
        <hc:RoomStay>
          <hc:RatePlans>
            <hc:RatePlan ratePlanCode="B2" hold="true"
mandatoryDeposit="false" suppressRate="false" ratePlanName="B2"
commissionCode="N" rankRate="false" rateTypeIndicator="S"
postingRhythm="DISCOUNT" repeatPostingRhythm="true"
discountRateAmount="15" discountRatePercent="true"
postingRhythmNights="3">
              <hc:RatePlanDescription>
                <hc:Text>Access Exclusion</hc:Text>
              </hc:RatePlanDescription>
              <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for your
inquiry.</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
              </hc:AdditionalDetails>
            </hc:RatePlan>
            <hc:RatePlan ratePlanCode="RCK" hold="true"
mandatoryDeposit="false" suppressRate="false" ratePlanName="RCK"
commissionCode="N" rankRate="false" rateTypeIndicator="S"
postingRhythm="NO_P+PK_ON_02" repeatPostingRhythm="true">
              <hc:RatePlanDescription>
                <hc:Text>RACK</hc:Text>
              </hc:RatePlanDescription>
              <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>No commission
available</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
              </hc:AdditionalDetails>
            </hc:RatePlan>
          </hc:RatePlans>
        </hc:RoomStay>
      </a:RoomStayList>
    </a:AvailResponseSegment>
  </AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</wsa:To>
```

```

                                <hc:Text>Thank you for your
inquiry.</hc:Text>
                                </hc:AdditionalDetailDescription>
                                </hc:AdditionalDetail>
                                <hc:AdditionalDetail
detailType="CommissionPolicy">
                                <hc:AdditionalDetailDescription>
                                <hc:Text>No commission
available</hc:Text>
                                </hc:AdditionalDetailDescription>
                                </hc:AdditionalDetail>
                                </hc:AdditionalDetails>
                                <hc:CancellationDateTime>2013-07-
12T00:00:00</hc:CancellationDateTime>
                                </hc:RatePlan>
                                </hc:RatePlans>
                                <hc:RoomTypes>
                                <hc:RoomType roomTypeCode="KNG"
numberOfUnits="25">
                                <hc:RoomTypeDescription>
                                <hc:Text>King Bed Ocean Front</hc:Text>
                                </hc:RoomTypeDescription>
                                </hc:RoomType>
                                <hc:RoomType roomTypeCode="DBL"
numberOfUnits="25">
                                <hc:RoomTypeDescription>
                                <hc:Text>Double Beds Ocean
View</hc:Text>
                                </hc:RoomTypeDescription>
                                </hc:RoomType>
                                </hc:RoomTypes>
                                <hc:RoomRates>
                                <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="B2" suppressRate="false">
                                <hc:Rates>
                                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="true">
                                <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="USD"
decimals="2">391</hc:Total>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="DBL"
ratePlanCode="B2" suppressRate="false">
                                <hc:Rates>
                                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="true">
                                <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="USD"
decimals="2">391</hc:Total>
                                </hc:RoomRate>

```

```

        <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="RCK" suppressRate="false">
            <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="true">
                    <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
                </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">200</hc:Total>
        </hc:RoomRate>
        <hc:RoomRate roomTypeCode="DBL"
ratePlanCode="RCK" suppressRate="false">
            <hc:Rates>
                <hc:Rate rateOccurrence="DAILY"
rateChangeIndicator="true">
                    <hc:Base currencyCode="USD"
decimals="2">100</hc:Base>
                </hc:Rate>
            </hc:Rates>
            <hc:Total currencyCode="USD"
decimals="2">200</hc:Total>
        </hc:RoomRate>
    </hc:RoomRates>
    <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Small</hc:HotelReference>
    <hc:HotelContact>
        <hc:Addresses>
            <hc:Address>
                <c:AddressLine>2640 Golden Gate
pkway</c:AddressLine>
                <c:cityName>Anytown</c:cityName>
                <c:stateProv>FL</c:stateProv>
                <c:countryCode>US</c:countryCode>
                <c:postalCode>99999</c:postalCode>
            </hc:Address>
        </hc:Addresses>
    </hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

Detailed Availability Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">

```



```

        <hc:Text>No commission
available</hc:Text>
        </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="DepositPolicy">
        <hc:AdditionalDetailDescription>
            <hc:Text>A deposit is not required at
this time for guarantee of your reservation.</hc:Text>
        </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="GuaranteePolicy">
        <hc:AdditionalDetailDescription>

<hc:Text>Guaranteed,AX,MS,VA,VI,ZZ</hc:Text>
        </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="TaxInformation">
        <hc:AdditionalDetailDescription>
            <hc:Text>Room tax 17.5 PCT.</hc:Text>
        </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
</hc:AdditionalDetails>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
    <hc:RoomType roomTypeCode="KNG">
        <hc:RoomTypeDescription>
            <hc:Text>This is a very long
description.</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="BED" suppressRate="false">
        <hc:Rates>
            <hc:Rate rateChangeIndicator="false">
                <hc:Base currencyCode="USD">100</hc:Base>
                <hc:AdditionalGuestAmounts>
                    <hc:AdditionalGuestAmount
additionalGuestType="ADULT">
                        <hc:Amount
currencyCode="USD">25</hc:Amount>
                    </hc:AdditionalGuestAmount>
                    <hc:AdditionalGuestAmount
additionalGuestType="CHILD">
                        <hc:Amount
currencyCode="USD">0</hc:Amount>
                    </hc:AdditionalGuestAmount>
                </hc:AdditionalGuestAmounts>
                <hc:AdditionalBedAmounts>
                    <hc:AdditionalBedAmount
extraBedType="ADULT">

```

```
                <hc:Amount
currencyCode="USD">10</hc:Amount>
                </hc:AdditionalBedAmount>
                <hc:AdditionalBedAmount
extraBedType="CRIB">
                <hc:Amount
currencyCode="USD">7</hc:Amount>
                </hc:AdditionalBedAmount>
                </hc:AdditionalBedAmounts>
                </hc:Rate>
                </hc:Rates>
                <hc:Total currencyCode="USD">100</hc:Total>
                </hc:RoomRate>
                </hc:RoomRates>
                <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
                <hc:HotelContact>
                <hc:Addresses>
                <hc:Address>
                <c:AddressLine>1111 Street</c:AddressLine>
                <c:cityName>Anytown</c:cityName>
                <c:stateProv>FL</c:stateProv>
                <c:countryCode>US</c:countryCode>
                </hc:Address>
                </hc:Addresses>
                <hc:ContactEmails>

<hc:ContactEmail>example@hotels.com</hc:ContactEmail>
                </hc:ContactEmails>
                <hc:ContactPhones>
                <hc:Phone phoneType="FAX">
                <c:PhoneNumber>123-555-4321</c:PhoneNumber>
                </hc:Phone>
                <hc:Phone phoneType="VOICE">
                <c:PhoneNumber>123-555-4321</c:PhoneNumber>
                </hc:Phone>
                </hc:ContactPhones>
                <hc:HotelInformation>
                <hc:HotelInfo hotelInfoType="CHECKININFO">
                <c:Text>
                <c:TextElement>9AM</c:TextElement>
                </c:Text>
                </hc:HotelInfo>
                <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
                <c:Text>
                <c:TextElement>8AM</c:TextElement>
                </c:Text>
                </hc:HotelInfo>
                </hc:HotelInformation>
                </hc:HotelContact>
                <hc:ExpectedCharges TotalRoomRateAndPackages="100"
TotalTaxesAndFees="29.5" TaxInclusive="false">
                <hc:ChargesForPostingDate PostingDate="2009-04-
10">
                <hc:RoomRateAndPackages TotalCharges="100">
                <hc:Charges>
                <hc:Description>BASE RATE</hc:Description>
```

```

                <hc:Amount
currencyCode="USD">100</hc:Amount>
            </hc:Charges>
        </hc:RoomRateAndPackages>
        <hc:TaxesAndFees TotalCharges="29.5">
            <hc:Charges>
                <hc:Description>2200 Resort
Fee</hc:Description>
                <hc:Amount
currencyCode="USD">12</hc:Amount>
            </hc:Charges>
            <hc:Charges>
                <hc:Description>1002 Room tax
17.5%.</hc:Description>
                <hc:Amount
currencyCode="USD">17.5</hc:Amount>
            </hc:Charges>
        </hc:TaxesAndFees>
    </hc:ChargesForPostingDate>
</hc:ExpectedCharges>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

Detailed Availability Response for ChildAgeBucket

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="ES"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
    </soap:Header>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:cf9f07fa-4578-4376-9995-
44a16d9869c4</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:ecf7e357-eef5-40d7-8055-
2818d833fd5f</wsa:RelatesTo>
    </wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
    </soap:Header>
    <soap:Body>

```

```
<AvailabilityResponse
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <AvailResponseSegments>
    <a:AvailResponseSegment>
      <a:RoomStayList>
        <hc:RoomStay>
          <hc:RatePlans>
            <hc:RatePlan ratePlanCode="EXP">
              <hc:RatePlanDescription>
                <hc:Text>micros Expedia Rate</hc:Text>
              </hc:RatePlanDescription>
              <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for Detail Booking
with WEST-SEFIVE</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
              </hc:AdditionalDetail>
            </hc:AdditionalDetail>
          </hc:AdditionalDetails>
          <hc:AdditionalDetail
detailType="CancelPolicy">
            <hc:AdditionalDetailDescription>
              <hc:Text>DET-AV-CXL POL.</hc:Text>
            </hc:AdditionalDetailDescription>
          </hc:AdditionalDetail>
          <hc:AdditionalDetail
detailType="CommissionPolicy">
            <hc:AdditionalDetailDescription>
              <hc:Text>No commission
available</hc:Text>
            </hc:AdditionalDetailDescription>
          </hc:AdditionalDetail>
          <hc:AdditionalDetail
detailType="DepositPolicy">
            <hc:AdditionalDetailDescription>
              <hc:Text>A deposit of 143 is due by 17-
JUN-08 in order to guarantee your reservation.</hc:Text>
            </hc:AdditionalDetailDescription>
          </hc:AdditionalDetail>
          <hc:AdditionalDetail
detailType="GuaranteePolicy">
            <hc:AdditionalDetailDescription>
              <hc:Text>,AX,DC,DS,MC,VS</hc:Text>
            </hc:AdditionalDetailDescription>
          </hc:AdditionalDetail>
          <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
              <hc:Text>State Tax 10 PCT
klsflsdhflhsdlhlshglhlghslghsdlgh;sklhsdl;hflsdhl;ghsd;lghk;sldhk
g City Tax 5 PCT Resort Fee </hc:Text>
            </hc:AdditionalDetailDescription>
          </hc:AdditionalDetailDescription>
        </hc:RoomStay>
      </a:RoomStayList>
    </a:AvailResponseSegment>
  </AvailResponseSegments>
</AvailabilityResponse>
```

```

        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="Miscellaneous">
            <hc:AdditionalDetailDescription>
                <hc:Text>micros</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    <hc:DepositRequired>
        <hc:DepositAmount>143</hc:DepositAmount>
        <hc:DueDate>2008-06-17</hc:DueDate>
    </hc:DepositRequired>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
    <hc:RoomType roomTypeCode="KNG">
        <hc:RoomTypeDescription>
            <hc:Text>Espanol - K - King Room UPDATE
MP</hc:Text>
        </hc:RoomTypeDescription>
    </hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
    <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="EXP">
        <hc:Rates>
            <hc:Rate rateChangeIndicator="false">
                <hc:Base currencyCode="USD">120</hc:Base>
                <hc:AdditionalGuestAmounts>
                    <hc:AdditionalGuestAmount
additionalGuestType="ADULT">
                        <hc:Amount
currencyCode="USD">0</hc:Amount>
                    </hc:AdditionalGuestAmount>
                    <hc:AdditionalGuestAmount
additionalGuestType="CHILD">
                        <hc:Amount
currencyCode="USD">0</hc:Amount>
                    </hc:AdditionalGuestAmount>
                </hc:AdditionalGuestAmounts>
                <hc:AdditionalBedAmounts>
                    <hc:AdditionalBedAmount
extraBedType="ADULT">
                        <hc:Amount
currencyCode="USD">0</hc:Amount>
                    </hc:AdditionalBedAmount>
                    <hc:AdditionalBedAmount
extraBedType="CHILD">
                        <hc:Amount
currencyCode="USD">7</hc:Amount>
                    </hc:AdditionalBedAmount>
                    <hc:AdditionalBedAmount
extraBedType="CRIB">
                        <hc:Amount
currencyCode="USD">7</hc:Amount>
                    </hc:AdditionalBedAmount>
                </hc:AdditionalBedAmounts>

```

```
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD">120</hc:Total>
</hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
<hc:HotelContact>
    <hc:Addresses>
        <hc:Address>
            <c:AddressLine>1111 Street</c:AddressLine>
            <c:cityName>Anytown</c:cityName>
            <c:countryCode>US</c:countryCode>
        </hc:Address>
    </hc:Addresses>
    <hc:ContactEmails>
<hc:ContactEmail>example@hotels.com</hc:ContactEmail>
</hc:ContactEmails>
    <hc:ContactPhones>
        <hc:Phone phoneType="FAX">
            <c:PhoneNumber>1235554321</c:PhoneNumber>
        </hc:Phone>
        <hc:Phone phoneType="VOICE">
            <c:PhoneNumber>1235554321</c:PhoneNumber>
        </hc:Phone>
    </hc:ContactPhones>
    <hc:HotelInformation>
        <hc:HotelInfo hotelInfoType="CHECKININFO">
            <c:Text>
                <c:TextElement>8AM</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
        <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
            <c:Text>
                <c:TextElement>3PM</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
    </hc:HotelInformation>
</hc:HotelContact>
    <hc:ExpectedCharges TotalRoomRateAndPackages="120"
TotalTaxesAndFees="23" TaxInclusive="false">
    <hc:ChargesForPostingDate PostingDate="2008-06-
20">
        <hc:RoomRateAndPackages TotalCharges="120">
            <hc:Charges>
                <hc:Description>BASE RATE</hc:Description>
                <hc:Amount
currencyCode="USD">120</hc:Amount>
            </hc:Charges>
        </hc:RoomRateAndPackages>
        <hc:TaxesAndFees TotalCharges="23">
            <hc:Charges>
                <hc:Description>2100 State Tax 10%
klsflsdhflhsdlhlshglhlghslghsdldgh;sklhsdl;hflsdhl;ghsd;lghk;sldhk
g</hc:Description>
```

```

                <hc:Amount
currencyCode="USD">12</hc:Amount>
            </hc:Charges>
        </hc:Charges>
        <hc:Description>2110 City Tax
5%</hc:Description>
            <hc:Amount currencyCode="USD">6</hc:Amount>
        </hc:Charges>
    </hc:Charges>
        <hc:Description>2200 Resort
Fee</hc:Description>
            <hc:Amount currencyCode="USD">5</hc:Amount>
        </hc:Charges>
    </hc:TaxesAndFees>
</hc:ChargesForPostingDate>
</hc:ExpectedCharges>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

Detailed Availability Response with Reduced Message Size

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="158660" timeStamp="2009-02-
24T02:45:42-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="OWS" systemType="GDS" />
            <Destination entityID="WEST" systemType="GDS" />
            <Intermediaries>
                <EndPoint systemType="DEFAULT" />
                <EndPoint systemType="GDS_TYPA" />
            </Intermediaries>
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
            <wsa:MessageID>urn:uuid:f2d85a42-5b50-4c8e-8ad8-
dd6db75bece8</wsa:MessageID>
            <wsa:RelatesTo>urn:uuid:3fc11351-b6dd-48e1-bab4-
6b87b3a63cfd</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
    </soap:Header>
</soap:Body>

```

```
<AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false" alternateDates="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <AvailResponseSegments>
    <a:AvailResponseSegment>
      <a:RoomStayList>
        <hc:RoomStay>
          <hc:RatePlans>
            <hc:RatePlan ratePlanCode="BAR"
suppressRate="false" ratePlanName="BAR">
              <hc:RatePlanDescription>
                <hc:Text> Best Available Rate</hc:Text>
              </hc:RatePlanDescription>
            </hc:RatePlan>
          </hc:RatePlans>
          <hc:RoomTypes>
            <hc:RoomType roomTypeCode="KNG"
roomTypeName="King">
              <hc:RoomTypeDescription>
                <hc:Text>King Room</hc:Text>
              </hc:RoomTypeDescription>
            </hc:RoomType>
          </hc:RoomTypes>
          <hc:RoomRates>
            <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="BAR" suppressRate="false">
              <hc:Rates>
                <hc:Rate rateChangeIndicator="false">
                  <hc:Base currencyCode="USD"
decimals="2">1450</hc:Base>
                  <hc:AdditionalGuestAmounts>
                    <hc:AdditionalGuestAmount
additionalGuestType="ADULT">
                      <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
                    </hc:AdditionalGuestAmount>
                    <hc:AdditionalGuestAmount
additionalGuestType="CHILD">
                      <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
                    </hc:AdditionalGuestAmount>
                  </hc:AdditionalGuestAmounts>
                  <hc:AdditionalBedAmounts>
                    <hc:AdditionalBedAmount
extraBedType="ADULT">
                      <hc:Amount currencyCode="USD"
decimals="2">10</hc:Amount>
                    </hc:AdditionalBedAmount>
                    <hc:AdditionalBedAmount
extraBedType="CRIB">
                      <hc:Amount currencyCode="USD"
decimals="2">7</hc:Amount>
                    </hc:AdditionalBedAmount>
                  </hc:AdditionalBedAmounts>
                </hc:Rate>
              </hc:Rates>
            </hc:RoomRate>
          </hc:RoomRates>
        </hc:RoomStay>
      </a:RoomStayList>
    </a:AvailResponseSegment>
  </AvailResponseSegments>
</AvailabilityResponse>
```

```

        </hc:AdditionalBedAmounts>
        </hc:Rate>
    </hc:Rates>
    <hc:Total currencyCode="USD"
decimals="2">1450</hc:Total>
    </hc:RoomRate>
</hc:RoomRates>
    <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
    </hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

Detailed Availability Response with Maximum Occupancy

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TESLA" systemType="ORS"/>
            <Destination entityID="TESLA"
systemType="WEB"/>
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#AvailabilityResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:84a5bdd9-4ebb-4a30-a4ba-
ceddbae60d56</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:1653fd53-825f-4517-a523-
5c27ac4db40d</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result>
                <hc:GDSError errorCode="01"
elementId="NAD">MAX OCCUPANCY</hc:GDSError>
            </Result>
        </AvailabilityResponse>
    </soap:Body>
</soap:Envelope>

```

```
<hc:AdditionalDetailDescription>
    <hc:Text>Thank
you for Detail Booking with WEST-SEFIVE</hc:Text>
</hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="CancelPolicy">
<hc:AdditionalDetailDescription>
    <hc:Text>Cancel
penalty of 1500 points will be charged if not canceled by 24-Oct-
09</hc:Text>
</hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    </hc:RatePlan>
    <hc:RatePlan
ratePlanCode="REDEEM" awardCode="AWARD1" ratePlanName="REDEEM">
    <hc:RatePlanDescription>
    <hc:Text>Rack
Rate</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
    <hc:AdditionalDetail
detailType="MarketingInformation">
<hc:AdditionalDetailDescription>
    <hc:Text>Thank
you for Detail Booking with WEST-SEFIVE</hc:Text>
</hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail
detailType="CancelPolicy">
<hc:AdditionalDetailDescription>
    <hc:Text>Cancel
penalty of 150USD will be charged if not canceled by 24-Oct-
09</hc:Text>
</hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    </hc:AdditionalDetails>
    </hc:RatePlan>
    <hc:RoomTypes>
    <hc:RoomType roomTypeCode="KNG"
roomTypeName="King">
    <hc:RoomTypeDescription>
    <hc:Text>This is a very
long description.</hc:Text>
    </hc:RoomTypeDescription>
    </hc:RoomType>
    </hc:RoomTypes>
</hc:RoomRates>
```

```

                                <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="RAC" suppressRate="false">
                                <hc:Rates>
                                    <hc:Rate
rateChangeIndicator="false">
                                <hc:Base
currencyCode="USD" decimals="2">100</hc:Base>
<hc:AdditionalGuestAmounts>
<hc:AdditionalGuestAmount additionalGuestType="ADULT">
                                <hc:Amount
currencyCode="USD" decimals="2">0</hc:Amount>
</hc:AdditionalGuestAmount>
<hc:AdditionalGuestAmount additionalGuestType="CHILD">
                                <hc:Amount
currencyCode="USD" decimals="2">0</hc:Amount>
</hc:AdditionalGuestAmount>
</hc:AdditionalGuestAmounts>
<hc:AdditionalBedAmounts>
<hc:AdditionalBedAmount extraBedType="ADULT">
                                <hc:Amount
currencyCode="USD" decimals="2">10</hc:Amount>
</hc:AdditionalBedAmount>
<hc:AdditionalBedAmount extraBedType="CRIB">
                                <hc:Amount
currencyCode="USD" decimals="2">7</hc:Amount>
</hc:AdditionalBedAmount>
</hc:AdditionalBedAmounts>
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="USD"
decimals="2">100</hc:Total>
                                </hc:RoomRate>
                                <hc:RoomRate roomTypeCode="KNG"
ratePlanCode="REDEEM" suppressRate="false" redeemRate="true">
                                <hc:Rates>
                                    <hc:Rate
rateOccurrence="DAILY" rateChangeIndicator="false" points="1500"
pointChangeIndicator="false">
                                <hc:Base
currencyCode="USD" decimals="2">0</hc:Base>
                                </hc:Rate>
                                </hc:Rates>
                                <hc:Total currencyCode="USD"
decimals="2">0</hc:Total>
                                </hc:RoomRate>

```

```

        </hc:RoomRates>
        <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
        <hc:HotelContact>
            <hc:Addresses>
                <hc:Address>
                    <c:AddressLine>1111
Street.</c:AddressLine>
                <c:cityName>Anytown</c:cityName>
                <c:stateProv>FL</c:stateProv>
                <c:countryCode>US</c:countryCode>
                <c:postalCode>99999</c:postalCode>
            </hc:Address>
        </hc:Addresses>
        <hc:ContactPhones>
            <hc:Phone phoneType="FAX">
                <c:PhoneNumber>123-555-
4321</c:PhoneNumber>
            </hc:Phone>
            <hc:Phone phoneType="VOICE">
                <c:PhoneNumber>123-555-
4321</c:PhoneNumber>
            </hc:Phone>
        </hc:ContactPhones>
        <hc:HotelInformation>
            <hc:HotelInfo
hotelInfoType="CHECKININFO">
                <c:Text>
                    <c:TextElement>9AM</c:TextElement>
                </c:Text>
            </hc:HotelInfo>
            <hc:HotelInfo
hotelInfoType="CHECKOUTINFO">
                <c:Text>
                    <c:TextElement>8AM</c:TextElement>
                </c:Text>
            </hc:HotelInfo>
        </hc:HotelInformation>
        <hc:ExpectedCharges
TotalRoomRateAndPackages="107.72" TotalTaxesAndFees="12.28"
TaxInclusive="true" decimals="2">
            <hc:ChargesForPostingDate
PostingDate="2009-10-25">
                <hc:RoomRateAndPackages
TotalCharges="107.72" decimals="2">
                    <hc:Charges>
                        <hc:Description>American Breakfast</hc:Description>
                            <hc:Amount
currencyCode="USD" decimals="2">20</hc:Amount>

```

```

        </hc:Charges>
        <hc:Charges>
            <hc:Description>BASE
RATE</hc:Description>
            <hc:Amount
currencyCode="USD" decimals="2">87.72</hc:Amount>
            </hc:Charges>
        </hc:RoomRateAndPackages>
        <hc:TaxesAndFees
TotalCharges="12.28" decimals="2">
            <hc:Charges>
                <hc:Description>1004
Occupancy Tax 3%</hc:Description>
                    <hc:Amount
currencyCode="USD" decimals="2">2.63</hc:Amount>
                    </hc:Charges>
                <hc:Charges>
                    <hc:Description>1005
Transit Tax 1.0%</hc:Description>
                        <hc:Amount
currencyCode="USD" decimals="2">0.88</hc:Amount>
                        </hc:Charges>
                    <hc:Charges>
                        <hc:Description>1002
Room tax 10%</hc:Description>
                            <hc:Amount
currencyCode="USD" decimals="2">8.77</hc:Amount>
                            </hc:Charges>
                        </hc:TaxesAndFees>
                    </hc:ChargesForPostingDate>
                </hc:ExpectedCharges>
            </hc:RatePlans>
        </hc:RoomStay>
    </a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

Detailed Availability Response with Points Only

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="DE"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>

```

```
<wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#AvailabilityResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:90725e10-ac8c-48cf-8cb9-
de307d9ea836</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:32b5c1b5-ecbd-4e5d-bbe4-
9bb81a7d5508</wsa:RelatesTo>

<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
</soap:Header>
<soap:Body>
  <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <AvailResponseSegments>
    <a:AvailResponseSegment>
      <a:RoomStayList>
        <hc:RoomStay>
          <hc:RatePlans>
            <hc:RatePlan suppressRate="true" />
            <hc:RatePlan ratePlanCode="REDEEM"
redemRate="true">
              <hc:RatePlanDescription>
                <hc:Text>REDEEM</hc:Text>
              </hc:RatePlanDescription>
              <hc:AdditionalDetails>
                <hc:AdditionalDetail
detailType="MarketingInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for Detail Booking
with WEST-SEFIVE</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="CancelPolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>und and whatever bored of
german</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="GuaranteePolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Guaranteed until 6 PM, day of
arrival. To guarantee for late arrival, please provide a credit
card.</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail
detailType="DepositPolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>eins zwei</hc:Text>
```

```
        </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="CommissionPolicy">
            <hc:AdditionalDetailDescription>
                <hc:Text>No commission
available</hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
        <hc:AdditionalDetail
detailType="TaxInformation">
            <hc:AdditionalDetailDescription>
                <hc:Text>Tax Included Room tax 10 PCT
Occupancy Tax 3 PCT Transit Tax 1.0 PCT </hc:Text>
            </hc:AdditionalDetailDescription>
        </hc:AdditionalDetail>
    </hc:AdditionalDetails>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
    <hc:RoomType>
        <hc:RoomTypeDescription>
            <hc:Text />
        </hc:RoomTypeDescription>
    </hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
    <hc:RoomRate ratePlanCode="REDEEM"
redemRate="true">
        <hc:Rates />
        <hc:TotalPoints>25</hc:TotalPoints>

<hc:TotalPointsSpecified>true</hc:TotalPointsSpecified>
    </hc:RoomRate>
</hc:RoomRates>
    <hc:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</hc:HotelReference>
    <hc:HotelContact>
        <hc:Addresses>
            <hc:Address>
                <c:AddressLine>1111 Street.</c:AddressLine>
                <c:cityName>Anytown</c:cityName>
                <c:stateProv>FL</c:stateProv>
                <c:countryCode>US</c:countryCode>
                <c:postalCode>99999</c:postalCode>
            </hc:Address>
        </hc:Addresses>
        <hc:ContactPhones>
            <hc:Phone phoneType="FAX">
                <c:PhoneNumber>123-555-4321</c:PhoneNumber>
            </hc:Phone>
            <hc:Phone phoneType="VOICE">
                <c:PhoneNumber>123-555-4321</c:PhoneNumber>
            </hc:Phone>
        </hc:ContactPhones>
    </hc:HotelInformation>
    <hc:HotelInfo hotelInfoType="CHECKININFO">
```

```

        <c:Text>
          <c:TextElement>9AM</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
      <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
        <c:Text>
          <c:TextElement>8AM</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
    </hc:HotelInformation>
  </hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

Detailed Availability Response for ASB Weekly

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:712cf4e0-4dce-46ec-8979-d6a96bdabd99</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:5df9b702-46ae-4a90-a9c8-df5ed96c3905</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      summaryOnly="false"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>

```

```
                <hc:RoomStay>
                    <hc:RatePlans>
                        <hc:RatePlan
ratePlanCode="APTWK" suppressRate="false" ratePlanName="ASBweek">
                            <hc:RatePlanDescription>
                                <hc:Text> APartment rate calendar week</hc:Text>
                            </hc:RatePlanDescription>
                            <hc:AdditionalDetails>
                                <hc:AdditionalDetail detailType="MarketingInformation">
                                    <hc:AdditionalDetailDescription>
                                        <hc:Text>Thank you for Detail Booking with WEST-
SEFIVE</hc:Text>
                                    </hc:AdditionalDetailDescription>
                                </hc:AdditionalDetail>
                                <hc:AdditionalDetail detailType="CancelPolicy">
                                    <hc:AdditionalDetailDescription>
                                        <hc:Text>Cxl by 12AM on 27-APR-10 to avoid a penalty charge
of .</hc:Text>
                                    </hc:AdditionalDetailDescription>
                                </hc:AdditionalDetail>
                                <hc:AdditionalDetail detailType="CommissionPolicy">
                                    <hc:AdditionalDetailDescription>
                                        <hc:Text>No commission available</hc:Text>
                                    </hc:AdditionalDetailDescription>
                                </hc:AdditionalDetail>
                                <hc:AdditionalDetail detailType="DepositPolicy">
                                    <hc:AdditionalDetailDescription>
                                        <hc:Text>XA deposit is not required at this time for
guarantee of your reservation.</hc:Text>
                                    </hc:AdditionalDetailDescription>
                                </hc:AdditionalDetail>
                                <hc:AdditionalDetail detailType="GuaranteePolicy">
```

```

    <hc:AdditionalDetailDescription>
    <hc:Text>Guaranteed, AX, DS, VI</hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail detailType="TaxInformation">
    <hc:AdditionalDetailDescription>
    <hc:Text>Room tax 10 PCT Occupancy Tax 3 PCT Transit Tax
1.0 PCT </hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
</hc:AdditionalDetails>
                                </hc:RatePlan>
                              </hc:RatePlans>
                              <hc:RoomTypes>
                                <hc:RoomType
roomTypeCode="AIJ">
    <hc:RoomTypeDescription>
    <hc:Text>&lt;html&gt;
&lt;head&gt;
&lt;/head&gt;
&lt;body&gt;
  <b>Standard King
&/b>&lt;br&gt;&lt;br&gt;some description goes here
&/body&gt;
&lt;/html&gt;
</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>std. king short description</hc:Text>
    </hc:RoomTypeShortDescription>
                                </hc:RoomType>
                              </hc:RoomTypes>
                              <hc:RoomRates>
                                <hc:RoomRate
roomTypeCode="AIJ" ratePlanCode="APTWK" suppressRate="false">
                                </hc:Rates>
    <hc:Rate rateChangeIndicator="false">
    <hc:Base currencyCode="USD" decimals="2">28.5</hc:Base>

```

```
<hc:AdditionalGuestAmounts>
  <hc:AdditionalGuestAmount additionalGuestType="ADULT">
    <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
  </hc:AdditionalGuestAmount>
  <hc:AdditionalGuestAmount additionalGuestType="CHILD">
    <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
  </hc:AdditionalGuestAmount>
</hc:AdditionalGuestAmounts>
<hc:AdditionalBedAmounts>
  <hc:AdditionalBedAmount extraBedType="ADULT">
    <hc:Amount currencyCode="USD"
decimals="2">10</hc:Amount>
  </hc:AdditionalBedAmount>
  <hc:AdditionalBedAmount extraBedType="CRIB">
    <hc:Amount currencyCode="USD"
decimals="2">10</hc:Amount>
  </hc:AdditionalBedAmount>
</hc:AdditionalBedAmounts>
</hc:Rate>
                                                                 </hc:Rates>
currencyCode="USD" decimals="2">28.5</hc:Total>
                                                                 <hc:Total
                                                                 </hc:RoomRate>
                                                                 </hc:RoomRates>
                                                                 <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
                                                                 <hc:HotelContact>
                                                                 <hc:Addresses>
<hc:Address>
  <c:AddressLine>1111 Street.</c:AddressLine>
  <c:cityName>Anytown</c:cityName>
  <c:stateProv>FL</c:stateProv>
```

```
<c:countryCode>US</c:countryCode>
<c:postalCode>99999</c:postalCode>
</hc:Address>
</hc:Addresses>
<hc:ContactPhones>
<hc:Phone
phoneType="FAX">
<c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
</hc:Phone>
<hc:Phone
phoneType="VOICE">
<c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
</hc:Phone>
</hc:ContactPhones>
<hc:HotelInformation>
<hc:HotelInfo hotelInfoType="CHECKININFO">
<c:Text>
<c:TextElement>9AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
<hc:HotelInfo hotelInfoType="CHECKOUTINFO">
<c:Text>
<c:TextElement>8AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
</hc:HotelInformation>
</hc:HotelContact>
<hc:ExpectedCharges
TotalRoomRateAndPackages="25" TotalTaxesAndFees="3.5"
TaxInclusive="false" decimals="2">
<hc:ChargesForPostingDate PostingDate="2010-04-27">
<hc:RoomRateAndPackages TotalCharges="25" decimals="2">
<hc:Charges>
<hc:Description>BASE RATE</hc:Description>
```

```

    <hc:Amount currencyCode="USD" decimals="2">25</hc:Amount>
  </hc:Charges>
</hc:RoomRateAndPackages>
<hc:TaxesAndFees TotalCharges="3.5" decimals="2">
  <hc:Charges>
    <hc:Description>1002 Room tax 10%</hc:Description>
    <hc:Amount currencyCode="USD" decimals="2">2.5</hc:Amount>
  </hc:Charges>
  <hc:Charges>
    <hc:Description>1005 Transit Tax 1.0%</hc:Description>
    <hc:Amount currencyCode="USD" decimals="2">0.25</hc:Amount>
  </hc:Charges>
  <hc:Charges>
    <hc:Description>1004 Occupancy Tax 3%</hc:Description>
    <hc:Amount currencyCode="USD" decimals="2">0.75</hc:Amount>
  </hc:Charges>
</hc:TaxesAndFees>
</hc:ChargesForPostingDate>
  </hc:ExpectedCharges>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

Detailed Availability Response for ASB Monthly

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>

```

<hc:Text>Cxl by 12AM on 27-APR-10 to avoid a penalty charge
of .</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="CommissionPolicy">

<hc:AdditionalDetailDescription>

<hc:Text>No commission available</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="DepositPolicy">

<hc:AdditionalDetailDescription>

<hc:Text>XA deposit is not required at this time for
guarantee of your reservation.</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="GuaranteePolicy">

<hc:AdditionalDetailDescription>

<hc:Text>Guaranteed, AX, DS, VI</hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="TaxInformation">

<hc:AdditionalDetailDescription>

<hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>

</hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

</hc:AdditionalDetails>

</hc:RatePlan>

</hc:RatePlans>

<hc:RoomTypes>

<hc:RoomType

roomTypeCode="AIJ">

```

    <hc:RoomTypeDescription>

    <hc:Text>&lt;html&gt;
&lt;head&gt;

&lt;/head&gt;
&lt;body&gt;
    &lt;b&gt;Standard King
&lt;/b&gt;&lt;br&gt;&lt;br&gt;&lt;br&gt;some description goes here
    &lt;/body&gt;
&lt;/html&gt;
</hc:Text>

</hc:RoomTypeDescription>

<hc:RoomTypeShortDescription>

<hc:Text>std. king short description</hc:Text>

</hc:RoomTypeShortDescription>
                                </hc:RoomType>
                                </hc:RoomTypes>
                                <hc:RoomRates>
                                <hc:RoomRate
roomTypeCode="AIJ" ratePlanCode="APTM" suppressRate="false">
                                <hc:Rates>

    <hc:Rate rateChangeIndicator="false">

    <hc:Base currencyCode="USD" decimals="2">3.45</hc:Base>

    <hc:AdditionalGuestAmounts>

    <hc:AdditionalGuestAmount additionalGuestType="ADULT">

        <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>

    </hc:AdditionalGuestAmount>

    <hc:AdditionalGuestAmount additionalGuestType="CHILD">

        <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>

    </hc:AdditionalGuestAmount>

    </hc:AdditionalGuestAmounts>

    <hc:AdditionalBedAmounts>

    <hc:AdditionalBedAmount extraBedType="ADULT">

        <hc:Amount currencyCode="USD"
decimals="2">25</hc:Amount>

```

```
    </hc:AdditionalBedAmount>
    <hc:AdditionalBedAmount extraBedType="CRIB">
      <hc:Amount currencyCode="USD"
decimals="2">15</hc:Amount>
    </hc:AdditionalBedAmount>
  </hc:AdditionalBedAmounts>
</hc:Rate>
                                                                 </hc:Rates>
                                                                 <hc:Total
currencyCode="USD" decimals="2">3.45</hc:Total>
                                                                 </hc:RoomRate>
                                                                 </hc:RoomRates>
                                                                 <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
                                                                 <hc:HotelContact>
                                                                 <hc:Addresses>
                                                                 <hc:Address>
                                                                 <c:AddressLine>1111 Street.</c:AddressLine>
                                                                 <c:cityName>Anytown</c:cityName>
                                                                 <c:stateProv>FL</c:stateProv>
                                                                 <c:countryCode>US</c:countryCode>
                                                                 <c:postalCode>99999</c:postalCode>
                                                                 </hc:Address>
                                                                 </hc:Addresses>
                                                                 <hc:ContactPhones>
                                                                 <hc:Phone
phoneType="FAX">
                                                                 <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                                                 </hc:Phone>
                                                                 <hc:Phone
phoneType="VOICE">
                                                                 <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                                                 </hc:Phone>
                                                                 </hc:ContactPhones>
                                                                 <hc:HotelInformation>
                                                                 <hc:HotelInfo hotelInfoType="CHECKININFO">
```

```
<c:Text>
<c:TextElement>9AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
<hc:HotelInfo hotelInfoType="CHECKOUTINFO">
<c:Text>
<c:TextElement>8AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
</hc:HotelInformation>
</hc:HotelContact>
<hc:ExpectedCharges
TotalRoomRateAndPackages="3.03" TotalTaxesAndFees="0.42"
TaxInclusive="true" decimals="2">
<hc:ChargesForPostingDate PostingDate="2010-04-27">
<hc:RoomRateAndPackages TotalCharges="3.03" decimals="2">
<hc:Charges>
<hc:Description>BASE RATE</hc:Description>
<hc:Amount currencyCode="USD" decimals="2">3.03</hc:Amount>
</hc:Charges>
</hc:RoomRateAndPackages>
<hc:TaxesAndFees TotalCharges="0.42" decimals="2">
<hc:Charges>
<hc:Description>1005 Transit Tax 1.0%</hc:Description>
<hc:Amount currencyCode="USD" decimals="2">0.03</hc:Amount>
</hc:Charges>
<hc:Charges>
<hc:Description>1002 Room tax 10%</hc:Description>
<hc:Amount currencyCode="USD" decimals="2">0.3</hc:Amount>
</hc:Charges>
```

```

    <hc:Charges>
    <hc:Description>1004 Occupancy Tax 3%</hc:Description>
    <hc:Amount currencyCode="USD" decimals="2">0.09</hc:Amount>
  </hc:Charges>
</hc:TaxesAndFees>
</hc:ChargesForPostingDate>
                                </hc:ExpectedCharges>
                                </hc:RoomStay>
                                </a:RoomStayList>
                                </a:AvailResponseSegment>
                                </AvailResponseSegments>
                                </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>

```

Detailed Availability Response for ASB Floating Week

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:07ad910f-2710-4ea3-b358-60e0259d41b3</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:42ed6a99-e8e8-4659-b0ab-90a58828e755</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>

```

```
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan
ratePlanCode="APFW" suppressRate="false" ratePlanName="ASBFW">
              <hc:RatePlanDescription>
                <hc:Text> Apartment rate float week</hc:Text>
              </hc:RatePlanDescription>
              <hc:AdditionalDetails>
                <hc:AdditionalDetail detailType="MarketingInformation">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Thank you for Detail Booking with WEST-
SEFIVE</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail detailType="CancelPolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>Cxl by 12AM on 27-APR-10 to avoid a penalty charge
of .</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail detailType="CommissionPolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>No commission available</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
                <hc:AdditionalDetail detailType="DepositPolicy">
                  <hc:AdditionalDetailDescription>
                    <hc:Text>XA deposit is not required at this time for
guarantee of your reservation.</hc:Text>
                  </hc:AdditionalDetailDescription>
                </hc:AdditionalDetail>
              </hc:AdditionalDetails>
            </hc:RoomStay>
          </a:RoomStayList>
        </a:AvailResponseSegment>
```

```

    <hc:AdditionalDetail detailType="GuaranteePolicy">
      <hc:AdditionalDetailDescription>
        <hc:Text>Guaranteed, AX, DS, VI</hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
    <hc:AdditionalDetail detailType="TaxInformation">
      <hc:AdditionalDetailDescription>
        <hc:Text>Room tax 10 PCT Occupancy Tax 3 PCT Transit Tax
1.0 PCT </hc:Text>
      </hc:AdditionalDetailDescription>
    </hc:AdditionalDetail>
  </hc:AdditionalDetails>
    </hc:RatePlan>
  </hc:RatePlans>
  <hc:RoomTypes>
    <hc:RoomType
roomTypeCode="AIJ">
      <hc:RoomTypeDescription>
        <hc:Text>&lt;html&gt;
&lt;head&gt;
&lt;/head&gt;
&lt;body&gt;
  &lt;b&gt;Standard King
&lt;/b&gt;&lt;br&gt;&lt;br&gt;some description goes here
&lt;/body&gt;
&lt;/html&gt;
&lt;/hc:Text>
      </hc:RoomTypeDescription>
      <hc:RoomTypeShortDescription>
        <hc:Text>std. king short description</hc:Text>
      </hc:RoomTypeShortDescription>
    </hc:RoomType>
  </hc:RoomTypes>
  <hc:RoomRates>
    <hc:RoomRate
roomTypeCode="AIJ" ratePlanCode="APFW" suppressRate="false">
      </hc:Rates>
    </hc:RoomRate>
  </hc:RoomRates>
  <hc:Rate rateChangeIndicator="false">

```

```

    <hc:Base currencyCode="USD" decimals="2">25.23</hc:Base>

    <hc:AdditionalGuestAmounts>

    <hc:AdditionalGuestAmount additionalGuestType="ADULT">
        <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
    </hc:AdditionalGuestAmount>

    <hc:AdditionalGuestAmount additionalGuestType="CHILD">
        <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
    </hc:AdditionalGuestAmount>
</hc:AdditionalGuestAmounts>

    <hc:AdditionalBedAmounts>

    <hc:AdditionalBedAmount extraBedType="ADULT">
        <hc:Amount currencyCode="USD"
decimals="2">25</hc:Amount>
    </hc:AdditionalBedAmount>

    <hc:AdditionalBedAmount extraBedType="CRIB">
        <hc:Amount currencyCode="USD"
decimals="2">15</hc:Amount>
    </hc:AdditionalBedAmount>
</hc:AdditionalBedAmounts>

</hc:Rate>
                                                    </hc:Rates>
</hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference
currencyCode="USD" decimals="2">25.23</hc:Total>
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
                                                    <hc:HotelContact>
                                                    <hc:Addresses>

    <hc:Address>

    <c:AddressLine>1111 Street.</c:AddressLine>

    <c:cityName>Anytown</c:cityName>

```

```
<c:stateProv>FL</c:stateProv>
<c:countryCode>US</c:countryCode>
<c:postalCode>99999</c:postalCode>
</hc:Address>
</hc:Addresses>
<hc:ContactPhones>
<hc:Phone
phoneType="FAX">
<c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
</hc:Phone>
<hc:Phone
phoneType="VOICE">
<c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
</hc:Phone>
</hc:ContactPhones>
<hc:HotelInformation>
<hc:HotelInfo hotelInfoType="CHECKININFO">
<c:Text>
<c:TextElement>9AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
<hc:HotelInfo hotelInfoType="CHECKOUTINFO">
<c:Text>
<c:TextElement>8AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
</hc:HotelInformation>
</hc:HotelContact>
<hc:ExpectedCharges
TotalRoomRateAndPackages="22.14" TotalTaxesAndFees="3.09"
TaxInclusive="false" decimals="2">
<hc:ChargesForPostingDate PostingDate="2010-04-27">
<hc:RoomRateAndPackages TotalCharges="22.14" decimals="2">
<hc:Charges>
```

```

    <hc:Description>BASE RATE</hc:Description>

    <hc:Amount currencyCode="USD"
decimals="2">22.14</hc:Amount>

  </hc:Charges>

</hc:RoomRateAndPackages>

<hc:TaxesAndFees TotalCharges="3.09" decimals="2">

<hc:Charges>

<hc:Description>1002 Room tax 10%</hc:Description>

<hc:Amount currencyCode="USD" decimals="2">2.21</hc:Amount>

</hc:Charges>

<hc:Charges>

<hc:Description>1005 Transit Tax 1.0%</hc:Description>

<hc:Amount currencyCode="USD" decimals="2">0.22</hc:Amount>

</hc:Charges>

<hc:Charges>

<hc:Description>1004 Occupancy Tax 3%</hc:Description>

<hc:Amount currencyCode="USD" decimals="2">0.66</hc:Amount>

</hc:Charges>

</hc:TaxesAndFees>

</hc:ChargesForPostingDate>

                                </hc:ExpectedCharges>
                                </hc:RoomStay>
                                </a:RoomStayList>
                                </a:AvailResponseSegment>
                                </AvailResponseSegments>
                                </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>

```

Detailed Availability Response for ASB Floating Month

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

```

```
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:06d7677c-340a-4a67-8a95-
0a8802f94b87</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:4ba00f85-cdb0-4108-8683-
8c09cb78797b</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan
ratePlanCode="APFM" suppressRate="false"
ratePlanName="ASBFMonth">

                  <hc:RatePlanDescription>

                    <hc:Text>apartment rate float month</hc:Text>

                  </hc:RatePlanDescription>

                  <hc:AdditionalDetails>

                    <hc:AdditionalDetail detailType="MarketingInformation">

                      <hc:AdditionalDetailDescription>

                        <hc:Text>Thank you for Detail Booking with WEST-
SEFIVE</hc:Text>

                      </hc:AdditionalDetailDescription>

                    </hc:AdditionalDetail>

                    <hc:AdditionalDetail detailType="CancelPolicy">
```

```
<hc:AdditionalDetailDescription>
  <hc:Text>Cxl by 12AM on 27-APR-10 to avoid a penalty charge
of .</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
  <hc:AdditionalDetailDescription>
    <hc:Text>No commission available</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="DepositPolicy">
  <hc:AdditionalDetailDescription>
    <hc:Text>XA deposit is not required at this time for
guarantee of your reservation.</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="GuaranteePolicy">
  <hc:AdditionalDetailDescription>
    <hc:Text>Guaranteed,AX,DS,VI</hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
  <hc:AdditionalDetailDescription>
    <hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>
  </hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
```

```

roomTypeCode="AIJ">
    <hc:RoomTypeDescription>
        <hc:Text>&lt;html&gt;
&lt;head&gt;
&lt;/head&gt;
&lt;body&gt;
    &lt;b&gt;Standard King
&lt;/b&gt;&lt;br&gt;&lt;br&gt;some description goes here
&lt;/body&gt;
&lt;/html&gt;
</hc:Text>
    </hc:RoomTypeDescription>
    <hc:RoomTypeShortDescription>
    <hc:Text>std. king short description</hc:Text>
    </hc:RoomTypeShortDescription>
    </hc:RoomType>
    </hc:RoomTypes>
    <hc:RoomRates>
    <hc:RoomRate
roomTypeCode="AIJ" ratePlanCode="APFM" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
    <hc:Base currencyCode="USD" decimals="2">3.45</hc:Base>
    <hc:AdditionalGuestAmounts>
    <hc:AdditionalGuestAmount additionalGuestType="ADULT">
    <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
    </hc:AdditionalGuestAmount>
    <hc:AdditionalGuestAmount additionalGuestType="CHILD">
    <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
    </hc:AdditionalGuestAmount>
    </hc:AdditionalGuestAmounts>
    <hc:AdditionalBedAmounts>
    <hc:AdditionalBedAmount extraBedType="ADULT">

```

```

        <hc:Amount currencyCode="USD"
decimals="2">25</hc:Amount>

    </hc:AdditionalBedAmount>

    <hc:AdditionalBedAmount extraBedType="CRIB">

        <hc:Amount currencyCode="USD"
decimals="2">15</hc:Amount>

    </hc:AdditionalBedAmount>

</hc:AdditionalBedAmounts>

</hc:Rate>

                                                    </hc:Rates>
                                                    <hc:Total
currencyCode="USD" decimals="2">3.45</hc:Total>
                                                    </hc:RoomRate>
                                                    </hc:RoomRates>
                                                    <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
                                                    <hc:HotelContact>
                                                    <hc:Addresses>

    <hc:Address>

    <c:AddressLine>1111 Street.</c:AddressLine>

    <c:cityName>Anytown</c:cityName>

    <c:stateProv>FL</c:stateProv>

    <c:countryCode>US</c:countryCode>

    <c:postalCode>99999</c:postalCode>

    </hc:Address>

                                                    </hc:Addresses>

    <hc:ContactPhones>

                                                    <hc:Phone
phoneType="FAX">

    <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>

                                                    </hc:Phone>
                                                    <hc:Phone
phoneType="VOICE">

    <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>

                                                    </hc:Phone>

    </hc:ContactPhones>

    <hc:HotelInformation>

```

```
<hc:HotelInfo hotelInfoType="CHECKININFO">
  <c:Text>
    <c:TextElement>9AM</c:TextElement>
  </c:Text>
</hc:HotelInfo>
<hc:HotelInfo hotelInfoType="CHECKOUTINFO">
  <c:Text>
    <c:TextElement>8AM</c:TextElement>
  </c:Text>
</hc:HotelInfo>
</hc:HotelInformation>
                                </hc:HotelContact>
                                <hc:ExpectedCharges
TotalRoomRateAndPackages="3.03" TotalTaxesAndFees="0.42"
TaxInclusive="true" decimals="2">
  <hc:ChargesForPostingDate PostingDate="2010-04-27">
    <hc:RoomRateAndPackages TotalCharges="3.03" decimals="2">
      <hc:Charges>
        <hc:Description>BASE RATE</hc:Description>
        <hc:Amount currencyCode="USD" decimals="2">3.03</hc:Amount>
      </hc:Charges>
    </hc:RoomRateAndPackages>
    <hc:TaxesAndFees TotalCharges="0.42" decimals="2">
      <hc:Charges>
        <hc:Description>1005 Transit Tax 1.0%</hc:Description>
        <hc:Amount currencyCode="USD" decimals="2">0.03</hc:Amount>
      </hc:Charges>
      <hc:Charges>
        <hc:Description>1002 Room tax 10%</hc:Description>
        <hc:Amount currencyCode="USD" decimals="2">0.3</hc:Amount>
```

```

    </hc:Charges>

    <hc:Charges>

    <hc:Description>1004 Occupancy Tax 3%</hc:Description>

    <hc:Amount currencyCode="USD" decimals="2">0.09</hc:Amount>

    </hc:Charges>

    </hc:TaxesAndFees>

    </hc:ChargesForPostingDate>

    </hc:ExpectedCharges>
    </hc:RoomStay>
    </a:RoomStayList>
    </a:AvailResponseSegment>
    </AvailResponseSegments>
    </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>

```

Detailed Availability Response with GuaranteeDetails

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000532" timeStamp="2008-12-09T09:55:16.361875-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:768c2539-2b4e-42fb-bb7e-e0daf560cddf</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:ebf7e346-1b21-47c1-927b-79a0bd19b8b2</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      summaryOnly="false"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">

```

```
<Result resultStatusFlag="SUCCESS"/>
<AvailResponseSegments>
  <a:AvailResponseSegment>
    <a:RoomStayList>
      <hc:RoomStay>
        <hc:RatePlans>
          <hc:RatePlan
ratePlanCode="ABC" suppressRate="false" ratePlanName="ABC">
    <hc:RatePlanDescription>
      <hc:Text> Rate Header description.C</hc:Text>
    </hc:RatePlanDescription>
    <hc:AdditionalDetails>
      <hc:AdditionalDetail detailType="MarketingInformation">
        <hc:AdditionalDetailDescription>
          <hc:Text>This is 2nd message</hc:Text>
        </hc:AdditionalDetailDescription>
      </hc:AdditionalDetail>
      <hc:AdditionalDetail detailType="CancelPolicy">
        <hc:AdditionalDetailDescription>
          <hc:Text>Your reservation must be cancelled by 2PM on 30-
SEP-10 to avoid a penalty charge of 79.82.</hc:Text>
        </hc:AdditionalDetailDescription>
      </hc:AdditionalDetail>
      <hc:AdditionalDetail detailType="CommissionPolicy">
        <hc:AdditionalDetailDescription>
          <hc:Text>No commission available</hc:Text>
        </hc:AdditionalDetailDescription>
      </hc:AdditionalDetail>
      <hc:AdditionalDetail detailType="DepositPolicy">
        <hc:AdditionalDetailDescription>
          <hc:Text>xA deposit of 15.96 is due by 27-AUG-10 in order
to guarantee your reservation.</hc:Text>
        </hc:AdditionalDetailDescription>
```

```
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="Promotion">
<hc:AdditionalDetailDescription>
<hc:Text>this is a sell message for sefive</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="GuaranteePolicy">
<hc:AdditionalDetailDescription>
<hc:Text>,AX,DS,MC,VI</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
Transit Tax 1.0 PCT </hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:DepositRequired>
<hc:DepositAmount decimals="2">15.96</hc:DepositAmount>
<hc:DueDate>2010-08-27</hc:DueDate>
</hc:DepositRequired>
<hc:GuaranteeDetails>
<hc:Guarantee guaranteeType="XX" mandatoryDeposit="true"
cancellationRequired="true" creditCardRequired="false"
paymentType="CA" requirementCode="HOLD">
<hc:GuaranteeDescription>
<hc:Text>6 pm</hc:Text>
</hc:GuaranteeDescription>
</hc:Guarantee>
```

```
<hc:Guarantee guaranteeType="TA" mandatoryDeposit="true"
cancellationRequired="true" creditCardRequired="false"
paymentType="DB" requirementCode="TRAVEL_AGENT">
```

```
<hc:GuaranteeDescription>
```

```
<hc:Text>T/A</hc:Text>
```

```
</hc:GuaranteeDescription>
```

```
</hc:Guarantee>
```

```
<hc:Guarantee guaranteeType="CC" mandatoryDeposit="true"
cancellationRequired="true" creditCardRequired="true"
requirementCode="CREDIT_CARD">
```

```
<hc:GuaranteeDescription>
```

```
<hc:Text>Credit Card</hc:Text>
```

```
</hc:GuaranteeDescription>
```

```
</hc:Guarantee>
```

```
<hc:Guarantee guaranteeType="EV" mandatoryDeposit="true"
cancellationRequired="true" creditCardRequired="false"
paymentType="EV" requirementCode="GUARANTEE">
```

```
<hc:GuaranteeDescription>
```

```
<hc:Text>evoucher</hc:Text>
```

```
</hc:GuaranteeDescription>
```

```
</hc:Guarantee>
```

```
<hc:Guarantee guaranteeType="CO" mandatoryDeposit="true"
cancellationRequired="true" creditCardRequired="false"
requirementCode="CORPORATE">
```

```
<hc:GuaranteeDescription>
```

```
<hc:Text>Co Gtd</hc:Text>
```

```
</hc:GuaranteeDescription>
```

```
</hc:Guarantee>
```

```
</hc:GuaranteeDetails>
```

```
</hc:RatePlan>
```

```
</hc:RatePlans>
```

```
<hc:RoomTypes>
```

```
<hc:RoomType
```

```
roomTypeCode="KNG" roomTypeName="king room Name">
```

```
<hc:RoomTypeDescription>
```

```
<hc:Text>King Room.</hc:Text>

</hc:RoomTypeDescription>

<hc:RoomTypeShortDescription>

<hc:Text>king room short description</hc:Text>

</hc:RoomTypeShortDescription>

                                </hc:RoomType>
                                </hc:RoomTypes>
                                <hc:RoomRates>
                                  <hc:RoomRate
roomTypeCode="KNG" ratePlanCode="ABC" suppressRate="false">
                                </hc:Rates>

<hc:Rate rateChangeIndicator="false">

<hc:Base currencyCode="USD" decimals="2">650</hc:Base>

<hc:AdditionalGuestAmounts>

<hc:AdditionalGuestAmount additionalGuestType="ADULT">

    <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>

</hc:AdditionalGuestAmount>

<hc:AdditionalGuestAmount additionalGuestType="CHILD">

    <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>

</hc:AdditionalGuestAmount>

</hc:AdditionalGuestAmounts>

<hc:AdditionalBedAmounts>

<hc:AdditionalBedAmount extraBedType="ADULT">

    <hc:Amount currencyCode="USD"
decimals="2">25</hc:Amount>

</hc:AdditionalBedAmount>

<hc:AdditionalBedAmount extraBedType="CRIB">

    <hc:Amount currencyCode="USD"
decimals="2">15</hc:Amount>

</hc:AdditionalBedAmount>

</hc:AdditionalBedAmounts>
```

```
        </hc:Rate>
                                                    </hc:Rates>
                                                    <hc:Total
currencyCode="USD" decimals="2">650</hc:Total>
                                                    </hc:RoomRate>
                                                    </hc:RoomRates>
                                                    <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
                                                    <hc:HotelContact>
                                                    <hc:Addresses>

        <hc:Address>
        <c:AddressLine>1111 Street.</c:AddressLine>
        <c:cityName>Anytown</c:cityName>
        <c:stateProv>FL</c:stateProv>
        <c:countryCode>US</c:countryCode>
        <c:postalCode>99999</c:postalCode>
        </hc:Address>
                                                    </hc:Addresses>

        <hc:ContactEmails>
        <hc:ContactEmail>reservations@examplehotel.com</hc:ContactE
mail>
        </hc:ContactEmails>

        <hc:ContactPhones>
                                                    <hc:Phone
phoneType="FAX">
        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                                    </hc:Phone>
                                                    <hc:Phone
phoneType="VOICE">
        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                                    </hc:Phone>

        </hc:ContactPhones>

        <hc:HotelInformation>
        <hc:HotelInfo hotelInfoType="CHECKININFO">
        <c:Text>
        <c:TextElement>9AM</c:TextElement>
```

```
</c:Text>
</hc:HotelInfo>
<hc:HotelInfo hotelInfoType="CHECKOUTINFO">
<c:Text>
<c:TextElement>8AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
</hc:HotelInformation>
</hc:HotelContact>
<hc:ExpectedCharges
TotalRoomRateAndPackages="570.18" TotalTaxesAndFees="79.82"
TaxInclusive="true" decimals="2">
<hc:ChargesForPostingDate PostingDate="2010-10-01">
<hc:RoomRateAndPackages TotalCharges="570.18" decimals="2">
<hc:Charges>
<hc:Description>BASE RATE</hc:Description>
<hc:Amount currencyCode="USD"
decimals="2">570.18</hc:Amount>
</hc:Charges>
</hc:RoomRateAndPackages>
<hc:TaxesAndFees TotalCharges="79.82" decimals="2">
<hc:Charges>
<hc:Description>1005 Transit Tax 1.0%</hc:Description>
<hc:Amount currencyCode="USD" decimals="2">5.7</hc:Amount>
</hc:Charges>
<hc:Charges>
<hc:Description>1002 Room tax 10%</hc:Description>
<hc:Amount currencyCode="USD"
decimals="2">57.02</hc:Amount>
</hc:Charges>
<hc:Charges>
```

```

        <hc:Description>1004 Occupancy Tax 3%</hc:Description>

        <hc:Amount currencyCode="USD"
decimals="2">17.11</hc:Amount>

    </hc:Charges>

</hc:TaxesAndFees>

</hc:ChargesForPostingDate>
                                </hc:ExpectedCharges>
                                </hc:RoomStay>
                                </a:RoomStayList>
                                </a:AvailResponseSegment>
                                </AvailResponseSegments>
                                </AvailabilityResponse>
        </soap:Body>
</soap:Envelope>

```

Detailed Availability Response Language Translation

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000532" timeStamp="2008-12-
09T09:55:16.361875-05:00" primaryLangID="DE"
xmlns="http://webservices.micos.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>
        <wsa:Action>http://webservices.micos.com/ows/5.1/Availabil
ity.wsdl#AvailabilityResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:616144d9-4e40-4567-9206-
d63002b24b9e</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:1ae89486-af56-483d-92a9-
adb0a553e753</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <AvailabilityResponse
xmlns:a="http://webservices.micos.com/og/4.3/Availability/"
xmlns:c="http://webservices.micos.com/og/4.3/Common/"
xmlns:hc="http://webservices.micos.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS"/>
            <AvailResponseSegments>
                <a:AvailResponseSegment>

```

```
                <a:RoomStayList>
                    <hc:RoomStay>
                        <hc:RatePlans>
                            <hc:RatePlan
ratePlanCode="MAC" suppressRate="false" ratePlanName="MAC">
                                <hc:RatePlanDescription>
                                    <hc:Text> Mac Rate</hc:Text>
                                </hc:RatePlanDescription>
                                <hc:RatePlanShortDescription>
                                    <hc:Text>Mac Rate</hc:Text>
                                </hc:RatePlanShortDescription>
                                <hc:AdditionalDetails>
                                    <hc:AdditionalDetail detailType="MarketingInformation">
                                        <hc:AdditionalDetailDescription>
                                            <hc:Text>German - Thank for your interest</hc:Text>
                                        </hc:AdditionalDetailDescription>
                                    </hc:AdditionalDetail>
                                    <hc:AdditionalDetail detailType="CancelPolicy">
                                        <hc:AdditionalDetailDescription>
                                            <hc:Text>this is 1st german cancel policy</hc:Text>
                                        </hc:AdditionalDetailDescription>
                                    </hc:AdditionalDetail>
                                    <hc:AdditionalDetail detailType="CommissionPolicy">
                                        <hc:AdditionalDetailDescription>
                                            <hc:Text>GERMAN No Comm Avail.</hc:Text>
                                        </hc:AdditionalDetailDescription>
                                    </hc:AdditionalDetail>
                                    <hc:AdditionalDetail detailType="DepositPolicy">
                                        <hc:AdditionalDetailDescription>
                                            <hc:Text>eins zwei</hc:Text>
                                        </hc:AdditionalDetailDescription>
                                </hc:AdditionalDetails>
                            </hc:RatePlan>
                        </hc:RatePlans>
                    </hc:RoomStay>
                </a:RoomStayList>
```

```
</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="GuaranteePolicy">

  <hc:AdditionalDetailDescription>

    <hc:Text>Guaranteed until 6 PM, day of arrival. To
    guarantee for late arrival, please provide a credit
    card.</hc:Text>

  </hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

<hc:AdditionalDetail detailType="TaxInformation">

  <hc:AdditionalDetailDescription>

    <hc:Text>Tax Included Room tax 10 PCT Occupancy Tax 3 PCT
    Transit Tax 1.0 PCT </hc:Text>

  </hc:AdditionalDetailDescription>

</hc:AdditionalDetail>

</hc:AdditionalDetails>

<hc:GuaranteeDetails>

  <hc:Guarantee guaranteeType="XX" mandatoryDeposit="false"
  cancellationRequired="false" creditCardRequired="false"
  paymentType="CA" requirementCode="HOLD">

    <hc:GuaranteeDescription>

      <hc:Text>6 pm</hc:Text>

    </hc:GuaranteeDescription>

  </hc:Guarantee>

  <hc:Guarantee guaranteeType="TA" mandatoryDeposit="false"
  cancellationRequired="false" creditCardRequired="false"
  paymentType="DB" requirementCode="TRAVEL_AGENT">

    <hc:GuaranteeDescription>

      <hc:Text>T/A</hc:Text>

    </hc:GuaranteeDescription>

  </hc:Guarantee>

  <hc:Guarantee guaranteeType="CC" mandatoryDeposit="false"
  cancellationRequired="false" creditCardRequired="true"
  requirementCode="CREDIT_CARD">
```

```
<hc:GuaranteeDescription>
<hc:Text>Credit Card</hc:Text>
</hc:GuaranteeDescription>
</hc:Guarantee>

<hc:Guarantee guaranteeType="EV" mandatoryDeposit="false"
cancellationRequired="false" creditCardRequired="false"
paymentType="EV" requirementCode="GUARANTEE">

<hc:GuaranteeDescription>
<hc:Text>evoucher</hc:Text>
</hc:GuaranteeDescription>
</hc:Guarantee>

<hc:Guarantee guaranteeType="CO" mandatoryDeposit="false"
cancellationRequired="false" creditCardRequired="false"
requirementCode="CORPORATE">

<hc:GuaranteeDescription>
<hc:Text>Co Gtd</hc:Text>
</hc:GuaranteeDescription>
</hc:Guarantee>
</hc:GuaranteeDetails>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
<hc:RoomType
roomTypeCode="A3B">
<hc:RoomTypeDescription>
<hc:Text>Diplomat Suite</hc:Text>
</hc:RoomTypeDescription>
<hc:RoomTypeShortDescription>
<hc:Text>DE-Diplomat Suite</hc:Text>
</hc:RoomTypeShortDescription>
</hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
<hc:RoomRate
roomTypeCode="A3B" ratePlanCode="MAC" suppressRate="false">
</hc:Rates>
```

```
<hc:Rate rateChangeIndicator="false">
  <hc:Base currencyCode="USD" decimals="2">100</hc:Base>
  <hc:AdditionalGuestAmounts>
    <hc:AdditionalGuestAmount additionalGuestType="ADULT">
      <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
    </hc:AdditionalGuestAmount>
    <hc:AdditionalGuestAmount additionalGuestType="CHILD">
      <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
    </hc:AdditionalGuestAmount>
  </hc:AdditionalGuestAmounts>
  <hc:AdditionalBedAmounts>
    <hc:AdditionalBedAmount extraBedType="ADULT">
      <hc:Amount currencyCode="USD"
decimals="2">25</hc:Amount>
    </hc:AdditionalBedAmount>
    <hc:AdditionalBedAmount extraBedType="CRIB">
      <hc:Amount currencyCode="USD"
decimals="2">15</hc:Amount>
    </hc:AdditionalBedAmount>
  </hc:AdditionalBedAmounts>
</hc:Rate>
</hc:Rates>
currencyCode="USD" decimals="2">100</hc:Total>
</hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
<hc:HotelContact>
  <hc:Addresses>
    <hc:Address>
      <c:AddressLine>1111 Street.</c:AddressLine>
```

```
<c:cityName>Anytown</c:cityName>
<c:stateProv>FL</c:stateProv>
<c:countryCode>US</c:countryCode>
<c:postalCode>99999</c:postalCode>
</hc:Address>
</hc:Addresses>

<hc:ContactEmails>
<hc:ContactEmail>reservations@examplehotel.com</hc:ContactE
mail>
</hc:ContactEmails>

<hc:ContactPhones>
<hc:Phone
phoneType="FAX">
  <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
</hc:Phone>
<hc:Phone
phoneType="VOICE">
  <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
</hc:Phone>
</hc:ContactPhones>

<hc:HotelInformation>
<hc:HotelInfo hotelInfoType="CHECKININFO">
<c:Text>
<c:TextElement>9AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
<hc:HotelInfo hotelInfoType="CHECKOUTINFO">
<c:Text>
<c:TextElement>8AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
</hc:HotelInformation>
</hc:HotelContact>
```

```

                                <hc:ExpectedCharges
TotalRoomRateAndPackages="87.72" TotalTaxesAndFees="12.28"
TaxInclusive="true" decimals="2">

    <hc:ChargesForPostingDate PostingDate="2010-09-22">

        <hc:RoomRateAndPackages TotalCharges="87.72" decimals="2">

            <hc:Charges>

                <hc:Description>BASE RATE</hc:Description>

                <hc:Amount currencyCode="USD"
decimals="2">87.72</hc:Amount>

            </hc:Charges>

        </hc:RoomRateAndPackages>

        <hc:TaxesAndFees TotalCharges="12.28" decimals="2">

            <hc:Charges>

                <hc:Description>1005 Transit Tax 1.0%</hc:Description>

                <hc:Amount currencyCode="USD" decimals="2">0.88</hc:Amount>

            </hc:Charges>

            <hc:Charges>

                <hc:Description>1002 Room tax 10%</hc:Description>

                <hc:Amount currencyCode="USD" decimals="2">8.77</hc:Amount>

            </hc:Charges>

            <hc:Charges>

                <hc:Description>1004 Occupancy Tax 3%</hc:Description>

                <hc:Amount currencyCode="USD" decimals="2">2.63</hc:Amount>

            </hc:Charges>

        </hc:TaxesAndFees>

    </hc:ChargesForPostingDate>

                                </hc:ExpectedCharges>
                                </hc:RoomStay>
                                </a:RoomStayList>
                                </a:AvailResponseSegment>
                                </AvailResponseSegments>
                                </AvailabilityResponse>
                                </soap:Body>
</soap:Envelope>

```

Detailed Availability Response Packages

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000532" timeStamp="2008-12-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:ab21666e-751e-48bc-a981-
6e40cf130c82</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:88754cdd-603c-44e6-9725-
7e0796671daf</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan
ratePlanCategory="RACK" ratePlanCode="BED" suppressRate="false"
ratePlanName="BED">

                  <hc:RatePlanDescription>

                    <hc:Text>Credit Card "Breakfast on Fifth Avenue"
package</hc:Text>

                  </hc:RatePlanDescription>

                  <hc:AdditionalDetails>

                    <hc:AdditionalDetail detailType="MarketingInformation">

                      <hc:AdditionalDetailDescription>

                        <hc:Text>This is 2nd message</hc:Text>

                    </hc:AdditionalDetail>

                  </hc:AdditionalDetails>

                </hc:RatePlan>
              </hc:RoomStay>
            </a:RoomStayList>
          </a:AvailResponseSegment>
        </a:AvailResponseSegments>
      </AvailabilityResponse>
    </soap:Body>
  </soap:Envelope>
```

```
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CancelPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>This is cancel 25-JUL-10 12AM</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:DepositRequired>
<hc:DepositAmount decimals="2">1.25</hc:DepositAmount>
<hc:DueDate>2010-07-22</hc:DueDate>
</hc:DepositRequired>
<hc:Packages>
<hc:Package packageCode="BB">
<hc:Description>
<c:Text>
      <c:TextElement>B&B Breakfast Value
Pkg.</c:TextElement>
</c:Text>
</hc:Description>
</hc:Package>
</hc:Packages>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
  <hc:RoomType
roomTypeCode="A1A">
  <hc:RoomTypeDescription>
  <hc:Text>some description goes here</hc:Text>
  </hc:RoomTypeDescription>
  <hc:RoomTypeShortDescription>
```

```
<hc:Text>std. king short description</hc:Text>

</hc:RoomTypeShortDescription>
                                </hc:RoomType>
                                </hc:RoomTypes>
                                <hc:RoomRates>
                                <hc:RoomRate
roomTypeCode="A1A" ratePlanCode="BED" suppressRate="false">
                                <hc:Rates>

<hc:Rate rateChangeIndicator="false">

<hc:Base currencyCode="USD" decimals="2">12.5</hc:Base>

<hc:AdditionalGuestAmounts>

<hc:AdditionalGuestAmount additionalGuestType="ADULT">

    <hc:Amount currencyCode="USD"
decimals="2">10</hc:Amount>

</hc:AdditionalGuestAmount>

<hc:AdditionalGuestAmount additionalGuestType="CHILD">

    <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>

</hc:AdditionalGuestAmount>

</hc:AdditionalGuestAmounts>

<hc:AdditionalBedAmounts>

<hc:AdditionalBedAmount extraBedType="CRIB">

    <hc:Amount currencyCode="USD"
decimals="2">15</hc:Amount>

</hc:AdditionalBedAmount>

</hc:AdditionalBedAmounts>

</hc:Rate>
                                </hc:Rates>

currencyCode="USD" decimals="2">12.5</hc:Total>

<hc:Packages>

<hc:Package packageCode="AMEX">

<hc:Description>

<c:Text>
```

```
        <c:TextElement>Credit Card Postcard
Promotion</c:TextElement>

    </c:Text>

</hc:Description>

</hc:Package>

</hc:Packages>

                                </hc:RoomRate>
                                </hc:RoomRates>
                                <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>

                                <hc:HotelContact>
                                <hc:Addresses>

    <hc:Address>

    <c:AddressLine>1111 Street.</c:AddressLine>

    <c:cityName>Anytown</c:cityName>

    <c:stateProv>FL</c:stateProv>

    <c:countryCode>US</c:countryCode>

    <c:postalCode>99999</c:postalCode>

    </hc:Address>

                                </hc:Addresses>

    <hc:ContactPhones>

                                <hc:Phone
phoneType="FAX">

    <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>

                                </hc:Phone>
                                <hc:Phone
phoneType="VOICE">

    <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>

                                </hc:Phone>

    </hc:ContactPhones>

    <hc:HotelInformation>

    <hc:HotelInfo hotelInfoType="CHECKININFO">

    <c:Text>

    <c:TextElement>9AM</c:TextElement>

    </c:Text>
```

```
</hc:HotelInfo>
<hc:HotelInfo hotelInfoType="CHECKOUTINFO">
  <c:Text>
    <c:TextElement>8AM</c:TextElement>
  </c:Text>
</hc:HotelInfo>
</hc:HotelInformation>
                                     </hc:HotelContact>
                                     <hc:ExpectedCharges
TotalRoomRateAndPackages="11.84" TotalTaxesAndFees="0.66"
TaxInclusive="true" decimals="2">
  <hc:ChargesForPostingDate PostingDate="2010-07-25">
    <hc:RoomRateAndPackages TotalCharges="11.84" decimals="2">
      <hc:Charges>
        <hc:Description>BASE RATE</hc:Description>
        <hc:Amount currencyCode="USD"
decimals="2">11.84</hc:Amount>
      </hc:Charges>
    </hc:RoomRateAndPackages>
    <hc:TaxesAndFees TotalCharges="0.66" decimals="2">
      <hc:Charges>
        <hc:Description>1005 Transit Tax 1.0%</hc:Description>
        <hc:Amount currencyCode="USD" decimals="2">-
0.13</hc:Amount>
      </hc:Charges>
      <hc:Charges>
        <hc:Description>2200 Resort Fee Resort Fee Resort Fee
Resort Fee Resort Fee Resort Fee Resort Fee</hc:Description>
        <hc:Amount currencyCode="USD" decimals="2">2.5</hc:Amount>
      </hc:Charges>
    </hc:TaxesAndFees>
  </hc:ChargesForPostingDate>
```



```

        </hc:ExpectedCharges>
      </hc:RoomStay>
    </a:RoomStayList>
  </a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

Detailed Availability Response with Package Amount Included in Base Amount

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000532" timeStamp="2008-12-09T09:55:16.361875-05:00" primaryLangID="E"
    xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:4b63e749-751b-4da2-8ba6-0f9577648351</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:2204c761-eb12-4340-97a0-e6e793b64ffb</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <AvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      summaryOnly="false"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AvailResponseSegments>
        <a:AvailResponseSegment>
          <a:RoomStayList>
            <hc:RoomStay>
              <hc:RatePlans>
                <hc:RatePlan
                  ratePlanCode="BED" suppressRate="false" ratePlanName="BED">
                  <hc:RatePlanDescription>
                    <hc:Text> "Breakfast on Fifth Avenue" package</hc:Text>

```

```
</hc:RatePlanDescription>
<hc:AdditionalDetails>
  <hc:AdditionalDetail detailType="MarketingInformation">
    <hc:AdditionalDetailDescription>
      <hc:Text>THANK YOU FOR YOUR INTEREST...</hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail detailType="CancelPolicy">
    <hc:AdditionalDetailDescription>
      <hc:Text>Your reservation must be cancelled by 12AM on 25-
NOV-10 to avoid a penalty charge of .</hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
  <hc:AdditionalDetail detailType="CommissionPolicy">
    <hc:AdditionalDetailDescription>
      <hc:Text>Commission policy is 100flat</hc:Text>
    </hc:AdditionalDetailDescription>
  </hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:GuaranteeDetails>
  <hc:Guarantee guaranteeType="CC" mandatoryDeposit="false"
cancellationRequired="false" creditCardRequired="true"
requirementCode="CREDIT_CARD">
    <hc:GuaranteeDescription>
      <hc:Text>Credit Card</hc:Text>
    </hc:GuaranteeDescription>
  </hc:Guarantee>
  <hc:Guarantee guaranteeType="XX" mandatoryDeposit="false"
cancellationRequired="false" creditCardRequired="false"
paymentType="CA" requirementCode="HOLD">
    <hc:GuaranteeDescription>
```

```
<hc:Text>6 pm</hc:Text>
</hc:GuaranteeDescription>
</hc:Guarantee>
</hc:GuaranteeDetails>
<hc:Packages>
<hc:Package packageCode="CHAMP">
<hc:Description>
<c:Text>
    <c:TextElement>champagne</c:TextElement>
</c:Text>
</hc:Description>
</hc:Package>
</hc:Packages>
    </hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
    <hc:RoomType
roomTypeCode="KNG">
    <hc:RoomTypeDescription>
    <hc:Text>King Room.</hc:Text>
    </hc:RoomTypeDescription>
    </hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
    <hc:RoomRate
roomTypeCode="KNG" ratePlanCode="BED" suppressRate="false">
    <hc:Rates>
    <hc:Rate rateChangeIndicator="false">
    <hc:Base currencyCode="USD" decimals="2">120</hc:Base>
    <hc:AdditionalGuestAmounts>
    <hc:AdditionalGuestAmount additionalGuestType="ADULT">
    <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
    </hc:AdditionalGuestAmount>
```

```
<hc:AdditionalGuestAmount additionalGuestType="CHILD">
  <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>
</hc:AdditionalGuestAmount>
</hc:AdditionalGuestAmounts>
<hc:AdditionalBedAmounts>
<hc:AdditionalBedAmount extraBedType="ADULT">
  <hc:Amount currencyCode="USD"
decimals="2">25</hc:Amount>
</hc:AdditionalBedAmount>
<hc:AdditionalBedAmount extraBedType="CRIB">
  <hc:Amount currencyCode="USD"
decimals="2">15</hc:Amount>
</hc:AdditionalBedAmount>
</hc:AdditionalBedAmounts>
</hc:Rate>
</hc:Rates>
currencyCode="USD" decimals="2">125.5</hc:Total>
<hc:Total
  </hc:RoomRate>
  </hc:RoomRates>
  <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
  <hc:HotelContact>
  <hc:Addresses>

  <hc:Address>
  <c:AddressLine>1111 Street.</c:AddressLine>
  <c:cityName>Anytown</c:cityName>
  <c:stateProv>FL</c:stateProv>
  <c:countryCode>US</c:countryCode>
  <c:postalCode>99999</c:postalCode>
  </hc:Address>
  </hc:Addresses>

  <hc:ContactEmails>
```

```
    <hc:ContactEmail>reservations@examplehotel.com</hc:ContactE
mail>
    </hc:ContactEmails>
    <hc:ContactPhones>
    <hc:Phone
phoneType="FAX">
    <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
    </hc:Phone>
    <hc:Phone
phoneType="VOICE">
    <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
    </hc:Phone>
    </hc:ContactPhones>
    <hc:HotelInformation>
    <hc:HotelInfo hotelInfoType="CHECKININFO">
    <c:Text>
    <c:TextElement>9AM</c:TextElement>
    </c:Text>
    </hc:HotelInfo>
    <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
    <c:Text>
    <c:TextElement>8AM</c:TextElement>
    </c:Text>
    </hc:HotelInfo>
    </hc:HotelInformation>
    </hc:HotelContact>
    <hc:ExpectedCharges
TotalRoomRateAndPackages="119.09" TotalTaxesAndFees="6.41"
TaxInclusive="false" decimals="2">
    <hc:ChargesForPostingDate PostingDate="2010-11-25">
    <hc:RoomRateAndPackages TotalCharges="119.09" decimals="2">
    <hc:Charges>
    <hc:Description>champagne</hc:Description>
    <hc:Amount currencyCode="USD" decimals="2">9.09</hc:Amount>
```

```

    </hc:Charges>

    <hc:Charges>

    <hc:Description>BASE RATE</hc:Description>

    <hc:Amount currencyCode="USD" decimals="2">110</hc:Amount>

    </hc:Charges>

    </hc:RoomRateAndPackages>

    <hc:TaxesAndFees TotalCharges="6.41" decimals="2">

    <hc:Charges><hc:Description>2110 City Tax
5%</hc:Description>

    <hc:Amount currencyCode="USD" decimals="2">5.5</hc:Amount>

    </hc:Charges>

    </hc:TaxesAndFees>

    </hc:ChargesForPostingDate>
                                </hc:ExpectedCharges>
                                </hc:RoomStay>
                                </a:RoomStayList>
                                </a:AvailResponseSegment>
                                </AvailResponseSegments>
                                </AvailabilityResponse>
    </soap:Body>
</soap:Envelope>

```

Detailed Availability Response with Profile Discount

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="654321" timeStamp="2008-12-
09T09:55:16.361875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:947695b6-5ab2-488f-b2cd-
e5bd10da890e</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:28f9378c-b61b-41ef-bf71-
8aaa60904777</wsa:RelatesTo>

```

```
<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
</soap:Header>
<soap:Body>
  <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="true"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <Result resultStatusFlag="SUCCESS"/>
    <AvailResponseSegments>
      <a:AvailResponseSegment>
        <a:RoomStayList>
          <hc:RoomStay>
            <hc:RatePlans>
              <hc:RatePlan
ratePlanCode="BED" qualifyingIdType="GUEST"
qualifyingIdValue="987692396" hold="false" suppressRate="false"
ratePlanName="BED" commissionCode="N" hasPackage="false">
                <hc:RatePlanDescription>
                  <hc:Text>ADIPRAWAT "Breakfast on Fifth Avenue"
package</hc:Text>
                </hc:RatePlanDescription>
                <hc:AdditionalDetails>
                  <hc:AdditionalDetail detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>Thank you for your inquiry.</hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                  <hc:AdditionalDetail detailType="CommissionPolicy">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>No commission available</hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                  <hc:AdditionalDetail detailType="TaxInformation">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>City Tax 5 PCT </hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                </hc:RatePlan>
            </hc:RoomStay>
          </a:RoomStayList>
        </a:AvailResponseSegment>
      </AvailResponseSegments>
    </Result>
  </AvailabilityResponse>
</soap:Body>
</wsa:Envelope>
```

```
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="Miscellaneous">
<hc:AdditionalDetailDescription>
<hc:Text>ADIPRAWAT</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:CancellationDateTime period="PT9H15M">2011-03-
03T00:00:00</hc:CancellationDateTime>
</hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
<hc:RoomType
roomTypeCode="KNG" numberOfUnits="21">
<hc:RoomTypeDescription>
<hc:Text>King Room.</hc:Text>
</hc:RoomTypeDescription>
<hc:AmenityInfo>
<hc:Amenities>
<hc:Amenity amenityCode="55" amenityType="Room"/>
<hc:Amenity amenityCode="73" amenityType="Room"/>
<hc:Amenity amenityCode="79" amenityType="Room"/>
<hc:Amenity amenityCode="CITY" amenityType="Room"/>
<hc:Amenity amenityCode="HIGH" amenityType="Room"/>
<hc:Amenity amenityCode="KING" amenityType="Room"/>
</hc:Amenities>
</hc:AmenityInfo>
</hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
<hc:RoomRate
roomTypeCode="KNG" ratePlanCode="BED" suppressRate="false"
hasPackage="false">
</hc:RoomRate>
</hc:RoomRates>
</hc:Rates>
```

```
<hc:Rate rateChangeIndicator="false">
  <hc:Base currencyCode="USD" decimals="2">95</hc:Base>
</hc:Rate>
</hc:Rates>
<hc:Total
currencyCode="USD" decimals="2">95</hc:Total>
  </hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
  <hc:HotelContact>
    <hc:Addresses>

      <hc:Address>

        <c:AddressLine>1111 Street.</c:AddressLine>

        <c:cityName>Anytown</c:cityName>

        <c:stateProv>FL</c:stateProv>

        <c:countryCode>US</c:countryCode>

        <c:postalCode>99999</c:postalCode>

      </hc:Address>
    </hc:Addresses>

    <hc:ContactEmails>

      <hc:ContactEmail>reservations@examplehotel.com</hc:ContactE
mail>

    </hc:ContactEmails>

    <hc:ContactPhones>

      <hc:Phone
phoneType="FAX">

        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>

      </hc:Phone>
    <hc:Phone
phoneType="VOICE">

        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>

      </hc:Phone>

    </hc:ContactPhones>

    <hc:HotelInformation>

      <hc:HotelInfo hotelInfoType="CHECKININFO">
```

```

    <c:Text>
    <c:TextElement>09:15</c:TextElement>
  </c:Text>
</hc:HotelInfo>
<hc:HotelInfo hotelInfoType="CHECKOUTINFO">
  <c:Text>
  <c:TextElement>08:00</c:TextElement>
  </c:Text>
</hc:HotelInfo>
</hc:HotelInformation>
                                </hc:HotelContact>
                                </hc:RoomStay>
                                </a:RoomStayList>
                                </a:AvailResponseSegment>
                                </AvailResponseSegments>
                                </AvailabilityResponse>
  </soap:Body>
</soap:Envelope>

```

Detailed Availability Response Non-Cancelable

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000532" timeStamp="2008-12-
09T09:55:16.361875-05:00" primaryLangID="IT"
  xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#AvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:646a8fa7-3f93-43c8-8777-
b70140e81173</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:f6f17e11-3a4e-4ad4-933c-
54b61ef341ca</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
  </soap:Header>
</soap:Body>

```

```
        <AvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
        <Result resultStatusFlag="SUCCESS"/>
        <AvailResponseSegments>
            <a:AvailResponseSegment>
                <a:RoomStayList>
                    <hc:RoomStay>
                        <hc:RatePlans>
                            <hc:RatePlan
ratePlanCode="ABC" suppressRate="false" ratePlanName="ABCName">
                                <hc:RatePlanDescription>
                                    <hc:Text> Rack</hc:Text>
                                </hc:RatePlanDescription>
                                <hc:RatePlanShortDescription>
                                    <hc:Text>Rack Rate</hc:Text>
                                </hc:RatePlanShortDescription>
                                <hc:AdditionalDetails>
                                    <hc:AdditionalDetail detailType="MarketingInformation">
                                        <hc:AdditionalDetailDescription>
                                            <hc:Text>Our property provides exclusive access to Disney
priority guest list.</hc:Text>
                                        </hc:AdditionalDetailDescription>
                                    </hc:AdditionalDetail>
                                    <hc:AdditionalDetail detailType="CancelPolicy">
                                        <hc:AdditionalDetailDescription>
                                            <hc:Text>Non è possibile cancellare questa
prenotazione.</hc:Text>
                                        </hc:AdditionalDetailDescription>
                                    </hc:AdditionalDetail>
                                    <hc:AdditionalDetail detailType="CommissionPolicy">
                                        <hc:AdditionalDetailDescription>
                                            <hc:Text>la politica della Commissione è il 0% per
cento</hc:Text>
```

```
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="DepositPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>xA deposit of 37.13 is due by 30-JUL-11 in order
to guarantee your reservation.</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="GuaranteePolicy">
<hc:AdditionalDetailDescription>
<hc:Text>Deve garantire camera con
deposito.,AX,DS,MC,VI</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Incluso Tasse di soggiorno Room tax 20 PCT
</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
</hc:AdditionalDetails>
<hc:DepositRequired>
<hc:DepositAmount decimals="2">37.13</hc:DepositAmount>
<hc:DueDate>2011-07-30</hc:DueDate>
</hc:DepositRequired>
<hc:GuaranteeDetails>
<hc:Guarantee guaranteeType="CC" mandatoryDeposit="true"
cancellationRequired="true" creditCardRequired="true"
requirementCode="CREDIT_CARD">
<hc:GuaranteeDescription>
<hc:Text>Credit Card</hc:Text>
```

```
</hc:GuaranteeDescription>
</hc:Guarantee>
  <hc:Guarantee guaranteeType="TA" mandatoryDeposit="true"
cancellationRequired="true" creditCardRequired="false"
paymentType="DB" requirementCode="TRAVEL_AGENT">
  <hc:GuaranteeDescription>
  <hc:Text>T/A</hc:Text>
  </hc:GuaranteeDescription>
</hc:Guarantee>
  <hc:Guarantee guaranteeType="XX" mandatoryDeposit="true"
cancellationRequired="true" creditCardRequired="false"
paymentType="CA" requirementCode="HOLD">
  <hc:GuaranteeDescription>
  <hc:Text>6 pm</hc:Text>
  </hc:GuaranteeDescription>
</hc:Guarantee>
  <hc:Guarantee guaranteeType="CO" mandatoryDeposit="true"
cancellationRequired="true" creditCardRequired="false"
requirementCode="CORPORATE">
  <hc:GuaranteeDescription>
  <hc:Text>Co Gtd</hc:Text>
  </hc:GuaranteeDescription>
</hc:Guarantee>
</hc:GuaranteeDetails>
  </hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
  <hc:RoomType
roomTypeCode="MHQ">
  <hc:RoomTypeDescription>
  <hc:Text>MHTQ - MH 2 Queen</hc:Text>
  </hc:RoomTypeDescription>
  </hc:RoomType>
</hc:RoomTypes>
<hc:RoomRates>
```

```

                                <hc:RoomRate
roomTypeCode="MHQ" ratePlanCode="ABC" suppressRate="false">
                                <hc:Rates>

    <hc:Rate rateChangeIndicator="false">

    <hc:Base currencyCode="USD" decimals="2">74.25</hc:Base>

    <hc:AdditionalGuestAmounts>

    <hc:AdditionalGuestAmount additionalGuestType="ADULT">

        <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>

    </hc:AdditionalGuestAmount>

    <hc:AdditionalGuestAmount additionalGuestType="CHILD">

        <hc:Amount currencyCode="USD"
decimals="2">0</hc:Amount>

    </hc:AdditionalGuestAmount>

    </hc:AdditionalGuestAmounts>

    <hc:AdditionalBedAmounts>

    <hc:AdditionalBedAmount extraBedType="ADULT">

        <hc:Amount currencyCode="USD"
decimals="2">25</hc:Amount>

    </hc:AdditionalBedAmount>

    <hc:AdditionalBedAmount extraBedType="CRIB">

        <hc:Amount currencyCode="USD"
decimals="2">15</hc:Amount>

    </hc:AdditionalBedAmount>

    </hc:AdditionalBedAmounts>

    </hc:Rate>

                                </hc:Rates>
currencyCode="USD" decimals="2">74.25</hc:Total>
                                <hc:Total
                                </hc:RoomRate>
                                </hc:RoomRates>
                                <hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
                                <hc:HotelContact>
                                <hc:Addresses>

    <hc:Address>

```

```
<c:AddressLine>1111 Street.</c:AddressLine>
<c:cityName>Anytown</c:cityName>
<c:stateProv>FL</c:stateProv>
<c:countryCode>US</c:countryCode>
<c:postalCode>99999</c:postalCode>
</hc:Address>
</hc:Addresses>

<hc:ContactEmails>
<hc:ContactEmail>reservations@examplehotel.com</hc:ContactE
mail>
</hc:ContactEmails>

<hc:ContactPhones>
<hc:Phone
phoneType="FAX">
<c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
</hc:Phone>
<hc:Phone
phoneType="VOICE">
<c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
</hc:Phone>
</hc:ContactPhones>

<hc:HotelInformation>
<hc:HotelInfo hotelInfoType="CHECKININFO">
<c:Text>
<c:TextElement>9AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
<hc:HotelInfo hotelInfoType="CHECKOUTINFO">
<c:Text>
<c:TextElement>8AM</c:TextElement>
</c:Text>
</hc:HotelInfo>
```

```

    </hc:HotelInformation>
    </hc:HotelContact>
    <hc:ExpectedCharges
TotalRoomRateAndPackages="61.88" TotalTaxesAndFees="12.38"
TaxInclusive="true" decimals="2">
    <hc:ChargesForPostingDate PostingDate="2011-08-01">
    <hc:RoomRateAndPackages TotalCharges="61.88" decimals="2">
    <hc:Charges>
    <hc:Description>BASE RATE</hc:Description>
    <hc:Amount currencyCode="USD"
decimals="2">61.88</hc:Amount>
    </hc:Charges>
    </hc:RoomRateAndPackages>
    <hc:TaxesAndFees TotalCharges="12.38" decimals="2">
    <hc:Charges>
    <hc:Description>1002 Room tax 20%</hc:Description>
    <hc:Amount currencyCode="USD"
decimals="2">12.38</hc:Amount>
    </hc:Charges>
    </hc:TaxesAndFees>
    </hc:ChargesForPostingDate>
    </hc:ExpectedCharges>
    </hc:RoomStay>
    </a:RoomStayList>
    </a:AvailResponseSegment>
    </AvailResponseSegments>
    </AvailabilityResponse>
    </soap:Body>
</soap:Envelope>

```

Detailed Availability Response with Points Breakdown Per Night

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">

```

```
<soap:Header>
  <OGHeader transactionID="000032" timeStamp="2004-01-
09T09:55:16.361875-05:00" primaryLangID="DE"
xmlns="http://webservices.micros.com/og/4.3/Core/">
    <Origin entityID="WEST" systemType="ORS"/>
    <Destination entityID="WEST" systemType="WEB"/>
  </OGHeader>
  <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#AvailabilityResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:2532e44a-31f0-40fe-a3c1-
7158f0b18183</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:0c503941-7d79-4037-bcf8-
f081bae6203f</wsa:RelatesTo>

  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
</soap:Header>
<soap:Body>
  <AvailabilityResponse
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
summaryOnly="false"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <Result resultStatusFlag="SUCCESS"/>
    <AvailResponseSegments>
      <a:AvailResponseSegment>
        <a:RoomStayList>
          <hc:RoomStay>
            <hc:RatePlans>
              <hc:RatePlan
ratePlanCode="AWARD" redemRate="true">
                <hc:RatePlanDescription>
                  <hc:Text>AWARD</hc:Text>
                </hc:RatePlanDescription>
                <hc:AdditionalDetails>
                  <hc:AdditionalDetail detailType="PointsPolicy">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>Please cancel 0 days before your check-in date or
you will use loose 0 points.</hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                  <hc:AdditionalDetail detailType="MarketingInformation">
                    <hc:AdditionalDetailDescription>
                      <hc:Text>German - Thank for your interest</hc:Text>
                    </hc:AdditionalDetailDescription>
                  </hc:AdditionalDetail>
                </hc:AdditionalDetails>
              </hc:RatePlan>
            </hc:RoomStay>
          </a:RoomStayList>
        </a:AvailResponseSegment>
      </AvailResponseSegments>
    </Result>
  </AvailabilityResponse>
</soap:Body>
</soap:Envelope>
```

```
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CancelPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>this is 1st german cancel policy</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="GuaranteePolicy">
<hc:AdditionalDetailDescription>
<hc:Text>Guaranteed until 6 PM, day of arrival. To
guarantee for late arrival, please provide a credit
card.</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="DepositPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>eins zwei</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="CommissionPolicy">
<hc:AdditionalDetailDescription>
<hc:Text>GERMAN No Comm Avail.</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
<hc:AdditionalDetail detailType="TaxInformation">
<hc:AdditionalDetailDescription>
<hc:Text>Tax Included With Rate Amount</hc:Text>
</hc:AdditionalDetailDescription>
</hc:AdditionalDetail>
```

```
</hc:AdditionalDetails>

<hc:GuaranteeDetails>

  <hc:Guarantee guaranteeType="XX" mandatoryDeposit="true"
cancellationRequired="false" creditCardRequired="false"
paymentType="CA" requirementCode="HOLD">

    <hc:GuaranteeDescription>

      <hc:Text>6 pm</hc:Text>

    </hc:GuaranteeDescription>

  </hc:Guarantee>

  <hc:Guarantee guaranteeType="CC" mandatoryDeposit="false"
cancellationRequired="false" creditCardRequired="true"
requirementCode="CREDIT_CARD">

    <hc:GuaranteeDescription>

      <hc:Text>Credit Card</hc:Text>

    </hc:GuaranteeDescription>

  </hc:Guarantee>

</hc:GuaranteeDetails>

                                </hc:RatePlan>
</hc:RatePlans>
<hc:RoomTypes>
  <hc:RoomType
roomTypeCode="A1S" roomTypeName="K">

    <hc:RoomTypeDescription>

      <hc:Text>Diplomat Suite</hc:Text>

    </hc:RoomTypeDescription>

    <hc:RoomTypeShortDescription>

      <hc:Text>KING</hc:Text>

    </hc:RoomTypeShortDescription>

                                </hc:RoomType>
  </hc:RoomTypes>
  <hc:RoomRates>
    <hc:RoomRate
roomTypeCode="A1S" ratePlanCode="AWARD" redemRate="true"
pointsChangeIndicator="true">

                                </hc:RoomRate>
  </hc:RoomRates>

  <hc:Rate effectiveDate="2012-05-03">
```

```
<hc:Points>300</hc:Points>
</hc:Rate>
<hc:Rate effectiveDate="2012-05-05">
<hc:Points>200</hc:Points>
</hc:Rate>
</hc:Rates>

<hc:TotalPoints>800</hc:TotalPoints>
</hc:RoomRate>
</hc:RoomRates>
<hc:HotelReference
chainCode="WC" hotelCode="SEFIVE">Opera Demo Hotel,
Medium</hc:HotelReference>
<hc:HotelContact>
<hc:Addresses>

<hc:Address>
<c:AddressLine>3928 Valentia Way</c:AddressLine>
<c:cityName>Anytown</c:cityName>
<c:stateProv>FL</c:stateProv>
<c:countryCode>US</c:countryCode>
<c:postalCode>34119</c:postalCode>
</hc:Address>
</hc:Addresses>

<hc:ContactEmails>
<hc:ContactEmail>reservations@examplehotel.com</hc:ContactE
mail>
</hc:ContactEmails>

<hc:ContactPhones>
<hc:Phone
phoneType="FAX">
<c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
</hc:Phone>
<hc:Phone
phoneType="VOICE">
<c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
</hc:Phone>
</hc:ContactPhones>
```

```

    <hc:HotelInformation>
      <hc:HotelInfo hotelInfoType="CHECKININFO">
        <c:Text>
          <c:TextElement>9AM</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
      <hc:HotelInfo hotelInfoType="CHECKOUTINFO">
        <c:Text>
          <c:TextElement>8AM</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
    </hc:HotelInformation>
  </hc:HotelContact>
</hc:RoomStay>
</a:RoomStayList>
</a:AvailResponseSegment>
</AvailResponseSegments>
</AvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

AvailabilityResponse

```

<xs:complexType name="AvailabilityResponse">
  <xs:annotation>
    <xs:appinfo>
      <keepNamespaceDeclarations>xsn</keepNamespaceDeclarations>
    </xs:appinfo>
  </xs:annotation>
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Result"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:GDSResultStatus" />
    <xs:element minOccurs="0" maxOccurs="1" name="AlternateDates"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q2:TimeSpan" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="AvailResponseSegments"
      xmlns:q3="http://webservices.micros.com/og/4.3/Availability/"
      type="q3:ArrayOfAvailResponseSegment" />
  </xs:sequence>
  <xs:attribute name="summaryOnly" type="xs:boolean" use="required"
    />
  <xs:attribute name="alternateDatesSpecified" type="xs:boolean" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
summaryOnly	attribute	boolean	required	Indicates whether or not this response is a General Availability response (true) or a Detail Availability response for a specific Rate/Room pair (false).
alternateDatesSpecified	attribute	boolean	none	
Result	element	GDSResultStatus	optional	A primary indication of the success of failure of the transaction.
AlternateDates	element	TimeSpan	optional	Indicates whether the availability returned is for alternate dates or requested date. If returned for alternate dates, the element will be populated with alternate dates.
AvailResponseSegments	element	ArrayOfAvailResponseSegment	optional	If the query returns availability, that data will be contained in a single AvailResponseSegment within this element (list).

3 FetchAvailableItems

Retrieves a list of available add-on items by date. The user should provide at least the date range (a maximum of seven days), hotel criteria, and the item class or group. Specifying an item group retrieves a list of available items in that group. Setting the isPackage flag to true adds attached packages to each item in the list and setting the flag false ignores package information for items.

Soap Action:

<http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchAvailableItems16B>

FetchAvailableItemsRequest

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" primaryLangID="E"
timeStamp="2008-02-09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchAvailableItemsRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC" hotelCode="SEFIVE" />
      <StayDateRange>
        <hc:StartDate>2009-01-06T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2009-01-08T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <InventoryItem>
        <ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <Code>306</Code>
        </ItemGroup>
        <hc:isPackage>>false</hc:isPackage>
      </InventoryItem>
    </FetchAvailableItemsRequest>
  </soap:Body>
</soap:Envelope>
```

FetchAvailableItemsRequest, by Item, with Packages

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" primaryLangID="E"
timeStamp="2004-02-09T13:26:56.4056250-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchAvailableItemsRequest
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="CHA" hotelCode="002" />
      <StayDateRange>
        <hc:StartDate>2008-09-01T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2008-09-03T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <InventoryItem>
        <hc:ItemCode>CRUISE</hc:ItemCode>
        <hc:isPackage>true</hc:isPackage>
      </InventoryItem>
    </FetchAvailableItemsRequest>
  </soap:Body>
</soap:Envelope>
```

FetchAvailableItemsRequest, by Item, without Packages

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" primaryLangID="E"
timeStamp="2004-02-09T13:26:56.4056250-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchAvailableItemsRequest
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
```

```

xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
  <HotelReference chainCode="CHA" hotelCode="002" />
  <StayDateRange>
    <hc:StartDate>2008-09-01T00:00:00.0000000-
05:00</hc:StartDate>
    <hc:EndDate>2008-09-03T00:00:00.0000000-
05:00</hc:EndDate>
  </StayDateRange>
  <InventoryItem>
    <hc:ItemCode>CRUISE</hc:ItemCode>
    <hc:isPackage>>false</hc:isPackage>
  </InventoryItem>
</FetchAvailableItemsRequest>
</soap:Body>
</soap:Envelope>

```

FetchAvailableItemsRequest, by Group, without Packages

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" primaryLangID="E"
timeStamp="2004-02-09T13:26:56.4056250-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchAvailableItemsRequest
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="CHA" hotelCode="002" />
      <StayDateRange>
        <hc:StartDate>2008-09-01T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2008-09-03T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <InventoryItem>
        <ItemGroup
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
          <Code>H20</Code>
        </ItemGroup>
        <hc:isPackage>>false</hc:isPackage>
      </InventoryItem>
    </FetchAvailableItemsRequest>
  </soap:Body>
</soap:Envelope>

```

FetchAvailableItemsRequest with Booked Inventory Items Outside of Stay Dates

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" primaryLangID="E"
timeStamp="2008-02-09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchAvailableItemsRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC" hotelCode="SEFIVE"/>
      <StayDateRange>
        <hc:StartDate>2013-06-17</hc:StartDate>
        <hc:EndDate>2013-06-19</hc:EndDate>
      </StayDateRange>
      <InventoryItem>
        <ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <Code>650</Code>
        </ItemGroup>
        <hc:isPackage>>false</hc:isPackage>
      </InventoryItem>
    </FetchAvailableItemsRequest>
  </soap:Body>
</soap:Envelope>
```

FetchAvailableItemsRequest

```
<xs:complexType name="FetchAvailableItemsRequest">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="HotelReference"
xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
/" type="q1:HotelReference" />
    <xs:element minOccurs="0" maxOccurs="1" name="StayDateRange"
xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon"
/" type="q2:TimeSpan" />
    <xs:element minOccurs="0" maxOccurs="1" name="InventoryItem"
xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon"
/" type="q3:InventoryItemElement" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

HotelReference	element	HotelReference	optional	Hotel reference information.
StayDateRange	element	TimeSpan	optional	The stay date range.
InventoryItem	element	InventoryItemElement	optional	The InventoryItem element.

FetchAvailableItemsResponse

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2008-02-09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>

    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchAvailableItemsResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:6cc5eb3b-a264-4225-a601-83b8625149b6</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:bale1d17-efcc-42fd-8b8b-0b3f492b500f</wsa:RelatesTo>

  </soap:Header>
  <soap:Body>
    <FetchAvailableItemsResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <ItemPackageElements>
        <ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <InventoryItem ItemDate="2009-01-06">
            <ItemCode>HRDR</ItemCode>
            <ItemName>Hair Dryer</ItemName>
            <Description>
              <DescriptiveText>
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                  <TextElement>Hair Dryer</TextElement>
                </Text>
              </DescriptiveText>
            </Description>
            <SellControl>N</SellControl>
          </InventoryItem>
        </ItemGroup>
      </ItemPackageElements>
    </FetchAvailableItemsResponse>
  </soap:Body>
</soap:Envelope>
```

```
        <Quantity>10</Quantity>
        <Available>10</Available>
        <isPackage>>false</isPackage>
        <isChild>>false</isChild>
        <SellSeparate>Y</SellSeparate>
    </InventoryItem>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <InventoryItem ItemDate="2009-01-07">
        <ItemCode>HRDR</ItemCode>
        <ItemName>Hair Dryer</ItemName>
        <Description>
            <DescriptiveText>
                <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                    <TextElement>Hair Dryer</TextElement>
                </Text>
            </DescriptiveText>
        </Description>
        <SellControl>N</SellControl>
        <Quantity>10</Quantity>
        <Available>10</Available>
        <isPackage>>false</isPackage>
        <isChild>>false</isChild>
        <SellSeparate>Y</SellSeparate>
    </InventoryItem>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <InventoryItem ItemDate="2009-01-06">
        <ItemCode>XBED001</ItemCode>
        <ItemName>XBed</ItemName>
        <Description>
            <DescriptiveText>
                <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                    <TextElement>Extra Bed</TextElement>
                </Text>
            </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <Quantity>30</Quantity>
        <Available>30</Available>
        <isPackage>>false</isPackage>
        <isChild>>false</isChild>
        <SellSeparate>Y</SellSeparate>
    </InventoryItem>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <InventoryItem ItemDate="2009-01-07">
        <ItemCode>XBED001</ItemCode>
        <ItemName>XBed</ItemName>
        <Description>
            <DescriptiveText>
```

```
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Extra Bed</TextElement>
        </Text>
        </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <Quantity>30</Quantity>
        <Available>30</Available>
        <isPackage>>false</isPackage>
        <isChild>>false</isChild>
        <SellSeparate>Y</SellSeparate>
        </InventoryItem>
    </ItemGroup>
    <ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <InventoryItem ItemDate="2009-01-06">
            <ItemCode>CRIBXC</ItemCode>
            <ItemName>Crib</ItemName>
            <Description>
                <DescriptiveText>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>Crib</TextElement>
                    </Text>
                </DescriptiveText>
            </Description>
            <SellControl>Y</SellControl>
            <Quantity>10</Quantity>
            <Available>10</Available>
            <isPackage>>false</isPackage>
            <isChild>>false</isChild>
            <SellSeparate>Y</SellSeparate>
        </InventoryItem>
    </ItemGroup>
    <ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <InventoryItem ItemDate="2009-01-07">
            <ItemCode>CRIBXC</ItemCode>
            <ItemName>Crib</ItemName>
            <Description>
                <DescriptiveText>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>Crib</TextElement>
                    </Text>
                </DescriptiveText>
            </Description>
            <SellControl>Y</SellControl>
            <Quantity>10</Quantity>
            <Available>10</Available>
            <isPackage>>false</isPackage>
            <isChild>>false</isChild>
            <SellSeparate>Y</SellSeparate>
        </InventoryItem>
    </ItemGroup>
</ItemPackageElements>
```

```
    </FetchAvailableItemsResponse>
  </soap:Body>
</soap:Envelope>
```

FetchAvailableItemsResponse, by Item, with Packages

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-09T13:26:56.405625-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>

    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchAvailableItemsResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:6464ee5f-2d26-474c-8b7e-63862bce2930</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:d0679a20-ce9c-41f7-aec7-32eaa8eb88ae</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchAvailableItemsResponse
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <ItemPackageElements>
        <ItemGroup
          xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <InventoryItem ItemDate="2008-09-01">
            <ItemCode>CRUISE</ItemCode>
            <ItemName>Sunset Cruise Name Line</ItemName>
            <Description>
              <DescriptiveText>
                <Text
                  xmlns="http://webservices.micros.com/og/4.3/Common/">
                  <TextElement>Sunset Cruise Description Line</TextElement>
                </Text>
              </DescriptiveText>
            </Description>
            <SellControl>Y</SellControl>
            <Quantity>20</Quantity>
            <Available>20</Available>
            <isPackage>true</isPackage>
            <isChild>>false</isChild>
            <SellSeparate>Y</SellSeparate>
          </InventoryItem>
        </ItemGroup>
      </ItemPackageElements>
    </FetchAvailableItemsResponse>
  </soap:Body>
</soap:Envelope>
```

```

        </InventoryItem>
        <Packages>
          <PackageElement packageCode="CRUISE">
            <Amount>20</Amount>
            <Description>
              <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                <TextElement>Sunset Cruise</TextElement>
              </Text>
            </Description>
          </PackageElement>
        </Packages>
      </ItemGroup>
    <ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <InventoryItem ItemDate="2008-09-02">
        <ItemCode>CRUISE</ItemCode>
        <ItemName>Sunset Cruise Name Line</ItemName>
        <Description>
          <DescriptiveText>
            <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
              <TextElement>Sunset Cruise Description
Line</TextElement>
            </Text>
          </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <Quantity>20</Quantity>
        <Available>20</Available>
        <isPackage>true</isPackage>
        <isChild>false</isChild>
        <SellSeparate>Y</SellSeparate>
      </InventoryItem>
    <Packages>
      <PackageElement packageCode="CRUISE">
        <Amount>20</Amount>
        <Description>
          <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Sunset Cruise</TextElement>
          </Text>
        </Description>
      </PackageElement>
    </Packages>
  </ItemGroup>
</ItemPackageElements>
</FetchAvailableItemsResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailableItemsResponse, by Item, without Packages

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>

    <wsa:Action>http://webservicess.micross.com/ows/5.1/Availability.ws
dl#FetchAvailableItemsResponse</wsa:Action>
      <wsa:MessageID>urn:uuid:1acca771-11d5-4eb8-ad93-
9f0c4bdb499b</wsa:MessageID>
      <wsa:RelatesTo>urn:uuid:b65b9b6a-2f1b-4ca8-b558-
08a8f00fb645</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchAvailableItemsResponse
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <ItemPackageElements>
        <ItemGroup
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
          <InventoryItem ItemDate="2008-09-01">
            <ItemCode>CRUISE</ItemCode>
            <ItemName>Sunset Cruise Name Line</ItemName>
            <Description>
              <DescriptiveText>
                <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
                  <TextElement>Sunset Cruise Description
Line</TextElement>
                </Text>
              </DescriptiveText>
            </Description>
            <SellControl>Y</SellControl>
            <Quantity>20</Quantity>
            <Available>20</Available>
            <isPackage>>false</isPackage>
            <isChild>>false</isChild>
            <SellSeparate>Y</SellSeparate>
          </InventoryItem>
        </ItemGroup>
        <ItemGroup
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
          <InventoryItem ItemDate="2008-09-02">
            <ItemCode>CRUISE</ItemCode>
            <ItemName>Sunset Cruise Name Line</ItemName>
            <Description>
              <DescriptiveText>
```

```

        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Sunset Cruise Description
Line</TextElement>
        </Text>
        </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <Quantity>20</Quantity>
        <Available>20</Available>
        <isPackage>>false</isPackage>
        <isChild>>false</isChild>
        <SellSeparate>Y</SellSeparate>
        </InventoryItem>
    </ItemGroup>
</ItemPackageElements>
</FetchAvailableItemsResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailableItemsResponse, by Group, without Packages

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>

        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchAvailableItemsResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:5e3a0acb-7115-4b46-ba4b-
9cefc9a374c</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:5aa6c073-eb4b-497d-9bee-
7ca2faef8f70</wsa:RelatesTo>

    </soap:Header>
    <soap:Body>
        <FetchAvailableItemsResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <ItemPackageElements>
                <ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <InventoryItem ItemDate="2008-09-01">
                        <ItemCode>BOAT</ItemCode>

```

```

        <ItemName>BOAT</ItemName>
        <Description>
            <DescriptiveText>
                <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                    <TextElement>Boat Ticket Sales-
Afternoon</TextElement>
                </Text>
            </DescriptiveText>
        </Description>
        <SellControl>N</SellControl>
        <Quantity>20</Quantity>
        <Available>15</Available>
        <isPackage>>false</isPackage>
        <isChild>>false</isChild>
        <SellSeparate>N</SellSeparate>
    </InventoryItem>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <InventoryItem ItemDate="2008-09-02">
        <ItemCode>BOAT</ItemCode>
        <ItemName>BOAT</ItemName>
        <Description>
            <DescriptiveText>
                <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                    <TextElement>Boat Ticket Sales-
Afternoon</TextElement>
                </Text>
            </DescriptiveText>
        </Description>
        <SellControl>N</SellControl>
        <Quantity>20</Quantity>
        <Available>18</Available>
        <isPackage>>false</isPackage>
        <isChild>>false</isChild>
        <SellSeparate>N</SellSeparate>
    </InventoryItem>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <InventoryItem ItemDate="2008-09-01">
        <ItemCode>J13343</ItemCode>
        <ItemName>Jet Ski- Adult Tickets</ItemName>
        <Description>
            <DescriptiveText>
                <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                    <TextElement>Jet Ski- Adult Tickets
Sales</TextElement>
                </Text>
            </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <Quantity>10</Quantity>
        <Available>9</Available>

```

```
        <isPackage>>false</isPackage>
        <isChild>>true</isChild>
        <SellSeparate>Y</SellSeparate>
    </InventoryItem>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <InventoryItem ItemDate="2008-09-02">
        <ItemCode>J13343</ItemCode>
        <ItemName>Jet Ski- Adult Tickets</ItemName>
        <Description>
            <DescriptiveText>
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>Jet Ski- Adult Tickets
Sales</TextElement>
                </Text>
            </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <Quantity>10</Quantity>
        <Available>10</Available>
        <isPackage>>false</isPackage>
        <isChild>>true</isChild>
        <SellSeparate>Y</SellSeparate>
    </InventoryItem>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <InventoryItem ItemDate="2008-09-01">
        <ItemCode>B13341</ItemCode>
        <ItemName>Boat- Adult Tickets</ItemName>
        <Description>
            <DescriptiveText>
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>Boat- Adult Tickets
Sale</TextElement>
                </Text>
            </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <Quantity>15</Quantity>
        <Available>13</Available>
        <isPackage>>false</isPackage>
        <isChild>>true</isChild>
        <SellSeparate>Y</SellSeparate>
    </InventoryItem>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <InventoryItem ItemDate="2008-09-02">
        <ItemCode>B13341</ItemCode>
        <ItemName>Boat- Adult Tickets</ItemName>
        <Description>
            <DescriptiveText>
```

```
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
        <TextElement>Boat- Adult Tickets
Sale</TextElement>
        </Text>
        </DescriptiveText>
</Description>
<SellControl>Y</SellControl>
<Quantity>15</Quantity>
<Available>14</Available>
<isPackage>>false</isPackage>
<isChild>>true</isChild>
<SellSeparate>Y</SellSeparate>
</InventoryItem>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
<InventoryItem ItemDate="2008-09-01">
<ItemCode>B13342</ItemCode>
<ItemName>Boat- Children Tickets</ItemName>
<Description>
<DescriptiveText>
<Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
<TextElement>Boat- Children Tickets
Sales</TextElement>
</Text>
</DescriptiveText>
</Description>
<SellControl>Y</SellControl>
<Quantity>20</Quantity>
<Available>15</Available>
<isPackage>>false</isPackage>
<isChild>>true</isChild>
<SellSeparate>Y</SellSeparate>
</InventoryItem>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
<InventoryItem ItemDate="2008-09-02">
<ItemCode>B13342</ItemCode>
<ItemName>Boat- Children Tickets</ItemName>
<Description>
<DescriptiveText>
<Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
<TextElement>Boat- Children Tickets
Sales</TextElement>
</Text>
</DescriptiveText>
</Description>
<SellControl>Y</SellControl>
<Quantity>20</Quantity>
<Available>18</Available>
<isPackage>>false</isPackage>
<isChild>>true</isChild>
<SellSeparate>Y</SellSeparate>
```

```

        </InventoryItem>
      </ItemGroup>
    </ItemPackageElements>
  </FetchAvailableItemsResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailableItemsResponse with Booked Inventory Items Outside of Stay Dates

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2008-02-09T13:26:56.405625-05:00" primaryLangID="E"
      xmlns="http://webservicesservices.micross.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>

    <wsa:Action>http://webservicesservices.micross.com/ows/5.1/Availability.wsdll#FetchAvailableItemsResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:7ece62d2-f465-4507-8d36-8d6dfbf3d61f</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:3f6ce039-c673-4264-a70c-71558d50611a</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchAvailableItemsResponse
      xmlns="http://webservicesservices.micross.com/ows/5.1/Availability.wsdll">
      <Result resultStatusFlag="SUCCESS"/>
      <InventoryItems>
        <Item
          xmlns="http://webservicesservices.micross.com/og/4.3/HotelCommon/">
          <InventoryItem ItemBeginDate="2013-06-17"
            isPackage="false" isChild="false" ItemDate="2013-06-17"
            isOutsideStayDate="true">
            <ItemCode>BIKEJ12</ItemCode>
            <ItemName>Bikes Junior</ItemName>
            <Description>
              <Text
                xmlns="http://webservicesservices.micross.com/og/4.3/Common/">
                <TextElement>Bikes Junior 12</TextElement>
              </Text>
            </Description>
            <SellControl>Y</SellControl>
            <SellSeparate>Y</SellSeparate>
          </Item>
        </InventoryItems>
      </FetchAvailableItemsResponse>
    </soap:Body>
  </soap:Envelope>

```

```
        <Quantity>10</Quantity>
        <Available>10</Available>
        <ItemDuration>2</ItemDuration>
    </InventoryItem>
</Item>
<Item
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <InventoryItem ItemBeginDate="2013-06-18"
isPackage="false" isChild="false" ItemDate="2013-06-18"
isOutsideStayDate="true">
        <ItemCode>BIKEJ12</ItemCode>
        <ItemName>Bikes Junior</ItemName>
        <Description>
            <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                <TextElement>Bikes Junior 12"</TextElement>
            </Text>
        </Description>
        <SellControl>Y</SellControl>
        <SellSeparate>Y</SellSeparate>
        <Quantity>10</Quantity>
        <Available>10</Available>
        <ItemDuration>2</ItemDuration>
    </InventoryItem>
</Item>
<Item
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <InventoryItem ItemBeginDate="2013-06-17"
isPackage="false" isChild="false" ItemDate="2013-06-17"
isOutsideStayDate="false">
        <ItemCode>BIKEA17</ItemCode>
        <ItemName>Bikes Adult 17"</ItemName>
        <Description>
            <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                <TextElement>Bikes Adult 17
inches</TextElement>
            </Text>
        </Description>
        <SellControl>Y</SellControl>
        <SellSeparate>Y</SellSeparate>
        <Quantity>10</Quantity>
        <Available>9</Available>
    </InventoryItem>
</Item>
<Item
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <InventoryItem ItemBeginDate="2013-06-18"
isPackage="false" isChild="false" ItemDate="2013-06-18"
isOutsideStayDate="false">
        <ItemCode>BIKEA17</ItemCode>
        <ItemName>Bikes Adult 17"</ItemName>
        <Description>
            <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                <TextElement>Bikes Adult 17
inches</TextElement>
```

```

        </Text>
    </Description>
    <SellControl>Y</SellControl>
    <SellSeparate>Y</SellSeparate>
    <Quantity>10</Quantity>
    <Available>9</Available>
</InventoryItem>
</Item>
<Item
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <InventoryItem ItemBeginDate="2013-06-17"
isPackage="false" isChild="false" ItemDate="2013-06-17"
isOutSideStayDate="false">
        <ItemCode>MOTORB</ItemCode>
        <ItemName>Motorized Bikes</ItemName>
        <Description>
            <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                <TextElement>Motorized Bikes</TextElement>
            </Text>
        </Description>
        <SellControl>N</SellControl>
        <SellSeparate>Y</SellSeparate>
        <Quantity>10</Quantity>
        <Available>8</Available>
    </InventoryItem>
</Item>
<Item
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <InventoryItem ItemBeginDate="2013-06-18"
isPackage="false" isChild="false" ItemDate="2013-06-18"
isOutSideStayDate="false">
        <ItemCode>MOTORB</ItemCode>
        <ItemName>Motorized Bikes</ItemName>
        <Description>
            <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                <TextElement>Motorized Bikes</TextElement>
            </Text>
        </Description>
        <SellControl>N</SellControl>
        <SellSeparate>Y</SellSeparate>
        <Quantity>10</Quantity>
        <Available>8</Available>
    </InventoryItem>
</Item>
</InventoryItems>
</FetchAvailableItemsResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailableItemsResponse

```

<xs:complexType name="FetchAvailableItemsResponse">
    <xs:sequence>

```

```

    <xs:element minOccurs="0" maxOccurs="1" name="Result"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
        /" type="q1:GDSResultStatus" />
    <xs:element minOccurs="0" maxOccurs="1" name="InventoryItems"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon
        /" type="q2:ArrayOfItemElement" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Result	element	GDSResultStatus	optional	The standard result object.
InventoryItems	element	ArrayOfItemElement	optional	Details of the available inventory items.

4 FetchAvailablePackages

Retrieves a list of available add-on packages and package groups by date. The user should provide at least a date range and hotel criteria. Confirmation identifier, leg confirmation identifier, number of rooms, child ages, and counts of adults and children are also allowed.

If the Sell Separate checkbox is selected on the Package Groups screen (the package group can be selected at the reservation level rather than being available only via the rate code), the FetchAvailablePackages function can handle package groups in addition to packages.

Soap Action:

<http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchAvailablePackages>

FetchAvailablePackagesRequest

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2008-12-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchAvailablePackagesRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC" hotelCode="SEFIVE" />
      <StayDateRange>
        <hc:StartDate>2009-01-16T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2009-01-18T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>1</NumberOfRooms>
      <NumberOfAdults>1</NumberOfAdults>
      <NumberOfChildren>0</NumberOfChildren>
    </FetchAvailablePackagesRequest>
  </soap:Body>
</soap:Envelope>
```

FetchAvailablePackagesRequest with ChildAges

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" primaryLangID="ES"
timeStamp="2008-05-06T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="ASP" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchAvailablePackagesRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
      <StayDateRange>
        <hc:StartDate>2008-12-
19T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2008-12-22T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>2</NumberOfRooms>
      <NumberOfAdults>2</NumberOfAdults>
      <NumberOfChildren>2</NumberOfChildren>
      <ChildAges>
        <ChildAge age="5"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <ChildAge age="8"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
            </ChildAges>
          </FetchAvailablePackagesRequest>
        </soap:Body>
      </soap:Envelope>
```

FetchAvailablePackagesRequest for Package Details

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="023876863" timeStamp="2009-
06-24T15:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="WEST" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchAvailablePackagesRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
      <StayDateRange>
        <hc:StartDate>2008-12-
19T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2008-12-22T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>2</NumberOfRooms>
      <NumberOfAdults>2</NumberOfAdults>
      <NumberOfChildren>2</NumberOfChildren>
      <ChildAges>
        <ChildAge age="5"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <ChildAge age="8"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
            </ChildAges>
          </FetchAvailablePackagesRequest>
        </soap:Body>
      </soap:Envelope>
```

```

        </OGHeader>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
                <StayDateRange>
                    <hc:StartDate>2009-06-25</hc:StartDate>
                    <hc:EndDate>2009-07-06</hc:EndDate>
                </StayDateRange>
                <NumberOfAdults>1</NumberOfAdults>
                <NumberOfRooms>1</NumberOfRooms>
                <NumberOfChildren>1</NumberOfChildren>
            </FetchAvailablePackagesRequest>
    </soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesRequest for Total Deposit Amount

For the total deposit amount functionality to be available, Advanced Package Handling must be selected in Channel Setup. For more information, see Channel Setup in online help.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="d28121be-3dbf-411d-aef4-
6d58895441b0" timeStamp="2009-10-15T20:06:13.8125+02:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="WEST" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesRequest
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
                <StayDateRange>
                    <StartDate
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">2010-
06-15T00:00:00</StartDate>
                    <EndDate
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">2010-
06-17T00:00:00</EndDate>
                </StayDateRange>
                <NumberOfAdults>1</NumberOfAdults>
                <NumberOfChildren>0</NumberOfChildren>
                <RateCode>ABC</RateCode>
            </FetchAvailablePackagesRequest>
    </soap:Body>
</soap:Envelope>

```

```

        <GuaranteeCode>CC</GuaranteeCode>
    </FetchAvailablePackagesRequest>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesRequest with Language Translation

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000035" primaryLangID="DE"
timeStamp="2008-12-09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
            <StayDateRange>
                <hc:StartDate>2010-09-
22T00:00:00.0000000-05:00</hc:StartDate>
                <hc:EndDate>2010-09-23T00:00:00.0000000-
05:00</hc:EndDate>
            </StayDateRange>
            <NumberOfRooms>1</NumberOfRooms>
            <NumberOfAdults>1</NumberOfAdults>
            <NumberOfChildren>0</NumberOfChildren>
        </FetchAvailablePackagesRequest>
    </soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesRequest with Channel Validation (HCP parameter) = True

In webhotel (HCP) Site Manager go to the Site Settings tab, select Manage Sites. Select the Back End settings for the site and then select the Details tab. There is the "Channel Validation Required" parameter when this is checked.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>

```

```

    <OGHeader primaryLangID="EN" timeStamp="2012-11-
01T09:02:09.821-04:00" transactionID="c0915c9b-c7cb-44ad-836b-
ad0fa013b62e" channelValidation="true"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
    <Origin entityID="O2G" systemType="O2G" />
    <Destination entityID="O2G" systemType="ORS" />
    <Authentication>
        <UserCredentials>
            <UserName>CASINO</UserName>
            <UserPassword>CASINO</UserPassword>
            <Domain />
        </UserCredentials>
    </Authentication>
</OGHeader>
</soap:Header>
<soap:Body>
    <FetchAvailablePackagesRequest
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl"
xmlns:hot="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <HotelReference chainCode="CHA" hotelCode="CASINO" />
    <StayDateRange>
        <hot:StartDate>2012-10-30</hot:StartDate>
        <hot:EndDate>2012-10-31</hot:EndDate>
    </StayDateRange>
    <NumberOfRooms>1</NumberOfRooms>
    <NumberOfAdults>1</NumberOfAdults>
    <NumberOfChildren>0</NumberOfChildren>
    <RateCode>SANNA</RateCode>
    <ReturnPackagesIncludedInRate>Y</ReturnPackagesIncludedInRa
te>
    </FetchAvailablePackagesRequest>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesRequest with Channel Validation (HCP parameter) = False

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader primaryLangID="EN" timeStamp="2012-11-
01T09:02:09.821-04:00" transactionID="c0915c9b-c7cb-44ad-836b-
ad0fa013b62e" channelValidation="false"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
            <Origin entityID="O2G" systemType="O2G" />
            <Destination entityID="O2G" systemType="ORS" />
            <Authentication>
                <UserCredentials>
                    <UserName>CASINO</UserName>
                    <UserPassword>CASINO</UserPassword>
                    <Domain />
                </UserCredentials>
            </Authentication>
        </OGHeader>
    </soap:Header>

```

```

        </UserCredentials>
    </Authentication>
</OGHeader>
</soap:Header>
<soap:Body>
    <FetchAvailablePackagesRequest
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl"
xmlns:hot="http://webservicess.micross.com/og/4.3/HotelCommon/">
        <HotelReference chainCode="CHA" hotelCode="CASINO" />
        <StayDateRange>
            <hot:StartDate>2012-10-30</hot:StartDate>
            <hot:EndDate>2012-10-31</hot:EndDate>
        </StayDateRange>
        <NumberOfRooms>1</NumberOfRooms>
        <NumberOfAdults>1</NumberOfAdults>
        <NumberOfChildren>0</NumberOfChildren>
        <RateCode>SANNA</RateCode>
        <ReturnPackagesIncludedInRate>Y</ReturnPackagesIncludedInRate>
    </FetchAvailablePackagesRequest>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesRequest

```

<xs:complexType name="FetchAvailablePackagesRequest">
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1" name="HotelReference"
            xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon/"
            type="q1:HotelReference" />
        <xs:element minOccurs="0" maxOccurs="1"
            name="ConfirmationNumber"
            xmlns:q2="http://webservicess.micross.com/og/4.3/Common/"
            type="q2:UniqueID" />
        <xs:element minOccurs="0" maxOccurs="1" name="LegNumber"
            xmlns:q3="http://webservicess.micross.com/og/4.3/Common/"
            type="q3:UniqueID" />
        <xs:element minOccurs="0" maxOccurs="1" name="StayDateRange"
            xmlns:q4="http://webservicess.micross.com/og/4.3/HotelCommon/"
            type="q4:TimeSpan" />
        <xs:element minOccurs="0" maxOccurs="1" name="NumberOfRooms"
            type="xs:int" />
        <xs:element minOccurs="0" maxOccurs="1" name="NumberOfAdults"
            type="xs:int" />
        <xs:element minOccurs="0" maxOccurs="1"
            name="NumberOfChildren" type="xs:int" />
        <xs:element minOccurs="0" maxOccurs="1" name="ChildAges"
            xmlns:q5="http://webservicess.micross.com/ows/5.1/Availability.wsdl"
            type="q5:ArrayOfChildAge" />
    </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

HotelReference	element	HotelReference	optional	Used to provide the specific chain and resort to include in the query.
ConfirmationNumber	element	UniqueID	optional	A UniqueID representation of the confirmation ID to be included in the query.
LegNumber	element	UniqueID	optional	A UniqueID representation of the confirmation ID for a sub-level booking to be queried.
StayDateRange	element	TimeSpan	optional	Indicates the date range for the query.
NumberOfRooms	element	int	optional	The number of rooms available at the moment of the transaction.
NumberOfAdults	element	int	optional	The number of adults in the room.
NumberOfChildren	element	int	optional	The number of children in the room.
ChildAges	element	ArrayOfChildAge	optional	A collection of ChildAge elements.

FetchAvailablePackagesResponse

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2008-12-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
  </soap:Header>
</soap:Envelope>
```

```
</OGHeader>
<wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:c91ca666-9cbb-46f8-8e88-
a86e6a212d39</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:a0b8ef92-0f8b-415d-b9ac-
b6a9bb09350c</wsa:RelatesTo>

<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
</soap:Header>
<soap:Body>
  <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <Result resultStatusFlag="SUCCESS" />
    <PackageElements>
      <Package packageCode="APKG"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">20</Amount>
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Andrea's Package</TextElement>
          </Text>
        </Description>
      </Package>
      <Package packageCode="BB"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">30</Amount>
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>B&amp;B Breakfast Value
Pkg.</TextElement>
          </Text>
        </Description>
      </Package>
      <Package packageCode="BED"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">74</Amount>
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Includes: BB Breakfast, PV Valet
Parking</TextElement>
          </Text>
        </Description>
      </Package>
      <Package packageCode="CONT"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">12</Amount>
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Continental Breakfast for
2</TextElement>
          </Text>
        </Description>
      </Package>
    </PackageElements>
  </FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>
```

```
        </Description>
    </Package>
    <Package packageCode="CRIB"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD">14</Amount>
    <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Baby Crib</TextElement>
    </Text>
    </Description>
</Package>
    <Package packageCode="DENTYNE"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD">0</Amount>
    <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Dentyne Gum</TextElement>
    </Text>
    </Description>
</Package>
    <Package packageCode="DENTYNE2"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD">20</Amount>
    <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Dentyne Gum#2</TextElement>
    </Text>
    </Description>
</Package>
    <Package packageCode="FLATARRVIE"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD">10</Amount>
    <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Flat rate arrival</TextElement>
    </Text>
    </Description>
</Package>
    <Package packageCode="FLATEVERY"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD">20</Amount>
    <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Flat Rate Every Night</TextElement>
    </Text>
    </Description>
</Package>
    <Package packageCode="FLATLAST"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD">10</Amount>
    <Description>
```

```
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Flat Rate Last Night</TextElement>
        </Text>
    </Description>
</Package>
<Package packageCode="FREEL"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD">10</Amount>
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat Rate Every Night Except
Last</TextElement>
            </Text>
        </Description>
    </Package>
    <Package packageCode="GOLF"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">50</Amount>
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>Golf Pkg</TextElement>
            </Text>
        </Description>
    </Package>
    <Package packageCode="GROUPC"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">20</Amount>
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>GROUP CRIB</TextElement>
            </Text>
        </Description>
    </Package>
    <Package packageCode="GROUPE"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">20</Amount>
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>GROUP FUN</TextElement>
            </Text>
        </Description>
    </Package>
    <Package packageCode="ITEM ATTACHED"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">20</Amount>
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>ITEM ATTACHED</TextElement>
            </Text>
        </Description>
    </Package>
```

```
        <Package packageCode="ITEM NOT ATTACHED"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">40</Amount>
        <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>ITEM NOT ATTACHED</TextElement>
        </Text>
        </Description>
        </Package>
        <Package packageCode="MGM"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">110</Amount>
        <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>mgm</TextElement>
        </Text>
        </Description>
        </Package>
        <Package packageCode="PAEN"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">20</Amount>
        <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Per Adult Every Night</TextElement>
        </Text>
        </Description>
        </Package>
        <Package packageCode="PERCHILD"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">0</Amount>
        <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>per child every night</TextElement>
        </Text>
        </Description>
        </Package>
        <Package packageCode="PERPERSON"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">20</Amount>
        <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>per person every night</TextElement>
        </Text>
        </Description>
        </Package>
        <Package packageCode="PERROOM"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD">20</Amount>
        <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>per room</TextElement>
```

```
        </Text>
      </Description>
    </Package>
    <Package packageCode="PV"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Amount currencyCode="USD">30</Amount>
      <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
          <TextElement>Valet Parking Charge</TextElement>
        </Text>
      </Description>
    </Package>
    <Package packageCode="RAC"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Amount currencyCode="USD">396</Amount>
      <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
          <TextElement>rac products</TextElement>
        </Text>
      </Description>
    </Package>
    <Package packageCode="ROLLAWAY"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Amount currencyCode="USD">10</Amount>
      <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
          <TextElement>RW Rollaway</TextElement>
        </Text>
      </Description>
    </Package>
    <Package packageCode="ROMANCE"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Amount currencyCode="USD">53</Amount>
      <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
          <TextElement>Romance bev and food pkg</TextElement>
        </Text>
      </Description>
    </Package>
    <Package packageCode="RW"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Amount currencyCode="USD">20</Amount>
      <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
          <TextElement>Rollaway Bed Charge</TextElement>
        </Text>
      </Description>
    </Package>
    <Package packageCode="SAT"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Amount currencyCode="MXN">0</Amount>
      <Description>
```

```

        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
        <TextElement>HUMBOLT SQUID</TextElement>
    </Text>
    </Description>
</Package>
<Package packageCode="TOURPPADULT"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD">0</Amount>
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>TOURPPADULT</TextElement>
        </Text>
    </Description>
</Package>
</PackageElements>
</FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse when postingRhythm="A"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="023876863" timeStamp="2009-06-
24T16:26:56.405625-04:00" primaryLangID="E"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
    <wsa:Action>http://webservicess.micross.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:30185fd1-4d59-4038-b3ae-
5bc9cb570e3d</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:4cdeebc1-64f7-4751-a3a1-
7018ea8bb5ce</wsa:RelatesTo>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesResponse
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <PackageElements>
                <Package packageCode="APKG" calculationRule="A"
postingRhythm="A" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"

```

```
startTime="09:00:00.0000000-04:00" endTime="14:00:00.0000000-04:00" xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Andrea's Packages</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-07</StartDate>
      <EndDate>2009-07-07</EndDate>
      <Allowance currencyCode="USD"
decimals="2">17</Allowance>
      <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-08</StartDate>
      <EndDate>2009-07-20</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="BB" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>B&B Breakfast Value
Pkg.</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-07</StartDate>
      <EndDate>2009-07-20</EndDate>
      <Allowance currencyCode="CAD"
decimals="2">20</Allowance>
      <Amount currencyCode="CAD" decimals="2">0</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="BED" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Includes: BB Breakfast, PV Valet
Parking</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-07</StartDate>
      <EndDate>2009-07-20</EndDate>
      <Allowance currencyCode="USD"
decimals="2">20</Allowance>
```

```
        <Amount currencyCode="USD" decimals="2">29</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CHAMP" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>champagne</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CONT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Continental Breakfast for
2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">6</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CRIB" calculationRule="P"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Baby Crib</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">14</Amount>
    </PackageDetails>
```

```
        </Package>
        <Package packageCode="DENTYNE" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
        <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
        <TextElement>Dentyne Gum</TextElement>
        </Text>
        </Description>
        <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
        </Package>
        <Package packageCode="DENTYNE2" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
        <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
        <TextElement>Dentyne Gum#2</TextElement>
        </Text>
        </Description>
        <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
        </Package>
        <Package packageCode="ELTON JOHN TICKETS"
calculationRule="F" postingRhythm="A" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
        <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
        <TextElement>ELTON JOHN TICKETS</TextElement>
        </Text>
        </Description>
        <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">75</Amount>
        </PackageDetails>
        <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATARRVIE" calculationRule="F"
postingRhythm="A" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Flat rate arrival</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATEVERY" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Flat Rate Every Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATLAST" calculationRule="F"
postingRhythm="V" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Flat Rate Last Night</TextElement>
        </Text>
```

```
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-19</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">0</Amount>
        </PackageDetails>
        <PackageDetails>
          <StartDate>2009-07-20</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="FREEL" calculationRule="F"
postingRhythm="L" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat Rate Every Night Except
Last</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-19</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
        <PackageDetails>
          <StartDate>2009-07-20</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">0</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="GOLF" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Golf Pkg</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
```

```
        <Amount currencyCode="USD" decimals="2">25</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>GROUP CRIB</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>GROUP FUN</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ITEM ATTACHED" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>ITEM ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
```

```
<Package packageCode="ITEM NOT ATTACHED"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>ITEM NOT ATTACHED</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">20</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="LDIST" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Long Distance Calls</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="MGM" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>mgm</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">80</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
```

```
        <Amount currencyCode="USD" decimals="2">70</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PAEN" calculationRule="A"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Per Adult Every Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERCHILD" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per child every night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERPERSON" calculationRule="P"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per person every night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
</Package>
```

```
<Package packageCode="PERROOM" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>per room</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="PV" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Valet Parking Charge</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">15</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="RAC" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>rac products</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-08</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">198</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-09</StartDate>
    <EndDate>2009-07-09</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
```

```
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-10</StartDate>
        <EndDate>2009-07-11</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-12</StartDate>
        <EndDate>2009-07-12</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-13</StartDate>
        <EndDate>2009-07-14</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-15</StartDate>
        <EndDate>2009-07-15</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-16</StartDate>
        <EndDate>2009-07-17</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-18</StartDate>
        <EndDate>2009-07-18</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-19</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ROLLAWAY" calculationRule="F"
postingRhythm="A" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
```

```
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
        <TextElement>RW Rollaway</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ROMANCE" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
        <TextElement>Romance bev and food pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">53</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="RW" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
        <TextElement>Rollaway Bed Charge</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
```

```

        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="SAT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>HUMBOLT SQUID</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="MXN"
decimals="2">0</Allowance>
        <Amount currencyCode="MXN" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="TOURPPADULT" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>TOURPPADULT</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="MXN"
decimals="2">1</Allowance>
        <Amount currencyCode="MXN" decimals="2">2.5</Amount>
    </PackageDetails>
</Package>
</PackageElements>
</FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse when postingRhythm="C0101011011000"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

```

```
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="023876863" timeStamp="2009-06-
24T16:26:56.405625-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
  <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:c968d666-4469-4c07-8d33-
f4e7eed66d23</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:222f0998-1093-41fb-8a3e-
a39472e791d5</wsa:RelatesTo>

  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <PackageElements>
        <Package packageCode="APKG" calculationRule="A"
postingRhythm="C01010110110000" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
startTime="09:00:00.0000000-04:00" endTime="14:00:00.0000000-
04:00" xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
              <TextElement>Andrea's Packages</TextElement>
            </Text>
          </Description>
          <PackageDetails>
            <StartDate>2009-07-06</StartDate>
            <EndDate>2009-07-06</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">0</Amount>
          </PackageDetails>
          <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-07</EndDate>
            <Allowance currencyCode="USD"
decimals="2">15</Allowance>
            <Amount currencyCode="USD" decimals="2">15</Amount>
          </PackageDetails>
          <PackageDetails>
            <StartDate>2009-07-08</StartDate>
            <EndDate>2009-07-08</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">0</Amount>
          </PackageDetails>
          <PackageDetails>
            <StartDate>2009-07-08</StartDate>
            <EndDate>2009-07-08</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">0</Amount>
          </PackageDetails>
        </Package>
      </PackageElements>
    </FetchAvailablePackagesResponse>
  </soap:Body>
</soap:Envelope>
```

```
        <StartDate>2009-07-09</StartDate>
        <EndDate>2009-07-09</EndDate>
        <Allowance currencyCode="USD"
decimals="2">20</Allowance>
        <Amount currencyCode="USD" decimals="2">19</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-10</StartDate>
        <EndDate>2009-07-10</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-11</StartDate>
        <EndDate>2009-07-11</EndDate>
        <Allowance currencyCode="USD"
decimals="2">20</Allowance>
        <Amount currencyCode="USD" decimals="2">19</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-12</StartDate>
        <EndDate>2009-07-12</EndDate>
        <Allowance currencyCode="USD"
decimals="2">13</Allowance>
        <Amount currencyCode="USD" decimals="2">13</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-13</StartDate>
        <EndDate>2009-07-13</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-14</StartDate>
        <EndDate>2009-07-15</EndDate>
        <Allowance currencyCode="USD"
decimals="2">22</Allowance>
        <Amount currencyCode="USD" decimals="2">21</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-16</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="BB" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
```

```
                <TextElement>B&amp;B Breakfast Value
Pkg.</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-06</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="CAD"
decimals="2">20</Allowance>
            <Amount currencyCode="CAD" decimals="2">0</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="BED" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>Includes: BB Breakfast, PV Valet
Parking</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-06</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">20</Allowance>
            <Amount currencyCode="USD" decimals="2">29</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="CHAMP" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>champagne</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-06</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="CONT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>Continental Breakfast for
2</TextElement>
```

```
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">6</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CRIB" calculationRule="P"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Baby Crib</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">14</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE2" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum#2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
```

```
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ELTON JOHN TICKETS"
calculationRule="F" postingRhythm="A" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>ELTON JOHN TICKETS</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-06</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">75</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATARRVIE" calculationRule="F"
postingRhythm="A" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Flat rate arrival</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-06</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
```

```
<Package packageCode="FLATEVERY" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Flat Rate Every Night</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="FLATLAST" calculationRule="F"
postingRhythm="V" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Flat Rate Last Night</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-19</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-20</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="FREEL" calculationRule="F"
postingRhythm="L" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Flat Rate Every Night Except
Last</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-19</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GOLF" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Golf Pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">25</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPC" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP CRIB</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP FUN</TextElement>
        </Text>
```

```
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="ITEM ATTACHED" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM ATTACHED</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="ITEM NOT ATTACHED"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM NOT ATTACHED</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">20</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="LDIST" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Long Distance Calls</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
```

```
<EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
</Package>
  <Package packageCode="MGM" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
      <TextElement>mgm</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-06</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">80</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">70</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="PAEN" calculationRule="A"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
      <TextElement>Per Adult Every Night</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="PERCHILD" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
      <TextElement>per child every night</TextElement>
    </Text>
```

```
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="PERPERSON" calculationRule="P"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per person every night</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">20</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="PERROOM" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per room</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="PV" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Valet Parking Charge</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
```

```
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="RAC" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>rac products</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-08</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-09</StartDate>
        <EndDate>2009-07-10</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-11</StartDate>
        <EndDate>2009-07-11</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-12</StartDate>
        <EndDate>2009-07-13</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-14</StartDate>
        <EndDate>2009-07-14</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
```

```
<PackageDetails>
  <StartDate>2009-07-15</StartDate>
  <EndDate>2009-07-16</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-17</StartDate>
  <EndDate>2009-07-17</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-18</StartDate>
  <EndDate>2009-07-19</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-20</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
</Package>
  <Package packageCode="ROLLAWAY" calculationRule="F"
postingRhythm="A" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>RW Rollaway</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-06</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="ROMANCE" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
<Description>
  <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Romance bev and food pkg</TextElement>
  </Text>
</Description>
<PackageDetails>
  <StartDate>2009-07-06</StartDate>
  <EndDate>2009-07-06</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">53</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-07</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
</Package>
<Package packageCode="RW" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Rollaway Bed Charge</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
<Package packageCode="SAT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>HUMBOLT SQUID</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="MXN"
decimals="2">0</Allowance>
    <Amount currencyCode="MXN" decimals="2">0</Amount>
  </PackageDetails>
</Package>
```

```

        <Package packageCode="TOURPPADULT" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
        <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
        <TextElement>TOURPPADULT</TextElement>
        </Text>
        </Description>
        <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="MXN"
decimals="2">1</Allowance>
        <Amount currencyCode="MXN" decimals="2">2.5</Amount>
        </PackageDetails>
        </Package>
        </PackageElements>
        </FetchAvailablePackagesResponse>
    </soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse when postingRhythm="D"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="023876863" timeStamp="2009-06-
24T16:26:56.405625-04:00" primaryLangID="E"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
        <Origin entityID="WEST" systemType="ORS" />
        <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
    <wsa:Action>http://webservicess.micross.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:513a15d8-ec8e-4815-9222-
d13b3c422db2</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:60b66be3-0325-4f96-b3eb-
7a377b7cff85</wsa:RelatesTo>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesResponse
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
        <Result resultStatusFlag="SUCCESS" />
        <PackageElements>
            <Package packageCode="APKG" calculationRule="A"
postingRhythm="D" includedInRate="true"

```

```
addRateSeperateLine="false" addRateCombinedLine="false"
startTime="09:00:00.0000000-04:00" endTime="14:00:00.0000000-
04:00" xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Andrea's Packages</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-07</StartDate>
      <EndDate>2009-07-08</EndDate>
      <Allowance currencyCode="USD"
decimals="2">17</Allowance>
      <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-09</StartDate>
      <EndDate>2009-07-11</EndDate>
      <Allowance currencyCode="USD"
decimals="2">21</Allowance>
      <Amount currencyCode="USD" decimals="2">19</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-12</StartDate>
      <EndDate>2009-07-12</EndDate>
      <Allowance currencyCode="USD"
decimals="2">15</Allowance>
      <Amount currencyCode="USD" decimals="2">13</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-13</StartDate>
      <EndDate>2009-07-15</EndDate>
      <Allowance currencyCode="USD"
decimals="2">23</Allowance>
      <Amount currencyCode="USD" decimals="2">21</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-16</StartDate>
      <EndDate>2009-07-20</EndDate>
      <Allowance currencyCode="USD"
decimals="2">26</Allowance>
      <Amount currencyCode="USD" decimals="2">24</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="BB" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
      <Text
        xmlns="http://webservices.micros.com/og/4.3/Common/">
          <TextElement>B&B Breakfast Value
Pkg.</TextElement>
        </Text>
      </Description>
    </PackageDetails>
```

```
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="CAD"
decimals="2">20</Allowance>
        <Amount currencyCode="CAD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="BED" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Includes: BB Breakfast, PV Valet
Parking</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">20</Allowance>
        <Amount currencyCode="USD" decimals="2">29</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CHAMP" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>champagne</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CONT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Continental Breakfast for
2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">6</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CRIB" calculationRule="P"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Baby Crib</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">14</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE2" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum#2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
```

```
        </PackageDetails>
    </Package>
    <Package packageCode="ELTON JOHN TICKETS"
calculationRule="F" postingRhythm="A" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ELTON JOHN TICKETS</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">75</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATARRVIE" calculationRule="F"
postingRhythm="A" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat rate arrival</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATEVERY" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
```

```
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
        <TextElement>Flat Rate Every Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="FLATLAST" calculationRule="F"
postingRhythm="V" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
        <TextElement>Flat Rate Last Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-19</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="FREEL" calculationRule="F"
postingRhythm="L" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
        <TextElement>Flat Rate Every Night Except
Last</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-19</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
```

```
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GOLF" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Golf Pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">25</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP CRIB</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP FUN</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ITEM ATTACHED" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ITEM NOT ATTACHED"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM NOT ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="LDIST" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Long Distance Calls</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
```

```
        </PackageDetails>
    </Package>
    <Package packageCode="MGM" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>mgm</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">80</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">70</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PAEN" calculationRule="A"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Per Adult Every Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERCHILD" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>per child every night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERPERSON" calculationRule="P"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>per person every night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERROOM" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>per room</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PV" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Valet Parking Charge</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">15</Amount>
```

```
        </PackageDetails>
    </Package>
    <Package packageCode="RAC" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>rac products</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-08</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-09</StartDate>
        <EndDate>2009-07-09</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-10</StartDate>
        <EndDate>2009-07-11</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-12</StartDate>
        <EndDate>2009-07-12</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-13</StartDate>
        <EndDate>2009-07-14</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-15</StartDate>
        <EndDate>2009-07-15</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-16</StartDate>
        <EndDate>2009-07-17</EndDate>
```

```
<Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-18</StartDate>
  <EndDate>2009-07-18</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-19</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
</Package>
  <Package packageCode="ROLLAWAY" calculationRule="F"
postingRhythm="A" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>RW Rollaway</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="ROMANCE" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Romance bev and food pkg</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">53</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="RW" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Rollaway Bed Charge</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="SAT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>HUMBOLT SQUID</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="MXN"
decimals="2">0</Allowance>
        <Amount currencyCode="MXN" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="TOURPPADULT" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>TOURPPADULT</TextElement>
        </Text>
```

```

        </Description>
        <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="MXN"
decimals="2">1</Allowance>
            <Amount currencyCode="MXN" decimals="2">2.5</Amount>
        </PackageDetails>
    </Package>
</PackageElements>
</FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse when postingRhythm="F"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="023876863" timeStamp="2009-06-
24T16:26:56.405625-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:c1fa1c5a-c29e-46fc-91f2-
24584e30e3a8</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:c617e114-b5b0-48e3-9efb-
1cd859f70fd1</wsa:RelatesTo>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <PackageElements>
                <Package packageCode="APKG" calculationRule="A"
postingRhythm="F" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
startTime="09:00:00.0000000-04:00" endTime="14:00:00.0000000-
04:00" xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Description>
                        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                            <TextElement>Andrea's Packages</TextElement>
                        </Text>
                    </Description>

```

```
<PackageDetails>
  <StartDate>2009-07-07</StartDate>
  <EndDate>2009-07-07</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-08</StartDate>
  <EndDate>2009-07-08</EndDate>
  <Allowance currencyCode="USD"
decimals="2">17</Allowance>
  <Amount currencyCode="USD" decimals="2">15</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-09</StartDate>
  <EndDate>2009-07-11</EndDate>
  <Allowance currencyCode="USD"
decimals="2">21</Allowance>
  <Amount currencyCode="USD" decimals="2">19</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-12</StartDate>
  <EndDate>2009-07-12</EndDate>
  <Allowance currencyCode="USD"
decimals="2">15</Allowance>
  <Amount currencyCode="USD" decimals="2">13</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-13</StartDate>
  <EndDate>2009-07-15</EndDate>
  <Allowance currencyCode="USD"
decimals="2">23</Allowance>
  <Amount currencyCode="USD" decimals="2">21</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-16</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">26</Allowance>
  <Amount currencyCode="USD" decimals="2">24</Amount>
</PackageDetails>
</Package>
<Package packageCode="BB" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>B&B Breakfast Value
Pkg.</TextElement>
    </Text>
  </Description>
<PackageDetails>
  <StartDate>2009-07-07</StartDate>
  <EndDate>2009-07-20</EndDate>
```

```
        <Allowance currencyCode="CAD"
decimals="2">20</Allowance>
        <Amount currencyCode="CAD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="BED" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Includes: BB Breakfast, PV Valet
Parking</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">20</Allowance>
        <Amount currencyCode="USD" decimals="2">29</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CHAMP" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>champagne</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CONT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Continental Breakfast for
2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
```

```
        <Amount currencyCode="USD" decimals="2">6</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CRIB" calculationRule="P"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Baby Crib</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">14</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE2" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum#2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
```

```
<Package packageCode="ELTON JOHN TICKETS"
calculationRule="F" postingRhythm="A" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>ELTON JOHN TICKETS</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">75</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="FLATARRVIE" calculationRule="F"
postingRhythm="A" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Flat rate arrival</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="FLATEVERY" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/">
```

```
        <TextElement>Flat Rate Every Night</TextElement>
    </Text>
</Description>
<PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
</PackageDetails>
</Package>
<Package packageCode="FLATLAST" calculationRule="F"
postingRhythm="V" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Flat Rate Last Night</TextElement>
    </Text>
</Description>
<PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-19</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-20</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
</PackageDetails>
</Package>
<Package packageCode="FREEL" calculationRule="F"
postingRhythm="L" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Flat Rate Every Night Except
Last</TextElement>
    </Text>
</Description>
<PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-19</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-20</StartDate>
    <EndDate>2009-07-20</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GOLF" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Golf Pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">25</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPC" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP CRIB</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPF" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP FUN</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
```

```
        </PackageDetails>
    </Package>
    <Package packageCode="ITEM ATTACHED" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="ITEM NOT ATTACHED"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM NOT ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="LDIST" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Long Distance Calls</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    </Package>
```

```
        <Package packageCode="MGM" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>mgm</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">80</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">70</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PAEN" calculationRule="A"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Per Adult Every Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERCHILD" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>per child every night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
```

```
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERPERSON" calculationRule="P"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per person every night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERROOM" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per room</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PV" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Valet Parking Charge</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
</Package>
```

```
    <Package packageCode="RAC" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
    <Text
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
    <TextElement>rac products</TextElement>
    </Text>
    </Description>
    <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-08</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
    <StartDate>2009-07-09</StartDate>
    <EndDate>2009-07-09</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
    <StartDate>2009-07-10</StartDate>
    <EndDate>2009-07-11</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
    <StartDate>2009-07-12</StartDate>
    <EndDate>2009-07-12</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
    <StartDate>2009-07-13</StartDate>
    <EndDate>2009-07-14</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
    <StartDate>2009-07-15</StartDate>
    <EndDate>2009-07-15</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
    <StartDate>2009-07-16</StartDate>
    <EndDate>2009-07-17</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">198</Amount>
```

```
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-18</StartDate>
  <EndDate>2009-07-18</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-19</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
</Package>
<Package packageCode="ROLLAWAY" calculationRule="F"
postingRhythm="A" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>RW Rollaway</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
<Package packageCode="ROMANCE" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Romance bev and food pkg</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">53</Amount>
  </PackageDetails>
```

```
        <PackageDetails>
          <StartDate>2009-07-08</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">0</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="RW" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Rollaway Bed Charge</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="SAT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>HUMBOLT SQUID</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="MXN"
decimals="2">0</Allowance>
          <Amount currencyCode="MXN" decimals="2">0</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="TOURPPADULT" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>TOURPPADULT</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
```



```

        <Allowance currencyCode="MXN"
decimals="2">1</Allowance>
        <Amount currencyCode="MXN" decimals="2">2.5</Amount>
    </PackageDetails>
</Package>
</PackageElements>
</FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse when postingRhythm="I0202"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="023876863" timeStamp="2009-06-
24T16:26:56.405625-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:0aed5a01-eedb-43f8-9486-
3abcff4bf0ef</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:f16e3535-1393-4c0b-a903-
8ecefafa79d659</wsa:RelatesTo>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <PackageElements>
                <Package packageCode="APKG" calculationRule="A"
postingRhythm="I0202" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
startTime="09:00:00.0000000-04:00" endTime="14:00:00.0000000-
04:00" xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Description>
                        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                            <TextElement>Andrea's Packages</TextElement>
                        </Text>
                    </Description>
                    <PackageDetails>
                        <StartDate>2009-07-06</StartDate>

```

```
        <EndDate>2009-07-06</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">15</Allowance>
        <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-08</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-09</StartDate>
        <EndDate>2009-07-09</EndDate>
        <Allowance currencyCode="USD"
decimals="2">20</Allowance>
        <Amount currencyCode="USD" decimals="2">19</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-10</StartDate>
        <EndDate>2009-07-10</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-11</StartDate>
        <EndDate>2009-07-11</EndDate>
        <Allowance currencyCode="USD"
decimals="2">20</Allowance>
        <Amount currencyCode="USD" decimals="2">19</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-12</StartDate>
        <EndDate>2009-07-12</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-13</StartDate>
        <EndDate>2009-07-13</EndDate>
        <Allowance currencyCode="USD"
decimals="2">22</Allowance>
        <Amount currencyCode="USD" decimals="2">21</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-14</StartDate>
        <EndDate>2009-07-14</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-15</StartDate>
        <EndDate>2009-07-15</EndDate>
        <Allowance currencyCode="USD"
decimals="2">22</Allowance>
        <Amount currencyCode="USD" decimals="2">21</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-16</StartDate>
        <EndDate>2009-07-16</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-17</StartDate>
        <EndDate>2009-07-17</EndDate>
        <Allowance currencyCode="USD"
decimals="2">25</Allowance>
        <Amount currencyCode="USD" decimals="2">24</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-18</StartDate>
        <EndDate>2009-07-18</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-19</StartDate>
        <EndDate>2009-07-19</EndDate>
        <Allowance currencyCode="USD"
decimals="2">25</Allowance>
        <Amount currencyCode="USD" decimals="2">24</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="BB" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>B&amp;B Breakfast Value
Pkg.</TextElement>
        </Text>
    </Description>
</Package>
```

```
        </Description>
        <PackageDetails>
            <StartDate>2009-07-06</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="CAD"
decimals="2">20</Allowance>
            <Amount currencyCode="CAD" decimals="2">0</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="BED" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>Includes: BB Breakfast, PV Valet
Parking</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-06</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">20</Allowance>
            <Amount currencyCode="USD" decimals="2">29</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="CHAMP" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>champagne</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-06</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="CONT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>Continental Breakfast for
2</TextElement>
            </Text>
        </Description>
    </PackageDetails>
```

```
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">6</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CRIB" calculationRule="P"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Baby Crib</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">14</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE2" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum#2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
```

```
<Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">10</Amount>
</PackageDetails>
</Package>
<Package packageCode="ELTON JOHN TICKETS"
calculationRule="F" postingRhythm="A" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
      <TextElement>ELTON JOHN TICKETS</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-06</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">75</Amount>
    </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="FLATARRVIE" calculationRule="F"
postingRhythm="A" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
      <TextElement>Flat rate arrival</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-06</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="FLATEVERY" calculationRule="F"
postingRhythm="D" includedInRate="false"
```

```
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
      <TextElement>Flat Rate Every Night</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
<Package packageCode="FLATLAST" calculationRule="F"
postingRhythm="V" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
      <TextElement>Flat Rate Last Night</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-19</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-20</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
<Package packageCode="FREEL" calculationRule="F"
postingRhythm="L" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
      <TextElement>Flat Rate Every Night Except
Last</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-19</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
```

```
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GOLF" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Golf Pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">25</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP CRIB</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP FUN</TextElement>
        </Text>
    </Description>
    <PackageDetails>
```

```
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ITEM ATTACHED" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ITEM NOT ATTACHED"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM NOT ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="LDIST" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Long Distance Calls</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
```

```
<Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
</Package>
  <Package packageCode="MGM" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>mgm</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-06</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">80</Amount>
    </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">70</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="PAEN" calculationRule="A"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Per Adult Every Night</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="PERCHILD" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>per child every night</TextElement>
    </Text>
  </Description>
```

```
<PackageDetails>
  <StartDate>2009-07-06</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">10</Amount>
</PackageDetails>
</Package>
<Package packageCode="PERPERSON" calculationRule="P"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>per person every night</TextElement>
      </Text>
    </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">20</Amount>
  </PackageDetails>
</Package>
<Package packageCode="PERROOM" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>per room</TextElement>
      </Text>
    </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
<Package packageCode="PV" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Valet Parking Charge</TextElement>
      </Text>
    </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="RAC" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>rac products</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-08</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-09</StartDate>
        <EndDate>2009-07-10</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-11</StartDate>
        <EndDate>2009-07-11</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-12</StartDate>
        <EndDate>2009-07-13</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-14</StartDate>
        <EndDate>2009-07-14</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</PackageDetails>
```

```
<StartDate>2009-07-15</StartDate>
<EndDate>2009-07-16</EndDate>
<Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-17</StartDate>
  <EndDate>2009-07-17</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-18</StartDate>
  <EndDate>2009-07-19</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-20</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
</Package>
  <Package packageCode="ROLLAWAY" calculationRule="F"
postingRhythm="A" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>RW Rollaway</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-06</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="ROMANCE" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
```

```
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Romance bev and food pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-06</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">53</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="RW" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Rollaway Bed Charge</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="SAT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>HUMBOLT SQUID</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="MXN"
decimals="2">0</Allowance>
        <Amount currencyCode="MXN" decimals="2">0</Amount>
    </PackageDetails>
</Package>
```

```

        <Package packageCode="TOURPPADULT" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>TOURPPADULT</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="MXN"
decimals="2">1</Allowance>
        <Amount currencyCode="MXN" decimals="2">2.5</Amount>
    </PackageDetails>
</Package>
</PackageElements>
</FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse when postingRhythm="L"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="023876863" timeStamp="2009-06-
24T16:26:56.405625-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:38030768-9ea9-41e7-894a-
0f04060875f8</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:76402f3d-0074-4482-a9a3-
dd04e0756155</wsa:RelatesTo>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <PackageElements>
                <Package packageCode="APKG" calculationRule="A"
postingRhythm="L" includedInRate="true"

```

```
addRateSeperateLine="false" addRateCombinedLine="false"
startTime="09:00:00.0000000-04:00" endTime="14:00:00.0000000-
04:00" xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Andrea's Packages</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-07</StartDate>
      <EndDate>2009-07-08</EndDate>
      <Allowance currencyCode="USD"
decimals="2">17</Allowance>
      <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-09</StartDate>
      <EndDate>2009-07-11</EndDate>
      <Allowance currencyCode="USD"
decimals="2">21</Allowance>
      <Amount currencyCode="USD" decimals="2">19</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-12</StartDate>
      <EndDate>2009-07-12</EndDate>
      <Allowance currencyCode="USD"
decimals="2">15</Allowance>
      <Amount currencyCode="USD" decimals="2">13</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-13</StartDate>
      <EndDate>2009-07-15</EndDate>
      <Allowance currencyCode="USD"
decimals="2">23</Allowance>
      <Amount currencyCode="USD" decimals="2">21</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-16</StartDate>
      <EndDate>2009-07-19</EndDate>
      <Allowance currencyCode="USD"
decimals="2">26</Allowance>
      <Amount currencyCode="USD" decimals="2">24</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-20</StartDate>
      <EndDate>2009-07-20</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="BB" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
```

```
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>B&B Breakfast Value
Pkg.</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="CAD"
decimals="2">20</Allowance>
        <Amount currencyCode="CAD" decimals="2">0</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="BED" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>Includes: BB Breakfast, PV Valet
Parking</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">20</Allowance>
            <Amount currencyCode="USD" decimals="2">29</Amount>
        </PackageDetails>
        </Package>
        <Package packageCode="CHAMP" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Description>
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>champagne</TextElement>
                </Text>
            </Description>
            <PackageDetails>
                <StartDate>2009-07-07</StartDate>
                <EndDate>2009-07-20</EndDate>
                <Allowance currencyCode="USD"
decimals="2">0</Allowance>
                <Amount currencyCode="USD" decimals="2">10</Amount>
            </PackageDetails>
            </Package>
            <Package packageCode="CONT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Description>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
```

```
<TextElement>Continental Breakfast for
2</TextElement>
  </Text>
</Description>
<PackageDetails>
  <StartDate>2009-07-07</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">6</Amount>
</PackageDetails>
</Package>
<Package packageCode="CRIB" calculationRule="P"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
  <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Baby Crib</TextElement>
  </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">14</Amount>
  </PackageDetails>
</Package>
<Package packageCode="DENTYNE" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
  <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Dentyne Gum</TextElement>
  </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
<Package packageCode="DENTYNE2" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
  <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Dentyne Gum#2</TextElement>
  </Text>
```

```
</Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="ELTON JOHN TICKETS"
calculationRule="F" postingRhythm="A" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
      <TextElement>ELTON JOHN TICKETS</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">75</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="FLATARRVIE" calculationRule="F"
postingRhythm="A" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
      <TextElement>Flat rate arrival</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
```

```
        </PackageDetails>
    </Package>
    <Package packageCode="FLATEVERY" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat Rate Every Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="FLATLAST" calculationRule="F"
postingRhythm="V" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat Rate Last Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-19</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="FREEL" calculationRule="F"
postingRhythm="L" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat Rate Every Night Except
Last</TextElement>
        </Text>
    </Description>
    <PackageDetails>
```

```
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-19</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GOLF" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Golf Pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">25</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPC" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP CRIB</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
```

```
        <TextElement>GROUP FUN</TextElement>
    </Text>
</Description>
<PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
</PackageDetails>
</Package>
<Package packageCode="ITEM ATTACHED" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
<Package packageCode="ITEM NOT ATTACHED"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM NOT ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
</Package>
<Package packageCode="LDIST" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Long Distance Calls</TextElement>
        </Text>
    </Description>
```

```
<PackageDetails>
  <StartDate>2009-07-07</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
</Package>
<Package packageCode="MGM" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>mgm</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">80</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">70</Amount>
  </PackageDetails>
</Package>
<Package packageCode="PAEN" calculationRule="A"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Per Adult Every Night</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
<Package packageCode="PERCHILD" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
```

```
        <TextElement>per child every night</TextElement>
    </Text>
</Description>
<PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
</PackageDetails>
</Package>
<Package packageCode="PERPERSON" calculationRule="P"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per person every night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
</Package>
<Package packageCode="PERROOM" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per room</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
<Package packageCode="PV" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Valet Parking Charge</TextElement>
        </Text>
    </Description>
```

```
<PackageDetails>
  <StartDate>2009-07-07</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">15</Amount>
</PackageDetails>
</Package>
<Package packageCode="RAC" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>rac products</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-07</StartDate>
      <EndDate>2009-07-08</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-09</StartDate>
      <EndDate>2009-07-09</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-10</StartDate>
      <EndDate>2009-07-11</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-12</StartDate>
      <EndDate>2009-07-12</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-13</StartDate>
      <EndDate>2009-07-14</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-15</StartDate>
      <EndDate>2009-07-15</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
```

```
<Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-16</StartDate>
  <EndDate>2009-07-17</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-18</StartDate>
  <EndDate>2009-07-18</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-19</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
</Package>
<Package packageCode="ROLLAWAY" calculationRule="F"
postingRhythm="A" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>RW Rollaway</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
<Package packageCode="ROMANCE" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>Romance bev and food pkg</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
```

```
</Description>
<PackageDetails>
  <StartDate>2009-07-07</StartDate>
  <EndDate>2009-07-07</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">53</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-08</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
</Package>
<Package packageCode="RW" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>Rollaway Bed Charge</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
<Package packageCode="SAT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>HUMBOLT SQUID</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="MXN"
decimals="2">0</Allowance>
    <Amount currencyCode="MXN" decimals="2">0</Amount>
  </PackageDetails>
</Package>
<Package packageCode="TOURPPADULT" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
```

```

        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>TOURPPADULT</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="MXN"
decimals="2">1</Allowance>
        <Amount currencyCode="MXN" decimals="2">2.5</Amount>
    </PackageDetails>
</Package>
</PackageElements>
</FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse when postingRhythm="M"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="023876863" timeStamp="2009-06-
24T16:26:56.405625-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:6c5ac112-b1f5-4afd-a1c4-
680d37f8c90f</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:2192a9e5-82bf-4a44-9e60-
e66714c37d43</wsa:RelatesTo>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <PackageElements>
                <Package packageCode="APKG" calculationRule="A"
postingRhythm="M" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
startTime="09:00:00.0000000-04:00" endTime="14:00:00.0000000-
04:00" xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Description>

```

```
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
    <TextElement>Andrea's Packages</TextElement>
    </Text>
</Description>
<PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-08</EndDate>
    <Allowance currencyCode="USD"
decimals="2">17</Allowance>
    <Amount currencyCode="USD" decimals="2">15</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-09</StartDate>
    <EndDate>2009-07-11</EndDate>
    <Allowance currencyCode="USD"
decimals="2">21</Allowance>
    <Amount currencyCode="USD" decimals="2">19</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-12</StartDate>
    <EndDate>2009-07-12</EndDate>
    <Allowance currencyCode="USD"
decimals="2">15</Allowance>
    <Amount currencyCode="USD" decimals="2">13</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-13</StartDate>
    <EndDate>2009-07-15</EndDate>
    <Allowance currencyCode="USD"
decimals="2">23</Allowance>
    <Amount currencyCode="USD" decimals="2">21</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-16</StartDate>
    <EndDate>2009-07-19</EndDate>
    <Allowance currencyCode="USD"
decimals="2">26</Allowance>
    <Amount currencyCode="USD" decimals="2">24</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-20</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
</Package>
<Package packageCode="BB" calculationRule="F"
postingRhythm="D" includedInRate="true"
```

```
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>B&amp;B Breakfast Value
    Pkg.</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="CAD"
decimals="2">20</Allowance>
    <Amount currencyCode="CAD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="BED" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>Includes: BB Breakfast, PV Valet
    Parking</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">20</Allowance>
    <Amount currencyCode="USD" decimals="2">29</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="CHAMP" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>champagne</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="CONT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Continental Breakfast for
2</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">6</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="CRIB" calculationRule="P"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Baby Crib</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">14</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="DENTYNE" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="DENTYNE2" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
```

```
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Dentyne Gum#2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ELTON JOHN TICKETS"
calculationRule="F" postingRhythm="A" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>ELTON JOHN TICKETS</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">75</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATARRVIE" calculationRule="F"
postingRhythm="A" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Flat rate arrival</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
```

```
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATEVERY" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat Rate Every Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATLAST" calculationRule="F"
postingRhythm="V" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat Rate Last Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-19</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FREEL" calculationRule="F"
postingRhythm="L" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
```

```
                <TextElement>Flat Rate Every Night Except
Last</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-19</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
        <PackageDetails>
            <StartDate>2009-07-20</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">0</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="GOLF" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>Golf Pkg</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">25</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="GROUPC" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>GROUP CRIB</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
```

```
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>GROUP FUN</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
<Package packageCode="ITEM ATTACHED" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>ITEM ATTACHED</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
<Package packageCode="ITEM NOT ATTACHED"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>ITEM NOT ATTACHED</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">20</Amount>
  </PackageDetails>
</Package>
<Package packageCode="LDIST" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
```

```
<Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
  <TextElement>Long Distance Calls</TextElement>
</Text>
</Description>
<PackageDetails>
  <StartDate>2009-07-07</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
</Package>
<Package packageCode="MGM" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>mgm</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">80</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">70</Amount>
  </PackageDetails>
</Package>
<Package packageCode="PAEN" calculationRule="A"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Per Adult Every Night</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
<Package packageCode="PERCHILD" calculationRule="C"
postingRhythm="D" includedInRate="false"
```

```
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>per child every night</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-07</StartDate>
      <EndDate>2009-07-20</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="PERPERSON" calculationRule="P"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>per person every night</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-07</StartDate>
      <EndDate>2009-07-20</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="PERROOM" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>per room</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-07</StartDate>
      <EndDate>2009-07-20</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="PV" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
```

```
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
        <TextElement>Valet Parking Charge</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="RAC" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
        <TextElement>rac products</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-08</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-09</StartDate>
        <EndDate>2009-07-09</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-10</StartDate>
        <EndDate>2009-07-11</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-12</StartDate>
        <EndDate>2009-07-12</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-13</StartDate>
        <EndDate>2009-07-14</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
```

```
<PackageDetails>
  <StartDate>2009-07-15</StartDate>
  <EndDate>2009-07-15</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-16</StartDate>
  <EndDate>2009-07-17</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-18</StartDate>
  <EndDate>2009-07-18</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-19</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
</Package>
  <Package packageCode="ROLLAWAY" calculationRule="F"
postingRhythm="A" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>RW Rollaway</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="ROMANCE" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Description>
          <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Romance bev and food pkg</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-07</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">53</Amount>
        </PackageDetails>
        <PackageDetails>
          <StartDate>2009-07-08</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">0</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="RW" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Rollaway Bed Charge</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="SAT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>HUMBOLT SQUID</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="MXN"
decimals="2">0</Allowance>
          <Amount currencyCode="MXN" decimals="2">0</Amount>
        </PackageDetails>
      </Package>
```

```

        <Package packageCode="TOURPPADULT" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>TOURPPADULT</TextElement>
        </Text>
        </Description>
        <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="MXN"
decimals="2">1</Allowance>
        <Amount currencyCode="MXN" decimals="2">2.5</Amount>
        </PackageDetails>
        </Package>
        </PackageElements>
        </FetchAvailablePackagesResponse>
    </soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse when postingRhythm="N"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="023876863" timeStamp="2009-06-
24T16:26:56.405625-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
        <Origin entityID="WEST" systemType="ORS" />
        <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:c235254f-037e-49ab-ae99-
2fb04b6be306</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:a3f37353-76c8-478b-a3db-
babc92359465</wsa:RelatesTo>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
        <Result resultStatusFlag="SUCCESS" />
        <PackageElements>
            <Package packageCode="APKG" calculationRule="A"
postingRhythm="N" includedInRate="true"

```

```
addRateSeperateLine="false" addRateCombinedLine="false"
startTime="09:00:00.0000000-04:00" endTime="14:00:00.0000000-
04:00" xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Andrea's Packages</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-07</StartDate>
      <EndDate>2009-07-08</EndDate>
      <Allowance currencyCode="USD"
decimals="2">15</Allowance>
      <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
    <PackageDetails>
      <StartDate>2009-07-09</StartDate>
      <EndDate>2009-07-20</EndDate>
      <Allowance currencyCode="USD"
decimals="2">0</Allowance>
      <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="BB" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>B&B Breakfast Value
Pkg.</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-08</StartDate>
      <EndDate>2009-07-20</EndDate>
      <Allowance currencyCode="CAD"
decimals="2">20</Allowance>
      <Amount currencyCode="CAD" decimals="2">0</Amount>
    </PackageDetails>
  </Package>
  <Package packageCode="BED" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
      <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <TextElement>Includes: BB Breakfast, PV Valet
Parking</TextElement>
      </Text>
    </Description>
    <PackageDetails>
      <StartDate>2009-07-08</StartDate>
      <EndDate>2009-07-20</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">20</Allowance>
        <Amount currencyCode="USD" decimals="2">29</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CHAMP" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>champagne</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CONT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Continental Breakfast for
2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">6</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CRIB" calculationRule="P"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Baby Crib</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
```

```
        <Amount currencyCode="USD" decimals="2">14</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE2" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum#2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ELTON JOHN TICKETS"
calculationRule="F" postingRhythm="A" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ELTON JOHN TICKETS</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-08</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">75</Amount>
    </PackageDetails>
</PackageDetails>
```

```
        <StartDate>2009-07-09</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATARRVIE" calculationRule="F"
postingRhythm="A" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat rate arrival</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-08</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-09</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATEVERY" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat Rate Every Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATLAST" calculationRule="F"
postingRhythm="V" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
```

```
        <TextElement>Flat Rate Last Night</TextElement>
    </Text>
</Description>
<PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-19</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-20</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
</PackageDetails>
</Package>
    <Package packageCode="FREEL" calculationRule="F"
postingRhythm="L" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Flat Rate Every Night Except
Last</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-19</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GOLF" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Golf Pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">25</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>GROUP CRIB</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>GROUP FUN</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ITEM ATTACHED" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>ITEM ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
```

```
        </PackageDetails>
    </Package>
    <Package packageCode="ITEM NOT ATTACHED"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM NOT ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="LDIST" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Long Distance Calls</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="MGM" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>mgm</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-08</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">80</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-09</StartDate>
        <EndDate>2009-07-20</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">70</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PAEN" calculationRule="A"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Per Adult Every Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERCHILD" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per child every night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERPERSON" calculationRule="P"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per person every night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
```

```
        </PackageDetails>
    </Package>
    <Package packageCode="PERROOM" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per room</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="PV" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Valet Parking Charge</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="RAC" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>rac products</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-09</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-10</StartDate>
        <EndDate>2009-07-10</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-11</StartDate>
        <EndDate>2009-07-12</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-13</StartDate>
        <EndDate>2009-07-13</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-14</StartDate>
        <EndDate>2009-07-15</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-16</StartDate>
        <EndDate>2009-07-16</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-17</StartDate>
        <EndDate>2009-07-18</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-19</StartDate>
        <EndDate>2009-07-19</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ROLLAWAY" calculationRule="F"
postingRhythm="A" includedInRate="true"
```

```
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
      <TextElement>RW Rollaway</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-08</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-09</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="ROMANCE" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
      <TextElement>Romance bev and food pkg</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-08</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">53</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-09</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="RW" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
      <TextElement>Rollaway Bed Charge</TextElement>
    </Text>
  </Description>
```

```

        <PackageDetails>
          <StartDate>2009-07-08</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="SAT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
              <TextElement>HUMBOLT SQUID</TextElement>
            </Text>
          </Description>
          <PackageDetails>
            <StartDate>2009-07-08</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="MXN"
decimals="2">0</Allowance>
            <Amount currencyCode="MXN" decimals="2">0</Amount>
          </PackageDetails>
        </Package>
        <Package packageCode="TOURPPADULT" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
              <TextElement>TOURPPADULT</TextElement>
            </Text>
          </Description>
          <PackageDetails>
            <StartDate>2009-07-08</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="MXN"
decimals="2">1</Allowance>
            <Amount currencyCode="MXN" decimals="2">2.5</Amount>
          </PackageDetails>
        </Package>
      </PackageElements>
    </FetchAvailablePackagesResponse>
  </soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse when postingRhythm="V"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

```

```
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="023876863" timeStamp="2009-06-
24T16:26:56.405625-04:00" primaryLangID="E"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
  <wsa:Action>http://webservicess.micross.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:0777b721-59b2-4a15-8a1c-
c7ff6b0adac9</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:abc42b34-35ad-47bc-bb02-
e013f5d4c6a0</wsa:RelatesTo>

<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchAvailablePackagesResponse
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <PackageElements>
        <Package packageCode="APKG" calculationRule="A"
postingRhythm="V" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
startTime="09:00:00.0000000-04:00" endTime="14:00:00.0000000-
04:00" xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
          <Description>
            <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
              <TextElement>Andrea's Packages</TextElement>
            </Text>
          </Description>
          <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-19</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">0</Amount>
          </PackageDetails>
          <PackageDetails>
            <StartDate>2009-07-20</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">26</Allowance>
            <Amount currencyCode="USD" decimals="2">24</Amount>
          </PackageDetails>
        </Package>
        <Package packageCode="BB" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
          <Description>
            <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
```

```
                <TextElement>B&amp;B Breakfast Value
Pkg.</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="CAD"
decimals="2">20</Allowance>
            <Amount currencyCode="CAD" decimals="2">0</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="BED" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>Includes: BB Breakfast, PV Valet
Parking</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">20</Allowance>
            <Amount currencyCode="USD" decimals="2">29</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="CHAMP" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>champagne</TextElement>
            </Text>
        </Description>
        <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="CONT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>Continental Breakfast for
2</TextElement>
```

```
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">6</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="CRIB" calculationRule="P"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Baby Crib</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">14</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="DENTYNE2" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Dentyne Gum#2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
```

```
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ELTON JOHN TICKETS"
calculationRule="F" postingRhythm="A" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>ELTON JOHN TICKETS</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">75</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="FLATARRVIE" calculationRule="F"
postingRhythm="A" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Flat rate arrival</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
```

```
    <Package packageCode="FLATEVERY" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Flat Rate Every Night</TextElement>
    </Text>
    </Description>
    <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="FLATLAST" calculationRule="F"
postingRhythm="V" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Flat Rate Last Night</TextElement>
    </Text>
    </Description>
    <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-19</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
    <StartDate>2009-07-20</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="FREEL" calculationRule="F"
postingRhythm="L" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
    <TextElement>Flat Rate Every Night Except
Last</TextElement>
    </Text>
    </Description>
    <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-19</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GOLF" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Golf Pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">25</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP CRIB</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPE" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP FUN</TextElement>
        </Text>
```

```
        </Description>
        <PackageDetails>
            <StartDate>2009-07-07</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
    </Package>
    <Package packageCode="ITEM ATTACHED" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ITEM NOT ATTACHED"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>ITEM NOT ATTACHED</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">20</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="LDIST" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Long Distance Calls</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
```

```
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="MGM" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>mgm</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">80</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">70</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PAEN" calculationRule="A"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Per Adult Every Night</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="PERCHILD" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per child every night</TextElement>
        </Text>
```

```
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="PERPERSON" calculationRule="P"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per person every night</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">20</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="PERROOM" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per room</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="PV" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Valet Parking Charge</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
```

```
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">15</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="RAC" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>rac products</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-08</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-09</StartDate>
        <EndDate>2009-07-09</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-10</StartDate>
        <EndDate>2009-07-11</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-12</StartDate>
        <EndDate>2009-07-12</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-13</StartDate>
        <EndDate>2009-07-14</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-15</StartDate>
        <EndDate>2009-07-15</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
```

```
<PackageDetails>
  <StartDate>2009-07-16</StartDate>
  <EndDate>2009-07-17</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-18</StartDate>
  <EndDate>2009-07-18</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-19</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
</Package>
<Package packageCode="ROLLAWAY" calculationRule="F"
postingRhythm="A" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>RW Rollaway</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
<Package packageCode="ROMANCE" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Romance bev and food pkg</TextElement>
    </Text>
  </Description>
  <PackageDetails>
```

```
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-07</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">53</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-08</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="RW" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Rollaway Bed Charge</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="SAT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>HUMBOLT SQUID</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="MXN"
decimals="2">0</Allowance>
        <Amount currencyCode="MXN" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="TOURPPADULT" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
```

```

        <TextElement>TOURPPADULT</TextElement>
    </Text>
</Description>
<PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="MXN"
decimals="2">1</Allowance>
    <Amount currencyCode="MXN" decimals="2">2.5</Amount>
</PackageDetails>
</Package>
</PackageElements>
</FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse when postingRhythm="W0101010"

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="023876863" timeStamp="2009-06-
24T16:26:56.405625-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchAvailablePackagesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:f28d50f4-137d-4a2f-be4b-
82e2d396a8f8</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:ded59b91-67d3-4360-a4b6-
ff8bb14704d8</wsa:RelatesTo>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <PackageElements>
                <Package packageCode="APKG" calculationRule="A"
postingRhythm="W0101010" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
startTime="09:00:00.0000000-04:00" endTime="14:00:00.0000000-
04:00" xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Description>

```

```
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
    <TextElement>Andrea's Packages</TextElement>
    </Text>
</Description>
<PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-06</EndDate>
    <Allowance currencyCode="USD"
decimals="2">18</Allowance>
    <Amount currencyCode="USD" decimals="2">17</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-07</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-08</StartDate>
    <EndDate>2009-07-08</EndDate>
    <Allowance currencyCode="USD"
decimals="2">15</Allowance>
    <Amount currencyCode="USD" decimals="2">15</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-09</StartDate>
    <EndDate>2009-07-09</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-10</StartDate>
    <EndDate>2009-07-10</EndDate>
    <Allowance currencyCode="USD"
decimals="2">20</Allowance>
    <Amount currencyCode="USD" decimals="2">19</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-11</StartDate>
    <EndDate>2009-07-12</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-13</StartDate>
    <EndDate>2009-07-13</EndDate>
    <Allowance currencyCode="USD"
decimals="2">22</Allowance>
    <Amount currencyCode="USD" decimals="2">21</Amount>
</PackageDetails>
<PackageDetails>
    <StartDate>2009-07-14</StartDate>
    <EndDate>2009-07-14</EndDate>
```

```
<Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-15</StartDate>
  <EndDate>2009-07-15</EndDate>
  <Allowance currencyCode="USD"
decimals="2">22</Allowance>
  <Amount currencyCode="USD" decimals="2">21</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-16</StartDate>
  <EndDate>2009-07-16</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-17</StartDate>
  <EndDate>2009-07-17</EndDate>
  <Allowance currencyCode="USD"
decimals="2">25</Allowance>
  <Amount currencyCode="USD" decimals="2">24</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-18</StartDate>
  <EndDate>2009-07-19</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-20</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="USD"
decimals="2">25</Allowance>
  <Amount currencyCode="USD" decimals="2">24</Amount>
</PackageDetails>
</Package>
  <Package packageCode="BB" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>B&amp;B Breakfast Value
Pkg.</TextElement>
    </Text>
  </Description>
</PackageDetails>
  <StartDate>2009-07-06</StartDate>
  <EndDate>2009-07-20</EndDate>
  <Allowance currencyCode="CAD"
decimals="2">20</Allowance>
  <Amount currencyCode="CAD" decimals="2">0</Amount>
```

```
        </PackageDetails>
    </Package>
    <Package packageCode="BED" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Includes: BB Breakfast, PV Valet
Parking</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">20</Allowance>
        <Amount currencyCode="USD" decimals="2">29</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="CHAMP" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>champagne</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    </Package>
    <Package packageCode="CONT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Continental Breakfast for
2</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">6</Amount>
    </PackageDetails>
    </Package>
```

```
<Package packageCode="CRIB" calculationRule="P"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Baby Crib</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">14</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="DENTYNE" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Dentyne Gum</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="DENTYNE2" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Dentyne Gum#2</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="ELTON JOHN TICKETS"
calculationRule="F" postingRhythm="A" includedInRate="false"
```

```
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>ELTON JOHN TICKETS</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-06</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">75</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="FLATARRVIE" calculationRule="F"
postingRhythm="A" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Flat rate arrival</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-06</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
  <PackageDetails>
    <StartDate>2009-07-07</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="FLATEVERY" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Flat Rate Every Night</TextElement>
    </Text>
```

```
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="FLATLAST" calculationRule="F"
postingRhythm="V" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
              <TextElement>Flat Rate Last Night</TextElement>
            </Text>
          </Description>
          <PackageDetails>
            <StartDate>2009-07-06</StartDate>
            <EndDate>2009-07-19</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">0</Amount>
          </PackageDetails>
          <PackageDetails>
            <StartDate>2009-07-20</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">10</Amount>
          </PackageDetails>
        </Package>
      <Package packageCode="FREEL" calculationRule="F"
postingRhythm="L" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
              <TextElement>Flat Rate Every Night Except
Last</TextElement>
            </Text>
          </Description>
          <PackageDetails>
            <StartDate>2009-07-06</StartDate>
            <EndDate>2009-07-19</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
            <Amount currencyCode="USD" decimals="2">10</Amount>
          </PackageDetails>
          <PackageDetails>
            <StartDate>2009-07-20</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="USD"
decimals="2">0</Allowance>
```

```
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GOLF" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Golf Pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">25</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPC" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP CRIB</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="GROUPF" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>GROUP FUN</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
```

```
<Package packageCode="ITEM ATTACHED" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>ITEM ATTACHED</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="ITEM NOT ATTACHED"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>ITEM NOT ATTACHED</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">20</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="LDIST" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
      <TextElement>Long Distance Calls</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">0</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="MGM" includedInRate="true"
addRateSeprateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>mgm</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
          <EndDate>2009-07-06</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">80</Amount>
        </PackageDetails>
        <PackageDetails>
          <StartDate>2009-07-07</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">70</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="PAEN" calculationRule="A"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Per Adult Every Night</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
      <Package packageCode="PERCHILD" calculationRule="C"
postingRhythm="D" includedInRate="false"
addRateSeprateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>per child every night</TextElement>
          </Text>
        </Description>
        <PackageDetails>
          <StartDate>2009-07-06</StartDate>
          <EndDate>2009-07-20</EndDate>
          <Allowance currencyCode="USD"
decimals="2">0</Allowance>
          <Amount currencyCode="USD" decimals="2">10</Amount>
        </PackageDetails>
      </Package>
```

```
<Package packageCode="PERPERSON" calculationRule="P"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>per person every night</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">20</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="PERROOM" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>per room</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">10</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="PV" calculationRule="R"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Description>
    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
      <TextElement>Valet Parking Charge</TextElement>
    </Text>
  </Description>
  <PackageDetails>
    <StartDate>2009-07-06</StartDate>
    <EndDate>2009-07-20</EndDate>
    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
    <Amount currencyCode="USD" decimals="2">15</Amount>
  </PackageDetails>
</Package>
  <Package packageCode="RAC" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
<Description>
  <Text
xmlns="http://webservices.micros.com/og/4.3/Common/"
  <TextElement>rac products</TextElement>
  </Text>
</Description>
<PackageDetails>
  <StartDate>2009-07-06</StartDate>
  <EndDate>2009-07-07</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-08</StartDate>
  <EndDate>2009-07-08</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-09</StartDate>
  <EndDate>2009-07-10</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-11</StartDate>
  <EndDate>2009-07-11</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-12</StartDate>
  <EndDate>2009-07-13</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-14</StartDate>
  <EndDate>2009-07-14</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">0</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-15</StartDate>
  <EndDate>2009-07-16</EndDate>
  <Allowance currencyCode="USD"
decimals="2">0</Allowance>
  <Amount currencyCode="USD" decimals="2">198</Amount>
</PackageDetails>
<PackageDetails>
  <StartDate>2009-07-17</StartDate>
```

```
        <EndDate>2009-07-17</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-18</StartDate>
        <EndDate>2009-07-19</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">198</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-20</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ROLLAWAY" calculationRule="F"
postingRhythm="A" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>RW Rollaway</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-06</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="ROMANCE" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Romance bev and food pkg</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-06</EndDate>
```

```
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">53</Amount>
    </PackageDetails>
    <PackageDetails>
        <StartDate>2009-07-07</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="RW" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Rollaway Bed Charge</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
        <Amount currencyCode="USD" decimals="2">10</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="SAT" calculationRule="F"
postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>HUMBOLT SQUID</TextElement>
        </Text>
    </Description>
    <PackageDetails>
        <StartDate>2009-07-06</StartDate>
        <EndDate>2009-07-20</EndDate>
        <Allowance currencyCode="MXN"
decimals="2">0</Allowance>
        <Amount currencyCode="MXN" decimals="2">0</Amount>
    </PackageDetails>
</Package>
    <Package packageCode="TOURPPADULT" calculationRule="F"
postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>TOURPPADULT</TextElement>
        </Text>
```

```

        </Description>
        <PackageDetails>
            <StartDate>2009-07-06</StartDate>
            <EndDate>2009-07-20</EndDate>
            <Allowance currencyCode="MXN"
decimals="2">1</Allowance>
            <Amount currencyCode="MXN" decimals="2">2.5</Amount>
        </PackageDetails>
    </Package>
</PackageElements>
</FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse for Total Deposit Amount

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="d28121be-3dbf-411d-aef4-
6d58895441b0" timeStamp="2009-10-15T14:06:13.8125-04:00"
primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>

        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#FetchAvailablePackagesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:6a7a4b93-d51d-4072-b586-
6d63cf693a9b</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:00803460-f7e8-4100-a4f9-
abe939d5262b</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS"/>
            <PackageElements>
                <Package packageCode="AMEX"
calculationRule="A" postingRhythm="D" includedInRate="false"
addRateSeperateLine="true" addRateCombinedLine="false"
totalDepositAmount="10"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Description>
                        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">

```

```

                                <TextElement>Credit
Card Postcard Promotion</TextElement>
                                </Text>
                                </Description>
                                <PackageDetails>
                                    <StartDate>2010-06-
15</StartDate>
                                    <EndDate>2010-06-17</EndDate>
                                    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
                                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                                </PackageDetails>
                                </Package>
                                <Package packageCode="APT10"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                    <Description>
                                        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                            <TextElement>AP
test</TextElement>
                                        </Text>
                                    </Description>
                                </PackageDetails>
                                    <StartDate>2010-06-
15</StartDate>
                                    <EndDate>2010-06-17</EndDate>
                                    <Allowance currencyCode="USD"
decimals="2">0</Allowance>
                                    <Amount currencyCode="USD"
decimals="2">0</Amount>
                                </PackageDetails>
                                </Package>
                                <Package packageCode="BB"
calculationRule="F" postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                    <Description>
                                        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                            <TextElement>B&amp;B
Breakfast Value Pkg.</TextElement>
                                        </Text>
                                    </Description>
                                </PackageDetails>
                                    <StartDate>2010-06-
15</StartDate>
                                    <EndDate>2010-06-17</EndDate>
                                    <Allowance currencyCode="CCC"
decimals="2">20</Allowance>
                                    <Amount currencyCode="CCC"
decimals="2">0</Amount>
                                </PackageDetails>
                                </Package>

```

```

        <Package packageCode="BFS1"
calculationRule="R" postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
totalDepositAmount="0.5"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Description>
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>Adult
Breakfast Package</TextElement>
                </Text>
            </Description>
            <PackageDetails>
                <StartDate>2010-06-
15</StartDate>
                <EndDate>2010-06-17</EndDate>
                <Allowance currencyCode="USD"
decimals="2">0</Allowance>
                <Amount currencyCode="USD"
decimals="2">5</Amount>
            </PackageDetails>
        </Package>
        <Package packageCode="BIKEJ12"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
totalDepositAmount="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Description>
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>junior
bike 12"</TextElement>
                </Text>
            </Description>
            <PackageDetails>
                <StartDate>2010-06-
15</StartDate>
                <EndDate>2010-06-17</EndDate>
                <Allowance currencyCode="USD"
decimals="2">0</Allowance>
                <Amount currencyCode="USD"
decimals="2">0</Amount>
            </PackageDetails>
        </Package>
        <Package packageCode="BRKFST2"
calculationRule="F" postingRhythm="D" includedInRate="false"
addRateSeperateLine="false" addRateCombinedLine="true"
totalDepositAmount="1"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Description>
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>american
breakfast 2</TextElement>
                </Text>
            </Description>
            <PackageDetails>

```

```

15</StartDate>
                                <StartDate>2010-06-
                                <EndDate>2010-06-17</EndDate>
                                <Allowance currencyCode="USD"
decimals="2">0</Allowance>
                                <Amount currencyCode="USD"
decimals="2">10</Amount>
                                </PackageDetails>
                                </Package>
                                <Package packageCode="FUZE"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
totalDepositAmount="5"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Description>
                                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                <TextElement>Fuze drink
cases to all executive members who arrive on dec 31st
2010</TextElement>
                                </Text>
                                </Description>
                                </PackageDetails>
                                <StartDate>2010-06-
15</StartDate>
                                <EndDate>2010-06-17</EndDate>
                                <Allowance currencyCode="USD"
decimals="2">0</Allowance>
                                <Amount currencyCode="USD"
decimals="2">50</Amount>
                                </PackageDetails>
                                </Package>
                                <Package packageCode="NATETEST"
calculationRule="A" postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Description>
                                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                <TextElement>test
reproducible calculation error</TextElement>
                                </Text>
                                </Description>
                                </PackageDetails>
                                <StartDate>2010-06-
15</StartDate>
                                <EndDate>2010-06-17</EndDate>
                                <Allowance currencyCode="USD"
decimals="2">0</Allowance>
                                <Amount currencyCode="USD"
decimals="2">10</Amount>
                                </PackageDetails>
                                </Package>
                                <Package packageCode="PACKAGE"
calculationRule="F" postingRhythm="D" includedInRate="true"
addRateSeperateLine="false" addRateCombinedLine="false"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">

```

```

                <Description>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                        <TextElement>TAGV</TextElement>
                            </Text>
                        </Description>
                    <PackageDetails>
                        <StartDate>2010-06-
15</StartDate>
                            <EndDate>2010-06-17</EndDate>
                        <Allowance currencyCode="USD"
decimals="2">0</Allowance>
                            <Amount currencyCode="USD"
decimals="2">0</Amount>
                    </PackageDetails>
                </Package>
            </PackageElements>
        </FetchAvailablePackagesResponse>
    </soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse Language Translation

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2008-12-
09T13:26:56.405625-05:00" primaryLangID="DE"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#FetchAvailablePackagesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:7e70a736-3e93-4923-9207-
82245cad0cf3</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:84758050-e3d7-4a0d-a66b-
702f623091e0</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS"/>
            <PackageElements>
                <Package packageCode="AMEX"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">

```

```

                                <Amount currencyCode="USD"
decimals="2">50</Amount>
                                <Description>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>Credit
Card Postcard Promotion</TextElement>
                                    </Text>
                                </Description>
                                <ShortDescription>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>DE-SHORT
DESCRIPTION</TextElement>
                                    </Text>
                                </ShortDescription>
                                </Package>
                                <Package packageCode="APT10"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                    <Amount currencyCode="USD"
decimals="2">25</Amount>
                                <Description>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>AP
test</TextElement>
                                    </Text>
                                </Description>
                                <ShortDescription>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>AP
test</TextElement>
                                    </Text>
                                </ShortDescription>
                                </Package>
                                <Package packageCode="BED"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                    <Amount currencyCode="USD"
decimals="2">60</Amount>
                                <Description>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>Includes:
BB Breakfast, PV Valet Parking</TextElement>
                                    </Text>
                                </Description>
                                <ShortDescription>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>BB
Breakfast, PV Parking</TextElement>
                                    </Text>
                                </ShortDescription>
                                </Package>
                                <Package packageCode="BFS1"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">

```

```

                                <Amount currencyCode="USD"
decimals="2">5</Amount>
                                <Description>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>Adult
Breakfast Package</TextElement>
                                    </Text>
                                </Description>
                            </Package>
                            <Package packageCode="BIKEJ12"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Amount currencyCode="USD"
decimals="2">0</Amount>
                                <Description>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>junior
bike 12"</TextElement>
                                    </Text>
                                </Description>
                                <ShortDescription>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>junior
bike 12"</TextElement>
                                    </Text>
                                </ShortDescription>
                            </Package>
                            <Package packageCode="BRKFST2"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Amount currencyCode="USD"
decimals="2">10</Amount>
                                <Description>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>american
breakfast 2</TextElement>
                                    </Text>
                                </Description>
                            </Package>
                            <Package packageCode="FUZE"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Amount currencyCode="USD"
decimals="2">50</Amount>
                                <Description>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                        <TextElement>Fuze drink
cases to all executive members who arrive on dec 31st
2010</TextElement>
                                    </Text>
                                </Description>
                                <ShortDescription>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">

```

```

                                <TextElement>Fuze Drink
cases to exec club members</TextElement>
                                </Text>
                                </ShortDescription>
                                </Package>
                                <Package packageCode="GOLF"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Amount currencyCode="USD"
decimals="2">12.64</Amount>
                                <Description>
                                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                <TextElement>Golf
Pkg</TextElement>
                                </Text>
                                </Description>
                                </Package>
                                <Package packageCode="MGM"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Amount currencyCode="USD"
decimals="2">110</Amount>
                                <Description>
                                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                <TextElement>mgm</TextElement>
                                </Text>
                                </Description>
                                </Package>
                                <Package packageCode="MGMPKG"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Amount currencyCode="USD"
decimals="2">40</Amount>
                                <Description>
                                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                <TextElement>MGM
PKG</TextElement>
                                </Text>
                                </Description>
                                </Package>
                                <Package packageCode="NATETEST"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Amount currencyCode="USD"
decimals="2">10</Amount>
                                <Description>
                                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                <TextElement>test
reproducible calculation error</TextElement>
                                </Text>
                                </Description>
                                </Package>
                                <Package packageCode="PACKAGE"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Amount currencyCode="USD"
decimals="2">0</Amount>

```

```
                <Description>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>TAGV</TextElement>
                    </Text>
                </Description>
            </Package>
            <Package packageCode="POINTS4SPA"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Amount currencyCode="USD"
decimals="2">0</Amount>
                <Description>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                        <TextElement>Award
package for SPA</TextElement>
                    </Text>
                </Description>
            </Package>
            <Package packageCode="RAC"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Amount currencyCode="USD"
decimals="2">250</Amount>
                <Description>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                        <TextElement>rac
products</TextElement>
                    </Text>
                </Description>
                <ShortDescription>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                        <TextElement>rac
products</TextElement>
                    </Text>
                </ShortDescription>
            </Package>
            <Package packageCode="ROMANCE"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Amount currencyCode="USD"
decimals="2">53</Amount>
                <Description>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                        <TextElement>Romance
bev and food pkg</TextElement>
                    </Text>
                </Description>
            </Package>
            <Package packageCode="SAT"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Amount currencyCode="USD"
decimals="2">5.06</Amount>
                <Description>
```



```

                                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                                <TextElement>HUMBOLT
SQUID</TextElement>
                                </Text>
                                </Description>
                                </Package>
                                </PackageElements>
                                </FetchAvailablePackagesResponse>
                                </soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse with Channel Validation (HCP parameter) = True

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="c0915c9b-c7cb-44ad-836b-
ad0fa013b62e" timeStamp="2012-11-01T09:02:09.821-04:00"
primaryLangID="EN"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="O2G" systemType="ORS" />
      <Destination entityID="O2G" systemType="O2G" />
      <Authentication>
        <UserCredentials>
          <UserName>CASINO</UserName>
          <UserPassword>CASINO</UserPassword>
          <Domain />
        </UserCredentials>
      </Authentication>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabilit
y.wsdl#FetchAvailablePackagesResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:43eeae6a-56ec-4a17-a717-
7d25d56dd02b</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:0e92a8ab-e351-4bd3-a4a4-
9935f9e3c5ec</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role
/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <PackageElements>
        <Package packageCode="BEACH"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <Amount currencyCode="USD" decimals="2">50</Amount>
          <Description>

```

```
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
        <TextElement>Beach</TextElement>
        </Text>
    </Description>
</Package>
<Package packageCode="BRE"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD" decimals="2">20</Amount>
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Breakfast</TextElement>
        </Text>
    </Description>
    <ShortDescription>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Breakfast</TextElement>
        </Text>
    </ShortDescription>
</Package>
<Package packageCode="CABANA"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD" decimals="2">0</Amount>
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Cabana</TextElement>
        </Text>
    </Description>
</Package>
<Package packageCode="HELALB1"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD" decimals="2">5</Amount>
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Teatterilippu</TextElement>
        </Text>
    </Description>
    <ShortDescription>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Teatterilippu</TextElement>
        </Text>
    </ShortDescription>
</Package>
<Package packageCode="HELALB2"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
    <Amount currencyCode="USD" decimals="2">5</Amount>
    <Description>
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
            <TextElement>Helalb2 Test</TextElement>
        </Text>
    </Description>
```

```

        <ShortDescription>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Helalb2 Test</TextElement>
          </Text>
        </ShortDescription>
      </Package>
      <Package packageCode="POSSD"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD" decimals="2">20</Amount>
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>POSSD</TextElement>
          </Text>
        </Description>
      </Package>
      <Package packageCode="VAK"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Amount currencyCode="USD" decimals="2">20</Amount>
        <Description>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>VAK</TextElement>
          </Text>
        </Description>
      </Package>
    </PackageElements>
  </FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse with Channel Validation (HCP parameter) = False

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="c0915c9b-c7cb-44ad-836b-ad0fa013b62e" timeStamp="2012-11-01T09:02:09.821-04:00" primaryLangID="EN"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="O2G" systemType="ORS" />
      <Destination entityID="O2G" systemType="O2G" />
    </Authentication>
    <UserCredentials>
      <UserName>CASINO</UserName>
      <UserPassword>CASINO</UserPassword>
      <Domain />
    </UserCredentials>
  </soap:Header>

```

```
        </Authentication>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsd1#FetchAvailablePackagesResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:0e5fd993-27c5-4b56-824d-02bc5fb9af48</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:ecfb4c3d-6379-4f53-971e-fa658125cd2e</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
</soap:Header>
<soap:Body>
    <FetchAvailablePackagesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsd1">
        <Result resultStatusFlag="SUCCESS" />
        <PackageElements>
            <Package packageCode="BEACH"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Amount currencyCode="USD" decimals="2">50</Amount>
                <Description>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                        <TextElement>Beach</TextElement>
                    </Text>
                </Description>
            </Package>
            <Package packageCode="BRE"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Amount currencyCode="USD" decimals="2">20</Amount>
                <Description>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                        <TextElement>Breakfast</TextElement>
                    </Text>
                </Description>
                <ShortDescription>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                        <TextElement>Breakfast</TextElement>
                    </Text>
                </ShortDescription>
            </Package>
            <Package packageCode="CABANA"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Amount currencyCode="USD" decimals="2">0</Amount>
                <Description>
                    <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                        <TextElement>Cabana</TextElement>
                    </Text>
                </Description>
            </Package>
            <Package packageCode="HELALB1"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Amount currencyCode="USD" decimals="2">5</Amount>
                <Description>
                    <Text
```

```

xmlns="http://webservicess.micross.com/og/4.3/Common/"
    <TextElement>Teatterilippu</TextElement>
  </Text>
</Description>
<ShortDescription>
  <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/"
    <TextElement>Teatterilippu</TextElement>
  </Text>
</ShortDescription>
</Package>
<Package packageCode="HELALB2"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <Amount currencyCode="USD" decimals="2">5</Amount>
  <Description>
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/"
      <TextElement>Helalb2 Test</TextElement>
    </Text>
  </Description>
  <ShortDescription>
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/"
      <TextElement>Helalb2 Test</TextElement>
    </Text>
  </ShortDescription>
</Package>
<Package packageCode="POSSD"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <Amount currencyCode="USD" decimals="2">20</Amount>
  <Description>
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/"
      <TextElement>POSSD</TextElement>
    </Text>
  </Description>
</Package>
<Package packageCode="VAK"
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <Amount currencyCode="USD" decimals="2">20</Amount>
  <Description>
    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/"
      <TextElement>VAK</TextElement>
    </Text>
  </Description>
</Package>
</PackageElements>
</FetchAvailablePackagesResponse>
</soap:Body>
</soap:Envelope>

```

FetchAvailablePackagesResponse

```

<xs:complexType name="FetchAvailablePackagesResponse">
  <xs:sequence>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="Result"
  xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q1:GDSResultStatus" />
<xs:element minOccurs="0" maxOccurs="1"
  name="PackageElements"
  xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q2:ArrayOfPackageElement" />
</xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Result	element	GDSResultStatus	optional	The primary indication of the success or failure of a transaction.
PackageElements	element	ArrayOfPackageElement	optional	If the query returns availability, that data is included in a list of packages contained in this element.

5 FetchCalendar

Retrieves a list with room occupancy, rate, and restriction details by date. The user should provide at least a date range and hotel criteria. Room type or block, adult or child guest counts, and rate plan information are also allowed.

Soap Action: <http://webservices.micos.com/ows/5.1/Availability.wsdl#FetchCalendar>

FetchCalendarRequest

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micos.com/og/4.3/Core/">
      <Origin entityID="WEBHOTEL" systemType="WEB" />
      <Destination entityID="WEBHOTEL" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micos.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micos.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC" hotelCode="SEFIVE" />
      <StayDateRange>
        <hc:StartDate>2012-11-23</hc:StartDate>
        <hc:EndDate>2012-11-28</hc:EndDate>
      </StayDateRange>
      <GuestCounts>
        <hc:GuestCount ageQualifyingCode="ADULT" count="1" />
        <hc:GuestCount ageQualifyingCode="CHILD" count="0" />
      </GuestCounts>
      <RoomTypeCode>ALL</RoomTypeCode>
    </FetchCalendarRequest>
  </soap:Body>
</soap:Envelope>
```

FetchCalendar with BlockCode Request

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
```

```

        <OGHeader transactionID="000045" timeStamp="2008-01-
08T15:06:39.6006550-08:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="WBE" systemType="WBE"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <FetchCalendarRequest
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
                <StayDateRange>
                    <StartDate
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">2010-
05-10T00:00:00.0000000-08:00</StartDate>
                    <EndDate
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">2010-
05-11T00:00:00.0000000-08:00</EndDate>
                </StayDateRange>
                <GuestCount>
                    <GuestCount ageQualifyingCode="ADULT"
count="1"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                </GuestCount>
                <RoomTypeCode>ALL</RoomTypeCode>
                <BlockCode>ADS</BlockCode>
            </FetchCalendarRequest>
    </soap:Body>
</soap:Envelope>

```

FetchCalendar with ChildAgeBuckets Request

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="193126" timeStamp="2005-03-
15T19:30:50.9347680+01:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="WEST" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
                <StayDateRange>

```



```

                                <hc:StartDate>2010-05-
15T00:00:00.0000000-05:00</hc:StartDate>
                                <hc:EndDate>2010-05-16T00:00:00.0000000-
05:00</hc:EndDate>
                                </StayDateRange>
                                <GuestCount>
                                    <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
                                    <hc:GuestCount ageQualifyingCode="CHILD"
count="1" age="5"/>
                                    <hc:GuestCount ageQualifyingCode="CHILD"
count="1" age="8"/>
                                    <hc:GuestCount ageQualifyingCode="CHILD"
count="1" age="12"/>
                                </GuestCount>
                                <RoomTypeCode>ALL</RoomTypeCode>
                                <RatePlanCode>ABC</RatePlanCode>
                                </FetchCalendarRequest>
                            </soap:Body>
                        </soap:Envelope>

```

FetchCalendar with DBAR Request

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <HotelReference chainCode="WC"
hotelCode="SEPARA"/>
            <StayDateRange>
                <hc:StartDate>2010-05-
03T00:00:00.0000000-05:00</hc:StartDate>
                <hc:EndDate>2010-05-04T00:00:00.0000000-
05:00</hc:EndDate>
            </StayDateRange>
            <hc:GuestCounts>
                <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
                <hc:GuestCount ageQualifyingCode="CHILD"
count="0" age="0"/>
            </hc:GuestCounts>

```

```

        <RoomTypeCode>ALL</RoomTypeCode>
    </FetchCalendarRequest>
</soap:Body>
</soap:Envelope>
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <HotelReference chainCode="WC"
hotelCode="SEPARA"/>
            <StayDateRange>
                <hc:StartDate>2010-05-
03T00:00:00.0000000-05:00</hc:StartDate>
                <hc:EndDate>2010-05-04T00:00:00.0000000-
05:00</hc:EndDate>
            </StayDateRange>
            <hc:GuestCounts>
                <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
                <hc:GuestCount ageQualifyingCode="CHILD"
count="0" age="0"/>
            </hc:GuestCounts>
            <RoomTypeCode>ALL</RoomTypeCode>
        </FetchCalendarRequest>
    </soap:Body>
</soap:Envelope>

```

FetchCalendar with Onbehalf Request

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
            <Authentication>

```

```

        <UserCredentials>
            <UserName>ONBEHALF1</UserName>

        <UserPassword>MICROS123</UserPassword>
            <Domain>PGNA</Domain>
            <SecurityId>1782338</SecurityId>
        </UserCredentials>
        <Licence>
            <Key>XAU7H6S8C23D1EIJJVKV</Key>
        </Licence>
    </Authentication>
</OGHeader>
</soap:Header>
<soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
        <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
        <StayDateRange>
            <hc:StartDate>2010-05-
15T00:00:00.0000000-05:00</hc:StartDate>
            <hc:EndDate>2010-05-16T00:00:00.0000000-
05:00</hc:EndDate>
        </StayDateRange>
        <GuestCounts>
            <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
            <hc:GuestCount ageQualifyingCode="CHILD"
count="0" age="0"/>
        </GuestCounts>
        <RoomTypeCode>ALL</RoomTypeCode>
        <RatePlanCode>ABC</RatePlanCode>
    </FetchCalendarRequest>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with PromoCode Request

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>

```

```

        <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
    <StayDateRange>
        <hc:StartDate>2010-05-
15T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2010-05-16T00:00:00.0000000-
05:00</hc:EndDate>
    </StayDateRange>
    <GuestCounts>
        <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
        <hc:GuestCount ageQualifyingCode="CHILD"
count="0"/>
    </GuestCounts>
    <RoomTypeCode>ALL</RoomTypeCode>
    <PromotionCode>PHONO</PromotionCode>
    </FetchCalendarRequest>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with OWS CALENDAR MODE Set to “BAR” Request

For this feature to be available, the OWS CALENDAR CACHE parameter must be set to Y. To activate the parameter, go to the Channel Property Parameters screen (**Setup > System Configuration > Channels > Channel Property Parameters**). The OWS CALENDAR CACHE parameter does not support the calendar mode “NONE” and also does not support FetchCalendar requests when using Block codes.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="193126" timeStamp="2005-03-
15T19:30:50.9347680+01:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="WEST" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
            <StayDateRange>

```

```

                <hc:StartDate>2010-10-
15T00:00:00.0000000-05:00</hc:StartDate>
                <hc:EndDate>2010-10-17T00:00:00.0000000-
05:00</hc:EndDate>
                </StayDateRange>
                <RoomTypeCode>ALL</RoomTypeCode>
            </FetchCalendarRequest>
        </soap:Body>
    </soap:Envelope>

```

FetchCalendar with OWS CALENDAR MODE Set to “BAR Rate Groups” Request

For this feature to be available, the OWS CALENDAR CACHE parameter must be set to Y. To activate the parameter, go to the Channel Property Parameters screen (**Setup > System Configuration > Channels > Channel Property Parameters**). The OWS CALENDAR CACHE parameter does not support the calendar mode “NONE” and also does not support FetchCalendar requests when using Block codes.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="WEB"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
            <StayDateRange>
                <hc:StartDate>2010-09-
21T00:00:00.0000000-05:00</hc:StartDate>
                <hc:EndDate>2010-09-22T00:00:00.0000000-
05:00</hc:EndDate>
            </StayDateRange>
            <GuestCounts>
                <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
                <hc:GuestCount ageQualifyingCode="CHILD"
count="0"/>
            </GuestCounts>
            <RoomTypeCode>ALL</RoomTypeCode>
        </FetchCalendarRequest>
    </soap:Body>

```

```
</soap:Envelope>
```

FetchCalendar with OWS CALENDAR MODE Set to Single Rate Request

For this feature to be available, the OWS CALENDAR CACHE parameter must be set to Y. To activate the parameter, go to the Channel Property Parameters screen (**Setup > System Configuration > Channels > Channel Property Parameters**). The OWS CALENDAR CACHE parameter does not support the calendar mode "NONE" and also does not support FetchCalendar requests when using Block codes.

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="193126" timeStamp="2005-03-15T19:30:50.9347680+01:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="WEST" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
      <StayDateRange>
        <hc:StartDate>2010-09-21T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2010-09-21T00:00:00.0000000-05:00</hc:EndDate>
      </StayDateRange>
      <GuestCount>
        <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
        <hc:GuestCount ageQualifyingCode="CHILD"
count="1" age="5"/>
        <hc:GuestCount ageQualifyingCode="CHILD"
count="1" age="8"/>
        <hc:GuestCount ageQualifyingCode="CHILD"
count="1" age="12"/>
      </GuestCount>
      <RoomTypeCode>ALL</RoomTypeCode>
    </FetchCalendarRequest>
  </soap:Body>
</soap:Envelope>
```

FetchCalendar with OWS CALENDAR Mode Set to “Lowest” Request

For this feature to be available, the OWS CALENDAR CACHE parameter must be set to Y. To activate the parameter, go to the Channel Property Parameters screen (**Setup > System Configuration > Channels > Channel Property Parameters**). The OWS CALENDAR CACHE parameter does not support the calendar mode “NONE” and also does not support FetchCalendar requests when using Block codes.

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
      <StayDateRange>
        <hc:StartDate>2010-09-
21T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2010-09-22T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <GuestCounts>
        <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
        <hc:GuestCount ageQualifyingCode="CHILD"
count="0"/>
      </GuestCounts>
      <RoomTypeCode>ALL</RoomTypeCode>
    </FetchCalendarRequest>
  </soap:Body>
</soap:Envelope>
```

FetchCalendar OnBehalf with OWS CALENDAR CACHE Enabled Request

For this feature to be available, the OWS CALENDAR CACHE parameter must be set to Y. To activate the parameter, go to the Channel Property Parameters screen (**Setup > System Configuration > Channels > Channel Property Parameters**). The OWS

CALENDAR CACHE parameter does not support the calendar mode "NONE" and also does not support FetchCalendar requests when using Block codes.

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
      <Authentication>
        <UserCredentials>
          <UserName>JACOBM</UserName>
          <UserPassword>EXF0L!@TE</UserPassword>
          <Domain>DINO</Domain>
          <SecurityId>4852279</SecurityId>
        </UserCredentials>
        <Licence>
          <Key>UOMWT3AZK9F8AX96W6WU</Key>
        </Licence>
      </Authentication>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
      <StayDateRange>
        <hc:StartDate>2010-09-
21T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2010-09-22T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <GuestCounts>
        <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
        <hc:GuestCount ageQualifyingCode="CHILD"
count="0"/>
      </GuestCounts>
      <RoomTypeCode>ALL</RoomTypeCode>
    </FetchCalendarRequest>
  </soap:Body>
</soap:Envelope>
```

FetchCalendar PromoCode with OWS CALENDAR CACHE Enabled Request

For this feature to be available, the OWS CALENDAR CACHE parameter must be set to Y. To activate the parameter, go to the Channel Property Parameters screen (**Setup > System Configuration > Channels > Channel Property Parameters**). The OWS CALENDAR CACHE parameter does not support the calendar mode "NONE" and also does not support FetchCalendar requests when using Block codes.

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC"
hotelCode="SEFIVE"/>
      <StayDateRange>
        <hc:StartDate>2010-09-21T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2010-09-22T00:00:00.0000000-05:00</hc:EndDate>
      </StayDateRange>
      <GuestCounts>
        <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
        <hc:GuestCount ageQualifyingCode="CHILD"
count="0"/>
      </GuestCounts>
      <RoomTypeCode>ALL</RoomTypeCode>
      <PromotionCode>PHONO</PromotionCode>
    </FetchCalendarRequest>
  </soap:Body>
</soap:Envelope>
```

FetchCalendar with Number of Nights Request

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
```

```

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="193126" timeStamp="2005-03-
15T19:30:50.9347680+01:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="GDS"/>
      <Destination entityID="WEST" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC"
hotelCode="ASEFIVE"/>
      <StayDateRange>
        <hc:StartDate>2011-05-
15T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2011-05-16T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <GuestCount>
        <hc:GuestCount ageQualifyingCode="ADULT"
count="1"/>
      </GuestCount>
      <RoomTypeCode>ALL</RoomTypeCode>
      <RatePlanCode>ALL</RatePlanCode>
      <NumberOfNights>7</NumberOfNights>
    </FetchCalendarRequest>
  </soap:Body>
</soap:Envelope>

```

FetchCalendar with RestrictMode=true Request

A new parameter has been introduced in FetchCalendar to control whether the lowest rate or all available rates are returned in the response message. When this parameter RestrictMode (in HCP) is set to "Yes", then it returns only the lowest available rate. When set to "No", then it returns all available rates. Prerequisite in OPERA--> Channel Property Parameters--> Channel = WEBHOTEL
OWS Calendar Mode = Needs to have only Rate Codes selected. (Example: ABC,APPL,FLR,JET)

The message below queries availability with restrict mode as true.
The response message should not include any restrictions and show only return the lowest rate available each day.

```

<?xml version="1.0"?><?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>

```

```

    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
    <Origin entityID="WH" systemType="WEB" />
    <Destination entityID="WH" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <HotelReference chainCode="CHA" hotelCode="CASINO" />
    <StayDateRange>
      <hc:StartDate>2012-11-23</hc:StartDate>
      <hc:EndDate>2012-11-28</hc:EndDate>
    </StayDateRange>
    <GuestCounts>
      <hc:GuestCount ageQualifyingCode="ADULT" count="1" />
      <hc:GuestCount ageQualifyingCode="CHILD" count="0" />
    </GuestCounts>
    <RoomTypeCode>ALL</RoomTypeCode>
    <RestrictedMode>true</RestrictedMode>
  </FetchCalendarRequest>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with RestrictMode=false Request

A new parameter has been introduced in FetchCalendar to control whether the lowest rate or all available rates are returned in the response message.

When this parameter RestrictMode (in HCP) is set to "True", then it returns only the lowest available rate. When it is set to "False" then all available rates return in the response.

Prerequisite in OPERA--> Channel Property Parameters--> Channel = WEBHOTEL
 OWS Calendar Mode = Needs to have only Rate Codes selected. (Example:
 ABC,APPL,FLR,JET)

The message below queries availability with restrict mode as false.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WH" systemType="WEB" />
      <Destination entityID="WH" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"

```

```

xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <HotelReference chainCode="CHA" hotelCode="CASINO" />
  <StayDateRange>
    <hc:StartDate>2012-11-23</hc:StartDate>
    <hc:EndDate>2012-11-28</hc:EndDate>
  </StayDateRange>
  <GuestCounts>
    <hc:GuestCount ageQualifyingCode="ADULT" count="1" />
    <hc:GuestCount ageQualifyingCode="CHILD" count="0" />
  </GuestCounts>
  <RoomTypeCode>ALL</RoomTypeCode>
  <RestrictedMode>>false</RestrictedMode>
</FetchCalendarRequest>
</soap:Body>
</soap:Envelope>

```

FetchCalendar Inventory Mode = True Request

In FetchCalendar when the element for InventoryMode is set to true only the inventory for the selected dates will be returned. Set <InventoryMode>>true</InventoryMode>.

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="WEST" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC" hotelCode="SEFIVE" />
      <StayDateRange>
        <hc:StartDate>2012-12-15T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2012-12-20T00:00:00.0000000-05:00</hc:EndDate>
      </StayDateRange>
      <GuestCounts>
        <hc:GuestCount ageQualifyingCode="ADULT" count="1" />
        <hc:GuestCount ageQualifyingCode="CHILD" count="0" />
      </GuestCounts>
      <RatePlanCode>ALL</RatePlanCode>
      <InventoryMode>>true</InventoryMode>
    </FetchCalendarRequest>
  </soap:Body>
</soap:Envelope>

```

FetchCalendar Inventory Mode = False Request

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="WEST" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC" hotelCode="SEFIVE" />
      <StayDateRange>
        <hc:StartDate>2012-12-15T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2012-12-20T00:00:00.0000000-05:00</hc:EndDate>
      </StayDateRange>
      <GuestCounts>
        <hc:GuestCount ageQualifyingCode="ADULT" count="1" />
        <hc:GuestCount ageQualifyingCode="CHILD" count="0" />
      </GuestCounts>
      <RatePlanCode>ALL</RatePlanCode>
      <InventoryMode>>false</InventoryMode>
    </FetchCalendarRequest>
  </soap:Body>
</soap:Envelope>
```

FetchCalendar with OWS GOOLGE CALENDAR MAX NIGHTS STAY Request

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-09T13:26:56.4056250-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="WEST" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC" hotelCode="SEFIVE" />
      <StayDateRange>
        <hc:StartDate>2012-12-15T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2012-12-20T00:00:00.0000000-05:00</hc:EndDate>
      </StayDateRange>
      <GuestCounts>
        <hc:GuestCount ageQualifyingCode="ADULT" count="1" />
        <hc:GuestCount ageQualifyingCode="CHILD" count="0" />
      </GuestCounts>
      <RatePlanCode>ALL</RatePlanCode>
      <InventoryMode>>false</InventoryMode>
    </FetchCalendarRequest>
  </soap:Body>
</soap:Envelope>
```

```

    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC" hotelCode="SEFIVE" />
      <StayDateRange>
        <hc:StartDate>2012-12-10T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2012-12-12T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <GuestCount>
        <hc:GuestCount ageQualifyingCode="ADULT" count="6" />
        <hc:GuestCount ageQualifyingCode="CHILD" count="0" />
      </GuestCount>
      <RoomTypeCode>ALL</RoomTypeCode>
      <NumberOfNights>2</NumberOfNights>
    </FetchCalendarRequest>
  </soap:Body>
</soap:Envelope>

```

FetchCalendar with OWS GOOLGE CALENDAR MAX NIGHTS STAY Exceeded Request

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="WEST" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchCalendarRequest
xmlns:a="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC" hotelCode="SEFIVE" />
      <StayDateRange>
        <hc:StartDate>2012-12-10T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2012-12-12T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <GuestCount>
        <hc:GuestCount ageQualifyingCode="ADULT" count="6" />

```

```

        <hc:GuestCount ageQualifyingCode="CHILD" count="0" />
    </GuestCount>
    <RoomTypeCode>ALL</RoomTypeCode>
    <NumberOfNights>9</NumberOfNights>
</FetchCalendarRequest>
</soap:Body>
</soap:Envelope>

```

FetchCalendarRequest

```

<xs:complexType name="FetchCalendarRequest">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="HotelReference"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:HotelReference" />
    <xs:element minOccurs="0" maxOccurs="1" name="StayDateRange"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q2:TimeSpan" />
    <xs:element minOccurs="0" maxOccurs="1" name="GuestCount"
      xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q3:GuestCountList" />
    <xs:element minOccurs="0" maxOccurs="1" name="RatePlanCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="RoomTypeCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="BlockCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="PromotionCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="CorporateCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="NumberOfNights"
      type="xs:int" />
    <xs:element minOccurs="0" maxOccurs="1" name="RestrictedMode"
      type="xs:boolean" />
    <xs:element minOccurs="0" maxOccurs="1" name="InventoryMode"
      type="xs:boolean" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
HotelReference	element	HotelReference	optional	Used to provide the specific chain and resort code for which availability is to be queried.
StayDateRange	element	TimeSpan	optional	Indicates the date bounds for the query.

GuestCount	element	GuestCountList	optional	Specifies the number of guests by type, such as adults or children.
RatePlanCode	element	string	optional	The channel converted rate code for a rate room pair.
RoomTypeCode	element	string	optional	The number of rooms available at the moment of the transaction.
BlockCode	element	string	optional	The inventory block code. If given, the service returns the rates and room type inventory for the block (NOT from the HOUSE).
PromotionCode	element	string	optional	The Promotional code or Coupon code. In both cases, the service returns all of the rate codes that are associated with the promotion group.
CorporateCode	element	string	optional	Used to provide the corporate code for which availability is to be queried.
NumberOfNights	element	int	optional	The number of nights for stay.
RestrictedMode	element	boolean	optional	A FetchCalendar to control, set to "Yes" and the lowest rate only returns. Set to "No" and all available rates are returned in the response message.

InventoryMode	element	boolean	optional	When this is set to "True" it only returns the available inventory in the message.
---------------	---------	---------	----------	--

6 FetchCalendarResponse

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="005435" timeStamp="2008-12-09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:9889d751-ca34-4942-9eee-b66ef45acbce</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:a2f23570-dd9d-441f-acfa-328d08f0f19f</wsa:RelatesTo>
  </soap:Header>
  <soap:Body>
    <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <Calendar>
        <CalendarDay Date="2009-05-01"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <Rates>
            <RestrictionList>
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BED" />
            </RestrictionList>
            <RateList>
              <Rate roomTypeCode="KNG" ratePlanCode="BED">
                <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                  <Rate>
                    <Base currencyCode="USD">100</Base>
                    <AdditionalGuestAmounts>
                      <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD">100</Amount>
                      </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                  </Rate>
                </Rates>
              </Rate>
            </RateList>
          </CalendarDay>
        </Calendar>
      </FetchCalendarResponse>
    </soap:Body>
  </soap:Envelope>
```

```
        </Rates>
        <Occupancy>
            <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        </Occupancy>
    </CalendarDay>
    <CalendarDay Date="2009-05-02"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
        <Rates>
            <RestrictionList>
                <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BED" />
            </RestrictionList>
            <RateList>
                <Rate roomTypeCode="KNG" ratePlanCode="BED">
                    <Rates
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
                        <Rate>
                            <Base currencyCode="USD">100</Base>
                            <AdditionalGuestAmounts>
                                <AdditionalGuestAmount
additionalGuestType="ADULT">
                                    <Amount currencyCode="USD">100</Amount>
                                </AdditionalGuestAmount>
                            </AdditionalGuestAmounts>
                        </Rate>
                    </Rates>
                </Rate>
            </RateList>
        </Rates>
    </CalendarDay>
    <CalendarDay Date="2009-05-03"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
        <Rates>
            <RestrictionList>
                <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BED" />
            </RestrictionList>
            <RateList>
                <Rate roomTypeCode="KNG" ratePlanCode="BED">
                    <Rates
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
                        <Rate>
                            <Base currencyCode="USD">100</Base>
                            <AdditionalGuestAmounts>
                                <AdditionalGuestAmount
additionalGuestType="ADULT">
                                    <Amount currencyCode="USD">100</Amount>
                                </AdditionalGuestAmount>
                            </AdditionalGuestAmounts>
                        </Rate>
                    </Rates>
                </Rate>
            </RateList>
        </Rates>
    </CalendarDay>
```

```
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
</RateList>
</Rates>
<Occupancy>
    <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
</Occupancy>
</CalendarDay>
<CalendarDay Date="2009-05-04"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <Rates>
        <RestrictionList>
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BED" />
        </RestrictionList>
        <RateList>
            <Rate roomTypeCode="KNG" ratePlanCode="BED">
                <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Rate>
                        <Base currencyCode="USD">100</Base>
                        <AdditionalGuestAmounts>
                            <AdditionalGuestAmount
additionalGuestType="ADULT">
                                <Amount currencyCode="USD">100</Amount>
                            </AdditionalGuestAmount>
                        </AdditionalGuestAmounts>
                    </Rate>
                </Rates>
            </Rate>
        </RateList>
    </Rates>
</CalendarDay>
<CalendarDay Date="2009-05-05"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <Rates>
        <RestrictionList>
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BED" />
        </RestrictionList>
        <RateList>
            <Rate roomTypeCode="KNG" ratePlanCode="BED">
                <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Rate>
                        <Base currencyCode="USD">100</Base>
```

```

        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
</RateList>
</Rates>
<Occupancy>
  <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
</Occupancy>
</CalendarDay>
</Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with BlockCode Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000045" timeStamp="2008-01-
08T18:06:39.600655-05:00" primaryLangID="E"
xmlns="http://webservices.micos.com/og/4.3/Core/">
      <Origin entityID="WBE" systemType="WBE"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micos.com/ows/5.1/Availabil
ity.wsdl#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:167c7eb8-5683-4af2-b9f8-
cb63b229cdd6</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:0f3ccbef-8068-4886-be44-
78c2d82e88c6</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchCalendarResponse
xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <Calendar>
        <CalendarDay Date="2010-05-10"
xmlns="http://webservices.micos.com/og/4.3/Availability/">

```

```

                <Rates>
                    <RateList>
                        <Rate
roomTypeCode="A1A">
                            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Rate>
                                    <Base
currencyCode="USD" decimals="2">95</Base>
                                <AdditionalGuestAmounts>
                                    <AdditionalGuestAmount additionalGuestType="ADULT">
                                        <Amount currencyCode="USD" decimals="2">95</Amount>
                                    </AdditionalGuestAmount>
                                </AdditionalGuestAmounts>
                            </Rate>
                        </Rates>
                    </Rate>
                </Rate>
roomTypeCode="KNG">
                <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Rate>
                        <Base
currencyCode="USD" decimals="2">95</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount additionalGuestType="ADULT">
                            <Amount currencyCode="USD" decimals="2">95</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </RateList>
    </Rates>
    <Occupancy>
        <RoomTypeInventory
roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="2"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <RoomTypeRestriction
restrictionType="OPEN" roomType="A1A"/>
        </RoomTypeInventory>
        <RoomTypeInventory
roomTypeCode="KNG" totalRooms="22" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="3"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">

```

```
restrictionType="OPEN" roomType="KNG"/>
    <RoomTypeRestriction
restrictionType="OPEN" roomType="KNG"/>
    </RoomTypeInventory>
    </Occupancy>
    </CalendarDay>
    <CalendarDay Date="2010-05-11"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <Rates>
    <RateList>
    <Rate
roomTypeCode="A1A">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base
currencyCode="USD" decimals="2">95</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">95</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate
roomTypeCode="KNG">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base
currencyCode="USD" decimals="2">95</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">95</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    </RateList>
    </Rates>
    <Occupancy>
    <RoomTypeInventory
roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="2"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```

restrictionType="OPEN" roomType="A1A"/>
        <RoomTypeRestriction
restrictionType="OPEN" roomType="A1A"/>
        </RoomTypeInventory>
    </RoomTypeInventory>
    <RoomTypeInventory
roomTypeCode="KNG" totalRooms="22" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="7"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <RoomTypeRestriction
restrictionType="OPEN" roomType="KNG"/>
        </RoomTypeRestriction>
    </RoomTypeInventory>
    </Occupancy>
</CalendarDay>
</Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with ChildAgeBuckets Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="193126" timeStamp="2005-03-
15T14:30:50.934768-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#FetchCalendarResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:96761408-559d-4621-b249-
064c8acba2ec</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:0caa32a5-de35-4b66-8b6d-
5c7c61b32f2d</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS"/>
            <Calendar>
                <CalendarDay Date="2010-05-15"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
                    <Rates>
                        <RestrictionList>
                            <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="KNG" rateCode="ABC"/>
                        </RestrictionList>

```



```

                                <RateList>
                                    <Rate
roomTypeCode="KNG" ratePlanCode="ABC">
                                                <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                                    <Rate>
                                                                <Base
currencyCode="USD" decimals="2">250</Base>

                                <AdditionalGuestAmounts>
                                    <AdditionalGuestAmount additionalGuestType="ADULT">
                                        <Amount currencyCode="USD" decimals="2">250</Amount>
                                    </AdditionalGuestAmount>
                                </AdditionalGuestAmounts>
                                                                </Rate>
                                                    </Rates>
                                                </Rate>
                                    </RateList>
                                </Rates>
                                    <Occupancy>
                                        <RoomTypeInventory
roomTypeCode="KNG" totalRooms="22" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="20"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                            </Occupancy>
                                        </CalendarDay>
                                            <CalendarDay Date="2010-05-16"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
                                                <Rates>
                                                    <RestrictionList>
                                                        <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="KNG" rateCode="ABC"/>
                                                    </RestrictionList>
                                                <RateList>
                                                    <Rate
roomTypeCode="KNG" ratePlanCode="ABC">
                                                                <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                                                    <Rate>
                                                                                <Base
currencyCode="USD" decimals="2">250</Base>

                                <AdditionalGuestAmounts>
                                    <AdditionalGuestAmount additionalGuestType="ADULT">
                                        <Amount currencyCode="USD" decimals="2">250</Amount>
                                    </AdditionalGuestAmount>
                                </AdditionalGuestAmounts>
                                                                                </Rate>
                                                                    </Rates>
                                                                </Rate>
                                                    </RestrictionList>
                                                </RateList>
                                                    </Rate>
                                                                </Base>
                                                                    </Rates>
                                                                </RateList>
                                    </Occupancy>
                                </Rates>
                                    </RateList>
                                </Rates>

```

```

        </Rates>
      </Rate>
    </RateList>
  </Rates>
  <Occupancy>
    <RoomTypeInventory
roomTypeCode="KNG" totalRooms="22" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="20"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
  </CalendarDay>
</Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with DBAR Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:a2326ca9-6d93-4104-8cbc-
a78ec09c9f54</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:e6fe224e-adf1-406a-a88b-
85a2c2d7e8e0</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <Calendar>
        <CalendarDay Date="2010-05-03"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <Rates>
            <RestrictionList>
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A3B" rateCode="DBR" />
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="DBR" />
            </RestrictionList>

```

```
<RateList>
  <Rate roomTypeCode="A3B" ratePlanCode="DBR">
    <Rates
      xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base decimals="2">125</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
              additionalGuestType="ADULT">
                <Amount decimals="2">125</Amount>
              </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
          </Rate>
        </Rates>
      </Rate>
    <Rate roomTypeCode="EHQ" ratePlanCode="DBR">
      <Rates
        xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <Rate>
            <Base decimals="2">125</Base>
            <AdditionalGuestAmounts>
              <AdditionalGuestAmount
                additionalGuestType="ADULT">
                  <Amount decimals="2">125</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
      </RateList>
    </Rates>
  <Occupancy>
    <RoomTypeInventory roomTypeCode="A1B" totalRooms="23"
      overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
      totalAvailableRooms="23"
      xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="A3B" totalRooms="9"
      overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
      totalAvailableRooms="9"
      xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="EHQ" totalRooms="20"
      overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
      totalAvailableRooms="20"
      xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  </Occupancy>
</CalendarDay>
<CalendarDay Date="2010-05-04"
  xmlns="http://webservices.micros.com/og/4.3/Availability/">
  <Rates>
    <RestrictionList>
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="A3B" rateCode="DBR" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="EHQ" rateCode="DBR" />
    </RestrictionList>
  <RateList>
    <Rate roomTypeCode="A3B" ratePlanCode="DBR">
```

```

        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base decimals="2">125</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount decimals="2">125</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="EHQ" ratePlanCode="DBR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base decimals="2">125</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount decimals="2">125</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
        </Rates>
    </Rate>
</RateList>
</Rates>
<Occupancy>
    <RoomTypeInventory roomTypeCode="A1B" totalRooms="23"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="23"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="A3B" totalRooms="9"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="9"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="EHQ" totalRooms="20"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="20"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
</Occupancy>
</CalendarDay>
</Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with Onbehalf Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

```

```

xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
      <Authentication>
        <UserCredentials>
          <UserName>ONBEHALF1</UserName>
          <UserPassword>MICROS123</UserPassword>
          <Domain>PGNA</Domain>
          <SecurityId>1782338</SecurityId>
        </UserCredentials>
        <Licence>
          <Key>KTZXJ0N4EJ0NTGK7UH63</Key>
        </Licence>
      </Authentication>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:ac3b303f-039b-445a-946c-
ca589020bc41</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:703b1038-bafe-43a2-b0db-
67f5f729a76b</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <Calendar>
        <CalendarDay Date="2010-05-15"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <Rates>
            <RestrictionList>
              <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A1A" rateCode="ABC"/>
              <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A2S" rateCode="ABC"/>
              <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="AST" rateCode="ABC"/>
              <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="EHQ" rateCode="ABC"/>
              <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ELK" rateCode="ABC"/>
            </RestrictionList>
          </Rates>
        </CalendarDay>
      </Calendar>
    </FetchCalendarResponse>
  </soap:Body>
</soap:Envelope>

```

```
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ELQ" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ELT" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ETQ" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="EVK" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="EVQ" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="KNG" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="MHQ" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="MLK" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="MLQ" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="PRE" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ULQ" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ULS" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ULT" rateCode="ABC"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A1A" rateCode="SLGNT"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A2S" rateCode="SLGNT"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="AST" rateCode="SLGNT"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="EHQ" rateCode="SLGNT"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ELK" rateCode="SLGNT"/>
<Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ELQ" rateCode="SLGNT"/>
```

```

restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ELT" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ETQ" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="EVK" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="EVQ" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="KNG" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="MHQ" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="MLK" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="MLQ" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="PRE" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ULQ" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ULS" rateCode="SLGNT"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ULT" rateCode="SLGNT"/>
</RestrictionList>
<RateList>
<Rate
roomTypeCode="KNG" ratePlanCode="ABC">
<Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
<Rate>
<Base
currencyCode="USD" decimals="2">205</Base>
<AdditionalGuestAmounts>
<AdditionalGuestAmount additionalGuestType="ADULT">
<Amount currencyCode="USD" decimals="2">205</Amount>
</AdditionalGuestAmount>
</AdditionalGuestAmounts>
</Rate>
</Rates>

```

```

        </Rate>
    </Rate>
    roomTypeCode="A1A" ratePlanCode="SLGNT">
        <Rates
    xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base
    currencyCode="USD" decimals="2">22</Base>

        <AdditionalGuestAmounts>
            <AdditionalGuestAmount additionalGuestType="ADULT">
                <Amount currencyCode="USD" decimals="2">22</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>

        </Rate>
    </Rates>
    </Rate>
    </Rate>
    roomTypeCode="A2S" ratePlanCode="SLGNT">
        <Rates
    xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base
    currencyCode="USD" decimals="2">22</Base>

        <AdditionalGuestAmounts>
            <AdditionalGuestAmount additionalGuestType="ADULT">
                <Amount currencyCode="USD" decimals="2">22</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>

        </Rate>
    </Rates>
    </RateList>
    </Rates>
    <Occupancy>
        <RoomTypeInventory
    roomTypeCode="KNG" totalRooms="22" overBookingLimit="0"
    soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="20"
    xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <RoomTypeInventory
    roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
    soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="18"
    xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <RoomTypeInventory
    roomTypeCode="MLK" totalRooms="16" overBookingLimit="0"
    soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="16"
    xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">

```

```
        <RoomTypeInventory
roomTypeCode="ULQ" totalRooms="40" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="40"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="ULT" totalRooms="55" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="55"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="MLQ" totalRooms="58" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="58"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="ELT" totalRooms="36" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="36"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="ELK" totalRooms="9" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="9"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="EVK" totalRooms="23" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="23"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="EVQ" totalRooms="30" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="30"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="ETQ" totalRooms="17" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="17"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="EHQ" totalRooms="1" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="1"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="ELQ" totalRooms="6" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="6"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="ULS" totalRooms="4" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="4"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="MHQ" totalRooms="4" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="4"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="PRE" totalRooms="11" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="11"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="AST" totalRooms="47" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="47"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
```

```

                                <RoomTypeInventory
roomTypeCode="A2S" totalRooms="10" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="10"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
                                </Occupancy>
                                </CalendarDay>
                                </Calendar>
                                </FetchCalendarResponse>
                                </soap:Body>
                                </soap:Envelope>

```

FetchCalendar with PromoCode Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#FetchCalendarResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:bdeeld31-0d9e-4f72-b140-
ec412377f4b7</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:be9c4ad9-dde9-425c-8d82-
f2a5f2f9dc6d</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <Calendar>
                <CalendarDay Date="2010-05-15"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
                    <Rates>
                        <RestrictionList>
                            <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="KNG" rateCode="ABC" />
                        </RestrictionList>
                        <RateList>
                            <Rate
roomTypeCode="KNG" ratePlanCode="ABC">
                                </Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                    </Rate>

```

```

currencyCode="USD" decimals="2">205</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">205</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    </RateList>
    </Rates>
    <Occupancy>
    <RoomTypeInventory
roomTypeCode="KNG" totalRooms="22" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="20"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    </Occupancy>
    </CalendarDay>
    <CalendarDay Date="2010-05-16"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <Rates>
    <RestrictionList>
    <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="KNG" rateCode="ABC"/>
    </RestrictionList>
    <RateList>
    <Rate
roomTypeCode="KNG" ratePlanCode="ABC">
    </Rates>
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    </Rate>
    </Base>
currencyCode="USD" decimals="2">205</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">205</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    </RateList>
    </Rates>
    <Occupancy>

```

```

                                <RoomTypeInventory
roomTypeCode="KNG" totalRooms="22" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="20"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
                                </Occupancy>
                                </CalendarDay>
                                </Calendar>
                                </FetchCalendarResponse>
                                </soap:Body>
</soap:Envelope>

```

FetchCalendar with OWS CALENDAR MODE Set to “BAR” Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="193126" timeStamp="2005-03-
15T14:30:50.934768-04:00" primaryLangID="E"
xmlns="http://webservices.micos.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micos.com/ows/5.1/Availabil
ity.wsdl#FetchCalendarResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:4998338c-ae50-46ad-92e2-
c42eca9829c8</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:21895b87-9c2f-4b51-b71a-
4d5cf08dfefa</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <FetchCalendarResponse
xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <Calendar>
                <CalendarDay Date="2010-10-15"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
                    <Rates>
                        <RestrictionList>
                            <Restriction
restrictionType="MINIMUM STAY THROUGH" numberOfDays="1"
roomType="A1A" rateCode="BG1" />
                            <Restriction
restrictionType="MINIMUM STAY THROUGH" numberOfDays="1"
roomType="AST" rateCode="BG1" />
                        </RestrictionList>
                    </Rates>
                </CalendarDay>
            </Calendar>
        </FetchCalendarResponse>
    </soap:Body>
</soap:Envelope>

```

```

restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="KNG" rateCode="BG1"/>
    </RestrictionList>
    <RateList>
    <Rate
roomTypeCode="A1A" ratePlanCode="BG1">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base
currencyCode="USD" decimals="2">70</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">70</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate
roomTypeCode="AST" ratePlanCode="BG1">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base
currencyCode="USD" decimals="2">70</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">70</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </RateList>
    </Rates>
    <Occupancy>
    <RoomTypeInventory
roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="23"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <RoomTypeInventory
roomTypeCode="A2S" totalRooms="10" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="10"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    </Occupancy>

```

```

        </CalendarDay>
        <CalendarDay Date="2010-10-16"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
            <Rates>
                <RestrictionList>
                    <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A1A" rateCode="BG1"/>
                    <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="AST" rateCode="BG1"/>
                </RestrictionList>
                <RateList>
                    <Rate
roomTypeCode="A1A" ratePlanCode="BG1">
                        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                            <Rate>
                                <Base
currencyCode="USD" decimals="2">70</Base>
                                <AdditionalGuestAmounts>
                                    <AdditionalGuestAmount additionalGuestType="ADULT">
                                        <Amount currencyCode="USD" decimals="2">70</Amount>
                                    </AdditionalGuestAmount>
                                </AdditionalGuestAmounts>
                            </Rate>
                        </Rates>
                    </Rate>
                    <Rate
roomTypeCode="AST" ratePlanCode="BG1">
                        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                            <Rate>
                                <Base
currencyCode="USD" decimals="2">70</Base>
                                <AdditionalGuestAmounts>
                                    <AdditionalGuestAmount additionalGuestType="ADULT">
                                        <Amount currencyCode="USD" decimals="2">70</Amount>
                                    </AdditionalGuestAmount>
                                </AdditionalGuestAmounts>
                            </Rate>
                        </Rates>
                    </Rate>
                </Rates>
            </Rate>
        </Rates>
    </Rate>
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base
currencyCode="USD" decimals="2">70</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount additionalGuestType="ADULT">
                    <Amount currencyCode="USD" decimals="2">70</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
    </Rate>
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>

```

```

                                                                                               <Base
currencyCode="USD" decimals="2">269</Base>

  <AdditionalGuestAmounts>

    <AdditionalGuestAmount additionalGuestType="ADULT">

      <Amount currencyCode="USD" decimals="2">269</Amount>

    </AdditionalGuestAmount>

  </AdditionalGuestAmounts>

                                                                                               </Rate>
                                                                                               </Rates>
                                                                                               <Rate
roomTypeCode="KNG" ratePlanCode="BG2">

                                                                                               <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                                                                               <Rate>
                                                                                               <Base
currencyCode="USD" decimals="2">269</Base>

  <AdditionalGuestAmounts>

    <AdditionalGuestAmount additionalGuestType="ADULT">

      <Amount currencyCode="USD" decimals="2">269</Amount>

    </AdditionalGuestAmount>

  </AdditionalGuestAmounts>

                                                                                               </Rate>
                                                                                               </Rates>
                                                                                               </Rate>
                                                                                               </RateList>
                                                                                               </Rates>
                                                                                               <Occupancy>
                                                                                               <RoomTypeInventory
roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="25"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                                                                               <RoomTypeInventory
roomTypeCode="A2S" totalRooms="10" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="10"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                                                                               </Occupancy>
                                                                                               </CalendarDay>
                                                                                               </Calendar>
                                                                                               </FetchCalendarResponse>
                                                                                               </soap:Body>
</soap:Envelope>

```

FetchCalendar with OWS CALENDAR MODE Set to "BAR Rate Groups" Response

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:b4f399d9-a741-4da0-a127-4bbc03741521</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:015caf7d-d639-4d25-a830-22f288e5d12a</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <Calendar>
        <CalendarDay Date="2010-09-21"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <Rates>
            <RestrictionList>
              <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A1A" rateCode="BG1"/>
              <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="AST" rateCode="BG1"/>
            </RestrictionList>
            <RateList>
              <Rate
roomTypeCode="A1A" ratePlanCode="BG1">
                <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                  <Rate>
                    <Base
currencyCode="USD" decimals="2">70</Base>
                  </Rate>
                </Rates>
              </Rate>
            </Rate>
          </Rates>
        </CalendarDay>
      </Calendar>
    </FetchCalendarResponse>
  </soap:Body>
</soap:Envelope>
```



```

        </RateList>
    </Rates>
    <Occupancy>
        <RoomTypeInventory
roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="15"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory
roomTypeCode="A2S" totalRooms="10" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    </Occupancy>
</CalendarDay>
</Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with OWS CALENDAR MODE Set to Single Rate Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="193126" timeStamp="2005-03-
15T14:30:50.934768-04:00" primaryLangID="E"
xmlns="http://webservices.micos.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>
        <wsa:Action>http://webservices.micos.com/ows/5.1/Availabil
ity.wsdl#FetchCalendarResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:560a5f34-8bd7-4955-af43-
1397d1be1264</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:d1d7b52d-a6a2-4614-949b-
c928fc75d175</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <FetchCalendarResponse
xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS"/>
            <Calendar>
                <CalendarDay Date="2010-09-21"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
                    <Rates>
                        <RestrictionList>

```

```

restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A1A" rateCode="BG1"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="AST" rateCode="BG1"/>
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="KNG" rateCode="BG1"/>
</RestrictionList>
<RateList>
  <Rate
roomTypeCode="A1A" ratePlanCode="BG1">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base
currencyCode="USD" decimals="2">95</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount additionalGuestType="ADULT">
          <Amount currencyCode="USD" decimals="2">95</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
  <Rate
roomTypeCode="AST" ratePlanCode="BG1">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base
currencyCode="USD" decimals="2">95</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount additionalGuestType="ADULT">
          <Amount currencyCode="USD" decimals="2">95</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
  <Rate
roomTypeCode="KNG" ratePlanCode="BG1">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
```

```

currencyCode="USD" decimals="2">95</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">95</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
</RateList>
</Rates>
<Occupancy>
  <RoomTypeInventory
roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="15"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory
roomTypeCode="A2S" totalRooms="10" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  </Occupancy>
</CalendarDay>
</Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with OWS CALENDAR Mode Set to “Lowest” Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micos.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micos.com/ows/5.1/Availabil
ity.wsdl#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:2dacf96a-2e1b-44ea-8440-
513a8b5e667a</wsa:MessageID>

```

```

        <wsa:RelatesTo>urn:uuid:c95a9455-48c6-4cdf-9aa3-
9cfde2decd92</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
        </soap:Header>
        <soap:Body>
            <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
                <Result resultStatusFlag="SUCCESS"/>
                <Calendar>
                    <CalendarDay Date="2010-09-21"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
                        <Rates>
                            <RestrictionList>
                                <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="AST" rateCode="AMD"/>
                                <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A1A" rateCode="APL"/>
                            </RestrictionList>
                            <RateList>
                                <Rate
roomTypeCode="AST" ratePlanCode="BED">
                                    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                        <Rate>
                                            <Base
currencyCode="USD" decimals="2">100</Base>
                                            <AdditionalGuestAmounts>
                                                <AdditionalGuestAmount additionalGuestType="ADULT">
                                                    <Amount currencyCode="USD" decimals="2">100</Amount>
                                                </AdditionalGuestAmount>
                                            </AdditionalGuestAmounts>
                                        </Rate>
                                    </Rates>
                                </Rate>
                                <Rate
roomTypeCode="A1A" ratePlanCode="APL">
                                    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                        <Rate>
                                            <Base
currencyCode="USD" decimals="2">135</Base>
                                            <AdditionalGuestAmounts>
                                                <AdditionalGuestAmount additionalGuestType="ADULT">
                                                    <Amount currencyCode="USD" decimals="2">135</Amount>
                                                </AdditionalGuestAmount>
                                            </AdditionalGuestAmounts>
                                        </Rate>
                                    </Rates>
                                </Rate>
                            </RateList>
                        </CalendarDay>
                    </Calendar>
                </FetchCalendarResponse>
            </soap:Body>
        </wsa:Envelope>
    </pre>

```

```

</AdditionalGuestAmount>

</AdditionalGuestAmounts>

</Rate>
</Rates>
</Rate>
</RateList>
</Rates>
<Occupancy>
  <RoomTypeInventory
roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="15"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory
roomTypeCode="A2S" totalRooms="10" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  </Occupancy>
</CalendarDay>
<CalendarDay Date="2010-09-22"
xmlns="http://webservices.micros.com/og/4.3/Availability/" />
  <Rates>
    <RestrictionList>
      <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="AST" rateCode="AMD" />
      <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A1A" rateCode="APL" />
    </RestrictionList>
    <RateList>
      <Rate
roomTypeCode="A1A" ratePlanCode="BED">
      </Rate>
    </Rates>
  </CalendarDay>
  </Availability>
  </Rates>
  </Rate>
  </Base>
  </AdditionalGuestAmounts>
  <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">100</Amount>
  </AdditionalGuestAmount>
</AdditionalGuestAmounts>

</Rate>
</Rates>
</Rate>
<Rate
roomTypeCode="AST" ratePlanCode="BED">
  </Rates>
  </Rate>
  </Base>
  </AdditionalGuestAmounts>
  <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">100</Amount>
  </AdditionalGuestAmount>
</AdditionalGuestAmounts>

```

```

currencyCode="USD" decimals="2">100</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">100</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    </RateList>
    </Rates>
    <Occupancy>
    <RoomTypeInventory
roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="3"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory
roomTypeCode="A2S" totalRooms="10" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="19"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
    </CalendarDay>
    </Calendar>
    </FetchCalendarResponse>
    </soap:Body>
</soap:Envelope>

```

FetchCalendar OnBehalf with OWS CALENDAR CACHE Enabled Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
            <Authentication>
                <UserCredentials>
                    <UserName>JACOBM</UserName>
                    <UserPassword>EXF0L!@TE</UserPassword>
                    <Domain>DINO</Domain>
                </UserCredentials>
            </Authentication>
        </OGHeader>
    </soap:Header>

```

```
<SecurityId>4852279</SecurityId>
</UserCredentials>
<Licence>
  <Key>UOMWT3AZK9F8AX96W6WU</Key>
</Licence>
</Authentication>
</OGHeader>
<wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchCalendarResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:b389c24e-eb49-4c21-8944-5271fdd2d1a5</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:7e381619-b00a-464f-86e5-c437dfd83c13</wsa:RelatesTo>

  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
</soap:Header>
<soap:Body>
  <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <Result resultStatusFlag="SUCCESS"/>
    <Calendar>
      <CalendarDay Date="2010-09-21"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <Rates>
          <RestrictionList>
            <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A2S" rateCode="CRR"/>
            <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A3B" rateCode="CRR"/>
          </RestrictionList>
          <RateList>
            <Rate
roomTypeCode="A2S" ratePlanCode="CRR">
              <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                  <Base
currencyCode="USD" decimals="2">250</Base>
                </Rate>
              </Rates>
            </Rate>
            <Rate
roomTypeCode="A3B" ratePlanCode="CRR">
```

```

                                                                                   <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                                                                   <Rate>
                                                                                   <Base
currencyCode="USD" decimals="2">250</Base>

    <AdditionalGuestAmounts>

    <AdditionalGuestAmount additionalGuestType="ADULT">

    <Amount currencyCode="USD" decimals="2">250</Amount>

    </AdditionalGuestAmount>

    </AdditionalGuestAmounts>
                                                                                   </Rate>
                                                                                   </Rates>
                                                                                   </Rate>
                                                                                   </RateList>
    </Rates>
    <Occupancy>
        <RoomTypeInventory
roomTypeCode="KNG" totalRooms="22" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="12"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <RoomTypeInventory
roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="15"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        </Occupancy>
    </CalendarDay>
    <CalendarDay Date="2010-09-22"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <Rates>
            <RestrictionList>
                <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A2S" rateCode="CRR"/>
                <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="A3B" rateCode="CRR"/>
            </RestrictionList>
        </RateList>
        <Rate
roomTypeCode="A3B" ratePlanCode="CRR">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base
currencyCode="USD" decimals="2">250</Base>

                    <AdditionalGuestAmounts>

                    <AdditionalGuestAmount additionalGuestType="ADULT">

                    <Amount currencyCode="USD" decimals="2">250</Amount>

```



```

</AdditionalGuestAmount>
</AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
</RateList>
</Rates>
<Occupancy>
  <RoomTypeInventory
roomTypeCode="KNG" totalRooms="22" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="11"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory
roomTypeCode="A1A" totalRooms="25" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="3"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  </Occupancy>
</CalendarDay>
</Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendar PromoCode with OWS CALENDAR CACHE Enabled Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="WEB"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:d83c02e6-2795-4ec4-ae8d-e10988899af4</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:1cab355c-d865-4148-9d66-bd220fbe9a6a</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">

```

```
<Result resultStatusFlag="SUCCESS"/>
<Calendar>
  <CalendarDay Date="2010-09-21"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
  <Rates>
    <RestrictionList>
      <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ULS" rateCode="AAA"/>
      <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ULT" rateCode="AAA"/>
      <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="AST" rateCode="AMD"/>
    </RestrictionList>
    <RateList>
      <Rate
roomTypeCode="AST" ratePlanCode="AMD">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
      <Base
currencyCode="USD" decimals="2">75</Base>
      <AdditionalGuestAmounts>
      <AdditionalGuestAmount additionalGuestType="ADULT">
      <Amount currencyCode="USD" decimals="2">75</Amount>
      </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
</RateList>
</Rates>
<Occupancy>
  <RoomTypeInventory
roomTypeCode="AST" totalRooms="47" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="47"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  </Occupancy>
</CalendarDay>
  <CalendarDay Date="2010-09-22"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
  <Rates>
    <RestrictionList>
      <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ULS" rateCode="AAA"/>
    </RestrictionList>
    <RateList>
      <Rate
roomTypeCode="AST" ratePlanCode="AMD">
```

```

                                                                 <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                                                 <Rate>
                                                                 <Base
currencyCode="USD" decimals="2">75</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">75</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
                                                                 </Rate>
                                                                 </Rates>
    </Rate>
    <Rate
roomTypeCode="ULS" ratePlanCode="AAA">
                                                                 <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                                                 <Rate>
                                                                 <Base
currencyCode="USD" decimals="2">135</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="USD" decimals="2">135</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
                                                                 </Rate>
                                                                 </Rates>
    </RateList>
    </Rates>
    <Occupancy>
    <RoomTypeInventory
roomTypeCode="AST" totalRooms="47" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="47"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
    </CalendarDay>
    </Calendar>
    </FetchCalendarResponse>
  </soap:Body>
</soap:Envelope>

```

FetchCalendar for Number of Nights Response

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="193126" timeStamp="2005-03-
15T14:30:50.934768-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="ORS"/>
      <Destination entityID="WEST" systemType="GDS"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:bb570778-0c7c-40b7-8e70-
acea2464869a</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:b6be5a68-b4bb-4c84-8c81-
11c5271f464a</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <Calendar>
        <CalendarDay Date="2011-05-15"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <Rates>
            <RestrictionList>
              <Restriction
restrictionType="CLOSED" roomType="ASK" rateCode="APPLE"/>
              <Restriction
restrictionType="MAXIMUM_STAY_THROUGH" numberOfDays="31"
roomType="ULS" rateCode="APPLE"/>
              <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="ULT" rateCode="APPLE"/>
              <Restriction
restrictionType="MAXIMUM_STAY_THROUGH" numberOfDays="31"
roomType="ULT" rateCode="APPLE"/>
            </RestrictionList>
            <RateList>
              <Rate
roomTypeCode="ULT" ratePlanCode="APPLE">
                <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                  <Rate>
                    <Base
currencyCode="UDD" decimals="2">0</Base>

                    <AdditionalGuestAmounts>

                    <AdditionalGuestAmount additionalGuestType="ADULT">

                    <Amount currencyCode="UDD" decimals="2">0</Amount>

```

```
        </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate
roomTypeCode="ELQ" ratePlanCode="APPLE">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
<Base
currencyCode="UDD" decimals="2">0</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="UDD" decimals="2">0</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate
roomTypeCode="KNG" ratePlanCode="APPLE">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
<Base
currencyCode="UDD" decimals="2">0</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
    <Amount currencyCode="UDD" decimals="2">0</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate
roomTypeCode="ULQ" ratePlanCode="APPLE">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
<Base
currencyCode="UDD" decimals="2">0</Base>
    <AdditionalGuestAmounts>
```

```
<AdditionalGuestAmount additionalGuestType="ADULT">
<Amount currencyCode="UDD" decimals="2">0</Amount>
</AdditionalGuestAmount>
</AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate
roomTypeCode="ELK" ratePlanCode="APPLE">
<Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
<Rate>
<Base
currencyCode="UDD" decimals="2">0</Base>
<AdditionalGuestAmounts>
<AdditionalGuestAmount additionalGuestType="ADULT">
<Amount currencyCode="UDD" decimals="2">0</Amount>
</AdditionalGuestAmount>
</AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate
roomTypeCode="STK" ratePlanCode="APPLE">
<Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
<Rate>
<Base
currencyCode="UDD" decimals="2">0</Base>
<AdditionalGuestAmounts>
<AdditionalGuestAmount additionalGuestType="ADULT">
<Amount currencyCode="UDD" decimals="2">0</Amount>
</AdditionalGuestAmount>
</AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate
roomTypeCode="EVK" ratePlanCode="APPLE">
<Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
<Rate>
```

```
currencyCode="UDD" decimals="2">0</Base> <Base>
  <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
      <Amount currencyCode="UDD" decimals="2">0</Amount>
    </AdditionalGuestAmount>
  </AdditionalGuestAmounts>
  </Rate>
</Rates>
</Rate>
<Rate
roomTypeCode="PRE" ratePlanCode="APPLE">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Rate>
    <Base>
currencyCode="UDD" decimals="2">0</Base>
  <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
      <Amount currencyCode="UDD" decimals="2">0</Amount>
    </AdditionalGuestAmount>
  </AdditionalGuestAmounts>
  </Rate>
</Rates>
</Rate>
<Rate
roomTypeCode="ULS" ratePlanCode="APPLE">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Rate>
    <Base>
currencyCode="UDD" decimals="2">0</Base>
  <AdditionalGuestAmounts>
    <AdditionalGuestAmount additionalGuestType="ADULT">
      <Amount currencyCode="UDD" decimals="2">0</Amount>
    </AdditionalGuestAmount>
  </AdditionalGuestAmounts>
  </Rate>
</Rates>
</Rate>
</RateList>
```

```

        </Rates>
        <Occupancy>
            <RoomTypeInventory
roomTypeCode="ULS" totalRooms="46" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="46"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
            <RoomTypeInventory
roomTypeCode="ULT" totalRooms="55" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="55"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        </Occupancy>
    </CalendarDay>
    <CalendarDay Date="2011-05-16"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <Rates>
            <RestrictionList>
                <Restriction
restrictionType="CLOSED" roomType="ASK" rateCode="APPLE" />
                <Restriction
restrictionType="MINIMUM_STAY_THROUGH" numberOfDays="1"
roomType="AST" rateCode="APPLE" />
            </RestrictionList>
            <RateList>
                <Rate
roomTypeCode="ELQ" ratePlanCode="APPLE">
                    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                        <Rate>
                            <Base
currencyCode="UDD" decimals="2">0</Base>
                                <AdditionalGuestAmounts>
                                    <AdditionalGuestAmount additionalGuestType="ADULT">
                                        <Amount currencyCode="UDD" decimals="2">0</Amount>
                                    </AdditionalGuestAmount>
                                </AdditionalGuestAmounts>
                            </Rate>
                        </Rates>
                    </Rate>
                <Rate
roomTypeCode="ELK" ratePlanCode="APPLE">
                    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                        <Rate>
                            <Base
currencyCode="UDD" decimals="2">0</Base>
                                <AdditionalGuestAmounts>
                                    <AdditionalGuestAmount additionalGuestType="ADULT">

```

```

    <Amount currencyCode="UDD" decimals="2">0</Amount>
  </AdditionalGuestAmount>
</AdditionalGuestAmounts>
                                </Rate>
                                </Rates>
                                </Rate>
                                </Rate>
                                </Rate>
roomTypeCode="AST" ratePlanCode="APPLE">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base
currencyCode="UDD" decimals="2">0</Base>
    <AdditionalGuestAmounts>
      <AdditionalGuestAmount additionalGuestType="ADULT">
        <Amount currencyCode="UDD" decimals="2">0</Amount>
      </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
                                </Rate>
                                </Rates>
                                </Rate>
                                </RateList>
                                </Rates>
                                <Occupancy>
                                  <RoomTypeInventory
roomTypeCode="ULS" totalRooms="46" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="46"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                  <RoomTypeInventory
roomTypeCode="ULT" totalRooms="55" overBookingLimit="0"
soldDeductible="0" soldNonDeductible="0" totalAvailableRooms="55"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                  </Occupancy>
                                </CalendarDay>
                              </Calendar>
                            </FetchCalendarResponse>
                          </soap:Body>
                        </soap:Envelope>

```

FetchCalendar with RestrictMode=true Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"

```

```
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WH" systemType="ORS" />
      <Destination entityID="WH" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabilit
y.wsdl#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:eeca0dfa-2360-4086-b61e-
39b627e28c28</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:a76e2e12-43dc-40d7-9719-
e1f19425d46e</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role
/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <Calendar>
        <CalendarDay Date="2012-11-23"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <Rates>
            <RateList>
              <Rate roomTypeCode="POKB" ratePlanCode="BORA">
                <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                  <Rate>
                    <AdditionalGuestAmounts>
                      <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                      </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                  </Rate>
                </Rates>
              </Rate>
            </RateList>
          </Rates>
          <Occupancy>
            <RoomTypeInventory roomTypeCode="POKB"
totalRooms="21" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="21"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
              <RoomTypeInventory roomTypeCode="POQB"
totalRooms="13" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="13"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
            </Occupancy>
          </CalendarDay>
          <CalendarDay Date="2012-11-24"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
            <Rates>
```

```
        <RateList>
          <Rate roomTypeCode="POKB" ratePlanCode="BORA">
            <Rates
              xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                  <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
                      additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
                          decimals="2">100</Amount>
                      </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                  </Rate>
                </Rates>
              </Rate>
            </RateList>
          </Rates>
        <Occupancy>
          <RoomTypeInventory roomTypeCode="POKB"
            totalRooms="21" overBookingLimit="0" soldDeductible="0"
            soldNonDeductible="0" totalAvailableRooms="21"
            xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
          <RoomTypeInventory roomTypeCode="POQB"
            totalRooms="13" overBookingLimit="0" soldDeductible="0"
            soldNonDeductible="0" totalAvailableRooms="13"
            xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
          </Occupancy>
        </CalendarDay>
        <CalendarDay Date="2012-11-25"
          xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <Rates>
            <RateList>
              <Rate roomTypeCode="POKB" ratePlanCode="BORA">
                <Rates
                  xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Rate>
                      <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
                          additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
                              decimals="2">100</Amount>
                        </AdditionalGuestAmount>
                      </AdditionalGuestAmounts>
                    </Rate>
                  </Rates>
                </Rate>
              </RateList>
            </Rates>
          <Occupancy>
            <RoomTypeInventory roomTypeCode="POKB"
              totalRooms="21" overBookingLimit="0" soldDeductible="0"
              soldNonDeductible="0" totalAvailableRooms="21"
              xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
            <RoomTypeInventory roomTypeCode="POQB"
              totalRooms="13" overBookingLimit="0" soldDeductible="0"
              soldNonDeductible="0" totalAvailableRooms="13"
              xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
          </Occupancy>
        </CalendarDay>
      </Rates>
    </RateList>
  </Rates>
</Availability>
```

```
        </Occupancy>
        </CalendarDay>
        <CalendarDay Date="2012-11-26"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <Rates>
        <RateList>
        <Rate roomTypeCode="POKB" ratePlanCode="BORA">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
        </Rates>
        </Rate>
        </RateList>
        </Rates>
        <Occupancy>
        <RoomTypeInventory roomTypeCode="POKB"
totalRooms="21" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="21"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="POQB"
totalRooms="13" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="13"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        </Occupancy>
        </CalendarDay>
        <CalendarDay Date="2012-11-27"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <Rates>
        <RateList>
        <Rate roomTypeCode="POKB" ratePlanCode="BORA">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
        </Rates>
        </Rate>
        </RateList>
        </Rates>
        <Occupancy>
        <RoomTypeInventory roomTypeCode="POKB"
totalRooms="21" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="21"
```

```

xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="POQB"
totalRooms="13" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="13"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
    </CalendarDay>
    <CalendarDay Date="2012-11-28"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <Rates>
    <RateList>
    <Rate roomTypeCode="POKB" ratePlanCode="BORA">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">100</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    </RateList>
    </Rates>
    <Occupancy>
    <RoomTypeInventory roomTypeCode="POKB"
totalRooms="21" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="21"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="POQB"
totalRooms="13" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="13"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
    </CalendarDay>
    </Calendar>
    </FetchCalendarResponse>
    </soap:Body>
</soap:Envelope>

```

FetchCalendar with RestrictMode=false Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">

```

```

        <Origin entityID="WH" systemType="ORS" />
        <Destination entityID="WH" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsd1#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:bd6aa7ee-7970-462e-94fe-5e4e3belf52a</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:01b9b31e-d676-473a-b60e-505851883d1a</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
</soap:Header>
<soap:Body>
    <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsd1">
        <Result resultStatusFlag="SUCCESS" />
        <Calendar>
            <CalendarDay Date="2012-11-23"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
                <Rates>
                    <RestrictionList>
                        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="BIKE" />
                        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="BIKE" />
                        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="BORA" />
                        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="BORA" />
                        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="ENT" />
                        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="ENT" />
                        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="FARGO" />
                        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="FARGO" />
                        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="SPANISH CONV HEADER"
/>
                    </RestrictionList>
                    <RateList>
                        <Rate roomTypeCode="POKB" ratePlanCode="BIKE">
                            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <Rate>
                                    <Base currencyCode="USD"
decimals="2">155</Base>
                                    <AdditionalGuestAmounts>
                                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                                            <Amount currencyCode="USD"
decimals="2">155</Amount>
                                        </AdditionalGuestAmount>
                                    </AdditionalGuestAmounts>
                                </Rate>
                            </Rates>

```

```
        </Rate>
        <Rate roomTypeCode="POQB" ratePlanCode="BIKE">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">155</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">155</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="POKB" ratePlanCode="BORA">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="POQB" ratePlanCode="BORA">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="POKB" ratePlanCode="ENT">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="GBP"
decimals="2">300</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
```

```
additionalGuestType="ADULT">
    <Amount currencyCode="GBP"
decimals="2">300</Amount>
        </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="ENT">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="GBP"
decimals="2">300</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="GBP"
decimals="2">300</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
    <Rate roomTypeCode="POKB" ratePlanCode="FARGO">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">145</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">145</Amount>
                            </AdditionalGuestAmount>
                        </AdditionalGuestAmounts>
                    </Rate>
                </Rates>
            </Rate>
        <Rate roomTypeCode="POQB" ratePlanCode="FARGO">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">125</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">125</Amount>
                                </AdditionalGuestAmount>
                            </AdditionalGuestAmounts>
                        </Rate>
                    </Rates>
                </Rate>
            <Rate roomTypeCode="POKB" ratePlanCode="SPANISH
```



```
CONV HEADER">
    <Rates
      xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
            decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
              additionalGuestType="ADULT">
                <Amount currencyCode="USD"
                  decimals="2">100</Amount>
              </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
          </Rate>
        </Rates>
      </Rate>
    </RateList>
  </Rates>
  <Occupancy>
    <RoomTypeInventory roomTypeCode="POKB"
      totalRooms="21" overBookingLimit="0" soldDeductible="0"
      soldNonDeductible="0" totalAvailableRooms="21"
      xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="POQB"
      totalRooms="13" overBookingLimit="0" soldDeductible="0"
      soldNonDeductible="0" totalAvailableRooms="13"
      xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  </Occupancy>
</CalendarDay>
<CalendarDay Date="2012-11-24"
  xmlns="http://webservices.micros.com/og/4.3/Availability/">
  <Rates>
    <RestrictionList>
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="POKB" rateCode="BIKE" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="POQB" rateCode="BIKE" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="POKB" rateCode="BORA" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="POQB" rateCode="BORA" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="POKB" rateCode="ENT" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="POQB" rateCode="ENT" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="POKB" rateCode="FARGO" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="POQB" rateCode="FARGO" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
        numberOfDays="1" roomType="POKB" rateCode="SPANISH CONV HEADER"
      />
    </RestrictionList>
    <RateList>
      <Rate roomTypeCode="POKB" ratePlanCode="BIKE">
        <Rates
          xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Rate>
          <Base currencyCode="USD"
decimals="2">155</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">155</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="POQB" ratePlanCode="BIKE">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">155</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">155</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="POKB" ratePlanCode="BORA">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="POQB" ratePlanCode="BORA">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
```

```
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="ENT">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="GBP"
decimals="2">300</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="GBP"
decimals="2">300</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="ENT">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="GBP"
decimals="2">300</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="GBP"
decimals="2">300</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="FARGO">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">145</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">145</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="FARGO">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
```

```
decimals="2">125</Base>
    <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">125</Amount>
        </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="SPANISH
CONV HEADER">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
</RateList>
</Rates>
<Occupancy>
    <RoomTypeInventory roomTypeCode="POKB"
totalRooms="21" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="21"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="POQB"
totalRooms="13" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="13"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
</Occupancy>
</CalendarDay>
<CalendarDay Date="2012-11-25"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <Rates>
        <RestrictionList>
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="BIKE" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="BIKE" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="BORA" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="BORA" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="ENT" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="ENT" />
        </RestrictionList>
    </Rates>
</CalendarDay>
</Availability>
```

```
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="FARGO" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="FARGO" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="SPANISH CONV HEADER"
/>
    </RestrictionList>
    <RateList>
        <Rate roomTypeCode="POKB" ratePlanCode="BIKE">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">155</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">155</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
        <Rate roomTypeCode="POQB" ratePlanCode="BIKE">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">155</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">155</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
        <Rate roomTypeCode="POKB" ratePlanCode="BORA">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">100</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">100</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
```

```
        <Rate roomTypeCode="POQB" ratePlanCode="BORA">
          <Rates
            xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
              <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                  <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                  </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
              </Rate>
            </Rates>
          </Rate>
          <Rate roomTypeCode="POKB" ratePlanCode="ENT">
            <Rates
              xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                  <Base currencyCode="GBP"
decimals="2">300</Base>
                  <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                      <Amount currencyCode="GBP"
decimals="2">300</Amount>
                    </AdditionalGuestAmount>
                  </AdditionalGuestAmounts>
                </Rate>
              </Rates>
            </Rate>
            <Rate roomTypeCode="POQB" ratePlanCode="ENT">
              <Rates
                xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                  <Rate>
                    <Base currencyCode="GBP"
decimals="2">300</Base>
                    <AdditionalGuestAmounts>
                      <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="GBP"
decimals="2">300</Amount>
                      </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                  </Rate>
                </Rates>
              </Rate>
              <Rate roomTypeCode="POKB" ratePlanCode="FARGO">
                <Rates
                  xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Rate>
                      <Base currencyCode="USD"
decimals="2">145</Base>
                      <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
```

```
                <Amount currencyCode="USD"
decimals="2">145</Amount>
                </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="POQB" ratePlanCode="FARGO">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">125</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">125</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="POKB" ratePlanCode="SPANISH
CONV HEADER">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
</RateList>
</Rates>
<Occupancy>
    <RoomTypeInventory roomTypeCode="POKB"
totalRooms="21" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="21"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="POQB"
totalRooms="13" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="13"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
</Occupancy>
</CalendarDay>
<CalendarDay Date="2012-11-26"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <Rates>
        <RestrictionList>
```

```
<Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="BIKE" />
<Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="BIKE" />
<Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="BORA" />
<Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="BORA" />
<Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="ENT" />
<Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="ENT" />
<Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="FARGO" />
<Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="FARGO" />
<Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="SPANISH CONV HEADER"
/>
</RestrictionList>
<RateList>
<Rate roomTypeCode="POKB" ratePlanCode="BIKE">
<Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
<Rate>
<Base currencyCode="USD"
decimals="2">155</Base>
<AdditionalGuestAmounts>
<AdditionalGuestAmount
additionalGuestType="ADULT">
<Amount currencyCode="USD"
decimals="2">155</Amount>
</AdditionalGuestAmount>
</AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="BIKE">
<Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
<Rate>
<Base currencyCode="USD"
decimals="2">155</Base>
<AdditionalGuestAmounts>
<AdditionalGuestAmount
additionalGuestType="ADULT">
<Amount currencyCode="USD"
decimals="2">155</Amount>
</AdditionalGuestAmount>
</AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="BORA">
<Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
<Rate>
```

```
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="POQB" ratePlanCode="BORA">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="POKB" ratePlanCode="ENT">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="GBP"
decimals="2">300</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="GBP"
decimals="2">300</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="POQB" ratePlanCode="ENT">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="GBP"
decimals="2">300</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="GBP"
decimals="2">300</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
```

```
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="POKB" ratePlanCode="FARGO">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">145</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">145</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="POQB" ratePlanCode="FARGO">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">125</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">125</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="POKB" ratePlanCode="SPANISH
CONV HEADER">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
  </RateList>
</Rates>
<Occupancy>
  <RoomTypeInventory roomTypeCode="POKB"
totalRooms="21" overBookingLimit="0" soldDeductible="0"
```

```
soldNonDeductible="0" totalAvailableRooms="21"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="POQB"
totalRooms="13" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="13"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  </Occupancy>
</CalendarDay>
  <CalendarDay Date="2012-11-27"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
  <Rates>
    <RestrictionList>
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="BIKE" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="BIKE" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="BORA" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="BORA" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="ENT" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="ENT" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="FARGO" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="FARGO" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="SPANISH CONV HEADER"
/>
    </RestrictionList>
    <RateList>
      <Rate roomTypeCode="POKB" ratePlanCode="BIKE">
        <Rates
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
          <Rate>
            <Base currencyCode="USD"
decimals="2">155</Base>
            <AdditionalGuestAmounts>
              <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">155</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="POQB" ratePlanCode="BIKE">
      <Rates
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">155</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
```

```
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">155</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="BORA">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="BORA">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="ENT">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="GBP"
decimals="2">300</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="GBP"
decimals="2">300</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="ENT">
```

```
<Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Rate>
    <Base currencyCode="GBP"
decimals="2">300</Base>
    <AdditionalGuestAmounts>
      <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="GBP"
decimals="2">300</Amount>
      </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
  </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="FARGO">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">145</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">145</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="FARGO">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">125</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">125</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="SPANISH
CONV HEADER">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
```

```
                <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
</RateList>
</Rates>
<Occupancy>
    <RoomTypeInventory roomTypeCode="POKB"
totalRooms="21" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="21"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="POQB"
totalRooms="13" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="13"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    </Occupancy>
</CalendarDay>
<CalendarDay Date="2012-11-28"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
    <Rates>
        <RestrictionList>
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="BIKE" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="BIKE" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="BORA" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="BORA" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="ENT" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="ENT" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="FARGO" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POQB" rateCode="FARGO" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="POKB" rateCode="SPANISH CONV HEADER"
/>
        </RestrictionList>
    <RateList>
        <Rate roomTypeCode="POKB" ratePlanCode="BIKE">
            <Rates
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">155</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">155</Amount>
                        </AdditionalGuestAmount>
```

```
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="BIKE">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">155</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">155</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="BORA">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="BORA">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="ENT">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="GBP"
```

```
decimals="2">300</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="GBP"
decimals="2">300</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="ENT">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="GBP"
decimals="2">300</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="GBP"
decimals="2">300</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POKB" ratePlanCode="FARGO">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">145</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">145</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="POQB" ratePlanCode="FARGO">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">125</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">125</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
```



```

        </Rates>
    </Rate>
    <Rate roomTypeCode="POKB" ratePlanCode="SPANISH
CONV HEADER">
        <Rates
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
</RateList>
</Rates>
<Occupancy>
    <RoomTypeInventory roomTypeCode="POKB"
totalRooms="21" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="21"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="POQB"
totalRooms="13" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="13"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
</Occupancy>
</CalendarDay>
</Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendar Inventory Mode = True Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micos.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micos.com/ows/5.1/Availabilit
y.wsdl#FetchCalendarResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:b302bf5e-e0e6-4a76-b8e4-
d61dd9fa572d</wsa:MessageID>
    </soap:Header>

```

```
<wsa:RelatesTo>urn:uuid:d93d5624-2b1d-40b4-af4e-
532c79b8b4df</wsa:RelatesTo>
<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role
/anonymous</wsa:To>
</soap:Header>
<soap:Body>
<FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
<Result resultStatusFlag="SUCCESS" />
<Calendar>
<CalendarDay Date="2012-12-15"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
<Occupancy>
<RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
<RoomTypeInventory roomTypeCode="STK" totalRooms="25"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="25"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
<RoomTypeInventory roomTypeCode="MLK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
<RoomTypeInventory roomTypeCode="ULQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
<RoomTypeInventory roomTypeCode="ULT" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
<RoomTypeInventory roomTypeCode="MLQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
<RoomTypeInventory roomTypeCode="EHQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
<RoomTypeInventory roomTypeCode="EVK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
<RoomTypeInventory roomTypeCode="A2B" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
<RoomTypeInventory roomTypeCode="EVQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
<RoomTypeInventory roomTypeCode="ULS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
```

```
        <RoomTypeInventory roomTypeCode="BEB" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ML1" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="PRE" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    </Occupancy>
</CalendarDay>
<CalendarDay Date="2012-12-16"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
    <Occupancy>
        <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="STK" totalRooms="25"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="25"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ULQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ULT" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EHQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EVK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="A2B" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
```

```
<RoomTypeInventory roomTypeCode="EVQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="ULS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="BEB" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="MLS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ML1" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
          <RoomTypeInventory roomTypeCode="PRE" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        </Occupancy>
      </CalendarDay>
    <CalendarDay Date="2012-12-17"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
      <Occupancy>
        <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
          <RoomTypeInventory roomTypeCode="STK" totalRooms="25"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="25"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
            <RoomTypeInventory roomTypeCode="MLK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
              <RoomTypeInventory roomTypeCode="ULQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
                <RoomTypeInventory roomTypeCode="ULT" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
                  <RoomTypeInventory roomTypeCode="MLQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
                    <RoomTypeInventory roomTypeCode="EHQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
```

```
        <RoomTypeInventory roomTypeCode="EVK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="A2B" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EVQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ULS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="BEB" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ML1" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="PRE" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    </Occupancy>
</CalendarDay>
<CalendarDay Date="2012-12-18"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
    <Occupancy>
        <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="STK" totalRooms="25"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="25"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ULQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ULT" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
```

```
<RoomTypeInventory roomTypeCode="MLQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="EHQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="EVK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="A2B" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EVQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
          <RoomTypeInventory roomTypeCode="ULS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
            <RoomTypeInventory roomTypeCode="BEB" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
              <RoomTypeInventory roomTypeCode="MLS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
                <RoomTypeInventory roomTypeCode="ML1" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
                  <RoomTypeInventory roomTypeCode="PRE" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
                    </Occupancy>
                    </CalendarDay>
                    <CalendarDay Date="2012-12-19"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
                      <Occupancy>
                        <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
                          <RoomTypeInventory roomTypeCode="STK" totalRooms="25"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="25"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
                            <RoomTypeInventory roomTypeCode="MLK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
```

```
        <RoomTypeInventory roomTypeCode="ULQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ULT" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EHQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EVK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="A2B" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EVQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ULS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="BEB" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ML1" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="PRE" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
    </CalendarDay>
    <CalendarDay Date="2012-12-20"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <Occupancy>
            <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
```

```
        <RoomTypeInventory roomTypeCode="STK" totalRooms="25"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="25"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ULQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ULT" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EHQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EVK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="A2B" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EVQ" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ULS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="BEB" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLS" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ML1" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="PRE" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
```



```
        </CalendarDay>
    </Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>
```

FetchCalendar Inventory Mode = False Response

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-09T13:26:56.405625-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchCalendarResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:735145c3-002f-47fd-aa45-a71ddf3a866b</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:e44fc118-6bb2-4629-8df9-d20278ad9d26</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchCalendarResponse
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <Calendar>
        <CalendarDay Date="2012-12-15"
          xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <Rates>
            <RestrictionList>
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
                numberOfDays="1" roomType="A1S" rateCode="ABC" />
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
                numberOfDays="1" roomType="A2S" rateCode="ABC" />
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
                numberOfDays="1" roomType="AST" rateCode="ABC" />
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
                numberOfDays="1" roomType="KNG" rateCode="ABC" />
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
                numberOfDays="1" roomType="STKCHAN" rateCode="ABC" />
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
                numberOfDays="1" roomType="A1S" rateCode="ACC" />
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
                numberOfDays="1" roomType="A2S" rateCode="ACC" />
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
                numberOfDays="1" roomType="AST" rateCode="ACC" />
              <Restriction restrictionType="MINIMUM_STAY_THROUGH"
                numberOfDays="1" roomType="AST" rateCode="ACC" />
            </RestrictionList>
          </Rates>
        </CalendarDay>
      </Calendar>
    </FetchCalendarResponse>
  </soap:Body>
</soap:Envelope>
```

```
numberOfDays="1" roomType="U**" rateCode="APL" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="APL" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="USK" rateCode="APL" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ART" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ART" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="ART" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="A1S" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="A2S" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="AST" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="DBL" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="DBL" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="EHQ" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ELK" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELK" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELQ" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ELQ" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELT" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ELT" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ETQ" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ETQ" rateCode="BAR" />
  <Restriction
```

```
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="EVK" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVK" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="EVQ" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVQ" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="KNG" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLK" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="MLK" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLQ" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="MLQ" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="PRE" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="PRE" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="STKCHAN" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="U**" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="U**" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="USK" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="USK" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="MAC" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="MAC" />
</RestrictionList>
<RateList>
  <Rate roomTypeCode="USK" ratePlanCode="APL">
    <Rates
```

```
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="MLK" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
```

```
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="U**" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="EHQ" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="MLQ" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ELT" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
```

```
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="ELK" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="EVK" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="EVQ" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
```

```
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="ETQ" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="ELQ" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="USK" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="PRE" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
```

```
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="DBL" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="AST" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="A1S" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
```

```
        </Rate>
        <Rate roomTypeCode="A2S" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="A1S" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="A2S" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="AST" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
```

```
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">100</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="AMD">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">100</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">100</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="AMD">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">100</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">100</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">100</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">100</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate roomTypeCode="AST" ratePlanCode="APL">
```

```
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="DBL" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="EHQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELK" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
```

```
decimals="2">100</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
  </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="ELQ" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
              </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
          </Rate>
        </Rates>
      </Rate>
    <Rate roomTypeCode="ELT" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
              <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
                  </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
              </Rate>
            </Rates>
          </Rate>
        <Rate roomTypeCode="ETQ" ratePlanCode="APL">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                  <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                      </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                  </Rate>
                </Rates>
              </Rate>
            <Rate roomTypeCode="EVK" ratePlanCode="APL">
              <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="EVQ" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="MLK" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
```

```
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="MLQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="PRE" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="U**" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
```

```
decimals="2">100</Base>
    <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="AST" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">106.9</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">106.9</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">106.9</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
```

```
        </Rates>
    </Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="ABC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">106.9</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">106.9</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="ABC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">106.9</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">106.9</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="MAC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">125</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">125</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="MAC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">125</Base>
                <AdditionalGuestAmounts>
```

```
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">125</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="ART">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">200</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">200</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="ART">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">200</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">200</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="ART">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">200</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">200</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
```

```
        <Rate roomTypeCode="EVK" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="EVQ" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="ETQ" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="ELT" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
```

```
                <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELK" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="EHQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="DBL" ratePlanCode="ACC">
    <Rates
```

```
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="AST" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
```

```
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="USK" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="U**" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
```

```
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="PRE" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="MLQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="MLK" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
```

```
        </Rate>
      </Rates>
    </Rate>
  </RateList>
</Rates>
<Occupancy>
  <RoomTypeInventory roomTypeCode="A1S" totalRooms="10"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="9"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="A2S" totalRooms="10"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="10"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="AST" totalRooms="42"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="42"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="DBL" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="EHQ" totalRooms="55"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="56"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="ELK" totalRooms="9"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="8"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="ELQ" totalRooms="6"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="6"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="ELT" totalRooms="36"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="35"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="ETQ" totalRooms="17"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="17"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="EVK" totalRooms="23"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="23"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="EVQ" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="MLK" totalRooms="16"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="16"
```

```
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="MLQ" totalRooms="57"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="57"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="PRE" totalRooms="11"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="11"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="STKCHAN"
totalRooms="29" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="29"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="U**" totalRooms="40"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="83"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="USK" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
    </CalendarDay>
    <CalendarDay Date="2012-12-16"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <Rates>
    <RestrictionList>
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ABC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ABC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="ABC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="ABC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="ABC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ACC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ACC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="ACC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="DBL" rateCode="ACC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="ACC" />
    <Restriction restrictionType="CLOSED"
roomType="EHQ" rateCode="ACC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="ACC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELK" rateCode="ACC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELQ" rateCode="ACC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELT" rateCode="ACC" />
```

```
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="DBL" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELK" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELQ" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELT" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ETQ" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVK" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVQ" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLK" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLQ" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="PRE" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U***" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="USK" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="BED" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="MAC" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="MAC" />
    </RestrictionList>
    <RateList>
        <Rate roomTypeCode="USK" ratePlanCode="APL">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">100</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">100</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
```

```
        </Rate>
        <Rate roomTypeCode="A1S" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="A2S" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="AST" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="KNG" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
```

```
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">100</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="AMD">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="AST" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="DBL" ratePlanCode="APL">
```

```
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="EHQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELK" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
```

```
decimals="2">100</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
  </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="ELT" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ETQ" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="EVK" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="EVQ" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="MLK" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="MLQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
```

```
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="PRE" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="U**" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="KNG" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
```

```
decimals="2">106.9</Base>
    <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">106.9</Amount>
        </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">106.9</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">106.9</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="AST" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">106.9</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
```

```
        </Rates>
    </Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="ABC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">106.9</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">106.9</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="BED">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">110</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">110</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="U**" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
```

```
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="EHQ" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="MLQ" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="ELT" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
```

```
        <Rate roomTypeCode="ELK" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">120</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="EVK" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">120</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="EVQ" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">120</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="ETQ" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">120</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
```

```
                <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="USK" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="PRE" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="DBL" ratePlanCode="BAR">
    <Rates
```

```
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">120</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="AST" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
```

```
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="MLK" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">120</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">120</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="MAC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">125</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">125</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="MAC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">125</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">125</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="ART">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
```

```
                <Base currencyCode="USD"
decimals="2">200</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">200</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="ART">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">200</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">200</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="ART">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">200</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">200</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
```

```
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="USK" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="AST" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="DBL" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="EHQ" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
```

```
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="ELK" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="ELQ" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="ELT" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
```

```
        </Rate>
        <Rate roomTypeCode="ETQ" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="EVK" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="EVQ" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="KNG" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
```

```
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">388</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="MLK" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="MLQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="PRE" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="ACC">
```

```
<Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
  <Rate>
    <Base currencyCode="USD"
decimals="2">388</Base>
    <AdditionalGuestAmounts>
      <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">388</Amount>
      </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
  </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="U**" ratePlanCode="ACC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">388</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="ACC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">388</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
</RateList>
</Rates>
<Occupancy>
  <RoomTypeInventory roomTypeCode="A1S" totalRooms="10"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="9"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="A2S" totalRooms="10"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="10"
```

```
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="AST" totalRooms="42"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="42"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="DBL" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="EHQ" totalRooms="55"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="56"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="ELK" totalRooms="9"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="9"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="ELQ" totalRooms="6"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="6"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="ELT" totalRooms="36"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="35"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="ETQ" totalRooms="17"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="17"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="EVK" totalRooms="23"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="23"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="EVQ" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="MLK" totalRooms="16"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="16"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="MLQ" totalRooms="57"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="57"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="PRE" totalRooms="11"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="11"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="STKCHAN"
totalRooms="29" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="28"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
```

```
<RoomTypeInventory roomTypeCode="U**" totalRooms="40"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="83"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="USK" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
</Occupancy>
</CalendarDay>
  <CalendarDay Date="2012-12-17"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
  <Rates>
    <RestrictionList>
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ABC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ABC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="ABC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="ABC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="ABC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="DBL" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELK" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELQ" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELT" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ETQ" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVK" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVQ" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLK" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLQ" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="PRE" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
```

```
numberOfDays="1" roomType="EVK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="PRE" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="USK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="BED" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="MAC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="MAC" />
</RestrictionList>
<RateList>
    <Rate roomTypeCode="USK" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="AMD">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
```

```
        <Rate roomTypeCode="A2S" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="AST" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="KNG" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="STKCHAN" ratePlanCode="AMD">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
```

```
                <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="AST" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="DBL" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="EHQ" ratePlanCode="APL">
    <Rates
```

```
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="ELK" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELT" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
```

```
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ETQ" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="EVK" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="EVQ" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
```

```
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="MLK" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="MLQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="PRE" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
```

```
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="U**" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="ABC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">106.9</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">106.9</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="ABC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">106.9</Base>
```

```
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">106.9</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="STKCHAN" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">106.9</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="AST" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">106.9</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="A1S" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">106.9</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
```

```
        </Rate>
        <Rate roomTypeCode="STKCHAN" ratePlanCode="BED">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">110</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">110</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="KNG" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">120</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="U**" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">120</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="EHQ" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">120</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
```

```
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">120</Amount>
        </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate roomTypeCode="MLQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
    <Rate roomTypeCode="ELT" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                            </AdditionalGuestAmount>
                        </AdditionalGuestAmounts>
                    </Rate>
                </Rates>
            </Rate>
        <Rate roomTypeCode="ELK" ratePlanCode="BAR">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">120</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">120</Amount>
                                </AdditionalGuestAmount>
                            </AdditionalGuestAmounts>
                        </Rate>
                    </Rates>
                </Rate>
            <Rate roomTypeCode="EVK" ratePlanCode="BAR">
```

```
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="EVQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ETQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
```

```
decimals="2">120</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
  </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="USK" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">120</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">120</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="PRE" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">120</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">120</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="DBL" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">120</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">120</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="AST" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Rate>
          <Base currencyCode="USD"
decimals="2">120</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">120</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">120</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="MLK" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">120</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
```

```
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="MAC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">125</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">125</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="MAC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">125</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">125</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="ART">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">200</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">200</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="ART">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
```

```
decimals="2">200</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">200</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="ART">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">200</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">200</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">388</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">388</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate roomTypeCode="USK" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">388</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">388</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
```

```
        </Rates>
    </Rate>
    <Rate roomTypeCode="AST" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="DBL" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="EHQ" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="ELK" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
```

```
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELT" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ETQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
```

```
        <Rate roomTypeCode="EVK" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="EVQ" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="KNG" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="MLK" ratePlanCode="ACC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
```

```
                <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="MLQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="PRE" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="U**" ratePlanCode="ACC">
    <Rates
```

```
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
</RateList>
</Rates>
<Occupancy>
    <RoomTypeInventory roomTypeCode="A1S" totalRooms="10"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="9"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="A2S" totalRooms="10"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="10"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="AST" totalRooms="42"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="42"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="DBL" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="EHQ" totalRooms="55"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="56"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="ELK" totalRooms="9"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="9"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
```

```
        <RoomTypeInventory roomTypeCode="ELQ" totalRooms="6"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="6"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ELT" totalRooms="36"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="35"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ETQ" totalRooms="17"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="17"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EVK" totalRooms="23"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="23"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="EVQ" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLK" totalRooms="16"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="16"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLQ" totalRooms="57"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="57"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="PRE" totalRooms="11"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="11"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="STKCHAN"
totalRooms="29" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="19"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="U**" totalRooms="40"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="83"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="USK" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
    </CalendarDay>
    <CalendarDay Date="2012-12-18"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <Rates>
            <RestrictionList>
                <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ABC" />
                <Restriction restrictionType="MINIMUM_STAY_THROUGH"
```

```
numberOfDays="1" roomType="MLK" rateCode="APL" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLQ" rateCode="APL" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="PRE" rateCode="APL" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="APL" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="APL" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="APL" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="USK" rateCode="APL" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ART" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ART" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="ART" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="A1S" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="A2S" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="AST" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="DBL" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="DBL" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="EHQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="EHQ" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ELK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELQ" rateCode="BAR" />
    <Restriction
```

```
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ELQ" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ELT" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELT" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ETQ" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ETQ" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVK" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="EVK" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="EVQ" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVQ" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="KNG" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="MLK" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLK" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="MLQ" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLQ" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="PRE" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="PRE" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="STKCHAN" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="U**" rateCode="BAR" />
  <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
  <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="U**" rateCode="BAR" />
```

```
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="USK" rateCode="BAR" />
        <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="USK" rateCode="BAR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="MAC" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="MAC" />
    </RestrictionList>
    <RateList>
        <Rate roomTypeCode="A1S" ratePlanCode="AMD">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">100</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">100</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
        <Rate roomTypeCode="A2S" ratePlanCode="AMD">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">100</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">100</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
        <Rate roomTypeCode="AST" ratePlanCode="AMD">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">100</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">100</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
```

```
        </Rates>
    </Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="AMD">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="AMD">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="AST" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
```

```
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="DBL" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="EHQ" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="ELK" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
```

```
        <Rate roomTypeCode="ELQ" ratePlanCode="APL">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="ELT" ratePlanCode="APL">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="ETQ" ratePlanCode="APL">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="EVK" ratePlanCode="APL">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
```

```
                <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="EVQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="MLK" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="MLQ" ratePlanCode="APL">
    <Rates
```

```
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="PRE" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="U**" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
```

```
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="USK" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="MLK" ratePlanCode="BAR">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
```

```
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="U**" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="EHQ" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="MLQ" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
```

```
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="ELT" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="ELK" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="EVK" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="EVQ" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
```

```
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="ETQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="ELQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="USK" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
```

```
        </Rate>
        <Rate roomTypeCode="PRE" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="DBL" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="AST" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="A1S" ratePlanCode="BAR">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
```

```
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">106.9</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">106.9</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="AST" ratePlanCode="ABC">
```

```
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">106.9</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">106.9</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="ABC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">106.9</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">106.9</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="ABC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">106.9</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">106.9</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="MAC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">125</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
```

```
decimals="2">125</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
  </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="MAC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">125</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">125</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="ART">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">200</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">200</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="ART">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">200</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">200</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="ART">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Rate>
          <Base currencyCode="USD"
decimals="2">200</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">200</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="EHQ" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="ELK" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="ELQ" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
```

```
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="ELT" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="ETQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="EVK" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="EVQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
```

```
decimals="2">388</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">388</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">388</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">388</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate roomTypeCode="MLK" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">388</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">388</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
    </Rate>
    <Rate roomTypeCode="MLQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
    <Base currencyCode="USD"
decimals="2">388</Base>
    <AdditionalGuestAmounts>
    <AdditionalGuestAmount
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">388</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
```

```
        </Rates>
    </Rate>
    <Rate roomTypeCode="PRE" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="U**" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="USK" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
```

```
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="AST" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="DBL" ratePlanCode="ACC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
```

```
        <Rate roomTypeCode="A2S" ratePlanCode="ACC">
          <Rates
            xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
                decimals="2">388</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
                  additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
                    decimals="2">388</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
      </RateList>
    </Rates>
    <Occupancy>
      <RoomTypeInventory roomTypeCode="A1S" totalRooms="10"
        overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
        totalAvailableRooms="9"
        xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="A2S" totalRooms="10"
        overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
        totalAvailableRooms="9"
        xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="AST" totalRooms="42"
        overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
        totalAvailableRooms="42"
        xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="DBL" totalRooms="0"
        overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
        totalAvailableRooms="0"
        xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="EHQ" totalRooms="55"
        overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
        totalAvailableRooms="56"
        xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="ELK" totalRooms="9"
        overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
        totalAvailableRooms="9"
        xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="ELQ" totalRooms="6"
        overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
        totalAvailableRooms="6"
        xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="ELT" totalRooms="36"
        overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
        totalAvailableRooms="35"
        xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="ETQ" totalRooms="17"
        overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
        totalAvailableRooms="17"
        xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="EVK" totalRooms="23"
        overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
```

```
totalAvailableRooms="23"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="EVQ" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="MLK" totalRooms="16"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="16"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="MLQ" totalRooms="57"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="57"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="PRE" totalRooms="11"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="11"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="STKCHAN"
totalRooms="29" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="29"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="U**" totalRooms="40"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="83"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="USK" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/" />
  </Occupancy>
  </CalendarDay>
  <CalendarDay Date="2012-12-19"
xmlns="http://webservices.micos.com/og/4.3/Availability/">
  <Rates>
    <RestrictionList>
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ABC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ABC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="ABC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="ABC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="ABC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="ACC" />
      <Restriction restrictionType="MINIMUM_STAY_THROUGH"
```

```
numberOfDays="1" roomType="A1S" rateCode="ART" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ART" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="ART" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="A1S" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="A2S" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="AST" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="DBL" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="DBL" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="EHQ" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="EHQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELK" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ELK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELQ" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ELQ" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ELT" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELT" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ETQ" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="ETQ" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
```

```
roomType="EVK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVK" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="EVQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="KNG" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="MLK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLQ" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="MLQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="PRE" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="PRE" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="STKCHAN" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="U**" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="U**" rateCode="BAR" />
    <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="20"
roomType="USK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="USK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="MAC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="MAC" />
</RestrictionList>
<RateList>
    <Rate roomTypeCode="USK" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="MLK" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
```

```
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="U**" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="EHQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="MLQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="ELT" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
```

```
decimals="2">100</Base>
    <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="ELK" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="EVK" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="EVQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
```

```
        </Rates>
    </Rate>
    <Rate roomTypeCode="ETQ" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="ELQ" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="USK" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="PRE" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
```

```
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
        </Rates>
        </Rate>
        <Rate roomTypeCode="DBL" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
        </Rates>
        </Rate>
        <Rate roomTypeCode="AST" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
        </Rates>
        </Rate>
        <Rate roomTypeCode="A1S" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
        <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
        </Rate>
        </Rates>
        </Rate>
```

```
        <Rate roomTypeCode="A2S" ratePlanCode="BAR">
          <Rates
            xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
              <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                  <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                  </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
              </Rate>
            </Rates>
          </Rate>
          <Rate roomTypeCode="A1S" ratePlanCode="AMD">
            <Rates
              xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
                <Rate>
                  <Base currencyCode="USD"
decimals="2">100</Base>
                  <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                      <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                  </AdditionalGuestAmounts>
                </Rate>
              </Rates>
            </Rate>
            <Rate roomTypeCode="A2S" ratePlanCode="AMD">
              <Rates
                xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
                  <Rate>
                    <Base currencyCode="USD"
decimals="2">100</Base>
                    <AdditionalGuestAmounts>
                      <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                      </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                  </Rate>
                </Rates>
              </Rate>
              <Rate roomTypeCode="AST" ratePlanCode="AMD">
                <Rates
                  xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
                    <Rate>
                      <Base currencyCode="USD"
decimals="2">100</Base>
                      <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
```

```
                <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="AMD">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="AMD">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="AST" ratePlanCode="APL">
    <Rates
```

```
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="DBL" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="EHQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELK" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
```

```
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ELQ" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ELT" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ETQ" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">100</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="EVK" ratePlanCode="APL">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
```

```
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="EVQ" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="MLK" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
```

```
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="MLQ" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="PRE" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="U**" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
```

```
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="AST" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">106.9</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="A1S" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">106.9</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="A2S" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">106.9</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
```

```
        </Rate>
        <Rate roomTypeCode="KNG" ratePlanCode="ABC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">106.9</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">106.9</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="STKCHAN" ratePlanCode="ABC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">106.9</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">106.9</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="A1S" ratePlanCode="MAC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">125</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">125</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="A2S" ratePlanCode="MAC">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">125</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
```

```
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">125</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="ART">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">200</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">200</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="ART">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">200</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">200</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="ART">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">200</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">200</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="EVK" ratePlanCode="ACC">
```

```
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="EVQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ETQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="ELT" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
```

```
decimals="2">388</Amount>
    </AdditionalGuestAmount>
  </AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate roomTypeCode="ELQ" ratePlanCode="ACC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">388</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ELK" ratePlanCode="ACC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">388</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="EHQ" ratePlanCode="ACC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">388</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="DBL" ratePlanCode="ACC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="AST" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
```

```
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="USK" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="U**" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
```

```
decimals="2">388</Base>
    <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="PRE" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                            </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
<Rate roomTypeCode="MLQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                            </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
<Rate roomTypeCode="MLK" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">388</Amount>
                            </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
```

```
        </Rates>
      </Rate>
    </RateList>
  </Rates>
  <Occupancy>
    <RoomTypeInventory roomTypeCode="A1S" totalRooms="10"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="8"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="A2S" totalRooms="10"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="10"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="AST" totalRooms="42"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="42"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="DBL" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="EHQ" totalRooms="55"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="56"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="ELK" totalRooms="9"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="9"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="ELQ" totalRooms="6"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="6"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="ELT" totalRooms="36"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="35"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="ETQ" totalRooms="17"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="17"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="EVK" totalRooms="23"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="23"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="EVQ" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="MLK" totalRooms="16"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="16"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
```

```
        <RoomTypeInventory roomTypeCode="MLQ" totalRooms="57"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="57"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="PRE" totalRooms="11"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="11"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="STKCHAN"
totalRooms="29" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="29"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="U**" totalRooms="40"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="83"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="USK" totalRooms="4"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
</CalendarDay>
<CalendarDay Date="2012-12-20"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <Rates>
        <RestrictionList>
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ABC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ABC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="ABC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="ABC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="ABC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="ACC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="ACC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="AST" rateCode="ACC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="DBL" rateCode="ACC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="ACC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="ACC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELK" rateCode="ACC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELQ" rateCode="ACC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELT" rateCode="ACC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ETQ" rateCode="ACC" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
```

```
numberOfDays="1" roomType="EHQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EHQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ELT" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ETQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="EVQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="KNG" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLQ" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="PRE" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="U**" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="USK" rateCode="BAR" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="STKCHAN" rateCode="BED" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A1S" rateCode="MAC" />
    <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="A2S" rateCode="MAC" />
    </RestrictionList>
    <RateList>
        <Rate roomTypeCode="USK" ratePlanCode="APL">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">100</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">100</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
        <Rate roomTypeCode="A1S" ratePlanCode="AMD">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
```

```
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="A2S" ratePlanCode="AMD">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="AST" ratePlanCode="AMD">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="KNG" ratePlanCode="AMD">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
```

```
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="AMD">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="AST" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="DBL" ratePlanCode="APL">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">100</Base>
```

```
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="EHQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="ELK" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="ELQ" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">100</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
```

```
        </Rate>
        <Rate roomTypeCode="ELT" ratePlanCode="APL">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="ETQ" ratePlanCode="APL">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="EVK" ratePlanCode="APL">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                  <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
              </AdditionalGuestAmounts>
            </Rate>
          </Rates>
        </Rate>
        <Rate roomTypeCode="EVQ" ratePlanCode="APL">
          <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
              <Base currencyCode="USD"
decimals="2">100</Base>
              <AdditionalGuestAmounts>
                <AdditionalGuestAmount
```

```
additionalGuestType="ADULT">
    <Amount currencyCode="USD"
decimals="2">100</Amount>
        </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
</Rate>
</Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
    <Rate roomTypeCode="MLK" ratePlanCode="APL">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">100</Amount>
                            </AdditionalGuestAmount>
                        </AdditionalGuestAmounts>
                    </Rate>
                </Rates>
            </Rate>
        <Rate roomTypeCode="MLQ" ratePlanCode="APL">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">100</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">100</Amount>
                                </AdditionalGuestAmount>
                            </AdditionalGuestAmounts>
                        </Rate>
                    </Rates>
                </Rate>
            <Rate roomTypeCode="PRE" ratePlanCode="APL">
```

```
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">100</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">100</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="STKCHAN" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="U**" ratePlanCode="APL">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">100</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">100</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="KNG" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
```

```
decimals="2">106.9</Amount>
    </AdditionalGuestAmount>
    </AdditionalGuestAmounts>
  </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="ABC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">106.9</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">106.9</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="STKCHAN" ratePlanCode="ABC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">106.9</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">106.9</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="AST" ratePlanCode="ABC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">106.9</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">106.9</Amount>
              </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
          </Rate>
        </Rates>
      </Rate>
      <Rate roomTypeCode="A1S" ratePlanCode="ABC">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
        <Rate>
          <Base currencyCode="USD"
decimals="2">106.9</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">106.9</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="BED">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">110</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">110</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="KNG" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">120</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="U**" ratePlanCode="BAR">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">120</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
```

```
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="EHQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="MLQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="ELT" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
<Rate roomTypeCode="ELK" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
```

```
decimals="2">120</Base>
    <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="EVK" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">120</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="EVQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">120</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="ETQ" ratePlanCode="BAR">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">120</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">120</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
```

```
        </Rates>
      </Rate>
      <Rate roomTypeCode="ELQ" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
              <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">120</Amount>
              </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
          </Rate>
        </Rates>
      </Rate>
      <Rate roomTypeCode="USK" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
              <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">120</Amount>
              </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
          </Rate>
        </Rates>
      </Rate>
      <Rate roomTypeCode="PRE" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
              <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">120</Amount>
              </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
          </Rate>
        </Rates>
      </Rate>
      <Rate roomTypeCode="DBL" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <Rate>
            <Base currencyCode="USD"
decimals="2">120</Base>
            <AdditionalGuestAmounts>
```

```
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">120</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
    <Rate roomTypeCode="AST" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A1S" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
    <Rate roomTypeCode="A2S" ratePlanCode="BAR">
        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Rate>
                <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">120</Amount>
                    </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
            </Rate>
        </Rates>
    </Rate>
```

```
        <Rate roomTypeCode="MLK" ratePlanCode="BAR">
          <Rates
            xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
              <Rate>
                <Base currencyCode="USD"
decimals="2">120</Base>
                <AdditionalGuestAmounts>
                  <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">120</Amount>
                  </AdditionalGuestAmount>
                </AdditionalGuestAmounts>
              </Rate>
            </Rates>
          </Rate>
          <Rate roomTypeCode="A1S" ratePlanCode="MAC">
            <Rates
              xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                  <Base currencyCode="USD"
decimals="2">125</Base>
                  <AdditionalGuestAmounts>
                    <AdditionalGuestAmount
additionalGuestType="ADULT">
                      <Amount currencyCode="USD"
decimals="2">125</Amount>
                    </AdditionalGuestAmount>
                  </AdditionalGuestAmounts>
                </Rate>
              </Rates>
            </Rate>
            <Rate roomTypeCode="A2S" ratePlanCode="MAC">
              <Rates
                xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                  <Rate>
                    <Base currencyCode="USD"
decimals="2">125</Base>
                    <AdditionalGuestAmounts>
                      <AdditionalGuestAmount
additionalGuestType="ADULT">
                        <Amount currencyCode="USD"
decimals="2">125</Amount>
                      </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                  </Rate>
                </Rates>
              </Rate>
              <Rate roomTypeCode="KNG" ratePlanCode="ART">
                <Rates
                  xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Rate>
                      <Base currencyCode="USD"
decimals="2">200</Base>
                      <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
```

```
                <Amount currencyCode="USD"
decimals="2">200</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="ART">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">200</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">200</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A2S" ratePlanCode="ART">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">200</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">200</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="A1S" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="USK" ratePlanCode="ACC">
    <Rates
```

```
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
                <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
    </Rate>
</Rates>
</Rate>
<Rate roomTypeCode="AST" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="DBL" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
<Rate roomTypeCode="EHQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">388</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">388</Amount>
```

```
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ELK" ratePlanCode="ACC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">388</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ELQ" ratePlanCode="ACC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">388</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ELT" ratePlanCode="ACC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
      <Base currencyCode="USD"
decimals="2">388</Base>
      <AdditionalGuestAmounts>
        <AdditionalGuestAmount
additionalGuestType="ADULT">
          <Amount currencyCode="USD"
decimals="2">388</Amount>
        </AdditionalGuestAmount>
      </AdditionalGuestAmounts>
    </Rate>
  </Rates>
</Rate>
<Rate roomTypeCode="ETQ" ratePlanCode="ACC">
  <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <Rate>
```

```
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">388</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="EVK" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">388</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="EVQ" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">388</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="KNG" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">388</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
```

```
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="MLK" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="MLQ" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="PRE" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
          <AdditionalGuestAmounts>
            <AdditionalGuestAmount
additionalGuestType="ADULT">
              <Amount currencyCode="USD"
decimals="2">388</Amount>
            </AdditionalGuestAmount>
          </AdditionalGuestAmounts>
        </Rate>
      </Rates>
    </Rate>
    <Rate roomTypeCode="STKCHAN" ratePlanCode="ACC">
      <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
          <Base currencyCode="USD"
decimals="2">388</Base>
```

```
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">388</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="U**" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">388</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
  <Rate roomTypeCode="A2S" ratePlanCode="ACC">
    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Rate>
        <Base currencyCode="USD"
decimals="2">388</Base>
        <AdditionalGuestAmounts>
          <AdditionalGuestAmount
additionalGuestType="ADULT">
            <Amount currencyCode="USD"
decimals="2">388</Amount>
          </AdditionalGuestAmount>
        </AdditionalGuestAmounts>
      </Rate>
    </Rates>
  </Rate>
</RateList>
</Rates>
<Occupancy>
  <RoomTypeInventory roomTypeCode="A1S" totalRooms="10"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="8"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="A2S" totalRooms="10"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="10"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="AST" totalRooms="42"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="42"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
```

```
<RoomTypeInventory roomTypeCode="DBL" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
  <RoomTypeInventory roomTypeCode="EHQ" totalRooms="55"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="56"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="ELK" totalRooms="9"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="9"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
      <RoomTypeInventory roomTypeCode="ELQ" totalRooms="6"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="6"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="ELT" totalRooms="36"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="35"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
          <RoomTypeInventory roomTypeCode="ETQ" totalRooms="17"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="17"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
            <RoomTypeInventory roomTypeCode="EVK" totalRooms="23"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="23"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
              <RoomTypeInventory roomTypeCode="EVQ" totalRooms="30"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="30"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
                <RoomTypeInventory roomTypeCode="KNG" totalRooms="22"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="22"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
                  <RoomTypeInventory roomTypeCode="MLK" totalRooms="16"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="13"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
                    <RoomTypeInventory roomTypeCode="MLQ" totalRooms="57"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="57"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
                      <RoomTypeInventory roomTypeCode="PRE" totalRooms="11"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="11"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
                        <RoomTypeInventory roomTypeCode="STKCHAN"
totalRooms="29" overBookingLimit="0" soldDeductible="0"
soldNonDeductible="0" totalAvailableRooms="29"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
                          <RoomTypeInventory roomTypeCode="U**" totalRooms="40"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="83"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
                            <RoomTypeInventory roomTypeCode="USK" totalRooms="4"
```

```

overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="4"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
    </CalendarDay>
</Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with OWS GOOLGE CALENDAR MAX NIGHTS STAY Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchCalendarResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:8fa32f4d-125f-42ae-af74-01f15f5ea57e</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:dc3b340c-8f2d-458f-9b54-d2b7b3fd44f4</wsa:RelatesTo>
        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <FetchCalendarResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS" />
            <Calendar>
                <CalendarDay Date="2012-12-10"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
                    <Rates>
                        <RestrictionList>
                            <Restriction
restrictionType="MINIMUM_ADVANCE_BOOKING" numberOfDays="1"
roomType="ML1" rateCode="FLR" />
                            <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="3"
roomType="ML1" rateCode="FLR" />
                            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ML1" rateCode="FLR" />
                            <Restriction restrictionType="MAXIMUM_STAY_THROUGH"
numberOfDays="10" roomType="ML1" rateCode="FLR" />
                        </RestrictionList>
                    </Rates>
                </CalendarDay>
            </Calendar>
        </FetchCalendarResponse>
    </soap:Body>
</soap:Envelope>

```

```
        <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="3"
roomType="MLK" rateCode="FLR" />
        <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLK" rateCode="FLR" />
        <Restriction restrictionType="MAXIMUM_STAY_THROUGH"
numberOfDays="10" roomType="MLK" rateCode="FLR" />
        <Restriction
restrictionType="MINIMUM_ADVANCE_BOOKING" numberOfDays="1"
roomType="MLK" rateCode="FLR" />
    </RestrictionList>
    <RateList>
        <Rate roomTypeCode="ML1" ratePlanCode="FLR">
            <Rates
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">757</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">757</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
        <Rate roomTypeCode="MLK" ratePlanCode="FLR">
            <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Rate>
                    <Base currencyCode="USD"
decimals="2">757</Base>
                    <AdditionalGuestAmounts>
                        <AdditionalGuestAmount
additionalGuestType="ADULT">
                            <Amount currencyCode="USD"
decimals="2">757</Amount>
                        </AdditionalGuestAmount>
                    </AdditionalGuestAmounts>
                </Rate>
            </Rates>
        </Rate>
    </RateList>
    <Occupancy>
        <RoomTypeInventory roomTypeCode="ML1" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
        <RoomTypeInventory roomTypeCode="MLK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    </Occupancy>
</CalendarDay>
```

```
        <CalendarDay Date="2012-12-11"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <Rates>
            <RestrictionList>
                <Restriction restrictionType="MAXIMUM_STAY_THROUGH"
numberOfDays="10" roomType="ML1" rateCode="FLR" />
                <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ML1" rateCode="FLR" />
                <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="3"
roomType="ML1" rateCode="FLR" />
                <Restriction
restrictionType="MINIMUM_ADVANCE_BOOKING" numberOfDays="1"
roomType="ML1" rateCode="FLR" />
                <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLK" rateCode="FLR" />
                <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="3"
roomType="MLK" rateCode="FLR" />
                <Restriction
restrictionType="MINIMUM_ADVANCE_BOOKING" numberOfDays="1"
roomType="MLK" rateCode="FLR" />
                <Restriction restrictionType="MAXIMUM_STAY_THROUGH"
numberOfDays="10" roomType="MLK" rateCode="FLR" />
            </RestrictionList>
            <RateList>
                <Rate roomTypeCode="ML1" ratePlanCode="FLR">
                    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Rate>
                        <Base currencyCode="USD"
decimals="2">757</Base>
                        <AdditionalGuestAmounts>
                            <AdditionalGuestAmount
additionalGuestType="ADULT">
                                <Amount currencyCode="USD"
decimals="2">757</Amount>
                            </AdditionalGuestAmount>
                        </AdditionalGuestAmounts>
                    </Rate>
                </Rates>
            </Rate>
                <Rate roomTypeCode="MLK" ratePlanCode="FLR">
                    <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Rate>
                        <Base currencyCode="USD"
decimals="2">757</Base>
                        <AdditionalGuestAmounts>
                            <AdditionalGuestAmount
additionalGuestType="ADULT">
                                <Amount currencyCode="USD"
decimals="2">757</Amount>
                            </AdditionalGuestAmount>
                        </AdditionalGuestAmounts>
                    </Rate>
                </Rates>
            </Rate>
        </RateList>
    </CalendarDay>
```

```
        </Rate>
    </RateList>
</Rates>
<Occupancy>
    <RoomTypeInventory roomTypeCode="ML1" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="MLK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
</Occupancy>
</CalendarDay>
<CalendarDay Date="2012-12-12"
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <Rates>
        <RestrictionList>
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="ML1" rateCode="FLR" />
            <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="3"
roomType="ML1" rateCode="FLR" />
            <Restriction
restrictionType="MINIMUM_ADVANCE_BOOKING" numberOfDays="1"
roomType="ML1" rateCode="FLR" />
            <Restriction restrictionType="MAXIMUM_STAY_THROUGH"
numberOfDays="10" roomType="ML1" rateCode="FLR" />
            <Restriction restrictionType="MINIMUM_STAY_THROUGH"
numberOfDays="1" roomType="MLK" rateCode="FLR" />
            <Restriction
restrictionType="MAXIMUM_ADVANCE_BOOKING" numberOfDays="3"
roomType="MLK" rateCode="FLR" />
            <Restriction
restrictionType="MINIMUM_ADVANCE_BOOKING" numberOfDays="1"
roomType="MLK" rateCode="FLR" />
            <Restriction restrictionType="MAXIMUM_STAY_THROUGH"
numberOfDays="10" roomType="MLK" rateCode="FLR" />
        </RestrictionList>
        <RateList>
            <Rate roomTypeCode="ML1" ratePlanCode="FLR">
                <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <Rate>
                        <Base currencyCode="USD"
decimals="2">757</Base>
                        <AdditionalGuestAmounts>
                            <AdditionalGuestAmount
additionalGuestType="ADULT">
                                <Amount currencyCode="USD"
decimals="2">757</Amount>
                            </AdditionalGuestAmount>
                        </AdditionalGuestAmounts>
                    </Rate>
                </Rates>
            </Rate>
            <Rate roomTypeCode="MLK" ratePlanCode="FLR">
```

```

        <Rates
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Rate>
            <Base currencyCode="USD"
decimals="2">757</Base>
            <AdditionalGuestAmounts>
                <AdditionalGuestAmount
additionalGuestType="ADULT">
                    <Amount currencyCode="USD"
decimals="2">757</Amount>
                </AdditionalGuestAmount>
            </AdditionalGuestAmounts>
        </Rate>
    </Rates>
</Rate>
</RateList>
</Rates>
<Occupancy>
    <RoomTypeInventory roomTypeCode="ML1" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
    <RoomTypeInventory roomTypeCode="MLK" totalRooms="0"
overBookingLimit="0" soldDeductible="0" soldNonDeductible="0"
totalAvailableRooms="0"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
</Occupancy>
</CalendarDay>
</Calendar>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendar with OWS GOOLGE CALENDAR MAX NIGHTS STAY Exceeded Response

```

xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchCalendarResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:8982f697-0bd2-4ec6-90cb-000db5d23e33</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:1d4ad29e-1abc-4ed2-997d-

```

```

53938df4abf6</wsa:RelatesTo>
  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role
/anonmous</wsa:To>
</soap:Header>
<soap:Body>
  <FetchCalendarResponse
xmlns="http://webservicess.microsoft.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="FAIL">
    <OperaErrorCode
xmlns="http://webservicess.microsoft.com/og/4.3/Common/">NUMBER_NIGHT
S_EXCEEDS_LIMIT</OperaErrorCode>
    <GDSError errorCode="SYS" elementId="81"
xmlns="http://webservicess.microsoft.com/og/4.3/HotelCommon/">
    </GDSError>
  </Result>
</FetchCalendarResponse>
</soap:Body>
</soap:Envelope>

```

FetchCalendarResponse

```

<xs:complexType name="FetchCalendarResponse">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Result"
      xmlns:q1="http://webservicess.microsoft.com/og/4.3/HotelCommon
/" type="q1:GDSResultStatus" />
    <xs:element minOccurs="0" maxOccurs="1" name="Calendar"
      xmlns:q2="http://webservicess.microsoft.com/og/4.3/Availabilit
y/" type="q2:ArrayOfCalendarDailyDetail" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Result	element	GDSResultStatus	optional	A primary indication of the success or failure of the transaction.
Calendar	element	ArrayOfCalendarDailyDetail	optional	If the query returns availability, that data is displayed in a list of calendar days contained in this element (list).

7 FetchExpectedCharges

Retrieve a rate, taxes and package breakdown for stay for requested stay date, rate code, room type, property.

Soap Action:

<http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchExpectedCharges>

FetchExpectedChargesRequest

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
  xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="1P" systemType="WEB"/>
      <Destination entityID="WEST" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <p1:FetchExpectedChargesRequest
  xmlns:p2="http://webservices.micros.com/og/4.3/HotelCommon/"
  xmlns:p1="http://webservices.micros.com/ows/5.1/Availability.wsdl"
  xsi:schemaLocation="http://webservices.micros.com/ows/5.1/Availab
  ility.wsdl
  file:///d:/XMLSchema/ows/5.1/Availability.wsdl?&embedded-
  schema=1">
      <p1:HotelReference chainCode="WC"
  hotelCode="8889"/>
      <p1:StayDateRange>
        <p2:StartDate>2011-08-10</p2:StartDate>
        <p2:EndDate>2011-08-11</p2:EndDate>
      </p1:StayDateRange>
      <p1:GuestCount isPerRoom="true">
        <p2:GuestCount ageQualifyingCode="ADULT"
  count="1"/>
      </p1:GuestCount>
      <p1:RatePlanCode>ABC</p1:RatePlanCode>
      <p1:RoomType>A1J</p1:RoomType>
      <p1:NumberOfRooms>1</p1:NumberOfRooms>
    </p1:FetchExpectedChargesRequest>
  </soap:Body>
</soap:Envelope>
```

FetchExpectedCharges for Rate as Tax Inclusive Request

If a rate is tax inclusive, FetchExpectedCharges will return TaxInclusive="true." If the rate is not tax inclusive, the TaxInclusive attribute will not be returned.

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.4056250-05:00"
    xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="WEST" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <p1:FetchExpectedChargesRequest
      xmlns:p2="http://webservices.micros.com/og/4.3/HotelCommon/"
      xmlns:p1="http://webservices.micros.com/ows/5.1/Availability.wsdl"
      xsi:schemaLocation="http://webservices.micros.com/ows/5.1/Availab
      ility.wsdl
      file:///d:/XMLSchema/ows/5.1/Availability.wsdl?&embedded-
      schema=1">
      <p1:HotelReference chainCode="WC"
      hotelCode="SEFIVE"/>
      <p1:StayDateRange>
        <p2:StartDate>2012-05-10</p2:StartDate>
        <p2:EndDate>2012-05-11</p2:EndDate>
      </p1:StayDateRange>
      <p1:GuestCount isPerRoom="true">
        <p2:GuestCount ageQualifyingCode="ADULT"
        count="1"/>
      </p1:GuestCount>
      <p1:RatePlanCode>ABC</p1:RatePlanCode>
      <p1:RoomType>KNG</p1:RoomType>
      <p1:NumberOfRooms>1</p1:NumberOfRooms>
    </p1:FetchExpectedChargesRequest>
  </soap:Body>
</soap:Envelope>
```

FetchExpectedChargesRequest

```
<xs:element name="FetchExpectedChargesRequest">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1"
        name="HotelReference"
        xmlns:q1="http://webservices.micros.com/og/4.3/HotelComm
        on/" type="q1:HotelReference" />
      <xs:element minOccurs="0" maxOccurs="1"
        name="StayDateRange"
```

```

        xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/" type="q2:TimeSpan" />
        <xs:element minOccurs="0" maxOccurs="1" name="GuestCount"
            xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon/" type="q3:GuestCountList" />
        <xs:element minOccurs="0" maxOccurs="1"
            name="RatePlanCode" type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1" name="RoomType"
            type="xs:string" />
        <xs:element minOccurs="0" maxOccurs="1"
            name="NumberOfRooms" type="xs:int" />
    </xs:sequence>
</xs:complexType>
</xs:element>

```

Name	Type	Data Type	Use	Comments
HotelReference	element	HotelReference	optional	Hotel reference information.
StayDateRange	element	TimeSpan	optional	The dates of the stay.
GuestCount	element	GuestCountList	optional	The guest count list.
RatePlanCode	element	string	optional	The rate plan code.
RoomType	element	string	optional	The room type.
NumberOfRooms	element	int	optional	The number of rooms.

FetchExpectedChargesResponse

```

<SOAP-ENV:Envelope xmlns:SOAP-
ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:SOAP-
ENC="http://schemas.xmlsoap.org/soap/encoding/">
  <SOAP-ENV:Header>
    <OGHeader xmlns="http://webservices.micros.com/og/4.3/Core/"
transactionID="000032" timeStamp="2011-07-19T09:55:16.3618750-
05:00">
      <Origin entityID="OWS" systemType="WEB" />
      <Destination entityID="CHWEB" systemType="ORS" />
    </OGHeader>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body>
    <p1:FetchExpectedChargesRequest
xmlns:p2="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns:p1="http://webservices.micros.com/ows/5.1/Availability.wsdl"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://webservices.micros.com/ows/5.1/Availab
ility.wsdl">
      <p1:HotelReference chainCode="CHA" hotelCode="CASINO" />
      <p1:StayDateRange>

```

```

        <p2:StartDate>2012-09-03</p2:StartDate>
        <p2:EndDate>2012-09-04</p2:EndDate>
    </p1:StayDateRange>
    <p1:GuestCount isPerRoom="true">
        <p2:GuestCount ageQualifyingCode="ADULT" count="1" />
        <p2:GuestCount ageQualifyingCode="CHILDBUCKET3" count="1"
    />
    </p1:GuestCount>
    <p1:RatePlanCode>ENT</p1:RatePlanCode>
    <p1:RoomType>POKB</p1:RoomType>
    <p1:NumberOfRooms>1</p1:NumberOfRooms>
    </p1:FetchExpectedChargesRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

FetchExpectedCharges with Rate as Tax Inclusive Response

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000035" timeStamp="2004-02-
09T13:26:56.405625-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#FetchExpectedChargesResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:4a6f9a45-bd87-4759-bc60-
3396b85209c8</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:5e718397-4b87-4c2e-88db-
255a4517280f</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <FetchExpectedChargesResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS"/>
            <ExpectedCharges
TotalRoomRateAndPackages="130.43" TotalTaxesAndFees="19.57"
TaxInclusive="true">
                <ChargesForPostingDate PostingDate="2012-
05-10" xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <RoomRateAndPackages
TotalCharges="130.43">
                        <Charges>
                            <Description>BASE
RATE</Description>

```

```

        <Amount
currencyCode="USD">130.43</Amount>
        </Charges>
    </RoomRateAndPackages>
    <TaxesAndFees TotalCharges="19.57">
        <Charges>
            <Description>9300
occupancy tax</Description>
            <Amount
currencyCode="USD">13.04</Amount>
            </Charges>
            <Charges>
                <Description>8300 Room
Tax- 6%</Description>
            <Amount
currencyCode="USD">6.52</Amount>
            </Charges>
        </TaxesAndFees>
    </ChargesForPostingDate>
</ExpectedCharges>
</FetchExpectedChargesResponse>
</soap:Body>
</soap:Envelope>

```

FetchExpectedChargesResponse

```

<xs:element name="FetchExpectedChargesResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="Result"
        xmlns:q1="http://webservicess.micross.com/og/4.3/HotelComm
on/" type="q1:GDSResultStatus" />
      <xs:element minOccurs="0" maxOccurs="1"
        name="ExpectedCharges"
        xmlns:q2="http://webservicess.micross.com/og/4.3/HotelComm
on/" type="q2:DailyChargeList" />
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

Name	Type	Data Type	Use	Comments
Result	element	GDSResultStatus	optional	The standard GDS result object.
ExpectedCharges	element	DailyChargeList	optional	A list of charges.

8 FetchItemGroups

Retrieves a list of available add-on items. Hotel criteria must be provided. Setting flag `groupOnly` to true (the default) retrieves the list of item groups and setting the flag to true retrieves a list of all available items.

Soap Action: <http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchItemGroups>

FetchItemGroupsRequest

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="034037" timeStamp="2008-12-13T14:48:16.0718750-05:00"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchItemGroupsRequest groupOnly="false"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="WC" hotelCode="SEFIVE" />
    </FetchItemGroupsRequest>
  </soap:Body>
</soap:Envelope>
```

FetchItemGroupsRequest, with Items

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000037" timeStamp="2004-01-13T14:48:16.0718750-05:00"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
```

```

    <FetchItemGroupsRequest groupOnly="false"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns:c="http://webservicess.micross.com/og/4.3/Common/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
    <HotelReference chainCode="CHA" hotelCode="002" />
    </FetchItemGroupsRequest>
  </soap:Body>
</soap:Envelope>

```

FetchItemGroupsRequest, without Items

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000037" timeStamp="2004-01-13T14:48:16.0718750-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <FetchItemGroupsRequest groupOnly="true"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns:c="http://webservicess.micross.com/og/4.3/Common/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <HotelReference chainCode="CHA" hotelCode="002" />
    </FetchItemGroupsRequest>
  </soap:Body>
</soap:Envelope>

```

FetchItemGroupsRequest with Booked Inventory Items Outside of Stay Dates

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="034037" timeStamp="2008-12-13T14:48:16.0718750-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>

```

```

    <FetchItemGroupsRequest groupOnly="false"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <HotelReference chainCode="WC" hotelCode="SEFIVE"/>
    </FetchItemGroupsRequest>
</soap:Body>
</soap:Envelope>

```

FetchItemGroupsRequest

```

<xs:complexType name="FetchItemGroupsRequest">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="HotelReference"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:HotelReference" />
  </xs:sequence>
  <xs:attribute name="groupOnly" type="xs:boolean" use="required" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
groupOnly	attribute	boolean	required	An indication of whether or not this item is for groups only.
HotelReference	element	HotelReference	optional	Hotel reference information.

FetchItemGroupsResponse

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="034037" timeStamp="2008-12-13T14:48:16.071875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
  <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#FetchItemGroupsResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:690cbc64-9621-4b96-9ed1-ea886ab1a8a9</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:f910a9cb-ac03-4fa0-ba6c-6282fb74fae3</wsa:RelatesTo>

  <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>

```

```
</soap:Header>
<soap:Body>
  <FetchItemGroupsResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <ItemGroup>
    <ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Code>307</Code>
      <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
          <TextElement>Miscellaneous</TextElement>
        </Text>
      </Description>
    </ItemGroup>
    <ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Code>306</Code>
      <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
          <TextElement>Housekeeping</TextElement>
        </Text>
      </Description>
    </ItemGroup>
    <ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Code>GROUP</Code>
      <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
          <TextElement>GROUP</TextElement>
        </Text>
      </Description>
    </ItemGroup>
    <ItemGroup
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Code>140107</Code>
      <Description>
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
          <TextElement>Item Inventory</TextElement>
        </Text>
      </Description>
    </ItemGroup>
    <InventoryItemList>
      <ItemGroup ItemDate="2008-12-15"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <ItemCode>Z</ItemCode>
        <ItemName>z</ItemName>
        <Description>
          <DescriptiveText>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
              <TextElement>Misc Items</TextElement>
            </Text>
          </DescriptiveText>
        </Description>
      </ItemGroup>
    </InventoryItemList>
  </ItemGroup>
</FetchItemGroupsResponse>
</soap:Body>
</soap:Header>
```

```
        </Text>
        </DescriptiveText>
    </Description>
    <SellControl>N</SellControl>
    <isChild>>false</isChild>
    <SellSeparate>N</SellSeparate>
</ItemGroup>
<ItemGroup ItemDate="2008-12-15"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <ItemCode>A</ItemCode>
    <ItemName>a</ItemName>
    <Description>
        <DescriptiveText>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>a</TextElement>
            </Text>
        </DescriptiveText>
    </Description>
    <SellControl>N</SellControl>
    <isChild>>false</isChild>
    <SellSeparate>N</SellSeparate>
</ItemGroup>
<ItemGroup ItemDate="2008-12-15"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <ItemCode>TOURPPADULT</ItemCode>
    <ItemName>TOURPPADULT</ItemName>
    <Description>
        <DescriptiveText>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>TOURPPADULT</TextElement>
            </Text>
        </DescriptiveText>
    </Description>
    <SellControl>Y</SellControl>
    <isChild>>false</isChild>
    <SellSeparate>Y</SellSeparate>
</ItemGroup>
<ItemGroup ItemDate="2008-12-15"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
    <ItemCode>HRDR</ItemCode>
    <ItemName>Hair Dryer</ItemName>
    <Description>
        <DescriptiveText>
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>Hair Dryer</TextElement>
            </Text>
        </DescriptiveText>
    </Description>
    <SellControl>N</SellControl>
    <isChild>>false</isChild>
    <SellSeparate>Y</SellSeparate>
</ItemGroup>
<ItemGroup ItemDate="2008-12-15"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```
<ItemCode>XBED001</ItemCode>
<ItemName>XBed</ItemName>
<Description>
  <DescriptiveText>
    <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
      <TextElement>Extra Bed</TextElement>
    </Text>
  </DescriptiveText>
</Description>
<SellControl>Y</SellControl>
<isChild>>false</isChild>
<SellSeparate>Y</SellSeparate>
</ItemGroup>
<ItemGroup ItemDate="2008-12-15"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <ItemCode>CRIBXC</ItemCode>
  <ItemName>Crib</ItemName>
  <Description>
    <DescriptiveText>
      <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
        <TextElement>Crib</TextElement>
      </Text>
    </DescriptiveText>
  </Description>
  <SellControl>Y</SellControl>
  <isChild>>false</isChild>
  <SellSeparate>Y</SellSeparate>
</ItemGroup>
<ItemGroup ItemDate="2008-12-15"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <ItemCode>APKG</ItemCode>
  <ItemName>apkg</ItemName>
  <SellControl>Y</SellControl>
  <isChild>>false</isChild>
  <SellSeparate>Y</SellSeparate>
</ItemGroup>
<ItemGroup ItemDate="2008-12-15"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <ItemCode>GRPF</ItemCode>
  <ItemName>GROUP FUN</ItemName>
  <Description>
    <DescriptiveText>
      <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
        <TextElement>GROUP FUN</TextElement>
      </Text>
    </DescriptiveText>
  </Description>
  <SellControl>Y</SellControl>
  <isChild>>false</isChild>
  <SellSeparate>Y</SellSeparate>
</ItemGroup>
<ItemGroup ItemDate="2008-12-15"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
  <ItemCode>GROUPC</ItemCode>
```

```

        <ItemName>GROUP CRIB</ItemName>
        <SellControl>Y</SellControl>
        <isChild>>false</isChild>
        <SellSeparate>Y</SellSeparate>
    </ItemGroup>
    <ItemGroup ItemDate="2008-12-15"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <ItemCode>ITEM SCR</ItemCode>
        <ItemName>Item inventory 140107</ItemName>
        <Description>
            <DescriptiveText>
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>Item inventory 140107</TextElement>
                </Text>
            </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <isChild>>false</isChild>
        <SellSeparate>Y</SellSeparate>
    </ItemGroup>
</InventoryItemList>
</FetchItemGroupsResponse>
</soap:Body>
</soap:Envelope>

```

FetchItemGroupsResponse with Items

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000037" timeStamp="2004-01-
13T14:48:16.071875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>

        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#FetchItemGroupsResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:eelf1506-e6de-4530-8490-
b4768ae7cb7c</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:dc52e6b8-86f0-40cd-b685-
c9daefe05196</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <FetchItemGroupsResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">

```

```
<Result resultStatusFlag="SUCCESS" />
  <ItemGroup>
    <ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <Code>25</Code>
      <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
          <TextElement>Audio Visual</TextElement>
        </Text>
      </Description>
    </ItemGroup>
    <ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <Code>RIDES</Code>
      <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
          <TextElement>Beach Rides</TextElement>
        </Text>
      </Description>
    </ItemGroup>
    <ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <Code>H2O</Code>
      <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
          <TextElement>Water Craft Rides- Elisa</TextElement>
        </Text>
      </Description>
    </ItemGroup>
    <ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <Code>aaa</Code>
      <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
          <TextElement>qqqq</TextElement>
        </Text>
      </Description>
    </ItemGroup>
  </ItemGroup>
</InventoryItemList>
  <ItemGroup ItemDate="2008-04-28"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <ItemCode>MICR39</ItemCode>
    <ItemName>Microphone & Stand</ItemName>
    <SellControl>N</SellControl>
    <isChild>>false</isChild>
    <SellSeparate>Y</SellSeparate>
  </ItemGroup>
  <ItemGroup ItemDate="2008-04-28"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <ItemCode>32" 36</ItemCode>
    <ItemName>32" Telesivsion</ItemName>
    <Description>
```

```
        <DescriptiveText>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Sony</TextElement>
          </Text>
        </DescriptiveText>
      </Description>
      <SellControl>N</SellControl>
      <isChild>>false</isChild>
      <SellSeparate>Y</SellSeparate>
    </ItemGroup>
    <ItemGroup ItemDate="2008-04-28"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <ItemCode>CRUISE</ItemCode>
      <ItemName>Sunset Cruise Name Line</ItemName>
      <Description>
        <DescriptiveText>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Sunset Cruise Description
Line</TextElement>
          </Text>
        </DescriptiveText>
      </Description>
      <SellControl>Y</SellControl>
      <isChild>>false</isChild>
      <SellSeparate>Y</SellSeparate>
    </ItemGroup>
    <ItemGroup ItemDate="2008-04-28"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <ItemCode>SAIL</ItemCode>
      <ItemName>Sailing Tour Name Line</ItemName>
      <Description>
        <DescriptiveText>
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <TextElement>Sailing Tour Description
Line</TextElement>
          </Text>
        </DescriptiveText>
      </Description>
      <SellControl>Y</SellControl>
      <isChild>>true</isChild>
      <SellSeparate>Y</SellSeparate>
    </ItemGroup>
    <ItemGroup ItemDate="2008-04-28"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <ItemCode>SKI</ItemCode>
      <ItemName>Water Ski</ItemName>
      <SellControl>Y</SellControl>
      <isChild>>true</isChild>
      <SellSeparate>Y</SellSeparate>
    </ItemGroup>
    <ItemGroup ItemDate="2008-04-28"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <ItemCode>J13343</ItemCode>
      <ItemName>Jet Ski- Adult Tickets</ItemName>
```

```

        <Description>
          <DescriptiveText>
            <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
              <TextElement>Jet Ski- Adult Tickets
Sales</TextElement>
            </Text>
          </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <isChild>true</isChild>
        <SellSeparate>Y</SellSeparate>
      </ItemGroup>
      <ItemGroup ItemDate="2008-04-28"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <ItemCode>B13341</ItemCode>
        <ItemName>Boat- Adult Tickets</ItemName>
        <Description>
          <DescriptiveText>
            <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
              <TextElement>Boat- Adult Tickets
Sale</TextElement>
            </Text>
          </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <isChild>true</isChild>
        <SellSeparate>Y</SellSeparate>
      </ItemGroup>
      <ItemGroup ItemDate="2008-04-28"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <ItemCode>B13342</ItemCode>
        <ItemName>Boat- Children Tickets</ItemName>
        <Description>
          <DescriptiveText>
            <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
              <TextElement>Boat- Children Tickets
Sales</TextElement>
            </Text>
          </DescriptiveText>
        </Description>
        <SellControl>Y</SellControl>
        <isChild>true</isChild>
        <SellSeparate>Y</SellSeparate>
      </ItemGroup>
    </InventoryItemList>
  </FetchItemGroupsResponse>
</soap:Body>
</soap:Envelope>

```

FetchItemGroupsResponse without Items

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000037" timeStamp="2004-01-
13T14:48:16.071875-05:00" primaryLangID="E"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>

    <wsa:Action>http://webservicess.micross.com/ows/5.1/Availability.ws
dl#FetchItemGroupsResponse</wsa:Action>
      <wsa:MessageID>urn:uuid:3fcbd1e9-24ee-4ace-8fd2-
609e3086e4de</wsa:MessageID>
      <wsa:RelatesTo>urn:uuid:bccf7d5b-f865-4cdd-bbc2-
5749c78ba4cf</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <FetchItemGroupsResponse
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <ItemGroup>
        <ItemGroup
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
          <Code>25</Code>
          <Description>
            <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
              <TextElement>Audio Visual</TextElement>
            </Text>
          </Description>
        </ItemGroup>
        <ItemGroup
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
          <Code>RIDES</Code>
          <Description>
            <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
              <TextElement>Beach Rides</TextElement>
            </Text>
          </Description>
        </ItemGroup>
        <ItemGroup
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
          <Code>H2O</Code>
          <Description>
            <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
              <TextElement>Water Craft Rides- Elisa</TextElement>
            </Text>
          </Description>
        </ItemGroup>
      </ItemGroup>
    </FetchItemGroupsResponse>
  </soap:Body>
</soap:Envelope>
```

```

        </ItemGroup>
        <ItemGroup
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
            <Code>aaa</Code>
            <Description>
                <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
                    <TextElement>qqqq</TextElement>
                </Text>
            </Description>
        </ItemGroup>
    </FetchItemGroupsResponse>
</soap:Body>
</soap:Envelope>

```

FetchItemGroupsResponse with Booked Inventory Items Outside of Stay Dates

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="034037" timeStamp="2008-12-13T14:48:16.071875-05:00" primaryLangID="E"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>

        <wsa:Action>http://webservicess.micross.com/ows/5.1/Availability.wsdl#FetchItemGroupsResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:d05c2e65-2346-42c6-bff7-92ef635f5f9e</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:2d821068-2de2-4997-b004-4d29679623a4</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <FetchItemGroupsResponse
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS"/>
            <ItemGroupElements>
                <ItemGroup
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
                    <Code>306</Code>
                    <Description>
                        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">

```

```
                <TextElement>Housekeeping</TextElement>
            </Text>
        </Description>
    </ItemGroup>
</ItemGroup>
<ItemGroup
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Code>GROUP</Code>
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>GROUP</TextElement>
        </Text>
    </Description>
</ItemGroup>
</ItemGroup>
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Code>140107</Code>
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Hiking</TextElement>
        </Text>
    </Description>
</ItemGroup>
</ItemGroup>
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Code>650</Code>
    <Description>
        <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Biking</TextElement>
        </Text>
    </Description>
</ItemGroup>
</ItemGroupElements>
<InventoryItems>
    <InventoryItem isChild="false"
isOutsideStayDate="false"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <ItemCode>TOURPPADULT</ItemCode>
        <ItemName>TOURPPADULT</ItemName>
        <Description>
            <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
                <TextElement>TOURPPADULT</TextElement>
            </Text>
        </Description>
        <SellControl>Y</SellControl>
        <SellSeparate>Y</SellSeparate>
        <ItemGroup>
            <Code>307</Code>
        </ItemGroup>
    </InventoryItem>
    <InventoryItem isChild="false" isOutsideStayDate="true"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <ItemCode>BIKEJ12</ItemCode>
        <ItemName>Bikes Junior</ItemName>
```

```

        <Description>
          <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Bikes Junior 12"</TextElement>
          </Text>
        </Description>
        <SellControl>Y</SellControl>
        <SellSeparate>Y</SellSeparate>
        <ItemGroup>
          <Code>650</Code>
        </ItemGroup>
        <ItemDuration>2</ItemDuration>
      </InventoryItem>
      <InventoryItem isChild="false"
isOutsideStayDate="false"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <ItemCode>BIKEA17</ItemCode>
        <ItemName>Bikes Adult 17"</ItemName>
        <Description>
          <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Bikes Adult 17 inches</TextElement>
          </Text>
        </Description>
        <SellControl>Y</SellControl>
        <SellSeparate>Y</SellSeparate>
        <ItemGroup>
          <Code>650</Code>
        </ItemGroup>
      </InventoryItem>
      <InventoryItem isChild="false"
isOutsideStayDate="false"
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <ItemCode>MOTORB</ItemCode>
        <ItemName>Motorized Bikes</ItemName>
        <Description>
          <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <TextElement>Motorized Bikes</TextElement>
          </Text>
        </Description>
        <SellControl>N</SellControl>
        <SellSeparate>Y</SellSeparate>
        <ItemGroup>
          <Code>650</Code>
        </ItemGroup>
      </InventoryItem>
    </InventoryItems>
  </FetchItemGroupsResponse>
</soap:Body>
</soap:Envelope>

```

FetchItemGroupsResponse

```

<xs:complexType name="FetchItemGroupsResponse">
  <xs:sequence>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="Result"
  xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q1:GDSResultStatus" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ItemGroupElements"
  xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q2:ArrayOfItemGroupElement" />
<xs:element minOccurs="0" maxOccurs="1" name="InventoryItems"
  xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q3:ArrayOfInventoryItemElement" />
</xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Result	element	GDSResultStatus	optional	The primary indication of the success or failure of the called function.
ItemGroupElements	element	ArrayOfItemGroupElement	optional	A collection of Inventory Item Groups and the breakout of elements.
InventoryItems	element	ArrayOfInventoryItemElement	optional	A collection of details of the available inventory items.

9 GdsAreaAvailability

Fetches the availability status of a list of properties submitted in the request message. The response contains the property status, chain code, Property ID and the minimum and maximum rate ranges dynamically retrieved from the OPERA database.

Soap Action:

<http://webservices.micros.com/ows/5.1/Availability.wsdl#GdsAreaAvailability>

GdsAreaAvailabilityRequest

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-
ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Header>
    <ns0:OGHeader transactionID="22729"
xmlns:ns0="http://webservices.micros.com/og/4.3/Core/">
      <ns0:Origin entityID="1P" systemType="GDS"/>
      <ns0:Destination entityID="1P" systemType="GDS"/>
    </ns0:OGHeader>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body>
    <ns0:GdsAreaAvailabilityRequest
xmlns:ns0="http://webservices.micros.com/ows/5.1/Availability.wsd
l">
      <ns0:HotelReferences>
        <ns1:HotelReference
xmlns:ns1="http://webservices.micros.com/og/4.3/HotelCommon/"
chainCode="WC" hotelCode="8889">Sefive</ns1:HotelReference>
      </ns0:HotelReferences>
      <ns0:StayDateRange>
        <ns1:StartDate
xmlns:ns1="http://webservices.micros.com/og/4.3/HotelCommon/">200
8-03-01</ns1:StartDate>
        <ns1:EndDate
xmlns:ns1="http://webservices.micros.com/og/4.3/HotelCommon/">200
8-03-03</ns1:EndDate>
      </ns0:StayDateRange>
      <ns0:NumberOfRooms>1</ns0:NumberOfRooms>
      <ns0:NumberOfGuests>1</ns0:NumberOfGuests>
      <ns0:RateCodes>
        <ns1:RateCodeInformation ratePlanCode="ABC"
ratePlanIndicator="C" CorporateCode="557840"
xmlns:ns1="http://webservices.micros.com/og/4.3/Availability/">
          <ns1:RateCodeInformation ratePlanCode="MIA"
ratePlanIndicator="S"
xmlns:ns1="http://webservices.micros.com/og/4.3/Availability/">
            <ns1:RateCodeInformation ratePlanCode="MCR"
ratePlanIndicator="C" CorporateCode="03439292"
xmlns:ns1="http://webservices.micros.com/og/4.3/Availability/">
              <ns1:RateCodeInformation ratePlanCode="EXP"
ratePlanIndicator="C" CorporateCode="03216565"
xmlns:ns1="http://webservices.micros.com/og/4.3/Availability/">
```

```

        </ns0:RateCodes>
    </ns0:GdsAreaAvailabilityRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

GdsAreaAvailability Multi Request

```

<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-
ENV="http://schemas.xmlsoap.org/soap/envelope/">
    <SOAP-ENV:Header>
        <ns0:OGHeader transactionID="22729"
xmlns:ns0="http://webservices.micros.com/og/4.3/Core/">
            <ns0:Origin entityID="WEST" systemType="GDS"/>
            <ns0:Destination entityID="1P"
systemType="GDS"/>
        </ns0:OGHeader>
    </SOAP-ENV:Header>
    <SOAP-ENV:Body>
        <ns0:GdsAreaAvailabilityRequest
xmlns:ns0="http://webservices.micros.com/ows/5.1/Availability.wsd
1">
            <ns0:HotelReferences>
                <ns1:HotelReference
xmlns:ns1="http://webservices.micros.com/og/4.3/HotelCommon/"
chainCode="WC" hotelCode="SEFIVE">String</ns1:HotelReference>
                </ns0:HotelReferences>
                <ns0:StayDateRange>
                    <ns1:StartDate
xmlns:ns1="http://webservices.micros.com/og/4.3/HotelCommon/">201
0-05-20</ns1:StartDate>
                    <ns1:EndDate
xmlns:ns1="http://webservices.micros.com/og/4.3/HotelCommon/">201
0-05-21</ns1:EndDate>
                </ns0:StayDateRange>
                <ns0:NumberOfRooms>1</ns0:NumberOfRooms>
                <ns0:NumberOfGuests>1</ns0:NumberOfGuests>
                <ns0:RateCodes>
                    <ns1:RateCodeInformation
ratePlanCode="ABC" ratePlanIndicator="C" CorporateCode="49570"
xmlns:ns1="http://webservices.micros.com/og/4.3/Availability/">
                        <ns1:RateCodeInformation
ratePlanCode="BAR" ratePlanIndicator="S"
xmlns:ns1="http://webservices.micros.com/og/4.3/Availability/">
                            <ns1:RateCodeInformation
ratePlanCode="BED" ratePlanIndicator="C" CorporateCode="976981"
xmlns:ns1="http://webservices.micros.com/og/4.3/Availability/">
                                <ns1:RateCodeInformation
ratePlanCode="AMD" ratePlanIndicator="C" CorporateCode="582078"
xmlns:ns1="http://webservices.micros.com/og/4.3/Availability/">
                                    </ns0:RateCodes>
                                </ns0:GdsAreaAvailabilityRequest>
                            </SOAP-ENV:Body>
                        </SOAP-ENV:Envelope>

```

GdsAreaAvailabilityRequest

```
<xs:complexType name="GdsAreaAvailabilityRequest">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="HotelReferences"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q1:ArrayOfHotelReference" />
    <xs:element minOccurs="0" maxOccurs="1" name="StayDateRange"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q2:TimeSpan" />
    <xs:element minOccurs="0" maxOccurs="1" name="NumberOfRooms"
      type="xs:int" />
    <xs:element minOccurs="1" maxOccurs="1" name="NumberOfGuests"
      type="xs:int" />
    <xs:element minOccurs="0" maxOccurs="1" name="MinMaxRate"
      xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q3:MinMaxRate" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="MatchingQualifier" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="RateCalculationMethod" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="RateCodes"
      xmlns:q4="http://webservices.micros.com/og/4.3/Availabilit
y/" type="q4:ArrayOfRateCodeInformation" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
HotelReferences	element	ArrayOfHotelRefere nce	optional	A collection of HotelReference elements.
StayDateRange	element	TimeSpan	optional	The dates of the stay.
NumberOfRooms	element	int	optional	The number of rooms.
NumberOfGuests	element	int	required	The number of guests.
MinMaxRate	element	MinMaxRate	optional	The minimum and maximum rates.
MatchingQualifier	element	string	optional	The matching qualifier.
RateCalculationMeth od	element	string	optional	The method use to calculate rates.
RateCodes	element	ArrayOfRateCodeInf ormation	optional	A collection of RateCodeInformat ion elements.

GdsAreaAvailabilityResponse

```
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="22729" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="1P" systemType="GDS"/>
      <Destination entityID="1P" systemType="GDS"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.
wsdl#GdsAreaAvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:ed77fa32-63fb-44d4-a4d2-
4d25a231d1a0</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:1e928d9b-b061-4f23-b967-
887538f2a253</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/a
nonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <GdsAreaAvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AreaAvailableProperties>
        <a:AreaAvailableProperty>
          <a:HotelReference chainCode="WC" hotelCode="8889"/>
          <a:PropertyStatus propertyStatusCode="ALTERNATE"/>
          <a:MinMaxRate minimumRate="102" maximumRate="300"
currencyCode="MXN"/>
          <a:RateCodes>
            <a:RateCodeInformation ratePlanCode="ABC"
ratePlanStatusCode="AVAILABLE"/>
            <a:RateCodeInformation ratePlanCode="MIA"
ratePlanStatusCode="AVAILABLE"/>
            <a:RateCodeInformation ratePlanCode="MCR"
ratePlanStatusCode="AVAILABLE"/>
            <a:RateCodeInformation ratePlanCode="EXP"
ratePlanStatusCode="AVAILABLE"/>
          </a:RateCodes>
          <a:RateCalculationMethod>F</a:RateCalculationMethod>
        </a:AreaAvailableProperty>
      </AreaAvailableProperties>
    </GdsAreaAvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```

GdsAreaAvailability Multi Response

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="22729" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="1P" systemType="GDS"/>
      <Destination entityID="WEST" systemType="GDS"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#GdsAreaAvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:a2667232-53a9-4388-8977-487fd5641125</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:6ebb8ef6-81f6-4077-877c-964f5617aa01</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <GdsAreaAvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AreaAvailableProperties>
        <a:AreaAvailableProperty>
          <a:HotelReference chainCode="WC"
            hotelCode="SEFIVE"/>
          <a:PropertyStatus
            propertyStatusCode="ALTERNATE"/>
          <a:MinMaxRate minimumRate="95"
            maximumRate="205" currencyCode="USD" decimals="2"/>
          <a:RateCodes>
            <a:RateCodeInformation
              ratePlanCode="ABC" ratePlanStatusCode="AVAILABLE"/>
            <a:RateCodeInformation
              ratePlanCode="BAR" ratePlanStatusCode="AVAILABLE"/>
            <a:RateCodeInformation
              ratePlanCode="BED" ratePlanStatusCode="AVAILABLE"/>
            <a:RateCodeInformation
              ratePlanCode="AMD" ratePlanStatusCode="AVAILABLE"/>
          </a:RateCodes>

          <a:RateCalculationMethod>H</a:RateCalculationMethod>
        </a:AreaAvailableProperty>
      </AreaAvailableProperties>
    </GdsAreaAvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```

GdsAreaAvailabilityResponse

```
<xs:complexType name="GdsAreaAvailabilityResponse">
  <xs:annotation>
    <xs:appinfo>
      <keepNamespaceDeclarations>xsn</keepNamespaceDeclarations>
    </xs:appinfo>
  </xs:annotation>
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Result"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:GDSResultStatus" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="AreaAvailableProperties"
      xmlns:q2="http://webservices.micros.com/og/4.3/Availability/"
      type="q2:ArrayOfAreaAvailableProperty" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Result	element	GDSResultStatus	optional	The result status.
AreaAvailableProperties	element	ArrayOfAreaAvailableProperty	optional	A collection of AreaAvailableProperty elements.

10 GetCacheStatus

When caching is active for the channel this will return the HOTEL CODE, Last Update Time, and Last Update Date for the CACHED Availability.

Soap Action: <http://webservices.micros.com/ows/5.1/Availability.wsdl#GetCacheStatus>

GetCacheStatusRequest

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:c="http://webservices.micros.com/og/4.3/Common/"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:r="http://webservices.micros.com/og/4.3/Reservation/"
  xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
  xmlns:n="http://webservices.micros.com/og/4.3/Name/">
  <soap:Header>
    <OGHeader transactionID="02389767" timeStamp="2009-03-22T15:25:01.4625000-05:00"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <p1:GetCacheStatusRequest
      xmlns:p2="http://webservices.micros.com/og/4.3/HotelCommon/"
      xmlns:p1="http://webservices.micros.com/ows/5.1/Availability.wsdl"
      xsi:schemaLocation="http://webservices.micros.com/ows/5.1/Availability.wsdl
file:///d:/XMLSchema/OWS/5.1/Availability.wsdl?&embedded-schema=1">
      <!--Element p1:HotelReferences is optional-->
      <p1:HotelReferences>
        <!--Element p2:HotelReference, maxOccurs=unbounded-->
        <p2:HotelReference chainCode="WC" hotelCode="SEFIVE">
          <!--Attribute chainCode is optional-->
        >string</p2:HotelReference>
        <p2:HotelReference chainCode="CHA" hotelCode="HILLSIDE">
          <!--Attribute chainCode is optional-->
        >string</p2:HotelReference>
        <p2:HotelReference chainCode="CHA" hotelCode="DEWD">
          <!--Attribute chainCode is optional-->
        >string</p2:HotelReference>
      </p1:HotelReferences>
    </p1:GetCacheStatusRequest>
  </soap:Body>
</soap:Envelope>
```

GetCacheStatusRequest

```
<xs:element name="GetCacheStatusRequest">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1"
        name="HotelReferences"
        xmlns:q1="http://webservices.micros.com/og/4.3/HotelComm
on/" type="q1:ArrayOfHotelReference" />
    </xs:sequence>
  </xs:complexType>
</xs:element>
```

Name	Type	Data Type	Use	Comments
HotelReferences	element	ArrayOfHotelRefere nce	optional	The Hotel reference.

GetCacheStatusResponse

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="02389767" timeStamp="2009-03-
22T16:25:01.4625-04:00" primaryLangID="E"
    xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabilit
y.wsdl#GetCacheStatusResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:a2f3e597-ebed-493d-b841-
323f5852fd55</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:0acdbf92-7b4c-42a1-b16c-
f4b69f958b8e</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role
/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <GetCacheStatusResponse
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <HotelCacheStatusList>
        <HotelCacheStatusList
          xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <HotelCode>SEFIVE</HotelCode>
          <LatestUpdateTime>14:33:47.0000000-
05:00</LatestUpdateTime>
          <LatestUpdateDate>2012-11-30</LatestUpdateDate>
        </HotelCacheStatusList>
      </HotelCacheStatusList>
```

```

xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <HotelCode>HILLSIDE</HotelCode>
  <LatestUpdateTime>14:33:47.0000000-
05:00</LatestUpdateTime>
  <LatestUpdateDate>2012-11-30</LatestUpdateDate>
  </HotelCacheStatusList>
</HotelCacheStatusList
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
  <HotelCode>DEWD</HotelCode>
  <LatestUpdateTime>14:33:47.0000000-
05:00</LatestUpdateTime>
  <LatestUpdateDate>2012-11-30</LatestUpdateDate>
  </HotelCacheStatusList>
</HotelCacheStatusList>
</GetCacheStatusResponse>
</soap:Body>
</soap:Envelope>

```

GetCacheStatusResponse

```

<xs:element name="GetCacheStatusResponse">
  <xs:complexType>
    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="Result"
        xmlns:q1="http://webservicess.micross.com/og/4.3/HotelComm
on/" type="q1:GDSResultStatus" />
      <xs:element minOccurs="0" maxOccurs="1"
        name="HotelCacheStatusList"
        xmlns:q2="http://webservicess.micross.com/og/4.3/HotelComm
on/" type="q2:ArrayOfHotelCacheStatus" />
    </xs:sequence>
  </xs:complexType>
</xs:element>

```

Name	Type	Data Type	Use	Comments
Result	element	GDSResultStatus	optional	The result.
HotelCacheStatusList	element	ArrayOfHotelCacheStatus	optional	List including the Hotel Code, Last Update Time, and Last Update Date for the Cached Availability.

11 RegionalAvailability

Retrieves a list of hotels. The user must provide at least a geographic region code or hotel criteria, date range, and the number of guests. Number of rooms and a rate range are also allowed.

Soap Action:

<http://webservices.micros.com/ows/5.1/Availability.wsdl#RegionalAvailability>

RegionalAvailabilityRequest

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap=http://schemas.xmlsoap.org/soap/envelope/
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="ETC" systemType="WBE"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityRequest
xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <RegionalSearchCode
regionalSearchCodeType="CITY">LONDON</RegionalSearchCode>
      <StayDateRange>
        <hc:StartDate>2003-12-10T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2003-12-13T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>1</NumberOfRooms>
      <NumberOfGuests>2</NumberOfGuests>
      <MinMaxRate minimumRate="100" maximumRate="500"
currencyCode="GBP"/>
    </RegionalAvailabilityRequest>
  </soap:Body>
</soap:Envelope>
```

RegionalAvailabilityRequest by Hotel

```
<?xml version="1.0" encoding="utf-8"?>
<!-- edited with XML Spy v4.4 U (http://www.xmlspy.com) by Micros
Systems Inc (Micros Systems Inc) -->
```

```

<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="766532" timeStamp="2008-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityRequest
xmlns:avl="http://webservicess.micross.com/og/5.1/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <HotelReferences>
        <HotelReference chainCode="WC" hotelCode="SEFIVE" />
        <HotelReference chainCode="WC" hotelCode="SEPARA" />
        <HotelReference chainCode="WC" hotelCode="EXAMPLE" />
      </HotelReferences>
      <StayDateRange>
        <hc:StartDate>2009-04-01T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2009-04-02T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>1</NumberOfRooms>
      <NumberOfGuests>1</NumberOfGuests>
      <MinMaxRate minimumRate="10" maximumRate="500"
currencyCode="USD" />
    </RegionalAvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

RegionalAvailabilityRequest by CitySearch

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader xmlns="http://webservicess.micross.com/og/4.3/Core/"
transactionID="000033" timeStamp="2009-05-20T12:52:02.00000-
00:00">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="WEST" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityRequest
xmlns:avl="http://webservicess.micross.com/og/4.3/Availability/"

```

```

xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <GeographicSearch>
    <CitySearch countryCode="US" stateCode="FL"
cityCode="Fort Myers" sameCityIndicator="true"
xmlns="http://webservices.micros.com/og/4.3/Availability/" />
  </GeographicSearch>
  <StayDateRange>
    <hc:StartDate>2009-07-10</hc:StartDate>
    <hc:EndDate>2009-07-11</hc:EndDate>
  </StayDateRange>
  <NumberOfRooms>1</NumberOfRooms>
  <NumberOfGuests>1</NumberOfGuests>
</RegionalAvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityRequest Region Reduced Message Size

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="158660" timeStamp="2009-02-
24T07:45:42+00:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="GDS"/>
      <Destination entityID="OWS" systemType="GDS"/>
      <Intermediaries>
        <EndPoint systemType="DEFAULT"/>
        <EndPoint systemType="GDS_TYPA"/>
      </Intermediaries>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityRequest
xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <RegionalSearchCode
regionalSearchCodeType="REGION">NAM</RegionalSearchCode>
      <StayDateRange>
        <hc:StartDate>2009-08-
10T00:00:00.0000000+01:00</hc:StartDate>
        <hc:EndDate>2009-08-
11T00:00:00.0000000+01:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>1</NumberOfRooms>
      <NumberOfGuests>1</NumberOfGuests>
    </RegionalAvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

RegionalAvailabilityRequest All Rate Codes

```
<?xml version="1.0" encoding="UTF-8"?>
<SOAP-ENV:Envelope xmlns:SOAP-
ENV="http://schemas.xmlsoap.org/soap/envelope/">
  <SOAP-ENV:Header>
    <ns0:OGHeader transactionID="22729"
xmlns:ns0="http://webservices.micros.com/og/4.3/Core/">
      <ns0:Origin entityID="1P" systemType="GDS"/>
      <ns0:Destination entityID="WEST"
systemType="ORS"/>
    </ns0:OGHeader>
  </SOAP-ENV:Header>
  <SOAP-ENV:Body>
    <ns0:GdsAreaAvailabilityRequest
xmlns:ns0="http://webservices.micros.com/ows/5.1/Availability.wsd
1">
      <ns0:HotelReferences>
        <ns1:HotelReference
xmlns:ns1="http://webservices.micros.com/og/4.3/HotelCommon/"
chainCode="WC" hotelCode="8889">
          </ns1:HotelReference>
        </ns0:HotelReferences>
        <ns0:StayDateRange>
          <ns1:StartDate
xmlns:ns1="http://webservices.micros.com/og/4.3/HotelCommon/">201
0-05-28</ns1:StartDate>
          <ns1:EndDate
xmlns:ns1="http://webservices.micros.com/og/4.3/HotelCommon/">201
0-05-29</ns1:EndDate>
        </ns0:StayDateRange>
        <ns0:NumberOfRooms>1</ns0:NumberOfRooms>
        <ns0:NumberOfGuests>1</ns0:NumberOfGuests>
        <ns0:RateCodes>
          <ns1:RateCodeInformation
ratePlanCode="ABC"
xmlns:ns1="http://webservices.micros.com/og/4.3/Availability/">
            <ns1:RateCodeInformation
ratePlanCode="AAA"
xmlns:ns1="http://webservices.micros.com/og/4.3/Availability/">
              </ns0:RateCodes>
              <ns0:MinMaxRate commissionCode="N"/>
            </ns0:GdsAreaAvailabilityRequest>
          </SOAP-ENV:Body>
        </SOAP-ENV:Envelope>
```

RegionalAvailabilityRequest Chain

```
<?xml version="1.0" encoding="utf-8"?>
<!-- edited with XML Spy v4.4 U (http://www.xmlspy.com) by Micros
Systems Inc (Micros Systems Inc) -->
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
```

```

xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="GDS"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityRequest
xmlns:avl="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <RegionalSearchCode
regionalSearchCodeType="CHAIN">WC</RegionalSearchCode>
      <StayDateRange>
        <hc:StartDate>2010-05-
28T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2010-05-29T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>1</NumberOfRooms>
      <NumberOfGuests>1</NumberOfGuests>
      <MinMaxRate commissionCode="B"/>
    </RegionalAvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

RegionalAvailabilityRequest City

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="GDS"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityRequest
xmlns:avl="http://webservicess.micross.com/og/4.3/Availability/"
xmlns:hc="http://webservicess.micross.com/og/4.3/HotelCommon/"
xmlns="http://webservicess.micross.com/ows/5.1/Availability.wsdl">
      <RegionalSearchCode
regionalSearchCodeType="CITY">ANYTOWN</RegionalSearchCode>
      <StayDateRange>
        <hc:StartDate>2010-05-
20T00:00:00.0000000-05:00</hc:StartDate>

```

```

                                <hc:EndDate>2010-05-21T00:00:00.0000000-
05:00</hc:EndDate>
                                </StayDateRange>
                                <NumberOfRooms>1</NumberOfRooms>
                                <NumberOfGuests>1</NumberOfGuests>
                                <MinMaxRate commissionCode="B"/>
                                </RegionalAvailabilityRequest>
                                </soap:Body>
</soap:Envelope>

```

RegionalAvailabilityRequest CRO

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="GDS"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityRequest
xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <RegionalSearchCode
regionalSearchCodeType="CRO">ANYTOWN</RegionalSearchCode>
      <StayDateRange>
        <hc:StartDate>2010-05-
28T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2010-05-29T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>1</NumberOfRooms>
      <NumberOfGuests>1</NumberOfGuests>
      <MinMaxRate commissionCode="B"/>
    </RegionalAvailabilityRequest>
  </soap:Body>
</soap:Envelope>

```

RegionalAvailabilityRequest Region

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>

```

```

        <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="GDS"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <RegionalAvailabilityRequest
xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <RegionalSearchCode
regionalSearchCodeType="REGION">SWF</RegionalSearchCode>
            <StayDateRange>
                <hc:StartDate>2010-06-
15T00:00:00.0000000-05:00</hc:StartDate>
                <hc:EndDate>2010-06-16T00:00:00.0000000-
05:00</hc:EndDate>
            </StayDateRange>
            <NumberOfRooms>1</NumberOfRooms>
            <NumberOfGuests>1</NumberOfGuests>
            <MinMaxRate commissionCode="B"/>
        </RegionalAvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

RegionalAvailabilityRequest Same City Search

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="WEST" systemType="GDS"/>
            <Destination entityID="TI" systemType="ORS"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <RegionalAvailabilityRequest
xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <StayDateRange>
                <hc:StartDate>2010-05-
28T00:00:00.0000000-05:00</hc:StartDate>
                <hc:EndDate>2010-05-29T00:00:00.0000000-
05:00</hc:EndDate>
            </StayDateRange>
            <NumberOfRooms>1</NumberOfRooms>
            <NumberOfGuests>1</NumberOfGuests>
        </RegionalAvailabilityRequest>
    </soap:Body>
</soap:Envelope>

```

```

        <MinMaxRate commissionCode="B"/>
        <GeographicSearch>
            <CitySearch countryCode="US"
cityCode="ANYTOWN" stateCode="FL" sameCityIndicator="true"
xmlns="http://webservices.micros.com/og/4.3/Availability/" />
        </GeographicSearch>
    </RegionalAvailabilityRequest>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityResponse

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS"/>
            <Destination entityID="ETC" systemType="WBE"/>
        </OGHeader>
    </soap:Header>
    <soap:Body>
        <RegionalAvailabilityResponse
xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS"/>
            <RegionalAvailableProperties>
                <avl:RegionalAvailableProperty>
                    <avl:HotelReference chainCode="TI"
hotelCode="LONMAR">Thistle Marble Arch</avl:HotelReference>
                    <avl:MinMaxRate minimumRate="124.45"
maximumRate="425.75" currencyCode="GBP"/>
                    <avl:NumberToSell>123</avl:NumberToSell>
                    <avl:HotelContact>
                        <hc:Addresses>
                            <hc:Address>
                                <c:AddressLine>Bryanston
Street</c:AddressLine>
                                <c:AddressLine>Marble Arch</c:AddressLine>
                                <c:cityName>Anytown</c:cityName>
                                <c:counrtyCode>UK</c:counrtyCode>
                                <c:postalCode>W1A 4UR</c:postalCode>
                            </hc:Address>
                        </hc:Addresses>
                        <hc:ContactEmails>
                            <hc:ContactEmail>MarbleArch@Thistle.co.uk</hc:ContactEmail>
                        </hc:ContactEmails>
                        <hc:ContactPhones>

```

```

        <hc:Phone phoneType="FAX" phoneRole="BUSINESS">
          <c:PhoneNumber>0123 555 4321</c:PhoneNumber>
        </hc:Phone>
        <hc:Phone phoneType="VOICE"
phoneRole="BUSINESS">
          <c:PhoneNumber>0123 555 4321</c:PhoneNumber>
        </hc:Phone>
      </hc:ContactPhones>
    </avl:HotelContact>
  </avl:RegionalAvailableProperty>
<avl:RegionalAvailableProperty>
  <avl:HotelReference chainCode="TI"
hotelCode="LONPIC">Thistle Piccadilly</avl:HotelReference>
  <avl:MinMaxRate minimumRate="99.95"
maximumRate="520.25" currencyCode="GBP"/>
  <avl:NumberToSell>107</avl:NumberToSell>
  <avl:HotelContact>
    <hc:Addresses>
      <hc:Address>
        <c:AddressLine>Coventry
Street</c:AddressLine>
        <c:cityName>Anytown</c:cityName>
        <c:countryCode>UK</c:countryCode>
        <c:postalCode>W1D 6BZ</c:postalCode>
      </hc:Address>
    </hc:Addresses>
    <hc:ContactEmails>
      <hc:ContactEmail>Piccadilly@Thistle.co.uk</hc:ContactEmail>
    </hc:ContactEmails>
    <hc:ContactPhones>
      <hc:Phone phoneType="FAX" phoneRole="BUSINESS">
        <c:PhoneNumber>0123 555 4321</c:PhoneNumber>
      </hc:Phone>
      <hc:Phone phoneType="VOICE"
phoneRole="BUSINESS">
        <c:PhoneNumber>0123 555 4321</c:PhoneNumber>
      </hc:Phone>
    </hc:ContactPhones>
  </avl:HotelContact>
</avl:RegionalAvailableProperty>
</RegionalAvailableProperties>
</RegionalAvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityResponse by Hotel

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>

```

```
<OGHeader transactionID="766532" timeStamp="2008-12-10T15:20:25.036875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
  <Origin entityID="TI" systemType="ORS" />
  <Destination entityID="WEST" systemType="WEB" />
</OGHeader>
<wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#RegionalAvailabilityResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:2342d7c6-c267-4192-9c91-cb2dfd9a812a</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:6815dea7-32cd-416d-8ad2-f072532c57cf</wsa:RelatesTo>

<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <RegionalAvailableProperties>
        <a:RegionalAvailableProperty
isNegotiatedRateAvailable="false">
          <a:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</a:HotelReference>
          <a:PropertyStatus propertyStatusCode="CLOSED" />
          <a:MinMaxRate currencyCode="USD" />
          <a:NumberToSell>484</a:NumberToSell>
          <a:HotelContact>
            <hc:Addresses>
              <hc:Address>
                <c:AddressLine>1111 Street</c:AddressLine>
                <c:cityName>Anytown</c:cityName>
                <c:stateProv>FL</c:stateProv>
                <c:countryCode>US</c:countryCode>
              </hc:Address>
            </hc:Addresses>
            <hc:ContactEmails>
              <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
            </hc:ContactEmails>
            <hc:ContactPhones>
              <hc:Phone phoneType="FAX">
                <c:PhoneNumber>123-555-4321</c:PhoneNumber>
              </hc:Phone>
              <hc:Phone phoneType="VOICE">
                <c:PhoneNumber>123-555-4321</c:PhoneNumber>
              </hc:Phone>
            </hc:ContactPhones>
          </a:HotelContact>
          <a:HotelExtendedInformation>
            <hc:HotelInformation>
              <hc:HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
```

```
        <c:Text>
          <c:TextElement>SMALL</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
    </hc:HotelInformation>
  </a:HotelExtendedInformation>
</a:RegionalAvailableProperty>
<a:RegionalAvailableProperty
isNegotiatedRateAvailable="false">
  <a:HotelReference chainCode="WC"
hotelCode="SEPARA">Opera Demo Hotel, Small</a:HotelReference>
  <a:PropertyStatus propertyStatusCode="CLOSED" />
  <a:MinMaxRate currencyCode="USD" />
  <a:NumberToSell>75</a:NumberToSell>
  <a:HotelContact>
    <hc:Addresses>
      <hc:Address>
        <c:AddressLine>724 Pine Street</c:AddressLine>
        <c:cityName>Anytown</c:cityName>
        <c:stateProv>FL</c:stateProv>
        <c:countryCode>US</c:countryCode>
      </hc:Address>
    </hc:Addresses>
    <hc:ContactEmails>
      <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
    </hc:ContactEmails>
    <hc:ContactPhones>
      <hc:Phone phoneType="FAX">
        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
      </hc:Phone>
      <hc:Phone phoneType="VOICE">
        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
      </hc:Phone>
    </hc:ContactPhones>
  </a:HotelContact>
  <a:HotelExtendedInformation>
    <hc:HotelInformation>
      <hc:HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
        <c:Text>
          <c:TextElement>SMALL</c:TextElement>
        </c:Text>
      </hc:HotelInfo>
    </hc:HotelInformation>
  </a:HotelExtendedInformation>
</a:RegionalAvailableProperty>
<a:RegionalAvailableProperty
isNegotiatedRateAvailable="false">
  <a:HotelReference chainCode="CHA"
hotelCode="EXAMPLE">Opera Demo Hotel, Small</a:HotelReference>
  <a:PropertyStatus propertyStatusCode="OPEN" />
  <a:MinMaxRate minimumRate="80" maximumRate="80"
currencyCode="USD" />
  <a:NumberToSell>130</a:NumberToSell>
  <a:HotelContact>
    <hc:Addresses>
```

```

        <hc:Address>
          <c:AddressLine>2640 Golden Gate
Parkway</c:AddressLine>
          <c:cityName>Anytown</c:cityName>
          <c:stateProv>FL</c:stateProv>
          <c:countryCode>US</c:countryCode>
        </hc:Address>
      </hc:Addresses>
      <hc:ContactEmails>
        <hc:ContactEmail>name@example.com</hc:ContactEmail>
      </hc:ContactEmails>
      <hc:ContactPhones>
        <hc:Phone phoneType="VOICE">
          <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
        </hc:Phone>
      </hc:ContactPhones>
    </a:HotelContact>
    <a:HotelExtendedInformation>
      <hc:HotelInformation>
        <hc:HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
          <c:Text>
            <c:TextElement>SMALL</c:TextElement>
          </c:Text>
        </hc:HotelInfo>
      </hc:HotelInformation>
    </a:HotelExtendedInformation>
  </a:RegionalAvailableProperty>
</RegionalAvailableProperties>
</RegionalAvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityResponse by CitySearch

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000033" timeStamp="2009-05-
20T08:52:02-04:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#RegionalAvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:e8ed275c-3203-4d98-8905-
88719ead8ce3</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:59e6ae2f-67fb-4822-b2f3-
5c3fd9c897a3</wsa:RelatesTo>
  </soap:Header>

```

```
<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <RegionalAvailableProperties>
        <a:RegionalAvailableProperty
isNegotiatedRateAvailable="false">
          <a:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</a:HotelReference>
          <a:PropertyStatus propertyStatusCode="OPEN" />
          <a:MinMaxRate minimumRate="100" maximumRate="175"
currencyCode="USD" decimals="3" />
          <a:NumberToSell>505</a:NumberToSell>
          <a:HotelContact>
            <hc:Addresses>
              <hc:Address>
                <c:AddressLine>1111 Street</c:AddressLine>
                <c:cityName>Anytown</c:cityName>
                <c:stateProv>FL</c:stateProv>
                <c:countryCode>US</c:countryCode>
              </hc:Address>
            </hc:Addresses>
            <hc:ContactEmails>
              <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
            </hc:ContactEmails>
            <hc:ContactPhones>
              <hc:Phone phoneType="FAX">
                <c:PhoneNumber>123-555-4321</c:PhoneNumber>
              </hc:Phone>
              <hc:Phone phoneType="VOICE">
                <c:PhoneNumber>123-555-4321</c:PhoneNumber>
              </hc:Phone>
            </hc:ContactPhones>
          </a:HotelContact>
          <a:HotelExtendedInformation>
            <hc:HotelInformation>
              <hc:HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
                <c:Text>
                  <c:TextElement>SMALL</c:TextElement>
                </c:Text>
              </hc:HotelInfo>
            </hc:HotelInformation>
          </a:HotelExtendedInformation>
        </a:RegionalAvailableProperty>
        <a:RegionalAvailableProperty
isNegotiatedRateAvailable="false">
          <a:HotelReference chainCode="WC"
hotelCode="TEJALQA">Opera Demo Hotel, Small</a:HotelReference>
```

```

    <a:PropertyStatus propertyStatusCode="OPEN" />
    <a:MinMaxRate minimumRate="45" maximumRate="140"
currencyCode="USD" decimals="3" />
    <a:NumberToSell>157</a:NumberToSell>
    <a:HotelContact>
      <hc:Addresses>
        <hc:Address>
          <c:cityName>Anytown</c:cityName>
          <c:stateProv>FL</c:stateProv>
          <c:countryCode>US</c:countryCode>
        </hc:Address>
      </hc:Addresses>
      <hc:ContactEmails>
        <hc:ContactEmail>hotel@hotels.com</hc:ContactEmail>
      </hc:ContactEmails>
      <hc:ContactPhones>
        <hc:Phone phoneType="VOICE">
          <c:PhoneNumber>1235554321</c:PhoneNumber>
        </hc:Phone>
      </hc:ContactPhones>
    </a:HotelContact>
    <a:HotelExtendedInformation>
      <hc:HotelInformation>
        <hc:HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
          <c:Text>
            <c:TextElement>SMALL</c:TextElement>
          </c:Text>
        </hc:HotelInfo>
      </hc:HotelInformation>
    </a:HotelExtendedInformation>
  </a:RegionalAvailableProperty>
</RegionalAvailableProperties>
</RegionalAvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityResponse Region Reduced Message Size

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="158660" timeStamp="2009-02-
24T02:45:42-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="OWS" systemType="GDS" />
      <Destination entityID="WEST" systemType="GDS" />
      <Intermediaries>
        <EndPoint systemType="DEFAULT" />
        <EndPoint systemType="GDS_TYPA" />
      </Intermediaries>
    </OGHeader>
  </soap:Header>
</soap:Envelope>

```

```
</OGHeader>
<wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#RegionalAvailabilityResponse</wsa:Action>
  <wsa:MessageID>urn:uuid:d8c874f4-0277-4224-bf4c-
cf328912c49b</wsa:MessageID>
  <wsa:RelatesTo>urn:uuid:7a60f17d-5bc2-4dd6-b8b9-
ef0e893ea326</wsa:RelatesTo>

<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/ano
nymous</wsa:To>
</soap:Header>
<soap:Body>
  <RegionalAvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <RegionalAvailableProperties>
    <a:RegionalAvailableProperty>
      <a:HotelReference chainCode="WC"
hotelCode="SEPARA">Opera Demo Hotel, Small</a:HotelReference>
      <a:PropertyStatus propertyStatusCode="CLOSED" />
      <a:NumberToSell>22</a:NumberToSell>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
      <a:HotelReference chainCode="WC"
hotelCode="UTSLCH">Opera Demo Hotel, Medium</a:HotelReference>
      <a:PropertyStatus propertyStatusCode="CLOSED" />
      <a:NumberToSell>394</a:NumberToSell>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
      <a:HotelReference chainCode="SLIM"
hotelCode="HBKC">Opera Demo Hotel, Medium</a:HotelReference>
      <a:PropertyStatus propertyStatusCode="CLOSED" />
      <a:NumberToSell>0</a:NumberToSell>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
      <a:HotelReference chainCode="KEMPI"
hotelCode="ADLON">Opera Demo Hotel, Medium</a:HotelReference>
      <a:PropertyStatus propertyStatusCode="CLOSED" />
      <a:NumberToSell>394</a:NumberToSell>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
      <a:HotelReference chainCode="CHA" hotelCode="004">Opera
Demo Hotel, Small</a:HotelReference>
      <a:PropertyStatus propertyStatusCode="CLOSED" />
      <a:NumberToSell>157</a:NumberToSell>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
      <a:HotelReference chainCode="WC"
hotelCode="FARBOS">Opera Demo Hotel, Small</a:HotelReference>
      <a:PropertyStatus propertyStatusCode="CLOSED" />
      <a:NumberToSell>155</a:NumberToSell>
    </a:RegionalAvailableProperty>
  </a:RegionalAvailableProperty>

```

```
        <a:HotelReference chainCode="SK" hotelCode="AMER">Opera
Demo Hotel, Small</a:HotelReference>
        <a:PropertyStatus propertyStatusCode="CLOSED" />
        <a:NumberToSell>201</a:NumberToSell>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="SK"
hotelCode="INDIA">Opera Demo Hotel, Small</a:HotelReference>
        <a:PropertyStatus propertyStatusCode="CLOSED" />
        <a:NumberToSell>153</a:NumberToSell>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="CHA"
hotelCode="EXAMPLE">Opera Demo Hotel, Small</a:HotelReference>
        <a:PropertyStatus propertyStatusCode="CLOSED" />
        <a:NumberToSell>149</a:NumberToSell>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="WYN"
hotelCode="MFV6">Micros-Fidelio DEMO Program</a:HotelReference>
        <a:PropertyStatus propertyStatusCode="CLOSED" />
        <a:NumberToSell>167</a:NumberToSell>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</a:HotelReference>
        <a:PropertyStatus propertyStatusCode="OPEN" />
        <a:NumberToSell>484</a:NumberToSell>
        <a:MinimumRate MinMaxRateType="MINIMUM">
            <a:Amount currencyCode="USD"
decimals="2">1450</a:Amount>
            <a:RateCode>BAR</a:RateCode>
            <a:TotalAmount decimals="2">1450</a:TotalAmount>
        </a:MinimumRate>
        <a:MaximumRate MinMaxRateType="MAXIMUM">
            <a:Amount currencyCode="USD"
decimals="2">1450</a:Amount>
            <a:RateCode>BAR</a:RateCode>
            <a:TotalAmount decimals="2">1450</a:TotalAmount>
        </a:MaximumRate>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="CHA"
hotelCode="0002">Opera Demo Hotel, Small</a:HotelReference>
        <a:PropertyStatus propertyStatusCode="CLOSED" />
        <a:NumberToSell>0</a:NumberToSell>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="DQ"
hotelCode="DAWNQA">Opera Demo Hotel, Small</a:HotelReference>
        <a:PropertyStatus propertyStatusCode="CLOSED" />
        <a:NumberToSell>320</a:NumberToSell>
    </a:RegionalAvailableProperty>
</RegionalAvailableProperties>
</RegionalAvailabilityResponse>
</soap:Body>
</soap:Envelope>
```

RegionalAvailabilityResponse All Rate Codes

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="22729" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="ORS"/>
      <Destination entityID="1P" systemType="GDS"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#GdsAreaAvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:bedc54c6-8bc0-4df2-8423-d3bc4e12e5da</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:bbafa3d5-332c-4677-9642-5fd09677915f</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <GdsAreaAvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <AreaAvailableProperties>
        <a:AreaAvailableProperty>
          <a:HotelReference chainCode="WC"
            hotelCode="8889"/>
          <a:PropertyStatus
            propertyStatusCode="ALTERNATE"/>
          <a:MinMaxRate minimumRate="165"
            maximumRate="200" currencyCode="USD" decimals="2"/>
          <a:RateCodes>
            <a:RateCodeInformation
              ratePlanCode="ABC" ratePlanStatusCode="UNAVAILABLE"/>
            <a:RateCodeInformation
              ratePlanCode="AAA" ratePlanStatusCode="RESTRICTED"/>
          </a:RateCodes>

          <a:RateCalculationMethod>H</a:RateCalculationMethod>
        </a:AreaAvailableProperty>
      </AreaAvailableProperties>
    </GdsAreaAvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```

RegionalAvailabilityResponse Chain

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-10T15:20:25.036875-05:00" primaryLangID="E"
      xmlns="http://webservicess.microsoft.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="GDS"/>
    </OGHeader>
    <wsa:Action>http://webservicess.microsoft.com/ows/5.1/Availability.wsdl#RegionalAvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:87245739-9c9c-4b17-83b4-8820c2457cea</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:37114626-607c-4868-b5b2-614746fcbce4</wsa:RelatesTo>
    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityResponse
      xmlns:a="http://webservicess.microsoft.com/og/4.3/Availability/"
      xmlns:c="http://webservicess.microsoft.com/og/4.3/Common/"
      xmlns:hc="http://webservicess.microsoft.com/og/4.3/HotelCommon/"
      xmlns="http://webservicess.microsoft.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <RegionalAvailableProperties>
        <a:RegionalAvailableProperty>
          <a:HotelReference chainCode="WC"
            hotelCode="002">Property 2 Opera Demo Multi Hotel</a:HotelReference>
          <a:PropertyStatus
            propertyStatusCode="OPEN"/>
          <a:MinMaxRate minimumRate="180"
            maximumRate="200" currencyCode="USD" decimals="2"
            commissionCode="N"/>
          <a:NumberToSell>159</a:NumberToSell>
          <a:HotelContact>
            <hc:Addresses>
              <hc:Address>
                <c:AddressLine>1111 Street</c:AddressLine>
                <c:cityName>Anytown</c:cityName>
                <c:stateProv>FL</c:stateProv>
                <c:countryCode>US</c:countryCode>
              </hc:Address>
            </hc:Addresses>
          </a:HotelContact>
        </a:RegionalAvailableProperty>
      </RegionalAvailableProperties>
    </RegionalAvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```

```

        </hc:Addresses>
        <hc:ContactEmails>

        <hc:ContactEmail>propertytwo@micros.com</hc:ContactEmail>
        </hc:ContactEmails>
        <hc:ContactPhones>
        <hc:Phone
phoneType="FAX">

        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
        </hc:Phone>
        <hc:Phone
phoneType="VOICE">

        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
        </hc:Phone>
        </hc:ContactPhones>
    </a:HotelContact>
    <a:HotelExtendedInformation>
        <hc:HotelInformation>
        <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
        <c:Text>

        <c:TextElement>TINY</c:TextElement>
        </c:Text>
        </hc:HotelInfo>
        </hc:HotelInformation>
    </a:HotelExtendedInformation>

    <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
        </a:RegionalAvailableProperty>
        <a:RegionalAvailableProperty>
            <a:HotelReference chainCode="WC"
hotelCode="FARBOS">Opera Demo Hotel, Small</a:HotelReference>
            <a:PropertyStatus
propertyStatusCode="OPEN"/>
            <a:MinMaxRate minimumRate="485"
maximumRate="515" currencyCode="USD" decimals="2"
commissionCode="C"/>

            <a:NumberToSell>155</a:NumberToSell>
            <a:HotelContact>
                <hc:Addresses>
                <hc:Address>

                <c:AddressLine>The Example Plaza, Anytown</c:AddressLine>

                <c:cityName>Anytown</c:cityName>

                <c:stateProv>MA</c:stateProv>

                <c:countryCode>US</c:countryCode>
                </hc:Address>
            </hc:Addresses>
        </a:HotelContact>

```

```

        <a:HotelExtendedInformation/>

    <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
        </a:RegionalAvailableProperty>
        <a:RegionalAvailableProperty>
            <a:HotelReference chainCode="WC"
hotelCode="EXAMPLE">Opera Demo Hotel, Small</a:HotelReference>
            <a:PropertyStatus
propertyStatusCode="CLOSED"/>
            <a:MinMaxRate currencyCode="USD"
decimals="2"/>

        <a:NumberToSell>155</a:NumberToSell>
            <a:HotelContact>
                <hc:Addresses>
                    <hc:Address>

                <c:AddressLine>2640 Golden Gate Parkway</c:AddressLine>

                <c:cityName>Anytown</c:cityName>

                <c:stateProv>FL</c:stateProv>

                <c:countryCode>US</c:countryCode>
                    </hc:Address>
                </hc:Addresses>
                <hc:ContactEmails>

                <hc:ContactEmail>name@example.com</hc:ContactEmail>
                    </hc:ContactEmails>
                <hc:ContactPhones>
                    <hc:Phone
phoneType="VOICE">

                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                </hc:ContactPhones>
            </a:HotelContact>
            <a:HotelExtendedInformation>
                <hc:HotelInformation>
                    <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                        <c:Text>

                    <c:TextElement>SMALL</c:TextElement>
                        </c:Text>
                    </hc:HotelInfo>
                </hc:HotelInformation>
            </a:HotelExtendedInformation>

        <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
            </a:RegionalAvailableProperty>
            <a:RegionalAvailableProperty>
                <a:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</a:HotelReference>

```

```

    <a:PropertyStatus
propertyStatusCode="OPEN"/>
    <a:MinMaxRate minimumRate="199"
maximumRate="199" currencyCode="USD" decimals="2"
commissionCode="N"/>
        <a:NumberToSell>499</a:NumberToSell>
            <a:HotelContact>
                <hc:Addresses>
                    <hc:Address>
                        <c:AddressLine>1111 Street.</c:AddressLine>
                        <c:cityName>Anytown</c:cityName>
                        <c:stateProv>FL</c:stateProv>
                        <c:countryCode>US</c:countryCode>
                        <c:postalCode>99999</c:postalCode>
                    </hc:Address>
                </hc:Addresses>
                <hc:ContactPhones>
                    <hc:Phone
phoneType="FAX">
                        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                    <hc:Phone
phoneType="VOICE">
                        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                </hc:ContactPhones>
            </a:HotelContact>
            <a:HotelExtendedInformation>
                <hc:HotelInformation>
                    <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                        <c:Text>
                            <c:TextElement>SMALL</c:TextElement>
                        </c:Text>
                    </hc:HotelInfo>
                </hc:HotelInformation>
            </a:HotelExtendedInformation>
        </a:isNegotiatedRateAvailable>false</a:isNegotiatedRateAvail
able>
            </a:RegionalAvailableProperty>
            <a:RegionalAvailableProperty>
                <a:HotelReference chainCode="WC"
hotelCode="SEPARA">Opera Demo Hotel, Small</a:HotelReference>
                <a:PropertyStatus
propertyStatusCode="CLOSED"/>
                <a:MinMaxRate currencyCode="MXN"
decimals="2"/>

```

```

                <a:NumberToSell>83</a:NumberToSell>
                <a:HotelContact>
                    <hc:Addresses>
                        <hc:Address>

                <c:AddressLine>724 Pine Street</c:AddressLine>

                <c:cityName>Anytown</c:cityName>

                <c:stateProv>FL</c:stateProv>

                <c:countryCode>US</c:countryCode>
                    </hc:Address>
                </hc:Addresses>
                <hc:ContactEmails>

                <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
                    </hc:ContactEmails>
                <hc:ContactPhones>
                    <hc:Phone
phoneType="FAX">

                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                <hc:Phone
phoneType="VOICE">

                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                </hc:ContactPhones>
            </a:HotelContact>
            <a:HotelExtendedInformation>
                <hc:HotelInformation>
                    <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                        <c:Text>

                <c:TextElement>SMALL</c:TextElement>
                    </c:Text>
                </hc:HotelInfo>
            </hc:HotelInformation>
        </a:HotelExtendedInformation>

        <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
            </a:RegionalAvailableProperty>
        <a:RegionalAvailableProperty>
            <a:HotelReference chainCode="WC"
hotelCode="UTSLCH">Opera Demo Hotel, Medium</a:HotelReference>
            <a:PropertyStatus
propertyStatusCode="CLOSED"/>
            <a:MinMaxRate currencyCode="USD"
decimals="2"/>

            <a:NumberToSell>391</a:NumberToSell>
            <a:HotelContact>
                <hc:Addresses>

```

```

                <hc:Address>
                    <c:AddressLine>161 West 600 S.</c:AddressLine>
                    <c:cityName>Anytown</c:cityName>
                    <c:stateProv>FL</c:stateProv>
                    <c:countryCode>US</c:countryCode>
                    <c:postalCode>99999</c:postalCode>
                </hc:Address>
            </hc:Addresses>
            <hc:ContactEmails>
                <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
            </hc:ContactEmails>
            <hc:ContactPhones>
                <hc:Phone
                    phoneType="FAX">
                        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                </hc:Phone>
                <hc:Phone
                    phoneType="VOICE">
                        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                </hc:ContactPhones>
            </a:HotelContact>
            <a:HotelExtendedInformation>
                <hc:HotelInformation>
                    <hc:HotelInfo
                        hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                            <c:Text>
                                <c:TextElement>MEDIUM</c:TextElement>
                            </c:Text>
                        </hc:HotelInfo>
                    </hc:HotelInformation>
                </a:HotelExtendedInformation>
                <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvailable>
            </a:RegionalAvailableProperty>
        </RegionalAvailableProperties>
    </RegionalAvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityResponse City

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
    xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"

```

```
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.036875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="GDS"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#RegionalAvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:a94b0e7c-0158-4d7a-8d51-
fd05f34a85bd</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:949fab8-00d6-4232-8fbc-
710b78c7f569</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <RegionalAvailableProperties>
        <a:RegionalAvailableProperty>
          <a:HotelReference chainCode="WC"
hotelCode="EXAMPLE">Opera Demo Hotel, Small</a:HotelReference>
          <a:PropertyStatus
propertyStatusCode="CLOSED"/>
          <a:MinMaxRate currencyCode="USD"
decimals="2"/>

          <a:NumberToSell>155</a:NumberToSell>
          <a:HotelContact>
            <hc:Addresses>
              <hc:Address>

                <c:AddressLine>2640 Golden Gate Parkway</c:AddressLine>

                <c:cityName>Anytown</c:cityName>

                <c:stateProv>FL</c:stateProv>

                <c:countryCode>US</c:countryCode>
              </hc:Address>
            </hc:Addresses>
            <hc:ContactEmails>

              <hc:ContactEmail>name@example.com</hc:ContactEmail>
            </hc:ContactEmails>
            <hc:ContactPhones>
              <hc:Phone
phoneType="VOICE">
```

```

        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
            </hc:Phone>
        </hc:ContactPhones>
    </a:HotelContact>
    <a:HotelExtendedInformation>
        <hc:HotelInformation>
            <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                <c:Text>

                <c:TextElement>SMALL</c:TextElement>
                    </c:Text>
                </hc:HotelInfo>
            </hc:HotelInformation>
        </a:HotelExtendedInformation>

    <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
        </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="CHA"
hotelCode="0002">Opera Demo Hotel, Small</a:HotelReference>
        <a:PropertyStatus
propertyStatusCode="CLOSED"/>
        <a:MinMaxRate currencyCode="CCC"
decimals="2"/>
        <a:NumberToSell>0</a:NumberToSell>
    <a:HotelContact>
        <hc:Addresses>
            <hc:Address>

            <c:countryCode>US</c:countryCode>
                </hc:Address>
            </hc:Addresses>
        </a:HotelContact>
    </a:HotelExtendedInformation/>

    <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
        </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="WC"
hotelCode="002">Property 2 Opera Demo Multi
Hotel</a:HotelReference>
        <a:PropertyStatus
propertyStatusCode="OPEN"/>
        <a:MinMaxRate minimumRate="180"
maximumRate="200" currencyCode="USD" decimals="2"
commissionCode="N"/>
        <a:NumberToSell>159</a:NumberToSell>
    <a:HotelContact>
        <hc:Addresses>
            <hc:Address>

            <c:AddressLine>1111 Street</c:AddressLine>

```

```

    <c:cityName>Anytown</c:cityName>

    <c:stateProv>FL</c:stateProv>

    <c:countryCode>US</c:countryCode>
        </hc:Address>
    </hc:Addresses>
    <hc:ContactEmails>

    <hc:ContactEmail>propertytwo@micros.com</hc:ContactEmail>
        </hc:ContactEmails>
    <hc:ContactPhones>
        <hc:Phone
phoneType="FAX">

        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
            </hc:Phone>
        <hc:Phone
phoneType="VOICE">

        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
            </hc:Phone>
        </hc:ContactPhones>
    </a:HotelContact>
    <a:HotelExtendedInformation>
        <hc:HotelInformation>
            <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                <c:Text>

                <c:TextElement>TINY</c:TextElement>
                    </c:Text>
                </hc:HotelInfo>
            </hc:HotelInformation>
        </a:HotelExtendedInformation>

    <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
        </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="SK"
hotelCode="AMER">Opera Demo Hotel, Small</a:HotelReference>
        <a:PropertyStatus
propertyStatusCode="CLOSED"/>
        <a:MinMaxRate currencyCode="USD"
decimals="2"/>

        <a:NumberToSell>201</a:NumberToSell>
            <a:HotelContact>
                <hc:Addresses>
                    <hc:Address>

                    <c:AddressLine>1111 Street</c:AddressLine>
                        <c:cityName>New
Anytown</c:cityName>

```

```

        <c:stateProv>NY</c:stateProv>

        <c:countryCode>US</c:countryCode>

        <c:postalCode>10045</c:postalCode>
            </hc:Address>
        </hc:Addresses>
        <hc:ContactEmails>
            <hc:ContactEmail>AMERICA@AMERICA.COM</hc:ContactEmail>
            </hc:ContactEmails>
            <hc:ContactPhones>
                <hc:Phone
phoneType="FAX">
                    <c:PhoneNumber>123.555.4321</c:PhoneNumber>
                    </hc:Phone>
                </hc:Phone>
            </hc:ContactPhones>
            <hc:Phone
phoneType="VOICE">
                    <c:PhoneNumber>123.555.4321</c:PhoneNumber>
                    </hc:Phone>
                </hc:ContactPhones>
            </a:HotelContact>
            <a:HotelExtendedInformation>
                <hc:HotelInformation>
                    <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                        <c:Text>
                            <c:TextElement>5 STAR</c:TextElement>
                        </c:Text>
                    </hc:HotelInfo>
                </hc:HotelInformation>
            </a:HotelExtendedInformation>
            <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
                </a:RegionalAvailableProperty>
            <a:RegionalAvailableProperty>
                <a:HotelReference chainCode="DQ"
hotelCode="DAWNQA">Opera Demo Hotel, Small</a:HotelReference>
                <a:PropertyStatus
propertyStatusCode="CLOSED"/>
                <a:MinMaxRate currencyCode="USD"
decimals="2"/>
                <a:NumberToSell>320</a:NumberToSell>
                <a:HotelContact>
                    <hc:Addresses>
                        <hc:Address>
                            <c:AddressLine>1111 STREET</c:AddressLine>
                            <c:cityName>ANYTOWN</c:cityName>

```

```

        <c:countryCode>US</c:countryCode>

        <c:postalCode>19220</c:postalCode>
            </hc:Address>
        </hc:Addresses>
        <hc:ContactEmails>
            <hc:ContactEmail>EXAMPLE@HOTELS.COM</hc:ContactEmail>
        </hc:ContactEmails>
        <hc:ContactPhones>
            <hc:Phone
phoneType="VOICE">
                <c:PhoneNumber>11235554321</c:PhoneNumber>
            </hc:Phone>
        </hc:ContactPhones>
    </a:HotelContact>
    <a:HotelExtendedInformation>
        <hc:HotelInformation>
            <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                <c:Text>

                <c:TextElement>SMALL</c:TextElement>
            </c:Text>
        </hc:HotelInfo>
    </hc:HotelInformation>
    </a:HotelExtendedInformation>

    <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
        </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="WC"
hotelCode="FARBOS">Opera Demo Hotel, Small</a:HotelReference>
        <a:PropertyStatus
propertyStatusCode="OPEN"/>
        <a:MinMaxRate minimumRate="485"
maximumRate="515" currencyCode="USD" decimals="2"
commissionCode="C"/>

        <a:NumberToSell>155</a:NumberToSell>
            <a:HotelContact>
                <hc:Addresses>
                    <hc:Address>

                    <c:AddressLine>The Example Plaza, Anytown</c:AddressLine>

                    <c:cityName>Anytown </c:cityName>

                    <c:stateProv>MA</c:stateProv>

                    <c:countryCode>US</c:countryCode>
                </hc:Address>
            </hc:Addresses>
        </a:HotelContact>

```

```

        <a:HotelExtendedInformation/>
    <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
        </a:RegionalAvailableProperty>
        <a:RegionalAvailableProperty>
            <a:HotelReference chainCode="SK"
hotelCode="INDIA">Opera Demo Hotel, Small</a:HotelReference>
            <a:PropertyStatus
propertyStatusCode="CLOSED"/>
            <a:MinMaxRate currencyCode="INR"
decimals="2"/>
        <a:NumberToSell>153</a:NumberToSell>
            <a:HotelContact>
                <hc:Addresses>
                    <hc:Address>
                        <c:AddressLine>1111 Street</c:AddressLine>
                        <c:cityName>Anytown </c:cityName>
                        <c:countryCode>IN</c:countryCode>
                        <c:postalCode>4F4
5DB</c:postalCode>
                    </hc:Address>
                </hc:Addresses>
                <hc:ContactEmails>
                    <hc:ContactEmail>INDIA@INDIA.COM</hc:ContactEmail>
                </hc:ContactEmails>
                <hc:ContactPhones>
                    <hc:Phone
phoneType="FAX">
                        <c:PhoneNumber>011.41235554321</c:PhoneNumber>
                    </hc:Phone>
                    <hc:Phone
phoneType="VOICE">
                        <c:PhoneNumber>011.41.23555.432</c:PhoneNumber>
                    </hc:Phone>
                </hc:ContactPhones>
            </a:HotelContact>
        <a:HotelExtendedInformation>
            <hc:HotelInformation>
                <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                    <c:Text>
                        <c:TextElement>4 STAR</c:TextElement>
                    </c:Text>
                </hc:HotelInfo>
            </hc:HotelInformation>
        </a:HotelExtendedInformation>

```

```
<a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvailable>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="WYN"
hotelCode="MFV6">Micros-Fidelio DEMO Program</a:HotelReference>
        <a:PropertyStatus
propertyStatusCode="CLOSED"/>
        <a:MinMaxRate currencyCode="USD"
decimals="2"/>
    <a:NumberToSell>167</a:NumberToSell>
        <a:HotelContact>
            <hc:Addresses>
                <hc:Address>
                    <c:AddressLine>2022 Market St</c:AddressLine>
                    <c:cityName>Anytown </c:cityName>
                    <c:stateProv>PA</c:stateProv>
                    <c:countryCode>US</c:countryCode>
                    <c:postalCode>19125</c:postalCode>
                </hc:Address>
            </hc:Addresses>
            <hc:ContactEmails>
                <hc:ContactEmail>name@example.com</hc:ContactEmail>
            </hc:ContactEmails>
            <hc:ContactPhones>
                <hc:Phone
phoneType="VOICE">
                    <c:PhoneNumber>123 5551234</c:PhoneNumber>
                </hc:Phone>
            </hc:ContactPhones>
        </a:HotelContact>
        <a:HotelExtendedInformation>
            <hc:HotelInformation>
                <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                    <c:Text>
                        <c:TextElement>5 STAR</c:TextElement>
                    </c:Text>
                </hc:HotelInfo>
            </hc:HotelInformation>
        </a:HotelExtendedInformation>
    </a:isNegotiatedRateAvailable>false</a:isNegotiatedRateAvailable>
    </a:RegionalAvailableProperty>
    <a:RegionalAvailableProperty>
```

```

                                <a:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</a:HotelReference>
                                <a:PropertyStatus
propertyStatusCode="OPEN"/>
                                <a:MinMaxRate minimumRate="95"
maximumRate="199" currencyCode="USD" decimals="2"
commissionCode="N"/>
                                <a:NumberToSell>495</a:NumberToSell>
                                    <a:HotelContact>
                                        <hc:Addresses>
                                            <hc:Address>
                                                <c:AddressLine>1111 Street.</c:AddressLine>
                                                <c:cityName>Anytown</c:cityName>
                                                <c:stateProv>FL</c:stateProv>
                                                <c:countryCode>US</c:countryCode>
                                                <c:postalCode>99999</c:postalCode>
                                            </hc:Address>
                                        </hc:Addresses>
                                        <hc:ContactPhones>
                                            <hc:Phone
phoneType="FAX">
                                                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                                </hc:Phone>
                                            <hc:Phone
phoneType="VOICE">
                                                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                                </hc:Phone>
                                            </hc:ContactPhones>
                                        </a:HotelContact>
                                    <a:HotelExtendedInformation>
                                        <hc:HotelInformation>
                                            <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                                                <c:Text>
                                                    <c:TextElement>SMALL</c:TextElement>
                                                </c:Text>
                                            </hc:HotelInfo>
                                        </hc:HotelInformation>
                                    </a:HotelExtendedInformation>
                                <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
                                    </a:RegionalAvailableProperty>
                                    <a:RegionalAvailableProperty>
                                        <a:HotelReference chainCode="WC"
hotelCode="UTSLCH">Opera Demo Hotel, Medium</a:HotelReference>
                                        <a:PropertyStatus
propertyStatusCode="CLOSED"/>

```

```

                                <a:MinMaxRate currencyCode="USD"
decimals="2"/>
                                <a:NumberToSell>394</a:NumberToSell>
                                <a:HotelContact>
                                    <hc:Addresses>
                                        <hc:Address>
                                            <c:AddressLine>161 West 600 S.</c:AddressLine>
                                            <c:cityName>Anytown</c:cityName>
                                            <c:stateProv>FL</c:stateProv>
                                            <c:countryCode>US</c:countryCode>
                                            <c:postalCode>99999</c:postalCode>
                                        </hc:Address>
                                    </hc:Addresses>
                                    <hc:ContactEmails>
                                        <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
                                    </hc:ContactEmails>
                                    <hc:ContactPhones>
                                        <hc:Phone
phoneType="FAX">
                                            <c:PhoneNumber>123-555-4321</c:PhoneNumber>
                                        </hc:Phone>
                                        <hc:Phone
phoneType="VOICE">
                                            <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                        </hc:Phone>
                                    </hc:ContactPhones>
                                </a:HotelContact>
                                <a:HotelExtendedInformation>
                                    <hc:HotelInformation>
                                        <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                                            <c:Text>
                                                <c:TextElement>MEDIUM</c:TextElement>
                                            </c:Text>
                                        </hc:HotelInfo>
                                    </hc:HotelInformation>
                                </a:HotelExtendedInformation>
                                <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
                                </a:RegionalAvailableProperty>
                            </RegionalAvailableProperties>
                        </RegionalAvailabilityResponse>
                    </soap:Body>
                </soap:Envelope>

```

RegionalAvailabilityResponse CRO

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema"
  xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-10T15:20:25.036875-05:00" primaryLangID="E"
      xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="GDS"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#RegionalAvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:9629da87-f111-498d-a214-41785a7a5664</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:fe67953d-8dce-4278-b5d3-79f377f35c3d</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityResponse
      xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
      xmlns:c="http://webservices.micros.com/og/4.3/Common/"
      xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
      xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <RegionalAvailableProperties>
        <a:RegionalAvailableProperty>
          <a:HotelReference chainCode="CHA"
            hotelCode="0002">Opera Demo Hotel, Small</a:HotelReference>
          <a:PropertyStatus
            propertyStatusCode="CLOSED"/>
          <a:MinMaxRate currencyCode="CCC"
            decimals="2"/>
          <a:NumberToSell>0</a:NumberToSell>
          <a:HotelContact>
            <hc:Addresses>
              <hc:Address>
                <c:countryCode>US</c:countryCode>
              </hc:Address>
            </hc:Addresses>
          </a:HotelContact>
          <a:HotelExtendedInformation/>
          <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvailable>
        </a:RegionalAvailableProperty>
      </a:RegionalAvailableProperty>
    </RegionalAvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```



```

                <hc:HotelInformation>
                    <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                        <c:Text>

                <c:TextElement>SMALL</c:TextElement>
                                </c:Text>
                                </hc:HotelInfo>
                                </hc:HotelInformation>
                </a:HotelExtendedInformation>

        <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
                </a:RegionalAvailableProperty>
                <a:RegionalAvailableProperty>
                    <a:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</a:HotelReference>
                    <a:PropertyStatus
propertyStatusCode="OPEN"/>
                    <a:MinMaxRate minimumRate="95"
maximumRate="199" currencyCode="USD" decimals="2"
commissionCode="N"/>

                <a:NumberToSell>499</a:NumberToSell>
                    <a:HotelContact>
                        <hc:Addresses>
                            <hc:Address>

                <c:AddressLine>1111 Street.</c:AddressLine>

                <c:cityName>Anytown</c:cityName>

                <c:stateProv>FL</c:stateProv>

                <c:countryCode>US</c:countryCode>

                <c:postalCode>99999</c:postalCode>
                                </hc:Address>
                                </hc:Addresses>
                                <hc:ContactPhones>
                                <hc:Phone
phoneType="FAX">

                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                </hc:Phone>
                                <hc:Phone
phoneType="VOICE">

                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                </hc:Phone>
                                </hc:ContactPhones>
                </a:HotelContact>
                <a:HotelExtendedInformation>
                    <hc:HotelInformation>
                        <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                                <c:Text>

```



```

        </a:HotelExtendedInformation>

        <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
            </a:RegionalAvailableProperty>
            <a:RegionalAvailableProperty>
                <a:HotelReference chainCode="CHA"
hotelCode="ZOLTAR">Opera Demo Hotel, Small</a:HotelReference>
                <a:PropertyStatus
propertyStatusCode="CLOSED"/>
                <a:MinMaxRate currencyCode="USD"
decimals="2"/>

                <a:NumberToSell>310</a:NumberToSell>
                    <a:HotelContact>
                        <hc:Addresses>
                            <hc:Address>

                                <c:AddressLine>2640 GG PKwy</c:AddressLine>

                                <c:cityName>Anytown</c:cityName>

                                <c:stateProv>FL</c:stateProv>

                                <c:countryCode>US</c:countryCode>

                                <c:postalCode>99999</c:postalCode>
                                    </hc:Address>
                                </hc:Addresses>
                                <hc:ContactPhones>
                                    <hc:Phone
phoneType="FAX">

                                        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                            </hc:Phone>
                                        </hc:Phone>
                                    </hc:ContactPhones>
                                </a:HotelContact>
                            </a:HotelExtendedInformation/>

                            <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
                                </a:RegionalAvailableProperty>
                                </RegionalAvailableProperties>
                            </RegionalAvailabilityResponse>
                        </soap:Body>
                    </soap:Envelope>

```

RegionalAvailabilityResponse Region

```
<?xml version="1.0" encoding="utf-8"?>
```

```
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.036875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS"/>
      <Destination entityID="WEST" systemType="GDS"/>
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#RegionalAvailabilityResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:b5523ec5-41bf-4173-9766-
8bce25b44355</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:116dedca-1e99-4448-ad7f-
983377cf35aa</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS"/>
      <RegionalAvailableProperties>
        <a:RegionalAvailableProperty>
          <a:HotelReference chainCode="WC"
hotelCode="UTSLCH">Opera Demo Hotel, Medium</a:HotelReference>
          <a:PropertyStatus
propertyStatusCode="CLOSED"/>
          <a:MinMaxRate currencyCode="USD"
decimals="2"/>

          <a:NumberToSell>393</a:NumberToSell>
          <a:HotelContact>
            <hc:Addresses>
              <hc:Address>

                <c:AddressLine>161 West 600 S.</c:AddressLine>

                <c:cityName>Anytown</c:cityName>

                <c:stateProv>FL</c:stateProv>

                <c:countryCode>US</c:countryCode>

                <c:postalCode>99999</c:postalCode>
              </hc:Address>
            </hc:Addresses>
            <hc:ContactEmails>

              <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
            </hc:ContactEmails>
          </a:HotelContact>
        </a:RegionalAvailableProperty>
      </RegionalAvailableProperties>
    </RegionalAvailabilityResponse>
  </soap:Body>
</soap:Envelope>
```



```

        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
            </hc:Phone>
        </hc:Phone>
    phoneType="VOICE">

        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
            </hc:Phone>
        </hc>ContactPhones>
    </a:HotelContact>
    <a:HotelExtendedInformation>
        <hc:HotelInformation>
            <hc:HotelInfo
    hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                <c:Text>

                    <c:TextElement>SMALL</c:TextElement>
                        </c:Text>
                    </hc:HotelInfo>
                </hc:HotelInformation>
            </a:HotelExtendedInformation>

        <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
    able>
            </a:RegionalAvailableProperty>
        </RegionalAvailableProperties>
    </RegionalAvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityResponse Same City Search

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
    xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
    xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema"
    xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2003-12-
    10T15:20:25.036875-05:00" primaryLangID="E"
        xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS"/>
            <Destination entityID="WEST" systemType="GDS"/>
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
    ity.wsdl#RegionalAvailabilityResponse</wsa:Action>
            <wsa:MessageID>urn:uuid:9d3d7511-bbb4-4b3f-b6db-
    89291a3456eb</wsa:MessageID>
            <wsa:RelatesTo>urn:uuid:0680ea23-c342-44a7-830f-
    3146f3d48b29</wsa:RelatesTo>

            <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
    le/anonymous</wsa:To>
        </soap:Header>

```

```

        <soap:Body>
          <RegionalAvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS"/>
            <RegionalAvailableProperties>
              <a:RegionalAvailableProperty>
                <a:HotelReference chainCode="WC"
hotelCode="002">Property 2 Opera Demo Multi
Hotel</a:HotelReference>
                <a:PropertyStatus
propertyStatusCode="OPEN"/>
                <a:MinMaxRate minimumRate="180"
maximumRate="200" currencyCode="USD" decimals="2"
commissionCode="N"/>
                <a:NumberToSell>159</a:NumberToSell>
                <a:HotelContact>
                  <hc:Addresses>
                    <hc:Address>
                      <c:AddressLine>1111 Street</c:AddressLine>
                      <c:cityName>Anytown</c:cityName>
                      <c:stateProv>FL</c:stateProv>
                      <c:countryCode>US</c:countryCode>
                    </hc:Address>
                  </hc:Addresses>
                  <hc:ContactEmails>
                    <hc:ContactEmail>propertytwo@micros.com</hc:ContactEmail>
                  </hc:ContactEmails>
                  <hc:ContactPhones>
                    <hc:Phone
phoneType="FAX">
                      <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                    <hc:Phone
phoneType="VOICE">
                      <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                  </hc:ContactPhones>
                </a:HotelContact>
                <a:HotelExtendedInformation>
                  <hc:HotelInformation>
                    <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                      <c:Text>
                        <c:TextElement>TINY</c:TextElement>
                      </c:Text>
                    </hc:HotelInfo>
                  </hc:HotelInformation>
                </a:HotelExtendedInformation>
              </a:RegionalAvailableProperty>
            </RegionalAvailableProperties>
          </RegionalAvailabilityResponse>
        </soap:Body>

```

```

                                <a:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</a:HotelReference>
                                <a:PropertyStatus
propertyStatusCode="OPEN"/>
                                <a:MinMaxRate minimumRate="95"
maximumRate="199" currencyCode="USD" decimals="2"
commissionCode="N"/>
                                <a:NumberToSell>499</a:NumberToSell>
                                <a:HotelContact>
                                    <hc:Addresses>
                                        <hc:Address>
<c:AddressLine>1111 Street.</c:AddressLine>
<c:cityName>Anytown</c:cityName>
<c:stateProv>FL</c:stateProv>
<c:countryCode>US</c:countryCode>
<c:postalCode>99999</c:postalCode>
                                        </hc:Address>
                                    </hc:Addresses>
                                    <hc:ContactPhones>
                                        <hc:Phone
phoneType="FAX">
<c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                        </hc:Phone>
                                        <hc:Phone
phoneType="VOICE">
<c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                        </hc:Phone>
                                    </hc:ContactPhones>
                                </a:HotelContact>
                                <a:HotelExtendedInformation>
                                    <hc:HotelInformation>
                                        <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                                        <c:Text>
<c:TextElement>SMALL</c:TextElement>
                                        </c:Text>
                                    </hc:HotelInfo>
                                </hc:HotelInformation>
                                </a:HotelExtendedInformation>
                                <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
                                </a:RegionalAvailableProperty>
                                <a:RegionalAvailableProperty>
                                    <a:HotelReference chainCode="WC"
hotelCode="SEPARA">Opera Demo Hotel, Small</a:HotelReference>
                                    <a:PropertyStatus
propertyStatusCode="CLOSED"/>

```

```

decimals="2"/>
    <a:MinMaxRate currencyCode="MXN"
    <a:NumberToSell>83</a:NumberToSell>
    <a:HotelContact>
        <hc:Addresses>
            <hc:Address>
                <c:AddressLine>724 Pine Street</c:AddressLine>
                <c:cityName>Anytown</c:cityName>
                <c:stateProv>FL</c:stateProv>
                <c:countryCode>US</c:countryCode>
            </hc:Address>
        </hc:Addresses>
        <hc:ContactEmails>
            <hc:ContactEmail>example@hotels.com</hc:ContactEmail>
        </hc:ContactEmails>
        <hc:ContactPhones>
            <hc:Phone
phoneType="FAX">
                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
            </hc:Phone>
            <hc:Phone
phoneType="VOICE">
                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
            </hc:Phone>
        </hc:ContactPhones>
    </a:HotelContact>
    <a:HotelExtendedInformation>
        <hc:HotelInformation>
            <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                <c:Text>
                    <c:TextElement>SMALL</c:TextElement>
                </c:Text>
            </hc:HotelInfo>
        </hc:HotelInformation>
    </a:HotelExtendedInformation>
    <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
        </a:RegionalAvailableProperty>
        <a:RegionalAvailableProperty>
            <a:HotelReference chainCode="WC"
hotelCode="UTSLCH">Opera Demo Hotel, Medium</a:HotelReference>
            <a:PropertyStatus
propertyStatusCode="CLOSED"/>
            <a:MinMaxRate currencyCode="USD"
decimals="2"/>
                <a:NumberToSell>391</a:NumberToSell>

```

```

                <a:HotelContact>
                    <hc:Addresses>
                        <hc:Address>

<c:AddressLine>161 West 600 S.</c:AddressLine>

<c:cityName>Anytown</c:cityName>

<c:stateProv>FL</c:stateProv>

<c:countryCode>US</c:countryCode>

<c:postalCode>99999</c:postalCode>
                                </hc:Address>
                        </hc:Addresses>
                    <hc:ContactEmails>

<hc:ContactEmail>example@hotels.com</hc:ContactEmail>
                                </hc:ContactEmails>
                    <hc:ContactPhones>
                        <hc:Phone
phoneType="FAX">

                                <c:PhoneNumber>123-555-4321</c:PhoneNumber>
                                        </hc:Phone>
                                </hc:Phone>
phoneType="VOICE">

                                <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                                        </hc:Phone>
                                </hc:ContactPhones>
                    </a:HotelContact>
                <a:HotelExtendedInformation>
                    <hc:HotelInformation>
                        <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                                <c:Text>

<c:TextElement>MEDIUM</c:TextElement>
                                        </c:Text>
                                </hc:HotelInfo>
                        </hc:HotelInformation>
                    </a:HotelExtendedInformation>

                <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
                    </a:RegionalAvailableProperty>
                <a:RegionalAvailableProperty>
                    <a:HotelReference chainCode="CHA"
hotelCode="ZOLTAR">Opera Demo Hotel, Small</a:HotelReference>
                    <a:PropertyStatus
propertyStatusCode="CLOSED"/>
                    <a:MinMaxRate currencyCode="USD"
decimals="2"/>

                <a:NumberToSell>310</a:NumberToSell>
                    </a:HotelContact>

```

```

                <hc:Addresses>
                    <hc:Address>
                        <c:AddressLine>2640 GG PKwy</c:AddressLine>
                        <c:cityName>Anytown</c:cityName>
                        <c:stateProv>FL</c:stateProv>
                        <c:countryCode>US</c:countryCode>
                        <c:postalCode>99999</c:postalCode>
                    </hc:Address>
                </hc:Addresses>
                <hc:ContactPhones>
                    <hc:Phone
phoneType="FAX">
                        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                    <hc:Phone
phoneType="VOICE">
                        <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
                    </hc:Phone>
                </hc:ContactPhones>
            </a:HotelContact>
        </a:HotelExtendedInformation/>
        <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
        </a:RegionalAvailableProperty>
    </RegionalAvailableProperties>
</RegionalAvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityResponse with Hotel Coordinates

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="766532" timeStamp="2008-12-
10T15:20:25.036875-05:00" primaryLangID="E"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#RegionalAvailabilityResponse</wsa:Action>
    </soap:Header>

```

```
<wsa:MessageID>urn:uuid:559d511b-5e2d-45eb-8a4c-
d82fad308c47</wsa:MessageID>
<wsa:RelatesTo>urn:uuid:2d4168b7-f13c-4922-8e5b-
0b74e55e8588</wsa:RelatesTo>

<wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
</soap:Header>
<soap:Body>
  <RegionalAvailabilityResponse
xmlns:a="http://webservices.micros.com/og/4.3/Availability/"
xmlns:c="http://webservices.micros.com/og/4.3/Common/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <Result resultStatusFlag="SUCCESS"/>
    <RegionalAvailableProperties>
      <a:RegionalAvailableProperty>
        <a:HotelReference chainCode="WC"
hotelCode="SEFIVE">Opera Demo Hotel, Medium</a:HotelReference>
        <a:PropertyStatus
propertyStatusCode="OPEN"/>
        <a:MinMaxRate minimumRate="90"
maximumRate="400" currencyCode="USD" decimals="2"
commissionCode="B"/>
      <a:NumberToSell>496</a:NumberToSell>
      <a:HotelContact>
        <hc:Addresses>
          <hc:Address>
            <c:AddressLine>1111 Street.</c:AddressLine>
            <c:cityName>Anytown</c:cityName>
            <c:stateProv>FL</c:stateProv>
            <c:countryCode>US</c:countryCode>
            <c:postalCode>99999</c:postalCode>
          </hc:Address>
        </hc:Addresses>
        <hc:ContactEmails>
          <hc:ContactEmail>reservations@examplehotel.com</hc:ContactE
mail>
        </hc:ContactEmails>
        <hc:ContactPhones>
          <hc:Phone
phoneType="FAX">
            <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
            </hc:Phone>
          <hc:Phone
phoneType="VOICE">
            <c:PhoneNumber>(123) 555-4321</c:PhoneNumber>
            </hc:Phone>
          </hc:Phone>
        </hc:ContactPhones>
      </a:HotelContact>
    </a:RegionalAvailableProperty>
  </RegionalAvailableProperties>
</Result>
</RegionalAvailabilityResponse>
</soap:Body>
</soap:Envelope>
```

```

        </hc:ContactPhones>
    </a:HotelContact>
    <a:HotelExtendedInformation>
        <hc:HotelInformation>
            <hc:HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                <c:Text>

                    <c:TextElement>SMALL</c:TextElement>
                </c:Text>
            </hc:HotelInfo>
        </hc:HotelInformation>
        <hc:Position
latitude="26.1530555556" longitude="-81.7986111111"/>
    </a:HotelExtendedInformation>

    <a:isNegotiatedRateAvailable>>false</a:isNegotiatedRateAvail
able>
        </a:RegionalAvailableProperty>
    </RegionalAvailableProperties>
</RegionalAvailabilityResponse>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityResponse

```

<xs:complexType name="RegionalAvailabilityResponse">
    <xs:annotation>
        <xs:appinfo>
            <keepNamespaceDeclarations>xsn</keepNamespaceDeclarations>
        </xs:appinfo>
    </xs:annotation>
    <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1" name="Result"
            xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
            type="q1:GDSResultStatus" />
        <xs:element minOccurs="0" maxOccurs="1"
            name="RegionalAvailableProperties"
            xmlns:q2="http://webservices.micros.com/og/4.3/Availability/"
            type="q2:ArrayOfRegionalAvailableProperty" />
    </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Result	element	GDSResultStatus	optional	The standard GDS/ADS result object.
RegionalAvailablePr operties	element	ArrayOfRegionalAv ailableProperty	optional	A collection of regional available properties.

12 RegionalAvailabilityExt

Retrieves a list of and provides extended information about hotels. The user must provide at least a geographic region code or hotel criteria, date range, and number of guests. Number of rooms and a rate range are also allowed.

Soap Action:

<http://webservices.micros.com/ows/5.1/Availability.wsdl#RegionalAvailabilityExt>

RegionalAvailabilityExtRequest

The following XML examples for RegionalAvailabilityExtRequest are provided:

- Chain Code
- City
- CRO

RegionalAvailabilityExtRequest

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
  xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="675755" timeStamp="2008-12-
10T15:20:25.0368750-05:00" primaryLangID="DE"
  xmlns="http://webservices.micros.com/og/4.3/Core/">
    <Origin entityID="WEST" systemType="WEB" />
    <Destination entityID="TI" systemType="ORS" />
  </OGHeader>
</soap:Header>
<soap:Body>
  <RegionalAvailabilityExtRequest
  xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
  xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
  xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
    <HotelReferences>
      <hc:HotelReference hotelCode="AMER" chainCode="SK" />
    </HotelReferences>
    <StayDateRange>
      <hc:StartDate>2008-12-30T00:00:00.0000000-
05:00</hc:StartDate>
      <hc:EndDate>2008-12-31T00:00:00.0000000-
05:00</hc:EndDate>
    </StayDateRange>
    <NumberOfRooms>1</NumberOfRooms>
    <NumberOfGuests>1</NumberOfGuests>
  </RegionalAvailabilityExtRequest>
</soap:Body>
</soap:Envelope>
```

RegionalAvailabilityExtRequest by Chain Code

```
<?xml version="1.0" encoding="utf-8"?>
<!-- edited with XML Spy v4.4 U (http://www.xmlspy.com) by Micros
Systems Inc (Micros Systems Inc) -->
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityExtRequest
xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <RegionalSearchCode
regionalSearchCodeType="CHAIN">WC</RegionalSearchCode>
      <StayDateRange>
        <hc:StartDate>2007-09-01T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2007-09-02T00:00:00.0000000-05:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>1</NumberOfRooms>
      <NumberOfGuests>1</NumberOfGuests>
    </RegionalAvailabilityExtRequest>
  </soap:Body>
</soap:Envelope>
```

RegionalAvailabilityExtRequest by City

```
<?xml version="1.0" encoding="utf-8"?>
<!-- edited with XML Spy v4.4 U (http://www.xmlspy.com) by Micros
Systems Inc (Micros Systems Inc) -->
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="1P" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
```

```
<soap:Body>
  <RegionalAvailabilityExtRequest
xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <RegionalSearchCode
regionalSearchCodeType="CITY">SEATTLE</RegionalSearchCode>
  <StayDateRange>
    <hc:StartDate>2007-04-01T00:00:00.0000000-
05:00</hc:StartDate>
    <hc:EndDate>2007-04-03T00:00:00.0000000-05:00</hc:EndDate>
  </StayDateRange>
  <NumberOfRooms>1</NumberOfRooms>
  <NumberOfGuests>1</NumberOfGuests>
  </RegionalAvailabilityExtRequest>
</soap:Body>
</soap:Envelope>
```

Regional AvailabilityExtRequest by CRO

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="1P" systemType="WEB" />
      <Destination entityID="TI" systemType="ORS" />
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityExtRequest
xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <RegionalSearchCode
regionalSearchCodeType="CRO">SPOKANE</RegionalSearchCode>
      <StayDateRange>
        <hc:StartDate>2007-04-01T00:00:00.0000000-
05:00</hc:StartDate>
        <hc:EndDate>2007-04-03T00:00:00.0000000-05:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>1</NumberOfRooms>
      <NumberOfGuests>1</NumberOfGuests>
    </RegionalAvailabilityExtRequest>
  </soap:Body>
</soap:Envelope>
```

RegionalAvailabilityExtRequest for ExpectedCharges

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.0368750-05:00" primaryLangID="DE"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="WEST" systemType="WEB"/>
      <Destination entityID="TI" systemType="ORS"/>
    </OGHeader>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityExtRequest
xmlns:avl="http://webservices.micros.com/og/4.3/Availability/"
xmlns:hc="http://webservices.micros.com/og/4.3/HotelCommon/"
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <HotelReferences>
        <hc:HotelReference hotelCode="SEFIVE"
chainCode="WC"/>
      </HotelReferences>
      <StayDateRange>
        <hc:StartDate>2012-05-
26T00:00:00.0000000-05:00</hc:StartDate>
        <hc:EndDate>2012-05-27T00:00:00.0000000-
05:00</hc:EndDate>
      </StayDateRange>
      <NumberOfRooms>1</NumberOfRooms>
      <NumberOfGuests>1</NumberOfGuests>
    </RegionalAvailabilityExtRequest>
  </soap:Body>
</soap:Envelope>

```

RegionalAvailabilityExtRequest

```

<xs:complexType name="RegionalAvailabilityExtRequest">
  <xs:sequence>
    <xs:choice minOccurs="1" maxOccurs="1">
      <xs:element minOccurs="0" maxOccurs="1"
name="RegionalSearchCode"
xmlns:q1="http://webservices.micros.com/og/4.3/Availabil
ity/" type="q1:RegionalSearchCode" />
      <xs:element minOccurs="0" maxOccurs="1"
name="HotelReferences"
xmlns:q2="http://webservices.micros.com/ows/5.1/Availabi
lity.wsdl" type="q2:ArrayOfHotelReference" />
      <xs:element minOccurs="0" maxOccurs="1"
name="GeographicSearch"
xmlns:q3="http://webservices.micros.com/og/4.3/Availabil
ity/" type="q3:RegionalSearch" />
    </xs:choice>
    <xs:element minOccurs="0" maxOccurs="1" name="StayDateRange"
xmlns:q4="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q4:TimeSpan" />
    <xs:element minOccurs="0" maxOccurs="1" name="NumberOfRooms"
type="xs:int" />

```

```

    <xs:element minOccurs="1" maxOccurs="1" name="NumberOfGuests"
      type="xs:int" />
    <xs:element minOccurs="0" maxOccurs="1" name="MinMaxRate"
      xmlns:q5="http://webservicess.micross.com/og/4.3/HotelCommon
      /" type="q5:MinMaxRate" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
RegionalSearchCode	element	RegionalSearchCode	optional	Contains the regional search criteria to be applied.
HotelReferences	element	ArrayOfHotelReference	optional	If provided, it supersedes all other regional search parameters.
GeographicSearch	element	RegionalSearch	optional	Defines the geographic boundaries within which to search for available hotels.
StayDateRange	element	TimeSpan	optional	The stay date range for which availability shall be queried.
NumberOfRooms	element	int	optional	If not provided, the default value is one (1).
NumberOfGuests	element	int	required	The total number of guests across all rooms.
MinMaxRate	element	MinMaxRate	optional	Filters the results based on the minimum and/or maximum rate amount provided.

RegionalAvailabilityExtResponse

The following XML examples for RegionalAvailabilityExtResponse are provided:

- HChain Code
- HCity
- HCRO

RegionalAvailabilityExtResponse

```
<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
  <soap:Header>
    <OGHeader transactionID="675755" timeStamp="2008-12-10T15:20:25.036875-05:00" primaryLangID="DE"
xmlns="http://webservices.micros.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="WEST" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.wsdl#RegionalAvailabilityExtResponse</wsa:Action>
    <wsa:MessageID>urn:uuid:79eabed4-84ab-470c-b721-340b3efb736a</wsa:MessageID>
    <wsa:RelatesTo>urn:uuid:b0bfe5f7-6c81-40ef-bca6-c35cf603985e</wsa:RelatesTo>

    <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/role/anonymous</wsa:To>
  </soap:Header>
  <soap:Body>
    <RegionalAvailabilityExtResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
      <Result resultStatusFlag="SUCCESS" />
      <RegionalAvailableProperties>
        <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
          <HotelReference chainCode="CHA" hotelCode="004">Opera Demo Hotel, Small</HotelReference>
          <PropertyStatus propertyStatusCode="CLOSED" />

          <isNegotiatedRateAvailable>false</isNegotiatedRateAvailable>
          <NumberToSell>157</NumberToSell>
          <HotelContact>
            <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
              <Address>
                <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2643 Golden Gate Parkway</AddressLine>
                <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cityName>
                <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</stateProv>
                <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryCode>
              </Address>
            </Addresses>
          </HotelContact>
        </RegionalAvailableProperty>
      </RegionalAvailableProperties>
    </RegionalAvailabilityExtResponse>
  </soap:Body>
</soap:Envelope>
```

```
                <postalCode
xmlns="http://webservicess.micross.com/og/4.3/Common/">34104</postalCode>
                </Address>
            </Addresses>
            <ContactEmails
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
<ContactEmail>propertyfour@micross.com</ContactEmail>
            </ContactEmails>
            <ContactPhones
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
                <Phone phoneType="FAX">
                    <PhoneNumber
xmlns="http://webservicess.micross.com/og/4.3/Common/">(123) 555-4321</PhoneNumber>
                </Phone>
                <Phone phoneType="VOICE">
                    <PhoneNumber
xmlns="http://webservicess.micross.com/og/4.3/Common/">(123) 555-4321</PhoneNumber>
                </Phone>
            </ContactPhones>
        </HotelContact>
        <HotelExtendedInformation>
            <HotelInformation
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
                <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
                    <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
                        <TextElement>TINY</TextElement>
                    </Text>
                </HotelInfo>
            </HotelInformation>
        </HotelExtendedInformation>
    </RegionalAvailableProperty>
    <RegionalAvailableProperty
xmlns="http://webservicess.micross.com/og/4.3/Availability/">
        <HotelReference chainCode="KEMPI"
hotelCode="ADLON">Opera Demo Hotel, Medium</HotelReference>
        <PropertyStatus propertyStatusCode="CLOSED" />

    <isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
        <NumberToSell>394</NumberToSell>
    <HotelContact>
        <Addresses
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
            <Address>
                <AddressLine
xmlns="http://webservicess.micross.com/og/4.3/Common/">Unter den Linden 77</AddressLine>
                <cityName
xmlns="http://webservicess.micross.com/og/4.3/Common/">BERLIN</cityName>
            </Address>
        </Addresses>
    </HotelContact>
</HotelExtendedInformation>
</RegionalAvailableProperty>
</RegionalAvailableProperty>
</Availability/>
</HotelReference>
</PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
<NumberToSell>394</NumberToSell>
<HotelContact>
<Addresses
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
<Address>
<AddressLine
xmlns="http://webservicess.micross.com/og/4.3/Common/">Unter den Linden 77</AddressLine>
<cityName
xmlns="http://webservicess.micross.com/og/4.3/Common/">BERLIN</cityName>
</Address>
</Addresses>
</HotelContact>
</HotelExtendedInformation>
</RegionalAvailableProperty>
</RegionalAvailableProperty>
</Availability/>
</HotelReference>
</PropertyStatus propertyStatusCode="CLOSED" />
```

```
<stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">BE</statePro
v>
    <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">DE</countryC
ode>
        <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">10117</posta
lCode>
            </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <ContactEmail>adlon@kempinski.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Phone phoneType="FAX">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">123
45678</PhoneNumber>
            </Phone>
            <Phone phoneType="VOICE">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">123
45678</PhoneNumber>
            </Phone>
        </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
        <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>MEDIUM</TextElement>
                </Text>
            </HotelInfo>
        </HotelInformation>
    </HotelExtendedInformation>
</RegionalAvailableProperty>
<RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <HotelReference chainCode="SK" hotelCode="AMER">Opera
Demo Hotel, Small</HotelReference>
    <PropertyStatus propertyStatusCode="OPEN" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
    <NumberToSell>201</NumberToSell>
    <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Address>
                <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">1111
Street</AddressLine>
```

```
        <cityName
xmlns="http://webservices.micos.com/og/4.3/Common/">New
York</cityName>
        <stateProv
xmlns="http://webservices.micos.com/og/4.3/Common/">NY</statePro
v>
        <countryCode
xmlns="http://webservices.micos.com/og/4.3/Common/">US</countryC
ode>
        <postalCode
xmlns="http://webservices.micos.com/og/4.3/Common/">10045</posta
lCode>
    </Address>
</Addresses>
    <ContactEmails
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <ContactEmail>AMERICA@AMERICA.COM</ContactEmail>
    </ContactEmails>
    <ContactPhones
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <Phone phoneType="FAX">
    <PhoneNumber
xmlns="http://webservices.micos.com/og/4.3/Common/">123.555.4321
</PhoneNumber>
    </Phone>
    <Phone phoneType="VOICE">
    <PhoneNumber
xmlns="http://webservices.micos.com/og/4.3/Common/">123.555.4321
</PhoneNumber>
    </Phone>
    </ContactPhones>
</HotelContact>
    <HotelExtendedInformation>
    <HotelInformation
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
    <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
    <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
    <TextElement>5 STAR</TextElement>
    </Text>
    </HotelInfo>
    </HotelInformation>
</HotelExtendedInformation>
    <MinimumRate MinMaxRateType="MINIMUM">
    <Amount currencyCode="USD">12</Amount>
    <RateCode>VOL</RateCode>
    <RateCodeDescription>VOLUME A</RateCodeDescription>
    <RoomType>A2S</RoomType>
    <RoomTypeDescription>SUITE WITH KING BED &
PULLOUT SOFA</RoomTypeDescription>
    <CancellationPolicy>
    <Text
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">XA
penalty of 12 if not cancelled by
12AM on 23-DEC-08</Text>
    </CancellationPolicy>
```

```

        <IsRateChange>>false</IsRateChange>
        <TotalAmount>12</TotalAmount>
    </MinimumRate>
    <MaximumRate MinMaxRateType="MAXIMUM">
        <Amount currencyCode="USD">12</Amount>
        <RateCode>VOL</RateCode>
        <RateCodeDescription>VOLUME A</RateCodeDescription>
        <RoomType>A2S</RoomType>
        <RoomTypeDescription>SUITE WITH KING BED &
PULLOUT SOFA</RoomTypeDescription>
        <CancellationPolicy>
            <Text
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">XA
penalty of 12 if not cancelled by
12AM on 23-DEC-08</Text>
        </CancellationPolicy>
        <IsRateChange>>false</IsRateChange>
        <TotalAmount>12</TotalAmount>
    </MaximumRate>
</RegionalAvailableProperty>
<RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <HotelReference chainCode="DQ" hotelCode="DAWNQA">Opera
Demo Hotel, Small</HotelReference>
    <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
    <NumberToSell>320</NumberToSell>
    <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Address>
                <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">1111
STREET</AddressLine>
                <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">ANYTOWN</cit
yName>
                <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
                <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">19220</postala
lCode>
            </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <ContactEmail>EXAMPLE@HOTELS.COM</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Phone phoneType="VOICE">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">11235554321<
/PhoneNumber>
            </Phone>

```

```

        </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
        <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>SMALL</TextElement>
                </Text>
            </HotelInfo>
        </HotelInformation>
    </HotelExtendedInformation>
</RegionalAvailableProperty>
</RegionalAvailableProperties>
</RegionalAvailabilityExtResponse>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityExtResponse For a Chain Code

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/03/addressing"
xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-
wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-
open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.036875-05:00"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS" />
            <Destination entityID="WEST" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availability.ws
dl#RegionalAvailabilityExtResponse</wsa:Action>
        <wsa:MessageID>uuid:284e43e2-1e80-450c-b159-
f106ed97141f</wsa:MessageID>
        <wsa:RelatesTo>uuid:427a84ca-6f1b-4f41-bbd4-
4b2069ab704b</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/03/addressing/role/ano
nymous</wsa:To>
        <wsse:Security>
            <wsu:Timestamp wsu:Id="Timestamp-1f181ced-b9d9-44b1-81c8-
79cdbfac6721">
                <wsu:Created>2007-03-08T14:01:42Z</wsu:Created>
                <wsu:Expires>2007-03-08T14:06:42Z</wsu:Expires>
            </wsu:Timestamp>
        </wsse:Security>

```

```
</soap:Header>
<soap:Body>
  <RegionalAvailabilityExtResponse
xmlns="http://webservic.es.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <RegionalAvailableProperties>
    <RegionalAvailableProperty
xmlns="http://webservic.es.micros.com/og/4.3/Availability/">
      <HotelReference chainCode="WC" hotelCode="001">Property
1 Opera Demo Multi Hotel</HotelReference>
      <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
      <NumberToSell>20</NumberToSell>
      <HotelContact>
        <Addresses
xmlns="http://webservic.es.micros.com/og/4.3/HotelCommon/">
          <Address>
            <AddressLine
xmlns="http://webservic.es.micros.com/og/4.3/Common/">2643 Golden
Gate Parkway</AddressLine>
            <cityName
xmlns="http://webservic.es.micros.com/og/4.3/Common/">Anytown</cit
yName>
            <countryCode
xmlns="http://webservic.es.micros.com/og/4.3/Common/">GR</countryC
ode>
            <postalCode
xmlns="http://webservic.es.micros.com/og/4.3/Common/">34104</post
alCode>
          </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservic.es.micros.com/og/4.3/HotelCommon/">
          <ContactEmail>propertyfour@micros.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservic.es.micros.com/og/4.3/HotelCommon/">
          <Phone phoneType="FAX">
            <PhoneNumber
xmlns="http://webservic.es.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
          </Phone>
          <Phone phoneType="VOICE">
            <PhoneNumber
xmlns="http://webservic.es.micros.com/og/4.3/Common/">(123) 555-
43214</PhoneNumber>
          </Phone>
        </ContactPhones>
      </HotelContact>
      <HotelExtendedInformation>
        <HotelInformation
xmlns="http://webservic.es.micros.com/og/4.3/HotelCommon/">
          <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
            <Text
xmlns="http://webservic.es.micros.com/og/4.3/Common/">
```

```
        <Text>TINY</Text>
      </Text>
    </HotelInfo>
  </HotelInformation>
</HotelExtendedInformation>
</RegionalAvailableProperty>
<RegionalAvailableProperty
xmlns="http://webservicess.micross.com/og/4.3/Availability/">
  <HotelReference chainCode="WC" hotelCode="002">Property
2 Opera Demo Multi Hotel</HotelReference>
  <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
  <NumberToSell>158</NumberToSell>
  <HotelContact>
    <Addresses
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
      <Address>
        <AddressLine
xmlns="http://webservicess.micross.com/og/4.3/Common/">1111
Street</AddressLine>
          <cityName
xmlns="http://webservicess.micross.com/og/4.3/Common/">Anytown</cityName>
            <countryCode
xmlns="http://webservicess.micross.com/og/4.3/Common/">JP</countryCode>
          </Address>
        </Addresses>
      <ContactEmails
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
        <ContactEmail>propertytwo@micross.com</ContactEmail>
      </ContactEmails>
      <ContactPhones
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
        <Phone phoneType="FAX">
          <PhoneNumber
xmlns="http://webservicess.micross.com/og/4.3/Common/">(123) 555-4321</PhoneNumber>
        </Phone>
        <Phone phoneType="VOICE">
          <PhoneNumber
xmlns="http://webservicess.micross.com/og/4.3/Common/">(123) 555-4321</PhoneNumber>
        </Phone>
      </ContactPhones>
    </HotelContact>
  <HotelExtendedInformation>
    <HotelInformation
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
      <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
          <Text>TINY</Text>
        </Text>
      </HotelInfo>
```

```
        </HotelInformation>
        </HotelExtendedInformation>
    </RegionalAvailableProperty>
    <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <HotelReference chainCode="WC" hotelCode="003">Property
3 Opera Demo Multi Hotel</HotelReference>
        <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
    <NumberToSell>156</NumberToSell>
    <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Address>
                <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2642 Golden
Gate Parkway</AddressLine>
                <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
                <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
v>
                <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
                <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">34103</post
alCode>
            </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <ContactEmail>propertythree@micros.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Phone phoneType="FAX">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
            <Phone phoneType="VOICE">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
        </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
    <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
```

```
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <Text>SMALL</Text>
        </Text>
    </HotelInfo>
</HotelInformation>
</HotelExtendedInformation>
</RegionalAvailableProperty>
<RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <HotelReference chainCode="WC" hotelCode="004">Opera
Demo Hotel, Small</HotelReference>
    <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
    <NumberToSell>157</NumberToSell>
    <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Address>
                <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2643 Golden
Gate Parkway</AddressLine>
                <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
                <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
v>
                <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
                <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">34104</posta
lCode>
            </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <ContactEmail>propertyfour@micros.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Phone phoneType="FAX">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
            <Phone phoneType="VOICE">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
        </ContactPhones>
    </HotelContact>
</HotelExtendedInformation>
```

```

        <HotelInformation
xmlns="http://webservicess.micross.com/og/4.3/HotelCommon/">
        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
        <Text
xmlns="http://webservicess.micross.com/og/4.3/Common/">
        <Text>TINY</Text>
        </Text>
        </HotelInfo>
        </HotelInformation>
    </HotelExtendedInformation>
</RegionalAvailableProperty>
</RegionalAvailableProperties>
</RegionalAvailabilityExtResponse>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityExtResponse for a City

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/03/addressing"
xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-
wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-
open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.036875-05:00"
xmlns="http://webservicess.micross.com/og/4.3/Core/">
        <Origin entityID="TI" systemType="ORS" />
        <Destination entityID="1P" systemType="WEB" />
        </OGHeader>
        <wsa:Action>http://webservicess.micross.com/ows/5.1/Availability.ws
dl#RegionalAvailabilityExtResponse</wsa:Action>
        <wsa:MessageID>uuid:c2660e62-3c0d-46eb-b422-
30024beb34e0</wsa:MessageID>
        <wsa:RelatesTo>uuid:197c9e3d-8d4f-4365-abe1-
1defe92959dc</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/03/addressing/role/ano
nymous</wsa:To>
        <wsse:Security>
            <wsu:Timestamp wsu:Id="Timestamp-fdbc5997-af3e-4e46-b240-
c5ca7cef275f">
                <wsu:Created>2007-03-08T14:15:56Z</wsu:Created>
                <wsu:Expires>2007-03-08T14:20:56Z</wsu:Expires>
            </wsu:Timestamp>
        </wsse:Security>
    </soap:Header>
    <soap:Body>

```

```
<RegionalAvailabilityExtResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <RegionalAvailableProperties>
    <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
      <HotelReference chainCode="CHA"
hotelCode="0021P">Property 2 Opera Demo Multi
Hotel</HotelReference>
      <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
  <NumberToSell>158</NumberToSell>
  <HotelContact>
    <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Address>
        <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">1111
Street</AddressLine>
          <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
            <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">JP</countryC
ode>
          </Address>
        </Addresses>
      <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <ContactEmail>propertytwo@micros.com</ContactEmail>
      </ContactEmails>
      <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Phone phoneType="FAX">
          <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
        </Phone>
        <Phone phoneType="VOICE">
          <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
        </Phone>
      </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
      <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <Text>TINY</Text>
          </Text>
        </HotelInfo>
      </HotelInformation>
```

```
        </HotelExtendedInformation>
        </RegionalAvailableProperty>
        <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <HotelReference chainCode="RL"
hotelCode="0031P">Property 3 Opera Demo Multi
Hotel</HotelReference>
        <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
        <NumberToSell>156</NumberToSell>
        <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Address>
        <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2642 Golden
Gate Parkway</AddressLine>
        <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
        <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
v>
        <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
        <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">34103</post
alCode>
        </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <ContactEmail>propertythree@micros.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Phone phoneType="FAX">
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
        </Phone>
        <Phone phoneType="VOICE">
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
        </Phone>
        </ContactPhones>
        </HotelContact>
        <HotelExtendedInformation>
        <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
```

```
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <Text>SMALL</Text>
        </Text>
    </HotelInfo>
</HotelInformation>
</HotelExtendedInformation>
</RegionalAvailableProperty>
<RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <HotelReference chainCode="CHA" hotelCode="0041P">Opera
Demo Hotel, Small</HotelReference>
    <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>false</isNegotiatedRateAvailable>
    <NumberToSell>157</NumberToSell>
    <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Address>
                <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2643 Golden
Gate Parkway</AddressLine>
                <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
                <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
v>
                <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
                <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">34104</posta
lCode>
            </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <ContactEmail>propertyfour@micros.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Phone phoneType="FAX">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
            <Phone phoneType="VOICE">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
        </ContactPhones>
    </HotelContact>
</HotelExtendedInformation>
```

```
        <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <Text>TINY</Text>
        </Text>
        </HotelInfo>
        </HotelInformation>
        </HotelExtendedInformation>
        </RegionalAvailableProperty>
        <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <HotelReference chainCode="CHA" hotelCode="0051P">Opera
Demo Hotel, Small</HotelReference>
        <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
        <NumberToSell>187</NumberToSell>
        <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Address>
        <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2643 Golden
Gate Parkway</AddressLine>
        <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
        <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
v>
        <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
        <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">34104</posta
lCode>
        </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <ContactEmail>propertyfour@micros.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Phone phoneType="FAX">
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
        </Phone>
        <Phone phoneType="VOICE">
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
        </Phone>
```

```
        </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
        <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <Text>TINY</Text>
                </Text>
            </HotelInfo>
        </HotelInformation>
    </HotelExtendedInformation>
</RegionalAvailableProperty>
<RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <HotelReference chainCode="CHA" hotelCode="0061P">Opera
Demo Hotel, Small</HotelReference>
    <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
    <NumberToSell>187</NumberToSell>
    <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Address>
                <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2643 Golden
Gate Parkway</AddressLine>
                <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
                <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">AF</countryC
ode>
                <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">34104</posta
lCode>
            </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <ContactEmail>propertyfour@micros.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Phone phoneType="FAX">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
            <Phone phoneType="VOICE">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
```

```
        </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
        <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <Text>TINY</Text>
                </Text>
            </HotelInfo>
        </HotelInformation>
    </HotelExtendedInformation>
</RegionalAvailableProperty>
<RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <HotelReference chainCode="CHA" hotelCode="0071P">Opera
Demo Hotel Small</HotelReference>
    <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
    <NumberToSell>187</NumberToSell>
    <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Address>
                <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2643 Golden
Gate Parkway</AddressLine>
                <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
                <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
v>
                <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
                <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">34104</postala
lCode>
            </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <ContactEmail>propertyfour@micros.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Phone phoneType="FAX">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
            <Phone phoneType="VOICE">
```

```
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
    </Phone>
</ContactPhones>
</HotelContact>
<HotelExtendedInformation>
    <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <Text>TINY</Text>
            </Text>
        </HotelInfo>
    </HotelInformation>
</HotelExtendedInformation>
</RegionalAvailableProperty>
<RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <HotelReference chainCode="CHA" hotelCode="0091P">Opera
Demo Hotel Small</HotelReference>
    <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
<NumberToSell>187</NumberToSell>
<HotelContact>
    <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Address>
            <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2643 Golden
Gate Parkway</AddressLine>
            <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
            <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
v>
            <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
            <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">34104</post
alCode>
        </Address>
    </Addresses>
    <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <ContactEmail>propertyfour@micros.com</ContactEmail>
    </ContactEmails>
    <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Phone phoneType="FAX">
```

```
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
            <Phone phoneType="VOICE">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
        </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
        <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
                <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <Text>TINY</Text>
                </Text>
            </HotelInfo>
        </HotelInformation>
    </HotelExtendedInformation>
    <RegionalAvailableProperty>
        <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
            <HotelReference chainCode="CHA" hotelCode="0101P">Opera
Demo Hotel Small</HotelReference>
            <PropertyStatus propertyStatusCode="CLOSED" />
        </RegionalAvailableProperty>
    </RegionalAvailableProperty>
    <isNegotiatedRateAvailable>false</isNegotiatedRateAvailable>
    <NumberToSell>187</NumberToSell>
    <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Address>
                <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2643 Golden
Gate Parkway</AddressLine>
                <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
                <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
v>
                <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
                <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">34104</posta
lCode>
            </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <ContactEmail>propertyfour@micros.com</ContactEmail>
        </ContactEmails>
```

```

        <ContactPhones
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <Phone phoneType="FAX">
        <PhoneNumber
xmlns="http://webservices.micos.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
        </Phone>
        <Phone phoneType="VOICE">
        <PhoneNumber
xmlns="http://webservices.micos.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
        </Phone>
        </ContactPhones>
</HotelContact>
<HotelExtendedInformation>
<HotelInformation
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
<HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
<Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
<Text>TINY</Text>
</Text>
</HotelInfo>
</HotelInformation>
</HotelExtendedInformation>
</RegionalAvailableProperty>
</RegionalAvailableProperties>
</RegionalAvailabilityExtResponse>
</soap:Body>
</soap:Envelope>

```

RegionalAvailabilityExtResponse for CRO

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/03/addressing"
xmlns:wsse="http://docs.oasis-open.org/wss/2004/01/oasis-200401-
wss-wssecurity-secext-1.0.xsd" xmlns:wsu="http://docs.oasis-
open.org/wss/2004/01/oasis-200401-wss-wssecurity-utility-
1.0.xsd">
  <soap:Header>
    <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.036875-05:00"
xmlns="http://webservices.micos.com/og/4.3/Core/">
      <Origin entityID="TI" systemType="ORS" />
      <Destination entityID="1P" systemType="WEB" />
    </OGHeader>
    <wsa:Action>http://webservices.micos.com/ows/5.1/Availability.ws
dl#RegionalAvailabilityExtResponse</wsa:Action>
    <wsa:MessageID>uuid:8c085ffe-e7a5-48bd-a626-
edb46a2d5431</wsa:MessageID>

```

```
<wsa:RelatesTo>uuid:ee0d2c42-14ae-4db1-b1e8-
4acb1964c9a4</wsa:RelatesTo>

<wsa:To>http://schemas.xmlsoap.org/ws/2004/03/addressing/role/ano
nymous</wsa:To>
  <wsse:Security>
    <wsu:Timestamp wsu:Id="Timestamp-6537f136-0220-4e76-a4c7-
b76b883a4d3f">
      <wsu:Created>2007-03-08T14:51:46Z</wsu:Created>
      <wsu:Expires>2007-03-08T14:56:46Z</wsu:Expires>
    </wsu:Timestamp>
  </wsse:Security>
</soap:Header>
<soap:Body>
  <RegionalAvailabilityExtResponse
xmlns="http://webservices.micos.com/ows/5.1/Availability.wsdl">
  <Result resultStatusFlag="SUCCESS" />
  <RegionalAvailableProperties>
    <RegionalAvailableProperty
xmlns="http://webservices.micos.com/og/4.3/Availability/">
      <HotelReference chainCode="SLIM" hotelCode="028">Opera
Demo Hotel Small</HotelReference>
      <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>false</isNegotiatedRateAvailable>
  <NumberToSell>30</NumberToSell>
  <HotelContact>
    <Addresses
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <Address>
        <AddressLine
xmlns="http://webservices.micos.com/og/4.3/Common/">2643 Golden
Gate Parkway</AddressLine>
        <cityName
xmlns="http://webservices.micos.com/og/4.3/Common/">ANYTOWN</cit
yName>
        <stateProv
xmlns="http://webservices.micos.com/og/4.3/Common/">FL</statePro
v>
        <countryCode
xmlns="http://webservices.micos.com/og/4.3/Common/">US</countryC
ode>
        <postalCode
xmlns="http://webservices.micos.com/og/4.3/Common/">34104</postala
lCode>
      </Address>
    </Addresses>
    <ContactEmails
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <ContactEmail>propertyfour@micos.com</ContactEmail>
    </ContactEmails>
    <ContactPhones
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <Phone phoneType="FAX">
        <PhoneNumber
xmlns="http://webservices.micos.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
```

```
        </Phone>
        <Phone phoneType="VOICE">
          <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
        </Phone>
      </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
      <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
          <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
            <Text>MEDIUM</Text>
          </Text>
        </HotelInfo>
      </HotelInformation>
    </HotelExtendedInformation>
  </RegionalAvailableProperty>
  <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
    <HotelReference chainCode="MYFIDELIO"
hotelCode="071">Opera Demo Hotel Small</HotelReference>
    <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
  <NumberToSell>187</NumberToSell>
  <HotelContact>
    <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Address>
        <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">101269
PACIFIC COAST HIGHWAY</AddressLine>
        <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">SAN
DIEGO</cityName>
        <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">CA</statePro
v>
        <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
      </Address>
    </Addresses>
    <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <ContactEmail>property71@micros.com</ContactEmail>
    </ContactEmails>
    <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Phone phoneType="FAX">
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
```

```
        </Phone>
        <Phone phoneType="VOICE">
          <PhoneNumber
xmlns="http://webservices.micos.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
        </Phone>
      </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
      <HotelInformation
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
          <Text
xmlns="http://webservices.micos.com/og/4.3/Common/">
            <Text>2 STAR</Text>
          </Text>
        </HotelInfo>
      </HotelInformation>
    </HotelExtendedInformation>
  </RegionalAvailableProperty>
  <RegionalAvailableProperty
xmlns="http://webservices.micos.com/og/4.3/Availability/">
    <HotelReference chainCode="SK" hotelCode="10026">AMERICA
RESORT</HotelReference>
    <PropertyStatus propertyStatusCode="OPEN" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
  <NumberToSell>130</NumberToSell>
  <HotelContact>
    <Addresses
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <Address>
        <AddressLine
xmlns="http://webservices.micos.com/og/4.3/Common/">1111
Street</AddressLine>
        <cityName
xmlns="http://webservices.micos.com/og/4.3/Common/">New
York</cityName>
        <stateProv
xmlns="http://webservices.micos.com/og/4.3/Common/">NY</statePro
v>
        <countryCode
xmlns="http://webservices.micos.com/og/4.3/Common/">US</countryC
ode>
        <postalCode
xmlns="http://webservices.micos.com/og/4.3/Common/">10045</postala
lCode>
      </Address>
    </Addresses>
    <ContactEmails
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <ContactEmail>AMERICA@AMERICA.COM</ContactEmail>
    </ContactEmails>
    <ContactPhones
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
      <Phone phoneType="FAX">
```

```
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">123.555.4321
</PhoneNumber>
    </Phone>
    <Phone phoneType="VOICE">
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">123.555.4321
</PhoneNumber>
    </Phone>
</ContactPhones>
</HotelContact>
<HotelExtendedInformation>
    <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <Text>5 STAR</Text>
            </Text>
        </HotelInfo>
    </HotelInformation>
</HotelExtendedInformation>
<MinimumRate MinMaxRateType="MINIMUM">
    <Amount currencyCode="USD">168</Amount>
    <RateCode>GRQ</RateCode>
    <RateCodeDescription>t</RateCodeDescription>
    <RoomType>A1K</RoomType>
    <RoomTypeDescription>ONE KING
BED</RoomTypeDescription>
    <CancellationPolicy>
        <Text
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">Your
reservation must be cancelled by 4AM on 25-MAR-07 to avoid a
penalty charge of 168.</Text>
    </CancellationPolicy>
    <IsRateChange>>false</IsRateChange>
    <TotalAmount>336</TotalAmount>
</MinimumRate>
<MaximumRate MinMaxRateType="MAXIMUM">
    <Amount currencyCode="USD">168</Amount>
    <RateCode>GRQ</RateCode>
    <RateCodeDescription>t</RateCodeDescription>
    <RoomType>A1K</RoomType>
    <RoomTypeDescription>ONE KING
BED</RoomTypeDescription>
    <CancellationPolicy>
        <Text
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">Your
reservation must be cancelled by 4AM on 25-MAR-07 to avoid a
penalty charge of 168.</Text>
    </CancellationPolicy>
    <IsRateChange>>false</IsRateChange>
    <TotalAmount>336</TotalAmount>
</MaximumRate>
</RegionalAvailableProperty>
```

```
<RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
  <HotelReference chainCode="SK" hotelCode="BRADY">BRADY'S
  BEACH RESORT</HotelReference>
  <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
  <NumberToSell>368</NumberToSell>
  <HotelContact>
    <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Address>
        <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2526
        BEACHFRONT LANE</AddressLine>
        <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">GULF
        BREEZE</cityName>
        <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
        v>
        <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
        ode>
        <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">32562</postala
        lCode>
      </Address>
    </Addresses>
    <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <ContactEmail>GOBEACH@BBR.COM</ContactEmail>
    </ContactEmails>
    <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
      <Phone phoneType="FAX">
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">123.555.4321
        </PhoneNumber>
      </Phone>
      <Phone phoneType="VOICE">
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">123.555.4321
        </PhoneNumber>
      </Phone>
    </ContactPhones>
  </HotelContact>
  <HotelExtendedInformation />
</RegionalAvailableProperty>
<RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
  <HotelReference chainCode="WC" hotelCode="DAWNQA">Opera
  Demo Hotel, Small</HotelReference>
  <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
  <NumberToSell>320</NumberToSell>
```

```

        <HotelContact>
          <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Address>
              <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">1111
STREET</AddressLine>
              <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">ANYTOWN</cit
yName>
              <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
              <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">19220</posta
lCode>
            </Address>
          </Addresses>
          <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <ContactEmail>EXAMPLE@HOTELS.COM</ContactEmail>
          </ContactEmails>
          <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <Phone phoneType="VOICE" />
          </ContactPhones>
        </HotelContact>
        <HotelExtendedInformation>
          <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
              <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <Text>SMALL</Text>
              </Text>
            </HotelInfo>
          </HotelInformation>
        </HotelExtendedInformation>
      </RegionalAvailableProperty>
      <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <HotelReference chainCode="WC" hotelCode="FARBOS">The
Example Plaza, Anytown</HotelReference>
        <PropertyStatus propertyStatusCode="CLOSED" />

      <isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
      <NumberToSell>126</NumberToSell>
      <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
          <Address>
            <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">The Example
Plaza, Anytown</AddressLine>

```

```
        <cityName
xmlns="http://webservices.micos.com/og/4.3/Common/">Phelps</city
Name>
        <stateProv
xmlns="http://webservices.micos.com/og/4.3/Common/">MA</statePro
v>
        <countryCode
xmlns="http://webservices.micos.com/og/4.3/Common/">US</countryC
ode>
    </Address>
</Addresses>
</HotelContact>
    <HotelExtendedInformation />
</RegionalAvailableProperty>
    <RegionalAvailableProperty
xmlns="http://webservices.micos.com/og/4.3/Availability/">
    <HotelReference chainCode="SLIM" hotelCode="HBKC">Opera
Demo Hotel, Medium</HotelReference>
    <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
    <NumberToSell>69</NumberToSell>
    <HotelContact>
        <Addresses
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
            <Address>
                <AddressLine
xmlns="http://webservices.micos.com/og/4.3/Common/">1 Guang Hua
Road</AddressLine>
                <cityName
xmlns="http://webservices.micos.com/og/4.3/Common/">Anytown</cit
yName>
                <countryCode
xmlns="http://webservices.micos.com/og/4.3/Common/">US</countryC
ode>
            </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
            <ContactEmail>hbkc@shangri-la.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micos.com/og/4.3/HotelCommon/">
            <Phone phoneType="FAX">
                <PhoneNumber
xmlns="http://webservices.micos.com/og/4.3/Common/">01 23
35554321</PhoneNumber>
            </Phone>
            <Phone phoneType="VOICE">
                <PhoneNumber
xmlns="http://webservices.micos.com/og/4.3/Common/">01 23
35554321</PhoneNumber>
            </Phone>
        </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
```

```
        <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <Text>5 STAR</Text>
        </Text>
        </HotelInfo>
        </HotelInformation>
        </HotelExtendedInformation>
        </RegionalAvailableProperty>
        <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
        <HotelReference chainCode="SK" hotelCode="HOLL">THE
EXAMPLE RESORT</HotelReference>
        <PropertyStatus propertyStatusCode="CLOSED" />

<isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable>
        <NumberToSell>191</NumberToSell>
        <HotelContact>
        <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Address>
        <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">5263 TULIPS
LANE</AddressLine>
        <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">AMSTERDAM</c
ityName>
        <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">NL</countryC
ode>
        </Address>
        </Addresses>
        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <ContactEmail>name@example.com</ContactEmail>
        </ContactEmails>
        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
        <Phone phoneType="FAX">
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">123.55.54321
69</PhoneNumber>
        </Phone>
        <Phone phoneType="VOICE">
        <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">123.55.54321
69</PhoneNumber>
        </Phone>
        </ContactPhones>
        </HotelContact>
        <HotelExtendedInformation>
        <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
```

```

        <HotelInfo hotelInfoType="OTHER"
otherHotelInfoType="GRADE">
        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
        <Text>2 STAR</Text>
        </Text>
        </HotelInfo>
        </HotelInformation>
        </HotelExtendedInformation>
        </RegionalAvailableProperty>
        </RegionalAvailableProperties>
        </RegionalAvailabilityExtResponse>
    </soap:Body>
</soap:Envelope>

```

RegionalAvailabilityExtResponse with ExpectedCharges

```

<?xml version="1.0" encoding="utf-8"?>
<soap:Envelope
xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns:wsa="http://schemas.xmlsoap.org/ws/2004/08/addressing">
    <soap:Header>
        <OGHeader transactionID="000032" timeStamp="2003-12-
10T15:20:25.036875-05:00" primaryLangID="DE"
xmlns="http://webservices.micros.com/og/4.3/Core/">
            <Origin entityID="TI" systemType="ORS"/>
            <Destination entityID="WEST" systemType="WEB"/>
        </OGHeader>
        <wsa:Action>http://webservices.micros.com/ows/5.1/Availabil
ity.wsdl#RegionalAvailabilityExtResponse</wsa:Action>
        <wsa:MessageID>urn:uuid:b30c259b-01f2-4925-b3b9-
e4f37d502e55</wsa:MessageID>
        <wsa:RelatesTo>urn:uuid:ecb31825-9e7f-4d15-8d9f-
7d34a9bfbc4f</wsa:RelatesTo>

        <wsa:To>http://schemas.xmlsoap.org/ws/2004/08/addressing/ro
le/anonymous</wsa:To>
    </soap:Header>
    <soap:Body>
        <RegionalAvailabilityExtResponse
xmlns="http://webservices.micros.com/ows/5.1/Availability.wsdl">
            <Result resultStatusFlag="SUCCESS"/>
            <RegionalAvailableProperties>
                <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
                    <HotelReference chainCode="WC"
hotelCode="001W">Property 1 Opera Demo Multi
Hotel</HotelReference>
                    <PropertyStatus
propertyStatusCode="OPEN"/>

                    <isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable
>

```

```
                <NumberToSell>20</NumberToSell>
                <HotelContact>
                    <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                        <Address>
                            <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">2643 Golden
Gate Parkway</AddressLine>
                                <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown
New</cityName>
                                    <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
v>
                                        <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
                                            <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">34104</postala
lCode>
                                                </Address>
                                                    </Addresses>
                                                        <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                    <ContactEmail>propertyfour@micros.com</ContactEmail>
                    </ContactEmails>
                        <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                            <Phone phoneType="FAX">
                                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
                                    </Phone>
                                        <Phone
phoneType="VOICE">
                                            <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
                                                </Phone>
                                                    </ContactPhones>
                                                        </HotelContact>
                                                            <HotelExtendedInformation>
                                                                <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                                                    <HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
                                                                        <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                    <TextElement>LARGE</TextElement>
                    </Text>
                    </HotelInfo>
                    </HotelInformation>
                    </HotelExtendedInformation>
                    <MinimumRate
MinMaxRateType="MINIMUM" CommissionCode="N">
```

```

                                <Amount currencyCode="UDD"
decimals="2">350</Amount>
                                <RateCode>DOZ</RateCode>

                                <RateCodeDescription>DOZ1</RateCodeDescription>
                                <RateCodeName>dozer rate
code</RateCodeName>
                                <RoomType>A1B</RoomType>
                                <RoomTypeDescription>One
Bedroom Apartment</RoomTypeDescription>
                                <CancellationPolicy>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">SSSXA
penalty of 0.00 if not cancelled by 12AM on 26-MAY-12</Text>
                                    </CancellationPolicy>

                                <IsRateChange>>false</IsRateChange>
                                <TotalAmount
decimals="2">350</TotalAmount>
                                </MinimumRate>
                                <MaximumRate
MinMaxRateType="MAXIMUM" CommissionCode="N">
                                <Amount currencyCode="UDD"
decimals="2">350</Amount>
                                <RateCode>DOZ</RateCode>

                                <RateCodeDescription>DOZ1</RateCodeDescription>
                                <RateCodeName>dozer rate
code</RateCodeName>
                                <RoomType>A1B</RoomType>
                                <RoomTypeDescription>One
Bedroom Apartment</RoomTypeDescription>
                                <CancellationPolicy>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">SSSXA
penalty of 0.00 if not cancelled by 12AM on 26-MAY-12</Text>
                                    </CancellationPolicy>

                                <IsRateChange>>false</IsRateChange>
                                <TotalAmount
decimals="2">350</TotalAmount>
                                </MaximumRate>
                                </RegionalAvailableProperty>
                                <RegionalAvailableProperty
xmlns="http://webservices.micros.com/og/4.3/Availability/">
                                    <HotelReference chainCode="CHA"
hotelCode="002">Property 2 Opera Demo Multi
Hotel</HotelReference>
                                <PropertyStatus
propertyStatusCode="OPEN"/>

                                <isNegotiatedRateAvailable>>false</isNegotiatedRateAvailable
>
                                <NumberToSell>158</NumberToSell>
                                <HotelContact>
                                    <Addresses
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">

```

```

                <Address>
                    <AddressLine
xmlns="http://webservices.micros.com/og/4.3/Common/">1111
Street</AddressLine>
                    <cityName
xmlns="http://webservices.micros.com/og/4.3/Common/">Anytown</cit
yName>
                    <stateProv
xmlns="http://webservices.micros.com/og/4.3/Common/">FL</statePro
v>
                    <countryCode
xmlns="http://webservices.micros.com/og/4.3/Common/">US</countryC
ode>
                    <postalCode
xmlns="http://webservices.micros.com/og/4.3/Common/">99999</posta
lCode>
                </Address>
            </Addresses>
            <ContactEmails
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <ContactEmail>info002@micros.com</ContactEmail>
            </ContactEmails>
            <ContactPhones
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <Phone phoneType="FAX">
                    <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
                </Phone>
            </Phone>
            <Phone
phoneType="VOICE">
                <PhoneNumber
xmlns="http://webservices.micros.com/og/4.3/Common/">(123) 555-
4321</PhoneNumber>
            </Phone>
        </ContactPhones>
    </HotelContact>
    <HotelExtendedInformation>
        <HotelInformation
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
            <HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="PICTURE">
                <Url
xmlns="http://webservices.micros.com/og/4.3/Common/">http://www.p
arkroyalhotels.com/en/hotels/australia/parramatta/parkroyal/index
.html</Url>
            </HotelInfo>
        </HotelInfo>
        <HotelInfo
hotelInfoType="OTHER" otherHotelInfoType="GRADE">
            <Text
xmlns="http://webservices.micros.com/og/4.3/Common/">
                <TextElement>SMALL</TextElement>
            </Text>
        </HotelInfo>
    </HotelInformation>

```

```
                <Position latitude="-
20.1722222222" longitude="-30.1530555556"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/" />
                </HotelExtendedInformation>
                <MinimumRate
MinMaxRateType="MINIMUM" CommissionCode="N">
                <Amount currencyCode="UDD"
decimals="2">30000</Amount>
                <RateCode>BLG</RateCode>
                <RateCodeDescription>Blago
Rate</RateCodeDescription>
                <RateCodeName>BLG</RateCodeName>
                <RoomType>A1B</RoomType>
                <RoomTypeDescription>One
Bedroom Apartment</RoomTypeDescription>
                <CancellationPolicy>
                <Text
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">SSSXA
penalty of 0.00 if not cancelled by 12AM on 26-MAY-12</Text>
                </CancellationPolicy>
                <IsRateChange>>false</IsRateChange>
                <TotalAmount
decimals="2">30000</TotalAmount>
                <ExpectedCharges
TotalRoomRateAndPackages="27272.73" TotalTaxesAndFees="2727.27"
TaxInclusive="true" decimals="2">
                <ChargesForPostingDate
PostingDate="2012-05-26"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                <RoomRateAndPackages TotalCharges="27272.73" decimals="2">
                <Charges>
                <Description>BASE RATE</Description>
                <Amount currencyCode="UDD" decimals="2">27272.73</Amount>
                </Charges>
                </RoomRateAndPackages>
                <TaxesAndFees
TotalCharges="2727.27" decimals="2">
                <Charges>
                <Description>8000 Goods & Service Tax</Description>
                <Amount currencyCode="UDD" decimals="2">2727.27</Amount>
                </Charges>
                </TaxesAndFees>
                </ChargesForPostingDate>
                </ExpectedCharges>
                </MinimumRate>
                <MaximumRate
MinMaxRateType="MAXIMUM" CommissionCode="N">
```

```

                                <Amount currencyCode="UDD"
decimals="2">30000</Amount>
                                <RateCode>BLG</RateCode>
                                <RateCodeDescription>Blago
Rate</RateCodeDescription>

                                <RateCodeName>BLG</RateCodeName>
                                <RoomType>A1B</RoomType>
                                <RoomTypeDescription>One
Bedroom Apartment</RoomTypeDescription>
                                <CancellationPolicy>
                                    <Text
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">SSSXA
penalty of 0.00 if not cancelled by 12AM on 26-MAY-12</Text>
                                    </CancellationPolicy>

                                <IsRateChange>>false</IsRateChange>
                                <TotalAmount>
decimals="2">30000</TotalAmount>
                                <ExpectedCharges>
TotalRoomRateAndPackages="27272.73" TotalTaxesAndFees="2727.27"
TaxInclusive="true" decimals="2">
                                <ChargesForPostingDate>
PostingDate="2012-05-26"
xmlns="http://webservices.micros.com/og/4.3/HotelCommon/">
                                <RoomRateAndPackages TotalCharges="27272.73" decimals="2">
                                    <Charges>

                                <Description>BASE RATE</Description>
                                <Amount currencyCode="UDD" decimals="2">27272.73</Amount>
                                    </Charges>

                                </RoomRateAndPackages>
                                    <TaxesAndFees>
TotalCharges="2727.27" decimals="2">
                                    <Charges>

                                <Description>8000 Goods & Service Tax</Description>
                                <Amount currencyCode="UDD" decimals="2">2727.27</Amount>
                                    </Charges>
                                    </TaxesAndFees>

                                </ChargesForPostingDate>
                                    </ExpectedCharges>
                                    </MaximumRate>
                                    </RegionalAvailableProperty>
                                    </RegionalAvailableProperties>
                                    </RegionalAvailabilityExtResponse>
                                </soap:Body>
</soap:Envelope>

```

RegionalAvailabilityExtResponse

```
<xs:complexType name="RegionalAvailabilityExtResponse">
```

```

<xs:sequence>
  <xs:element minOccurs="0" maxOccurs="1" name="Result"
    xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon
/" type="q1:GDSResultStatus" />
  <xs:element minOccurs="0" maxOccurs="1"
    name="RegionalAvailableProperties"
    xmlns:q2="http://webservicess.micross.com/og/4.3/Availabilit
y/" type="q2:ArrayOfRegionalAvailablePropertyExtended" />
</xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Result	element	GDSResultStatus	optional	The standard GDS/ADS result object.
RegionalAvailableProperties	element	ArrayOfRegionalAvailablePropertyExtended	optional	A collection of regional available properties.

13 Complex and Simple Type Definitions

AdditionalBedAmount

```
<xs:complexType name="AdditionalBedAmount">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Amount"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Amount" />
  </xs:sequence>
  <xs:attribute name="extraBedType"
    xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
    type="q2:AdditionalBedType" use="required" />
  <xs:attribute name="otherExtraBedType" type="xs:string" />
  <xs:attribute name="quantity" type="xs:int" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
extraBedType	attribute	AdditionalBedType	required	An enumerated additional bed type value.
otherExtraBedType	attribute	string	none	If 'OTHER' is selected as the value for the extraBedType attribute, then this field is required.
quantity	attribute	int	none	Not used in this context.
Amount	element	Amount	optional	The chargeable amount per extra bed of this type.

AdditionalBedType

```
<xs:simpleType name="AdditionalBedType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="ADULT" />
    <xs:enumeration value="CHILD" />
    <xs:enumeration value="CRIB" />
    <xs:enumeration value="OTHER" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

AdditionalBedType	enumeration	string	The possible values are ADULT, CHILD, CRIB, and OTHER.
-------------------	-------------	--------	--

AdditionalDetail

```
<xs:complexType name="AdditionalDetail">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="AdditionalDetailDescription"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:Paragraph" />
  </xs:sequence>
  <xs:attribute name="detailType"
    xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
    type="q2:AdditionalDetailType" use="required" />
  <xs:attribute name="otherDetailType" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
detailType	attribute	AdditionalDetailType	required	An enumerated value of Additional Detail Types is required.
otherDetailType	attribute	string	none	If 'OTHER' is selected in the otherDetailType attribute, this field is required.
AdditionalDetailDescription	element	Paragraph	optional	A paragraph providing additional details.

AdditionalDetailType

```
<xs:simpleType name="AdditionalDetailType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="RateRules" />
    <xs:enumeration value="MarketingInformation" />
    <xs:enumeration value="DepositPolicy" />
    <xs:enumeration value="Promotion" />
    <xs:enumeration value="CommissionPolicy" />
    <xs:enumeration value="GuaranteePolicy" />
    <xs:enumeration value="Miscellaneous" />
    <xs:enumeration value="PackageOptions" />
    <xs:enumeration value="PenaltyPolicy" />
  </xs:restriction>
</xs:simpleType>
```

```

        <xs:enumeration value="TASpecialRequest" />
        <xs:enumeration value="TaxInformation" />
        <xs:enumeration value="CancelPolicy" />
        <xs:enumeration value="ProprietaryGDSCode" />
        <xs:enumeration value="Other" />
    </xs:restriction>
</xs:simpleType>

```

Name	Type	Data Type	Use	Comments
AdditionalDetailType	enumeration	string		The possible values are RateRules, MarketingInformation, DepositPolicy, Promotion, CommissionPolicy, GuaranteePolicy, Miscellaneous, PackageOptions, PenaltyPolicy, TASpecialRequest, TaxInformation, CancelPolicy, ProprietaryGDSCode, and Other.

AdditionalGuestAmount

```

<xs:complexType name="AdditionalGuestAmount">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Amount"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Amount" />
  </xs:sequence>
  <xs:attribute name="additionalGuestType"
    xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
    type="q2:AgeQualifyingCode" use="required" />
  <xs:attribute name="otherAdditionalGuestType" type="xs:string" />
  <xs:attribute name="quantity" type="xs:int" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
additionalGuestType	attribute	AgeQualifyingCode	required	An enumerated age qualifying code.

otherAdditionalGuestType	attribute	string	none	If 'OTHER' is selected as the value in the additionalGuestType attribute, then this field is required.
quantity	attribute	int	none	Not used in this context.
Amount	element	Amount	optional	The chargeable amount per extra guest of this type.

Address

```

<xs:complexType name="Address">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="AddressLine" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="cityName"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="stateProv"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="countryCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="postalCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="barCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="cityExtension"
      type="xs:string" />
  </xs:sequence>
  <xs:attribute name="addressType" type="xs:string" />
  <xs:attribute name="otherAddressType" type="xs:string" />
  <xs:attribute name="languageCode" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
addressType	attribute	string	none	Not used in this context
otherAddressType	attribute	string	none	Not used in this context
languageCode	attribute	string	none	The Language Code defined for the address record.

AddressLine	element	string	optional / multiple	Contains up to five lines of address information.
cityName	element	string	optional	The city name.
stateProv	element	string	optional	The state.
countryCode	element	string	optional	The country code.
postalCode	element	string	optional	The postal code.
barCode	element	string	optional	Bar code data representing the address.
cityExtension	element	string	optional	The 4-digit (ZIP+4) extension for the Postal Code.

AgeQualifyingCode

```
<xs:simpleType name="AgeQualifyingCode">
  <xs:restriction base="xs:string">
    <xs:enumeration value="ADULT" />
    <xs:enumeration value="CHILD" />
    <xs:enumeration value="OTHER" />
    <xs:enumeration value="CHILDBUCKET1" />
    <xs:enumeration value="CHILDBUCKET2" />
    <xs:enumeration value="CHILDBUCKET3" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
AgeQualifyingCode	enumeration	string		The possible values are ADULT, CHILD, OTHER, CHILDBUCKET1, CHILDBUCKET2, and CHILDBUCKET3.

AlternateDate

```
<xs:complexType name="AlternateDate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="5" name="StayDateRange"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:TimeSpan" />
  </xs:sequence>
```

```
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
StayDateRange	element	TimeSpan	optional	The stay date range.

Amenity

```
<xs:complexType name="Amenity">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="amenityDescription" type="xs:string" />
  </xs:sequence>
  <xs:attribute name="amenityCode" type="xs:string" />
  <xs:attribute name="amenityType"
    xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
    type="q1:AmenityAmenityType" />
  <xs:attribute name="otherType" type="xs:string" />
  <xs:attribute name="availabilityFlag"
    xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
    type="q2:AmenityAvailabilityFlag" />
  <xs:attribute name="otherFlag" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
amenityCode	attribute	string	none	The amenity code.
amenityType	attribute	AmenityAmenityType	none	The amenity type.
otherType	attribute	string	none	The other type.
availabilityFlag	attribute	AmenityAvailabilityFlag	none	An indication of whether or not the amenity is available.
otherFlag	attribute	string	none	The other flag.
amenityDescription	element	string	optional / multiple	A description of the amenity.

AmenityAmenityType

```
<xs:simpleType name="AmenityAmenityType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Property" />
    <xs:enumeration value="Room" />
    <xs:enumeration value="Both" />
    <xs:enumeration value="Nearby" />
    <xs:enumeration value="Exists" />
    <xs:enumeration value="Other" />
    <xs:enumeration value="Parking" />
  </xs:restriction>
</xs:simpleType>
```

```

    <xs:enumeration value="WheelChairAccess" />
    <xs:enumeration value="Gymnasium" />
    <xs:enumeration value="ConferenceRoom" />
    <xs:enumeration value="BusinessCentre" />
    <xs:enumeration value="Pets" />
    <xs:enumeration value="RoomService" />
    <xs:enumeration value="Restaurant" />
    <xs:enumeration value="SwimingPool" />
    <xs:enumeration value="Internet" />
  </xs:restriction>
</xs:simpleType>

```

Name	Type	Data Type	Use	Comments
AmenityAmenityType	enumeration	string		The possible values are Property, Room, Both, Nearby, Exists, Other, Parking, WheelChairAccess, Gymnasium, ConferenceRoom, BusinessCentre, Pets, RoomService, Restaurant, SwimingPool, and Internet.

AmenityAvailabilityFlag

```

<xs:simpleType name="AmenityAvailabilityFlag">
  <xs:restriction base="xs:string">
    <xs:enumeration value="ConfirmableComplimentary" />
    <xs:enumeration value="ConfirmableCost" />
    <xs:enumeration value="OnRequestComplimentary" />
    <xs:enumeration value="OnRequestCost" />
    <xs:enumeration value="Exists" />
    <xs:enumeration value="Other" />
  </xs:restriction>
</xs:simpleType>

```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

AmenityAvailability Flag	enumeration	string	The possible values are ConfirmableComplimentary, ConfirmableCost, OnRequestComplimentary, OnRequestCost, Exists, and Other.
--------------------------	-------------	--------	--

AmenityInfo

```
<xs:complexType name="AmenityInfo">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Amenities"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:ArrayOfAmenity" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Amenities	element	ArrayOfAmenity	optional	A collection of amenity information.

Amount

```
<xs:complexType name="Amount">
  <xs:simpleContent>
    <xs:extension base="xs:double">
      <xs:attribute name="currencyCode" type="xs:string" />
      <xs:attribute name="decimals" type="xs:short" />
      <xs:attribute name="currencyText" type="xs:string" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Amount	extension	double		The amount.
currencyCode	attribute	string	none	If an amount is populated, then this field is required.
decimals	attribute	short	none	The number of decimals configured for the applicable currency.

currencyText	attribute	string	none	The description text of the currency.
--------------	-----------	--------	------	---------------------------------------

AreaAvailableProperty

```
<xs:complexType name="AreaAvailableProperty">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="HotelReference"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:HotelReference" />
    <xs:element minOccurs="0" maxOccurs="1" name="PropertyStatus"
      xmlns:q2="http://webservices.micros.com/og/4.3/Availability/"
      type="q2:PropertyStatusCode" />
    <xs:element minOccurs="0" maxOccurs="1" name="MinMaxRate"
      xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q3:MinMaxRate" />
    <xs:element minOccurs="0" maxOccurs="1" name="RateCodes"
      xmlns:q4="http://webservices.micros.com/og/4.3/Availability/"
      type="q4:ArrayOfRateCodeInformation1" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="RateCalculationMethod" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="PropertyErrorCode" type="xs:string" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
HotelReference	element	HotelReference	optional	HotelReference information.
PropertyStatus	element	PropertyStatusCode	optional	The property status code.
MinMaxRate	element	MinMaxRate	optional	The minimum and maximum rate amounts.
RateCodes	element	ArrayOfRateCodeInformation1	optional	A collection of rate code information.
RateCalculationMethod	element	string	optional	The rate calculation method.
PropertyErrorCode	element	string	optional	The error code at the property.

ArrayOfAdditionalBedAmount

```
<xs:complexType name="ArrayOfAdditionalBedAmount">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="AdditionalBedAmount" />
  </xs:sequence>
</xs:complexType>
```

```

        xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
        /" type="q1:AdditionalBedAmount" />
    </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
AdditionalBedAmount	element	AdditionalBedAmount	optional / multiple	A collection of AdditionalBedAmount elements.

ArrayOfAdditionalDetail

```

<xs:complexType name="ArrayOfAdditionalDetail">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="AdditionalDetail"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
      /" type="q1:AdditionalDetail" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
AdditionalDetail	element	AdditionalDetail	optional / multiple	A collection of AdditionalDetail elements. If a parent element exists, at least one AdditionalDetail element is required.

ArrayOfAdditionalGuestAmount

```

<xs:complexType name="ArrayOfAdditionalGuestAmount">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="AdditionalGuestAmount"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
      /" type="q1:AdditionalGuestAmount" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
AdditionalGuestAmount	element	AdditionalGuestAmount	optional / multiple	A collection of additional guest amount elements.

ArrayOfAddress

```
<xs:complexType name="ArrayOfAddress">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Address"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Address" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Address	element	Address	optional / multiple	A collection of Address elements. If the parent element is present, the address must also be present.

ArrayOfAlternateDate

```
<xs:complexType name="ArrayOfAlternateDate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="AlternateDate"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availabilit
y/" type="q1:AlternateDate" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
AlternateDate	element	AlternateDate	optional / multiple	A collection of other dates which may be available for sale if the requested dates are not.

ArrayOfAmenity

```
<xs:complexType name="ArrayOfAmenity">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Amenity"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q1:Amenity" />
  </xs:sequence>
```

```
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Amenity	element	Amenity	optional / multiple	Amenity information.

ArrayOfAnyURI

```
<xs:complexType name="ArrayOfAnyURI">  
  <xs:sequence>  
    <xs:element minOccurs="0" maxOccurs="unbounded" name="URI"  
      type="xs:anyURI" />  
  </xs:sequence>  
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
URI	element	anyURI	optional / multiple	A collection of AnyURI elements.

ArrayOfAttractionInfo

```
<xs:complexType name="ArrayOfAttractionInfo">  
  <xs:sequence>  
    <xs:element minOccurs="0" maxOccurs="unbounded"  
      name="AttractionInfo"  
      xmlns:q1="http://webservicemes.com/og/4.3/HotelCommon"  
      type="q1:AttractionInfo" />  
  </xs:sequence>  
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
AttractionInfo	element	AttractionInfo	optional / multiple	Details on configured Attractions near to the hotel.

ArrayOfAttractionsTypeAttraction

```
<xs:complexType name="ArrayOfAttractionsTypeAttraction">  
  <xs:sequence>  
    <xs:element minOccurs="0" maxOccurs="unbounded"  
      name="Attraction">  
      <xs:complexType>  
        <xs:sequence>  
          <xs:element minOccurs="0" maxOccurs="1"  
            name="AttractionCode" type="xs:string" />  
        </xs:sequence>  
      </xs:complexType>  
    </xs:element>  
  </xs:sequence>  
</xs:complexType>
```

```

<xs:element minOccurs="0" maxOccurs="1"
  name="AttractionName" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="AttractionType" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="AttractionInformation"
  xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/" type="q1:ArrayOfAttractionInfo" />
<xs:element minOccurs="0" maxOccurs="1"
  name="Distance" type="xs:double" />
<xs:element minOccurs="0" maxOccurs="1"
  name="DistanceType" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="DrivingTime" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="City"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="State"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ZipCode" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="HoursOfOperation" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="Latitude" type="xs:double" />
<xs:element minOccurs="0" maxOccurs="1"
  name="Longitude" type="xs:double" />
<xs:element minOccurs="0" maxOccurs="1"
  name="PriceRange" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="DisplaySequence" type="xs:int" />
</xs:sequence>
</xs:complexType>
</xs:element>
</xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

ArrayOfAreaAvailableProperty

```

<xs:complexType name="ArrayOfAreaAvailableProperty">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="AreaAvailableProperty"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availability/" type="q1:AreaAvailableProperty" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
AreaAvailableProperty	element	AreaAvailableProperty	optional / multiple	A collection of AreaAvailableProperty elements.

ArrayOfAvailResponseSegment

```
<xs:complexType name="ArrayOfAvailResponseSegment">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="AvailResponseSegment"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availabilit
        y/" type="q1:AvailResponseSegment" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
AvailResponseSegm ent	element	AvailResponseSegm ent	optional / multiple	A collection of AvailResponseSeg ment elements.

ArrayOfCalendarDailyDetail

```
<xs:complexType name="ArrayOfCalendarDailyDetail">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="CalendarDay"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availabilit
        y/" type="q1:CalendarDailyDetail" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
CalendarDay	element	CalendarDailyDetail	optional / multiple	Represents the calendar day.

ArrayOfCancelPenalty

```
<xs:complexType name="ArrayOfCancelPenalty">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="CancelPenalty"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
        /" type="q1:CancelPenalty" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
CancelPenalty	element	CancelPenalty	optional / multiple	The cancellation penalty.

ArrayOfCreditCardPayment

```
<xs:complexType name="ArrayOfCreditCardPayment">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="CreditCardPayment"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q1:CreditCardPayment" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
CreditCardPayment	element	CreditCardPayment	optional / multiple	Details of credit card payments which have been made on this reservation.

ArrayOfDescriptiveText

```
<xs:complexType name="ArrayOfDescriptiveText">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="DescriptiveText" nillable="true"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:DescriptiveText" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
DescriptiveText	element	DescriptiveText	optional / multiple	Descriptive text.

ArrayOfChildAge

```
<xs:complexType name="ArrayOfChildAge">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="ChildAge"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availabilit
y/" type="q1:ChildAge" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

ChildAge	element	ChildAge	optional / multiple	A collection of ChildAge elements.
----------	---------	----------	---------------------	------------------------------------

ArrayOfEmail

```
<xs:complexType name="ArrayOfEmail">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="ContactEmail"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:Email" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
ContactEmail	element	Email	optional / multiple	A collection of email addresses (string values).

ArrayOfGdsTotalPricingTax

```
<xs:complexType name="ArrayOfGdsTotalPricingTax">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="GdsTotalPricingTax"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:GdsTotalPricingTax" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
GdsTotalPricingTax	element	GdsTotalPricingTax	optional / multiple	The GDS total pricing tax.

ArrayOfGuarantee

```
<xs:complexType name="ArrayOfGuarantee">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Guarantee"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:Guarantee" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

Guarantee	element	Guarantee	optional / multiple	A collection of Guarantee Types configured for the resort.
-----------	---------	-----------	---------------------	--

ArrayOfGuaranteeAccepted

```
<xs:complexType name="ArrayOfGuaranteeAccepted">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="GuaranteeAccepted"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:GuaranteeAccepted" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
GuaranteeAccepted	element	GuaranteeAccepted	optional / multiple	A collection of GuaranteeAccepted elements.

ArrayOfHotelInfo

```
<xs:complexType name="ArrayOfHotelInfo">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="HotelInfo"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:HotelInfo" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
HotelInfo	element	HotelInfo	optional / multiple	A collection of HotelInfo elements.

ArrayOfHotelReference

```
<xs:complexType name="ArrayOfHotelReference">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="HotelReference"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:HotelReference" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
HotelReference	element	HotelReference	optional / multiple	A collection of HotelReference types.

ArrayOfHotelReference

```
<xs:complexType name="ArrayOfHotelReference">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="HotelReference" nillable="true"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
        /" type="q1:HotelReference" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
HotelReference	element	HotelReference	optional / multiple	A collection of HotelReference types.

ArrayOfHotelSearchCriterion

```
<xs:complexType name="ArrayOfHotelSearchCriterion">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Criterion"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availabilit
        y/" type="q1:HotelSearchCriterion" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Criterion	element	HotelSearchCriterion	optional / multiple	Only one HotelSearchCriterion will be accepted. Providing multiple values will not cause the transaction to fail, however all criteria will be ignored except for the first.

ArrayOfIDPair

```
<xs:complexType name="ArrayOfIDPair">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="IDPair"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:IDPair" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
IDPair	element	IDPair	optional / multiple	Not used in this context.

ArrayOfInventoryItemElement

```
<xs:complexType name="ArrayOfInventoryItemElement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="InventoryItem"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:InventoryItemElement" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
InventoryItem	element	InventoryItemElement	optional / multiple	Details of the available inventory items.

ArrayOfItemElement

```
<xs:complexType name="ArrayOfItemElement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="Item"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:ItemElement" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Item	element	ItemElement	optional / multiple	

ArrayOfItemGroupElement

```
<xs:complexType name="ArrayOfItemGroupElement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="ItemGroup"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q1:ItemGroupElement" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
ItemGroup	element	ItemGroupElement	optional / multiple	A collection of item group elements.

ArrayOfMeetingRoomsTypeMeetingRoomCode

```
<xs:complexType name="ArrayOfMeetingRoomsTypeMeetingRoomCode">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="Code"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q1:MeetingRoomsTypeMeetingRoomCode" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Code	element	MeetingRoomsType MeetingRoomCode	optional / multiple	Not used in this context.

ArrayOfPackageElement

```
<xs:complexType name="ArrayOfPackageElement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Package"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q1:PackageElement" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Package	element	PackageElement	optional / multiple	Not used in this context.

ArrayOfPackageElement1

```
<xs:complexType name="ArrayOfPackageElement1">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="PackageElement" nillable="true"
      xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon
/" type="q1:PackageElement" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
PackageElement	element	PackageElement	optional / multiple	A collection of package elements.

ArrayOfPaymentType

```
<xs:complexType name="ArrayOfPaymentType">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="PaymentType" nillable="true"
      xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon
/" type="q1:PaymentType" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
PaymentType	element	PaymentType	optional / multiple	The payment type.

ArrayOfPaymentType1

```
<xs:complexType name="ArrayOfPaymentType1">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="PaymentType"
      xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon
/" type="q1:PaymentType" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
PaymentType	element	PaymentType	optional / multiple	The payment type.

ArrayOfPhone

```
<xs:complexType name="ArrayOfPhone">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="Phone"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Phone" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Phone	element	Phone	optional / multiple	A collection of phone types.

ArrayOfRate

```
<xs:complexType name="ArrayOfRate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="Rate"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:Rate" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Rate	element	Rate	optional / multiple	A collection of Rate elements. If the parent element exists, at least one Rate element must be present.

ArrayOfRateCodeInformation

```
<xs:complexType name="ArrayOfRateCodeInformation">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RateCodeInformation"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availabilit
        y/" type="q1:RateCodeInformation" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

RateCodeInformation	element	RateCodeInformation	optional / multiple	A collection of RateCodeInformation elements.
---------------------	---------	---------------------	---------------------	---

ArrayOfRateCodeInformation1

```
<xs:complexType name="ArrayOfRateCodeInformation1">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RateCodeInformation" nillable="true"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availability/" type="q1:RateCodeInformation" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
RateCodeInformation	element	RateCodeInformation	optional / multiple	A collection of RateCodeInformation elements.

ArrayOfRatePlan

```
<xs:complexType name="ArrayOfRatePlan">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RatePlan"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/" type="q1:RatePlan" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
RatePlan	element	RatePlan	optional / multiple	A collection of rate plan elements.

ArrayOfRatePlanCandidate

```
<xs:complexType name="ArrayOfRatePlanCandidate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RatePlanCandidate"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availability/" type="q1:RatePlanCandidate" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

RatePlanCandidate	element	RatePlanCandidate	optional / multiple	A collection of RatePlanCandidate elements. At least one rate plan candidate is required if the parent element is present.
-------------------	---------	-------------------	---------------------	--

ArrayOfRatePlanRoomTypes

```
<xs:complexType name="ArrayOfRatePlanRoomTypes">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RatePlanRoomTypes"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:RatePlanRoomTypes" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
RatePlanRoomTypes	element	RatePlanRoomTypes	optional / multiple	A collection of rate plan room type information.

ArrayOfRegionalAvailableProperty

```
<xs:complexType name="ArrayOfRegionalAvailableProperty">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RegionalAvailableProperty"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availability/"
      type="q1:RegionalAvailableProperty" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
RegionalAvailableProperty	element	RegionalAvailableProperty	optional / multiple	A collection of regional available property types.

ArrayOfRegionalAvailablePropertyExtended

```
<xs:complexType name="ArrayOfRegionalAvailablePropertyExtended">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RegionalAvailableProperty"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availability/"
      type="q1:RegionalAvailablePropertyExtended" />
  </xs:sequence>
```

```
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
RegionalAvailablePr operty	element	RegionalAvailablePr opertyExtended	optional / multiple	A collection of RegionalAvailable Property elements.

ArrayOfReservationComment

```
<xs:complexType name="ArrayOfReservationComment">  
  <xs:sequence>  
    <xs:element minOccurs="0" maxOccurs="unbounded"  
      name="Comment"  
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon  
/" type="q1:ReservationComment" />  
  </xs:sequence>  
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Comment	element	ReservationCommen t	optional / multiple	The reservation comment.

ArrayOfReservationTrace

```
<xs:complexType name="ArrayOfReservationTrace">  
  <xs:sequence>  
    <xs:element minOccurs="0" maxOccurs="unbounded" name="Trace"  
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon  
/" type="q1:ReservationTrace" />  
  </xs:sequence>  
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Trace	element	ReservationTrace	optional / multiple	The reservation trace.

ArrayOfResGuestRPH

```
<xs:complexType name="ArrayOfResGuestRPH">  
  <xs:sequence>  
    <xs:element minOccurs="0" maxOccurs="unbounded"  
      name="ResGuestRPH"  
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon  
/" type="q1:ResGuestRPH" />  
  </xs:sequence>  
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
ResGuestRPH	element	ResGuestRPH	optional / multiple	Not used in this context.

ArrayOfRestaurantsTypeRestaurant

```
<xs:complexType name="ArrayOfRestaurantsTypeRestaurant">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Restaurant"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:RestaurantTypeRestaurant" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Restaurant	element	RestaurantsTypeRest aurant	optional / multiple	Not used in this context.

ArrayOfRestaurantsTypeRestaurantCuisine

```
<xs:complexType name="ArrayOfRestaurantsTypeRestaurantCuisine">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Cuisine"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:RestaurantTypeRestaurantCuisine" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Cuisine	element	RestaurantsTypeRest aurantCuisine	optional / multiple	Not used in this context.

ArrayOfRestriction

```
<xs:complexType name="ArrayOfRestriction">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Restriction" nillable="true"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:Restriction" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Restriction	element	Restriction	optional / multiple	A collection of Restriction elements.

ArrayOfRoomFeature

```
<xs:complexType name="ArrayOfRoomFeature">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Features"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:RoomFeature" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Features	element	RoomFeature	optional / multiple	The room feature.

ArrayOfRoomRate

```
<xs:complexType name="ArrayOfRoomRate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RoomRate"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:RoomRate" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
RoomRate	element	RoomRate	optional / multiple	A collection of RoomRate objects. If the parent element is present, at least one RoomRate object is required.

ArrayOfRoomStay

```
<xs:complexType name="ArrayOfRoomStay">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RoomStay" />
  </xs:sequence>
</xs:complexType>
```

```

        xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon
        /" type="q1:RoomStay" />
    </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
RoomStay	element	RoomStay	optional / multiple	If the parent element exists, at least one RoomStay element must be present.

ArrayOfRoomStayCandidate

```

<xs:complexType name="ArrayOfRoomStayCandidate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RoomStayCandidate"
      xmlns:q1="http://webservicess.micross.com/og/4.3/Availabilit
      y/" type="q1:RoomStayCandidate" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
RoomStayCandidate	element	RoomStayCandidate	optional / multiple	At least one candidate is required if the parent element is present.

ArrayOfRoomType

```

<xs:complexType name="ArrayOfRoomType">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RoomType"
      xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon
      /" type="q1:RoomType" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
RoomType	element	RoomType	optional / multiple	A collection of RoomType elements.

ArrayOfRoomTypeInventory

```
<xs:complexType name="ArrayOfRoomTypeInventory">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RoomTypeInventory"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:RoomTypeInventory" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
RoomTypeInventory	element	RoomTypeInventory	optional / multiple	Represents an element of room inventory detail.

ArrayOfSpecialRequest

```
<xs:complexType name="ArrayOfSpecialRequest">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="SpecialRequest"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:SpecialRequest" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
SpecialRequest	element	SpecialRequest	optional / multiple	Not used in this context.

ArrayOfText

```
<xs:complexType name="ArrayOfText">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="TextElement"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:TextList" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
TextElement	element	TextList	optional / multiple	A collection of Text elements.

ArrayOfTextElement

```
<xs:complexType name="ArrayOfTextElement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="TextElement" nillable="true"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:TextElement" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
TextElement	element	TextElement	optional / multiple	A collection of TextElement elements.

ArrayOfTimeSpanPoints

```
<xs:complexType name="ArrayOfTimeSpanPoints">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded" name="Points"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:TimeSpanPoints" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Points	element	TimeSpanPoints	optional / multiple	A collection of TtimeSpanPoint elements.

ASBRateCycle

```
<xs:complexType name="ASBRateCycle">
  <xs:attribute name="rateCycleType"
    xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
    type="q1:RateCycleType" use="required" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
rateCycleType	attribute	RateCycleType	required	The rate cycle type.

AttractionInfo

```
<xs:complexType name="AttractionInfo">
  <xs:complexContent mixed="false">
```

```

<xs:extension
  xmlns:q1="http://webservic.es.micros.com/og/4.3/Common/"
  base="q1:DescriptiveText">
  <xs:attribute name="attractionInfoType"
    xmlns:q2="http://webservic.es.micros.com/og/4.3/HotelComm
on/" type="q2:AttractionInfoType" use="required" />
  <xs:attribute name="otherAttractionInfoType"
    type="xs:string" />
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
AttractionInfo	extension	DescriptiveText		Text description of the Attraction.
attractionInfoType	attribute	AttractionInfoType	required	Type (category) of Attraction.
otherAttractionInfoType	attribute	string	none	Not in use at this time.

AttractionInfoType

```

<xs:simpleType name="AttractionInfoType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="DIRECTIONS" />
    <xs:enumeration value="OTHER" />
  </xs:restriction>
</xs:simpleType>

```

Name	Type	Data Type	Use	Comments
AttractionInfoType	enumeration	string		The possible values are DIRECTIONS and OTHER.

AvailRequestSegment

```

<xs:complexType name="AvailRequestSegment">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="StayDateRange"
      xmlns:q1="http://webservic.es.micros.com/og/4.3/HotelCommon/"
      type="q1:TimeSpan" />
    <xs:element minOccurs="0" maxOccurs="1" name="RateRange"
      xmlns:q2="http://webservic.es.micros.com/og/4.3/HotelCommon/"
      type="q2:MinMaxRate" />
    <xs:element minOccurs="0" maxOccurs="1" name="RatePlanCandidates" />
  </xs:sequence>
</xs:complexType>

```

```
        xmlns:q3="http://webservices.micros.com/og/4.3/Availabilit
        y/" type="q3:ArrayOfRatePlanCandidate" />
<xs:element minOccurs="0" maxOccurs="1"
    name="RoomStayCandidates"
    xmlns:q4="http://webservices.micros.com/og/4.3/Availabilit
    y/" type="q4:ArrayOfRoomStayCandidate" />
<xs:element minOccurs="0" maxOccurs="1"
    name="HotelSearchCriteria"
    xmlns:q5="http://webservices.micros.com/og/4.3/Availabilit
    y/" type="q5:ArrayOfHotelSearchCriterion" />
<xs:element minOccurs="0" maxOccurs="1" name="ChildAges"
    xmlns:q6="http://webservices.micros.com/og/4.3/Availabilit
    y/" type="q6:ArrayOfChildAge" />
<xs:element minOccurs="0" maxOccurs="1" name="AlternateDates"
    xmlns:q7="http://webservices.micros.com/og/4.3/Availabilit
    y/" type="q7:ArrayOfAlternateDate" />
<xs:element minOccurs="0" maxOccurs="1" name="GdsTotalPrice"
    xmlns:q8="http://webservices.micros.com/og/4.3/Availabilit
    y/" type="q8:GdsTotalPrice" />
<xs:element minOccurs="0" maxOccurs="1"
    name="PointsDateRange"
    xmlns:q9="http://webservices.micros.com/og/4.3/HotelCommon
    /" type="q9:TimeSpan" />
<xs:element minOccurs="0" maxOccurs="1" name="ECertificate"
    xmlns:q10="http://webservices.micros.com/og/4.3/Membership
    /" type="q10:ECertificate" />
<xs:element minOccurs="0" maxOccurs="1" name="ASBRateCycle"
    xmlns:q11="http://webservices.micros.com/og/4.3/HotelCommo
    n/" type="q11:ASBRateCycle" />
<xs:element minOccurs="0" maxOccurs="1" name="NameID"
    xmlns:q12="http://webservices.micros.com/og/4.3/Common/"
    type="q12:UniqueID" />
</xs:sequence>
<xs:attribute name="availReqType"
    xmlns:q13="http://webservices.micros.com/og/4.3/HotelCommon/"
    type="q13:AvailRequestType" use="required" />
<xs:attribute name="moreDataEchoToken" type="xs:string" />
<xs:attribute name="numberOfRooms" type="xs:int" />
<xs:attribute name="roomOccupancy" type="xs:int" />
<xs:attribute name="totalNumberOfGuests" type="xs:int" />
<xs:attribute name="numberOfChildren" type="xs:int" />
<xs:attribute name="childBucket1" type="xs:int" />
<xs:attribute name="childBucket2" type="xs:int" />
<xs:attribute name="childBucket3" type="xs:int" />
<xs:attribute name="membershipId" type="xs:long" />
<xs:attribute name="membershipIdSpecified" type="xs:boolean"
    use="required" />
<xs:attribute name="membershipType" type="xs:string" />
<xs:attribute name="membershipLevel" type="xs:string" />
<xs:attribute name="pointsBelow" type="xs:long" />
<xs:attribute name="pointsAbove" type="xs:long" />
<xs:attribute name="displaySet" type="xs:string" />
<xs:attribute name="checkCateringPkgRate" type="xs:boolean" />
<xs:attribute name="returnAmenities" type="xs:boolean" />
<xs:attribute name="returnFeatures" type="xs:boolean" />
<xs:attribute name="returnPseudoRoom" type="xs:boolean" />
<xs:attribute name="returnOnlyReqRate" type="xs:boolean" />
```



```

    <xs:attribute name="membershipNumber" type="xs:string" />
    <xs:attribute name="yieldMarketCode" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
availReqType	attribute	AvailRequestType	required	For this interface product, only room type request types are permitted. It is hard-coded to the room.
moreDataEchoToken	attribute	string	none	If a previous query was unable to return all results in a single message, the previous query will issue a token that indicates where the subsequent message should go.
numberOfRooms	attribute	int	none	If not provided, the default value is 1.
roomOccupancy	attribute	int	none	If provided, this will supersede any calculated value. If this value is incorrect, an inaccurate result will be returned. If not provided, room occupancy will be calculated based on other values, or as a last resort, it will have a default value of 1.

totalNumberOfGuests	attribute	int	none	The total number of persons that should be considered as an occupancy basis for a rate calculation. If not provided, the default value is 1.
numberOfChildren	attribute	int	none	The total number of children that should be considered as an occupancy basis for rate calculation. If not provided, the default value is 1.
childBucket1	attribute	int	none	The age range of the first child bucket.
childBucket2	attribute	int	none	The age range of the second child bucket.
childBucket3	attribute	int	none	The age range of the third child bucket.
membershipId	attribute	long	none	The membership ID number.
membershipIdSpecified	attribute	boolean	required	If true, a membership ID is specified in the request. If false, no membership ID is specified.
membershipType	attribute	string	none	The membership type.
membershipLevel	attribute	string	none	The membership level.
pointsBelow	attribute	long	none	The number of points the member is below for the points cost of the stay.

pointsAbove	attribute	long	none	The number of points the member is above for the points cost of the stay.
displaySet	attribute	string	none	The configured group in which the rate code will be displayed within the application.
checkCateringPkgRate	attribute	boolean	none	Indicates if catering package rate codes will be considered in the rate availability request.
returnAmenities	attribute	boolean	none	Indicates if hotel amenities will be returned in the response.
returnFeatures	attribute	boolean	none	Indicates if room features will be returned in the response.
returnPseudoRoom	attribute	boolean	none	Indicates if pseudo rooms will be returned in the availability response.
returnOnlyReqRate	attribute	boolean	none	Indicates if only the required or qualified rates will be returned in the response.
membershipNumber	attribute	string	none	The membership number.
yieldMarketCode	attribute	string	none	The Market Code the rate will be considered with for yield management.
StayDateRange	element	TimeSpan	optional	The stay date range.

RateRange	element	MinMaxRate	optional	The minimum and maximum rate available for the requested dates.
RatePlanCandidates	element	ArrayOfRatePlanCandidate	optional	A collection of rate plan candidates.
RoomStayCandidates	element	ArrayOfRoomStayCandidates	optional	Used to check availability for the requested room type.
HotelSearchCriteria	element	ArrayOfHotelSearchCriterion	optional	Used to indicate the property for which availability is being queried.
ChildAges	element	ArrayOfChildAge	optional	A collection of ChildAge elements.
AlternateDates	element	ArrayOfAlternateDate	optional	A collection of alternate dates.
GdsTotalPrice	element	GdsTotalPrice	optional	The GDS total price.
PointsDateRange	element	TimeSpan	optional	The points date range.
ECertificate	element	ECertificate	optional	The ECertificate.
ASBRateCycle	element	ASBRateCycle	optional	The apartment style billing rate cycle.
NameID	element	UniqueID	optional	The name Id for the profile.

AvailRequestSegmentList

```
<xs:complexType name="AvailRequestSegmentList">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="AvailRequestSegment"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availability/" type="q1:AvailRequestSegment" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
AvailRequestSegment	element	AvailRequestSegment	optional / multiple	At least one AvailRequestSegment is required.

AvailRequestType

```
<xs:simpleType name="AvailRequestType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Room" />
    <xs:enumeration value="NonRoom" />
    <xs:enumeration value="Both" />
    <xs:enumeration value="Other" />
    <xs:enumeration value="BestAvailable" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
AvailRequestType	enumerati on	string		The possible values are Room, NonRoom, Both, Other, and BestAvailable.

AvailResponseSegment

```
<xs:complexType name="AvailResponseSegment">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="RoomStayList"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/" type="q1:ArrayOfRoomStay" />
    <xs:element minOccurs="0" maxOccurs="1" name="AdditionalInformation" type="xs:string" />
  </xs:sequence>
  <xs:attribute name="moreDataEchoToken" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
moreDataEchoToken	attribute	string	none	If rules allow additional data to be returned in a single message, a token will be returned in this attribute. This token can be submitted with any subsequent message to return the next "chunk" of availability data.

RoomStayList	element	ArrayOfRoomStay	optional	A collection of RoomStay elements. If the parent element exists, at least one RoomStay element must be present.
AdditionalInformation	element	string	optional	Additional text information configured to be returned.

Award

```
<xs:complexType name="Award">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="AwardCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="PointsRequired"
      type="xs:int" />
    <xs:element minOccurs="0" maxOccurs="1" name="RuleSchedule"
      xmlns:q1="http://webservices.micros.com/og/4.3/Membership/"
      type="q1:RuleSchedule" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
AwardCode	element	string	optional	The defined Award Code.
PointsRequired	element	int	optional	The number of points required to consume this award.
RuleSchedule	element	RuleSchedule	optional	The rule schedule to which this award is attached.

CalendarDailyDetail

```
<xs:complexType name="CalendarDailyDetail">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Rates"
      xmlns:q1="http://webservices.micros.com/og/4.3/Availabilit
y/" type="q1:CalendarRate" />
    <xs:element minOccurs="0" maxOccurs="1" name="Occupancy"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q2:ArrayOfRoomTypeInventory" />
  </xs:sequence>
  <xs:attribute name="Date" type="xs:date" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Date	attribute	date	none	The calendar date.
Rates	element	CalendarRate	optional	A list of calendar day rates.
Occupancy	element	ArrayOfRoomTypeI nventory	optional	A list of room type inventory details.

CalendarRate

```
<xs:complexType name="CalendarRate">
```

```

<xs:sequence>
  <xs:element minOccurs="0" maxOccurs="1"
    name="RestrictionList"
    xmlns:q1="http://webservices.micros.com/og/4.3/Availabilit
y/" type="q1:ArrayOfRestriction" />
  <xs:element minOccurs="0" maxOccurs="1" name="RateList"
    xmlns:q2="http://webservices.micros.com/og/4.3/Availabilit
y/" type="q2:ArrayOfRoomRate" />
</xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
RestrictionList	element	ArrayOfRestriction	optional	Represents a list of Restriction elements for a calendar rate.
RateList	element	ArrayOfRoomRate	optional	Represents a list of RoomRate elements for a calendar rate.

CancelDateTime

```

<xs:complexType name="CancelDateTime">
  <xs:simpleContent>
    <xs:extension base="xs:dateTime">
      <xs:attribute name="period" type="xs:duration" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
CancelDateTime	extension	dateTime		Root value contains the cancellation date and time.
period	attribute	duration	none	The difference between the check-in time applied to arrival date and the date and time specified in the root value of this element.

CancelPenalty

```

<xs:complexType name="CancelPenalty">
  <xs:sequence>

```



```

    <xs:element minOccurs="0" maxOccurs="1" name="Deadline"
      type="xs:dateTime" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="PenaltyDescription"
      xmlns:q1="http://webservices.micos.com/og/4.3/HotelCommon
/" type="q1:Paragraph" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Deadline	element	dateTime	optional	The deadline to make a cancellation without penalty.
PenaltyDescription	element	Paragraph	optional	A description of the penalty.

CancelTerm

```

<xs:complexType name="CancelTerm">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="CancelReason"
      xmlns:q1="http://webservices.micos.com/og/4.3/HotelCommon
/" type="q1:Paragraph" />
  </xs:sequence>
  <xs:attribute name="cancelType"
    xmlns:q2="http://webservices.micos.com/og/4.3/HotelCommon/"
    type="q2:CancelTermType" use="required" />
  <xs:attribute name="otherCancelType" type="xs:string" />
  <xs:attribute name="cancelReasonCode" type="xs:string" />
  <xs:attribute name="cancelNumber" type="xs:string" />
  <xs:attribute name="cancelDate" type="xs:date" />
  <xs:attribute name="cancelBy" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
cancelType	attribute	CancelTermType	required	The cancellation type.
otherCancelType	attribute	string	none	If OTHER is selected as the cancellation type, this is the other cancellation type.
cancelReasonCode	attribute	string	none	The cancellation reason code.
cancelNumber	attribute	string	none	The cancellation number.
cancelDate	attribute	date	none	The cancellation date.

cancelBy	attribute	string	none	The person who made the cancellation.
CancelReason	element	Paragraph	optional	The reason for the cancellation.

CancelTermType

```
<xs:simpleType name="CancelTermType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Cancel" />
    <xs:enumeration value="NoShow" />
    <xs:enumeration value="Other" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
CancelTermType	enumeration	string		The possible values are Cancel, NoShow, and Other.

Charge

```
<xs:complexType name="Charge">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Description"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="Amount"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Amount" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Description	element	string	optional	A description of the charge.
Amount	element	Amount	optional	The charge amount.

ChargeList

```
<xs:complexType name="ChargeList">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Charges"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:Charge" />
  </xs:sequence>
```

```

    <xs:attribute name="TotalCharges" type="xs:double"
        use="required" />
    <xs:attribute name="decimals" type="xs:short" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
TotalCharges	attribute	double	required	The total charges.
decimals	attribute	short	none	The number of decimals.
Charges	element	Charge	optional / multiple	The charge.

ChargesForTheDay

```

<xs:complexType name="ChargesForTheDay">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="RoomRateAndPackages"
      xmlns:q1="http://webservices.micos.com/og/4.3/HotelCommon"
      type="q1:ChargeList" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaxesAndFees"
      xmlns:q2="http://webservices.micos.com/og/4.3/HotelCommon"
      type="q2:ChargeList" />
    <xs:element minOccurs="0" maxOccurs="1" name="FixedCharges"
      xmlns:q3="http://webservices.micos.com/og/4.3/HotelCommon"
      type="q3:FixedChargeList" />
  </xs:sequence>
  <xs:attribute name="PostingDate" type="xs:date" />
  <xs:attribute name="TotalCharges" type="xs:double" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
PostingDate	attribute	date	none	The date of posting.
TotalCharges	attribute	double	none	The total charges.
RoomRateAndPackages	element	ChargeList	optional	The charges for room rate and packages.
TaxesAndFees	element	ChargeList	optional	The charges for taxes and fees.
FixedCharges	element	FixedChargeList	optional	A list of fixed charges.

ChildAge

```

<xs:complexType name="ChildAge">
  <xs:attribute name="age" type="xs:int" />

```

```

    <xs:attribute name="ageSpecified" type="xs:boolean"
      use="required" />
  </xs:complexType>

```

Name	Type	Data Type	Use	Comments
age	attribute	int	none	The child's age.
ageSpecified	attribute	boolean	required	An indication of whether or not the age was specified.

CityCode

```

<xs:complexType name="CityCode">
  <xs:attribute name="countryCode" type="xs:string" />
  <xs:attribute name="stateCode" type="xs:string" />
  <xs:attribute name="cityCode" type="xs:string" />
  <xs:attribute name="sameCityIndicator" type="xs:boolean" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
countryCode	attribute	string	none	Use country code when sameCityIndicator is "true," otherwise use Marketing Regions code when sameCityIndicator is "false."
stateCode	attribute	string	none	Use state code when sameCityIndicator is "true." If sameCityIndicator is "false," the attribute is either ignored or not applicable when sent in the request.

cityCode	attribute	string	none	Use city code when sameCityIndicator is "true," otherwise use Marketing City when sameCityIndicator is "false."
sameCityIndicator	attribute	boolean	optional	When set to "true," instead of using the region code and marketing city, the system will do a geographic search for properties within the same city, country, and state. When set to "false," a geographic search is done using the region code and marketing city.

Commission

```

<xs:complexType name="Commission">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="CommissionPayableAmount"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="Comment"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q2:Paragraph" />
  </xs:sequence>
  <xs:attribute name="percent" type="xs:decimal" />
  <xs:attribute name="currencyCode" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
percent	attribute	decimal	none	If the commission is a percentage, use this attribute to render the value.

currencyCode	attribute	string	none	If the commission is a percentage, this field is required.
CommissionPayable Amount	element	Amount	optional	If the commission is a fixed amount, use this element to display the amount.
Comment	element	Paragraph	optional	Not used in this context.

CreditCard

```

<xs:complexType name="CreditCard">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="cardCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="cardHolderName"
      type="xs:string" />
    <xs:choice minOccurs="1" maxOccurs="1">
      <xs:element minOccurs="0" maxOccurs="1"
        name="VaultedCardData"
        xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
        type="q1:VaultedCardType" />
      <xs:element minOccurs="0" maxOccurs="1" name="cardNumber"
        type="xs:string" />
    </xs:choice>
    <xs:element minOccurs="0" maxOccurs="1" name="seriesCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="Track2"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="effectiveDate"
      type="xs:date" />
    <xs:element minOccurs="1" maxOccurs="1" name="expirationDate"
      type="xs:date" />
    <xs:element minOccurs="0" maxOccurs="1" name="EncryptedSwipe"
      xmlns:q2="http://webservices.micros.com/og/4.3/Common/"
      type="q2:EncryptedSwipe" />
  </xs:sequence>
  <xs:attribute name="cardType" type="xs:string" />
  <xs:attribute name="otherCardType" type="xs:string" />
  <xs:attribute name="chipAndPin" type="xs:boolean" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
cardType	attribute	string	none	Not used in this context.
otherCardType	attribute	string	none	Not used in this context.

chipAndPin	attribute	boolean	none	Indicates if the calling system can handle a chip and pin device. For example, when called from a Kiosk system this flag must be set to true so that the guest can swipe the card on a chip and pin device when the credit card vendor makes it active. When called from the web, this flag needs to be set to false as the guest cannot swipe a credit card online.
cardCode	element	string	optional	Not used in this context.
cardHolderName	element	string	optional	Not used in this context.
VaultedCardData	element	VaultedCardType	optional	The vaulted card type.
cardNumber	element	string	optional	Not used in this context.
seriesCode	element	string	optional	Not used in this context.
Track2	element	string	optional	Track 2 data.
effectiveDate	element	date	optional	Not used in this context.
expirationDate	element	date	required	Not used in this context.
EncryptedSwipe	element	EncryptedSwipe	optional	The encrypted swipe data for the credit card.

CreditCardPayment

```

<xs:complexType name="CreditCardPayment">
  <xs:complexContent mixed="false">
    <xs:extension
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      base="q1:CreditCard">

```

```

    <xs:sequence>
      <xs:element minOccurs="0" maxOccurs="1" name="CIDNumber"
        type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1" name="Address"
        type="q1:Address" />
      <xs:element minOccurs="0" maxOccurs="1"
        name="IssueNumber" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1"
        name="ApprovalCode" type="xs:string" />
      <xs:element minOccurs="0" maxOccurs="1"
        name="DepositAmount" type="q1:Amount" />
    </xs:sequence>
  </xs:extension>
</xs:complexContent>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
CreditCardPayment	extension	CreditCard		The credit card payment.
CIDNumber	element	string	optional	The CID number.
Address	element	Address	optional	The address.
IssueNumber	element	string	optional	The issue number.
ApprovalCode	element	string	optional	The approval code.
DepositAmount	element	Amount	optional	The deposit amount.

DailyChargeList

```

<xs:complexType name="DailyChargeList">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="ChargesForPostingDate"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:ChargesForTheDay" />
  </xs:sequence>
  <xs:attribute name="TotalRoomRateAndPackages" type="xs:double"
    />
  <xs:attribute name="TotalTaxesAndFees" type="xs:double" />
  <xs:attribute name="TotalFixedCharges" type="xs:double" />
  <xs:attribute name="TaxInclusive" type="xs:boolean" />
  <xs:attribute name="decimals" type="xs:short" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
TotalRoomRateAndPackages	attribute	double	none	The total amount for room rate and packages.
TotalTaxesAndFees	attribute	double	none	The total amount for taxes and fees.

TotalFixedCharges	attribute	double	none	The total amount of fixed charges defined on the reservation.
TaxInclusive	attribute	boolean	none	Indicates if tax is included in the charge.
decimals	attribute	short	none	The number of decimals defined for the applicable currency code.
ChargesForPostingDate	element	ChargesForTheDay	optional / multiple	The total charges for the day.

DepositRequirement

```
<xs:complexType name="DepositRequirement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="DepositAmount"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="DueDate"
      type="xs:date" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="DepositDueAmount"
      xmlns:q2="http://webservices.micros.com/og/4.3/Common/"
      type="q2:Amount" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
DepositAmount	element	Amount	optional	The total required deposit amount.
DueDate	element	date	optional	The due date of the deposit. The deposit amount.
DepositDueAmount	element	Amount	optional	The remaining amount of the deposit due.

DescriptiveText

```
<xs:complexType name="DescriptiveText">
  <xs:sequence>
    <xs:choice minOccurs="1" maxOccurs="1">
      <xs:element minOccurs="0" maxOccurs="1" name="Image"
        type="xs:string" />
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

```

        <xs:element minOccurs="0" maxOccurs="1" name="Url"
            type="xs:anyURI" />
        <xs:element minOccurs="0" maxOccurs="1" name="Text"
            xmlns:q1="http://webservicess.micross.com/og/4.3/Common/"
            type="q1:ArrayOfTextElement" />
    </xs:choice>
</xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Image	element	string	optional	Not used in this context.
Url	element	anyURI	optional	A text-list object containing check-in or check-out information.
Text	element	ArrayOfTextElement	optional	A collection of TextElement elements.

Discount

```

<xs:complexType name="Discount">
    <xs:sequence>
        <xs:element minOccurs="1" maxOccurs="1" name="DiscountAmount"
            type="xs:double" />
        <xs:element minOccurs="1" maxOccurs="1" name="DiscountType"
            xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon/"
            type="q1:DiscountType" />
        <xs:element minOccurs="0" maxOccurs="1" name="DiscountReason"
            type="xs:string" />
    </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
DiscountAmount	element	double	required	The amount for the discount. Depending on the discount type, this can be either a flat amount or a percentage.
DiscountType	element	DiscountType	required	The discount type. This can be either FLAT or PERCENT.
DiscountReason	element	string	optional	The reason for the discount.

DiscountType

```
<xs:simpleType name="DiscountType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="FLAT" />
    <xs:enumeration value="PERCENT" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
DiscountType	enumerati on	string		The possible values are FLAT and PERCENT.

DistanceUnitType

```
<xs:simpleType name="DistanceUnitType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="Km" />
    <xs:enumeration value="Mi" />
    <xs:enumeration value="Other" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
DistanceUnitType	enumerati on	string		The possible values are Km, Mi, and Other.

ECertificate

```
<xs:complexType name="ECertificate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="CertificateID"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:UniqueID" />
    <xs:element minOccurs="0" maxOccurs="1" name="VoucherNumber"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="CertificateNumber" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="CertificateCode" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="HotelReference"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q2:HotelReference" />
    <xs:element minOccurs="0" maxOccurs="1" name="MembershipType"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="AwardType"
      type="xs:string" />
  </xs:sequence>
</xs:complexType>
```

```
<xs:element minOccurs="0" maxOccurs="1" name="PromotionCode"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ShortDescription" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="LongDescription" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="ExpirationDate"
  type="xs:date" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ReservationCertificateYN" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="CertificateValue"
  xmlns:q3="http://webservices.micros.com/og/4.3/Common/"
  type="q3:Amount" />
<xs:element minOccurs="0" maxOccurs="1"
  name="CertificateCost"
  xmlns:q4="http://webservices.micros.com/og/4.3/Common/"
  type="q4:Amount" />
<xs:element minOccurs="0" maxOccurs="1"
  name="CertificateLabel" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="NameID"
  xmlns:q5="http://webservices.micros.com/og/4.3/Common/"
  type="q5:UniqueID" />
<xs:element minOccurs="0" maxOccurs="1" name="ConsumedAt"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ConsumerLastName" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ConsumerFirstName" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ConsumerMiddleName" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="ConsumerEmail"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ConsumptionDate" type="xs:date" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ConsumedHotelReference"
  xmlns:q6="http://webservices.micros.com/og/4.3/HotelCommon/"
  type="q6:HotelReference" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ConsumptionRefNo"
  xmlns:q7="http://webservices.micros.com/og/4.3/Common/"
  type="q7:UniqueID" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ConsumptionRefType" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ConsumptionLegNo"
  xmlns:q8="http://webservices.micros.com/og/4.3/Common/"
  type="q8:UniqueID" />
<xs:element minOccurs="0" maxOccurs="1" name="UserNotes"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Status"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="PrintStatus"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
  name="MembershipAwardID"
```

```

        xmlns:q9="http://webservices.micros.com/og/4.3/Common/"
        type="q9:UniqueID" />
<xs:element minOccurs="0" maxOccurs="1" name="IssueType"
    type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="IssueSource"
    type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="AwardPoints"
    type="xs:double" />
<xs:element minOccurs="0" maxOccurs="1" name="InActiveDate"
    type="xs:date" />
<xs:element minOccurs="0" maxOccurs="1"
    name="CertificateBeginDate" type="xs:date" />
<xs:element minOccurs="0" maxOccurs="1"
    name="CertificateEndDate" type="xs:date" />
<xs:element minOccurs="0" maxOccurs="1"
    name="CertificateExpriyMonths" type="xs:int" />
<xs:element minOccurs="0" maxOccurs="1" name="WebAllowed"
    type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="PMSConsumed"
    type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="WebConsumed"
    type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Awards"
    xmlns:q10="http://webservices.micros.com/og/4.3/Membership
/" type="q10:Award" />
<xs:element minOccurs="0" maxOccurs="unbounded"
    name="Promotions"
    xmlns:q11="http://webservices.micros.com/og/4.3/Membership
/" type="q11:PromotionDetails" />
<xs:element minOccurs="0" maxOccurs="1" name="Scope"
    type="xs:string" />
</xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
CertificateID	element	UniqueID	optional	The internal record number of the e-certificate.
VoucherNumber	element	string	optional	The configured voucher number.
CertificateNumber	element	string	optional	The configured certificate number.
CertificateCode	element	string	optional	The configured certificate code.
HotelReference	element	HotelReference	optional	The property to which the e-certificate is attached.
MembershipType	element	string	optional	The membership type to which the certificate is attached.

AwardType	element	string	optional	The award type to which the certificate is attached.
PromotionCode	element	string	optional	The promotion code to which the certificate is attached.
ShortDescription	element	string	optional	Short descriptive text about the certificate.
LongDescription	element	string	optional	Long descriptive text about the certificate.
ExpirationDate	element	date	optional	The expiration date of the certificate.
ReservationCertificateYN	element	string	optional	Indicates if the certificate is to be used against a reservation.
CertificateValue	element	Amount	optional	The value of the certificate to the guest.
CertificateCost	element	Amount	optional	The internal cost of the certificate to the hotel.
CertificateLabel	element	string	optional	The label for the certificate.
NameID	element	UniqueID	optional	The internal name_id for the profile attached to the certificate.
ConsumedAt	element	string	optional	Where the certificate was consumed (i.e., Property, OCIS, WEB or third party).
ConsumerLastName	element	string	optional	Last name of the person who consumed the certificate.
ConsumerFirstName	element	string	optional	First name of the person who consumed the certificate.

ConsumerMiddleName	element	string	optional	Middle name of the person who consumed the certificate.
ConsumerEmail	element	string	optional	Email address of the person who consumed the certificate.
ConsumptionDate	element	date	optional	The date when the certificate was consumed.
ConsumedHotelReference	element	HotelReference	optional	The property where certificate was consumed.
ConsumptionRefNo	element	UniqueID	optional	The reference number against which the certificate was consumed (i.e. reservation number).
ConsumptionRefType	element	string	optional	The type of reference number used against which the certificate was consumed (i.e. reservation number).
ConsumptionLegNo	element	UniqueID	optional	The leg number of the reservation which consumed the certificate.
UserNotes	element	string	optional	Any notes entered on the certificate by the user at the time of consumption.
Status	element	string	optional	The status of the certificate.
PrintStatus	element	string	optional	The print status of the certificate.
MembershipAwardID	element	UniqueID	optional	The internal record ID of the membership award linked to the certificate.

IssueType	element	string	optional	The type of issuing entity for the certificate.
IssueSource	element	string	optional	The issuing entity of the certificate.
AwardPoints	element	double	optional	The number of points required to consume the certificate.
InActiveDate	element	date	optional	The date the certificate became inactive.
CertificateBeginDate	element	date	optional	The begin date of the certificate.
CertificateEndDate	element	date	optional	The end date of the certificate.
CertificateExpriyMonths	element	int	optional	Indicates how many months before the certificate expires.
WebAllowed	element	string	optional	Indicates whether the certificate may be consumed via the web.
PMSConsumed	element	string	optional	Indicates whether the certificate was consumed via PMS.
WebConsumed	element	string	optional	Indicates whether the certificate was consumed via the web.
Awards	element	Award	optional	Details of the awards linked to the certificate.
Promotions	element	PromotionDetails	optional / multiple	Details of the promotions linked to the certificate.
Scope	element	string	optional	Not in use at this time.

Email

```
<xs:complexType name="Email">
  <xs:simpleContent>
    <xs:extension base="xs:string" />
  </xs:simpleContent>
```

```
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Email	extension	string		The email address.

EncryptedSwipe

```
<xs:complexType name="EncryptedSwipe">  
  <xs:sequence>  
    <xs:element minOccurs="0" maxOccurs="1" name="TrackIndicator"  
      type="xs:string" />  
    <xs:element minOccurs="0" maxOccurs="1" name="SwiperType"  
      type="xs:string" />  
    <xs:element minOccurs="0" maxOccurs="1" name="SwiperID"  
      type="xs:string" />  
    <xs:element minOccurs="0" maxOccurs="1" name="MaskedPAN"  
      type="xs:string" />  
    <xs:element minOccurs="0" maxOccurs="1" name="Track1"  
      type="xs:string" />  
    <xs:element minOccurs="0" maxOccurs="1" name="Track2"  
      type="xs:string" />  
    <xs:element minOccurs="0" maxOccurs="1"  
      name="KeySerialNumber" type="xs:string" />  
  </xs:sequence>  
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
TrackIndicator	element	string	optional	The track indicator.
SwiperType	element	string	optional	The swiper type.
SwiperID	element	string	optional	The swiper ID.
MaskedPAN	element	string	optional	The Masked Primary Account Number.
Track1	element	string	optional	The Track 1 data.
Track2	element	string	optional	The Track 2 data.
KeySerialNumber	element	string	optional	The key track serial number.

ExtendedHotelInfo

```
<xs:complexType name="ExtendedHotelInfo">  
  <xs:sequence>  
    <xs:element minOccurs="0" maxOccurs="1"  
      name="HotelInformation"  
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"  
      type="q1:ArrayOfHotelInfo" />  
  </xs:sequence>  
</xs:complexType>
```

```

<xs:element minOccurs="0" maxOccurs="1" name="PaymentMethods"
  xmlns:q2="http://webservicess.micross.com/og/4.3/HotelCommon
  /" type="q2:ArrayOfPaymentType1" />
<xs:element minOccurs="0" maxOccurs="1" name="AmenityInfo"
  xmlns:q3="http://webservicess.micross.com/og/4.3/HotelCommon
  /" type="q3:AmenityInfo" />
<xs:element minOccurs="0" maxOccurs="1" name="Position"
  xmlns:q4="http://webservicess.micross.com/og/4.3/HotelCommon
  /" type="q4:GeoCode" />
<xs:element minOccurs="0" maxOccurs="1" name="FacilityInfo"
  xmlns:q5="http://webservicess.micross.com/og/4.3/HotelCommon
  /" type="q5:FacilityInfoType" />
<xs:element minOccurs="0" maxOccurs="1"
  name="AlternateProperties"
  xmlns:q6="http://webservicess.micross.com/og/4.3/HotelCommon
  /" type="q6:ArrayOfHotelReference" />
</xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
HotelInformation	element	ArrayOfHotelInfo	optional	Not used in this context.
PaymentMethods	element	ArrayOfPaymentType1	optional	Not used in this context.
AmenityInfo	element	AmenityInfo	optional	Not used in this context.
Position	element	GeoCode	optional	Not used in this context.
FacilityInfo	element	FacilityInfoType	optional	Not used in this context.
AlternateProperties	element	ArrayOfHotelReference	optional	Not used in this context.

FacilityInfoType

```

<xs:complexType name="FacilityInfoType">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="GuestRooms"
      xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon
      /" type="q1:FacilityInfoTypeGuestRooms" />
    <xs:element minOccurs="0" maxOccurs="1" name="Restaurants"
      xmlns:q2="http://webservicess.micross.com/og/4.3/HotelCommon
      /" type="q2:ArrayOfRestaurantsTypeRestaurant" />
    <xs:element minOccurs="0" maxOccurs="1" name="MeetingRooms"
      xmlns:q3="http://webservicess.micross.com/og/4.3/HotelCommon
      /" type="q3:MeetingRoomsType" />
    <xs:element minOccurs="0" maxOccurs="1" name="Attractions"
      xmlns:q4="http://webservicess.micross.com/og/4.3/HotelCommon
      /" type="q4:ArrayOfAttractionsTypeAttraction" />
  </xs:sequence>
  <xs:attribute name="dateOpened" type="xs:date" />
  <xs:attribute name="dateRenovated" type="xs:date" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
dateOpened	attribute	date	none	Not used in this context.
dateRennovated	attribute	date	none	Not used in this context.
GuestRooms	element	FacilityInfoTypeGuestRooms	optional	Not used in this context.
Restaurants	element	ArrayOfRestaurantsTypeRestaurant	optional	Not used in this context.
MeetingRooms	element	MeetingRoomsType	optional	Not used in this context.
Attractions	element	ArrayOfAttractionsTypeAttraction	optional	

FacilityInfoTypeGuestRooms

```
<xs:complexType name="FacilityInfoTypeGuestRooms">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="GuestRoom"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:FacilityInfoTypeGuestRoomsGuestRoom" />
  </xs:sequence>
  <xs:attribute name="totalRooms" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
totalRooms	attribute	string	none	Not used in this context.
GuestRoom	element	FacilityInfoTypeGuestRoomsGuestRoom	optional / multiple	Not used in this context.

FacilityInfoTypeGuestRoomsGuestRoom

```
<xs:complexType name="FacilityInfoTypeGuestRoomsGuestRoom">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="RoomDescription"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:DescriptiveText" />
    <xs:element minOccurs="0" maxOccurs="1" name="AmenityInfo"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q2:AmenityInfo" />
  </xs:sequence>
  <xs:attribute name="code" type="xs:string" />
  <xs:attribute name="maxOccupancy" type="xs:integer" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
code	attribute	string	none	Not used in this context.
maxOccupancy	attribute	integer	none	Not used in this context.
RoomDescription	element	DescriptiveText	optional	Not used in this context.
AmenityInfo	element	AmenityInfo	optional	

FixedCharge

```

<xs:complexType name="FixedCharge">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Description"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="Amount"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaxesAndFees"
      xmlns:q2="http://webservices.micros.com/og/4.3/Common/"
      type="q2:Amount" />
  </xs:sequence>
  <xs:attribute name="id" type="xs:double" />
  <xs:attribute name="transactionCode" type="xs:string" />
  <xs:attribute name="quantity" type="xs:double" />
  <xs:attribute name="frequency"
    xmlns:q3="http://webservices.micros.com/og/4.3/Common/"
    type="q3:Frequency" />
  <xs:attribute name="beginDate" type="xs:date" />
  <xs:attribute name="endDate" type="xs:date" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
id	attribute	double	none	The fixed charge Id.
transactionCode	attribute	string	none	The transaction code for charge.
quantity	attribute	double	none	The quantity.
frequency	attribute	Frequency	none	The frequency of the fixed charge posting.
beginDate	attribute	date	none	The begin date.
endDate	attribute	date	none	The end date.
Description	element	string	optional	A description of fixed charge.
Amount	element	Amount	optional	The amount.

TaxesAndFees	element	Amount	optional	The total amount with taxes and fees.
--------------	---------	--------	----------	---------------------------------------

FixedChargeList

```
<xs:complexType name="FixedChargeList">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="FixedCharge"
      xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon"
      type="q1:FixedCharge" />
  </xs:sequence>
  <xs:attribute name="TotalCharges" type="xs:double"
    use="required" />
  <xs:attribute name="decimals" type="xs:short" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
TotalCharges	attribute	double	required	The total fixed charges.
decimals	attribute	short	none	The number of decimals.
FixedCharge	element	FixedCharge	optional / multiple	The fixed charge details.

Frequency

```
<xs:simpleType name="Frequency">
  <xs:restriction base="xs:string">
    <xs:enumeration value="ONCE" />
    <xs:enumeration value="DAILY" />
    <xs:enumeration value="WEEKLY" />
    <xs:enumeration value="MONTHLY" />
    <xs:enumeration value="QUARTERLY" />
    <xs:enumeration value="YEARLY" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
Frequency	enumeration	string		The possible values are ONCE, DAILY, WEEKLY, MONTHLY, QUARTERLY and YEARLY.

GDSError

```
<xs:complexType name="GDSError">
  <xs:simpleContent>
    <xs:extension base="xs:string">
      <xs:attribute name="errorCode" type="xs:string" />
      <xs:attribute name="elementId" type="xs:string" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
GDSError	extension	string		The GDSError extension.
errorCode	attribute	string	none	The error code.
elementId	attribute	string	none	The elementId.

GdsFlags

```
<xs:complexType name="GdsFlags">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="LateArrivalTime" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="CancellationCode" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="GuarCancelFlag"
      type="xs:string" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
LateArrivalTime	element	string	optional	The late arrival time.
CancellationCode	element	string	optional	The cancellation code.
GuarCancelFlag	element	string	optional	The guarantee cancellation flag.

GDSResultStatus

```
<xs:complexType name="GDSResultStatus">
  <xs:complexContent mixed="false">
    <xs:extension
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      base="q1:ResultStatus">
      <xs:sequence>
```

```

        <xs:element minOccurs="0" maxOccurs="1" name="GDSError"
            xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/" type="q2:GDSError" />
    </xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
GDSResultStatus	extension	ResultStatus		A primary indication of the success or failure of the transaction.
GDSError	element	GDSError	optional	Used only in the event of an error to convey the GDS error segment, code, and message for an error during the transaction.

GdsTotalPrice

```

<xs:complexType name="GdsTotalPrice">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="RateCalculation"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/" type="q1:RateCalculation" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="AdditionalBedAmounts"
      xmlns:q2="http://webservices.micros.com/og/4.3/Availability/" type="q2:ArrayOfAdditionalBedAmount" />
    <xs:element minOccurs="0" maxOccurs="1" name="RoomQuality" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="BedType" type="xs:string" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
RateCalculation	element	RateCalculation	optional	The rate calculation.

AdditionalBedAmounts	element	ArrayOfAdditionalBedAmount	optional	Not used in a General Availability response. In a Detail Availability response, this attribute will be populated if additional bed amounts are attached to the rate.
RoomQuality	element	string	optional	The room quality.
BedType	element	string	optional	The bed type.

GdsTotalPricing

```

<xs:complexType name="GdsTotalPricing">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="TotalInclusiveRoomRate"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Amount" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="TotalExclusiveRoomRate"
      xmlns:q2="http://webservices.micros.com/og/4.3/Common/"
      type="q2:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="TotalTax"
      xmlns:q3="http://webservices.micros.com/og/4.3/Common/"
      type="q3:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="TotalSurCharge"
      xmlns:q4="http://webservices.micros.com/og/4.3/Common/"
      type="q4:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaxQualifier"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="MatchingQualifier" type="xs:string" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
TotalInclusiveRoomRate	element	Amount	optional	The total room rate inclusive of all taxes.
TotalExclusiveRoomRate	element	Amount	optional	The total room rate exclusive of all taxes.
TotalTax	element	Amount	optional	The total tax to be charged on the rate.

TotalSurCharge	element	Amount	optional	The total surcharges to be charged on the rate.
TaxQualifier	element	string	optional	The tax qualifier defined on the rate.
MatchingQualifier	element	string	optional	The matching qualifier defined on the rate.

GdsTotalPricingElement

```

<xs:complexType name="GdsTotalPricingElement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="TotalInclusiveRoomRate"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Amount" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="TotalExclusiveRoomRate"
      xmlns:q2="http://webservices.micros.com/og/4.3/Common/"
      type="q2:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="TotalTax"
      xmlns:q3="http://webservices.micros.com/og/4.3/Common/"
      type="q3:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="TotalSurCharge"
      xmlns:q4="http://webservices.micros.com/og/4.3/Common/"
      type="q4:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaxQualifier"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="MatchingQualifier" type="xs:string" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
TotalInclusiveRoomRate	element	Amount	optional	The total inclusive room rate amount.
TotalExclusiveRoomRate	element	Amount	optional	The total exclusive room rate amount.
TotalTax	element	Amount	optional	The total tax amount.
TotalSurCharge	element	Amount	optional	The total surcharge amount.
TaxQualifier	element	string	optional	The tax qualifier.

MatchingQualifier	element	string	optional	The matching qualifier.
-------------------	---------	--------	----------	-------------------------

GdsTotalPricingTax

```

<xs:complexType name="GdsTotalPricingTax">
  <xs:sequence>
    <xs:element minOccurs="1" maxOccurs="1"
      name="EffectiveStartDate" type="xs:date" />
    <xs:element minOccurs="1" maxOccurs="1"
      name="EffectiveEndDate" type="xs:date" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaxOrFeeOrder"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaxOrFeeBasis"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaxOrFeeAmount"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="TaxOrFeeApplication" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="TaxOrFeeTypeCode" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="ChargeType"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaxDescription"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="CurrencyCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="TaxOrFeeIncluded" type="xs:string" />
  </xs:sequence>
  <xs:attribute name="decimals" type="xs:short" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
decimals	attribute	short	none	The number of decimals defined for the applicable currency.
EffectiveStartDate	element	date	required	The effective start date.
EffectiveEndDate	element	date	required	The effective end date.
TaxOrFeeOrder	element	string	optional	The tax or fee order.
TaxOrFeeBasis	element	string	optional	The tax or fee basis.
TaxOrFeeAmount	element	string	optional	The tax or fee amount.
TaxOrFeeApplicatio n	element	string	optional	The tax or fee application.

TaxOrFeeTypeCode	element	string	optional	The tax or fee code.
ChargeType	element	string	optional	The charge type.
TaxDescription	element	string	optional	The tax description.
CurrencyCode	element	string	optional	The currency code.
TaxOrFeeIncluded	element	string	optional	The tax or fee that is included.

GeoCode

```
<xs:complexType name="GeoCode">
  <xs:attribute name="latitude" type="xs:string" />
  <xs:attribute name="longitude" type="xs:string" />
  <xs:attribute name="altitude" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
latitude	attribute	string	none	A measure of the angular distance on a meridian north or south of the equator. Not used in this context.
longitude	attribute	string	none	A measure of the angular distance on a meridian east or west of the prime meridian. Not used in this context.
altitude	attribute	string	none	The height of an item, typically above sea level. Not used in this context.

GeoPosition

```
<xs:complexType name="GeoPosition">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Radius"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:VectorDistance" />
  </xs:sequence>
</xs:complexType>
```

```

        <xs:element minOccurs="0" maxOccurs="1" name="Position"
            xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon
            /" type="q2:GeoCode" />
    </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Radius	element	VectorDistance	optional	Not currently used.
Position	element	GeoCode	optional	Not currently used.

Guarantee

```

<xs:complexType name="Guarantee">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="GuaranteesAccepted"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
      /" type="q1:ArrayOfGuaranteeAccepted" />
    <xs:element minOccurs="0" maxOccurs="1" name="Deadline"
      type="xs:dateTime" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="GuaranteeDescription"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon
      /" type="q2:Paragraph" />
  </xs:sequence>
  <xs:attribute name="guaranteeType" type="xs:string" />
  <xs:attribute name="mandatoryDeposit" type="xs:boolean" />
  <xs:attribute name="cancellationRequired" type="xs:boolean" />
  <xs:attribute name="creditCardRequired" type="xs:boolean" />
  <xs:attribute name="paymentType" type="xs:string" />
  <xs:attribute name="requirementCode" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
guaranteeType	attribute	string	none	The guarantee type.
mandatoryDeposit	attribute	boolean	none	Indicates whether or not a deposit is a mandatory condition of this rate based on deposit schedule configured in OPERA.

cancellationRequired	attribute	boolean	none	Indicates whether or not a cancellation is required based on cancellation schedule configured in OPERA.
creditCardRequired	attribute	boolean	none	Indicates if a credit card is required.
paymentType	attribute	string	none	The payment type.
requirementCode	attribute	string	none	The requirement code.
GuaranteesAccepted	element	ArrayOfGuaranteeAccepted	optional	If this booking is guaranteed against either a credit card or a travel agent, the appropriate details are stored here.
Deadline	element	dateTime	optional	Reserved for future use.
GuaranteeDescription	element	Paragraph	optional	Any written description of the guarantee.

GuaranteeAccepted

```

<xs:complexType name="GuaranteeAccepted">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="GuaranteeCreditCard"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:CreditCard" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="GuaranteeTravelAgent"
      xmlns:q2="http://webservices.micros.com/og/4.3/Common/"
      type="q2:UniqueID" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="GuaranteeCompany"
      xmlns:q3="http://webservices.micros.com/og/4.3/Common/"
      type="q3:UniqueID" />
  </xs:sequence>
  <xs:attribute name="agentPhone" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
agentPhone	attribute	string	none	The travel agent's primary phone number.
GuaranteedCreditCard	element	CreditCard	optional	The guarantee credit card.
GuaranteedTravelAgent	element	UniqueID	optional	The travel agent.
GuaranteedCompany	element	UniqueID	optional	The travel company.

GuestCount

```
<xs:complexType name="GuestCount">
  <xs:attribute name="ageQualifyingCode"
    xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon/"
    type="q1:AgeQualifyingCode" />
  <xs:attribute name="otherAgeQualifyingCode" type="xs:string" />
  <xs:attribute name="age" type="xs:int" />
  <xs:attribute name="count" type="xs:int" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
ageQualifyingCode	attribute	AgeQualifyingCode	none	An enumerated value specifying the age(s) of the guests.
otherAgeQualifyingCode	attribute	string	none	If the otherAgeQualifyingCode attribute value is set to "OTHER", then this field is required.
age	attribute	int	none	Reserved for future use.
count	attribute	int	none	The number of guests in this age bracket or of this age.

GuestCountList

```
<xs:complexType name="GuestCountList">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="GuestCount"
      xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon/"
      type="q1:GuestCount" />
  </xs:sequence>
</xs:complexType>
```

```

    </xs:sequence>
    <xs:attribute name="isPerRoom" type="xs:boolean" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
isPerRoom	attribute	boolean	none	For the purposes of this interface, the default value is "true".
GuestCount	element	GuestCount	optional / multiple	A collection of GuestCount elements. If the parent element is not present, one adult and no children is the default value. If the parent element is present, at least one properly formed GuestCount element is required.

HotelContact

```

<xs:complexType name="HotelContact">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Addresses"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:ArrayOfAddress" />
    <xs:element minOccurs="0" maxOccurs="1" name="ContactEmails"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q2:ArrayOfEmail" />
    <xs:element minOccurs="0" maxOccurs="1" name="ContactPhones"
      xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q3:ArrayOfPhone" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="HotelInformation"
      xmlns:q4="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q4:ArrayOfHotelInfo" />
    <xs:element minOccurs="0" maxOccurs="1" name="URIs"
      xmlns:q5="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q5:ArrayOfAnyURI" />
    <xs:element minOccurs="0" maxOccurs="1" name="Vector"
      xmlns:q6="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q6:Vector" />
  </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Addresses	element	ArrayOfAddress	optional	The street address of the alternate resort.
ContactEmails	element	ArrayOfEmail	optional	The property contact email. Not returned for an alternate resort.
ContactPhones	element	ArrayOfPhone	optional	The property contact phone number. Not returned for an alternate resort.
HotelInformation	element	ArrayOfHotelInfo	optional	Additional hotel information. In this context, it will only include check-in and check-out times. It is not returned for an alternate resort.
URIs	element	ArrayOfAnyURI	optional	Not used in this context.
Vector	element	Vector	optional	If it is an alternate resort, this attribute provides the distance and direction from the queried property to an alternate property.

HotelInfo

```

<xs:complexType name="HotelInfo">
  <xs:complexContent mixed="false">
    <xs:extension
      xmlns:q1="http://webservices.micos.com/og/4.3/Common/"
      base="q1:DescriptiveText">
      <xs:attribute name="hotelInfoType"
        xmlns:q2="http://webservices.micos.com/og/4.3/HotelComm
on/" type="q2:HotelInfoType" use="required" />
      <xs:attribute name="otherHotelInfoType" type="xs:string"
        />
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```


Name	Type	Data Type	Use	Comments
HotelInfo	extension	DescriptiveText		Hotel information.
hotelInfoType	attribute	HotelInfoType	required	The hotel information type.
otherHotelInfoType	attribute	string	none	The other hotel type.

HotelInfoType

```
<xs:simpleType name="HotelInfoType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="DIRECTIONS" />
    <xs:enumeration value="CHECKININFO" />
    <xs:enumeration value="CHECKOUTINFO" />
    <xs:enumeration value="OTHER" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
HotelInfoType	enumeration	string		The possible values are DIRECTIONS, CHECKININFO, CHECKOUTINFO, and OTHER.

HotelReference

```
<xs:complexType name="HotelReference">
  <xs:simpleContent>
    <xs:extension base="xs:string">
      <xs:attribute name="chainCode" type="xs:string" />
      <xs:attribute name="hotelCode" type="xs:string" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
HotelReference	extension	string		Hotel reference information.
chainCode	attribute	string	none	The channel converted chain code of the property for which availability is being queried.

hotelCode	attribute	string	none	The channel converted hotel/resort code of the property for which availability is to be queried.
-----------	-----------	--------	------	--

HotelSearchCriterion

```
<xs:complexType name="HotelSearchCriterion">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="HotelRef"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:HotelReference" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
HotelRef	element	HotelReference	optional	Used to provide the specific chain and resort code for which availability is to be queried.

IDPair

```
<xs:complexType name="IDPair">
  <xs:attribute name="idType" type="xs:string" />
  <xs:attribute name="operaId" type="xs:long" />
  <xs:attribute name="externalId" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
idType	attribute	string	none	The ID type.
operaId	attribute	long	none	The OPERA ID.
externalId	attribute	string	none	The external ID.

InventoryItemElement

```
<xs:complexType name="InventoryItemElement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="ItemCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="ItemName"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Description"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:DescriptiveText" />
  </xs:sequence>
</xs:complexType>
```

```

<xs:element minOccurs="0" maxOccurs="1" name="SellControl"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="SellSeparate"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="Quantity"
  type="xs:int" />
<xs:element minOccurs="0" maxOccurs="1" name="Available"
  type="xs:int" />
<xs:element minOccurs="0" maxOccurs="1" name="ItemGroup"
  xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon
  /" type="q2:ItemGroupElement" />
<xs:element minOccurs="0" maxOccurs="1" name="ItemDuration"
  type="xs:int" />
</xs:sequence>
<xs:attribute name="ItemBeginDate" type="xs:date" />
<xs:attribute name="ItemEndDate" type="xs:date" />
<xs:attribute name="isPackage" type="xs:boolean" />
<xs:attribute name="isChild" type="xs:boolean" />
<xs:attribute name="ItemDate" type="xs:date" />
<xs:attribute name="isOutSideStayDate" type="xs:boolean" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
ItemBeginDate	attribute	date	none	Start date.
ItemEndDate	attribute	date	none	End date.
isPackage	attribute	boolean	none	Yes or no.
isChild	attribute	boolean	none	Yes or no.
ItemDate	attribute	date	none	The item date.
isOutSideStayDate	attribute	boolean	none	Indicates whether the inventory item is attached to a reservation for a date range longer than the reservation dates.
ItemCode	element	string	optional	The item code.
ItemName	element	string	optional	The item name.
Description	element	DescriptiveText	optional / multiple	A description of the item.
SellControl	element	string	optional	The sell control element.
SellSeparate	element	string	optional	The sell separate element.
Quantity	element	int	optional	The quantity.
Available	element	int	optional	The number available.
ItemGroup	element	ItemGroupElement	optional	The item group.

ItemDuration	element	int	optional	Duration for which the inventory item is attached to the reservation.
--------------	---------	-----	----------	---

ItemElement

```
<xs:complexType name="ItemElement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="InventoryItem"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:InventoryItemElement" />
    <xs:element minOccurs="0" maxOccurs="1" name="Packages"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q2:ArrayOfPackageElement1" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
InventoryItem	element	InventoryItemElement	optional	The inventory item element.
Packages	element	ArrayOfPackageElement1	optional	A collection of package elements.

ItemGroupElement

```
<xs:complexType name="ItemGroupElement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Code"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Description"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:DescriptiveText" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Code	element	string	optional	The code.
Description	element	DescriptiveText	optional / multiple	The description.

MeetingRoomsType

```
<xs:complexType name="MeetingRoomsType">
  <xs:sequence>
```

```

    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="MeetingRoom"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
        /" type="q1:MeetingRoomsTypeMeetingRoom" />
  </xs:sequence>
  <xs:attribute name="MeetingRoomCount"
    type="xs:nonNegativeInteger" />
  <xs:attribute name="SmallestRoomSpace"
    type="xs:nonNegativeInteger" />
  <xs:attribute name="LargestRoomSpace"
    type="xs:nonNegativeInteger" />
  <xs:attribute name="TotalRoomSpace"
    type="xs:nonNegativeInteger" />
  <xs:attribute name="LargestSeatingCapacity"
    type="xs:nonNegativeInteger" />
  <xs:attribute name="SecondLargestSeatingCapacity"
    type="xs:nonNegativeInteger" />
  <xs:attribute name="SmallestSeatingCapacity"
    type="xs:nonNegativeInteger" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
MeetingRoomCount	attribute	nonNegativeInteger	none	Not used in this context.
SmallestRoomSpace	attribute	nonNegativeInteger	none	Not used in this context.
LargestRoomSpace	attribute	nonNegativeInteger	none	Not used in this context.
TotalRoomSpace	attribute	nonNegativeInteger	none	Not used in this context.
LargestSeatingCapacity	attribute	nonNegativeInteger	none	Not used in this context.
SecondLargestSeatingCapacity	attribute	nonNegativeInteger	none	Not used in this context.
SmallestSeatingCapacity	attribute	nonNegativeInteger	none	Not used in this context.
MeetingRoom	element	MeetingRoomsTypeMeetingRoom	optional / multiple	Not used in this context.

MeetingRoomsTypeMeetingRoom

```

<xs:complexType name="MeetingRoomsTypeMeetingRoom">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Codes"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
        /" type="q1:ArrayOfMeetingRoomsTypeMeetingRoomCode" />
    <xs:element minOccurs="0" maxOccurs="1" name="Description"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon
        /" type="q2:Paragraph" />
  </xs:sequence>
  <xs:attribute name="Irregular" type="xs:boolean" />
  <xs:attribute name="PropertySystemName" type="xs:string" />
  <xs:attribute name="RoomName" type="xs:string" />
  <xs:attribute name="Sort" type="xs:nonNegativeInteger" />

```

```

    <xs:attribute name="MeetingRoomCapacity"
      type="xs:nonNegativeInteger" />
  </xs:complexType>

```

Name	Type	Data Type	Use	Comments
Irregular	attribute	boolean	none	Not used in this context.
PropertySystemName	attribute	string	none	Not used in this context.
RoomName	attribute	string	none	Not used in this context.
Sort	attribute	nonNegativeInteger	none	Not used in this context.
MeetingRoomCapacity	attribute	nonNegativeInteger	none	Not used in this context.
Codes	element	ArrayOfMeetingRoomsTypeMeetingRoomCode	optional	Not used in this context.
Description	element	Paragraph	optional	Not used in this context.

MeetingRoomsTypeMeetingRoomCode

```

<xs:complexType name="MeetingRoomsTypeMeetingRoomCode">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Charge"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="Description"
      xmlns:q1="http://webservicesservices.micross.com/og/4.3/HotelCommon/"
      type="q1:Paragraph" />
  </xs:sequence>
  <xs:attribute name="Code" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Code	attribute	string	none	Not used in this context.
Charge	element	string	optional	Not used in this context.
Description	element	Paragraph	optional / multiple	Not used in this context.

MemberAwardInfo

```

<xs:complexType name="MemberAwardInfo">
  <xs:sequence>

```

```

<xs:element minOccurs="0" maxOccurs="1" name="awardType"
  type="xs:string" />
<xs:element minOccurs="1" maxOccurs="1" name="membershipID"
  type="xs:long" />
<xs:element minOccurs="1" maxOccurs="1"
  name="pointsUsedForReservation" type="xs:double" />
<xs:element minOccurs="0" maxOccurs="1" name="redemRateCode"
  type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1" name="stayDate"
  xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q1:TimeSpan" />
<xs:element minOccurs="0" maxOccurs="1"
  name="overridePenalty" type="xs:string" />
</xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
awardType	element	string	optional	Not used in this context.
membershipID	element	long	required	Not used in this context.
pointsUsedForReser vation	element	double	required	Not used in this context.
redemRateCode	element	string	optional	The redemption rate code.
stayDate	element	TimeSpan	optional	The stay date range.

overridePenalty	element	string	optional	<p>Possible values are "N" (default) and "Y." When "N" is passed during a ModifyBooking request, the cancel policy text displays the member's current points and available points after the modification is made. This is for information purposes only to show the guest the available points after the points cancellation policy is applied or award points are credited/debited. When "Y" is passed, the ModifyBooking request is processed and the member's points are correctly calculated based on the points cancellation policy or award points are credited/debited.</p>
-----------------	---------	--------	----------	--

MinMaxRate

```

<xs:complexType name="MinMaxRate">
  <xs:attribute name="minimumRate" type="xs:double" />
  <xs:attribute name="maximumRate" type="xs:double" />
  <xs:attribute name="currencyCode" type="xs:string" />
  <xs:attribute name="decimals" type="xs:short" />
  <xs:attribute name="commissionCode" type="xs:string" />

```

</xs:complexType>

Name	Type	Data Type	Use	Comments
minimumRate	attribute	double	none	The minimum rate to be returned by this query. If not provided, the default value is 0 (zero).
maximumRate	attribute	double	none	The maximum rate to be returned by this query. If not provided, a maximum limit will not be set.
currencyCode	attribute	string	none	Required if the MinMax filter is populated.
decimals	attribute	short	none	The number of decimals configured for the currency indicated.
commissionCode	attribute	string	none	The commission code.

MinMaxRateExtended

```
<xs:complexType name="MinMaxRateExtended">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Amount"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="RateCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="RateCodeDescription" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="RoomType"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="RoomTypeDescription" type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="CancellationPolicy"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q2:Paragraph" />
    <xs:element minOccurs="0" maxOccurs="1" name="IsRateChange"
      type="xs:boolean" />
  </xs:sequence>
</xs:complexType>
```

```

    <xs:element minOccurs="0" maxOccurs="1" name="TotalAmount"
      xmlns:q3="http://webservices.micros.com/og/4.3/Common/"
      type="q3:Amount" />
  </xs:sequence>
  <xs:attribute name="MinMaxRateType"
    xmlns:q4="http://webservices.micros.com/og/4.3/Availability/"
    type="q4:MinMaxRateIndicator" use="required" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
MinMaxRateType	attribute	MinMaxRateIndicator	required	The min/max rate type.
Amount	element	Amount	optional	The amount.
RateCode	element	string	optional	The rate code.
RateCodeDescription	element	string	optional	A description of the rate code.
RoomType	element	string	optional	The room type.
RoomTypeDescription	element	string	optional	A description of the room type.
CancellationPolicy	element	Paragraph	optional	The cancellation policy.
IsRateChange	element	boolean	optional	An indication of whether or not the rate is changeable.
TotalAmount	element	Amount	optional	The total amount.

MinMaxRateIndicator

```

<xs:simpleType name="MinMaxRateIndicator">
  <xs:restriction base="xs:string">
    <xs:enumeration value="MINIMUM" />
    <xs:enumeration value="MAXIMUM" />
  </xs:restriction>
</xs:simpleType>

```

Name	Type	Data Type	Use	Comments
MinMaxRateIndicator	enumeration	string		The possible values are MINIMUM and MAXIMUM.

OtherPaymentType

```

<xs:complexType name="OtherPaymentType">
  <xs:attribute name="type" type="xs:string" />
  <xs:attribute name="value" type="xs:string" />
  <xs:attribute name="source" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
type	attribute	string	none	The type of other payment.
value	attribute	string	none	The amount.
source	attribute	string	none	The source.

PackageDetailCharges

```
<xs:complexType name="PackageDetailCharges">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="StartDate"
      type="xs:date" />
    <xs:element minOccurs="0" maxOccurs="1" name="EndDate"
      type="xs:date" />
    <xs:element minOccurs="0" maxOccurs="1" name="Allowance"
      xmlns:q1="http://webservices.micos.com/og/4.3/Common/"
      type="q1:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="Amount"
      xmlns:q2="http://webservices.micos.com/og/4.3/Common/"
      type="q2:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaxAmount"
      xmlns:q3="http://webservices.micos.com/og/4.3/Common/"
      type="q3:Amount" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
StartDate	element	date	optional	The start date.
EndDate	element	date	optional	The end date.
Allowance	element	Amount	optional	The allowance amount.
Amount	element	Amount	optional	The amount for the package.
TaxAmount	element	Amount	optional	The amount of tax for the package.

PackageElement

```
<xs:complexType name="PackageElement">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Amount"
      xmlns:q1="http://webservices.micos.com/og/4.3/Common/"
      type="q1:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="PackageAmount"
      xmlns:q2="http://webservices.micos.com/og/4.3/Common/"
      type="q2:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="TaxAmount"
      xmlns:q3="http://webservices.micos.com/og/4.3/Common/"
      type="q3:Amount" />
  </xs:sequence>
</xs:complexType>
```

```

<xs:element minOccurs="0" maxOccurs="1" name="Allowance"
  xmlns:q4="http://webservices.micros.com/og/4.3/Common/"
  type="q4:Amount" />
<xs:element minOccurs="0" maxOccurs="unbounded"
  name="Description"
  xmlns:q5="http://webservices.micros.com/og/4.3/Common/"
  type="q5:DescriptiveText" />
<xs:element minOccurs="0" maxOccurs="unbounded"
  name="ShortDescription"
  xmlns:q6="http://webservices.micros.com/og/4.3/Common/"
  type="q6:DescriptiveText" />
<xs:element minOccurs="0" maxOccurs="unbounded"
  name="PackageDetails"
  xmlns:q7="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q7:PackageDetailCharges" />
<xs:element minOccurs="0" maxOccurs="unbounded"
  name="PackageCodes"
  xmlns:q8="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q8:PackageMember" />
<xs:element minOccurs="0" maxOccurs="1" name="StartDate"
  type="xs:date" />
<xs:element minOccurs="0" maxOccurs="1" name="EndDate"
  type="xs:date" />
</xs:sequence>
<xs:attribute name="packageCode" type="xs:string" />
<xs:attribute name="calculationRule" type="xs:string" />
<xs:attribute name="postingRhythm" type="xs:string" />
<xs:attribute name="quantity" type="xs:int" />
<xs:attribute name="includedInRate" type="xs:boolean" />
<xs:attribute name="addRateSeperateLine" type="xs:boolean" />
<xs:attribute name="addRateCombinedLine" type="xs:boolean" />
<xs:attribute name="startTime" type="xs:time" />
<xs:attribute name="endTime" type="xs:time" />
<xs:attribute name="sellSeparate" type="xs:boolean" />
<xs:attribute name="totalDepositAmount" type="xs:double" />
<xs:attribute name="source" type="xs:string" />
<xs:attribute name="taxIncluded" type="xs:boolean" />
<xs:attribute name="packageType" type="xs:string" />
<xs:attribute name="packageGroupCode" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
packageCode	attribute	string	none	The package code.

calculationRule	attribute	string	none	<p>This is used to determine how the package amount should be calculated.</p> <p>The following codes will be sent in the response:</p> <p>"F" - price posted as flat rate.</p> <p>"A" - price times the number of adults.</p> <p>"P" - price times the number of adults plus the number of children.</p> <p>"C" - price times the number of children.</p> <p>"R" - price times the number of rooms.</p>
-----------------	-----------	--------	------	---

postingRhythm	attribute	string	none	<p>The type of rhythm to determine the posting frequency of the package. Determines if package elements are available each day or only on certain days based on the actual arrival date of the reservation. The following codes will be returned based on the package settings:</p> <p>“D” – (Posts Every Night) Post this package charge every night of the stay.</p> <p>“A” – (Posts on Arrival Night) Post this package charge only on arrival night.</p> <p>“IOX0Y” – Posts every X night starting on Night Y. This package will be charged every X night beginning on the Y night of the guest’s stay.</p> <p>Example: A reservation arrives on 04/07/09 and is departing on 04/11/09. A posting rhythm has been configured to post the package every</p>
---------------	-----------	--------	------	--

2 nights starting with night 3.
"W0101010" – Posts on certain nights of the week. Package will be posted on the days of the week where "1" is shown.
"V" – Posts on Last Night. Post this package charge on the last night of the stay only.
"V" – Posts every night except Arrival Night. Post this package charge on all nights of the stay except the arrival night.
"L" – Posts every night except the last. Post this package charge on all nights of the stay except the last night.
"M" – Do not post on first and last night. Post this package charge on all nights except the first and last night of the stay.
"N" – Floating Allowance per Stay. Allow the allowance to be consumed at any time during the guest stay.
"C00100100100100" – Custom

Posting Schedule. Package will be posted for a 14-day period by assigning the day (denoted with "1") within a guest stay. For example, if the response is C00100100100100, OPERA will post on the 3rd, 6th, 9th and 12th day of the stay and will repeat this posting schedule after the 14th day through the remainder of the stay.

quantity	attribute	int	none	Not used in this context.
includedInRate	attribute	boolean	none	Indicates if the package is included in the room rate.
addRateSeprateLine	attribute	boolean	none	Indicates if the rate is added as a separate line.
addRateCombinedLine	attribute	boolean	none	Indicates if the rate has been combined on the same line as the package amount.
startTime	attribute	time	none	The start time when the package is available.
endTime	attribute	time	none	The end time after which the package is not available.
sellSeparate	attribute	boolean	none	Indicates whether the package element may be added separately to a reservation.

totalDepositAmount	attribute	double	none	Total amount of deposit required.
source	attribute	string	none	Indicates the source of the package, which can be either "RATE" if it was added from the rate code or "RESERVATION" if it was added to the guest booking.
taxIncluded	attribute	boolean	none	Indicates whether taxes are included in this package.
packageType	attribute	string	none	The defined type of package element.
packageGroupCode	attribute	string	none	The defined package group to which the package element is attached.
Amount	element	Amount	optional	The price of the package element.
PackageAmount	element	Amount	optional	The overall charge for the package.
TaxAmount	element	Amount	optional	The amount of tax for the package.
Allowance	element	Amount	optional	The amount over the package amount which will be allowed.
Description	element	DescriptiveText	optional / multiple	Not used in this context.
ShortDescription	element	DescriptiveText	optional / multiple	The short text description of the package.
PackageDetails	element	PackageDetailCharges	optional / multiple	The package details.
PackageCodes	element	PackageMember	optional / multiple	Transaction codes which will be consumed by the package.
StartDate	element	date	optional	The start date for the package.

EndDate	element	date	optional	The end date for the package.
---------	---------	------	----------	-------------------------------

PackageMember

```
<xs:complexType name="PackageMember">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Code"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="Description"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      /" type="q1:Paragraph" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Code	element	string	optional	The defined code for this package element.
Description	element	Paragraph	optional	The text description for this package element.

Paragraph

```
<xs:complexType name="Paragraph">
  <xs:sequence>
    <xs:choice minOccurs="0" maxOccurs="unbounded">
      <xs:element minOccurs="0" maxOccurs="1" name="Text"
        xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
        type="q1:Text" />
      <xs:element minOccurs="0" maxOccurs="1" name="URL"
        type="xs:anyURI" />
      <xs:element minOccurs="0" maxOccurs="1" name="Image"
        type="xs:string" />
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Text	element	Text	optional	Not used in this context.
URL	element	anyURI	optional	Not used in this context.

Image	element	string	optional	An array of text elements that collectively contain the rate plan description.
-------	---------	--------	----------	--

Payment

```
<xs:complexType name="Payment">
  <xs:sequence>
    <xs:choice minOccurs="1" maxOccurs="1">
      <xs:element minOccurs="0" maxOccurs="1"
        name="PaymentsAccepted"
        xmlns:q1="http://webservicess.micross.com/og/4.3/HotelComm
on/" type="q1:ArrayOfPaymentType" />
      <xs:element minOccurs="0" maxOccurs="1" name="PaymentUsed"
        xmlns:q2="http://webservicess.micross.com/og/4.3/HotelComm
on/" type="q2:PaymentUsed" />
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
PaymentsAccepted	element	ArrayOfPaymentTy pe	optional	Not used in this context.
PaymentUsed	element	PaymentUsed	optional	Not used in this context.

PaymentType

```
<xs:complexType name="PaymentType">
  <xs:sequence>
    <xs:choice minOccurs="1" maxOccurs="1">
      <xs:element minOccurs="0" maxOccurs="1"
        name="OtherPayment"
        xmlns:q1="http://webservicess.micross.com/og/4.3/HotelComm
on/" type="q1:OtherPaymentType" />
      <xs:element minOccurs="0" maxOccurs="1"
        name="PaymentVoucher"
        xmlns:q2="http://webservicess.micross.com/og/4.3/HotelComm
on/" type="q2:Voucher" />
      <xs:element minOccurs="0" maxOccurs="1" name="PaymentCard"
        xmlns:q3="http://webservicess.micross.com/og/4.3/Common/"
        type="q3:CreditCard" />
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

OtherPayment	element	OtherPaymentType	optional	Other forms of payment accepted.
PaymentVoucher	element	Voucher	optional	The payment voucher.
PaymentCard	element	CreditCard	optional	The payment card.

PaymentUsed

```
<xs:complexType name="PaymentUsed">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="PaymentType"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:PaymentType" />
    <xs:element minOccurs="0" maxOccurs="1" name="Deposit"
      xmlns:q2="http://webservices.micros.com/og/4.3/Common/"
      type="q2:Amount" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
PaymentType	element	PaymentType	optional	These are the various payment methods a hotel may accept when making a reservation.
Deposit	element	Amount	optional	Indicates the required deposit amount.

Phone

```
<xs:complexType name="Phone">
  <xs:sequence>
    <xs:choice minOccurs="1" maxOccurs="1">
      <xs:element minOccurs="0" maxOccurs="1" name="PhoneData"
        xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
        type="q1:PhonePhoneData" />
      <xs:element minOccurs="0" maxOccurs="1" name="PhoneNumber"
        type="xs:string" />
    </xs:choice>
  </xs:sequence>
  <xs:attribute name="phoneType" type="xs:string" />
  <xs:attribute name="phoneRole" type="xs:string" />
  <xs:attribute name="primaryPhone" type="xs:boolean" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
phoneType	attribute	string	none	A string representation of the phone number, including all required country and area code prefixes.
phoneRole	attribute	string	none	The role of the number provided, such as HOME or BUSINESS.
primaryPhone	attribute	boolean	none	Indicates whether this record is the primary phone record, if others of the same type exist.
PhoneData	element	PhonePhoneData	optional	Not used in this context.
PhoneNumber	element	string	optional	A string representation of the phone number, including all required country and area code prefixes.

PhonePhoneData

```
<xs:complexType name="PhonePhoneData">
  <xs:attribute name="countryAccessCode" type="xs:string" />
  <xs:attribute name="areaCode" type="xs:string" />
  <xs:attribute name="phoneNumber" type="xs:string" />
  <xs:attribute name="extension" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
countryAccessCode	attribute	string	none	The country access code.
areaCode	attribute	string	none	The area code.
phoneNumber	attribute	string	none	The phone number.
extension	attribute	string	none	The phone extension.

PointsSchedule

```
<xs:complexType name="PointsSchedule">
  <xs:sequence>
    <xs:element minOccurs="1" maxOccurs="1" name="BeginDate"
      type="xs:date" />
    <xs:element minOccurs="1" maxOccurs="1" name="EndDate"
      type="xs:date" />
    <xs:element minOccurs="1" maxOccurs="1" name="PointsRequired"
      type="xs:int" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
BeginDate	element	date	required	The start date of the points schedule.
EndDate	element	date	required	The end date of the points schedule.
PointsRequired	element	int	required	The number of points required for this schedule.

PromotionDetails

```
<xs:complexType name="PromotionDetails">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="PromotionCode"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="PromotionName"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="Resort"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="BookingDate"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:TimeSpan" />
    <xs:element minOccurs="0" maxOccurs="1" name="StayDate"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q2:TimeSpan" />
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RateCode" type="xs:string" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
PromotionCode	element	string	optional	The code defined for the promotion.

PromotionName	element	string	optional	The description text for the promotion.
Resort	element	string	optional	The resort for which the promotion is configured.
BookingDate	element	TimeSpan	optional	The business dates during which the promotion may be sold.
StayDate	element	TimeSpan	optional	The arrival dates during which the promotion may be used.
RateCode	element	string	optional / multiple	The rate codes which are attached to and available with the promotion.

PropertyStatusCode

```
<xs:complexType name="PropertyStatusCode">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="PropertyLevelError" type="xs:string" />
  </xs:sequence>
  <xs:attribute name="propertyStatusCode"
    xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
    type="q1:PropertyStatusCodeType" use="required" />
  <xs:attribute name="otherPropertyStatusCode" type="xs:string"
    />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
propertyStatusCode	attribute	PropertyStatusCode Type	required	A collection of PropertyStatusCo de elements.

otherPropertyStatus Code	attribute	string	none	If OTHER is selected in the previous field, this field becomes operationally required and must contain a value agreed to by trading partners.
PropertyLevelError	element	string	optional	Will be provided only if the input value for the query was a list of properties. If provided, this will be a fixed GDS/ADS error representing that an error occurred while attempting to retrieve availability for the subject property.

PropertyStatusCodeType

```

<xs:simpleType name="PropertyStatusCodeType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="OPEN" />
    <xs:enumeration value="CLOSED" />
    <xs:enumeration value="ALTERNATE" />
    <xs:enumeration value="REQUESTED" />
    <xs:enumeration value="UNKNOWN" />
    <xs:enumeration value="OTHER" />
  </xs:restriction>
</xs:simpleType>

```

Name	Type	Data Type	Use	Comments
PropertyStatusCode Type	enumeration	string		The possible values are OPEN, CLOSED, ALTERNATE, REQUESTED, UNKNOWN, and OTHER.

Rate

```
<xs:complexType name="Rate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Base"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:Amount" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="AdditionalGuestAmounts"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q2:ArrayOfAdditionalGuestAmount" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="AdditionalBedAmounts"
      xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q3:ArrayOfAdditionalBedAmount" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="GdsTotalPricingTaxes"
      xmlns:q4="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q4:ArrayOfGdsTotalPricingTax" />
    <xs:element minOccurs="0" maxOccurs="1" name="Points"
      type="xs:double" />
  </xs:sequence>
  <xs:attribute name="effectiveDate" type="xs:date" />
  <xs:attribute name="expirationDate" type="xs:date" />
  <xs:attribute name="rateOccurrence"
    xmlns:q5="http://webservices.micros.com/og/4.3/HotelCommon/"
    type="q5:RateOccurrenceType" />
  <xs:attribute name="otherRateOccurrence" type="xs:string" />
  <xs:attribute name="rateChangeIndicator" type="xs:boolean" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
effectiveDate	attribute	date	none	Not used in General Availability response. In a Detail Availability response, if there are rate amount changes throughout the length of stay, these dates are required.
expirationDate	attribute	date	none	The expiration date.
rateOccurrence	attribute	RateOccurrenceType	none	For this interface instance, the rateOccurrence will always be set to "Daily".

otherRateOccurrence	attribute	string	none	Not used in this context.
rateChangeIndicator	attribute	boolean	none	If there is a change in the rate amount at any point throughout the duration of the stay, this flag must be set.
Base	element	Amount	optional	The anticipated daily or base rate for the stay.
AdditionalGuestAmounts	element	ArrayOfAdditionalGuestAmounts	optional	Not used in a General Availability response. In a Detail Availability response it will be populated if additional guest amounts are attached to the rate.
AdditionalBedAmounts	element	ArrayOfAdditionalBedAmounts	optional	Not used in a General Availability response. In a Detail Availability response, this attribute will be populated if additional bed amounts are attached to the rate.
GdsTotalPricingTaxes	element	ArrayOfGdsTotalPricingTaxes	optional	The GDS total pricing taxes.
Points	element	double	optional	The number of points required to purchase a night on this rate code.

RateCalculation

```
<xs:complexType name="RateCalculation">
  <xs:attribute name="rateCategory" type="xs:string" />
  <xs:attribute name="rateChangeIndicator" type="xs:string" />
</xs:complexType>
```

```

<xs:attribute name="rateChangeMethod" type="xs:string" />
<xs:attribute name="calculatePercentagesIndicator"
  type="xs:string" />
<xs:attribute name="taxApplicationIndicator" type="xs:string"
  />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
rateCategory	attribute	string	none	The internal category defined for the rate code.
rateChangeIndicator	attribute	string	none	Indicates whether the rate amount changes during the stay.
rateChangeMethod	attribute	string	none	Indicates where during the stay the rate change occurs.
calculatePercentages Indicator	attribute	string	none	Indicates whether the rate amount is a calculated percentage off of another rate.
taxApplicationIndicator	attribute	string	none	Indicates whether tax is included in the rate amount.

RateCodeInformation

```

<xs:complexType name="RateCodeInformation">
  <xs:attribute name="ratePlanCode" type="xs:string" />
  <xs:attribute name="corporateCode" type="xs:string" />
  <xs:attribute name="ratePlanIndicator" type="xs:string" />
  <xs:attribute name="ratePlanStatusCode"
    xmlns:q1="http://webservices.micros.com/og/4.3/Availability/"
    type="q1:StatusCodeIndicator" use="required" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
ratePlanCode	attribute	string	none	The rate plan code.
corporateCode	attribute	string	none	The corporate code used for the rate.
ratePlanIndicator	attribute	string	none	The rate plan indicator.
ratePlanStatusCode	attribute	StatusCodeIndicator	required	The rate plan status code.

RateCycleType

```
<xs:simpleType name="RateCycleType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="MONTHLY" />
    <xs:enumeration value="WEEKLY" />
    <xs:enumeration value="OTHER" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
RateCycleType	enumerati on	string		The possible values are MONTHLY, WEEKLY and OTHER.

RateOccurrenceType

```
<xs:simpleType name="RateOccurrenceType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="DAILY" />
    <xs:enumeration value="WEEKLY" />
    <xs:enumeration value="OTHER" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
RateOccurrenceType	enumerati on	string		The possible values are DAILY, WEEKLY, and OTHER.

RatePlan

```
<xs:complexType name="RatePlan">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="RatePlanDescription"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:Paragraph" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="RatePlanShortDescription"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q2:Paragraph" />
    <xs:element minOccurs="0" maxOccurs="1" name="Commission"
      xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q3:Commission" />
  </xs:sequence>
</xs:complexType>
```

```
<xs:element minOccurs="0" maxOccurs="1"
  name="AdditionalDetails"
  xmlns:q4="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q4:ArrayOfAdditionalDetail" />
<xs:element minOccurs="0" maxOccurs="1"
  name="CancellationDateTime"
  xmlns:q5="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q5:CancelDateTime" />
<xs:element minOccurs="0" maxOccurs="1"
  name="DepositRequired"
  xmlns:q6="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q6:DepositRequirement" />
<xs:element minOccurs="0" maxOccurs="1" name="GdsFlags"
  xmlns:q7="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q7:GdsFlags" />
<xs:element minOccurs="0" maxOccurs="1"
  name="GuaranteeDetails"
  xmlns:q8="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q8:ArrayOfGuarantee" />
<xs:element minOccurs="0" maxOccurs="1" name="MealPlanCodes"
  xmlns:q9="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q9:AmenityInfo" />
<xs:element minOccurs="0" maxOccurs="1" name="Packages"
  xmlns:q10="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q10:ArrayOfPackageElement" />
<xs:element minOccurs="0" maxOccurs="1" name="Discount"
  xmlns:q11="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q11:Discount" />
</xs:sequence>
<xs:attribute name="ratePlanCategory" type="xs:string" />
<xs:attribute name="ratePlanCode" type="xs:string" />
<xs:attribute name="promotionCode" type="xs:string" />
<xs:attribute name="qualifyingIdType" type="xs:string" />
<xs:attribute name="qualifyingIdValue" type="xs:string" />
<xs:attribute name="effectiveDate" type="xs:date" />
<xs:attribute name="expirationDate" type="xs:date" />
<xs:attribute name="hold" type="xs:boolean" />
<xs:attribute name="commissionYn" type="xs:boolean" />
<xs:attribute name="mandatoryDeposit" type="xs:boolean" />
<xs:attribute name="suppressRate" type="xs:boolean" />
<xs:attribute name="ratePlanName" type="xs:string" />
<xs:attribute name="awardType" type="xs:string" />
<xs:attribute name="redemRate" type="xs:boolean" />
<xs:attribute name="commissionCode" type="xs:string" />
<xs:attribute name="asbRateCycle" type="xs:string" />
<xs:attribute name="hasPackage" type="xs:boolean" />
<xs:attribute name="taxInclusive" type="xs:boolean" />
<xs:attribute name="blockName" type="xs:string" />
<xs:attribute name="rankRate" type="xs:boolean" />
<xs:attribute name="rateTypeIndicator" type="xs:string" />
<xs:attribute name="postingRhythm" type="xs:string" />
<xs:attribute name="repeatPostingRhythm" type="xs:boolean" />
<xs:attribute name="discountRateAmount" type="xs:double" />
<xs:attribute name="discountRatePercent" type="xs:boolean" />
<xs:attribute name="postingRhythmNights" type="xs:int" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
ratePlanCategory	attribute	string	none	The rate plan category code, as defined in channel setup.
ratePlanCode	attribute	string	none	The rate plan code.
promotionCode	attribute	string	none	The Promotional code or Coupon code. In both cases, the service returns all of the rate codes that are associated with the promotion group.
qualifyingIdType	attribute	string	none	If a specific negotiated rate was included in a response as a result of a qualifying ID, then the type of ID is required/ included.
qualifyingIdValue	attribute	string	none	If a specific negotiated rate was included in the response, this displays the actual value of the qualifying ID.
effectiveDate	attribute	date	none	Not used in this context.
expirationDate	attribute	date	none	Not used in this context.
hold	attribute	boolean	none	Indicates whether or not a hold is available on this rate.
commissionYn	attribute	boolean	none	Indicates whether or not a commission is available for this rate.

mandatoryDeposit	attribute	boolean	none	Indicates whether or not a deposit is a mandatory condition of this rate.
suppressRate	attribute	boolean	none	An indication of whether or not the rate amount is suppressed for display on the website.
ratePlanName	attribute	string	none	The short description text of the rate plan.
awardType	attribute	string	none	The configured award type of the award linked to the rate code.
redemRate	attribute	boolean	none	Indicates whether this rate plan may be purchased with points (award redemption).
commissionCode	attribute	string	none	The commission code defined on the rate plan.
asbRateCycle	attribute	string	none	The posting cycle for this rate plan when Apartment Style Billing (ASB) is activated.
hasPackage	attribute	boolean	none	Indicates whether the rate plan has a package element attached.
taxInclusive	attribute	boolean	none	Indicates whether the price of this rate plan is inclusive of tax.
blockName	attribute	string	none	The description of the block to which the rate plan is attached.
rankRate	attribute	boolean	none	The configured rank of the rate plan.

rateTypeIndicator	attribute	string	none	The type of rate plan (i.e. Negotiated, etc.).
postingRhythm	attribute	string	none	Defines how often the rate plan will post.
repeatPostingRhythm	attribute	boolean	none	Defines how often the rate plan posting rhythm will repeat.
discountRateAmount	attribute	double	none	The amount of the discount applied from another rate plan.
discountRatePercent	attribute	boolean	none	Indicates whether the discountRateAmount field is a percentage ("Y") or a flat amount ("N").
postingRhythmNights	attribute	int	none	Defines specific night when the rate plan will post.
RatePlanDescription	element	Paragraph	optional	A paragraph-style description of the rate plan.
RatePlanShortDescription	element	Paragraph	optional	A short description text of the rate plan.
Commission	element	Commission	optional	A collection of AdditionalDetail elements used for various policies associated with subject rate.
AdditionalDetails	element	ArrayOfAdditionalDetail	optional	
CancellationDateTime	element	CancelDateTime	optional	Any cancellation time or date rules that may be appropriate.
DepositRequired	element	DepositRequirement	optional	The deposit requirements.
GdsFlags	element	GdsFlags	optional	The GDS flag.

GuaranteeDetails	element	ArrayOfGuarantee	optional	Details of the guarantee types which will be accepted for this rate plan.
MealPlanCodes	element	AmenityInfo	optional	Details of the meal plan codes which are available with this rate plan.
Packages	element	ArrayOfPackageElement	optional	Details of the package elements attached to this rate plan.
Discount	element	Discount	optional	Indicates whether this rate plan may be discounted on the reservation.

RatePlanCandidate

```
<xs:complexType name="RatePlanCandidate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="MealPlanCodes"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:AmenityInfo" />
  </xs:sequence>
  <xs:attribute name="ratePlanCode" type="xs:string" />
  <xs:attribute name="promotionCode" type="xs:string" />
  <xs:attribute name="qualifyingIdType" type="xs:string" />
  <xs:attribute name="qualifyingIdValue" type="xs:string" />
  <xs:attribute name="awardType" type="xs:string" />
  <xs:attribute name="commissionCode" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
ratePlanCode	attribute	string	none	In this context, if a rate code is provided and that rate code is available, the rate code will be given order preference in the result message.

promotionCode	attribute	string	none	The Promotional code or Coupon code. In both cases, the service returns all of the rate codes that are associated with the promotion group.
qualifyingIdType	attribute	string	none	The type of ID number provided to qualify for negotiated rates. This attribute is required if the qualifyingIdValue attribute is populated.
qualifyingIdValue	attribute	string	none	The actual ID value provided to qualify for negotiated rates.
awardType	attribute	string	none	The type of membership award linked to the rate plan.
commissionCode	attribute	string	none	The defined commission code for the rate plan.
MealPlanCodes	element	AmenityInfo	optional	The configured meal plan linked to the rate plan.

RatePlanRoomTypes

```

<xs:complexType name="RatePlanRoomTypes">
  <xs:complexContent mixed="false">
    <xs:extension
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      base="q1:RatePlan">
      <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1" name="RoomTypes"
          type="q1:ArrayOfRoomType" />
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
RatePlanRoomTypes	extension	RatePlan		A collection of rate plan room type information.
RoomTypes	element	ArrayOfRoomType	optional	The room types.

RegionalAvailableProperty

```

<xs:complexType name="RegionalAvailableProperty">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="HotelReference"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:HotelReference" />
    <xs:element minOccurs="0" maxOccurs="1" name="PropertyStatus"
      xmlns:q2="http://webservices.micros.com/og/4.3/Availabilit
y/"
      type="q2:PropertyStatusCode" />
    <xs:element minOccurs="0" maxOccurs="1" name="MinMaxRate"
      xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q3:MinMaxRate" />
    <xs:element minOccurs="0" maxOccurs="1" name="NumberToSell"
      type="xs:int" />
    <xs:element minOccurs="0" maxOccurs="1" name="HotelContact"
      xmlns:q4="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q4:HotelContact" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="HotelExtendedInformation"
      xmlns:q5="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q5:ExtendedHotelInfo" />
  </xs:sequence>
  <xs:attribute name="isNegotiatedRateAvailable"
    type="xs:boolean" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
isNegotiatedRateAvailable	attribute	boolean	none	An indication of whether or not the rate is available.
HotelReference	element	HotelReference	optional	Contains a reference to the subject property or resort.
PropertyStatus	element	PropertyStatusCode	optional	A property status code container, describing whether or not a subject property is available.

MinMaxRate	element	MinMaxRate	optional	The minimum/maximum rate available at this property. It does not actually indicate that the rate is available now, rather that it is available under certain criteria.
NumberToSell	element	int	optional	The number of available rooms as of the instant of the transaction. Unlike rate elements, this value is real-time accurate.
HotelContact	element	HotelContact	optional	A container wrapping contact and other descriptive content for a subject property or resort.
HotelExtendedInformation	element	ExtendedHotelInfo	optional	Extended hotel information.

RegionalAvailablePropertyExtended

```
<xs:complexType name="RegionalAvailablePropertyExtended">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="HotelReference"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/" type="q1:HotelReference" />
    <xs:element minOccurs="0" maxOccurs="1" name="PropertyStatus"
      xmlns:q2="http://webservices.micros.com/og/4.3/Availability/" type="q2:PropertyStatusCode" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="isNegotiatedRateAvailable" type="xs:boolean" />
    <xs:element minOccurs="0" maxOccurs="1" name="NumberToSell"
      type="xs:int" />
    <xs:element minOccurs="0" maxOccurs="1" name="HotelContact"
      xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon/" type="q3:HotelContact" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="HotelExtendedInformation"
      xmlns:q4="http://webservices.micros.com/og/4.3/HotelCommon/" type="q4:ExtendedHotelInfo" />
  </xs:sequence>
</xs:complexType>
```

```

<xs:element minOccurs="0" maxOccurs="1" name="MinimumRate"
  xmlns:q5="http://webservices.micros.com/og/4.3/Availabilit
  y/" type="q5:MinMaxRateExtended" />
<xs:element minOccurs="0" maxOccurs="1" name="MaximumRate"
  xmlns:q6="http://webservices.micros.com/og/4.3/Availabilit
  y/" type="q6:MinMaxRateExtended" />
<xs:element minOccurs="0" maxOccurs="1" name="RateRoomTypes"
  xmlns:q7="http://webservices.micros.com/og/4.3/HotelCommon
  /" type="q7:ArrayOfRatePlanRoomTypes" />
</xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
HotelReference	element	HotelReference	optional	Contains a reference to the subject property or resort.
PropertyStatus	element	PropertyStatusCode	optional	A property status code container describing whether or not a subject property is available for sale.
isNegotiatedRateAvailable	element	boolean	optional	An indication of whether or not a negotiated rate is available.
NumberToSell	element	int	optional	The number of available rooms as of the instant of the transaction. As opposed to rate elements, this value is real-time accurate.
HotelContact	element	HotelContact	optional	A container wrapping contact and other descriptive content for a subject property or resort.
HotelExtendedInformation	element	ExtendedHotelInfo	optional	Hotel extended information.
MinimumRate	element	MinMaxRateExtended	optional	The minimum rate amount filter. If not provided, the default value is 0.

MaximumRate	element	MinMaxRateExtended	optional	The maximum rate amount filter. If not provided, no maximum limit will be applied to result set filter.
RateRoomTypes	element	ArrayOfRatePlanRoomTypes	optional	A collection of rate plan and room type information.

RegionalSearch

```
<xs:complexType name="RegionalSearch">
  <xs:sequence>
    <xs:choice minOccurs="1" maxOccurs="1">
      <xs:element minOccurs="0" maxOccurs="1" name="CitySearch"
        xmlns:q1="http://webservices.micros.com/og/4.3/Availability/" type="q1:CityCode" />
      <xs:element minOccurs="0" maxOccurs="1" name="GeoSearch"
        xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/" type="q2:GeoPosition" />
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
CitySearch	element	CityCode	optional	A city search.
GeoSearch	element	GeoPosition	optional	A geographic search.

RegionalSearchCode

```
<xs:complexType name="RegionalSearchCode">
  <xs:simpleContent>
    <xs:extension base="xs:string">
      <xs:attribute name="regionalSearchCodeType"
        xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/" type="q1:RegionalSearchCodeType" use="required" />
      <xs:attribute name="otherRegionalSearchCodeType"
        type="xs:string" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

RegionalSearchCode	extension	string		Encapsulates regional search criteria to be applied.
regionalSearchCodeType	attribute	RegionalSearchCodeType	required	The type of search to perform.
otherRegionalSearchCodeType	attribute	string	none	If OTHER is selected in the previous parameters, this field is required.

RegionalSearchCodeType

```
<xs:simpleType name="RegionalSearchCodeType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="CITY" />
    <xs:enumeration value="CHAIN" />
    <xs:enumeration value="CRO" />
    <xs:enumeration value="REGION" />
    <xs:enumeration value="OTHER" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
RegionalSearchCodeType	enumeration	string		The possible values are CITY, CHAIN, CRO, REGION, and OTHER.

ReservationComment

```
<xs:complexType name="ReservationComment">
  <xs:complexContent mixed="false">
    <xs:extension
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      base="q1:Paragraph">
      <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1" name="CommentId"
          type="xs:double" />
        <xs:element minOccurs="0" maxOccurs="1" name="InternalYn"
          type="xs:boolean" />
        <xs:element minOccurs="0" maxOccurs="1" name="CommentType"
          type="xs:string" />
      </xs:sequence>
      <xs:attribute name="commentOriginatorCode" type="xs:string" />
      <xs:attribute name="guestViewable" type="xs:boolean" />
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

```
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
ReservationComment	extension	Paragraph		Not used in this context.
commentOriginatorCode	attribute	string	none	Not used in this context.
guestViewable	attribute	boolean	none	Not used in this context.
CommentId	element	double	optional	
InternalYn	element	boolean	optional	
CommentType	element	string	optional	

ResGuestRPH

```
<xs:complexType name="ResGuestRPH">  
  <xs:attribute name="RPH" type="xs:int" use="required" />  
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
RPH	attribute	int	required	Not used in this context.

ReservationTrace

```
<xs:complexType name="ReservationTrace">  
  <xs:complexContent mixed="false">  
    <xs:extension  
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"  
      base="q1:Paragraph">  
      <xs:sequence>  
        <xs:element minOccurs="0" maxOccurs="1" name="TraceId"  
          type="xs:double" />  
        <xs:element minOccurs="0" maxOccurs="1" name="TraceDate"  
          type="xs:date" />  
        <xs:element minOccurs="0" maxOccurs="1" name="TraceTime"  
          type="xs:time" />  
        <xs:element minOccurs="0" maxOccurs="1"  
          name="ResolvedOn" type="xs:date" />  
        <xs:element minOccurs="0" maxOccurs="1"  
          name="ResolvedBy" type="xs:string" />  
      </xs:sequence>  
      <xs:attribute name="department" type="xs:string" />  
      <xs:attribute name="resolved" type="xs:boolean" />  
    </xs:extension>  
  </xs:complexContent>  
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

ReservationTrace	extension	Paragraph		The reservation trace information.
department	attribute	string	none	The trace department.
resolved	attribute	boolean	none	Indicates if the trace was resolved.
TraceId	element	double	optional	The trace Id.
TraceDate	element	date	optional	The trace date.
TraceTime	element	time	optional	The trace time.
ResolvedOn	element	date	optional	The date when reservation trace was resolved.
ResolvedBy	element	string	optional	The person who resolved the reservation trace.

RestaurantsTypeRestaurant

```

<xs:complexType name="RestaurantsTypeRestaurant">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RestaurantDescription"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:Paragraph" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="RelativePosition"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q2:Vector" />
    <xs:element minOccurs="0" maxOccurs="1" name="Cuisines"
      xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q3:ArrayOfRestaurantsTypeRestaurantCuisine" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="RestaurantContacts"
      xmlns:q4="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q4:ArrayOfAddress" />
  </xs:sequence>
  <xs:attribute name="RestaurantName" type="xs:string" />
  <xs:attribute name="MaxSeatingCapacity"
    type="xs:nonNegativeInteger" />
  <xs:attribute name="MaxSingleParty"
    type="xs:nonNegativeInteger" />
  <xs:attribute name="OfferBreakfast" type="xs:boolean" />
  <xs:attribute name="OfferLunch" type="xs:boolean" />
  <xs:attribute name="OfferDinner" type="xs:boolean" />
  <xs:attribute name="OfferBrunch" type="xs:boolean" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
RestaurantName	attribute	string	none	Not used in this context.

MaxSeatingCapacity	attribute	nonNegativeInteger	none	Not used in this context.
MaxSingleParty	attribute	nonNegativeInteger	none	Not used in this context.
OfferBreakfast	attribute	boolean	none	Not used in this context.
OfferLunch	attribute	boolean	none	Not used in this context.
OfferDinner	attribute	boolean	none	Not used in this context.
OfferBrunch	attribute	boolean	none	Not used in this context.
RestaurantDescription	element	Paragraph	optional / multiple	Not used in this context.
RelativePosition	element	Vector	optional	Not used in this context.
Cuisines	element	ArrayOfRestaurantsTypeRestaurantCuisine	optional	Not used in this context.
RestaurantContacts	element	ArrayOfAddress	optional	Not used in this context.

RestaurantsTypeRestaurantCuisine

```
<xs:complexType name="RestaurantsTypeRestaurantCuisine">
  <xs:attribute name="Code" type="xs:string" />
  <xs:attribute name="Description" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Code	attribute	string	none	Not used in this context.
Description	attribute	string	none	Not used in this context.

Restriction

```
<xs:complexType name="Restriction">
  <xs:attribute name="restrictionType"
    xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
    type="q1:RestrictionType" use="required" />
  <xs:attribute name="numberOfDays" type="xs:integer" />
  <xs:attribute name="roomType" type="xs:string" />
  <xs:attribute name="rateCode" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

restrictionType	attribute	RestrictionType	required	Represents a restriction type element.
numberOfDays	attribute	integer	none	The number of days for a certain type of restriction, such as maximum length of stay, minimum length of stay, etc.
roomType	attribute	string	none	The room type code.
rateCode	attribute	string	none	The rate plan code.

RestrictionType

```

<xs:simpleType name="RestrictionType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="OPEN" />
    <xs:enumeration value="CLOSED" />
    <xs:enumeration value="OPEN_FOR_ARRIVAL" />
    <xs:enumeration value="CLOSED_FOR_ARRIVAL" />
    <xs:enumeration value="OPEN_FOR_DEPARTURE" />
    <xs:enumeration value="CLOSED_FOR_DEPARTURE" />
    <xs:enumeration value="MINIMUM_STAY_THROUGH" />
    <xs:enumeration value="MAXIMUM_STAY_THROUGH" />
    <xs:enumeration value="MINIMUM_LENGTH_OF_STAY" />
    <xs:enumeration value="MAXIMUM_LENGTH_OF_STAY" />
    <xs:enumeration value="MINIMUM_ADVANCE_BOOKING" />
    <xs:enumeration value="MAXIMUM_ADVANCE_BOOKING" />
    <xs:enumeration value="LENGTH_OF_STAY_NOT_AVAILABLE" />
  </xs:restriction>
</xs:simpleType>

```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

RestrictionType	enumeration	string	The possible values are OPEN, CLOSED, OPEN_FOR_ARRIVAL, CLOSED_FOR_ARRIVAL, OPEN_FOR_DEPARTURE, CLOSED_FOR_DEPARTURE, MINIMUM_STAY_THROUGH, MAXIMUM_STAY_THROUGH, MINIMUM_LENGTH_OF_STAY, MAXIMUM_LENGTH_OF_STAY, MINIMUM_ADVANCE_BOOKING, MAXIMUM_ADVANCE_BOOKING, and LENGTH_OF_STAY_NOT_AVAILABLE.
-----------------	-------------	--------	---

ResultStatus

```

<xs:complexType name="ResultStatus">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Text"
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      type="q1:TextList" />
    <xs:element minOccurs="0" maxOccurs="1" name="IDs"
      xmlns:q2="http://webservices.micros.com/og/4.3/Common/"
      type="q2:IDPairList" />
    <xs:element minOccurs="0" maxOccurs="1" name="OperaErrorCode"
      type="xs:string" />
  </xs:sequence>
  <xs:attribute name="resultStatusFlag"
    xmlns:q3="http://webservices.micros.com/og/4.3/Common/"
    type="q3:ResultStatusFlag" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

resultStatusFlag	attribute	ResultStatusFlag	none	The primary indication of the success or failure of the called function.
Text	element	TextList	optional	Used to store any error or warning text associated with the transaction.
IDs	element	IDPairList	optional	If populated, this contains the ReservationID of the newly created booking.
OperaErrorCode	element	string	optional	The error code returned in the response whenever there is an error returned from the OPERA database. All error codes are defined in the default "FIDELIO" channel under the Error tab.

ResultStatusFlag

```
<xs:simpleType name="ResultStatusFlag">
  <xs:restriction base="xs:string">
    <xs:enumeration value="FAIL" />
    <xs:enumeration value="SUCCESS" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
ResultStatusFlag	enumeration	string		The possible values are FAIL and SUCCESS.

RoomFeature

```
<xs:complexType name="RoomFeature">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="FeatureID"
      type="xs:double" />
  </xs:sequence>
</xs:complexType>
```

```

</xs:sequence>
<xs:attribute name="Feature" type="xs:string" />
<xs:attribute name="Description" type="xs:string" />
<xs:attribute name="AttachPreferenceToProfile"
  type="xs:boolean" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Feature	attribute	string	none	The defined room feature code.
Description	attribute	string	none	The description text of the room feature.
AttachPreferenceToProfile	attribute	boolean	none	Indicates whether this room feature should be attached to the profile as well as the reservation.
FeatureID	element	double	optional	The internal record id for the room feature.

RoomRate

```

<xs:complexType name="RoomRate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Rates"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q1:ArrayOfRate" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="InvBlockDescription"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q2:Paragraph" />
    <xs:element minOccurs="0" maxOccurs="1" name="Total"
      xmlns:q3="http://webservices.micros.com/og/4.3/Common/"
      type="q3:Amount" />
    <xs:element minOccurs="0" maxOccurs="1" name="TotalPoints"
      type="xs:double" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="GdsTotalPricing"
      xmlns:q4="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q4:GdsTotalPricing" />
    <xs:element minOccurs="0" maxOccurs="1" name="Packages"
      xmlns:q5="http://webservices.micros.com/og/4.3/HotelCommon/"
      type="q5:ArrayOfPackageElement" />
  </xs:sequence>
  <xs:attribute name="roomTypeCode" type="xs:string" />
  <xs:attribute name="ratePlanCode" type="xs:string" />
  <xs:attribute name="effectiveDate" type="xs:date" />
  <xs:attribute name="expirationDate" type="xs:date" />

```

```

<xs:attribute name="suppressRate" type="xs:boolean" />
<xs:attribute name="redemRate" type="xs:boolean" />
<xs:attribute name="hasPackage" type="xs:boolean" />
<xs:attribute name="pointsChangeIndicator" type="xs:boolean" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
roomTypeCode	attribute	string	none	The channel converted room type for the subject rate room pair.
ratePlanCode	attribute	string	none	The channel converted rate code for subject rate room pair.
effectiveDate	attribute	date	none	Not used in this context.
expirationDate	attribute	date	none	Not used in this context.
suppressRate	attribute	boolean	none	Indicates whether or not the rate amount is suppressed for display on the website.
redemRate	attribute	boolean	none	Indicates whether this rate plan may be purchased with points (award redemption).
hasPackage	attribute	boolean	none	Indicates whether the rate plan has a package element attached.
pointsChangeIndicator	attribute	boolean	none	Indicates whether the amount of points required for a night's stay changes during the stay.

Rates	element	ArrayOfRate	optional	An array of Rate objects. In the case of a General Availability response, a single element will be present. In the case of a Detail Availability response, there may be more than one.
InvBlockDescription	element	Paragraph	optional	Reserved for future use.
Total	element	Amount	optional	The Total element, containing the anticipated total amount of the stay.
TotalPoints	element	double	optional	The total number of points required to purchase this rate.
GdsTotalPricing	element	GdsTotalPricing	optional	The GDS total pricing.
Packages	element	ArrayOfPackageElement	optional	Details of package elements which are attached to the rate plan.

RoomStay

```

<xs:complexType name="RoomStay">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="RatePlans"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:ArrayOfRatePlan" />
    <xs:element minOccurs="0" maxOccurs="1" name="RoomTypes"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q2:ArrayOfRoomType" />
    <xs:element minOccurs="0" maxOccurs="1" name="RoomRates"
      xmlns:q3="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q3:ArrayOfRoomRate" />
    <xs:element minOccurs="0" maxOccurs="1" name="GuestCounts"
      xmlns:q4="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q4:GuestCountList" />
    <xs:element minOccurs="0" maxOccurs="1" name="TimeSpan"
      xmlns:q5="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q5:TimeSpan" />
  
```

```
<xs:element minOccurs="0" maxOccurs="1" name="Guarantee"
  xmlns:q6="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q6:Guarantee" />
<xs:element minOccurs="0" maxOccurs="1" name="Payment"
  xmlns:q7="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q7:Payment" />
<xs:element minOccurs="0" maxOccurs="1"
  name="CreditCardDeposit"
  xmlns:q8="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q8:ArrayOfCreditCardPayment" />
<xs:element minOccurs="0" maxOccurs="1"
  name="CancelPenalties"
  xmlns:q9="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q9:ArrayOfCancelPenalty" />
<xs:element minOccurs="0" maxOccurs="1" name="CancelTerm"
  xmlns:q10="http://webservices.micros.com/og/4.3/HotelCommo
n/" type="q10:CancelTerm" />
<xs:element minOccurs="0" maxOccurs="1" name="HotelReference"
  xmlns:q11="http://webservices.micros.com/og/4.3/HotelCommo
n/" type="q11:HotelReference" />
<xs:element minOccurs="0" maxOccurs="1" name="HotelContact"
  xmlns:q12="http://webservices.micros.com/og/4.3/HotelCommo
n/" type="q12:HotelContact" />
<xs:element minOccurs="0" maxOccurs="1" name="Total"
  xmlns:q13="http://webservices.micros.com/og/4.3/Common/"
  type="q13:Amount" />
<xs:element minOccurs="0" maxOccurs="1" name="CurrentBalance"
  xmlns:q14="http://webservices.micros.com/og/4.3/Common/"
  type="q14:Amount" />
<xs:element minOccurs="0" maxOccurs="1" name="ResGuestRPHs"
  xmlns:q15="http://webservices.micros.com/og/4.3/HotelCommo
n/" type="q15:ArrayOfResGuestRPH" />
<xs:element minOccurs="0" maxOccurs="1" name="Comments"
  xmlns:q16="http://webservices.micros.com/og/4.3/HotelCommo
n/" type="q16:ArrayOfReservationComment" />
<xs:element minOccurs="0" maxOccurs="1"
  name="SpecialRequests"
  xmlns:q17="http://webservices.micros.com/og/4.3/HotelCommo
n/" type="q17:ArrayOfSpecialRequest" />
<xs:element minOccurs="0" maxOccurs="1" name="Packages"
  xmlns:q18="http://webservices.micros.com/og/4.3/HotelCommo
n/" type="q18:ArrayOfPackageElement" />
<xs:element minOccurs="0" maxOccurs="1"
  name="HotelExtendedInformation"
  xmlns:q19="http://webservices.micros.com/og/4.3/HotelCommo
n/" type="q19:ExtendedHotelInfo" />
<xs:element minOccurs="0" maxOccurs="1"
  name="DailyChargePoints"
  xmlns:q20="http://webservices.micros.com/og/4.3/HotelCommo
n/" type="q20:ArrayOfTimeSpanPoints" />
<xs:element minOccurs="0" maxOccurs="1"
  name="MemberAwardInfo"
  xmlns:q21="http://webservices.micros.com/og/4.3/HotelCommo
n/" type="q21:MemberAwardInfo" />
<xs:element minOccurs="0" maxOccurs="1"
  name="ExpectedCharges"
```

```

        xmlns:q22="http://webservices.micros.com/og/4.3/HotelCommon/" type="q22:DailyChargeList" />
<xs:element minOccurs="0" maxOccurs="1"
    name="GdsTotalPricing"
    xmlns:q23="http://webservices.micros.com/og/4.3/HotelCommon/" type="q23:GdsTotalPricing" />
<xs:element minOccurs="0" maxOccurs="1" name="Traces"
    xmlns:q24="http://webservices.micros.com/og/4.3/HotelCommon/" type="q24:ArrayOfReservationTrace" />
</xs:sequence>
<xs:attribute name="isAlternate" type="xs:boolean" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
isAlternate	attribute	boolean	none	A General Availability transaction will return a list of alternate available properties.
RatePlans	element	ArrayOfRatePlan	optional	A collection of RatePlan elements that provide basic information on each available rate code.
RoomTypes	element	ArrayOfRoomType	optional	A collection of RoomType elements that provide basic information about each available room type.
RoomRates	element	ArrayOfRoomRate	optional	A collection of price and other data elements; one per available rate room pair.
GuestCounts	element	GuestCountList	optional	Not used in this context.
TimeSpan	element	TimeSpan	optional	Not used in this context.
Guarantee	element	Guarantee	optional	Not used in this context.
Payment	element	Payment	optional	Not used in this context.
CreditCardDeposit	element	ArrayOfCreditCardPayment	optional	Not used in this context.

CancelPenalties	element	ArrayOfCancelPenalty	optional	Not used in this context.
CancelTerm	element	CancelTerm	optional	Not used in this context.
HotelReference	element	HotelReference	optional	Not used in this context.
HotelContact	element	HotelContact	optional	Not used in this context.
Total	element	Amount	optional	Not used in this context.
CurrentBalance	element	Amount	optional	Not used in this context.
ResGuestRPHs	element	ArrayOfResGuestRPH	optional	Not used in this context.
Comments	element	ArrayOfReservationComment	optional	Not used in this context.
SpecialRequests	element	ArrayOfSpecialRequest	optional	Not used in this context.
Packages	element	ArrayOfPackageElement	optional	Not used in this context.
HotelExtendedInformation	element	ExtendedHotelInfo	optional	Not used in this context.
DailyChargePoints	element	ArrayOfTimeSpanPoints	optional	Not used in this context.
MemberAwardInfo	element	MemberAwardInfo	optional	Not used in this context.
ExpectedCharges	element	DailyChargeList	optional	Not used in this context.
GdsTotalPricing	element	GdsTotalPricing	optional	The GDS total pricing.
Traces	element	ArrayOfReservationTrace	optional	A collection of reservation traces.

RoomStayCandidate

```

<xs:complexType name="RoomStayCandidate">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="AmenityInfo"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon/" type="q1:AmenityInfo" />
    <xs:element minOccurs="0" maxOccurs="1" name="RoomFeatures"
      xmlns:q2="http://webservices.micros.com/og/4.3/HotelCommon/" type="q2:ArrayOfRoomFeature" />
  </xs:sequence>
  <xs:attribute name="roomTypeCode" type="xs:string" />
  <xs:attribute name="invBlockCode" type="xs:string" />
  <xs:attribute name="roomClass" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
roomTypeCode	attribute	string	none	Similar to RatePlanCandidates, if a room type preference is indicated here and that room type is available, it will be given order preference in the result message.
invBlockCode	attribute	string	none	If an inventory block (group) code is provided, all other rate and room preferences will be ignored and available elements for the block grid will be returned. Only one group of invBlockCode values may be specified for any given request segment.
roomClass	attribute	string	none	The room class.
AmenityInfo	element	AmenityInfo	optional	Information about hotel amenities available with this room.
RoomFeatures	element	ArrayOfRoomFeature	optional	A collection of room features.

RoomType

```
<xs:complexType name="RoomType">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1"
      name="RoomTypeDescription"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:Paragraph" />
    <xs:element minOccurs="0" maxOccurs="1"
      name="RoomTypeShortDescription" />
  </xs:sequence>
</xs:complexType>
```

```

        xmlns:q2="http://webservicess.micross.com/og/4.3/HotelCommon
        /" type="q2:Paragraph" />
<xs:element minOccurs="0" maxOccurs="unbounded"
    name="RoomNumber" type="xs:string" />
<xs:element minOccurs="0" maxOccurs="1"
    name="RoomToChargeDescription"
    xmlns:q3="http://webservicess.micross.com/og/4.3/HotelCommon
    /" type="q3:Paragraph" />
<xs:element minOccurs="0" maxOccurs="1"
    name="RoomToChargeShortDescription"
    xmlns:q4="http://webservicess.micross.com/og/4.3/HotelCommon
    /" type="q4:Paragraph" />
<xs:element minOccurs="0" maxOccurs="1" name="AmenityInfo"
    xmlns:q5="http://webservicess.micross.com/og/4.3/HotelCommon
    /" type="q5:AmenityInfo" />
<xs:element minOccurs="0" maxOccurs="1" name="RoomFeatures"
    xmlns:q6="http://webservicess.micross.com/og/4.3/HotelCommon
    /" type="q6:ArrayOfRoomFeature" />
</xs:sequence>
<xs:attribute name="roomTypeCode" type="xs:string" />
<xs:attribute name="feature" type="xs:string" />
<xs:attribute name="upgradeFromCode" type="xs:string" />
<xs:attribute name="invBlockCode" type="xs:string" />
<xs:attribute name="numberOfUnits" type="xs:int" />
<xs:attribute name="isRoom" type="xs:boolean" />
<xs:attribute name="effectiveDate" type="xs:date" />
<xs:attribute name="expirationDate" type="xs:date" />
<xs:attribute name="roomTypeName" type="xs:string" />
<xs:attribute name="roomToChargeCode" type="xs:string" />
<xs:attribute name="roomToChargeName" type="xs:string" />
<xs:attribute name="roomStatus" type="xs:string" />
<xs:attribute name="roomClass" type="xs:string" />
<xs:attribute name="pseudoRoom" type="xs:boolean" />
<xs:attribute name="roomServiceStatus" type="xs:string" />
<xs:attribute name="minimumRoomsAvailable" type="xs:int" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
roomTypeCode	attribute	string	none	The room type code.
feature	attribute	string	none	Room features.
upgradeFromCode	attribute	string	none	The upgrade from code.
invBlockCode	attribute	string	none	The inventory block code.
numberOfUnits	attribute	int	none	The number of units.
isRoom	attribute	boolean	none	An indication of whether or not the room is available.
effectiveDate	attribute	date	none	The effective date.
expirationDate	attribute	date	none	The expiration date.

roomTypeName	attribute	string	none	The name of the room type.
roomToChargeCode	attribute	string	none	The rate code for the room type that will be charged.
roomToChargeName	attribute	string	none	The name of the room type that will be charged.
roomStatus	attribute	string	none	The room status.
roomClass	attribute	string	none	The defined room class to which this room type is attached.
pseudoRoom	attribute	boolean	none	Indicates whether this room type is marked as a "pseudo room".
roomServiceStatus	attribute	string	none	The housekeeping service status of the room.
minimumRoomsAvailable	attribute	int	none	The minimum number of rooms of this type available.
RoomTypeDescription	element	Paragraph	optional	A description of the room type.
RoomTypeShortDescription	element	Paragraph	optional	A short description of the room type.
RoomNumber	element	string	optional / multiple	The room number.
RoomToChargeDescription	element	Paragraph	optional	A description of the room type that will be charged.
RoomToChargeShortDescription	element	Paragraph	optional	A short text description of the room type that will be charged.
AmenityInfo	element	AmenityInfo	optional	Details of the amenities attached to this room type.
RoomFeatures	element	ArrayOfRoomFeature	optional	A collection of room features.

RoomTypeInventory

```
<xs:complexType name="RoomTypeInventory">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="RoomTypeRestriction"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon
/" type="q1:Restriction" />
  </xs:sequence>
  <xs:attribute name="roomTypeCode" type="xs:string" />
  <xs:attribute name="totalRooms" type="xs:integer" />
  <xs:attribute name="overBookingLimit" type="xs:integer" />
  <xs:attribute name="soldDeductible" type="xs:integer" />
  <xs:attribute name="soldNonDeductible" type="xs:integer" />
  <xs:attribute name="totalAvailableRooms" type="xs:integer" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
roomTypeCode	attribute	string	none	The room type code.
totalRooms	attribute	integer	none	The total rooms for the room type.
overBookingLimit	attribute	integer	none	The overbooking limit for the room type.
soldDeductible	attribute	integer	none	The number of rooms sold as deductible.
soldNonDeductible	attribute	integer	none	The number of rooms sold as non-deductible.
totalAvailableRooms	attribute	integer	none	This is the total number of available rooms to sell of a room type for the requested property. This figure will be calculated on considering the overbooking limit set on the room type and deducted room due to out of order rooms and sold count.

RoomTypeRestriction	element	Restriction	optional / multiple	Represents a list of restriction details.
---------------------	---------	-------------	---------------------	---

RuleSchedule

```
<xs:complexType name="RuleSchedule">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Code"
      type="xs:string" />
    <xs:element minOccurs="0" maxOccurs="1" name="Description"
      xmlns:q1="http://webservices.micos.com/og/4.3/Common/"
      type="q1:DescriptiveText" />
    <xs:element minOccurs="0" maxOccurs="unbounded"
      name="PointsSchedule"
      xmlns:q2="http://webservices.micos.com/og/4.3/Membership/"
      type="q2:PointsSchedule" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Code	element	string	optional	The code defined for the rule schedule.
Description	element	DescriptiveText	optional	The description text for the rule schedule.
PointsSchedule	element	PointsSchedule	optional / multiple	The points schedules attached to this rule schedule.

SpecialRequest

```
<xs:complexType name="SpecialRequest">
  <xs:complexContent mixed="false">
    <xs:extension
      xmlns:q1="http://webservices.micos.com/og/4.3/HotelCommon/"
      base="q1:Paragraph">
      <xs:sequence>
        <xs:element minOccurs="0" maxOccurs="1"
          name="SpecialRequestId" type="xs:double" />
      </xs:sequence>
      <xs:attribute name="requestCode" type="xs:string" />
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
------	------	-----------	-----	----------

SpecialRequest	extension	Paragraph		Not used in this context.
requestCode	attribute	string	none	Not used in this context.
SpecialRequestId	element	double	optional	The internal record number for this special request.

StatusCodeIndicator

```
<xs:simpleType name="StatusCodeIndicator">
  <xs:restriction base="xs:string">
    <xs:enumeration value="INVALID" />
    <xs:enumeration value="RESTRICTED" />
    <xs:enumeration value="AVAILABLE" />
    <xs:enumeration value="UNAVAILABLE" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
StatusCodeIndicator	enumeration	string		The possible values are INVALID, RESTRICTED, AVAILABLE, and UNAVAILABLE.

Text

```
<xs:complexType name="Text">
  <xs:simpleContent>
    <xs:extension base="xs:normalizedString">
      <xs:attribute name="formatted" type="xs:boolean" />
      <xs:attribute name="language" type="xs:language" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Text	extension	normalizedString		Used to store any error or warning text associated with transaction.
formatted	attribute	boolean	none	Not used in this context.
language	attribute	language	none	Not used in this context.

TextElement

```
<xs:complexType name="TextElement">
  <xs:simpleContent>
    <xs:extension
      xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
      base="q1:Text" />
  </xs:simpleContent>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
TextElement	extension	Text		The descriptive text.

TextList

```
<xs:complexType name="TextList">
<xs:sequence>
<xs:element name="TextElement" type="tns:Text"
  maxOccurs="unbounded"/>
</xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
TextList	extension	Text		The text element.

TimeSpan

```
<xs:complexType name="TimeSpan">
  <xs:sequence>
    <xs:element minOccurs="1" maxOccurs="1" name="StartDate"
      type="xs:dateTime" />
    <xs:choice minOccurs="1" maxOccurs="1">
      <xs:element minOccurs="0" maxOccurs="1" name="Duration"
        type="xs:duration" />
      <xs:element minOccurs="1" maxOccurs="1" name="EndDate"
        type="xs:dateTime" />
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
StartDate	element	dateTime	required	The start date of the date range for which availability is to be queried.
Duration	element	duration	optional	Reserved for future use.

EndDate	element	dateTime	required	The end (departure) date of the date range for which availability is to be queried.
---------	---------	----------	----------	---

TimeSpanPoints

```
<xs:complexType name="TimeSpanPoints">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Dates"
      xmlns:q1="http://webservices.micros.com/og/4.3/HotelCommon"
      type="q1:TimeSpan" />
    <xs:element minOccurs="1" maxOccurs="1" name="Points"
      type="xs:int" />
  </xs:sequence>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
Dates	element	TimeSpan	optional	Not used in this context.
Points	element	int	required	Not used in this context.

UniqueID

```
<xs:complexType name="UniqueID">
  <xs:simpleContent>
    <xs:extension base="xs:string">
      <xs:attribute name="type"
        xmlns:q1="http://webservices.micros.com/og/4.3/Common/"
        type="q1:UniqueIDType" use="required" />
      <xs:attribute name="source" type="xs:string" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
UniqueID	extension	string		The root set to the ID value.
type	attribute	UniqueIDType	required	In this instance, this should be hard-coded to an enumerated value of "INTERNAL". The function requires the use of the internal OPERA ID.

source	attribute	string	none	Not used in this context.
--------	-----------	--------	------	---------------------------

UniqueIDType

```
<xs:simpleType name="UniqueIDType">
  <xs:restriction base="xs:string">
    <xs:enumeration value="EXTERNAL" />
    <xs:enumeration value="INTERNAL" />
    <xs:enumeration value="CANCELLATIONEXTERNAL" />
    <xs:enumeration value="CANCELLATIONINTERNAL" />
  </xs:restriction>
</xs:simpleType>
```

Name	Type	Data Type	Use	Comments
UniqueIDType	enumeration	string		The possible values are EXTERNAL, INTERNAL, CANCELLATIONEXTERNAL, and CANCELLATIONINTERNAL.

VaultedCardType

```
<xs:complexType name="VaultedCardType">
  <xs:attribute name="vaultedCardID" type="xs:string" />
  <xs:attribute name="lastFourDigits" type="xs:string" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
vaultedCardID	attribute	string	none	The vaulted card ID.
lastFourDigits	attribute	string	none	The last four digits of the vaulted card ID.

Vector

```
<xs:complexType name="Vector">
  <xs:sequence>
    <xs:element minOccurs="0" maxOccurs="1" name="Direction"
      xmlns:q1="http://webservices.microsoft.com/og/4.3/HotelCommon"
      type="q1:VectorDirection" />
  </xs:sequence>
</xs:complexType>
```

```

        <xs:element minOccurs="0" maxOccurs="1" name="Distance"
            xmlns:q2="http://webservicess.micross.com/og/4.3/HotelCommon
            /" type="q2:VectorDistance" />
    </xs:sequence>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
Direction	element	VectorDirection	optional	If it is an alternate resort, this attribute provides the direction from the queried property to an alternate property.
Distance	element	VectorDistance	optional	This attribute provides the distance from the queried property to the alternate property.

VectorDirection

```

<xs:complexType name="VectorDirection">
    <xs:attribute name="vectorDirection"
        xmlns:q1="http://webservicess.micross.com/og/4.3/HotelCommon/"
        type="q1:VectorDirectionType" use="required" />
    <xs:attribute name="otherVectorDirection" type="xs:string" />
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
vectorDirection	attribute	VectorDirectionType	required	One of the enumerated VectorDirection values.
otherVectorDirection	attribute	string	none	If the enumerated value selected is OTHER, then this attribute becomes required.

VectorDirectionType

```

<xs:simpleType name="VectorDirectionType">
    <xs:restriction base="xs:string">
        <xs:enumeration value="North" />
        <xs:enumeration value="NorthEast" />
        <xs:enumeration value="East" />
    </xs:restriction>
</xs:simpleType>

```

```

        <xs:enumeration value="SouthEast" />
        <xs:enumeration value="South" />
        <xs:enumeration value="SouthWest" />
        <xs:enumeration value="West" />
        <xs:enumeration value="NorthWest" />
        <xs:enumeration value="Other" />
    </xs:restriction>
</xs:simpleType>

```

Name	Type	Data Type	Use	Comments
VectorDirectionType	enumeration	string		The possible values are North, NorthEast, East, SouthEast, South, SouthWest, West, NorthWest, and Other.

VectorDistance

```

<xs:complexType name="VectorDistance">
  <xs:simpleContent>
    <xs:extension base="xs:double">
      <xs:attribute name="distanceUnit"
        xmlns:ql="http://webservices.micros.com/og/4.3/HotelCommon/"
        type="ql:DistanceUnitType" use="required" />
      <xs:attribute name="otherDistanceUnit" type="xs:string" />
    </xs:extension>
  </xs:simpleContent>
</xs:complexType>

```

Name	Type	Data Type	Use	Comments
VectorDistance	extension	double		This element will be populated only if the parent RoomStay is marked as an alternate resort.
distanceUnit	attribute	DistanceUnitType	required	One of the enumerated DistanceUnit values.
otherDistanceUnit	attribute	string	none	If the enumerated distance Unit value is OTHER, then this attribute becomes required.

Voucher

```
<xs:complexType name="Voucher">
  <xs:attribute name="voucherNumber" type="xs:string" />
  <xs:attribute name="voucherIssuedBy" type="xs:string" />
  <xs:attribute name="voucherValidDate" type="xs:dateTime" />
</xs:complexType>
```

Name	Type	Data Type	Use	Comments
voucherNumber	attribute	string	none	The voucher number.
voucherIssuedBy	attribute	string	none	The issuer.
voucherValidDate	attribute	dateTime	none	The valid dates of the voucher.