

FATCA Administration and Configuration Guide

*Release 8.0.1.0.0
July 2015*



FATCA Administration and Configuration Guide

*Release 8.0.1.0.0
July 2015*

Part Number: E60570_14

Oracle Financial Services Software, Inc.
1900 Oracle Way
Reston, VA 20190

Part Number: E60570_14

First Edition (July 2015)

Copyright © 2015, Oracle and/or its affiliates. All rights reserved.

Printed in U.S.A. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without the prior written permission.

Trademarks

Oracle is a registered trademark of Oracle Corporation and/or its affiliates.

Other names may be trademarks of their respective owners.

Oracle Financial Services Software, Inc.

1900 Oracle Way

Reston, VA 20190

Phone: (703)478-9000

Fax: (703)318-6340

Internet: www.oracle.com/financialservices

Contents

<i>List of Tables</i>	vii
<i>List of Figures</i>	ix
<i>About This Guide</i>	xi
Who Should Use this Guide	xi
How this Guide is Organized	xi
Where to Find More Information	xii
Conventions Used in this Guide	xii
CHAPTER 1 <i>Configuring FATCA Application Parameters</i>	1
Batch Running Parameters	1
Configuring Processing Details Existing Parameter Attributes	2
Configuring Processing Details New Parameter Attributes	3
Configuring Processing Details Pre-Existing Parameter Attributes.....	4
Other Batch Parameters	5
Configuring Ownership Parameters Attributes.....	5
Configuring Relationship Parameters Attributes.....	7
Case Creation Parameters.....	8
Configuring Case Due Period Parameters.....	8
Configuring Case Creation Entity Type Parameter Attributes.....	10
Configuring Case Assignment Parameter Attributes.....	11
Other parameters.....	13
Configuring Initiate Regulatory Reporting Parameters Attributes	13
Configuring Log Parameters Attributes.....	14
Configuring Purge Parameter Attributes	15
Saving the Metadata	16
CHAPTER 2 <i>FATCA Batch Execution</i>	17
Scheduling a Batch.....	17
Scheduling a Batch Once	18
Scheduling a Daily Batch.....	19
Scheduling a Weekly Batch	20
Configuring a Monthly Batch.....	21
Running a Batch Through Fire Run	22
Monitoring a Batch After Execution	24
Cancelling a Batch After Execution.....	25
Re-starting a Batch	26

Re-running a Batch.....	27
Running a Single Task Using a Batch	28
FATCA Performance Improvement.....	29
Configure Java Virtual Machine	31
CHAPTER 3 Configuring the FATCA Status	33
Pre-Packaged FATCA Statuses.....	33
Viewing the List of FATCA Statuses.....	34
Editing the Attributes of FATCA Status	34
Adding a New FATCA Status	36
Adding a New FATCA Status in FCCM	36
Adding a New FATCA Status Derivation Using Rules Framework	37
Adding a New Task for New FATCA status	42
FATCA Status Derivation	42
Classification Rules	42
<i>Source Hierarchies used for Classification Rules.....</i>	<i>42</i>
<i>Target Hierarchy used for Classification Rules</i>	<i>43</i>
Editing a Classification Rule.....	43
CHAPTER 4 Configuring the FATCA Assessment Rules	47
FATCA Assessment	47
Rules Group Classification	48
Rule Groups	48
<i>Rule Groups</i>	<i>48</i>
<i>Rule Groups Categorized into Further Rules</i>	<i>49</i>
Account Assessment Structure.....	49
Customer Assessment Structure	51
Rules Configuration.....	54
Searching Existing FATCA Rule Indicators.....	54
Editing a FATCA Rule Indicator.....	55
Copying a FATCA Rule Indicator	56
Exporting FATCA Rule Indicator List to Excel	57
FATCA Rules Configuration	58
Adding a New Rule to the Rule Group Classification	
(Indicia – Customer, Indicia – Account, Document Indicator).....	58
<i>Adding a New Rule to the Rule Group Classification Indicia – Customer.....</i>	<i>59</i>
<i>Adding a New Rule to the Rule Group Classification Indicia – Account.....</i>	<i>59</i>
<i>Adding a New Rule to the Rule Group Classification Document Indicator.....</i>	<i>59</i>
<i>Adding a New Rule to the Rule Group Classification FATCA – Indicator.....</i>	<i>60</i>
Adding a New Hierarchy to an Existing Classification Rule.....	61
Adding a New Rule through Admin UI	66
Adding a New Rule Through Data Transformation	68

APPENDIX A	FATCA Batch Processing Task List	71
-------------------	---	-----------

Contents

List of Tables

Table 1. Conventions Used in this Guide	xii
Table 2. Processing Details of Existing Parameter Attribute Description.....	2
Table 3. Processing Details New Parameter Attribute Description.....	3
Table 4. Processing Details Pre-Existing Parameter Attribute Description	4
Table 5. Ownership Parameter Attribute Description	5
Table 6. Relationship Parameter Attribute Description.....	7
Table 7. Case Due Period Parameter Attributes Description	8
Table 8. Configuring Case Assignment Parameter Attributes	12
Table 9. Configuring Initiate Regulatory Reporting Parameter Attributes	14
Table 10. Add New FATCA Status Field Descriptions	37
Table 11. US Indicia Rules for Accounts	49
Table 12. FATCA Account Assessment Indicators.....	50
Table 13. US Indicia Rules for Individual Customers	51
Table 14. US Indicia Rules for Non-Individual Customers	53
Table 15. Customers Document Indicators.....	54
Table 16. FATCA Rule Indicators Search Bar.....	55
Table 17. Dimension Rule Group Table Example.....	60
Table 18: FACTA Batch Processing Task List.....	71

List of Tables

List of Figures

Figure 1. Configuring Processing Details Existing Parameter Attributes	2
Figure 2. Configuring Processing Details New Parameter Attributes	3
Figure 3. Configuring Processing Details Pre-Existing Parameter Attributes.....	4
Figure 4. Configuring Ownership Parameter Attributes.....	6
Figure 5. Configuring Relationship Parameter Attributes.....	7
Figure 6. Configuring Case Due Period Parameter Attributes.....	9
Figure 7. Configuring Case Entity Type Parameter Attributes	10
Figure 8. Configuring Case Assignment Parameter Attributes	11
Figure 9. Configuring Initiate Regulatory Reporting Parameter Attributes.....	13
Figure 10. Configuring Log Parameters Attributes.....	14
Figure 11. Configuring Purge Parameter Attributes.....	15
Figure 12. Saving Metadata.....	16
Figure 13. Scheduling a Batch Once	18
Figure 14. Scheduling a Daily Batch.....	19
Figure 15. Scheduling a Weekly Batch	20
Figure 16. Configuring a Monthly Batch.....	21
Figure 17. Run Rules Framework Page.....	22
Figure 18. Run Rule Framework Window.....	23
Figure 19. Batch Monitor Page	24
Figure 20. Batch Cancellation Page.....	25
Figure 21. Re-starting a Batch	26
Figure 22. Re-running a Batch	27
Figure 23. Running a Single Task Using a Batch.....	28
Figure 24. Rule Definition (Edit Mode) Page.....	30
Figure 25. FATCA Statuses List.....	34
Figure 26. Editing the Attributes of FATCA Status	35
Figure 27. Adding a New FATCA Status in FCCM	36
Figure 28. Adding a New FATCA Status Derivation Using Rules Framework	38
Figure 29. Hierarchy Selector Window.....	40
Figure 30. Editing a Classification Rule	43
Figure 31. Editing a FATCA Rule Indicator.....	56
Figure 32. Copying a FATCA Rule Indicator	56
Figure 33. Workflow for Adding New Rule to Rule Group.....	58
Figure 34. Workflow for Adding New Rule to Rule Group Classification FATCA Indicator.....	60

List of Figures

About This Guide

This guide explains the structure behind the Oracle Financial Services Foreign Account Tax Compliance Act (OFS FATCA) and provides comprehensive instructions for configuring modifiable components. It provides comprehensive instructions for proper system administration, as well as daily operations and maintenance.

This chapter discusses the following sections:

- Who Should Use this Guide
- How this Guide is Organized
- Where to Find More Information
- Conventions Used in this Guide

Who Should Use this Guide

The *FATCA Administration and Configuration Guide* is designed for Oracle Financial Services Installers and System Administrators. Their roles and responsibilities, as they operate within Oracle Financial Services FATCA, include the following:

- **FATCA Administrator:** Configures, maintains, and adjusts the system and is usually an employee of a specific Oracle Financial Services customer. The System Administrator maintains user accounts and roles, monitors data ingestion and case management, archives data, loads data feeds, and performs post-processing tasks.

Note: A FATCA Administrator must also be assigned with the Mantas AM Administration Group for mapping the FATCA cases to owners. For more information on mapping the User(s) to User Group(s) and mapping the User Group(s) to Domain(s), refer to section *Mapping User Group(s) to Domain(s)* in *Administration Guide*.

How this Guide is Organized

The *FATCA Configuration and Administration Guide* includes the following chapters:

- Chapter 1, *Configuring FATCA Application Parameters* provides instructions for configuring and managing the FATCA Application Parameters.
- Chapter 2, *FATCA Batch Execution*, provides details about configuring the FATCA batches.
- Chapter 3, *Configuring the FATCA Status*, provides details on how to configure the FATCA statuses.
- Chapter 4, *Configuring the FATCA Assessment Rules*, provides details on how to configure the FATCA rules.
- Appendix A, *FATCA Batch Processing Task List*, provides details on the batch processing task list.

Where to Find More Information

For more information about Oracle Financial Services FATCA, refer to the following documents:

- *FATCA Management Assessment Guide*
- *Enterprise Case Management User Guide*
- *FATCA Data Model Reference Guide*
- *Oracle Financial Services Analytical Applications Infrastructure User Manual*
- *Administration Guide*

These documents can be found at the following link:

http://docs.oracle.com/cd/E60570_01/homepage.htm

To find additional information about how Oracle Financial Services solves real business problems, see our website at www.oracle.com/financialservices.

Conventions Used in this Guide

Table 1 lists the conventions used in this guide.

Table 1. Conventions Used in this Guide

Convention	Meaning
<i>Italics</i>	<ul style="list-style-type: none">● Names of books, chapters, and sections as references● Emphasis
Bold	<ul style="list-style-type: none">● Object of an action (menu names, field names, options, button names) in a step-by-step procedure● Commands typed at a prompt● User input
Monospace	<ul style="list-style-type: none">● Directories and subdirectories● File names and extensions● Process names● Code sample, including keywords and variables within text and as separate paragraphs, and user-defined program elements within text
<Variable>	Substitute input value

Configuring FATCA Application Parameters

For initiating the FATCA processing, you must configure the FATCA Application Parameters.

FATCA Application Parameters define the attributes required for generating a FATCA status for Accounts, Customers, or for newly created FATCA cases based on the assessments. All the application parameters are stored in the `FATCA_SETUP_PARAMS` table. Based on your firm's requirement, you can either Enable or Disable these parameters.

This section provides instructions for configuring and managing the FATCA Application Parameters and includes the following topics:

- Batch Running Parameters
- Other Batch Parameters
- Case Creation Parameters
- Other parameters

Batch Running Parameters

The batch running parameters are required for configuring the batches of FATCA processing. There are three types of batch running parameters namely, **New**, **Existing** and **Pre-existing** batches. You can enable or disable these parameters before running a batch.

By default, the New and Existing batch parameter are enabled whereas the Pre-existing batch parameter is disabled. Once the batch is run, the parameter value of the Pre-existing batch is set to N whereas the parameter value for New and Existing batch remains unchanged.

Note: When all the three batches are enabled and if there are any conflicts among accounts or customers coming in multiple batches, then the priority for running batch parameters is set in order of Pre-existing, Existing, and New respectively. For more information on batch maintenance, refer to Chapter 2, *FATCA Batch Execution*.

This section includes the following topics:

- Configuring Processing Details Existing Parameter Attributes
- Configuring Processing Details New Parameter Attributes
- Configuring Processing Details Pre-Existing Parameter Attributes

Configuring Processing Details Existing Parameter Attributes

The Processing Details Existing parameter includes the details of the all the attributes required for FATCA Assessment of existing accounts or customers through the Existing Batch process run.

This parameter includes the `Last_Proc_DT_Existing` attribute which stores the last batch execution date or the batch processing date. The accounts and customers that are modified since the last batch execution will be selected in this batch process run.

Note: You must specify the batch processing date while running this batch for the first time. Subsequently, when you run the New Batch, the `FIC_MIS_DATE` or the batch processing date is automatically updated every time.

Table 2. Processing Details of Existing Parameter Attribute Description

Attribute	Description
<code>Last_Proc_DT_Existing</code>	Last Processing Batch Date for Existing Account or Customers

To modify the last processing date for an Existing Batch parameter attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.
The FATCA Application Parameter page is displayed.
2. Select **Default** from the Jurisdiction drop-down list.
3. Select **Proc_Dtls_Existing** from the Parameter Name drop down list.

Administration >> Manage Parameters >> FATCA Application Parameter

Search Jurisdiction: DEFAULT Parameter Name: Proc_Dtls_PreExisting

Parameter Context

Jurisdiction: DEFAULT Parameter Name: Proc_Dtls_PreExisting
Parameter Enabled?: No Yes
Description: This Parameter provide the details of all sub-parameters required for FATCA Assessment for PreExisting Batch.
Last Modified Date: - Last Modified By: -

Parameter Details

Attribute 1:	Description : Account Open Date below which Preexisting Batch will run	Name : PreExisting_Account_Open_DT	Value : 10/30/2009
Attribute 2:	Description : -	Name : -	Value :
Attribute 3:	Description : -	Name : -	Value :
Attribute 4:	Description : -	Name : -	Value :
Attribute 5:	Description : -	Name : -	Value :
Attribute 6:	Description : -	Name : -	Value :
Attribute 7:	Description : -	Name : -	Value :
Attribute 8:	Description : -	Name : -	Value :
Attribute 9:	Description : -	Name : -	Value :
Attribute 10:	Description : -	Name : -	Value :

Save Cancel

Figure 1. Configuring Processing Details Existing Parameter Attributes

4. Choose a Parameter Enabled flag as either **Yes** or **No** depending on a firms's requirement.
5. Edit the value of `Last_Proc_DT_Existing` attribute using the calendar icon.
6. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*
7. Click **OK**. The following message is displayed: *Update Operation Successful.*
8. Click **OK**.

Configuring Processing Details New Parameter Attributes

The Processing Details New Parameter includes the details of all the attributes required for FATCA Assessment of new accounts or customers through the New Batch process run.

This parameter includes the `Last_Proc_DT_New` attribute which stores the last batch execution date or the batch processing date. The accounts and customers that are opened since the last batch execution date will be selected in this batch process run..

Table 3. Processing Details New Parameter Attribute Description

Attribute	Description
<code>Last_Proc_DT_New</code>	Last Processing Batch Date for New Batch

Note: You must specify the batch processing date while running this batch for the first time. Subsequently, when you run the New Batch, the `FIC_MIS_DATE` or the batch processing date is automatically updated every time.

To modify the Processing Details New Parameter attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.
The FATCA Application Parameter page is displayed.
2. Select **Default** from the Jurisdiction drop-down list.
3. Select **Proc_Dtls_New** from the Parameter Name drop down list.

Parameter Details			
Attribute 1 :	Description : Last Processing Batch Date for New Batch	Name : <code>Last_Proc_DT_New</code>	Value : 04/28/2014
Attribute 2 :	Description : -	Name : -	Value :
Attribute 3 :	Description : -	Name : -	Value :
Attribute 4 :	Description : -	Name : -	Value :
Attribute 5 :	Description : -	Name : -	Value :
Attribute 6 :	Description : -	Name : -	Value :
Attribute 7 :	Description : -	Name : -	Value :
Attribute 8 :	Description : -	Name : -	Value :
Attribute 9 :	Description : -	Name : -	Value :
Attribute 10 :	Description : -	Name : -	Value :

Figure 2. Configuring Processing Details New Parameter Attributes

4. Choose a Parameter Enabled flag as either **Yes** or **No** depending on a firm's requirement.
5. Edit the value of **Proc_Dtls_New** attribute using the calendar icon.
6. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*
7. Click **OK**. The following message is displayed: *Update Operation Successful.*

8. Click **OK**.

Configuring Processing Details Pre-Existing Parameter Attributes

This Processing Details Pre-Existing Parameter includes the details of all the attributes required for FATCA Assessment of pre-existing accounts or customers through the Pre-Existing Batch process run.

This parameter includes the `PreExisting_Account_Open_DT` attribute which signifies that the accounts that have their Account Opening Date less than or equal to the attribute's date will be selected for the batch process run along with their related customers.

Table 4. Processing Details Pre-Existing Parameter Attribute Description

Attribute	Description
<code>PreExisting_Account_Open_DT</code>	Account Open Date Before Which PreExisting Batch will run. This parameter includes the <code>PreExisting_Account_Open_Start_DT</code> and <code>PreExisting_Account_Open_End_DT</code> attributes which signifies accounts that have their account opening date lying between these attribute's. The dates will be selected for batch process run along with their related customers.
<code>PreExisting_Account_Open_Start_DT</code>	Account Open Date after which PreExisting Batch will run.
<code>PreExisting_Account_Open_End_DT</code>	Account Open Date before which PreExisting Batch will run.

Note: Firms have to configure this parameter's attribute value every time they want to run Pre-existing batch and also enable it.

To modify the Processing Details Pre-Existing Parameter attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.

The FATCA Application Parameter page is displayed.

2. Select **Default** from the Jurisdiction drop-down list.
3. Select **Proc_Dtls_PreExisting** from the Parameter Name drop down list.

Attribute	Description	Name	Value
Attribute 1	Description : Last Processing Batch Date for New Batch	Name : Last_Proc_DT_New	Value : 04/28/2014
Attribute 2	Description : -	Name : -	Value :
Attribute 3	Description : -	Name : -	Value :
Attribute 4	Description : -	Name : -	Value :
Attribute 5	Description : -	Name : -	Value :
Attribute 6	Description : -	Name : -	Value :
Attribute 7	Description : -	Name : -	Value :
Attribute 8	Description : -	Name : -	Value :
Attribute 9	Description : -	Name : -	Value :
Attribute 10	Description : -	Name : -	Value : -

Figure 3. Configuring Processing Details Pre-Existing Parameter Attributes

4. Choose a Parameter Enabled flag as either **Yes** or **No** depending on a firm's requirement.
5. Edit the value of PreExisting_Account_Open_Start_DT and PreExisting_Account_Open_End_DT attributes using the calendar icon.
6. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*
7. Click **OK**. The following message is displayed: *Update Operation Successful.*
8. Click **OK**.

Other Batch Parameters

- Configuring Ownership Parameters Attributes
- Configuring Relationship Parameters Attributes

Configuring Ownership Parameters Attributes

The Ownership parameter specifies the threshold value of the ownership percentage among the customers that is considered for deriving the US Indicia of non individual customers. This parameter will select only those individual customers who own more than the defined threshold. This attribute is used to derive the Customer to Customer Relationship among related customers.

Note: The threshold value must be between 0 and 100.

Table 5. Ownership Parameter Attribute Description

Attribute	Description
Entity_Ownrshp_Pct	Ownership Percentage for Entity Type Customers

To configure the ownership parameter attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.
The FATCA Application Parameter page is displayed.
2. Select **Default** from the Jurisdiction drop-down list.
3. Select **Ownership_Params** from the Parameter Name drop down list.

Other Batch Parameters

Chapter 1–Configuring FATCA Application Parameters

Administration >> Manage Parameters >> FATCA Application Parameter

Search Jurisdiction: DEFAULT Parameter Name: Ownership_Params

Parameter Context

Jurisdiction: DEFAULT Parameter Name: Ownership_Params
Parameter Enabled?: No Yes
Description: This Parameter provide the details of all sub-parameters required for Ownerships between entities in Processing.
Last Modified Date: 05/16/2014 Last Modified By: FATCAADMIN

Parameter Details

Attribute	Description	Name	Value
Attribute 1:	—	—	—
Attribute 2:	—	—	—
Attribute 3:	—	—	—
Attribute 4:	—	—	—
Attribute 5:	Description: Ownership Percentage for Entity Type Customers	Name: Entity_Ownrshp_Pct	Value: 56
Attribute 6:	—	—	Value: 100
Attribute 7:	—	—	Value: 100
Attribute 8:	—	—	—
Attribute 9:	—	—	—
Attribute 10:	—	—	—

Save Cancel

Figure 4. Configuring Ownership Parameter Attributes

4. Choose a Parameter Enabled flag as either **Yes** or **No** depending on a firm's requirement.
5. Edit the numeric value of **Entity_Ownrshp_Pct** attribute in the text box. The attribute value must be between 0 and 100.
6. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*
7. Click **OK**. The following message is displayed: *Update Operation Successful.*
8. Click **OK**.

Configuring Relationship Parameters Attributes

The Relationship Parameter includes the details of all the attributes required for relationships between customers to account for FATCA batch processing. Based on the specified relationships, the FATCA Assessments will identify the related customers.

This parameter specifies the Customer to Account Relationship Codes. You can enter multiple comma separated relationship codes with single quotation marks in this field.

Note: The values configured in this attribute should be the same while ingesting the data in FSDM. For more information, refer to *Data Interface Specification* guide.

Table 6. Relationship Parameter Attribute Description

Attribute	Description
Cust-Acct_Rltshp_Cd	Customer to Account Relationship Code

To configure the Relationship Parameter attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.
The FATCA Application Parameter page is displayed.
2. Select **Default** from the Jurisdiction drop-down list.
3. Select **Rltshp_Params** from the Parameter Name drop down list.

Attribute	Description	Name	Value
Attribute 1:	Description: --	Name: --	Value: []
Attribute 2:	Description: --	Name: --	Value: []
Attribute 3:	Description: --	Name: --	Value: []
Attribute 4:	Description: --	Name: --	Value: []
Attribute 5:	Description: --	Name: --	Value: []
Attribute 6:	Description: --	Name: --	Value: []
Attribute 7:	Description: --	Name: --	Value: []
Attribute 8:	Description: Customer to Account Relationships code	Name: Cust_Acct_Rltshp_Cd	Value: 'FTOWN'
Attribute 9:	Description: --	Name: --	Value: []
Attribute 10:	Description: --	Name: --	Value: []

Figure 5. Configuring Relationship Parameter Attributes

4. Choose a Parameter Enabled flag as either **Yes** or **No** depending on a firm's requirement.
5. Edit the value of **Cust_Acct_Rltshp_Cd** attribute in the text box.
Note: By default, the application pre-packages the attribute values namely, OWNER and JTOWN.
6. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*

7. Click **OK**. The following message is displayed: *Update Operation Successful.*
8. Click **OK**.

Case Creation Parameters

This section will cover the following topics:

- Configuring Case Due Period Parameters
- Configuring Case Creation Entity Type Parameter Attributes
- Configuring Case Assignment Parameter Attributes

Configuring Case Due Period Parameters

Case Due Period Parameters specifies the due date for the cases promoted from the FATCA assessment. This Parameter provides the details of all attributes required for Case Management Due Period Processing. The period for which a particular case will be due can be modified by updating the attributes of `FATCA_SETUP_PARAMS` table.

There are four attributes related to this parameter namely, Due Period for New Batch FATCA Status, Due Period for Existing Batch FATCA Status, Due Period for Pre-existing Low Batch FATCA Status, and Due Period for Pre-existing High Batch FATCA Status.

Table 7. Case Due Period Parameter Attributes Description

Attribute	Description
<code>New_Batch_Due_Period</code>	This attribute specifies the due date (in days) of a case generated from assessments performed on new accounts and customers.
<code>Existing_Batch_Due_Period</code>	This attribute specifies the due date (in days) of a case generated from the assessments performed on existing accounts and customers.
<code>Pre_Existing_Low_Batch_Due_Period</code>	This attribute specifies the due date of a case generated from the assessments performed on pre-existing accounts that have low Net Worth.
<code>Pre_Existing_High_Batch_Due_Period</code>	This attribute specifies the due date of a case generated from the assessments performed on pre-existing accounts that have high Net Worth.

To modify the Case Due Period Parameter attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.
The FATCA Application Parameter page is displayed.
2. Select **Default** from the Jurisdiction drop-down list.
3. Select **Case_Due_Period_Params** from the Parameter Name drop down list.

Figure 6. Configuring Case Due Period Parameter Attributes

4. Choose a Parameter Enabled flag as either **Yes** or **No** depending on a firm's requirement.
5. Edit the attribute values namely, `PreExisting_Low_Batch_Due_Period`, `PreExisting_High_Batch_Due_Period`, `New_Batch_Due_Period`, and `Existing_Batch_Due_Period` attributes.

Note: By default, the application pre-packages the attribute values as described in the following table:

Attribute Name	Default Value
<code>PreExisting_Low_Batch_Due_Period</code>	06/30/2015
<code>PreExisting_High_Batch_Due_Period</code>	06/30/2016
<code>New_Batch_Due_Period</code>	60 Days
<code>Existing_Batch_Due_Period</code>	90 Days

6. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*
7. Click **OK**. The following message is displayed: *Update Operation Successful.*
8. Click **OK**.

Configuring Case Creation Entity Type Parameter Attributes

This Parameter provide the configuration for Case Creation through Batch or Manual and identify the Entity as Account or Customer that will be promoted to Cases as per the configured value in parameter Entity_type. The values configured can be A (Account), C (Customer), or B (Both).

Note: The attribute values are case-sensitive.

To configure the FATCA Case Entity Type Parameter attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.
The FATCA Application Parameter page is displayed.
2. Select **Default** from the Jurisdiction drop-down list.
3. Select **Case_Creation_Entity_Type** from the Parameter Name drop down list.

The screenshot shows the 'Manage FATCA Application Parameter' page. At the top, there is a breadcrumb navigation: Administration > Manage Parameters > FATCA Application Parameter. Below the breadcrumb, there is a search bar and dropdown menus for Jurisdiction (set to DEFAULT) and Parameter Name (set to Case_Creation_Entity_Type). The main content area is divided into sections: Parameter Context and Parameter Details. In the Parameter Context section, the Jurisdiction is set to DEFAULT, Parameter Enabled is Yes, Description is 'This Parameter provide the configuration for Case Creation (Batch/Manual) to identify the Entity (Account/Customer)', and Last Modified Date and Last Modified By are both set to '--'. In the Parameter Details section, there are ten rows for attributes, each with a description, name, and value. Attribute 8 has its name set to 'Entity_type' and its value set to 'C'. At the bottom of the form are 'Save' and 'Cancel' buttons.

Figure 7. Configuring Case Entity Type Parameter Attributes

4. Choose a Parameter Enabled flag as either **Yes** or **No** depending on a firm's requirement.
5. Edit the Entity_type attribute in the text box. You can enter the attribute value as either A, C or B.
6. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*
7. Click **OK**. The following message is displayed: *Update Operation Successful.*

8. Click **OK**.

Configuring Case Assignment Parameter Attributes

This parameter provides the details for `execute.sh` which assigns the Owner to the created Cases.

To configure the FATCA Case Assignment Parameters attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.
The FATCA Application Parameter page is displayed.
2. Select **Default** from the Jurisdiction drop-down list.
3. Select **FATCA_Case_Assignment** from the Parameter Name drop down list.

Administration >> Manage Parameters >> FATCA Application Parameter

Search

Jurisdiction: DEFAULT Parameter Name: Fatca_Case_Assignment

Parameter Context

Jurisdiction : DEFAULT	Parameter Name : Fatca_Case_Assignment
Parameter Enabled ? : <input type="radio"/> No <input checked="" type="radio"/> Yes	
Description : This Parameter provide the details for execute.sh which aasigns the Owner to Cases created	
Last Modified Date : --	Last Modified By : --

Parameter Details

Attribute 1 :	Description : --	Name : --	Value : <input type="text"/>
Attribute 2 :	Description : --	Name : --	Value : <input type="text"/>
Attribute 3 :	Description : --	Name : --	Value : <input type="text"/>
Attribute 4 :	Description : --	Name : --	Value : <input type="text"/>
Attribute 5 :	Description : Mantas is remote or not	Name : Mantas_Inst_Arch	Value : <input type="text" value="0"/>
Attribute 6 :	Description : --	Name : --	Value : <input type="text"/>
Attribute 7 :	Description : --	Name : --	Value : <input type="text"/>
Attribute 8 :	Description : Username for the machine	Name : MANTAS_USER_ID	Value : <input type="text" value="username"/>
Attribute 9 :	Description : Password for Mantas Machine	Name : MANTAS_PASSWORD	Value : <input type="text" value="password"/>
Attribute 10 :	Description : IP address of Mantas Installation	Name : IP_MANTAS_HOME	Value : <input type="text" value="IP Address"/>

Buttons: Save | Cancel

Figure 8. Configuring Case Assignment Parameter Attributes

4. Choose a Parameter Enabled flag as either **Yes** or **No** depending on a firms's requirement.
5. Edit the attributes in the text box.

The following table provides description of each attribute and the value that you can specify:

Table 8. Configuring Case Assignment Parameter Attributes

Attribute Name	Description
MANTAS_INST_ARCH	This value specifies whether the Mantas Schema is remote or not. Enter either 0 or 1 as the attribute value. Selecting 0 indicates that the Mantas Schema is in local machine whereas selecting 1 indicates that the Mantas Schema is in remote location. Note: By default, the application pre-packages 0 as the attribute value.
MANTAS_USER_ID	Enter the user name for the mantas machine. Note: You must configure this attribute if the Mantas Schema is in a remote location. By default, the application pre-packages the value as <i>username</i> .
MANTAS_PASSWORD	Enter the password for the mantas machine Note: You must configure this attribute if the Mantas Schema is in a remote location. By default, the application pre-packages the value as <i>password</i> .
IP_MANTAS_HOME	Enter the IP address of the mantas machine. Note: You must configure this attribute only if the Mantas Schema is in a machine. By default, the application pre-packages the value as <i>IP Address</i> .

6. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*
7. Click **OK**. The following message is displayed: *Update Operation Successful.*
8. Click **OK**.

Other parameters

The other parameters are used for other processing not directly related to a Batch. These parameters as of now are not used in FATCA processing and by changing it's attributes doesn't have any impact.

- Configuring Initiate Regulatory Reporting Parameters Attributes
- Configuring Log Parameters Attributes
- Configuring Purge Parameter Attributes

Configuring Initiate Regulatory Reporting Parameters Attributes

This Parameter defines the type of entity that should be sent to Regulatory reporting application. As per the value mentioned in the flag either the Account cases or Customer cases or Both (A or C or B) can be promoted to Regulatory reporting.

To configure the Initiate Regulatory Reporting Parameter attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.
- The FATCA Application Parameter page is displayed.
2. Select **Default** from the Jurisdiction drop-down list.
3. Select **Initiate_RR_Params** from the Parameter Name drop down list.

The screenshot shows the 'Manage FATCA Application Parameter' page with the following details:

- Search:** Jurisdiction: DEFAULT, Parameter Name: Initiate_RR_Params
- Parameter Context:**
 - Jurisdiction: DEFAULT
 - Parameter Enabled?: No Yes
 - Description: This Parameter provide the details of all sub-parameters required for RR in Bulk Processing.
 - Last Modified Date: 05/09/2014
 - Last Modified By: AMSUPERVISOR
- Parameter Details:** A table showing 10 attributes with their descriptions, names, and values. Attribute 1: Description: Batch Date of Processing, Name: Last_Batch_Date, Value: 01/01/1950. Attribute 2: Description: --, Name: --, Value: --. Attribute 3: Description: --, Name: --, Value: --. Attribute 4: Description: --, Name: --, Value: --. Attribute 5: Description: --, Name: --, Value: --. Attribute 6: Description: --, Name: --, Value: --. Attribute 7: Description: --, Name: --, Value: --. Attribute 8: Description: Account/Customer/Both Flag (A or C or B), Name: Entity_type, Value: B. Attribute 9: Description: --, Name: --, Value: --. Attribute 10: Description: --, Name: --, Value: --.

At the bottom are 'Save' and 'Cancel' buttons.

Figure 9. Configuring Initiate Regulatory Reporting Parameter Attributes

Other parameters

Chapter 1—Configuring FATCA Application Parameters

4. Choose a Parameter Enabled flag as either **Yes** or **No** depending on a firm's requirement.
5. Edit the attributes in the text box.

Table 9. Configuring Initiate Regulatory Reporting Parameter Attributes

Attribute	Description
Last_Batch_Date	Last Batch Processing Date.
Entity_Type	Account/Customer/Both Flag (A or C or B)

6. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*
7. Click **OK**. The following message is displayed: *Update Operation Successful.*
8. Click **OK**.

Configuring Log Parameters Attributes

This Parameter provides the details of all attributes required for Enabling Error Logs in Processing.

To configure the Configuring Log Parameter attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.
The FATCA Application Parameter page is displayed.
2. Select **Default** from the Jurisdiction drop-down list.
3. Select **Log_Params** from the Parameter Name drop down list.

The screenshot shows the 'Manage FATCA Application Parameter' page with the following details:

- Administration >> Manage Parameters >> FATCA Application Parameter**
- Search:** Jurisdiction: DEFAULT, Parameter Name: Log_Params
- Parameter Context:**
 - Jurisdiction: DEFAULT
 - Parameter Enabled?: Yes
 - Description: This Parameter provide the details of all sub-parameters required for Enabling Error Logs in Processing.
 - Last Modified Date: --
 - Last Modified By: --
- Parameter Details:** A table with 10 rows, each representing an attribute:

Attribute	Description	Name	Value
Attribute 1:	--	--	[Text Input]
Attribute 2:	--	--	[Text Input]
Attribute 3:	--	--	[Text Input]
Attribute 4:	--	--	[Text Input]
Attribute 5:	--	--	[Text Input]
Attribute 6:	--	--	[Text Input]
Attribute 7:	--	--	[Text Input]
Attribute 8:	--	--	[Text Input]
Attribute 9:	--	--	[Text Input]
Attribute 10:	--	--	[Text Input]
- Buttons:** Save, Cancel

Figure 10. Configuring Log Parameters Attributes

4. Choose a Parameter Enabled flag as either **Yes** or **No** depending on a firm's requirement.
5. Edit the required attributes in the text box.
6. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*
7. Click **OK**. The following message is displayed: *Update Operation Successful.*
8. Click **OK**.

Configuring Purge Parameter Attributes

This Parameter provides the details of all attributes required for Purging Assessments such as Age of Assessment. Assessments older than the specified time period will be purged (in months).

To configure the Purge Parameter attributes, follow these steps:

1. From Administration menu, hover over Manage Parameters and click **Manage FATCA Application Parameter** option.
The FATCA Application Parameter page is displayed.
2. Select **Default** from the Jurisdiction drop-down list.
3. Select **Purge_Params** from the Parameter Name drop down list.

The screenshot shows the 'Manage FATCA Application Parameter' page with the following details:

- Search:** Jurisdiction: DEFAULT, Parameter Name: Purge_Params
- Parameter Context:**
 - Jurisdiction: DEFAULT
 - Parameter Enabled?: Yes
 - Description: This Parameter provide the details of all sub-parameters required for Purging Assessments.
 - Last Modified Date: --
 - Last Modified By: --
- Parameter Details:** A table with 10 rows, each representing an attribute:

Attribute	Description	Name	Value
Attribute 1	--	--	[Text Box]
Attribute 2	--	--	[Text Box]
Attribute 3	--	--	[Text Box]
Attribute 4	--	--	[Text Box]
Attribute 5	Description: Age of Assessment records which can be purged (in months)	Name: Age_Assessment	Value: 120
Attribute 6	--	--	[Text Box]
Attribute 7	--	--	[Text Box]
Attribute 8	--	--	[Text Box]
Attribute 9	--	--	[Text Box]
Attribute 10	--	--	[Text Box]
- Buttons:** Save, Cancel

Figure 11. Configuring Purge Parameter Attributes

4. Edit the attribute **Age_Assessment**. By default, this field displays as **120** months.
5. Click **Save**. The following confirmation message is displayed: *You have selected to edit this record. Click OK to continue and save changes.*

Saving the Metadata

Chapter 1–Configuring FATCA Application Parameters

6. Click **OK**. The following message is displayed: *Update Operation Successful*.
7. Click **OK**.

Saving the Metadata

Saving the metadata is a mandatory step before proceeding with running the batches. If you fail to save the metadata, then you will not be able to execute the batches.

To save the metadata, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. Select the **Object Administration** tab and then select **Object Administration**.
3. Select **Utilities**.
4. Click **Save Metadata**. The Metadata Resave page is displayed.

The screenshot shows the 'Metadata Resave' page. At the top, there is a header bar with the title 'Metadata Resave'. Below it, a section titled 'Metadata Details' shows 'Information Domain' set to 'AMINFO623'. There are three radio buttons: 'Hierarchy' (selected), 'Derived Entity', and 'Map'. The main area has two sections: 'Available Metadata' on the left and 'Selected Metadata' on the right. The 'Available Metadata' section contains a list of hierarchy names: Hier_DFS_Fatca_Status_Key, Hier_DRGD_Acct_Net_Wrth, Hier_DRGD_Batch_Name, Hier_DRGD_Cust_Type_Cd, Hier_DRGD_Doc, Hier_DRGD_Ind, Hier_DRGD_Org_Type_Cd, Hier_DRGD_Recalcitrant, and Hier_DRGD_Rul_Grp_Cd. Between these sections are four horizontal arrows pointing from left to right, used for selection. At the bottom of the page are two buttons: 'Save' and 'Reset'.

Figure 12. Saving Metadata

5. Select all the hierarchies under **Available Metadata** section and move it to the **Selected Metadata** section.
6. Click **Save**.

FATCA Assessments can be performed through a batch process that can be executed once a year or periodically such as Daily, Weekly, Monthly, Quarterly, and Half-yearly depending on a firm's requirement.

A firm can configure the FATCA Assessments batches as per their business process. Oracle Financial Services FATCA classifies the batches processes as follows:

- **New Batch:** This batch will assess accounts that have been opened after a specified date as well as owning customers of new accounts.
- **Existing Batch:** This batch will assess the existing accounts whose information has changed as well as the existing customers whose information has changed.
- **Pre Existing Batch:** This batch will assess the accounts that have been opened between a date range as well as the owning customers of pre-existing accounts.

This chapter details the configuration of Batches and includes the steps for the following:

- Scheduling a Batch
- Running a Batch Through Fire Run
- Monitoring a Batch After Execution
- Cancelling a Batch After Execution
- Re-starting a Batch
- Re-running a Batch
- Running a Single Task Using a Batch
- FATCA Performance Improvement

Scheduling a Batch

Ensure all the required servers, that is, ICC, Router, and Message should be up and running before executing a batch. For more information on starting servers, refer to the *Installation Guide*.

When an organization wants to run the batches periodically, a FATCA Administrator user can schedule the batches to run either once, daily, weekly, or months.

Note: Before scheduling a batch, ensure that the ICC router and message server are up and running. For more information on starting ICC router and message server, refer to the *Oracle Financial Services Analytical Applications Infrastructure User Guide*.

This section includes the following topics:

- Scheduling a Batch Once
- Scheduling a Daily Batch
- Scheduling a Weekly Batch

Scheduling a Batch

Chapter 2—FATCA Batch Execution

- Configuring a Monthly Batch

Note: Before starting a batch, you must update the TSNNAMES.ora file and the dbname column of the dsnmater and DB_master tables. Information about these actions can be found in the *Oracle Financial Services Advanced Analytical Applications Infrastructure (OFS AAAI) Applications Pack*.

Scheduling a Batch Once

To schedule a batch that you want to run only once, follow these steps:

- Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
- From the **Common Tasks** option, select **Operations** in the LHS menu.
- Click **Batch Scheduler**. The Batch Scheduler page is displayed.
- Select a batch that you want to schedule from the list of available batches. The Batch Scheduler section is expanded and displays additional options.
- Click **New Schedule**.
- Set the frequency of the new schedule as **Once**.
- Enter the schedule time of the batch by specifying the **Start Date** and the **Run Time**.

The screenshot shows the Oracle Financial Services Analytical Applications interface. The top navigation bar includes links for Applications, Object Administration, and System Configuration & Identity Management, along with language and user information (US-English, FATCAADMIN). The left sidebar has a tree view under 'Select Applications' with categories like 'Financial Services Foreign Account Tax Complia...', 'Behavior Detection - FATCA', 'User Security Administration', 'FATCA Assessment Configuration', 'Case Management Configuration', 'Common Tasks' (which is expanded), 'Unified Metadata Manager', 'Rule Run Framework', 'Operations' (which is selected), and 'Metadata Browser'. The main content area is titled 'Common Tasks > Operations > Batch Scheduler'. It contains several sections: 'Search' (Batch ID Like: OFSFATCAINFO_, Module dropdown, Last Modification Date dropdown), 'Server Time' (Current Server Time: 05/02/2015 20:43:57), 'Batch Name' (Batch ID dropdown with a checked checkbox for OFSFATCAINFO_1422886564801, a list of other batch IDs with their descriptions), 'Batch Scheduler' (Domain: OFSFATCAINFO, Schedule dropdown with 'New Schedule' selected, Batch: OFSFATCAINFO_1422886564801), 'New Schedule' (Schedule Name dropdown with 'Once' selected, Radio buttons for Once, Daily, Weekly, Monthly, Adhoc), and 'Schedule Time' (dropdowns for Start Date and Run Time). At the bottom, there are links for About Oracle, Contact Us, Legal Notices, Terms Of Use, Your Privacy Rights, and Copyright © 2015 Oracle and/or its affiliates. All rights reserved.

Figure 13. Scheduling a Batch Once

- Click **Save**.

Scheduling a Daily Batch

To schedule a batch that you want to run daily, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. From the **Common Tasks** option, select **Operations** in the LHS menu.
3. Click **Batch Scheduler**. The Batch Scheduler page is displayed.
4. Select a batch that you want to schedule from the list of available batches. The Batch Scheduler section is expanded and displays additional options.
5. Click **New Schedule**.
6. Set the frequency of the new schedule as **Daily**.
7. Enter the schedule time of the batch by specifying the **Dates**, **Run Time**, and **Every** information.

The screenshot shows the Oracle Financial Services Analytical Applications interface. The top navigation bar includes 'ORACLE® Financial Services Analytical Applications', 'US-English', and 'FATCAADMIN'. The left sidebar, titled 'Select Applications', lists 'Financial Services Foreign Account Tax Complia...' under 'Behavior Detection - FATCA', and 'Common Tasks' which includes 'Unified Metadata Manager', 'Rule Run Framework', 'Operations', and 'Metadata Browser'. The main content area is titled 'Common Tasks > Operations > Batch Scheduler'. It features a search panel with fields for 'Batch ID Like' (set to 'OFSFATCAINFO_'), 'Module', 'Last Modification Date', and a 'Server Time' field showing '05/02/2015 20:45:15'. A large table lists various batches, with the first row selected. The table has columns for 'Batch ID' (checkboxes) and 'Batch Description'. The selected row shows 'Batch ID' 'OFSFATCAINFO_1422886564801' and 'Batch Description' 'AutoRun_1395677595549_Description'. Below the table, the 'Batch Scheduler' section is expanded, showing 'Domain' 'OFSFATCAINFO', 'Schedule' 'New Schedule', and 'Batch' 'OFSFATCAINFO_1422886564801'. Under 'New Schedule', there are fields for 'Schedule Name' (set to 'Daily') and radio buttons for 'Once', 'Daily', 'Weekly', 'Monthly', and 'Adhoc'. At the bottom of the page, there are links for 'About Oracle', 'Contact Us', 'Legal Notices', 'Terms Of Use', and 'Your Privacy Rights', along with a copyright notice: 'Copyright © 2015 Oracle and/or its affiliates. All rights reserved.'


Figure 14. Scheduling a Daily Batch

8. Click on **Save**.

Scheduling a Weekly Batch

To schedule a batch that you want to run weekly, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. From the **Common Tasks** option, select **Operations** in the LHS menu.
3. Click **Batch Scheduler**. The Batch Scheduler page is displayed.
4. Select a batch that you want to schedule from the list of available batches. The Batch Scheduler section is expanded and displays additional options.
5. Click **New Schedule**.
6. Set the frequency of the new schedule as **Weekly**.
7. Enter the schedule time of the batch by specifying the **Dates, Run Time, Every, Working days of the Week** information.



The screenshot shows the Oracle Financial Services Analytical Applications interface. The top navigation bar includes links for Applications, Object Administration, and System Configuration & Identity Management. The left-hand sidebar (LHS) has a tree view under 'Select Applications' with nodes like 'Financial Services Foreign Account Tax Complia...', 'Behavior Detection - FATCA' (expanded), 'Common Tasks' (expanded), and 'Operations'. The main content area is titled 'Common Tasks > Operations > Batch Scheduler'. It contains several sections: 'Search' (Batch ID Like: OFSFATCAINFO_, Module dropdown, Last Modification Date dropdown), 'Server Time' (Current Server Time: 05/02/2015 20:45:56), 'Batch Name' (Batch ID dropdown showing OFSFATCAINFO_1422886564801 selected, Batch Description dropdown showing AutoRun_1395677595549_Description), 'Batch Scheduler' (Domain: OFSFATCAINFO, Batch: OFSFATCAINFO_1422886564801, Schedule dropdown with 'New Schedule' selected), 'New Schedule' (Schedule Name dropdown, frequency options: Once, Daily, Weekly, Monthly, Adhoc), and 'Schedule Time' (dropdown). At the bottom, there are links for About Oracle, Contact Us, Legal Notices, Terms Of Use, Your Privacy Rights, and Copyright © 2015 Oracle and/or its affiliates. All rights reserved.

Figure 15. Scheduling a Weekly Batch

8. Click on **Save**.

Configuring a Monthly Batch

To schedule a batch that you want to run monthly, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. From the **Common Tasks** option, select **Operations** in the LHS menu.
3. Click **Batch Scheduler**. The Batch Scheduler page is displayed.
4. Select a batch that you want to schedule from the list of available batches. The Batch Scheduler section is expanded and displays additional options.
5. Click **New Schedule**.
6. Set the frequency of the new schedule as **Monthly**.
7. Enter the schedule time of the batch by specifying the **Dates**, and **Run Time** information.

The screenshot shows the Oracle Financial Services Analytical Applications interface. The top navigation bar includes links for Applications, Object Administration, and System Configuration & Identity Management. The left sidebar has sections for Behavior Detection - FATCA, Common Tasks, and Operations. Under Operations, there are links for Unified Metadata Manager, Rule Run Framework, Operations, and Metadata Browser. The main content area is titled 'Common Tasks > Operations > Batch Scheduler'. It features a search bar with fields for 'Batch ID Like' (OFSFATCAINFO_) and 'Module' (dropdown menu), and a date range selector for 'Last Modification Date'. Below this is a 'Server Time' field showing 'Current Server Time: 05/02/2015 20:48:54'. A table lists available batches, with one row selected: 'OFSFATCAINFO_1422886564801' (Batch Description: AutoRun_1395677595549_Description). The 'Batch Scheduler' section is expanded, showing 'Domain: OFSFATCAINFO', 'Schedule: New Schedule (radio button selected)', and a 'New Schedule' section with 'Schedule Name' and frequency options ('Once', 'Daily', 'Weekly', 'Monthly', 'Adhoc'). The 'Monthly' option is selected. At the bottom of the page, there are links for About Oracle, Contact Us, Legal Notices, Terms Of Use, and Your Privacy Rights, along with a copyright notice: 'Copyright © 2015 Oracle and/or its affiliates. All rights reserved.'

Figure 16. Configuring a Monthly Batch

8. Click on **Save**.

Running a Batch Through Fire Run

When you want run a batch once without using the Batch Scheduler option, you can run a batch using a Fire Run.

To run a batch through a fire run, follow these steps:

1. Open the .profile and set the BDF_HOME path to <BDF Home Directory>/scripts .
2. Navigate to \$FIC_DB_HOME/bin and assign execute permission to PTC_Auto_Case_Assignment.sh as follows:
\$ chmod 755 PTC_Auto_Case_Assignment.sh
3. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
4. Expand **Rule Run Framework** from LHS menu.
5. Click **Run**. The Run Rules Framework page is displayed.



Figure 17. Run Rules Framework Page

6. Select FATCA_App_Processing from the Run List using the checkbox. The action buttons in the List header are enabled.
7. Click **Fire Run**.

The Run Rule Framework window is displayed.




Figure 18. Run Rule Framework Window


8. Select Request Type as **Single**.
9. From Execution Mode section, select Batch as **Create and Execute** from the drop-down list. An MIS Date field is displayed adjacently.
10. Select an MIS Date using the calender icon.
11. Select Wait as **No**.
12. Click **OK**.

Monitoring a Batch After Execution

Monitoring a batch helps you track the status of execution of an individual task that was included in the batch. Through monitoring, you can also track the batch status which in turn helps you in debugging.

To monitor a batch after it is executed, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. From the **Common Tasks** option, select **Operations** in the LHS menu.
3. Click **Batch Monitor**. The Batch Monitor page is displayed in the RHS.



The screenshot shows the Oracle Financial Services Analytical Applications interface. The top navigation bar includes links for Applications, Object Administration, System Configuration & Identity Management, and a language selection for US-English. The main menu on the left is collapsed, showing options like Behavior Detection - FATCA, Common Tasks, and Metadata Browser. The right-hand panel displays the 'Batch Monitor' section under 'Common Tasks > Operations > Batch Monitor'. It features a search interface with fields for 'Batch ID Like' (containing 'OFSFATCAINFO_'), 'Module' (set to 'Status'), 'Start Date', and 'End Date'. Below the search is a table titled 'Batch Details' containing 11 rows of batch information, each with a checkbox and a description. At the bottom of the panel are sections for 'Batch Run Details' with dropdowns for 'Information Date' and 'Batch Run ID', and a 'Monitor Refresh Rate (seconds)' set to 5. The footer of the page includes links for About Oracle, Contact Us, Legal Notices, Terms Of Use, and Your Privacy Rights, along with a copyright notice for 2015 Oracle and its affiliates.

Figure 19. Batch Monitor Page

4. Select a batch from the Batch Details lists that you want to monitor.
5. From Batch Run Details section, select an Information Date and the Batch Run ID from the drop-down list.
6. Click  to start the monitoring.

The execution details namely, Batch Status, Task Details, and Event Log details are displayed.

Cancelling a Batch After Execution

Cancellation of a batch cancels a current batch execution.

Note: This is not recommended and should be done only when the batch was fired accidentally or when a particular is taking too long to execute.

To cancel a batch after it is executed, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. From the **Common Tasks** option, select **Operations** in the LHS menu.
3. Click **Batch Cancellation**. The Batch Cancellation page is displayed in RHS.

The screenshot shows the Oracle Financial Services Analytical Applications interface. The top navigation bar includes links for Applications, Object Administration, and System Configuration & Identity Management. The top right corner shows the language as US-English and the user as FATCAADMIN. The left-hand sidebar (LHS) has a tree view under 'Select Applications' with nodes like 'Behavior Detection - FATCA', 'User Security Administration', 'FATCA Assessment Configuration', 'Case Management Configuration', 'Common Tasks' (which is expanded to show 'Unified Metadata Manager', 'Rule Run Framework', 'Operations', and 'Metadata Browser'), and 'Financial Services Foreign Account Tax Complia...'. The main content area (RHS) is titled 'Common Tasks > Operations > Batch Cancellation'. It contains several sections: 'Batch Cancellation' (with a refresh interval of 10 seconds), 'Batch Details' (listing 'Batch Run ID', 'Batch ID', 'Batch Description' (No Data Found), 'Start Time', and 'Elapsed Time'), 'Task Details' (empty), and a 'Legend' for task status: Not Started (yellow), Ongoing (orange), Successful (green), and Cancelled (red).

Figure 20. Batch Cancellation Page

4. Under the Batch Details section, select the batch whose execution you want to cancel.
5. Click **Cancel Batch**.


Re-starting a Batch

You can restart a batch execution when they have failed in their execution. When you restart a batch, it starts from the task at which it had failed. This happens when the failed task issue is debugged and resolved.

Note: It is recommended that you debug and resolve a failed task before restarting the batch execution.

To restart a batch execution, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. From the **Common Tasks** option, select **Operations** in the LHS menu.
3. Click **Batch Execution**. The Batch Execution page is displayed.
4. Select **Restart** radio button from the Batch Mode section.



The screenshot shows the Oracle Financial Services Analytical Applications Infrastructure interface. The top navigation bar includes links for Applications, Object Administration, and System Configuration & Identity Management. The main menu on the left is titled "Select Applications" and lists several modules under "Financial Services Foreign Account Tax Compliance". The central workspace displays the "Batch Execution" page under the "Common Tasks > Operations > Batch Execution" path. The "Batch Mode" section contains a radio button group for "Run", "Restart", and "Rerun", with "Restart" selected. Below this is a search panel with fields for "Batch ID Like" (containing "OFSFATCAINFO_") and "Module". The "Batch Details" section lists several batch entries, each with a checkbox and a description. The "Task Details" section shows a table with columns for Task ID, Task Description, Metadata Value, Component ID, Precedence, and Task Status. The "Information Date" section includes a date picker. At the bottom of the page, there are links for About Oracle, Contact Us, Legal Notices, Terms Of Use, and Your Privacy Rights, along with a copyright notice: "Copyright © 2015 Oracle and/or its affiliates. All rights reserved."

Figure 21. Re-starting a Batch

5. Select the batch from the Batch Details section that you want to restart.
6. Select the Information Date and Batch Run ID for the selected batch from the drop-down list.
7. Click **Execute Batch**.

Re-running a Batch

You can rerun a batch execution when you want all the tasks from a successful batch execution to be executed again from the beginning. When a successfully executed batch is rerun, a different Batch Run ID is created for each instance for the same Information Date.

Note: Creation of different Batch Run ID for each rerun of a batch is optional depending upon a firm's requirement.

To rerun a batch, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. From the **Common Tasks** option, select **Operations** in the LHS menu.
3. Click **Batch Execution**. The Batch Execution page is displayed.
4. Select **Rerun** radio button option from the Batch Mode section.

The screenshot shows the Oracle Financial Services Analytical Applications Infrastructure interface. The main title is "ORACLE® Financial Services Analytical Applications". The top navigation bar includes links for Applications, Object Administration, System Configuration & Identity Management, and language selection for US-English. The left-hand sidebar (LHS) has a tree view under "Select Applications" with nodes like "Behavior Detection - FATCA", "User Security Administration", "FATCA Assessment Configuration", "Case Management Configuration", "Common Tasks" (which is expanded to show "Unified Metadata Manager", "Rule Run Framework", "Operations", and "Metadata Browser"), and "Financial Services Foreign Account Tax Complia...". The main content area is titled "Common Tasks > Operations > Batch Execution". It contains several sections: "Batch Execution" (with a "Mode" dropdown showing "Run", "Restart", and "Rerun" options), "Search" (with filters for "Batch ID Like" and "Module"), "Batch Details" (listing batches with checkboxes and descriptions), "Search" (with filters for "Information Date" and "Batch Run ID"), and "Task Details" (listing tasks with columns for Task ID, Task Description, Metadata Value, Component ID, Precedence, and Task Status). At the bottom, there are links for "About Oracle", "Contact Us", "Legal Notices", "Terms Of Use", and "Your Privacy Rights", along with a copyright notice: "Copyright © 2015 Oracle and/or its affiliates. All rights reserved."

Figure 22. Re-running a Batch

5. Select the batch from the Batch Details section that you want to rerun.
6. Select the Information Date and Batch Run ID for the selected batch from the drop-down list.
7. Click **Execute Batch**.

Running a Single Task Using a Batch

From the Batch Execution page, you can also run a single task from a batch.

Note: Running a single task using a batch is not a recommended approach and should be done only for debugging a particular task.

To run a single task using a batch, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. From the **Common Tasks** option, select **Operations** in the LHS menu.
3. Click **Batch Execution**. The Batch Execution page is displayed.
4. From the Batch Details section, select the particular batch that you want to execute.
5. From the Task Details section, click . The Task Mapping window is displayed.




Figure 23. Running a Single Task Using a Batch

6. Retain the tasks that you want to execute under Available Tasks section and move the rest to the Set Tasks section.
7. Click **OK**. The following warning message is displayed: *If you exclude a task, it will be skipped when executing the batch but, the precedence will not be altered. Do you want to exclude the selected task(s)?*
8. Click **OK**.
9. Click **Execute Batch**.

FATCA Performance Improvement

Note: Follow these steps mentioned in this section to resolve any performance issues. The following steps are not mandatory.

While running batches, firms may face performance issues on tasks related to classification and computational rules. If the tasks are taking longer time than expected, follow these steps for performance improvement:

1. Login to OFSAAI UI as FATCA Administrator.
2. Click **Rule**, under Rule RunFramework tab.
3. Select a computation/classification rule.

The screenshot shows a software interface titled 'Run Rule Framework >> Rule'. At the top, there is a search bar with fields for 'Code', 'Name', 'Folder', and 'Dataset', and dropdowns for 'Version' (set to 0), 'Active' (set to Yes), and 'Type' (set to All). Below the search bar is a toolbar with icons for List, New, View, Edit, Copy, Remove, Authorize, Export, Trace Definition, Page, and Jump to page. The main area is a table listing various rules. The columns are: Code, Name, Type, Folder, Dataset, Version, and Active. The 'Upd_Acc_IndiciaPass2' rule is highlighted with a blue selection bar and has a checked checkbox in the first column. Other rules listed include Upd_Acc_AggNetWorth, Upd_Acc_DocIndicator, Upd_Acc_FATCA_Status, Upd_Acc_IndiciaPass1, Upd_Acc_Overall_Ind, Upd_Acc_Owner_Type_Info, Upd_Acc_Proc_Existing, Upd_Acc_Proc_New, Upd_Acc_Proc_PreExisting, Upd_Acc_Rld_Proc_E..., Upd_Cust_DocIndicator, Upd_Cust_Entity_IndiciaPass1, Upd_Cust_Entity_IndiciaPass2, Upd_Cust_FATCA_Status, Upd_Cust_IND_IndiciaPass1, Upd_Cust_Overall_Indicia, and Upd_Cust_Proc_Existing.

4. Click **Edit**. The Rule Definition (Edit Mode) page is displayed.


FATCA Performance Improvement

Chapter 2—FATCA Batch Execution


The screenshot displays the 'Rule Definition (Edit Mode)' page. At the top, it shows a rule named 'Upd_Acc_IndiciaPass2' with ID 1395035095392. Below this, there are sections for 'Master Information' and 'List' (Location, Source, Target). The 'Properties' tab is active, showing a 'Pre-Built' flag set to 'Yes'. The 'Audit Trail' tab shows creation and modification details.

Figure 24. Rule Definition (Edit Mode) Page


5. Click **Properties**. The Properties window is displayed.
6. Change the Pre-built flag to 'Yes' and click **OK**.



7. Click **Next** in the Rule Definition (Edit Mode) page. The Combination mapper section is displayed.



8. Click **Save**. The following message is displayed: *Do you want to save this rule as a new version.*
9. Click **No**. The following message is displayed:



10. Fire the Run again. For more information, refer *Running a Batch Through Fire Run*.

Configure Java Virtual Machine

While running several database intensive tasks in parallel, fetching the database connection from connection pool may face an error. To ensure no such error is encountered, add the line:

```
securerandom.source=file:/dev/.urandom
```

in the java.security configuration file available in \$JAVA_HOME/jre/lib/security/ path.

This needs to be configured only on the machine where the OFSAAI database components (ficdb layer) are installed.

A FATCA status is assigned to an account or a customer based on FATCA processing. FATCA application pre-packages several FATCA statuses that are assigned to the accounts or customers. A firm can choose to add new FATCA statuses or can edit the attributes of the pre-packaged statuses.

The FATCA status for an account is derived through rule assessments whereas the FATCA status for a customer is derived on the basis of the FATCA statuses of accounts a customer holds. If a customer holds more than one account, then the FATCA status for that customer is based on the priority of all the FATCA statuses of accounts.

A FATCA status includes the following attributes:

- Priority - For deriving Customer FATCA status
- Case Sub-Type and Case Status Code - For Batch Promotion to Case from FATCA Assessments
- F_PROMOTE_TO_CASE_FL - For Enabling or Disabling Case Creation
- F_PROMOTE_TO_EFILE_FL - For Enabling or Disabling E-file Creation.

This chapter includes the following topics:

- Pre-Packaged FATCA Statuses
- Viewing the List of FATCA Statuses
- Editing the Attributes of FATCA Status
- Adding a New FATCA Status
- FATCA Status Derivation

Pre-Packaged FATCA Statuses

The following are the FATCA statuses that are pre-packaged with the FATCA application:

1. Indeterminate
2. Recalcitrant
3. US Person
4. Non-participating FFI
5. Passive NFFE
6. Owner Documented FFI
7. Participating FFI
8. Excepted NFFE
9. Active NFFE
10. Exempt Beneficial Owner
11. Certified Deemed Compliant FFI

12. Registered Deemed Compliant FFI
13. Exempt
14. Non US Person
15. Direct Reporting NFFE

Viewing the List of FATCA Statuses

To navigate to the list of FATCA statuses, follow these steps:

1. Login to the application as FATCA Administrator user.
1. From Administration menu, hover over FATCA Configuration and click **FATCA Status** option.
The list of FATCA Statuses are displayed.

Status Code	FATCA Status	Fatca Status priority	Promote To Case	Case Status	Case Type	Case Subtype	FATCA Reporting	Modified Date	Modified By
ACT NFFE	Active NFFE	6	Yes	Closed By System	FATCA	Due Diligence	No	--	--
CDC	Certified Deemed Compliant FFI	12	Yes	Closed By System	FATCA	Due Diligence	No	--	--
DRT NFFE	Direct Reporting NFFE	7	Yes	Closed By System	FATCA	Due Diligence	Yes	--	--
EBO	Exempt Beneficial Owner	11	Yes	Closed By System	FATCA	Due Diligence	No	--	--
EXC NFFE	Excepted NFFE	9	Yes	Closed By System	FATCA	Due Diligence	No	--	--
EXEM	Exempt	14	Yes	Closed By System	FATCA	Due Diligence	No	--	--
INDETER	Indeterminate	1	Yes	New	FATCA	Due Diligence	No	--	--
NPFFI	Non-Participating FFI	4	Yes	Closed By System	FATCA	Due Diligence	Yes	--	--
NUSP	Non US Person	15	Yes	Closed By System	FATCA	Due Diligence	No	--	--
OWN DC FFI	Owner Documented FFI	10	Yes	Closed By System	FATCA	Due Diligence	Yes	--	--
PAS NFFE	Passive NFFE	5	Yes	Closed By System	FATCA	Due Diligence	Yes	--	--
PFFI	Participating FFI	8	Yes	Closed By System	FATCA	Due Diligence	No	--	--
RDC	Registered Deemed Compliant FFI	13	Yes	Closed By System	FATCA	Due Diligence	No	--	--
RECALC	Recalcitrant	2	Yes	Closed By System	FATCA	Due Diligence	Yes	--	--
USP	US Person	3	Yes	Closed By System	FATCA	Due Diligence	Yes	--	--

Figure 25. FATCA Statuses List

Note: To edit the attributes of a FATCA Status, select the checkbox against each FATCA status.

Editing the Attributes of FATCA Status

A firm can edit a FATCA status when they want to change the description, priority, and other Case related attributes as per their requirements.

To edit the attributes of a FATCA status, follow these steps:

1. Login to the application as FATCA Administrator user.
2. From Administration menu, hover over FATCA Configuration and click **FATCA Status** option.
The list of FATCA Statuses are displayed.
3. Select a FATCA status using the checkbox.

The selected FATCA status row changes into an editable mode.

Status Code	FATCA Status	Fatca Status priority	Promote To Case	Case Status	Case Type	Case Subtype	FATCA Reporting	Modified Date	Modified By
ACT NFFE	Active NFFE	6	Yes	Closed By System	FATCA	Due Diligence	No	—	—
CDC	Certified Deemed Compliant FFI	12	Yes	Closed By System	FATCA	Due Diligence	No	—	—
DRT NFFE	Direct Reporting NFFE	7	Yes	Closed By System	FATCA	Due Diligence	Yes	—	—
EBO	Exempt Beneficial Owner	11	No ▾ Yes	Closed By System	FATCA	Due Diligence	No	—	—
EXC NFFE	Excepted NFFE	9	Yes	Closed By System	FATCA	Due Diligence	No	—	—
EXEM	Exempt	14	Yes	Closed By System	FATCA	Due Diligence	No	—	—
INDETER	Indeterminate	1	Yes	New	FATCA	Due Diligence	No	—	—
NPFFI	Non-Participating FFI	4	Yes	Closed By System	FATCA	Due Diligence	Yes	—	—
NUSP	Non US Person	15	Yes	Closed By System	FATCA	Due Diligence	No	—	—
OWN DC FFI	Owner Documented FFI	10	Yes	Closed By System	FATCA	Due Diligence	Yes	—	—
PAS NFFE	Passive NFFE	5	Yes	Closed By System	FATCA	Due Diligence	Yes	—	—
PFRI	Participating FFI	8	Yes	Closed By System	FATCA	Due Diligence	No	—	—
RDC	Registered Deemed Compliant FFI	13	Yes	Closed By System	FATCA	Due Diligence	No	—	—
RECALC	Recalcitrant	2	Yes	Closed By System	FATCA	Due Diligence	Yes	—	—
USP	US Person	3	Yes	Closed By System	FATCA	Due Diligence	Yes	—	—

Figure 26. Editing the Attributes of FATCA Status

4. Edit the required attributes.
5. Click **Save**. The following message is displayed: *Update Operation Successful*.
6. Click **OK**.

Adding a New FATCA Status

A firm can add a new FATCA status based on their requirement. Adding a new FATCA status is a three step process.

This section includes the following topics:

- Adding a New FATCA Status in FCCM
- Adding a New FATCA Status Derivation Using Rules Framework
- Adding a New Task for New FATCA status

Adding a New FATCA Status in FCCM

To add a new FATCA Status from FCCM, follow these steps:

1. Login to the application as FATCA Administrator user.
2. From **Administration** menu, hover over **FATCA Configuration** and click **FATCA Status** option.
3. Click **Add**. The following window is displayed.



The screenshot shows a Windows Internet Explorer window titled "Add FATCA Status - Windows Internet Explorer". The form has the following fields:

- Status Code*: A text input field.
- FATCA Status*: A text input field.
- Promote To Case*: A radio button group with options "No" and "Yes".
- Case Type*: A dropdown menu.
- FATCA Reporting*: A radio button group with options "No" and "Yes".
- FATCA Status Priority for Customer*: A dropdown menu.
- Case Status*: A dropdown menu.
- Case SubType*: A dropdown menu.

At the bottom of the form are three buttons: "Save", "Clear", and "Cancel".

Figure 27. Adding a New FATCA Status in FCCM

4. Enter the details of the new FATCA status.

Note: All the fields are mandatory.

The following table describes the components of the Add FATCA Status window:

Table 10. Add New FATCA Status Field Descriptions

Field	Description
Status Code	Enter a unique status code for the new FATCA status.
FATCA Status	Enter the description of the new status code in the text field.
FATCA Status Priority for Customer	Enter a unique number denoting the FATCA Status Priority for the Customer. Note: The lower the number, the higher is the priority.
Promote to Case	Select either Yes or No on whether the new FATCA Status should be promoted to case.
Case Status	Select a case status for the new FATCA status from the drop-down list.
Case Type	Select FATCA as the case type from the drop-down list.
Case SubType	Select Due Diligence as the case subtype from the drop-down list.
FATCA Reporting	Select either Yes or No on whether FATCA Reporting is required the new FATCA Status.

5. Click **Save**.

Note: When you add a new FATCA status, a new classification rule has to be added using the Rules Framework for the newly added FATCA status.

Adding a New FATCA Status Derivation Using Rules Framework

After adding a new FATCA status through FCCM UI, you need to add a new FATCA Status derivation namely Classification Rules using the Rules Framework. You can also add a new FATCA status derivation for an existing FATCA Status based on combinations of source hierarchies.

To add a new classification rule, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. Expand **Rule Run Framework** from LHS menu.
3. Click **Rule**. The Run Rules Framework page is displayed on the RHS.
4. Click **New**. The following window is displayed:

Adding a New FATCA Status

Chapter 3—Configuring the FATCA Status






Figure 28. Adding a New FATCA Status Derivation Using Rules Framework

5. From Linked To section, click to select a **Folder**. The following window is displayed:



6. Select the required folder and click **OK**.

7. From Linked To section, click  to select a **Dataset**. The following window is displayed:



Note: A Dataset is a set of tables that are used in the classification rules of a particular FATCA status.

8. Select **DS_Upd_Acct_FATCA_Status** as the dataset.

9. Click **OK**.

Note: The above dataset is the common dataset that is used for all the classification rules.

10. In Master Information section, enter a unique character for **Code** and **Name** values and select **Type** as **Classification** from the drop-down list.

Note: You can enter a maximum of 30 characters for these two fields. For more information on task list, refer to Appendix A, “FATCA Batch Processing Task List.”

11. Click  and select **Source**. The Hierarchy Selector window is displayed.

Adding a New FATCA Status

Chapter 3—Configuring the FATCA Status




Figure 29. Hierarchy Selector Window

12. Select the following source hierarchies and move to the Selected Hierarchies pane:

- Hier_DRGD_Acct_Net_Wrth
- Hier_DRGD_Batch_Name
- Hier_DRGD_Cust_Type_Cd, Hier_DRGD_Doc
- Hier_DRGD_Ind, Hier_DRGD_Org_Type_Cd
- Hier_DRGD_Recalcitrant


13. Click **OK**. The selected source hierarchies are displayed in the List.

14. Click and select **Target**. The Hierarchy Selector window is displayed.

15. Select the target hierarchy as `Hier_DFS_FATCA_Status_Key` and move to the **Selected Hierarchies** pane.

16. Click **OK**. The selected target hierarchies are displayed in the List.

17. Click **Next**. The following page is displayed:



18. Select FCT_FATCA_ACCT_RVW_DTLS.n_fatca_status_key and click **OK**.

19. From Combination Mapper section, click any hierarchy. For example,  A Hierarchy Browser window is displayed.

20. Expand the hierarchy to display the values.

21. Select the required values that you want to map and move them to the **Selected Members** pane.

Or

Select the hierarchy from LHS pane and move the entire hierarchy to the **Selected Members** pane if you want to map all the nodes in the hierarchy.

22. Click **OK**.

23. Select the required checkboxes that display under the **Target page** section.

24. Click **Save**. The following message is displayed: *Save action with authorize was successful on following definitions <Name>*

25. Click **Close**.

Note: You can follow the above procedure for other Source Hierarchies and Target Hierarchies.

Adding a New Task for New FATCA status

After adding a new classification rule for FATCA status derivation, the created rule needs to be included in the existing task list. This task should either go under sub-process Upd_Status_NewExist for New/Existing batch or under Upd_Status_PreExist for Pre-existing batch depending upon which batch the rule is created. For more information on adding a task to a process, refer to *Oracle Financial Services Analytical Applications Infrastructure User Manual* for adding a task to a process.

FATCA Status Derivation

A firm can edit FATCA status derivation when the pre-packaged combination for deriving a FATCA status needs to be changed. For pre-packaged combination of deriving a FATCA status, refer to *Appendix C* in *FATCA Assessment Guide*.

FATCA statuses for an account are derived using defined rules in rules framework, which uses combination of source hierarchies values to arrive at a FATCA status in Target hierarchy. Refer to *Oracle Financial Services Analytical Applications Infrastructure User Manual* for more information.

There are totally 36 classification rules in FATCA batch from task 25 to task 60. For more information on task details, refer to Appendix A, “FATCA Batch Processing Task List.”

- Task 26 to Task 38 are classification rules relating to New or Existing Batch
- Task 39 to task 61 are classification rules related to Pre-Existing Batch.

Classification Rules

Classification rules contain multiple Source hierarchies and a Target Hierarchy.

Source Hierarchies used for Classification Rules

1. Hier_DRGD_Cust_Type_Cd - It takes the following values - Financial, Indeterminate Multiple Entity Types, Individual and Organization.
2. Hier_DRGD_Doc - It takes the following values - Yes and No
3. Hier_DRGD_Ind - It takes the following values - Yes, No and Indeterminate.
4. Hier_DRGD_Org_Type_Cd - It takes the following values - Active NFFE, Certified Deemed Compliant FFI', Excepted NFFE, Exempt Beneficial Owner, Indeterminate Multiple Org Types, No Value, Non-Participating FFI, Other Organizations Type Codes, Owner Documented FFI, Participating FFI, Passive NFFE, Registered Deemed Compliant FFI.
5. Hier_DRGD_Recalcitrant - It takes the following values - Yes and No
6. Hier_DRGD_Batch_Name - It takes the following values - New Entities, Existing Entities and Pre-existing Entities.
7. Hier_DRGD_Acct_Net_Wrth - It takes the following values - Above Limit, Below Limit and Within Limit.

Target Hierarchy used for Classification Rules

- Hier_DFS_FATCA_Status_Key - It includes the following values: Active NFFE, Certified Deemed Compliant FFI, Excepted NFFE, Exempt, Exempt Beneficial Owner, Indeterminate, Non US Person, Non-participating FFI, Owner Documented FFI, Participating FFI, Passive NFFE, Recalcitrant, Registered Deemed Compliant FFI, and US Person.

Editing a Classification Rule

To edit a classification rule, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure page as a FATCA Administrator user.
2. Expand **Rules Framework** from LHS menu.
3. Click **Rule**. The Run Rules Framework page is displayed on the RHS.
4. Select a rule with the **Type** as **Classification**.

The screenshot shows the 'Run Rule Framework >> Rule' page. At the top, there is a search/filter section with fields for 'Code', 'Name', 'Folder', and 'Dataset'. Below this is a toolbar with buttons for 'New', 'View', 'Edit', 'Copy', 'Remove', 'Authorize', 'Export', and 'Trace Definition'. The main area is a table titled 'List [18]' showing a list of classification rules. The columns are: Code, Name, Type, Folder, Dataset, Version, and Active. The 'Active' column shows 'Yes' for most rows. The row 'Upd_Status_PreExist_Exempt' is selected, indicated by a checked checkbox in the first column.

Code	Name	Type	Folder	Dataset	Version	Active
	Upd_Status_PreExist_Exempt	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
<input checked="" type="checkbox"/>	Upd_Status_PreExist_Exempt	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_NPFFI	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_NUSP_All1	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_NUSP_All2	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_NUSP_Ent1	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_NUSP_Ent2	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_NUSP_Ind1	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_NUSP_Ind2	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_ODFFI	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_ParticipFFI	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_PassiveNFFE	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_RDCFFI	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_Recal_All	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_Recal_Ent	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_Recal_Ind	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_USPerson	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_USP_All	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes
	Upd_Status_PreExist_USP_Ent	Classification	AM623SEG	DS_Upd_Accr_Fatca_Status	0	Yes

Figure 30. Editing a Classification Rule

5. Click **Edit**. The following page is displayed.

FATCA Status Derivation

Chapter 3—Configuring the FATCA Status

The screenshot shows the 'Rule' configuration page. In the 'Master Information' section, the ID is 1395244163161, Version is 0, and Active is checked. The 'List' section contains a table with columns: Location, Code, Name, and Type. It lists various source hierarchies like DRGD_CTC, DRGD_DFL, etc., and one target hierarchy DFS_FSK.


6. Click **Next**. The following page is displayed along with the Target Column window.

The screenshot shows the 'Target Column -- Webpage Dialog' window. In the 'List [2]' section, the code 'FCT_FATCA_ACCT_RVW_DLTS.n_fatca_status_key' is selected with a checked checkbox. The 'Exclude' section is empty.


7. Select FCT_FATCA_ACCT_RVW_DLTS.n_FATCA_Status_Key

8. Click **OK**.

9. Click  from the Combination Mapper section that you want to edit. The following window is displayed.



10. Unmap the Selected Members from the RHS to the LHS pane.
11. Expand the **Hier_DRGD_Batch_Name** and map the required value to the **Selected Members** pane.
12. Click **OK**.



13. Select the required checkboxes that display under the **Target page** section.
14. Click **Save**. The following message is displayed: *Do you want to save this rule as a new version?*
15. Click **No**. A confirmation message is displayed.
16. Click **Close**.

Note: You can follow the above procedure for other Source Hierarchies and Target Hierarchies.

Configuring the FATCA Assessment Rules

This chapter discusses about configuring the FATCA Rules for assessing the accounts and customers. An Account is assessed based on the FATCA rules configured to derive the Account FATCA Status. A Customer's FATCA status is derived from the FATCA statuses of the accounts a customer holds.

Each account or customer selected for assessment is verified against FATCA Rules for the Jurisdiction, Geographic Jurisdiction, and Business Domain as that of the account or customer.

If there are no FATCA Rules defined for a specific Jurisdiction, Geographic Jurisdiction and Business Domain then the accounts or customers will be assessed based on the default FATCA rules.

FATCA_ASSESSMENT_RULES is a configuration table that is used for FATCA Processing. This table is used to define the individual attributes, and operand which in turn are used to derive Overall Indicia, and Document Indicator of Accounts or Customers. Based on the Document Indicator, Overall Indicia and few other parameters, the FATCA statuses are arrived.

Note: Based on a firm's requirement, all these attributes can be Enabled or Disabled.

This section covers following topics:

- FATCA Assessment
- Account Assessment Structure
- Customer Assessment Structure
- Rules Configuration
- FATCA Rules Configuration

FATCA Assessment

FATCA Assessment consists of Rule Group Classification, which further consists of Rule Groups. Some rule groups (For example, FATCA Indicators) are used directly to define the FATCA Status, while some Rule Groups (For example. Indicia and Document Indicators) are further divided into Individual rules.

This section covers following topics:

- Rules Group Classification
- Rule Groups
- Editing a FATCA Rule Indicator
- Copying a FATCA Rule Indicator

Rules Group Classification

The following are the Rule Group Classifications that are used for FATCA Processing

- **Indicia_Indicator_Acct** - It is used for deriving the Indicia Status for a particular account.
- **Indicia_Indicator_Cust** - It is used for deriving the indicia for a customer
- **Document_Indicator** - It is used for deriving the Document Indicator for a particular account. Document Indicator of an account is based on the documents of the owning customers. If any of the related customer has a Document Indicator Flag as **Y**, then the Document Indicator Flag for that particular account is also marked as **Y**.
- **Fatca_Indicator_Acct** - It is used for deriving the FATCA Status for a particular account. This contains Rule Groups which themselves act as rules.

Rule Groups

Rule Group are the used to derive the FATCA Status of an account. They are of two types:

- Rule Groups
- Rule Groups Categorized into Further Rules

Rule Groups

They are directly used to derive FATCA Status of an account. They cannot be divided any further. The following are the Rule Groups that act as Rules which are used for FATCA Processing:

- **Acct_Agg_Net_Worth_IND** - This Rule is used to define attribute for deriving Aggregated Net Worth value Code for Accounts which has Individual Customer type.
- **Acct_Agg_Net_Worth_ENT** - This Rule is used to define attribute for deriving Aggregated Net Worth value Code for Accounts which has Non-Individual Customer type.
- **Customer_Type_Code** - This Rule is used to define attribute for deriving Customer type code for Accounts.
- **FATCA_Org_Type_Code** - This Rule is used to define attribute for deriving FATCA Org Type Code for Accounts.
- **Recalcitrant_Indicator** - This Rule is used to define attribute for deriving Recalcitrant Indicator for Accounts.

Note: For more information, refer to section Account Assessment Structure.

Rule Groups Categorized into Further Rules

These Rule Groups are categorized into Indicia and Document rules. The following are the Rule Groups that are used for FATCA Processing

- Indicia_Indicator_Cust_IND
- Indicia_Indicator_Cust_ENT
- Indicia_Indicator_Acct
- Document_Indicator

Note: For more information, refer to section Account Assessment Structure.

Account Assessment Structure

The following are the Rule Groups that are used for Account Assessment.

- Rule Groups as Groups - Indicia_Indicator_Acct

The following table defines the US Indicia rules for Accounts. Account's US Indicia is YES if any one of the following parameters satisfies the condition:

Table 11. US Indicia Rules for Accounts

Rule Group Classification	Rule Group Name	Rule Description	Condition
Indicia_Indicator_Acct	Indicia_Indicator_Acct	Standing Instructions to US Account Indicator	<ul style="list-style-type: none"> ● If value equals Y, then US Indicia = Y. ● If value is not equal to Y then US Indicia = N.
Indicia_Indicator_Acct	Indicia_Indicator_Acct	US POA or Signatory Indicator	<ul style="list-style-type: none"> ● If value equals Y, then US Indicia = Y. ● If value is not equal to Y, then US Indicia = N.
Indicia_Indicator_Acct	Indicia_Indicator_Acct	Country Code of Address	<ul style="list-style-type: none"> ● If value of one Address country is equal to US then US Indicia = Y. ● If value of none of the Address countries is equal to US then US Indicia = N.

Table 11. US Indicia Rules for Accounts

Indicia_Indicator_Acct	Indicia_Indicator_Acct	Country of Phone Number	<ul style="list-style-type: none"> ● If value of one phone country is equal to US then US Indicia = Y. ● If value of none of the phone countries is equal to US then US Indicia = N.
Indicia_Indicator_Acct	Indicia_Indicator_Acct	Mail Handling Instruction	<ul style="list-style-type: none"> ● If Mail Handling Instruction for all the addresses is in (H, I) then US Indicia = Y. ● If Mail Handling Instruction for one address is not in (H,I) then US Indicia

Note:

- If all the Indicia indicators for an account are **NULL**, then the Indicia of the Account is marked as **Indeterminate**.
- If all the Indicia indicators for an account are disabled, then the Indicia of the Account is marked as "**Disabled**". To disable Indicia, you must also disable them in the classification rules.
- **Rule Groups Categorized as Rules**

The following table defines the FATCA account assessment indicators. In addition to Overall US Indicia and Document Indicator, FATCA account assessment indicators are used to derive the FATCA Status

Table 12. FATCA Account Assessment Indicators

Rule Group Classification	Rule Group Name	Rule Description	Condition
Fatca_Indicator_Acct	Acct_Agg_Net_Worth_IND	Account Agg Net Worth - Individual (in base currency)	As per the aggregate account balance accounts are identified as Exempt, Low Value and High Value.
Fatca_Indicator_Acct	Acct_Agg_Net_Worth_ENT	Account Agg Net Worth - Entity (in base currency)	As per the aggregate account balance accounts are identified as Exempt, Low Value and High Value.
Fatca_Indicator_Acct	Recalcitrant_Indicator	Recalcitrant Indicator	If value is Y FATCA status = Recalcitrant
Fatca_Indicator_Acct	Substitute input value	Customer Type Code	
Fatca_Indicator_Acct	FATCA_Org_Type_Code	FATCA Organization Type Code	

Note:

- If all the Indicia indicators for an account are **NULL**, then the Indicia of the Account is marked as **Indeterminate**.
- If all the Indicia indicators for an account are disabled, then the Indicia of the Account is marked as **"Disabled"**.

Customer Assessment Structure

The following are the Rule Groups that are used for Customer Assessment.

1. **Indicia_Indicator_Cust_IND** - The following table defines the US Indicia rules for Individual customers. A Customer's US Indicia is set to YES if any one of the following rules satisfies the condition:

Table 13. US Indicia Rules for Individual Customers

Rule Group Classification	Rule Group Name	Rule Description	Condition
Indicia_Indicator_Cust	Indicia_Indicator_Cust_IND	Primary Citizenship	<ul style="list-style-type: none"> • If value equals US then US Indicia = Y. • If value is not equal to US then US Indicia = N.
Indicia_Indicator_Cust	Indicia_Indicator_Cust_IND	Secondary Citizenship	<ul style="list-style-type: none"> • If value equals US then US Indicia = Y. • If value is not equal to US then US Indicia = N.
Indicia_Indicator_Cust	Indicia_Indicator_Cust_IND	Country of Birth	<ul style="list-style-type: none"> • If value equals US then US Indicia = Y. • If value is not equal to US then US Indicia = N.
Indicia_Indicator_Cust	Indicia_Indicator_Cust_IND	Country of Residence	<ul style="list-style-type: none"> • If value equals US then US Indicia = Y. • If value is not equal to US then US Indicia = N.
Indicia_Indicator_Cust	Indicia_Indicator_Cust_IND	Country of Mail Address	<ul style="list-style-type: none"> • If country of one mailing address is equal to US then US Indicia = Y. • If country of none of the mailing addresses is equal to US then US Indicia = N.
Indicia_Indicator_Cust	Indicia_Indicator_Cust_IND	Country of Home Address	<ul style="list-style-type: none"> • If country of one home address is equal to US then US Indicia = Y. • If country of none of the home addresses is equal to US then US Indicia = N.

Table 13. US Indicia Rules for Individual Customers

Rule Group Classification	Rule Group Name	Rule Description	Condition
Indicia_Indicator_Cust	Indicia_Indicator_Cust_IND	Country of Phone Number	<ul style="list-style-type: none">● If value of one phone country is equal to US, then US Indicia = Y.● If value of none of the phone countries is equal to US, then US Indicia = N.
Indicia_Indicator_Cust	Indicia_Indicator_Cust_IND	Mail Handling Instruction	<ul style="list-style-type: none">● If Mail Handling Instruction for all the addresses is in (H, I) then US Indicia = Y.● If Mail Handling Instruction for one address is not in (H,I) then US Indicia = N.

Note:

- If all the Indicia indicators for an account are **NULL**, then the Indicia of the Account is marked as **Indeterminate**.
 - If all the Indicia indicators for an account are disabled, then the Indicia of the Account is marked as **"Disabled"**.
2. **Indicia_Indicator_Cust_ENT** - The following table defines the US Indicia rules for non-individual customers. A Customer's US Indicia is set to YES if any one of the following rules satisfies the condition:

Table 14. US Indicia Rules for Non-Individual Customers

Rule Group Classification	Rule Group Name	Rule Description	Condition
Indicia_Indicator_Cust	Indicia_Indicator_Cust_ENT	Country of Residence	<ul style="list-style-type: none"> ● If value equals US, then US Indicia = Y. ● If value is not equal to US, then US Indicia = N.
Indicia_Indicator_Cust	Indicia_Indicator_Cust_ENT	Country of Mail Address	<ul style="list-style-type: none"> ● If country of one mailing address is equal to US, then US Indicia = Y. ● If country of none of the mailing addresses is equal to US, then US Indicia = N.
Indicia_Indicator_Cust	Indicia_Indicator_Cust_ENT	Country of Home Address	<ul style="list-style-type: none"> ● If country of one home address is equal to US, then US Indicia = Y. ● If country of none of the home addresses is equal to US, then US Indicia = N.
Indicia_Indicator_Cust	Indicia_Indicator_Cust_ENT	Country of Phone Number	<ul style="list-style-type: none"> ● If value of one phone country is equal to US then US Indicia = Y. ● If value of none of the phone countries is equal to US then US Indicia = N.
Indicia_Indicator_Cust	Indicia_Indicator_Cust_ENT	Mail Handling Instruction	<ul style="list-style-type: none"> ● If Mail Handling Instruction for all the addresses is in (H, I) then US Indicia = Y. ● If Mail Handling Instruction for one address is not in (H,I) then US Indicia = N.

Note:

- If all the Indicia indicators for an account are **NULL**, then the Indicia of the Account is marked as **Indeterminate**.
- If all the Indicia indicators for an account are disabled, then the Indicia of the Account is marked as **"Disabled"**.

3. Document_Indicator

The following table defines the customer's document indicators which are used to derive the Overall Document Indicator of a related account. Account Document Indicator = No if any one of the owning customers is able to provide a document claiming foreign status:

Table 15. Customers Document Indicators

Rule Group Classification	Rule Group Name	Rule Description	Condition
Document_Indicator	Document_Indicator	Non US Citizen and Resident Indicator	If the value is Y, then US Indicia = N
Document_Indicator	Document_Indicator	Non US Document Holder Indicator	If the value is Y, then US Indicia = N
Document_Indicator	Document_Indicator	Certificate of Loss of Nationality Indicator	If the value is Y, then US Indicia = N
Document_Indicator	Document_Indicator	Entity Government Documentation Indicator	If the value is Y, then US Indicia = N
Document_Indicator	Document_Indicator	Third Party Credit Report Indicator	If the value is Y, then US Indicia = N
Document_Indicator	Document_Indicator	Certificate of Foreign Tax Reporting Indicator	If the value is Y, then US Indicia = N

Note:

- If all the Indicia indicators for an account are **NULL**, then the Indicia of the Account is marked as **Indeterminate**.
- If all the Indicia indicators for an account are disabled, then the Indicia of the Account is marked as "Disabled".

Rules Configuration

This section allows you to search for existing FATCA Rule Indicators using the search bar and additionally allows you to edit and copy the FATCA Rule Indicator parameters. You can also export the grid data from the FATCA Rule Indicator List to excel.

This section includes the following topics:

- Searching Existing FATCA Rule Indicators
- Editing a FATCA Rule Indicator
- Copying a FATCA Rule Indicator
- Exporting FATCA Rule Indicator List to Excel

Searching Existing FATCA Rule Indicators

This search is based on a set of search criteria such as the Created Date, Created By, Jurisdiction, Business Domain and so on and allows you to retrieve the relevant FATCA Rule Indicators.

To search for FATCA Rule Indicators using search bar, follow these steps:

1. From **Administration** menu, hover over **FATCA Configuration** and click **Rules Configuration** option.

The Rules Configuration page including the Search bar and FATCA Rule Indicators List is displayed.

2. Enter the required search criteria in the search fields.

The following table describes the components of the FATCA Rule Indicators Search Bar:

Table 16. FATCA Rule Indicators Search Bar

Field	Description
Created Date >=	Select a date from the calendar icon to filter the list of FATCA rule indicators whose created date are greater than or equal to the selected date.
Created Date <=	Select a date from the calendar icon to filter the list of FATCA rule indicators whose created date are less than or equal to the selected date.
Created By	Select the user(s) from the drop-down list to filter the list of FATCA rule indicators which were created by the selected user(s).
Jurisdiction	Select the jurisdiction(s) from the drop-down list to filter the list of FATCA rule indicators belonging to the selected jurisdiction(s).
Geographic Jurisdiction	Select the geographic jurisdiction (s) from the drop-down list to filter the list of FATCA rule indicators belonging to the selected geographic jurisdiction (s).
Business Domain	Select the business domain(s) from the drop-down list to filter the list of FATCA rule indicators belonging to the selected business domain (s).
Modified Date >=	Select a date from the calendar icon to filter the list of FATCA rule indicators whose modified date are greater than or equal to the selected date.
Modified Date <=	Select a date from the calendar icon to filter the list of FATCA rule indicators whose modified date are less than or equal to the selected date.
Modified By	Select the user(s) from the drop-down list to filter the list of FATCA rule indicators which were modified by the selected user(s).

3. Click **Go**. The relevant search list is displayed.

Editing a FATCA Rule Indicator

To edit an existing rule set, modify the Rule Configuration Parameters, follow these steps:

1. From **Administration** menu, hover over **FATCA Configuration** and click **Rules Configuration** option.

The Rules Configuration page is displayed.

2. Search for the required rule using the search bar and then select the rule from the FATCA Rules Indicators Lists.

Or

Select the required rule from the FATCA Rules Indicators Lists that displays the pre-filtered list of rulesquestions through a default search criteria.

3. Click **Edit**. The Edit Rules window is displayed.

Rules Configuration

Chapter 4—Configuring the FATCA Assessment Rules

The screenshot shows a Windows Internet Explorer window titled 'Edit Rules - Windows Internet Explorer'. The page is titled 'Rule Group Classification' with the value 'Fatca_Indicator_Acct'. On the right, it shows 'Rule Group' as 'FATCA_Org_Type_Code'. The main form contains fields for 'Rule Name*' (set to 'FATCA Organization Type Code'), 'Status*' (radio buttons for 'Disable' and 'Enable' with 'Enable' selected), 'Operand*' (a dropdown menu), 'Rule Value' (an input field), 'Rule Value Lower Limit' (an input field), 'Rule Value Upper Limit' (an input field), 'Rule Date >=' (an input field with a calendar icon), and 'Rule Date <=' (an input field with a calendar icon). At the bottom are 'Save', 'Reset', and 'Cancel' buttons.

Figure 31. Editing a FATCA Rule Indicator

4. Edit the required fields.

Note: You can edit only the Rule Name, Status, Operand, and Rule Value fields.

5. Click **Save**. The following message is displayed: *Update Operation Successful*.

6. Click **OK**.

Copying a FATCA Rule Indicator

To copy an existing rules for another set of Jurisdiction-Geo Jurisdiction-Business Domain combination, follow these steps:

1. From **Administration** menu, hover over **FATCA Configuration** and click **Rules Configuration** option.
The Rules Configuration page is displayed.
2. Click **Copy**. The Copy Rules window is displayed.

The screenshot shows a Windows Internet Explorer window titled 'Copy Rules - Windows Internet Explorer'. It has two sections: 'Source Details' and 'Destination Details'. Both sections contain three dropdown menus labeled 'Jurisdiction*', 'Geographic Jurisdiction*', and 'Business Domain*'. At the bottom are 'Save', 'Clear', and 'Cancel' buttons.

Figure 32. Copying a FATCA Rule Indicator

3. Select the source Jurisdiction, Geographic Jurisdiction, and Business Domain from the respective drop-down list options.
4. Select the destination Jurisdiction, Geographic Jurisdiction, and Business Domain from the respective drop-down list options
5. Click **Save**. The following message is displayed: *Copy Operation Successful*.
6. Click **OK**.

Exporting FATCA Rule Indicator List to Excel

To export the FATCA Rule Indicators List to Excel, follow these steps:

1. Navigate to Rule Configuration Search and List page.
2. Click **Export** from the FATCA Rule Indicators List section.
An Export Properties window is displayed.
3. Select Form Data/Grid Data as **Grid Data**.

Note: If you select Grid Data then it exports records only from a particular matrix. If you select Form Data then it exports records from all matrices available in the UI.

4. Set Document Type as **Excel**
5. Click **Export**. A File Download window is displayed.

You can choose to either Open or Save the exported list.

FATCA Rules Configuration

Oracle Financial Services FATCA consists of a pre-packaged set of 29 rules that are used for FATCA Account and Customer Assessment. If a firm wants to configure rules apart from the pre-packaged set, they can do so by adding a new rule.

The pre-packaged set consists of the following Rule Group Classifications:

- **Indicia – Customer:** Consists of rules that are used to derive the indicia of the customer.
- **Indicia – Account:** Consists of rules that are used to derive the indicia of an account.
- **Document – Indicator:** Consists of rules that are used to determine the document indicator of a customer which in turn determines the document indicator of the account associated with that customer.
- **FATCA – Indicators:** Consists of rules that are used to derive the FATCA status of an account.

Adding a New Rule to the Rule Group Classification (Indicia – Customer, Indicia – Account, Document Indicator)

The addition of new rule attributes to the above three rule groups is as depicted in the following flowchart:




Figure 33. Workflow for Adding New Rule to Rule Group

This section explains the following topics:

- Adding a New Rule to the Rule Group Classification Indicia – Customer
- Adding a New Rule to the Rule Group Classification Indicia – Account
- Adding a New Rule to the Rule Group Classification Document Indicator
- Adding a New Rule to the Rule Group Classification FATCA – Indicator

Adding a New Rule to the Rule Group Classification Indicia – Customer

To add a new rule to the Rule Group Classification Indicia – Customer, follow these steps:

1. Add a new rule attribute through the Admin UI. For more information, refer *Adding a New Rule through Admin UI*.
2. Change the corresponding FATCA Customer Assessment View to accommodate the newly added attribute.

OR

Write a Data Transformation (DT) to concatenate the newly added attribute to the FATCA Assessment attribute.

3. Add the newly created DT after Task 13 (Upd_Cust_FATCA_Assessment_Info) in the process flow. For more information, refer *Adding a New Rule Through Data Transformation*.

To configure views or to create Data transformations, contact FCCM Product Support.

Adding a New Rule to the Rule Group Classification Indicia – Account

To add a new rule to the Rule Group Classification Indicia – Account, follow these steps:

1. Add a new rule attribute through the Admin UI. For more information, refer *Adding a New Rule through Admin UI*.
2. Change the corresponding FATCA Account Assessment View to accommodate the newly added attribute

OR

Write a DT to concatenate the newly added attribute to the FATCA Assessment attribute.

3. Add the newly created DT after Task 14 (Upd_Acct_FATCA_Assessment_Info) in the process flow. For more information, refer *Adding a New Rule Through Data Transformation*.

To configure views or to create Data transformations, contact FCCM Product Support.

Adding a New Rule to the Rule Group Classification Document Indicator

To add a new rule to the Rule Group Classification Document Indicator, follow these steps:

1. Add a new rule attribute through Admin UI. For more information, refer *Adding a New Rule through Admin UI*.
2. Change the corresponding Customer Assessment View to accommodate the newly added attribute.

OR

Write a DT to concatenate the newly added attribute to the FATCA Assessment attribute.

3. Add the newly created DT after Task 13 (Upd_Cust_FATCA_Assessment_Info) in the process flow. For more information, refer *Adding a New Rule Through Data Transformation*.

To configure views or to create Data transformations, contact FCCM Product Support.

Note: For a Data Transformation, a function has to be written to concatenate the newly added attribute to the assessment attribute. For more information, refer *Adding a New Rule Through Data Transformation*.

Adding a New Rule to the Rule Group Classification FATCA – Indicator

The following figure depicts the workflow for addition of new rule.




Figure 34. Workflow for Adding New Rule to Rule Group Classification FATCA Indicator

To add a new rule to the Rule Group Classification **FATCA – Indicator**, follow these steps:

1. Add a new rule attribute through Admin UI. For more information, refer *Adding a New Rule through Admin UI*.
2. Add the required values for deriving the attribute in the Dimension Rule Group table.

For Example:

Table 17. Dimension Rule Group Table Example

Domain Key	Rule Group Name	Rule Group Code	Rule Group Description
11	RG_Account_Net_Worth	Below Limit	Below Limit
14	RG_Cust_Type_CD	IND	Individual
18	RG_FATCA_Org_Type_CD	EXC NFFE	Excepted NFFE

Note: The above table is an example of the code set that is used for deriving the FATCA Status of Accounts/Customers. The same reference can be used for adding the required values for newly created attribute.

Domain Key: It is a unique identifier for a rule group code.

Rule Group Name: Rule Group Name for that particular attribute.

Rule Group Code: It is a unique code for that particular rule group name.

Rule Group Description: It is a rule group description given for the rule code.

3. Create an Alias on Dimension Rule Group table.
4. Modify the dataset ‘DS_Upd_Acct_Fatca_Status’ to accommodate the newly added hierarchy.
5. Create a new hierarchy for the newly added attribute. Refer *Oracle Financial Services Analytical Applications Infrastructure User Manual* for steps to create a new hierarchy.

Note: The new hierarchy should be created on Rule Group Code (V_RULE_GRP_CD) column mentioned in the table above.

6. Include the newly created hierarchy in the classification rules that a firm wants to change. For example, if the firm wants to add a new FATCA indicator to derive the US Person FATCA Status, then make changes only to that particular classification rule. For more information on adding a new hierarchy to an existing classification rule, refer *Adding a New Hierarchy to an Existing Classification Rule*.

Note: The custom group column in the Fact FATCA Account Review Details table should be populated to process the newly added attribute.

Adding a New Hierarchy to an Existing Classification Rule

To add a hierarchy to an existing classification rule, follow these steps:

1. Login to the OFSAI UI as FATCA Administrator.
2. Expand **Rules Framework** and click **Rule**.
3. Select a rule of type **Classification**.

Rule							
Run Rule Framework >> Rule							
<input type="checkbox"/> Search and Filter		<input type="button"/> Search	<input type="button"/> Reset				
Code	<input type="text"/>	Version	<input type="text" value="0"/>				
Name	<input type="text"/>	Active	<input type="text" value="Yes"/>				
Folder	<input type="text"/>	Type	<input type="text" value="All"/>				
Dataset	<input type="text"/>						
<input type="button"/> List [20] <input type="button"/> New <input type="button"/> View <input type="button"/> Copy <input type="button"/> Remove <input type="button"/> Authorize <input type="button"/> Export <input type="button"/> Trace Definition <input type="button"/> Page 2 / 3 <input type="button"/> Jump to page							
Code	Name	Type	Folder	Dataset	Version	Active	
<input type="checkbox"/> Upd_Cust_RltD_AttrFL	Upd_Cust_RltD_AttrFL	Computation	AMS623UT	DS_Upd_Cust_RltD_AttrFL	0	Yes	
<input type="checkbox"/> Upd_Cust_RltD_AttrFL...	Upd_Cust_RltD_AttrFL_Existing	Computation	AMS623UT	DS_Upd_Cust_RltD_AttrFL_Existi...	0	Yes	
<input type="checkbox"/> Upd_Cust_RltD_Proc	Upd_Cust_RltD_Proc	Computation	AMS623UT	DS_Upd_Cust_RltD_Proc	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_ActiveNFFE	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input checked="" type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_CertDCFFI	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_ExNFFE	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_ExOwner	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_NonPartFFI	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_NonUSPer	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_NonUSPsn	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_OwnrFFI	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_PartFFI	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_PassivNFFE	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_ReCal	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_RegDCFFI	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_NewExist_...	Upd_Status_NewExist_USPer	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_PreExist_...	Upd_Status_PreExist_ActiveNFFE	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	
<input type="checkbox"/> Upd_Status_PreExist_...	Upd_Status_PreExist_CDC	Classification	AMS623UT	DS_Upd_Acct_Fatca_Status	0	Yes	

4. Click **Edit**. The Rule Definition (Edit Mode) page is displayed.

FATCA Rules Configuration

Chapter 4—Configuring the FATCA Assessment Rules

Run Rule Framework >> Rule >> Rule Definition (Edit Mode)

Linked to

Folder	AMS623UT	Dataset	DS_Upd_Acc_Fatca_Status
--------	----------	---------	-------------------------

Master Information | Properties

ID	1395242779425	Version	0
Code	Upd_Status_NewExist_CertDCFFI	Active	<input checked="" type="checkbox"/>
Name	Upd_Status_NewExist_CertDCFFI	Type	Classification

List

Add	Move	Show Details	
Location	Code	Name	Type
Source	DRGD_CTC	Hier_DRGD_Cust_Type_Cd	Hierarchy
Source	DRGD_DFL	Hier_DRGD_Doc	Hierarchy
Source	DRGD_IN	Hier_DRGD_Ind	Hierarchy
Source	DRGD_OTC	Hier_DRGD_Org_Type_Cd	Hierarchy
Source	DRGD_REC	Hier_DRGD_Recalcitrant	Hierarchy
Source	DRGD_BTC	Hier_DRGD_Batch_Name	Hierarchy
Source	DRG_ANW	Hier_DRGD_Acct_Net_Wrth	Hierarchy
Target	DFS_FSK	Hier DFS_Fatca_Status_Key	Hierarchy

5. Click **Source** from the Add drop-down list.

Run Rule Framework >> Rule >> Rule Definition (Edit Mode)

Linked to

Folder	AMS623UT	Dataset	DS_Upd_Acc_Fatca_Status
--------	----------	---------	-------------------------

Master Information | Properties

ID	1395242779425	Version	0
Code	Upd_Status_NewExist_CertDCFFI	Active	<input checked="" type="checkbox"/>
Name	Upd_Status_NewExist_CertDCFFI	Type	Classification

List

Add	Filter	Show Details	
Location	Code	Name	Type
Source	DRGD_CTC	Hier_DRGD_Cust_Type_Cd	Hierarchy
Source	DRGD_DFL	Hier_DRGD_Doc	Hierarchy
Source	DRGD_IN	Hier_DRGD_Ind	Hierarchy
Source	DRGD_OTC	Hier_DRGD_Org_Type_Cd	Hierarchy
Source	DRGD_REC	Hier_DRGD_Recalcitrant	Hierarchy
Source	DRGD_BTC	Hier_DRGD_Batch_Name	Hierarchy
Source	DRG_ANW	Hier_DRGD_Acct_Net_Wrth	Hierarchy
Target	DFS_FSK	Hier DFS_Fatca_Status_Key	Hierarchy

6. Select the checkbox corresponding to the hierarchy that you have added. Using , map the available hierarchy from the LHS to the RHS and click **OK**.

The screenshot shows the configuration of the 'DS_Updated_Account_Fatca_Status' dataset. On the left, a list of hierarchies is displayed with checkboxes next to their names. On the right, a 'Selected Hierarchies' panel lists the same hierarchies, each preceded by a checkbox. A central 'Sort' section contains buttons for 'Ascending' and 'Descending'.

Name	Type
Hier_DFS_Fatca_Status_Key	DFS_FSK
Hier_DRGD_Acct_Net_Wrth	DRG_ANW
Hier_DRGD_Batch_Name	DRGD_BTC
Hier_DRGD_Cust_Type_Cd	DRGD_CTC
Hier_DRGD_Doc	DRGD_DFL
Hier_DRGD_Ind	DRGD_IN
Hier_DRGD_Org_Type_Cd	DRGD_OTC
Hier_DRGD_Recalcitrant	DRGD_REC

Name
Hier_DRGD_Cust_Type_Cd
Hier_DRGD_Doc
Hier_DRGD_Ind
Hier_DRGD_Org_Type_Cd
Hier_DRGD_Recalcitrant
Hier_DRGD_Batch_Name
Hier_DRGD_Acct_Net_Wrth

7. Click **OK**.

The screenshot shows the 'Rule Definition' screen in edit mode. The 'List' tab is selected, displaying a table of source and target hierarchies. The table has columns for Location, Code, Name, and Type.

Location	Code	Name	Type
Source	DRGD_CTC	Hier_DRGD_Cust_Type_Cd	Hierarchy
Source	DRGD_DFL	Hier_DRGD_Doc	Hierarchy
Source	DRGD_IN	Hier_DRGD_Ind	Hierarchy
Source	DRGD_OTC	Hier_DRGD_Org_Type_Cd	Hierarchy
Source	DRGD_REC	Hier_DRGD_Recalcitrant	Hierarchy
Source	DRGD_BTC	Hier_DRGD_Batch_Name	Hierarchy
Source	DRG_ANW	Hier_DRGD_Acct_Net_Wrth	Hierarchy
Target	DFS_FSK	Hier_DFS_Fatca_Status_Key	Hierarchy

FATCA Rules Configuration

Chapter 4—Configuring the FATCA Assessment Rules

8. Click **Next**.

The screenshot shows the 'Rule Definition (Edit Mode)' screen. At the top, there are sections for 'Linked to' and 'Master Information'. Below that is a 'Map I Expand View' section with a 'Slicer' dropdown. The main area is titled 'Combination Mapper [2]'. It shows a mapping from 'Hier_DRGD_Acct_Net...' to 'Hier_DFS_Fatca_Status...'. The 'Source' column has 'Hier_DRGD_Acct_Net...' selected. The 'Target page' column has 'Hier_DFS_Fatca_Status...' selected. Under 'Certified FFIs' and 'Exclude', checkboxes are checked for both entities. At the bottom are 'Back', 'Save', and 'Close' buttons.


9. Under the Combination Mapper, under Source, click adjacent to the newly added hierarchy.
10. Click on the + Sign to expand the hierarchy.

The screenshot shows the 'Hier_DRGD_Ind' configuration screen. The left pane displays a tree structure with 'Hier_DRGD_Ind' selected. Under it are 'Disabled', 'Indeterminate', 'No', and 'Yes'. The right pane is titled 'Selected Members' and lists 'Hier_DRGD_Ind'. Below the list are five icons: a plus sign, a minus sign, a double arrow, a single arrow pointing right, and a double arrow pointing right.

11. Select the values that you want to map from left hand side and click **OK**.
12. Under the Combination Mapper, under Target, select all the checkboxes that appear under the target hierarchy `Hier_DFS_FATCA_Status_Key`.

Note: If the number of mappings are more, then you must navigate to the next page also and select all the checkboxes.

13. Click **Save**. The following message is displayed: *Do you want to save this rule as a new version.*
14. Click **No**. The following message is displayed.




15. Click **Close**.

Adding a New Rule through Admin UI


To add a new rule, follow these steps:

1. Login to OFSAAI as FATCA Supervisor.
2. From Administration menu, hover over **FATCA Configuration** and click **Rules Configuration**. The Rules Configuration page is displayed.



The screenshot shows the Oracle Financial Crime and Compliance Administration interface. The top navigation bar includes Home, Monitoring, Investigation, Research, Regulatory Reporting, Reports, Watch List Management, Preferences, Administration (which is underlined), and About. The date in the top right corner is Tuesday, August 5, 2014. Below the navigation bar, the path Administration > FATCA Configuration > Rule Configuration is visible. A search bar and a link to 'FATCA Rule Indicators (29)' are present. The main content area is a table titled 'FATCA Rule Indicators' with columns: Jurisdiction, Geographic Jurisdiction, Business Domain, Rule Group Classification, Rule Group, Rule Name, Rule Operand, Rule Value, Status, and Modified By. The table lists 29 rows of rule indicators, such as 'Account Average Net Worth - En...', 'Non US Citizen and Reside...', and 'Entity Government Docume...'. Most rules have 'Status' set to 'Enable' and 'Modified By' set to '--'.

3. Click **Add**. The Add Rules window is displayed.



The screenshot shows the 'Add Rules' window. It has several input fields: 'Jurisdiction*', 'Geographic Jurisdiction*', 'Business Domain*', 'Rule Group Classification*', 'Rule Group', 'Rule Name*', 'Status*' (with 'Enable' selected), 'Operand*', 'Rule Value', 'Rule Value Lower Limit', 'Rule Value Upper Limit', 'Rule Date >=' (with a date picker icon), and 'Rule Date <=' (with a date picker icon). At the bottom are 'Save', 'Reset', and 'Cancel' buttons.

4. Select Jurisdiction from the drop down list.
5. Select Geographic Jurisdiction from the drop down list.
6. Select Business Domain from the drop down list.
7. Select Rule Group Classification from the drop down list.

Note: Following are the possible options for Rule Group Classification:

- a. Indicia - Customer
 - b. Indicia - Account
 - c. Document Indicator
 - d. FATCA - Indicator
8. Select an appropriate Rule Group.

Note: If the Rule Group Classification is selected as Indicia - Customer, Indicia - Account, or Document Indicator then the Rule Group appears as a drop-down list and if the Rule Group Classification is selected FATCA - Indicator then the Rule Group appears as a text box.

If the Rule Group Classification is selected as Indicia – Customer then the allowed values for Rule Group are Indicia_Indicator_Cust_ENT and Indicia_Indicator_Cust_IND.

If the Rule Group Classification is selected as Indicia – Account then the allowed value for Rule Group is Indicia_Indicator_Acct.

If the Rule Group Classification is selected as Document Indicator then the allowed value for Rule Group is Document_Indicator.

9. Enter an appropriate name for **Rule Name**.

10. Select the status as depending on whether your firm wants to enable or disable a rule.

Note: Enabling a rule indicates that the rule will be considered for FATCA Assessment and disabling a rule indicates that the rule will not be considered for FATCA Assessment.

11. Select an Operand from the drop-down list.

Note: Following are the possible options:

- a. Actual Value
- b. Equal to
- c. Not Equal to
- d. Range Number Between
- e. Range Date Between

Following are the steps to be followed after selection of an operand:

- a. If you select Actual Value, Equal to, and Not Equal to operand, the Rule Value text field is enabled. Enter an appropriate value in this field.
- b. If you select Range Number Between operand the Rule Value Lower Limit and Rule Value Upper Limit text fields are enabled. These are number fields used to give the number ranges for that operand.
- c. If you select Range Date Between operand the Rule Date and Rule Date to fields are enabled. These fields are used to enter the date range for that operand.

12. Click **Save**.


Note: Jurisdiction, Geographic Jurisdiction, Business Domain, Rule Group Classification, Rule Name, and Status are mandatory fields. Any new rule attribute that is added will have a rule key starting from 200 and the maximum value of the rule key is 9999.

Adding a New Rule Through Data Transformation


Data transformation is a feature of OFSAAI wherein, a function or a procedure can be used for processing the application data.

To create a new DT, follow these steps:

1. Login to the OFSAAI UI as a FATCA Administrator.
2. Expand **Unified Metadata Manager**, click **Data Management tools**.
3. Click **Post Load Changes**.



4. Give a name and description for the transformation and click **Next**.
5. Click on **Stored Procedure** and write the function in the **Stored Procedure Editor** area.



6. Include all the parameters that are used for function under Parameter Definition.

Note: (In addition to the function parameters, add default parameters like RUNID, Fic_Mis_Date, PHID, EXEID, RUNSK, and V_Batch_Id). Click to add rows for including parameters.

Parameter Name	Data Type	Default Value

7. Click **Finish**. The following message is displayed: *Operation Successful*.

For more information, refer *Oracle Financial Services Analytical Applications Infrastructure User Manual*.

Note:

- a. If a new rule attribute is added to the rule group Indicia – Customer then function should update the Assessment String (concatenate the newly added rule attribute with the existing assessment string) in Fact FATCA Customer Review Details table.
- b. If a new rule attribute is added to the rule group Indicia – Account then function should update the Assessment String (concatenate the newly added rule attribute with the existing assessment string) in Fact FATCA Account Review Details table.
- c. If a new rule attribute is added to the rule group Document Indicator, then function should update the Assessment String (concatenate the newly added rule attribute with the existing assessment string) in Fact FATCA Customer Review Details table.

For Example: If a new rule attribute(Currency Code) is added with a rule key R221 and the existing assessment string for a customer C1 is as follows:

R1-OM#R2-NI#R3-RO#R4-PA#R5-NULL#R6-NULL#R7-NULL#R8-NULL#R19-N#R20-N#R21-N#R22-Y#R23-N#R24-N, then after concatenating the new assessment string will be as follows :

R1-OM#R2-NI#R3-RO#R4-PA#R5-NULL#R6-NULL#R7-NULL#R8-NULL#R19-N#R20-N#R21-N#R22-Y#R23-N#R24-N#R221- <Base_Table.Rule_Actual_Value>

APPENDIX A

FATCA Batch Processing Task List

The following table defines all the tasks executed in a FATCA processing batch to derive a FATCA status for an account or a customer:

Table 18: FACTA Batch Processing Task List

Task No.	Process Name	Sub-Process Name	Task Name	Task Description
1	FATCA_PreProcessing_Step1		SOD_Upd_Process	<ol style="list-style-type: none">1. Update FCT_FATCA_ACCT_R VW_DTLS for F_FATCA_PRCNSG_F L = 'N' for 'Y'2. Update FCT_FATCA_CUST_R VW_DTLS for F_FATCA_PRCNSG_F L = 'N' for 'Y'3. Update FCT_FATCA_CUST_R VW_DTLS for V_CUST_ATTR_PRCS NG_FL = 'N' for 'Y'4. Update FCT_FATCA_ASSESS MENTS for F_FATCA_PRCNSG_F L = 'N' for 'Y'
2			Poulate_FATCA_Cust_RvwDtls	<ol style="list-style-type: none">1. Insert Customers along with other attributes.2. Filter: Not Exists
3			Populate_FATCA_Acct_RvwDtls	<ol style="list-style-type: none">1. Insert Accounts along with other attributes.2. Filter: Not Exists

Table 18: FACTA Batch Processing Task List

4	FATCA_PreProcessing_Step2		Upd_Acct_Proc_PreExisting	<ul style="list-style-type: none"> 1. Updates the F_FATCA_PRCNSG_FL & V_FATCA_BATCH_NM (PreExisting) 2. Filter: V_PARAM_CD = 'Proc_Dtls_PreExisitng' & F_PARAM_ENBL_FL = 'Y' & D_ACCT_OPEN_DT in Range
5			Upd_Acct_Proc_New	<ul style="list-style-type: none"> 1. Updates the F_FATCA_PRCNSG_FL & V_FATCA_BATCH_NM (New) 2. Filter: V_PARAM_CD = 'Proc_Dtls_New' & F_PARAM_ENBL_FL = 'Y' & D_ACCT_OPEN_DT > Last Batch Date
6			Upd_Acct_Proc_Existing	<ul style="list-style-type: none"> 1. Updates the F_FATCA_PRCNSG_FL & V_FATCA_BATCH_NM (Existing) 2. Filter: V_PARAM_CD = 'Proc_Dtls_Exisitng' & F_PARAM_ENBL_FL = 'Y' & CHG_DT > Last Batch Date & Count > 0
7			Upd_Cust_Rltd_Proc	<ul style="list-style-type: none"> 1. Updates the F_FATCA_PRCNSG_FL & V_FATCA_BATCH_NM (Max) & F_CUST_ATTR_PRCS_NG_FL 2. Filter: V_PARAM_CD = 'Rltnshp_Params' & F_PARAM_ENBL_FL = 'Y' & Role_Cd

Table 18: FACTA Batch Processing Task List

8			Upd_Cust_Proc_Existing	<ol style="list-style-type: none"> 1. Updates the F_FATCA_PRCNSG_FL & V_FATCA_BATCH_NM (Existing) & F_CUST_ATTR_PRCS NG_FL 2. Filter: V_PARAM_CD = 'Proc_Dtls_PreExisitng' & F_PARAM_ENBL_FL = 'Y' & CHG_DT > Last Batch Date & Count > 0
9			Upd_Acct_Rltd_Proc_Existing	<ol style="list-style-type: none"> 1. Updates the F_FATCA_PRCNSG_FL & V_FATCA_BATCH_NM (Existing) 2. Filter: V_PARAM_CD = 'Rltnshp_Params' & F_PARAM_ENBL_FL = 'Y' & Role_Cd
10			Upd_Cust_Rltd_AttrFL_Existing	<ol style="list-style-type: none"> 1. Updates the F_CUST_ATTR_PRCS NG_FL as 'Y' 2. Filter: V_CUST_ATTR_PRCS NG_FL <> 'Y'
11			Populate_Cust_Entity_Relationship	<ol style="list-style-type: none"> 1. Insert customer to customer relationships (Entities) 2. Filter: <ul style="list-style-type: none"> ● CUST_TYPE_CD <> 'IND' ● F_FATCA_PRCNSG_FL = 'Y'
12	FATCA_PreProcessing_Step3		Upd_Cust_Rltd_AttrFL	<ol style="list-style-type: none"> 1. 1) Updates the F_CUST_ATTR_PRCS NG_FL as 'Y' 2. Filter: V_CUST_ATTR_PRCS NG_FL <> 'Y'

Table 18: FACTA Batch Processing Task List

13			Upd_Cust_FATCA_Assessment_Info	1. 1) Updates the V_FATCA_CUST_ASS ESS_ATTR, F_RG_RECALCITRAN T_FL, V_RG_FATCA_ORG_T YPE_CD, V_RG_CUST_TYPE_CD 2. Filter: F_CUST_ATTR_PRC NG_FL = 'Y'
14	Collate_FATCA_Assessment_Info		Upd_Acct_FATCA_Assessment_Info	1. Updates the V_FATCA_ACCT_ASS ESS_ATTR, F_RG_RECALCITRAN T_FL, N_ACCT_AGG_PRIOR _NET_WRTH_ORIG, V_RG_PRMRY_CUST _TYPE_CD, V_RG_FATCA_ORG_T YPE_CD 2. Filter: F_FATCA_PRCNSG_F L = 'Y' (Acct_Rvw_Dtls)
15			Upd_Acct_Owner_Type_Info	1. Updates the V_RG_PRMRY_CUST _TYPE_CD based on multiple owners (Cust Types) & V_RG_FATCA_ORG_T YPE_CD based on mutiple ORG types 2. Filter: F_FATCA_PRCNSG_F L = 'Y' (Acct_Rvw_Dtls)

Table 18: FACTA Batch Processing Task List

16	Cust_Indicia_Check		Upd_Cust_IND_IndiciaPass1	1. Updates the F_Indicia_P1_FL 2. Filter: <ul style="list-style-type: none"> ● V_RG_CUST_TYPE_C D = 'IND' ● F_CUST_ATTR_PRCSENGL_FL = 'Y'
17			Upd_Cust_Entity_IndiciaPass1	1. Updates the F_Indicia_P1_FL 2. Filter: <ul style="list-style-type: none"> ● V_RG_CUST_TYPE_C D <> 'IND' ● F_CUST_ATTR_PRCSENGL_FL = 'Y'
18			Upd_Cust_Entity_IndiciaPass2	1. Updates the Indicia_P2_FL 2. Filter: <ul style="list-style-type: none"> ● Type = Non-IND ● Indicia_P1_FL = 'N' ● F_CUST_ATTR_PRCSENGL_FL = 'Y'
19			Upd_Cust_Overall_Indicia	1. Updates the F_RG_OVERALL_INDICIA_FL 2. Filter: F_FATCA_PRCNSG_FL = 'Y'
20	Cust_Doc_Check		Upd_Cust_DocIndicator	1. Updates the F_RG_DOC_FL 2. Filter: F_FATCA_PRCNSG_FL = 'Y'

Table 18: FACTA Batch Processing Task List

21			Upd_Acct_IndiciaPass1	1. Updates the F_INDICIA_P1_FL 2. Filter: F_FATCA_PRCNSG_F L = 'Y'
22	Acct_Indicia_Check		Upd_Acct_IndiciaPass2	1. Updates the F_Indicia_P2_FL 2. Filter: ● F_Indicia_P1_FL = 'N' ● F_FATCA_PRCNSG_F L = 'Y' (Acct_Rvw_Dtls)
23			Upd_Acct_Overall_Indicia	1. Updates the F_OverAll_Indicia_FL 2. Filter: F_FATCA_PRCNSG_F L = 'Y'
24	Acct_Doc_check		Upd_Acct_DocIndicator	1. Updates the F_RG_Doc_FL 2. Filter: F_FATCA_PRCNSG_F L = 'Y' (Acct_Rvw_Dtls)
25	Acct_AggNetWorth		Upd_Acct_AggNetWorth	1. Updates the RG_Acct_Agg_Prior_Net_Wrth_Cal 2. Filter: F_FATCA_PRCNSG_F L = 'Y'

Table 18: FACTA Batch Processing Task List

26	Upd_Status_NewExist	Upd_Status_NewExist_USPer	1. Updates the N_FATCA_STATUS_KEY 2. Filter: F_FATCA_PRCNSG_FL = 'Y'
27		Upd_Status_NewExist_NonUSPer	
28		Upd_Status_NewExist_NonUSPerson	
29		Upd_Status_NewExist_Recal	
30		Upd_Status_NewExist_ExNFFE	
31		Upd_Status_NewExist_ActiveNFFE	
32		Upd_Status_NewExist_PassivNFFE	
33		Upd_Status_NewExist_PartFFI	
34		Upd_Status_NewExist_RegDCFFI	
35		Upd_Status_NewExist_NonPartFFI	
36		Upd_Status_NewExist_ExOwner	
37		Upd_Status_NewExist_CertDCFFI	
38		Upd_Status_NewExist_OwnrFFI	
39		Upd_Status_PreExist_Exempt	1. Updates the N_FATCA_STATUS_KEY 2. Filter: F_FATCA_PRCNSG_FL = 'Y'
40		Upd_Status_PreExist_Exempt	
41		Upd_Status_PreExist_USPerson	
42		Upd_Status_PreExist_NUSP_Ind1	
43		Upd_Status_PreExist_NUSP_Ind2	
44		Upd_Status_PreExist_USP_Ent	
45		Upd_Status_PreExist_NUSP_Ent1	
46		Upd_Status_PreExist_NUSP_Ent2	
47		Upd_Status_PreExist_USP_All	
48		Upd_Status_PreExist_NUSP_All1	
49		Upd_Status_PreExist_NUSP_All2	
50		Upd_Status_PreExist_ExceptionNFFE	
51		Upd_Status_PreExist_PassveNFFE	
52		Upd_Status_PreExist_ActiveNFFE	
53		Upd_Status_PreExist_ParticipFFI	
54		Upd_Status_PreExist_RDCFFI	
55		Upd_Status_PreExist_NPFFI	
56		Upd_Status_PreExist_EBO	
57		Upd_Status_PreExist_CDC	
58		Upd_Status_PreExist_ODFFI	
59		Upd_Status_PreExist_Recal_Ind	
60		Upd_Status_PreExist_Recal_Ent	
61		Upd_Status_PreExist_Recal_All	

Table 18: FACTA Batch Processing Task List

62	Acct_FATCA_Status_Indeter		Upd_Acct_FATCA_Status_Indeter	<ol style="list-style-type: none">1. Updates the N_FATCA_STATUS_KE Y as Indeterminate2. Filter: F_FATCA_PRCNSG_F L = 'Y' & N_FATCA_STATUS_KE Y = NULL
63	Cust_FATCA_Status		Upd_Cust_FATCA_Status	<ol style="list-style-type: none">1. Updates the N_FATCA_STATUS_KE Y2. Filter: F_FATCA_PRCNSG_F L = 'Y'

Table 18: FACTA Batch Processing Task List

64	Assessment_creation		Populate_FATCA_Assessments_Acct	1. Insert records 2. Filter: F_FATCA_PRCNSG_FL = 'Y'
65			Populate_FATCA_Assessments_Cust	1. Insert records 2. Filter: F_FATCA_PRCNSG_FL = 'Y'
66			Populate_FATCA_Assessment_Acct_Owners	1. Insert records 2. Filter: on FCT_FATCA_ASSESSMENTS table <ul style="list-style-type: none"> ● F_FATCA_PRCNSG_FL = 'Y' ● V_ENTITY_TYPE = 'Account'
67			Populate_FATCA_Assessment_Rltd_Accts	1. Insert records 2. Filter: on FCT_FATCA_ASSESSMENTS table <ul style="list-style-type: none"> ● F_FATCA_PRCNSG_FL = 'Y' ● V_ENTITY_TYPE = 'Customer'
68			Populate_FATCA_Assessment_Cust_Ownership	1. Insert records 2. Filter: on FCT_FATCA_ASSESSMENTS table <ul style="list-style-type: none"> ● F_FATCA_PRCNSG_FL = 'Y' ● V_ENTITY_TYPE = 'Customer'
69			Populate_FATCA_Assessment_Rule_Dtls	1. 1) Insert records 2. Filter: F_FATCA_PRCNSG_FL = 'Y'
70			Populate_FATCA_Assessment_Rule_Dtls_Cust_Owners	1. Insert records 2. Filter: on FCT_FATCA_ASSESSMENTS table <ul style="list-style-type: none"> ● F_FATCA_PRCNSG_FL = 'Y' ● V_ENTITY_TYPE = 'Account' ● V_RULE_GRP_NM = 'RG_Document_Indicator'

Table 18: FACTA Batch Processing Task List

71	EOD_FATCA_Updates		FATCA_Promote_To_Case	Inserts records into Case Management tables for all the assessments where F_FATCA_PRCNSG_FL = 'Y' and F_Promote_To_Case_FL = 'Y' (in DIM_FATCA_STATUS) for the assessment's FATCA status.
72			PTC_Auto_Case_Assignment	Shell Script to populate Owner/Assigner/Owner Org columns in KDD_CASES table
73			EOD_Upd_Process	<ol style="list-style-type: none"> 1. Update FATCA_SETUP_PARA MS with latest Batch/Proc Date 2. Update FCT_FATCA_ACCT_R VW_DTLS for F_FATCA_PRCNSG_FL = 'N' for 'Y' 3. Update FCT_FATCA_CUST_R VW_DTLS for F_FATCA_PRCNSG_FL = 'N' for 'Y' 4. Update FCT_FATCA_CUST_R VW_DTLS for V_CUST_ATTR_PRCS NG_FL = 'N' for 'Y' 5. Update FCT_FATCA_ASSESSMENTS for D_ASSESSMENT_DT latest Batch/Proc Date 6. Update FCT_FATCA_ASSESSMENTS for F_FATCA_PRCNSG_FL = 'N' for 'Y' 7. Truncate Table FCT_FATCA_CUST_CUST_RLTNSHP

ORACLE®