

Oracle Financial Services
Common Reporting Standard
Administration and Configuration Guide

Release 8.0.6.0.0

May 2018



Oracle Financial Services
Common Reporting Standard
Administration and Configuration Guide

Release 8.0.6.0.0
May 2018

Part Number: E71300-01

Oracle Financial Services Software, Inc.
1900 Oracle Way
Reston, VA 20190

Document Number: E71300-01
First Edition (May 2018)

Copyright © 2018, Oracle and/or its affiliates. All rights reserved.

Printed in U.S.A. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without the prior written permission.

Trademarks

Oracle is a registered trademark of Oracle Corporation and/or its affiliates.
Other names may be trademarks of their respective owners.

Oracle Financial Services Software, Inc.
1900 Oracle Way
Reston, VA 20190
Phone: (703) 478-9000
Fax: (703) 318-6340
Internet: www.oracle.com/financialservices

Contents

List of Tables	v
List of Figures	vii
About This Guide	ix
Who Should Use this Guide.....	ix
How this Guide is Organized.....	ix
Where to Find More Information.....	x
Conventions Used in this Guide.....	x
CHAPTER 1 <i>Creating Users</i>	1
Setting Users.....	1
CHAPTER 2 <i>Mapping Users to User Group</i>	3
Creating Users with Due Date as View Only.....	3
CHAPTER 3 <i>Adding Client-Specific Security Attributes</i>	5
CHAPTER 4 <i>Loading Metadata into OFS CRS</i>	7
CHAPTER 5 <i>Configuring Parameter</i>	9
Report Lock Period.....	9
Due Date.....	9
CRS Reporting Year.....	10
CHAPTER 6 <i>CRS Batch Execution</i>	11
Scheduling a Batch.....	11
Scheduling a Batch Once.....	12
Scheduling a Daily Batch.....	13
Scheduling a Weekly Batch.....	14
Configuring a Monthly Batch.....	15
Running a Batch through Fire Run.....	16
Monitoring a Batch After Execution.....	17
Canceling a Batch after Execution.....	18
Re-starting a Batch.....	19
Re-running a Batch.....	20

APPENDIX A *Excel Upload*21

List of Tables

Table 1. Conventions Used in this Guide	x
Table 2. User Roles and User Groups	3
Table 3. Report Lock Period.....	9
Table 4. Due Date.....	9
Table 5. CRS Reporting Year.....	10

List of Figures

Figure 1. Batch Scheduler Page.....	12
Figure 2. Scheduling a Daily Batch.....	13
Figure 3. Scheduling a Weekly Batch.....	14
Figure 4. Configuring a Monthly Batch.....	15
Figure 5. Run Rules Framework Page	16
Figure 6. Run Rule Framework Window	16
Figure 7. Batch Monitor Page.....	17
Figure 8. Batch Cancellation Page.....	18
Figure 9. Re-starting a Batch.....	19
Figure 10. Re-running a Batch.....	20

About This Guide

This guide provides comprehensive instructions to perform the administration activities to configure OFS Common Reporting Standard.

This chapter focuses on the following topics:

- Who Should Use this Guide
- How this Guide is Organized
- Where to Find More Information
- Conventions Used in this Guide

Who Should Use this Guide

The *OFS Common Reporting Standard Administration and Configuration Guide* is designed for Oracle Financial Services Installers and System Administrators. Their roles and responsibilities, as they operate within OFS CRS, include the following:

- **CRS Administrator:** Configures, maintains, and adjusts the system and is usually an employee of a specific Oracle Financial Services customer. The System Administrator maintains user accounts and roles, monitors data ingestion and case management, archives data, loads data feeds, and performs post-processing tasks.
- **CRS Administrator:** This user is responsible for managing the static data used in the application, creating application users, mapping users to user groups, and configuring the various parameters used in the application.
- **ECM Administrator:** This user is responsible for mapping security attributes to users.

How this Guide is Organized

The *Oracle Financial Services CRS Administration and Configuration Guide*, includes the following topics:

- Chapter 1, *Creating Users*, explains how to create users and provide access to OFS Common Reporting Standard.
- Chapter 2, *Mapping Users to User Group*, discusses mapping users to user groups.
- Chapter 3, *Adding Client-Specific Security Attributes*, explains the steps to add client-specific security attributes to OFS Common Reporting Standard.
- Chapter 4, *Loading Metadata into OFS CRS*, explains the steps to load client provided data.
- Chapter 5, *Configuring Parameter*, explains the steps to configure report due date, report lock time period, and CRS reporting year.
- Chapter 6, *CRS Batch Execution*, explains the steps to run batch process periodically.
- Appendix A, *Excel Upload*, explains the steps to perform Excel upload.

Where to Find More Information

For additional information about OFS CRS, refer to the following documents:

- *OFS Common Reporting Standard User Guide*
- *OFS Common Reporting Standard Data Model Guide*
- *OFS Common Reporting Standard Installation Guide*

To find additional information about how Oracle Financial Services solves real business problems, see our website at www.oracle.com/financialservices.

Conventions Used in this Guide

Table 1 lists the conventions used in this guide.

Table 1. Conventions Used in this Guide

Convention	Meaning
<i>Italics</i>	<ul style="list-style-type: none">● Names of books, chapters, and sections as references● Emphasis
Bold	<ul style="list-style-type: none">● Object of an action (menu names, field names, options, button names) in a step-by-step procedure● Commands typed at a prompt● User input
Monospace	<ul style="list-style-type: none">● Directories and subdirectories● File names and extensions● Process names● Code sample, including keywords and variables within text and as separate paragraphs, and user-defined program elements within text
<Variable>	Substitute input value

This chapter explains the steps to create users. OFS Common Reporting Standard has predefined user groups to access the application.

Setting Users

To set a user and provide user access to OFS Common Reporting Standard, follow these steps:

1. For creating users, refer to the *Oracle Financial Services Analytical Applications Infrastructure User Guide*.
2. Once the users are created, map the users to predefined user groups, which in turn maps the user to a user role.

For more information on mapping users to user groups, refer to *Chapter 2*.

For more information on setting users, refer to the *Oracle Financial Services Analytical Applications Infrastructure User Guide*.

This chapter discusses mapping users to user groups.

The following table describes the predefined User Roles and corresponding User Groups present in OFS Common Reporting Standard.

Table 2. User Roles and User Groups

User Role	Group Name	User Group Code
CRS Report Analyst	CRS Analyst	ANACRS
CRS Report Supervisor	CRS Supervisor	SUPCRS
CRS Report Auditor	CRS Auditor	AUDCRS
CRS Report Admin	CRS Admin	ADMINCRS

Note: If CRS is installed and implemented with OFSFCCM/OFSFATCA Assessment, do not create a separate CRS Report Admin. Instead, map the CRS Admin group to the existing OFSFCCM/OFSFATCA Assessment Admin users.

For more information about User to User Group mapping, refer to the *Oracle Financial Services Analytical Applications Infrastructure User Manual*.

Creating Users with Due Date as View Only

To create users with a Due Date as View Only, un-map the **CRS Report Edit Due Date** rule and map **CRS Report View Due Date** role, for the selected group.

By default, all groups are mapped to have editable Due Dates on the UI.

For more information on due dates, refer to the *OFS Common Reporting Standard User Guide*.

For more information on User Group to Role mapping, refer to the *Oracle Financial Services Analytical Applications Infrastructure User Guide*.

Adding Client-Specific Security Attributes

To add client-specific security attributes to OFS Common Reporting Standard, follow these steps:

1. Download the following Excel sheets from <ftpshare path>/STAGE/Excelupload/Templates to the Windows machine. The <ftpshare path> is the same path given in variable APP_DRIVE_TM while installing OFSAAI. For more information, refer to the *Oracle Financial Services Analytical Applications Infrastructure Installation and Configuration Guide*.
 - DIM_DOMAIN1.xlsx: DIM_DOMAIN1.xlsx should be filled with Jurisdictions which are available in OFSFCCM.
 - DIM_DOMAIN2.xlsx: DIM_DOMAIN2.xlsx should be filled with Business Domains which are available in OFSFCCM.
 - DIM_DOMAIN3.xlsx: DIM_DOMAIN3.xlsx should be filled with Legal Entities which are available in OFSFCCM.
2. Upload the Excel data. For more information on steps to perform Excel Upload, refer to *Appendix A*.
3. Navigate to **Administration menu > User Administration > Regulatory Report User's Attribute Administration**. This will take you to a drop-down list with all the OFS CRS users created. Assign attributes to each user from each drop-down list.
4. Close the CRS User's Attribute Administration screen.
5. Logout from the OFS Common Reporting Standard application.

OFS Common Reporting Standard uses the following client-provided data as per their business requirements:

- Reporting Institution Details
- Reporting Institution to Report Type Mapping
- Filing Institution Details
- Filing Institution to Report Type Mapping
- User Information

Follow these steps to load the data into OFS CRS:

1. Download the following Excel sheets from <ftpshare path>/STAGE/Excelupload/AMCMLookupfiles/TempLat. to Windows machine. The path for <ftpshare path> is the same path as given in variable placeholder ##FTPSHARE_PATH## in GRC_InstallConfig.xml.
 - DIM_REPORTING_INSTITUTION.xlsx
 - MAP_REPINST_REPTYPE.xlsx
 - DIM_FILING_INSTITUTION.xlsx
 - MAP_FILINST_REPTYPE.xlsx
 - DIM_USERS.xlsx
2. Add data in each Excel sheet as per your installation requirement.
3. Upload the Excel data. For more information on steps to perform Excel Upload, refer to *Appendix A*

Report Lock Period

If a user forgets to log off from the OFS Common Reporting Standard application or if the screen is closed while accessing a report, the report gets locked for a pre-configured duration. By default, the duration is 60 minutes. This duration can be altered as per your requirement.

Table 3. Report Lock Period

Attribute Name	Value	Default pre-packaged value	Behavior	SQL
CRS _ Reporting_Lock_Period	Number	60 Minutes	Time Limit in minutes till which the report will be locked, until a user logs off from the report or application.	UPDATE CRS_SETUP_PARAMS SET N_SUB_PARAM_NB_1_VAL= '<DURATION IN MINUTES>' WHERE N_PARAM_KEY= 14; COMMIT;

Due Date**Table 4. Due Date**

Attribute Name	Value	Default pre-packaged value	Behavior	SQL
Due_DATE_Params	Date	-	When a CRS report is created manually or via an action from an alert or case, the application automatically sets the due date to the date mentioned in the column.	UPDATE CRS_SETUP_PARAMS SET D_SUB_PARAM_DT_1_VAL = '<Date which should be set as default due date for the report >' WHERE N_PARAM_KEY = 12; COMMIT;

Note: Default due date will be Rep_Yr_End_Dt, if not specified in Due_DATE_Params.

Use Alternate Account

Table 5. Use Alternate Account

Attribute Name	Value	Default pre-packaged value	Behavior	SQL
Use_Alt_Account	String	-	This parameter provided the details to Use Alternate Account Number for Report	<pre>UPDATE CRS_SETUP_PARAMS SET D_SUB_PARAM_TX_1_VAL = 'Y' or 'N' WHERE N_PARAM_KEY = 20;COMMIT;</pre>

CRS Reporting Year

This parameter provides the details of the financial year for CRS Reporting.

Table 6. CRS Reporting Year

Attribute Name	Value	Default pre-packaged value	Behavior	SQL
Rep_Yr_Start_Dt	Date		Start date of CRS reporting period	UPDATE CRS_SETUP_PARAMS SET D_SUB_PARAM_DT_1_VAL = '<START_DATE>' WHERE N_PARAM_KEY = 13; COMMIT;
Rep_Yr_End_Dt	Date		End date of CRS reporting period	UPDATE CRS_SETUP_PARAMS SET D_SUB_PARAM_DT_2_VAL = '<END_DATE>' WHERE N_PARAM_KEY = 13; COMMIT;

CRS Reports can be generated through a batch process that can be executed periodically such as Daily, Weekly, Monthly, Quarterly, and Half-yearly depending on an organization's requirement.

You can configure the CRS Reports batches as per the business process requirements of the organization. The OFS Common Reporting Standard has the **CRS batch** that assesses accounts and create Individual and Pooled CRS RR Reports.

This chapter details the configuration of Batches and includes steps to do the following:

- Running a Batch through Fire Run
- Scheduling a Batch
- Monitoring a Batch After Execution
- Cancelling a Batch after Execution
- Re-starting a Batch
- Re-running a Batch

Running a Batch through Fire Run

When you want run a batch once without using the Batch Scheduler option, you can run a batch using Fire Run. To run a batch through Fire Run, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure as a CRS Administrator user.
2. Expand **Rules Framework** from the LHS menu.
3. Click **Run**. The Run Rules Framework page is displayed on the RHS.




Figure 1. Run Rules Framework Page

4. Select below AAI Run Rules from the Run List using the check box. The action buttons in the List header are enabled. Following are the list of Run Name displayed:
 - CRS_CANADA_LOAD_FROM_BUSS_RUN --> Canada Template
 - CRS_HK_LOAD_FROM_BUSS_RUN --> HongKong Template
 - CRS_LOAD_FROM_BUSS_RUN --> OECD Template
 - CRS_SIN_LOAD_FROM_BUSS_RUN --> Singapore Template
 - CRS_UK_LOAD_FROM_BUSS_RUN --> United Kingdom Template
5. Click **Fire Run**. The Run Rule Framework window is displayed.




Figure 2. Run Rule Framework Window

6. Select Request Type as **Single**.
7. From the Execution Mode section, select **Create and Execute** from the Batch drop-down list. An MIS Date field is displayed adjacently.
8. Select an MIS Date using the calendar icon.
9. Select **No** from the Wait drop-down list.
10. Click **OK**.

Scheduling a Batch

Ensure all the required servers, that is, FIC, Tomcat/Web logic, ICC, am, router server and message are up and running before executing a batch. For more information on starting servers, refer to the *Oracle Financial Services Analytical Applications Infrastructure Installation and Configuration Guide*.

When an organization wants to run the batches periodically, a CRS Administrator user can schedule the batches to run either once, daily, weekly, or months.

Note: Before scheduling a batch, ensure that the FIC, Tomcat/Web logic, ICC, am, router server and message server are up and running. For more information on starting ICC router and message server, refer to the *Oracle Financial Services Analytical Applications Infrastructure User Guide Release 8.0*.

This section includes the following topics:

- Scheduling a Batch Once
- Scheduling a Daily Batch
- Scheduling a Weekly Batch
- Configuring a Monthly Batch

Note: Before starting a batch, you must update the TSNNames.ora file and the dbname column of the dsnmater and DB_master tables. Information about these actions can be found in the *Installation Guide*.

Scheduling a Batch Once

To schedule a batch that you want to run only once, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure as a CRS Administrator user.
2. Expand **Operations** from the LHS menu.
3. Click **Batch Scheduler**. The Batch Scheduler page is displayed.

The screenshot displays the 'Batch Scheduler' interface. At the top, there are search filters for 'Batch ID Like' (containing 'AMINFORR2'), 'Batch Description Like', 'Module', and 'Last Modification Date'. Below this, the 'Server Time' is shown as '21/07/2014 21:09:22'. A table lists several batches with columns for 'Batch ID' and 'Batch Description'. The first batch, 'AMINFORR2_1405692971384', is selected. Below the table, the 'Batch Scheduler' section is expanded, showing 'Domain' as 'AMINFORR2' and 'Batch' as 'AMINFORR2_1405692971384'. The 'Schedule' section is set to 'New Schedule'. Under 'New Schedule', the 'Schedule Name' is empty, and the frequency is set to 'Once'. The 'Schedule Time' section shows 'Start Date' as '01-07-2014', 'End Date' as empty, 'Run Time' as '00Hours 00Minutes', and 'Lag' as '0Days'. 'Save' and 'Cancel' buttons are at the bottom.

Figure 3. Batch Scheduler Page

4. Select a batch that you want to schedule from the list of available batches. The Batch Scheduler section expands and displays additional options.
5. Select **New Schedule**.
6. Set the frequency of the new schedule as **Once** by selecting the radio button.
7. Enter the schedule time of the batch by specifying the **Start Date** and the **Run Time**.
8. Click **Save**.

Scheduling a Daily Batch

To schedule a batch that you want to run daily, follow these steps:

1. Navigate to the Batch Scheduler page.
2. Select a batch that you want to schedule from the list of available batches. The Batch Scheduler section expands and displays additional options.
3. Click **New Schedule**.
4. Set the frequency of the new schedule as **Daily**.
5. Enter the schedule time of the batch by specifying the **Dates**, **Run Time**, and **Every** field information.

The screenshot displays the 'Batch Scheduler' web interface. At the top, there is a search section with fields for 'Batch ID Like' (containing 'AMINFORR2'), 'Batch Description Like', 'Module', and 'Last Modification Date'. Below this is a 'Server Time' section showing 'Current Server Time: 21/07/2014 21:11:35'. The main area is a table of batch entries with columns 'Batch ID' and 'Batch Description'. The first entry is selected with a checkmark. Below the table, the 'Batch Scheduler' section is expanded, showing 'Domain: AMINFORR2' and 'Batch: AMINFORR2_1405692971384'. The 'Schedule' section has 'New Schedule' selected. The 'New Schedule' section shows 'Schedule Name' and radio buttons for 'Once', 'Daily' (selected), 'Weekly', 'Monthly', and 'Adhoc'. The 'Schedule Time' section includes 'Dates' (Start Date: 01-05-2014, End Date: 31-05-2014), 'Run Time' (00 Hours, 00 Minutes, Lag: 0 Days), and 'Every' (5 Days). 'Save' and 'Cancel' buttons are at the bottom.

Figure 4. Scheduling a Daily Batch

6. Click **Save**.

Scheduling a Weekly Batch

To schedule a batch that you want to run weekly, follow these steps:

1. Navigate to the Batch Scheduler page.
2. Select a batch that you want to schedule from the list of available batches. The Batch Scheduler section expands and displays additional options.
3. Click **New Schedule**.
4. Set the frequency of the new schedule as **Weekly**.
5. Enter the schedule time of the batch by specifying the **Dates**, and other information such as **Run Time**, **Every**, and **Working days of the Week**.

The screenshot displays the 'Batch Scheduler' web interface. At the top, there is a search section with fields for 'Batch ID Like' (containing 'AMNFORR2_'), 'Batch Description Like', 'Module', and 'Last Modification Date'. Below this is a 'Server Time' section showing '21/07/2014 21:14:36'. The main area is a table of batch entries with columns for 'Batch ID' and 'Batch Description'. The first entry is selected with a checkmark. Below the table is the 'Batch Scheduler' configuration section, where 'Domain' is 'AMNFORR2' and 'Batch' is 'AMNFORR2_1405692971384'. The 'Schedule' type is set to 'New Schedule'. In the 'New Schedule' section, the frequency is set to 'Weekly'. The 'Schedule Time' section shows 'Start Date' as '01-05-2014' and 'End Date' as '31-05-2014'. The 'Run Time' is set to '10 Hours' and '00 Minutes' with a 'Lag' of '0 Days'. The 'Every' field is set to '2 Weeks'. Under 'Working days of the Week', 'Monday' and 'Friday' are selected with checkmarks. 'Save' and 'Cancel' buttons are at the bottom.

Figure 5. Scheduling a Weekly Batch

6. Click **Save**.

Configuring a Monthly Batch

To schedule a batch that you want to run monthly, follow these steps:

1. Navigate to the Batch Scheduler page.
2. Select a batch that you want to schedule from the list of available batches. The Batch Scheduler section expands and displays additional options.
3. Click **New Schedule**.
4. Set the frequency of the new schedule as **Weekly**.
5. Enter the schedule time of the batch by specifying the **Dates**, and **Run Time** information.

The screenshot shows the Oracle Batch Scheduler interface. At the top, there are search filters for Batch ID Like (AMNFORR2_) and Batch Description Like. Below this is the Server Time section showing the current server time as 21/07/2014 21:18:08. The main section is titled 'Batch Name' and contains a table of available batches:

Batch ID	Batch Description
<input checked="" type="checkbox"/> AMNFORR2_1405692971384	AutoRun_1395677595549_Description
<input type="checkbox"/> AMNFORR2_1405694268264	AutoRun_1395677595549_Description
<input type="checkbox"/> AMNFORR2_1405695393271	AutoRun_1395677595549_Description
<input type="checkbox"/> AMNFORR2_1405942469375	AutoRun_1395677595549_Description
<input type="checkbox"/> AMNFORR2_1405942846820	AutoRun_1395677595549_Description
<input type="checkbox"/> AMNFORR2_1405944134206	AutoRun_1395677595549_Description
<input type="checkbox"/> AMNFORR2_1405944751221	AutoRun_1395677595549_Description

Below the table is the 'Batch Scheduler' section with fields for Domain (AMNFORR2) and Batch (AMNFORR2_1405692971384). The 'Schedule' section has radio buttons for 'New Schedule' (selected) and 'Existing Schedule'. The 'New Schedule' section includes a 'Schedule Name' field and radio buttons for 'Once', 'Daily', 'Monthly' (selected), and 'Adhoc'. The 'Schedule Time' section includes 'Start Date' (01-05-2014) and 'End Date' (31-05-2014) fields, a 'Run Time' section with '10 Hours' and '00 Minutes' fields, and a 'Lag' field with '0 Days'. The 'Interval Every' section has a 'Month(s)' field and a grid of month checkboxes (Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec) with 'Jul', 'Aug', 'Sep', 'Oct', 'Nov', and 'Dec' checked. The 'Dates' section has a field for 'of the month (comma delimited)' and an 'include month's last date' checkbox. The 'Occurrence' section has a dropdown for 'First' and a field for 'of the weekday Monday'. At the bottom are 'Save' and 'Cancel' buttons.

Figure 6. Configuring a Monthly Batch

6. Click **Save**.

Monitoring a Batch After Execution

Monitoring a batch helps you track the status of execution of an individual task that was included in the batch. Through monitoring, you can also track the batch status, which in turn helps in debugging.

To monitor a batch after it is executed, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure as a CRS Administrator user.
2. Expand **Operations** from the LHS menu.
3. Click **Batch Monitor**. The Batch Monitor page is displayed.





Figure 7. Batch Monitor Page

4. Select a batch from the Batch Details lists that you want to monitor.
 5. From the Batch Run Details section, select an Information Date and the Batch Run ID from the drop-down list.
 6. Click  to start the monitoring.
- The execution details namely, Batch Status, Task Details, and Event Log details are displayed.

Cancelling a Batch after Execution

Cancellation of a batch cancels a current batch execution.

Note: This is not recommended and should be done only when the batch was fired accidentally or when a particular batch is taking too long time to execute.

To cancel a batch after it is executed, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure as a CRS Administrator user.
2. Expand **Operations** from the LHS menu.
3. Click **Batch Cancellation**. The Batch Cancellation page is displayed.




Figure 8. Batch Cancellation Page

4. Under the Batch Details section, select the batch whose execution you want to cancel.
5. Click **Cancel Batch**.

Re-starting a Batch

You can restart a batch execution when a batch has failed in execution. When you restart a batch, it starts from the task at which it had failed. This happens when the failed task issue is debugged and resolved.

Note: It is recommended that you debug and resolve a failed task before restarting the batch execution.

To restart a batch execution, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure as a CRS Administrator user.
2. Expand **Operations** from the LHS menu.
3. Click **Batch Execution**. The Batch Execution page is displayed.
4. Select the **Restart** radio button option from the Batch Mode section.

The screenshot displays the 'Batch Execution' interface. At the top, the title 'Batch Execution' is centered. Below it, the 'Batch Mode' section contains three radio buttons: 'Run', 'Restart' (which is selected), and 'Rerun'. A search section follows, with fields for 'Batch ID Like' (containing 'AMINFORR2_'), 'Batch Description Like', 'Module', and 'Last Modification Date' with 'Between' and 'And' date pickers. The 'Batch Details' section shows a table with columns 'Batch ID' and 'Batch Description', displaying 'No data found'. Another search section has 'Information Date' and 'Batch Run ID' dropdowns. The 'Task Details' section shows a table with columns 'Task ID', 'Task Description', 'Metadata Value', 'Component ID', 'Precedence', and 'Task Status'. An 'Execute Batch' button is located at the bottom center.

Figure 9. Re-starting a Batch

5. Select the batch you want to restart from the Batch Details section.
6. Select the Information Date and Batch Run ID for the selected batch from the drop-down list.
7. Click **Execute Batch**.

Re-running a Batch

You can rerun a batch execution when you want all the tasks from a successful batch execution to be executed again from the beginning. When a successfully executed batch is rerun, a different Batch Run ID is created for each instance for the same Information Date.

Note: Creating different Batch Run ID for each rerun of a batch is optional depending upon your firm's requirement.

To rerun a batch, follow these steps:

1. Login to Oracle Financial Services Analytical Applications Infrastructure as a CRS Administrator user.
2. Expand **Operations** from the LHS menu.
3. Click **Batch Execution**. The Batch Execution page is displayed.
4. Select the **Rerun** radio button from the Batch Mode section.

The screenshot displays the 'Batch Execution' interface. At the top, there's a 'Batch Execution' title bar. Below it, the 'Batch Mode' section has three radio buttons: 'Run', 'Restart', and 'Rerun'. The 'Search' section includes fields for 'Batch ID Like' (containing 'AMNFORR2_'), 'Batch Description Like', 'Module', and 'Last Modification Date'. The 'Batch Details' section shows a table with the following data:

Batch ID	Batch Description
AMNFORR2_1405692971384	AutoRun_1395677595549_Description
AMNFORR2_1405694268264	AutoRun_1395677595549_Description
<input checked="" type="checkbox"/> AMNFORR2_1405695393271	AutoRun_1395677595549_Description
AMNFORR2_1405942846820	AutoRun_1395677595549_Description
AMNFORR2_1405944134206	AutoRun_1395677595549_Description
AMNFORR2_1405944751221	AutoRun_1395677595549_Description

The 'Task Details' section shows a table with the following data:

Task ID	Task Description	Metadata Value	Component ID	Precedence	Task Status
Task1	SOD_Upd_Process	SOD_Upd_Process	TRANSFORM DATA		S
Task2	Populate_FATCA_Cust_RvwDtIs	Populate_FATCA_Cust_RvwDtIs	LOAD DATA	Task1	S
Task3	Populate_FATCA_Acct_RvwDtIs	Populate_FATCA_Acct_RvwDtIs	LOAD DATA	Task2	S
Task4	Upd_Acct_Proc_PreExisting	1394947869269	RULE_EXECUTION	Task1, Task2, Task3	S
Task5	Upd_Acct_Proc_New	1394949870053	RULE_EXECUTION	Task4	S
Task6	Upd_Acct_Proc_Existing	1394950765667	RULE_EXECUTION	Task5	S
Task7	Upd_Cust_RlId_Proc	1394951506483	RULE_EXECUTION	Task6	S
Task8	Upd_Cust_Proc_Existing	1394953667435	RULE_EXECUTION	Task7	S
Task9	Upd_Acct_RlId_Proc_Existing	1394955037584	RULE_EXECUTION	Task8	S
Task10	Upd_Cust_RlId_AttrFl_Existing	1398068120077	RULE_EXECUTION	Task9	S

An 'Execute Batch' button is located at the bottom of the page.

Figure 10. Re-running a Batch

5. Select the batch you want to rerun from the Batch Details section.
6. Select the Information Date and Batch Run ID for the selected batch from the drop-down list.
7. Click **Execute Batch**.

For Excel Upload, follow these steps:

1. Login to OFS Common Reporting Standard as Admin user.
2. Navigate to **Unified Metadata Manager > Data Entry Forms and Queries > Excel Upload**. The Excel Upload page is displayed.

NOTE: After logging, make sure the OFS Common Reporting Standard application Information Domain is selected from the drop-down list at the left hand corner of the page.

3. Click **Browse** under the Excel File to Upload section.
4. Select any one of the Excel sheets.
5. Click on the **Arrow** next to Browse.
6. Preview the data created under the Preview section.
7. In the Excel - Entity Mappings section, click the Arrow.
8. Select the table name that is the same as the name of the Excel sheet.
9. Click **Upload**. The following message is displayed: *Successfully Uploaded Data*.
10. Click **OK**.

NOTE: If the upload fails, click on view logs button to check the logs.

11. Close the Excel Upload page.

