

Oracle Financial Services Customer Screening

Data Interfaces Guide

Release 8.0.8.2.0

September 2021

F17404-01

ORACLE
Financial Services

Customer Screening Data Interfaces Guide

Copyright © 2022 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information on third party licenses, click [here](#).

Document Control

Table 1: Document Control

Version Number	Revision Date	Change Log
8.0.8.2.17	August 2023	Added Appendix B: Real-Time Request to Check the Service Running Status chapter. Added Appendix C: Real-Time Request to Check the Status of an Alert chapter.
8.0.8.2.0	September 2021	No changes are done in this release.
8.0.8.0.0	November 2019	Created the first version.

Table of Contents

1	Introduction.....	5
2	REST Interface for Real-Time Screening with Enterprise Case Management (ECM).....	6
2.1	Input fields for Individual screening.....	6
2.2	Input fields for Entity screening	7
3	The Private List Interface (PLI).....	8
3.1	Private List Interface (PLI) file formats.....	8
3.1.1	<i>Individual private watch list input attributes</i>	<i>8</i>
3.1.2	<i>Entity private watch list input attributes</i>	<i>13</i>
4	Appendix A: Sample JSON	18
5	Appendix B: Real-Time Request to Check the Service Running Status	33
6	Appendix C: Real-Time Request to Check the Status of an Alert	35

1 Introduction

This document describes the Oracle Financial Services Customer Screening Data Interfaces. This is the set of interfaces used to pass private watch list data and customer data (where not loaded via FCDM) into Oracle Financial Services Customer Screening.

This document describes:

- The Oracle Financial Services Customer Screening Real-time Screening Customer Data Interface.
- Private Watch List File Formats.

NOTE

Oracle Financial Services Customer Screening is pre-configured to import and process a number of commercially available and government-provided watch lists. No additional configuration is necessary to import data from these watch lists, and so they are not covered in this guide.

2 REST Interface for Real-Time Screening with Enterprise Case Management (ECM)

The REST interface can be used if you are also using Oracle Financial Services ECM to create cases in real-time with ECM instead of the web service. The REST service call URLs are available in [Appendix: Sample JSON](#).

2.1 Input fields for Individual screening

This section lists the REST input fields used when screening individuals via the real-time process. Ten input attributes are available for the individual screening process. They are available for any additional inputs required by your screening process. The following table lists the individual fields in order, the data format expected for each field, and notes on their use in screening.

Field Name	Expected Data Format	Notes
Jurisdiction	String	[Mandatory attribute] This field enables your firm to restrict access using geographic locations. You can only see cases that are assigned to the same jurisdictions.
Business Domain	String	[Mandatory attribute] This field layer enables your firm to restrict access along operational business lines and practices. You can only see cases that are assigned to at least one of the same business domains.
Given Names	String	[Mandatory attribute] The individual matching process is based primarily on the name supplied for the individual.
Family Names	String	[Mandatory attribute] The individual matching process is based primarily on the name supplied for the individual.
Date of Birth	String, representing a date, in the format 'YYYYMMDD'; day, month and year are required.	[Recommended attribute] Birth date information can be used in matching to identify particularly strong matches, or to eliminate matches that are too weak.
City	String	[Recommended attribute] City data is used to strengthen potential match information.
Address Country	String	[Recommended attribute] Address country data is used to strengthen potential match information.
Residency Country	String	[Recommended attribute] The country of residence can be used in optional country prohibition screening.
Country of Birth	String	[Recommended attribute] The country of birth and nationality can be used in optional country prohibition screening.
Nationalities	String	

2.2 Input fields for Entity screening

This section lists the inputs fields used when screening entities via the real-time process. Seven input attributes are available for the entity screening process. They are available for any additional inputs required by your screening process. The following table lists the entity input fields in order, the data format expected for each field, and notes on their use in screening:

Field Name	Expected Data Format	Notes
Jurisdiction	String	[Mandatory attribute] This field enables your firm to restrict access using geographic locations. You can only see cases that are assigned to the same jurisdictions.
Business Domain	String	[Mandatory attribute] This field layer enables your firm to restrict access along operational business lines and practices. You can only see cases that are assigned to at least one of the same business domains.
Entity Name	String	[Mandatory attribute] The entity matching process is based primarily on the name supplied for the entity. An entity name or original script name must be submitted to the screening process for screening to proceed.
City	String	[Recommended attribute] City data is used to strengthen potential match information.
Address Country	String	[Recommended attribute] Address country data is used to strengthen potential match information.
Registration Country	String	[Recommended attribute] The entity's registration country can be used in optional country prohibition screening.
Operating Countries	String	[Recommended attribute] Any of the entity's operating countries can be used in optional country prohibition screening.

3 The Private List Interface (PLI)

Oracle Financial Services Customer Screening is pre-configured to work with a number of commercially-available and government-provided watch lists. However, you can also screen against your own private watch lists or against external watch lists that Oracle Financial Services Customer Screening is not pre-configured to work with. The Private List Interface (PLI) is used to import data from private watch lists or other sources into Oracle Financial Services Customer screening. It consists of a pair of .csv (comma-separated value) files with a pre-defined structure and a set of validation rules.

This chapter discusses the structure of the interface files.

3.1 Private List Interface (PLI) file formats

Private Watch List data must be supplied in two data files, `privateindividuals.csv` and `privateentities.csv`. On installation, these files are populated with sample private watch list data, which should be replaced with your own data, once it has been transformed into the required format.

NOTE

1. It is recommended that you keep a copy of the sample private watch list files, as they can be used to verify correct functioning of your installation on a known data set.
2. The files must be saved in UTF-8 format.

This section lists PLI fields. The PLI for individuals is detailed in section 3.1.1 "Individual private watch list input attributes", and the PLI for entity screening in section 3.1.2 "Entity private watch list input attributes". In both cases, attributes fall into one of three classes:

Mandatory attributes are absolutely required for screening. They are tagged in the PLI tables with the **[Mandatory attribute]** tag.

Recommended attributes are typically used in matching to either eliminate false positive matches which would occur if the mandatory fields alone were used, or to reinforce the likelihood of a possible match. They are tagged in the PLI tables with the **[Recommended attribute]** tag.

Optional attributes are not used in the Oracle Financial Services Customer Screening match processes. Information provided in these fields may be of use in processes downstream of the match process.

3.1.1 Individual private watch list input attributes

This section lists the PLI fields used for individuals. In addition to a number of prescribed fields, fifty customizable input attributes are available for individual private watch lists. Forty of these are string attributes, five are date attributes and five are number attributes. They are available for any additional inputs required by your private watch list. The following table lists the individual PLI fields in order, the data format expected for each field, and notes on their use in screening.

Field Name	Expected Data Format	Notes
ListSubKey	String	This field is used to identify the source list of the watch list record (for example, Private List, Accounting Private List, Financial Private List and so on). It is included in the alert key.
ListRecordType	String	[Mandatory attribute] This field is used when filtering alerts, to determine whether the record is a sanctions, PEP or enhanced due diligence record. It must contain a value of SAN, EDD, or PEP or a combination of these values. If you want to include a combination of values, the values should be comma-separated, and enclosed by double quotation marks. For example: "SAN, EDD, PEP"
ListRecordOrigin	String	This field is used to record the provenance of a record when it is part of a consolidated list.
ListRecordId	String	[Mandatory attribute] This attribute is not used as part of the matching process, but is used to create the case key. Therefore, it should be populated with a unique identifier.
PassportNumber	String	This is an optional field that may be used to capture customer passport numbers where known for use in the review process. Note that passport numbers are not used in the default screening rules.
NationalId	String	This is an optional field that may be used to capture customer National IDs where known for use in the review process. Note that National IDs are not used in the default screening rules.
Title	String	This field should contain the titles of customers (such as Mr/Mrs/Dr/Herr/Monsieur). It is used to derive gender values where the gender is not already stated, and is used during the review process. Note that it is important that titles are not included in the name fields if possible.
FullName	String	[Mandatory attribute] The individual matching process is based primarily on the name supplied for the individual. Either a full name, a pair of given and family names, or an original script name must be submitted to the screening process for screening to proceed.
GivenNames	String	
FamilyName	String	

Field Name	Expected Data Format	Notes
NameType	String	This is an optional field used in the review process only. Multiple names may exist for the same person. The Name Type therefore denotes if the name is the primary name of the listed party, or an additional name (such as an Alias, or Alternate Spelling). If two private list records were derived from a single source with multiple names (such as Mrs Louise Wilson née Hammond being split into two records, Louise Wilson and Louise Hammond) you may wish to denote one as the primary name and one as a maiden or alias name.
NameQuality	String	This field may be assigned a value of Low, Medium or High to indicate the quality of the individual name. High is used for Primary names and specified Good/High quality aliases.
PrimaryName	String	For alias records, this field indicates the main name for that record.
OriginalScriptName	String	[Mandatory attribute] The individual matching process is based primarily on the name supplied for the individual. Either a full name, a pair of given and family names, or an original script name must be submitted to the screening process for screening to proceed. If you populate the OriginalScriptName, then you will also need to enable two facets of Match processor configuration that are disabled by default: the Original Script Name Cluster and some or all of the Match Rules that include Original script name in their name. To adapt Match Processor configuration, you will need to open the Watchlist Screening project within the Director user interface, and make the changes to every process used by your Oracle Financial Services Customer Screening installation. There are separate processes for different types of screening. Examples include Individual Batch PEP Screening, Individual Real-time Screening and Individual Batch EDD Screening. Each of these processes will include a match processor with a name that is the same as the process name (for example, in the Individual Batch SAN Screening process, the Match processor will also be called Individual Batch SAN Screening).
Gender	String	The value supplied should be either 'M' or 'F'. The gender is not used directly in the matching process, but optionally, the value of the Gender field can be used by the elimination rules to eliminate poor matches.

Field Name	Expected Data Format	Notes
Occupation	String	This is an optional field that may be used to eliminate records with "safe" occupations, in the review process and in risk scoring. Note that customer occupations are not matched against list occupations using the default screening rules.
DateOfBirth	String, representing a date, in the format 'YYYYMMDD'; day, month and year are required.	[Recommended attribute] Birth date information can be used in matching to identify particularly strong matches, or to eliminate matches that are too weak.
YearOfBirth	String, in the format 'YYYY'.	
Deceased Flag	String	If populated, this optional field should contain either Y or N.
DeceasedDate	String, representing a date, in the format 'YYYYMMDD'.	If populated, this optional field should contain either the current date or a date in the past.
Address1	String	These are optional fields that may be used in the review process.
Address2	String	
Address3	String	
Address4	String	
City	String	[Recommended attribute] City data is used to strengthen potential match information.
State	String	[Recommended attribute] State data is used to strengthen potential match information.
PostalCode	String	[Recommended attribute] Postal code data is used to strengthen potential match information.
AddressCountryCode	String; ISO 2-character country code.	[Recommended attribute] Address country data is used to strengthen potential match information.
ResidencyCountryCode	String; ISO 2-character country code.	[Recommended attribute] The country of residence can be used in optional country prohibition screening.
CountryOfBirthCode	String; ISO 2-character country code.	[Recommended attribute] The country of birth code can be used in optional country prohibition screening.

Field Name	Expected Data Format	Notes
NationalityCountry Codes	String; comma-separated list of ISO 2-character country codes.	[Recommended attribute] The nationality can be used in optional country prohibition screening.
ProfileHyperlink	String; a hyperlink to an Internet or intranet resource for the record.	This field may contain a hyperlink to an Internet or intranet resource that can provide reviewers with additional information about the individual.
RiskScore	Number, between 0 and 100	This field is included where the risk score for a customer is calculated externally instead of using the Watchlist Screening rules. It is normally populated using Watchlist Screening's risk scoring process. Note: it is possible to eliminate records if their risk score is below a certain threshold.
RiskScorePEP	Number, between 0 and 100	A number indicating the relative 'riskiness' of the individual, considered as a PEP. The risk score is expressed as an integer between 1 and 100, with higher numbers indicating a higher risk.
AddedDate	String, representing a date, in the format 'YYYYMMDD'	These are optional fields for use in the review process.
LastUpdatedDate	String, representing a date, in the format 'YYYYMMDD'	
DataConfidenceScore	Number, between 0 and 100	
DataConfidenceComment	String	
InactiveFlag	String	
InactiveSinceDate	String, representing a date, in the format 'YYYYMMDD'	If populated, this optional field should contain either the current date or a date in the past.

Field Name	Expected Data Format	Notes
PEPclassification	String	This field can be used to indicate the type of PEP (for example, whether the individual is part of an international organization or government, and at what level). It can be used to filter watch list records, and is primarily used by the World-Check watch list, but could be used by a private watch list if required. See section 3.2 of the Oracle Financial Services Customer Screening Implementation guide for more information about filtering.
customString1 to customString40	String	Fifty custom fields are provided in the private list data interface for individuals. Forty of these are intended to hold string data, five hold dates and five numeric data. Note: The interface file is a comma-separated value (.csv) file, and so all fields intrinsically contain strings. However, during the processing of Private watch lists, the custom date and number fields are checked to ensure that they include appropriate data, and warning messages are output if they do not.
customDate1 to customDate5	String, representing a date, in the format 'YYYYMMDD'	
customNumber1 to customNumber5	Number	

3.1.2 Entity private watch list input attributes

This section lists the private PLI fields used for entities. In addition to a number of prescribed fields, fifty customizable input attributes are available for entity private lists. Forty of these are string attributes, five are date attributes and five are number attributes. They are available for any additional inputs required by your private watch list. The following table lists the entity PLI fields in order, the data format expected for each field, and notes on their use in screening:

Field Name	Expected Data Format	Notes
ListSubKey	String	This field is used to identify the source list of the watch list record (for example, Private List, Accounting Private List, Financial Private List and so on). It is included in the alert key.
ListRecordType	String	[Mandatory attribute] This field is used when filtering alerts, to determine whether the record is a sanctions, PEP or enhanced due diligence record. It must contain a value of SAN, EDD, or PEP or a combination of these values. If you want to include a combination of values, the values should be comma-separated, and enclosed by double quotation marks. For example: "SAN, EDD, PEP"

Field Name	Expected Data Format	Notes
ListRecordOrigin	String	This field is used to record the provenance of a record when it is part of a consolidated list.
ListRecordId	String	[Mandatory attribute] This attribute is not used as part of the matching process, but is used to create the case key. Therefore, it should be populated with a unique identifier.
RegistrationNumber	String	This is an optional field that may be used to capture entity registration numbers where known for use in the review process. Note that entity registration numbers are not used for matching in the default screening rules.
EntityName	String	[Mandatory attribute] The entity matching process is based primarily on the name supplied for the entity. An entity name or original script name must be submitted to the screening process for screening to proceed.
NameType	String	This is an optional field used in the review process only. Multiple names may exist for the same entity. The Name Type therefore denotes if the name is the primary name of the listed party, or an additional name (such as an Alias, or Alternate Spelling). If two private list records were derived from a single source with multiple names, you may wish to denote one as the primary name and one as an alias.
NameQuality	String	This field may be assigned a value of Low , Medium or High to indicate the quality of the individual name. High is used for Primary names and specified Good/High quality aliases.
PrimaryName	String	For alias records, this field indicates the main name for that record.

Field Name	Expected Data Format	Notes
OriginalScriptName	String	[Mandatory attribute] The entity matching process is based primarily on the name supplied for the entity. An entity name or original script name must be submitted to the screening process for screening to proceed. If you populate the OriginalScriptName, then you will also need to enable two facets of Match processor configuration that are disabled by default: the Original Script Name Cluster and some or all of the Match Rules that include Original script name in their name. To adapt Match Processor configuration, you will need to open the Watchlist Screening project within the Director user interface, and make the changes to every process used by your Oracle Financial Services Customer Screening installation. There are separate processes for different types of screening. Examples include Entity Batch PEP Screening, Entity Real-time Screening and Entity Batch EDD Screening. Each of these processes will include a match processor with a name that is the same as the process name (for example, in the Entity Batch SAN Screening process, the Match processor will also be called Entity Batch SAN Screening).
AliasIsAcronym	String	If this field is set to Y , this flags an alias as an acronym as opposed to a full entity name. Leaving the field blank or setting it to any other value has no effect (i.e. an alias is assumed to be a full entity name). NOTE This flag is used during matching.
VesselIndicator	String	This field should be set to Y if the entity is a vessel (a ship). It should be left empty or set to N if the entity is not a vessel.
VesselInfo	String	If the entity is a vessel, you can populate this field with information about it: for example, its call sign, type, tonnage, owner, flag and so on.
Address1	String	These are optional fields that may be used in the review process.
Address2	String	
Address3	String	
Address4	String	
City	String	[Recommended attribute] City data is used to strengthen potential match information.

Field Name	Expected Data Format	Notes
State	String	[Recommended attribute] State data is used to strengthen potential match information.
PostalCode	String	[Recommended attribute] Postal code data is used to strengthen potential match information.
AddressCountryCode	String; ISO 2-character country code.	[Recommended attribute] Address country data is used to strengthen potential match information.
RegistrationCountryCode	String; ISO 2-character country code.	[Recommended attribute] The entity's registration country can be used in optional country prohibition screening.
OperatingCountryCodes	String; ISO 2-character country code.	[Recommended attribute] Any of the entity's operating countries can be used in optional country prohibition screening.
ProfileHyperlink	String; a hyperlink to an Internet or intranet resource for the record.	This field may contain a hyperlink to an Internet or intranet resource that can provide reviewers with additional information about the entity.
RiskScore	Number, between 0 and 100	This field is included where the risk score for a customer is calculated externally instead of using the Watchlist Screening rules. It is normally populated using Watchlist Screening's risk scoring process. NOTE It is possible to eliminate records if their risk score is below a certain threshold.
RiskScorePEP	Number, between 0 and 100	A number indicating the relative 'riskiness' of the entity, considered as a PEP. The risk score is expressed as an integer between 1 and 100, with higher numbers indicating a higher risk.
AddedDate	String, representing a date, in the format 'YYYYMMDD'	These are optional fields for use in the review process.
LastUpdatedDate	String, representing a date, in the format 'YYYYMMDD'	
DataConfidenceScore	Number, between 0 and 100	
DataConfidenceComment	String	

Field Name	Expected Data Format	Notes
InactiveFlag	String	If populated, this optional field should contain either Y or N .
InactiveSinceDate	String, representing a date, in the format 'YYYYMMDD'	If populated, this optional field should contain either the current date or a date in the past.
PEPclassification	String	This field can be used to indicate the type of PEP (for example, whether it relates to an international organization or government, and at what level). It can be used to filter watch list records, and is primarily used by the World-Check watch list, but could be used by a private watch list if required. See section 3.2 of the Oracle Financial Services Customer Screening Implementation guide for more information about filtering.
customString1 to customString40	String	<p>Fifty custom fields are provided in the private list data interface for entities. Forty of these are intended to hold string data, five hold dates and five numeric data.</p> <p>NOTE The interface file is a comma-separated value (.csv) file, and so all fields intrinsically contain strings. However, during the processing of Private watch lists, the custom date and number fields are checked to ensure that they include appropriate data, and warning messages are output if they do not.</p>
customDate1 to customDate5	String, representing a date, in the format 'YYYYMMDD'	
customNumber1 to customNumber5	Number	

4 Appendix A: Sample JSON

Two sample JSONs have been provided in this appendix for Individual screening and entity screening. Each name screening rest request returns a JSON response which contains up to four cases: Sanctions (SAN), Politically Exposed Persons (PEP), Enhanced Due Diligence (EDD) and Country Prohibition (PRHB). Each case contains multiple alerts and each alert contains different watch list details and one or more matches (corresponding to different alias matches). If no matches are found, then an empty JSON is returned.

Below is a sample JSON for Individual screening:

URL:`http://[servername]:[portnumber]/[context]/rest-api/RTScreening/RTScreeningRestService/service/IndividualScreen`

Input

```
{
  "Jurisdiction": "AMEA",
  "BusinessDomain": "a",
  "GivenNames": "robert",
  "FamilyName": "mugabe",
  "DateOfBirth": "19990930",
  "City": "",
  "AddressCountryCode": "",
  "ResidencyCountryCode": "",
  "CountryOfBirthCode": "",
  "NationalityCountryCodes": ""
  "ExternalId": "123",
  "ExternalIdType": "P",
}
```

Output

```
[
  {
    "alerts": [
      {
        "ListFamilyName": "MUGABE",
        "ListSubKey": "PRIV-PEP",

```

```

"watchlistDetail": {
  "ListFullName": "ROBERT PETER JR MUGABE",
  "ListCountry": "ZW",
  "ListFamilyName": "MUGABE",
  "MatchScore": 81,
  "ListSubKey": "PRIV-PEP",
  "ListRecordOrigin": "PEP",
  "ListGivenNames": "ROBERT PETER JR",
  "ListOriginalScriptName": null,
  "ListPrimaryName": "MUGABE, ROBERT PETER JR.",
  "ListDOB": null,
  "RiskScore": null,
  "ListRecordType": "PEP",
  "ListCountryOfBirth": null,
  "MatchRule": "[I0600] Abbreviated standardized
given name only",
  "ListCity": "",
  "RiskScorePEP": null,
  "ListKey": "PRIV",
  "ListId": "1234",
  "ListNationality": null,
  "ListNameType": "Primary Name"
},
"ListRecordOrigin": "PEP",
"ListOriginalScriptName": null,
"ListDOB": null,
"ListCountryOfBirth": null,
"MatchRule": "[I0600] Abbreviated standardized given
name only",
"ListCity": "",
"RiskScorePEP": null,
"ListKey": "PRIV",
"score": "81",
"ListId": "1234",
"ListNameType": "Primary Name",
"dataOrigin": "CSRTAPP",
"ListFullName": "ROBERT PETER JR MUGABE",
"ListCountry": "ZW",

```

```

"MatchScore": 81,
>ListGivenNames": "ROBERT PETER JR",
>ListPrimaryName": "MUGABE, ROBERT PETER JR.",
>RiskScore": null,
>ListRecordType": "PEP",
>matches": [
  {
    requestID": 164,
    matchDetail": {
      ListFullName": "ROBERT PETER JR MUGABE",
>ListCountry": "ZW",
>ListFamilyName": "MUGABE",
>MatchScore": 81,
>ListSubKey": "PRIV-PEP",
>ListRecordOrigin": "PEP",
>ListGivenNames": "ROBERT PETER JR",
>ListOriginalScriptName": null,
>ListPrimaryName": "MUGABE, ROBERT PETER
JR.",
>ListDOB": null,
>RiskScore": null,
>ListRecordType": "PEP",
>ListCountryOfBirth": null,
>MatchRule": "[I0600] Abbreviated
standardized given name only",
>ListCity": "",
>RiskScorePEP": null,
>ListKey": "PRIV",
>ListId": "1234",
>ListNationality": null,
>ListNameType": "Primary Name"
    },
    alertID": 2307,
    matchID": 1
  }
],
>ListNationality": null,
>requestID": 164,

```

```

        "caseID": "CA1259",
        "alertID": 2307
    }
],
"caseID": "CA1259",
"type": "PEP"
},
{
    "alerts": [
        {
            "ListFamilyName": "MUGABE",
            "ListSubKey": "OFAC-SDN",
            "watchlistDetail": {
                "ListFullName": "ROBERT GABRIEL MUGABE",
                "ListCountry": "",
                "ListFamilyName": "MUGABE",
                "MatchScore": 71,
                "ListSubKey": "OFAC-SDN",
                "ListRecordOrigin": "OFAC-SDN",
                "ListGivenNames": "ROBERT GABRIEL",
                "ListOriginalScriptName": null,
                "ListPrimaryName": "Robert Gabriel MUGABE",
                "ListDOB": "1924-02-21T00:00:00.000+05:53",
                "RiskScore": null,
                "ListRecordType": "SAN",
                "ListCountryOfBirth": null,
                "MatchRule": "[I060P] Abbreviated standardized
given name (conflict)",
                "ListCity": "",
                "RiskScorePEP": null,
                "ListKey": "OFAC",
                "ListId": "7480",
                "ListNationality": null,
                "ListNameType": "Primary"
            },
            "ListRecordOrigin": "OFAC-SDN",
            "ListOriginalScriptName": null,
            "ListDOB": "1924-02-21T00:00:00.000+05:53",

```

```

        "ListCountryOfBirth": null,
        "MatchRule": "[I060P] Abbreviated standardized given
name (conflict)",
        "ListCity": "",
        "RiskScorePEP": null,
        "ListKey": "OFAC",
        "score": "71",
        "ListId": "7480",
        "ListNameType": "Primary",
        "dataOrigin": "CSRTAPP",
        "ListFullName": "ROBERT GABRIEL MUGABE",
        "ListCountry": "",
        "MatchScore": 71,
        "ListGivenNames": "ROBERT GABRIEL",
        "ListPrimaryName": "Robert Gabriel MUGABE",
        "RiskScore": null,
        "ListRecordType": "SAN",
        "matches": [
            {
                "requestID": 164,
                "matchDetail": {
                    "ListFullName": "ROBERT GABRIEL MUGABE",
                    "ListCountry": "",
                    "ListFamilyName": "MUGABE",
                    "MatchScore": 71,
                    "ListSubKey": "OFAC-SDN",
                    "ListRecordOrigin": "OFAC-SDN",
                    "ListGivenNames": "ROBERT GABRIEL",
                    "ListOriginalScriptName": null,
                    "ListPrimaryName": "Robert Gabriel MUGABE",
                    "ListDOB": "1924-02-21T00:00:00.000+05:53",
                    "RiskScore": null,
                    "ListRecordType": "SAN",
                    "ListCountryOfBirth": null,
                    "MatchRule": "[I060P] Abbreviated
standardized given name (conflict)",
                    "ListCity": "",
                    "RiskScorePEP": null,

```

```

        "ListKey": "OFAC",
        "ListId": "7480",
        "ListNationality": null,
        "ListNameType": "Primary"
    },
    "alertID": 2310,
    "matchID": 1
}
],
"ListNationality": null,
"requestID": 164,
"caseID": "CA1258",
"alertID": 2310
},
{
    "ListFamilyName": "MUGABE",
    "ListSubKey": "HMT-CONS",
    "watchlistDetail": {
        "ListFullName": "ROBERT GABRIEL MUGABE",
        "ListCountry": "",
        "ListFamilyName": "MUGABE",
        "MatchScore": 71,
        "ListSubKey": "HMT-CONS",
        "ListRecordOrigin": "HMT-CONS",
        "ListGivenNames": "ROBERT GABRIEL",
        "ListOriginalScriptName": null,
        "ListPrimaryName": "ROBERT GABRIEL MUGABE",
        "ListDOB": "1924-02-21T00:00:00.000+05:53",
        "RiskScore": null,
        "ListRecordType": "SAN",
        "ListCountryOfBirth": "",
        "MatchRule": "[I060P] Abbreviated standardized
given name (conflict)",
        "ListCity": "",
        "RiskScorePEP": null,
        "ListKey": "HMT",
        "ListId": "7321",
        "ListNationality": "",

```

```

        "ListNameType": "Prime Alias"
    },
    "ListRecordOrigin": "HMT-CONS",
    "ListOriginalScriptName": null,
    "ListDOB": "1924-02-21T00:00:00.000+05:53",
    "ListCountryOfBirth": "",
    "MatchRule": "[I060P] Abbreviated standardized given
name (conflict)",
    "ListCity": "",
    "RiskScorePEP": null,
    "ListKey": "HMT",
    "score": "71",
    "ListId": "7321",
    "ListNameType": "Prime Alias",
    "dataOrigin": "CSRTAPP",
    "ListFullName": "ROBERT GABRIEL MUGABE",
    "ListCountry": "",
    "MatchScore": 71,
    "ListGivenNames": "ROBERT GABRIEL",
    "ListPrimaryName": "ROBERT GABRIEL MUGABE",
    "RiskScore": null,
    "ListRecordType": "SAN",
    "matches": [
        {
            "requestID": 164,
            "matchDetail": {
                "ListFullName": "ROBERT GABRIEL MUGABE",
                "ListCountry": "",
                "ListFamilyName": "MUGABE",
                "MatchScore": 71,
                "ListSubKey": "HMT-CONS",
                "ListRecordOrigin": "HMT-CONS",
                "ListGivenNames": "ROBERT GABRIEL",
                "ListOriginalScriptName": null,
                "ListPrimaryName": "ROBERT GABRIEL MUGABE",
                "ListDOB": "1924-02-21T00:00:00.000+05:53",
                "RiskScore": null,
                "ListRecordType": "SAN",
            }
        }
    ]
}

```



```

        "ListCountryOfBirth": "",
        "MatchRule": "[I060P] Abbreviated
standardized given name (conflict)",
        "ListCity": "",
        "RiskScorePEP": null,
        "ListKey": "HMT",
        "ListId": "7321",
        "ListNationality": "",
        "ListNameType": "Prime Alias"
    },
    "alertID": 2311,
    "matchID": 1
}
],
"ListNationality": "",
"requestID": 164,
"caseID": "CA1258",
"alertID": 2311
},
],
"caseID": "CA1258",
"type": "SAN"
}
]

```

Below is a sample JSON for Entity screening:

URL: [http://\[servername\]:\[portnumber\]/\[context\]/rest-api/RTScreening/RTScreeningRestService/service/EntityScreen](http://[servername]:[portnumber]/[context]/rest-api/RTScreening/RTScreeningRestService/service/EntityScreen)

Input

```

{
    "Jurisdiction": "AMEA",
    "BusinessDomain": "a",
    "EntityName": "MONEY LAUNDERING",
    "City": "",
    "AddressCountryCode": ""
}

```

```
"RegistrationCountryCode": "",
"OperatingCountryCodes": ""
```

```
}
```

Output

```
[
```

```
{
```

```
  "alerts": [
```

```
    {
```

```
      "ListEntityName": "MONEY LAUNDERING",
```

```
      "ListCountry": "PS",
```

```
      "MatchScore": 92,
```

```
      "ListSubKey": "PRIV-EDD",
```

```
      "ListOperatingCountries": "PS",
```

```
      "watchlistDetail": {
```

```
        "ListEntityName": "MONEY LAUNDERING",
```

```
        "ListCountry": "PS",
```

```
        "MatchScore": 92,
```

```
        "ListSubKey": "PRIV-EDD",
```

```
        "ListOperatingCountries": "PS",
```

```
        "ListRecordOrigin": "EDI",
```

```
        "ListOriginalScriptName": null,
```

```
        "ListPrimaryName": "ABU NIDAL ORGANIZATION (ANO)",
```

```
        "RiskScore": null,
```

```
        "ListRecordType": "EDD",
```

```
        "MatchRule": "[E010D] Part-standardized name exact
```

```
only",
```

```
        "ListCity": "",
```

```
        "RiskScorePEP": null,
```

```
        "ListKey": "PRIV",
```

```
        "ListId": "PRIV1234",
```

```
        "ListNameType": "Alias",
```

```
        "ListRegistrationCountries": null
```

```
      },
```

```
      "ListRecordOrigin": "EDI",
```

```

"ListOriginalScriptName": null,
"ListPrimaryName": "ABU NIDAL ORGANIZATION (ANO",
"RiskScore": null,
"ListRecordType": "EDD",
"MatchRule": "[E010D] Part-standardized name exact
only",
"matches": [
  {
    "requestID": 167,
    "matchDetail": {
      "ListEntityName": "MONEY LAUNDERING",
      "ListCountry": "PS",
      "MatchScore": 92,
      "ListSubKey": "PRIV-EDD",
      "ListOperatingCountries": "PS",
      "ListRecordOrigin": "EDI",
      "ListOriginalScriptName": null,
      "ListPrimaryName": "ABU NIDAL ORGANIZATION
(ANO",
      "RiskScore": null,
      "ListRecordType": "EDD",
      "MatchRule": "[E010D] Part-standardized
name exact only",
      "ListCity": "",
      "RiskScorePEP": null,
      "ListKey": "PRIV",
      "ListId": "PRIV1234",
      "ListNameType": "Alias",
      "ListRegistrationCountries": null
    },
    "alertID": 2352,
    "matchID": 1
  }
],
"ListCity": "",
"RiskScorePEP": null,
"ListKey": "PRIV",
"score": "92",

```

```

        "ListId": "PRIV1234",
        "requestID": 167,
        "caseID": "CA1265",
        "ListNameType": "Alias",
        "dataOrigin": "CSRTAPP",
        "alertID": 2352,
        "ListRegistrationCountries": null
    }
],
"caseID": "CA1265",
"type": "EDD"
},
{
    "alerts": [
        {
            "ListEntityName": "MONEY LAUNDERING",
            "ListCountry": "",
            "MatchScore": 92,
            "ListSubKey": "HMT-CONS",
            "ListOperatingCountries": "",
            "watchlistDetail": {
                "ListEntityName": "MONEY LAUNDERING",
                "ListCountry": "",
                "MatchScore": 92,
                "ListSubKey": "HMT-CONS",
                "ListOperatingCountries": "",
                "ListRecordOrigin": "HMT-CONS",
                "ListOriginalScriptName": null,
                "ListPrimaryName": "ABU NIDAL ORGANISATION (ANO)",
                "RiskScore": null,
                "ListRecordType": "SAN",
                "MatchRule": "[E010D] Part-standardized name exact
only",
                "ListCity": "",
                "RiskScorePEP": null,
                "ListKey": "HMT",
                "ListId": "6933",
                "ListNameType": "AKA",

```

```

        "ListRegistrationCountries": null
    },
    "ListRecordOrigin": "HMT-CONS",
    "ListOriginalScriptName": null,
    "ListPrimaryName": "ABU NIDAL ORGANISATION (ANO)",
    "RiskScore": null,
    "ListRecordType": "SAN",
    "MatchRule": "[E010D] Part-standardized name exact
only",
    "matches": [
        {
            "requestID": 167,
            "matchDetail": {
                "ListEntityName": "MONEY LAUNDERING",
                "ListCountry": "",
                "MatchScore": 92,
                "ListSubKey": "HMT-CONS",
                "ListOperatingCountries": "",
                "ListRecordOrigin": "HMT-CONS",
                "ListOriginalScriptName": null,
                "ListPrimaryName": "ABU NIDAL ORGANISATION
(ANO)",
                "RiskScore": null,
                "ListRecordType": "SAN",
                "MatchRule": "[E010D] Part-standardized
name exact only",
                "ListCity": "",
                "RiskScorePEP": null,
                "ListKey": "HMT",
                "ListId": "6933",
                "ListNameType": "AKA",
                "ListRegistrationCountries": null
            },
            "alertID": 2349,
            "matchID": 1
        }
    ],
    "ListCity": "",

```

```

    "RiskScorePEP": null,
    "ListKey": "HMT",
    "score": "92",
    "ListId": "6933",
    "requestID": 167,
    "caseID": "CA1264",
    "ListNameType": "AKA",
    "dataOrigin": "CSRTAPP",
    "alertID": 2349,
    "ListRegistrationCountries": null
  },
  {
    "ListEntityName": "MONEY LAUNDERING",
    "ListCountry": "",
    "MatchScore": 92,
    "ListSubKey": "OFAC-SDN",
    "ListOperatingCountries": "",
    "watchlistDetail": {
      "ListEntityName": "MONEY LAUNDERING",
      "ListCountry": "",
      "MatchScore": 92,
      "ListSubKey": "OFAC-SDN",
      "ListOperatingCountries": "",
      "ListRecordOrigin": "OFAC-SDN",
      "ListOriginalScriptName": null,
      "ListPrimaryName": "ABU NIDAL ORGANIZATION",
      "RiskScore": null,
      "ListRecordType": "SAN",
      "MatchRule": "[E010D] Part-standardized name exact
only",
      "ListCity": "",
      "RiskScorePEP": null,
      "ListKey": "OFAC",
      "ListId": "4687",
      "ListNameType": "aka",
      "ListRegistrationCountries": null
    },
    "ListRecordOrigin": "OFAC-SDN",

```

```

"ListOriginalScriptName": null,
"ListPrimaryName": "ABU NIDAL ORGANIZATION",
"RiskScore": null,
"ListRecordType": "SAN",
"MatchRule": "[E010D] Part-standardized name exact
only",
"matches": [
  {
    "requestID": 167,
    "matchDetail": {
      "ListEntityName": "MONEY LAUNDERING",
      "ListCountry": "",
      "MatchScore": 92,
      "ListSubKey": "OFAC-SDN",
      "ListOperatingCountries": "",
      "ListRecordOrigin": "OFAC-SDN",
      "ListOriginalScriptName": null,
      "ListPrimaryName": "ABU NIDAL
ORGANIZATION",
      "RiskScore": null,
      "ListRecordType": "SAN",
      "MatchRule": "[E010D] Part-standardized
name exact only",
      "ListCity": "",
      "RiskScorePEP": null,
      "ListKey": "OFAC",
      "ListId": "4687",
      "ListNameType": "aka",
      "ListRegistrationCountries": null
    },
    "alertID": 2350,
    "matchID": 1
  }
],
"ListCity": "",
"RiskScorePEP": null,
"ListKey": "OFAC",
"score": "92",

```

```
        "ListId": "4687",
        "requestID": 167,
        "caseID": "CA1264",
        "ListNameType": "aka",
        "dataOrigin": "CSRTAPP",
        "alertID": 2350,
        "ListRegistrationCountries": null
    },
],
"caseID": "CA1264",
"type": "SAN"
}
]
```


5 Appendix B: Real-Time Request to Check the Service Running Status

You can check whether the individual or entity services are running by sending a real-time request in GET method. To execute the request, follow the subsequent steps:

Open Postman or a relevant tool.

1. Go to the Header tab.
2. Send a request using the GET method. The request must be in the following format:

HTTP Link:

`http://[servername]:[portnumber]/[context]/EdqCheck/CheckEdqRestService/checkEDQ?`

3. Enter the key values in the Query Params table.

Query Params for Individual Screening

Key	Value	Mandatory/Not Mandatory
edqUrl	http://100.76.157.111:8001	Mandatory
projectName	Customer-Screening	Mandatory
timeoutSeconds	10	Not mandatory
extraServiceName	IndividualScreen/ EntityScreen (Other than IndividualScreen and EntityScreen, if any new service is configured on your side pass that service value.)	Not mandatory

NOTE

- The Key and Value fields are case sensitive.

You will get the following response for a successful execution:

```
{ "payload": [
  { "serviceUrl":
    "http://100.76.157.111:8001/edq/restws/CustomerScreening:IndividualScreen",
    "serviceName": "IndividualScreen", "responseCode": 200, "status": "SUCCESS"
  },
  { "serviceUrl":
    "http://100.76.157.111:8001/edq/restws/CustomerScreening:EntityScreen",
    "serviceName": "EntityScreen", "responseCode": 200, "status": "SUCCESS"
  }
], "message": "EDQ and Enabled webservices are up.", "status": "SUCCESS"
}
```

You will get the following response for a failed execution:

```
{
  "payload": [
    {
      "serviceUrl": "http://100.76.157.111:8001/edq/restws/Customer-
Screening:IndividualScreen",
      "serviceName": "IndividualScreen",
      "responseCode": 500,
      "status": "FAILED"
    },
    {
      "serviceUrl": "http://100.76.157.111:8001/edq/restws/Customer-
Screening:EntityScreen",
      "serviceName": "EntityScreen",
      "responseCode": 500,
      "status": "FAILED"
    }
  ],
  "message": "One of the EDQ webservices is not up and running.",
  "status": "FAILED"
}
```

6 Appendix C: Real-Time Request to Check the Status of an Alert

You can check the status of an alert by sending a real-time request in the GET method using the customer ID. To execute the request, follow the subsequent steps:

1. Open Postman or a relevant tool.
2. Go to the Header tab.
3. Send a request using the GET method. The request must be in the following format:

HTTP Link: `http://[servername]:[portnumber]/domain/ /rest-api/AlertListFromCustIdRestService/AlertListFromCustIdRestService/getAlertListForCustIdZipperCS?customerId=Customer ID`

Sample response of a successful execution:

```
{
  "response": {
    "customerId": "Customer ID",
    "alertsDetail": [
      {
        "dueDate": "2023-11-04T10:25:18Z",
        "jurisdiction": "Americas",
        "alertTypeCode": "CS_EE_EDD",
        "screeningType": "Batch",
        "isBulkActioned": "No",
        "customerParentId": "",
        "alertScore": "92",
        "caseId": "",
        "customerId": "Customer ID",
        "alertId": "90",
        "riskScore": "40",
        "comments": "",
        "distinctEventCount": "EDD-1",
        "standardComments": "",
        "customerPrimaryName": "GLAVNIY VYCHISLITELNIY TSENTR ENERGETIKI",
        "closedFlag": "",
        "distinctWatchlistRecordCount": "1",
        "decisionCode": "",
        "decisionDescription": ""
      }
    ]
  }
}
```

```
        "statusDescription": "New",
        "createdDate": "2023-07-07 10:25:18",
        "distinctWatchlistRecordId": "1044709 (DJW)",
        "entityTypeCode": "EXTERNAL_ENTITY",
        "priorityDescription": "High",
        "priorityCode": "H",
        "businessDomain": "GEN",
        "assignee": "",
        "alertTypeDescription": "External Entity Enhanced Due
Diligence",
        "eventsCount": "1",
        "statusCode": "13"
    }
]
},
"message": "Alert statuses retrieved for this customer",
"status": "SUCCESS"
}
```

OFSAA Support

Raise a Service Request (SR) in [My Oracle Support \(MOS\)](#) for queries related to the OFSAA applications.

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the My Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site that has all the revised or recently released document.

