

# **Oracle Financial Services Enterprise Case Management**

**Installation Guide**

**Release 8.0.7.3.0**

**March 2023**



## OFS Enterprise Case Management Installation Guide

Copyright © 2022 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information on third party licenses, click [here](#).

# Document Control

Version Number	Revision Date	Change Log
1.0	November 2019	Created document to capture OFSECM 8.0.7.1.0 Maintenance Level Release.
2.0	March 2021	Created document to capture OFSECM 8.0.7.2.0 Maintenance Level Release.
3.0	August 2022	Created document to capture OFSECM 8.0.7.3.0 Maintenance Level Release.
4.0	March 2023	The following sections have been updated: <ul style="list-style-type: none"><li>• Pre Installation Requirements (Added Step-6)</li><li>• Post Installation Steps (Added Step-5)</li></ul>

# Table of Contents

<b>1</b>	<b>OFS ECM Release 8.0.7.3.0</b>	<b>5</b>
1.1	Conventions and Acronyms	5
1.2	Pre Installation Requirements	6
1.3	How to Apply This Maintenance Level Release?	6
<b>2</b>	<b>Post Installation Steps</b>	<b>9</b>
<b>3</b>	<b>Appendix A : Files Packaged in This ML Release</b>	<b>11</b>
3.1	Jar Files	11
3.2	SQL Files	14
3.3	XML Files	37
3.4	JavaScript Files	37
3.5	Properties Files	40
3.6	Configuration Files	41
3.7	RTF and XSL Files	41
3.8	Data Model XMLs	41
3.9	CSS Files	41
3.10	HTML Files	42
3.11	Image Files	44
3.12	TTF Files	49
3.13	Excel Files	50
3.14	Shell Script Files	50
3.15	Build-related Files	51
<b>4</b>	<b>Appendix B : WEB.XML Code to be Removed</b>	<b>52</b>

# 1 OFS ECM Release 8.0.7.3.0

OFS ECM 8.0.7.3.0 Maintenance Level (ML) includes all the bug fixes and minor enhancements done since the previous GA (General Availability) release, that is, 8.0.7.0.0.

This ML release of OFS ECM can be installed on a setup with any OFSAA 8.0.7.0.0 Application Pack.

## 1.1 Conventions and Acronyms

Conventions	Description
Screen actions are indicated in Bold	
IR	Interim Release
ML	Maintenance Level Release
OFSAAI	Oracle Financial Services Analytical Applications Infrastructure
OHC	Oracle Help Center
AIX	Advanced Interactive executive
RHEL	Red Hat Enterprise Linux
OEL	Oracle Enterprise Linux
OS	Operating System
EAR / WAR	Enterprise Archive / Web Archive
J2EE	Java 2 Enterprise Edition
OTN	Oracle Technology Network
JCE	Java Cryptography Extension
Atomic Schema	Database schema where the application data model is uploaded.
Configuration Schema	Database schema which contains setup related configurations and metadata.

## 1.2 Pre Installation Requirements

Refer to the following Pre Installation prerequisites:

1. Apply the patch in Bug 29008204 - OFS ECM APPLICATION PACK V8.0.0.0.0 MINOR RELEASE #7 (8.0.7.0.0).
2. Apply the patch in Bug 34093851- OFSAA 8.0.7.0.0 AAI ML RELEASE #8 (8.0.7.8.0). Refer the <AAI 80780 IG> for steps to install this Maintenance Release.
3. Refer the FCCM Compatibility Matrix on My Oracle Support (MOS) - Doc ID [2890801.1](#) and install the appropriate compatibility patches based on your installed applications
4. For OBIEE, follow these steps.
  - a. Navigate to \$FIC\_HOME/OBIEE/repository.
  - b. Rename the existing FCCM807.rpd to FCCM807\_12C.rpd.
5. BD Prerequisites
  - a. If BD is on 8071, apply Bug 32519632 - OFS BD 8.0.7.1.1: FORWARD PORT CACIB SPECIFIC PATCHES RELEASED ON 8.0.7.
  - b. If OFSBD 8.0.7.0.0 is installed, then apply the following patches for BD.
    - OFSBD 8.0.7.0.37 - Bug 30422069 - KYC SCREEN DROPDOWN.
    - OFSBD 8.0.7.0.64 - Bug 30989401 - MULTIPLE RULE MATCHED DATA MISSING IN KYC ASSESSMENT SCREEN.
    - OFS BD 8.0.7.0.61 - Bug 30829327 - NO SPACE BETWEEN THE FIRST MIDDLE AND LAST NAME FOR DI BATCH IN THE ASSEMENT SCREEN.
    - Bug 32151072 - OFS BD 8.0.7.0.117: FETCHING KYC RISK SCORE DETAILS FROM KYC.
    - BUG 32030302 - OFS BD 8.0.7.0.119: ANTICIPATORYPROFILE.XML, MERGE STATEMENT NOT CORRECTLY GENERATED.
    - Bug 30555840 - OFS BD 8.0.7.0.129: KYC DI BATCH FAILED AT TASK 9 POPULATE CUST\_ID\_DOC\_PRCNG.
6. For KYC Onboarding to work properly when ECM is installed on top of latest OFSBD, take a backup of the following jars from \$FIC\_HOME/CommonGateway/TabletoJSONService and \$FIC\_HOME/CommonGateway/CommonGatewayService paths.
  - a. jersey-client.jar
  - b. jersey-common.jar
  - c. jersey-container-servlet.jar
  - d. jersey-container-servlet-core.jar
  - e. jersey-server.jar

## 1.3 How to Apply This Maintenance Level Release?

Refer to the following instructions to install this patch set.

1. Load the .profile and make sure that \$FIC\_HOME corresponds to the proper environment where the patch application is required. Make sure that \$FIC\_SERVER should be up and running.

2. Take a backup of below-mentioned tables from Atomic Schema as a precautionary measure. Any customizations done to these tables must be re-applied.
  - FCC\_CORR\_BUS\_ENTITY\_PATH
  - FCC\_CORRELATION\_BUS\_ENTITY\_CFG
  - FCC\_CORR\_QUERY\_DEFINITION
  - FCC\_SCENARIO\_MASTER
3. Download and copy 34376048\_GENERIC.zip (in Binary mode) to the server where OFSAA is installed.
4. Navigate to <USER\_PATCH\_DIR> and extract the contents of patch archive file using the following command.

```
unzip -a <name of the file to be unzipped>
```

#### NOTE

<USER\_PATCH\_DIR> is the directory containing the <patch>.zip file

For example: unzip -a 34376048\_GENERIC.zip

Below are the contents of the folder when the folder is unzipped:

- PatchConfig.xml
- install.sh
- setup.bin
- validateXMLInputs.jar
- MakeExecutableAction\_zg\_ia\_sf.jar

The above "-a" option is mandatory to unzip the patch. If the error message "unzip: not found [No such file or directory]" displays when the package is not installed, contact your UNIX administrator to resolve this issue.

5. Navigate to <USER\_PATCH\_DIR>/34376048/bin and grant execute (755) permission for all executables.
 

```
$ chmod 755 *
```
6. Navigate to <USER\_PATCH\_DIR>/34376048/conf/PatchConfig.xml and provide the following place holder values.
  - ##SCHEMA\_OUT\_XML\_PATH## - This attribute refers to the path which should be pointed to OFS\_ECM\_SCHEMA\_OUTPUT.xml which was generated at the time of installation.
  - ##OFS\_ECM\_DATA\_CM\_TBSP## and ##OFS\_ECM\_IDX\_CM\_TBSP## - This attribute refers to the Data and Index Table space Values present in OFS\_ECM\_SCHEMA\_OUTPUT.xml which was generated at the time of installation.
  - ##OFS\_ECM\_AML\_SOURCE## - This attribute refers to the source database in process task parameter, Values could be schema name or DB link name.
  - ##OFS\_ECM\_AML\_LOADTYPE## - This attribute refers to DB link in process task parameter, Values could be null or "DBLINK".

- `##EXECUTE_PRE_AND_POST_SCRIPTS##` - This attribute refers to pre script; this would be executed before the model upload. Provide the value as one (1).

7. Install the patch by executing `install.sh` command as below.

```
$ ./install.sh
```

8. Check whether the patch is applied successfully by verifying the patch install logs under `<USER_PATCH_DIR>/34376048/logs`. Contact Oracle Support in case of any errors.

9. Navigate to `#FIC_HOME#/ficweb/webroot/conf` and open the `excludeURLList.cfg`, check if the following entries are present. If not present, then append the following entry at the end of the file.

```
[SQLIA]. /ECMServlet
[SQLIA]. /CMServlet
[SQLIA]. /ECMCacheServlet
```

10. Navigate to `#FIC_HOME#/ficweb/webroot/conf` and open the `deeplinkURLList.cfg`, check if the following entries are present. If not present, then append the following entry at the end of the file `/solution/cm/CM_Questionnaire.jsp`.

11. Navigate to `#FIC_HOME#/ficweb/webroot/WEB-INF/classes/Reports/Input/Forms` path and delete `CM_ACC_RLM.xml` file.

12. Copy contents from `#FIC_HOME#/ECM_LP/Fonts` to `"/jre/lib/fonts"` in `$JAVA_HOME`.

13. Once the patch is applied successfully, navigate to `$FIC_HOME` and execute the following shell script to remove the older version of jars ()

**NOTE** This is applicable only for standalone ECM instance. For Pack on pack setup (OFSBD 807 + OFSECM 807), these web.xml changes are not required. Also, web.xml code provided in [Appendix B](#) has to be removed from `$FIC_HOME/ficweb/webroot/WEB-INF/web.xml`.

```
$ ./34376048_ECM_Duplicate_Jar_Removal.sh
```

14. After the patch is applied successfully, navigate to `$FIC_HOME` and execute the following shell script to remove the older version of jars

**NOTE** This is applicable only for pack on pack instances for OFSBD and OFS ECM.

```
$ ./34376048_ECM_Duplicate_Jar_Removal_Pack_on_Pack.sh
```

15. Once the patch is installed successfully, deploy the ear/war file and re-start the servers.



## 2 Post Installation Steps

The Post Installation procedure is detailed below:

### 1. Pre steps for date format

- For the ECM Application, in the CONFIGURATION table for DEFAULT\_DATEFORMAT\_REQ param, PARAMVALUE should be set to TRUE. Run the following update Query in CONFIG Schema and restart the servers:

```
update CONFIGURATION t set t.PARAMVALUE = 'TRUE' where t.paramname = 'DEFAULT_DATEFORMAT_REQ';
```

### 2. To populate data for the Network Structure building block, add the following processes as part of the Run.

- BD\_LINKANALYSIS\_LOOKUP: Oracle Behavior Detection to CA LinkAnalysis Lookup
- BD\_LINKANALYSIS\_NETWORK: Oracle Behavior Detection to CA LinkAnalysis Network
- BD\_LINKANALYSIS\_NODE: Oracle Behavior Detection to CA LinkAnalysis Node
- BD\_LINKANALYSIS\_LINK: Oracle Behavior Detection to CA LinkAnalysis Link
- BD\_LINKANALYSIS\_LINKSUMMARY: Oracle Behavior Detection to CA LinkAnalysis LinkSummary
- BD\_LINKANALYSIS\_TYPERESUMMARY: Oracle Behavior Detection to CA LinkAnalysis TypeSummary

For more information, see the Administration and Configuration Guide on [OHC](#).

### 3. Refer to [OFS Enterprise Case Management Installation Guide 8.0.7.0.0](#) for deploying Repository and catalog under section Deploying Analytic Reports and Threshold Analyzer.

### 4. Navigate to \$FIC\_HOME/EE\_Link\_Scripts path and execute

EE\_LINK\_RestoreScript.sql in Atomic Schema. This script will correct existing data of FCC\_EXTERNAL\_ENTITY\_LINK table.

The following Global temporary tables have been created for ECM Performance Improvement. Based on the From and To dates provided for search, these tables will get populated from their respective Business table.

- FCC\_BACK\_OFFICE\_TRXN\_GT
- FCC\_WIRE\_TRXN\_GT
- FCC\_MI\_TRXN\_GT

The inserts are available in LA\_GRAPH\_PREPROCESSOR table in CONFIG Schema. To further enhance the Query performance of the Inserts, you can configure the degree of parallelism as per your database. Out of box it is defaulted to 4 (For example: /\*+ nologging parallel(4) \*/)

### 5. For KYC Onboarding to work properly when ECM is installed on top of latest OFSBD, follow these steps:

- a. Navigate to \$FIC\_HOME/CommonGateway/TabletoJSONService and \$FIC\_HOME/CommonGateway/CommonGatewayService, replace the following jars with the backup jars. Refer to Pre-installation requirements section.

- jersey-client.jar
- jersey-common.jar
- jersey-container-servlet.jar

- jersey-container-servlet-core.jar
  - jersey-server.jar
  - b. Navigate to \$FIC\_HOME/Onboarding and trigger ant.sh file. Deploy the new War files.
6. After the patch application is successful, follow these steps to map the respective party party relationship processes.
- Login to the KYC application, Navigate to Common Tasks -> Rule Run Framework -> Process. Select the process "Business Data Load For Oracle KYC" and click Edit.
  - Select Component -> Expand Process tab in the List -> Select 'Oracle KYC To Consolidation Area Party Party Relationship Lookup', 'Oracle KYC To Consolidation Area Party Party Relationship', 'Oracle KYC To Consolidation Area Party Party Relationship Event' and move them to the right side 'Tasks in ROOT' at the end..

**NOTE**

If any processes mentioned above are already mapped, make sure you correct the order of those tasks. Tasks should be mapped in the following sequence:

1. Oracle KYC To Consolidation Area Party Party Relationship Lookup
2. Oracle KYC To Consolidation Area Party Party Relationship
3. Oracle KYC To Consolidation Area Party Party Relationship Event

- Click Ok. Save "Business Data Load For Oracle KYC" process.
- Select the process "Third Party Generate Cases" and click Edit.
- Select Component -> Expand Insertion Rules and expand EXT.ECM\_Source.
- Select the rule 't2t\_KDD\_CASE\_PARTY\_PARTY\_RLSHP' and move it to the right side under 'Tasks in ROOT'.
- This task should be before 'Case Completion Flag'. Save the process.
- Select Precedence -> Select 't2t\_KDD\_CASE\_PARTY\_PARTY\_RLSHP' in the drop-down list and add 'f\_insertcases' as precedence.
- Select CASE\_COMPLETION\_FLAG in the Precedence drop-down list and add 't2t\_KDD\_CASE\_PARTY\_PARTY\_RLSHP' as precedence.
- Save the Process. Navigate to Run and Save "Oracle KYC Event Processing".

## 3 Appendix A : Files Packaged in This ML Release

The files packaged in this ML release are as follows:

---

**Note** Perform a backup of the files.  
Reapply any customization performed on the files.

- [jar Files](#)
- [SQL Files](#)
- [XML Files](#)
- [JavaScript Files](#)
- [Properties Files](#)
- [Configuration Files](#)
- [RTF and XSL Files](#)
- [Data Model XMLs](#)
- [CSS Files](#)
- [HTML Files](#)
- [Image Files](#)
- [TTF Files](#)
- [Excel Files](#)
- [SH Files](#)
- [Build-related Files](#)

### 3.1 Jar Files

The following jar files are packaged in this release:

- actionframework.jar
- activation.jar
- AESCryptor.jar
- aolj.jar
- aopalliance-1.0.jar
- axis.jar
- bdpicc.jar
- bdprf.jar
- case\_mgmt.jar
- collections.jar

- CommLogger.jar
- common.jar
- commonapps\_core.jar
- commonGateway.jar
- commons-beanutils-1.9.4.jar
- commons-collections4-4.4.jar
- commons-discovery-0.2.jar
- commons-lang3-3.11.jar
- commons-logging-1.1.3.jar
- Correlation.jar
- CRRDataIngestion.jar
- CRRDataIngestion\_client.jar
- CRRSrcClient.jar
- datamap.jar
- datamapgen.jar
- eclipselink-2.7.4.jar
- ECMKYCPasswordUpdateUtility.jar
- EventPurge.jar
- expiredEventPurge.jar
- FCCDM.jar
- fcc-ui-grid.jar
- FICServer.jar
- fontbox-2.0.11.jar
- guava-19.0.jar
- HiveTablesTruncate.jar
- hk2-api-2.6.1.jar
- hk2-locator-2.6.1.jar
- hk2-utils-2.6.1.jar
- i18nAPI\_v3.jar
- IPEBatch.jar
- j2ssh-core-0.2.5.jar
- jackson-annotations-2.13.3.jar
- jackson-core-2.13.3.jar
- jackson-databind-2.13.3.jar
- javax.ejb.jar

- javax.inject-2.5.0-b30.jar
- javax.persistence\_2.0.4.v201112161009.jar
- javax.ws.rs-api-2.0.1.jar
- jaxen.jar
- jaxrpc.jar
- JBC.jar
- jdom.jar
- jersey-client-2.30.jar
- jersey-common-2.30.jar
- jersey-container-servlet-2.30.jar
- jersey-container-servlet-core-2.30.jar
- jersey-guava-2.25.1.jar
- jersey-server-2.30.jar
- jsch-0.1.55.jar
- JSON\_parser.jar
- json-lib-2.4-jdk15.jar
- kyc\_ob\_auth.jar
- kyc\_ob\_conn.jar
- log4j-api-2.12.4.jar
- log4j-core-2.12.4.jar
- mail.jar
- OFSSWatchList.jar
- ojdbc7.jar
- pdfbox-2.0.11.jar
- righttoforget.jar
- saaj.jar
- spring-beans-5.3.21.jar
- spring-context-5.3.21.jar
- spring-core-5.3.21.jar
- spring-expression-5.3.21.jar
- TabletoJSON.jar
- validateXMLInputs.jar
- validation-api-1.1.0.Final.jar
- wsdl4j-1.5.1.jar
- xalan.jar

- xdo.jar
- xml-apis-2.10.0.jar
- xmlparserv2.jar

## 3.2 SQL Files

The following SQL files are packaged in this release:

**Note** Perform a backup of the Config Schema and Atomic Schema for the following SQL updates.

- 30687008\_CRR\_ACTION.sql
- 32210620\_KDD\_CMMNT.sql
- 32506551\_FCC\_DM\_FIELD\_MAPPING\_KYC.sql
- 32612243\_PERFORMANCE\_INDEXES.sql
- 32653636\_FCC\_DM\_DEFINITION\_KYC.sql
- 32758160\_MESSAGES\_EN\_US.sql
- 32767095\_MESSAGES\_EN\_US.sql
- 33032359\_FCC\_UI\_MODULE\_CONF\_KYC\_IP.sql
- 33042688\_FCC\_PARTY\_PARTY\_RLSHP.sql
- 33042688\_PR2\_PROCESS\_TASK.sql
- 33558925\_FCC\_UI\_MODULE\_CONF\_TILESAR.sql
- 33714882\_FCC\_UI\_MODULE\_CONF\_IP.sql
- 33979281\_AAI\_DMT\_DEF.sql
- 33979281\_FCC\_DM\_DEFINITION.sql
- 33979281\_PARTY\_PARTY\_RLSHP\_EVNT.sql
- 807\_FCC\_CORR\_QUERY\_DEFINITION.sql
- AAI\_AOM\_TABLES\_8071.sql
- AAI\_FF\_TAB\_DISPLAY\_FILTERS\_8073.sql
- AAI\_FF\_TAB\_GROUPING\_8073.sql
- AAI\_FF\_TAB\_OPERATION\_FILTERS\_8073.sql
- AAI\_FF\_TAB\_TABLES\_ENTRIES\_8071.sql
- AAI\_FF\_TAB\_TABLES\_ENTRIES\_FATCA\_IR2.sql
- AAI\_OJFF\_MASKING\_ATTR\_VAL\_MAP\_8071.sql
- AAI\_USR\_PREFERENCE\_DETAIL.sql
- AAI\_WF\_ACTIVITY\_B.sql
- AAI\_WF\_ACTIVITY\_TL.sql

- AAI\_WF\_APP\_DEFINITION\_MAP.sql
- AAI\_WF\_APP\_DEFINITION\_MAP\_8071.sql
- AAI\_WF\_APP\_DEFINITION\_MAP\_IR2.sql
- AAI\_WF\_APP\_REGISTRATION.sql
- AAI\_WF\_APPLICATION\_API\_B.sql
- AAI\_WF\_APPLICATION\_API\_TL.sql
- AAI\_WF\_DATA\_FIELD\_B.sql
- AAI\_WF\_DATA\_FIELD\_TL.sql
- AAI\_WF\_PROCESS\_B.sql
- AAI\_WF\_PROCESS\_TL.sql
- AAI\_WF\_TRANSITION\_B.sql
- AAI\_WF\_TRANSITION\_TL.sql
- acct\_grp\_ios\_mem\_seq.sql
- ARACHYNS\_Input.sql
- BANK\_INSTN\_VW.sql
- CASE\_ACSMRY\_BSM\_VW.sql
- CASE\_HHSMRY\_BSM\_VW.sql
- CASEVALIDITYCHECK.sql
- CM\_CS\_MESSAGES\_EN\_US\_8071.sql
- CM\_CS\_OFSA\_OBJECT\_APPLICATION\_MAP\_ThirdParty\_8071.sql
- CM\_CS\_PR2\_OBJECT\_ThirdParty\_8071.sql
- CM\_CS\_RRF\_PROCESS\_8071.sql
- CM\_CS\_RRF\_PROCESS\_ThirdParty\_8071.sql
- CM\_DOC\_COLL\_CNTRT\_E\_LOOKUP\_SEQ.sql
- CM\_DOC\_COLL\_MULTNR\_LOOKUP\_SEQ.sql
- CM\_DOC\_SERVICE\_SEQ.sql
- CM\_FCC\_EDGE\_SEQ.sql
- CM\_FCC\_NODE\_SEQ.sql
- CM\_HH\_SMRY\_MNTH\_SEQ.sql
- CM\_KDD\_CASEATTRBT\_BHVR\_8071.sql
- CM\_KDD\_CASEATTRBT\_BHVR\_CS.sql
- CM\_KDD\_CASEATTRBT\_MASTER\_8071.sql
- CM\_KDD\_CASEATTRBT\_VAL\_8071.sql
- CM\_LINKANALYSIS\_LOOKUP\_SEQ.sql
- CM\_PARTY\_PARTY\_RSHP\_LOOKUP\_SEQ.sql

- CM\_QUEUE\_MASTER\_SEQ.sql
- CM\_TBAML\_CNTRCT\_MSG\_LOOKUP\_SEQ.sql
- CM\_TBAML\_MATCH\_SEQ.sql
- CM\_TBAML\_WATCHLIST\_LOOKUP\_SEQ.sql
- CM\_TRADE\_FIN\_ACCT\_LOOKUP\_SEQ.sql
- CM\_TRADE\_FIN\_DOC\_LOOKUP\_SEQ.sql
- CM\_TRD\_FIN\_BRKRGE\_LOOKUP\_SEQ.sql
- CM\_TRD\_FIN\_CNTRCT\_E\_LOOKUP\_SEQ.sql
- CM\_TRD\_FIN\_TRD\_DOC\_LOOKUP\_SEQ.sql
- COMMON\_KDD\_INSTALL\_PARAM\_8071.sql
- COMMON\_KDD\_INSTALL\_PARAM\_80718.sql
- COMMON\_LA\_GRAPH\_META\_QUERY\_8071.sql
- COMMON\_LA\_GRAPH\_METADATA\_8071.sql
- COMMON\_LA\_GRAPH\_POSTPROCESSOR\_8071.sql
- COMMON\_LA\_GRAPH\_PROPERTY\_8071.sql
- COMMON\_LA\_QUERY\_METADATA\_8071.sql
- COMPARE\_TABLES.sql
- COMPARE\_TABLES\_EXPIRY\_EVENTS.sql
- CONFIGURATION.sql
- create\_expiry\_events.sql
- CS\_IND\_Input.sql
- CS\_INSERT\_FCC\_EVENT\_STATUS.sql
- CS\_INSERT\_FCC\_UI\_MODULE\_CONF.sql
- CS\_NON\_IND\_Input.sql
- CSSMS\_FOLDER\_FUNCTION\_PACK\_8071.sql
- CSSMS\_FUNCTION\_MAST\_PACK\_8071.sql
- CSSMS\_GROUP\_MAST\_PACK\_8071.sql
- CSSMS\_GROUP\_ROLE\_MAP\_PACK\_8071.sql
- CSSMS\_ROLE\_FUNCTION\_MAP\_PACK\_807040.sql
- CSSMS\_ROLE\_FUNCTION\_MAP\_PACK\_8071.sql
- CSSMS\_ROLE\_FUNCTION\_MAP\_PACK\_807204.sql
- CSSMS\_ROLE\_MAST\_PACK\_8071.sql
- CSSMS\_START\_PAGE\_MASTER\_8071.sql
- CSSMS\_USR\_GROUP\_DSN\_SEG\_MAP\_8071.sql
- DataSourceFactory.sql



- DB\_ECM\_preinstall\_drop\_80720.sql
- DB\_ECM\_preinstall\_drop\_80720.sql
- DM\_DEFINITION\_PARTY\_PARTY\_RLSHP.sql
- DM\_t2t\_CASE\_TRD\_FIN\_CNTRCT\_EVT.sql
- DM\_t2t\_CASH\_TRXN.sql
- DM\_t2t\_EVENTED\_ACCT.sql
- DM\_t2t\_EVENTED\_ACCT\_ADDR.sql
- DM\_t2t\_EVENTED\_ACCT\_BAL\_POSN\_SMRY.sql
- DM\_t2t\_EVENTED\_ACCT\_GRP.sql
- DM\_t2t\_EVENTED\_ACCT\_RSTRN.sql
- DM\_t2t\_EVENTED\_BACK\_OFFICE\_TRXN.sql
- DM\_t2t\_EVENTED\_CLIENT\_BANK.sql
- DM\_t2t\_EVENTED\_CUST.sql
- DM\_t2t\_EVENTED\_CUST\_ALIAS.sql
- DM\_t2t\_EVENTED\_CUST\_SUPPLEMENTAL\_ATTR.sql
- DM\_t2t\_EVENTED\_EMP\_PHON.sql
- DM\_t2t\_EVENTED\_FO\_TRXN\_STAGE.sql
- DM\_t2t\_EVENTS.sql
- DM\_t2t\_FCC\_CASE\_ACCT\_LIST\_MBRSP.sql
- DM\_t2t\_FCC\_EVENT\_ENTITY\_MAP\_BOT.sql
- DM\_t2t\_FCC\_EVENT\_ENTITY\_MAP\_FOTCASH.sql
- DM\_t2t\_FCC\_EVENT\_ENTITY\_MAP\_FOTMI.sql
- DM\_t2t\_FCC\_EVENT\_ENTITY\_MAP\_FOTWIRE.sql
- DM\_t2t\_FCC\_TRXN\_PIVOT\_TRANSFORM\_DS.sql
- DM\_t2t\_KDD\_CASE\_ACCOUNT\_ADDRESS.sql
- DM\_t2t\_KDD\_CASE\_ACCOUNT\_MANAGED.sql
- DM\_t2t\_KDD\_CASE\_ACCOUNT\_RSTRNS.sql
- DM\_t2t\_KDD\_CASE\_ACCOUNTS.sql
- DM\_t2t\_KDD\_CASE\_ACCT\_BAL\_POSN\_SMRY.sql
- DM\_t2t\_KDD\_CASE\_ACCT\_EMAIL\_ADDR.sql
- DM\_t2t\_KDD\_CASE\_ACCT\_GRP.sql
- DM\_t2t\_KDD\_CASE\_ACCT\_NTCPTRY\_PRFL.sql
- DM\_t2t\_KDD\_CASE\_ACCT\_PEER\_GRP.sql
- DM\_t2t\_KDD\_CASE\_ACCT\_PHON.sql
- DM\_t2t\_KDD\_CASE\_ACCT\_SMRY\_MNTH.sql

- DM\_t2t\_KDD\_CASE\_ACCT\_SUPPL\_ATTR.sql
- DM\_t2t\_KDD\_CASE\_ACT\_PEER\_TRXN\_SMRY.sql
- DM\_t2t\_KDD\_CASE\_BACK\_OFFICE\_TRXN.sql
- DM\_t2t\_KDD\_CASE\_CASH\_TRXN.sql
- DM\_t2t\_KDD\_CASE\_CB\_LIST\_MEMBERSHIP.sql
- DM\_t2t\_KDD\_CASE\_CB\_PEER\_TXN\_SMRY\_MNTH.sql
- DM\_t2t\_KDD\_CASE\_CLIENT\_BANK.sql
- DM\_t2t\_KDD\_CASE\_CLIENT\_BANK\_PEER\_GRP.sql
- DM\_t2t\_KDD\_CASE\_CLIENT\_BANK\_SMRY\_MNTH.sql
- DM\_t2t\_KDD\_CASE\_CUST\_ADDR.sql
- DM\_t2t\_KDD\_CASE\_CUST\_EMAIL\_ADDRS.sql
- DM\_t2t\_KDD\_CASE\_CUST\_IMP\_LICENSE.sql
- DM\_t2t\_KDD\_CASE\_CUST\_IMP\_LICENSE\_GOODS.sql
- DM\_t2t\_KDD\_CASE\_CUST\_LIST\_MEMBERSHIP.sql
- DM\_t2t\_KDD\_CASE\_CUST\_PHONE.sql
- DM\_t2t\_KDD\_CASE\_CUST\_SMRY\_MNTH.sql
- DM\_t2t\_KDD\_CASE\_CUST\_SUPPL\_ATTR.sql
- DM\_t2t\_KDD\_CASE\_CUSTOMERS.sql
- DM\_t2t\_KDD\_CASE\_DERIVED\_ADDRESS.sql
- DM\_t2t\_KDD\_CASE\_DERIVED\_ADDRESS\_CASH\_TRXN.sql
- DM\_t2t\_KDD\_CASE\_DERIVED\_ADDRESS\_MI\_TRXN.sql
- DM\_t2t\_KDD\_CASE\_DERIVED\_ADDRESS\_WIRE\_TRXN.sql
- DM\_t2t\_KDD\_CASE\_DOC\_COLL\_CNTRCT.sql
- DM\_t2t\_KDD\_CASE\_DOC\_COLL\_CNTRCT\_EVENT.sql
- DM\_t2t\_KDD\_CASE\_DOC\_COLL\_DISCRP\_DTL.sql
- DM\_t2t\_KDD\_CASE\_DOC\_COLL\_INVOICE.sql
- DM\_t2t\_KDD\_CASE\_DOC\_COLL\_MULTNR\_DTL.sql
- DM\_t2t\_KDD\_CASE\_DOC\_COLL\_SHPMT\_DTL.sql
- DM\_t2t\_KDD\_CASE\_EMP\_ACCT.sql
- DM\_t2t\_KDD\_CASE\_EMP\_ADDR.sql
- DM\_t2t\_KDD\_CASE\_EMP\_EMAIL\_ADDR.sql
- DM\_t2t\_KDD\_CASE\_EMP\_PHONE.sql
- DM\_t2t\_KDD\_CASE\_EMPLOYEES.sql
- DM\_t2t\_KDD\_CASE\_EXTERNAL\_ENTITY.sql
- DM\_t2t\_KDD\_CASE\_EXTERNAL\_ENTITY\_MEMBERSHIP.sql

- DM\_t2t\_KDD\_CASE\_EXTERNAL\_INSURANCE\_PLCY.sql
- DM\_t2t\_KDD\_CASE\_EXTERNAL\_ORG.sql
- DM\_t2t\_KDD\_CASE\_HH\_ACCT\_BAL\_SMRY.sql
- DM\_t2t\_KDD\_CASE\_HH\_SMRY\_MNTH.sql
- DM\_t2t\_KDD\_CASE\_INSTL\_ACCT\_SMRY\_MNTH.sql
- DM\_t2t\_KDD\_CASE\_INSTN\_MASTER.sql
- DM\_t2t\_KDD\_CASE\_INSTRUCTION.sql
- DM\_t2t\_KDD\_CASE\_INSURANCE\_PLCY\_CUST.sql
- DM\_t2t\_KDD\_CASE\_INSURANCE\_POLICY.sql
- DM\_t2t\_KDD\_CASE\_INSURANCE\_PRODUCT.sql
- DM\_t2t\_KDD\_CASE\_LOAN.sql
- DM\_t2t\_KDD\_CASE\_LOAN\_ACCOUNT.sql
- DM\_t2t\_KDD\_CASE\_LOAN\_SMRY\_MONTH.sql
- DM\_t2t\_KDD\_CASE\_MI\_TRXN.sql
- DM\_t2t\_KDD\_CASE\_NTWK\_USER\_ACCT\_MAP.sql
- DM\_t2t\_KDD\_CASE\_NVSMT\_MGR.sql
- DM\_t2t\_KDD\_CASE\_NVSMT\_MGR\_SMRY\_MNTH.sql
- DM\_t2t\_KDD\_CASE\_ONLINE\_ACCT.sql
- DM\_t2t\_KDD\_CASE\_ONLINE\_ACCT\_ACCT.sql
- DM\_t2t\_KDD\_CASE\_ORDER.sql
- DM\_t2t\_KDD\_CASE\_PEER\_GRP.sql
- DM\_t2t\_KDD\_CASE\_TRADE.sql
- DM\_t2t\_KDD\_CASE\_TRADE\_FIN\_ACCT.sql
- DM\_t2t\_KDD\_CASE\_TRADE\_FIN\_BRKRGE.sql
- DM\_t2t\_KDD\_CASE\_TRADE\_FIN\_BRKRGE\_DIST.sql
- DM\_t2t\_KDD\_CASE\_TRADE\_FIN\_CNTRCT.sql
- DM\_t2t\_KDD\_CASE\_TRADE\_FIN\_DOC.sql
- DM\_t2t\_KDD\_CASE\_TRADE\_FIN\_DRAFT.sql
- DM\_t2t\_KDD\_CASE\_TRADE\_FIN\_GOOD\_SRVC.sql
- DM\_t2t\_KDD\_CASE\_TRADE\_FIN\_PARTY.sql
- DM\_t2t\_KDD\_CASE\_TRADE\_FIN\_SWIFT\_MSG.sql
- DM\_t2t\_KDD\_CASE\_WIRE\_TRXN.sql
- DM\_t2t\_LOOKUP\_EVENT.sql
- DM\_t2t\_WIRE\_TRXN\_INSTN\_LEG.sql
- DM\_UTILITY\_8071.sql

- ECM\_CASE\_AGE\_CALC\_BATCH.sql
- ECM\_FATCA\_DM\_DEFINITION\_MAPPING\_59.sql
- ECM\_MENU\_APP\_INSERT\_8071.sql
- ECM\_MENU\_APP\_INSERT\_807116.sql
- ECM\_MENU\_APP\_INSERT\_CASEALLOC\_31795178.sql
- ECM\_QC\_BATCH.sql
- ECM\_QC\_DT.sql
- ECM\_ROLE\_ENTRIES\_CASEALLOC\_31795178.sql
- EE\_LINK\_RestoreScript.sql
- ENTITYVALIDITYCHECK.sql
- EXCEL\_MAPPING\_MASTER\_8071.sql
- EXPIRY\_EVENTS\_COMPARE\_TABLES\_INSERT\_SCRIPT.sql
- F\_CASEACTION\_CHECK.sql
- F\_CM\_CASE\_AGE\_CALC.sql
- F\_CM\_OVERLAYS.sql
- F\_CM\_STR\_HTML\_TO\_TEXT.sql
- F\_ECMREADEMAIL.sql
- F\_FCC\_BATCH\_RUN.sql
- F\_FCC\_P2C\_FL\_OFATCA.sql
- F\_FCC\_PRECASE\_SCORE\_FATCA.sql
- F\_FCC\_UPDATE\_CASE\_FATCA.sql
- F\_FCC\_UPDATE\_CASEID\_OKYC.sql
- F\_GET\_DATE\_FORMAT.sql
- F\_INSERT\_CUST\_REP\_INFO\_FATCA.sql
- f\_populate\_indirect\_Ink\_std0.sql
- FATCA\_DATE\_TASK\_MASTER\_IR2.sql
- FATCA\_OBJECT\_IR2.sql
- FATCA\_OFSA\_OBJECT\_APPLN\_MAP\_IR2.sql
- FATCA\_PROCESS\_8071.sql
- FATCA\_RUN\_IR2.sql
- FCC\_ASSGN\_RULE\_FLTR\_SEQ.sql
- FCC\_CORR\_QUERY\_DEFINITION.sql
- FCC\_CS\_EVENT\_OUTCOME\_UPDATE.sql
- FCC\_CUST\_ADDR\_EVNT\_INDX.sql
- FCC\_CUST\_CREDIT\_RTNG\_EVNT\_INDX.sql

- FCC\_CUST\_EVNT\_INDX.sql
- FCC\_CUST\_PHON\_EVNT\_INDX.sql
- FCC\_DM\_124.sql
- FCC\_DM\_23.sql
- FCC\_DM\_26.sql
- FCC\_DM\_28\_221.sql
- FCC\_DM\_29.sql
- FCC\_DM\_30.sql
- FCC\_DM\_40.sql
- FCC\_DM\_52.sql
- FCC\_DM\_64.sql
- FCC\_DM\_CLOB\_PARSER.sql
- FCC\_DM\_CONN\_CONF.sql
- fcc\_dm\_def\_sync\_040619.sql
- FCC\_DM\_DEFINITION\_130219.sql
- FCC\_DM\_DEFINITION\_3.sql
- fcc\_dm\_definition\_32246972.sql
- fcc\_dm\_definition\_8.0.7.1.25.sql
- fcc\_dm\_definition\_8.0.7.1.26.sql
- fcc\_dm\_definition\_80701.sql
- FCC\_DM\_DEFINITION\_807112.sql
- fcc\_dm\_definition\_807121.sql
- fcc\_dm\_definition\_807123.sql
- FCC\_DM\_DEFINITION\_80715.sql
- FCC\_DM\_DEFINITION\_80719.sql
- fcc\_dm\_definition\_91.sql
- FCC\_DM\_DEFINITION\_ALTER.sql
- fcc\_dm\_definition\_cs.sql
- fcc\_dm\_definition\_eel.sql
- FCC\_DM\_DEFINITION\_FATCA\_IR2.sql
- fcc\_dm\_definition\_ios.sql
- FCC\_DM\_DEFINITION\_KYC\_8071.sql
- FCC\_DM\_DEFINITION\_KYC\_8072.sql
- FCC\_DM\_DEFINITION\_OAML\_8071.sql
- fcc\_dm\_definition\_std\_807014.sql

- fcc\_dm\_definition\_stg\_40.sql
- FCC\_DM\_DEFINITION\_TBAML\_3RD\_PARTY.sql
- FCC\_DM\_DEFINITION\_TBAML\_PGX.sql
- fcc\_dm\_definition\_tbml.sql
- FCC\_DM\_DEFINITION\_Trade\_Exec.sql
- FCC\_DM\_DEFINITION\_TRADE\_ORDR\_SCRTY.sql
- FCC\_DM\_DEFINITION\_V\_EVENT\_TYPE\_807.sql
- fcc\_dm\_defintion\_network.sql
- FCC\_DM\_DEPENDENT\_TABLE.sql
- FCC\_DM\_EXEC\_LOG.sql
- FCC\_DM\_EXEC\_STATUS.sql
- FCC\_DM\_FIELD\_MAPPING\_130219.sql
- fcc\_dm\_field\_mapping\_32246972.sql
- FCC\_DM\_FIELD\_MAPPING\_424.sql
- fcc\_dm\_field\_mapping\_8.0.7.1.26.sql
- fcc\_dm\_field\_mapping\_80704.sql
- fcc\_dm\_field\_mapping\_807121.sql
- fcc\_dm\_field\_mapping\_808.sql
- fcc\_dm\_field\_mapping\_cs.sql
- fcc\_dm\_field\_mapping\_eel.sql
- fcc\_dm\_field\_mapping\_ios.sql
- FCC\_DM\_FIELD\_MAPPING\_KYC\_80715.sql
- fcc\_dm\_field\_mapping\_network.sql
- FCC\_DM\_FIELD\_MAPPING\_OAML\_8071.sql
- fcc\_dm\_field\_mapping\_stdo\_807014.sql
- fcc\_dm\_field\_mapping\_stg\_40.sql
- fcc\_dm\_field\_mapping\_stg\_80707.sql
- FCC\_DM\_FIELD\_MAPPING\_TBAML\_3RD\_PARTY.sql
- FCC\_DM\_FIELD\_MAPPING\_TBAML\_PGX.sql
- fcc\_dm\_field\_mapping\_tbml.sql
- FCC\_DM\_FIELD\_MAPPING\_Trade\_Exec.sql
- FCC\_DM\_FIELD\_MAPPING\_TRADE\_ORDR\_SCRTY.sql
- FCC\_DM\_GATHER\_STAT\_CONFIG.sql
- FCC\_DM\_MAPPINGS\_8072.sql
- fcc\_entity\_related\_eventfocus.sql

- FCC\_EVENT\_CORR\_BUS\_ENTITY\_CFG.sql
- FCC\_EVENT\_CORR\_BUS\_ENTITY\_PATH.sql
- FCC\_EVENT\_TYPE\_SCENARIO\_MAP.sql
- FCC\_EVENTS\_V\_EVENT\_TYPE\_808.sql
- FCC\_LNKANALYSIS\_LINKSUMMARY\_VW.sql
- FCC\_LNKANALYSIS\_TYPESUMMARY\_VW.sql
- FCC\_NTCPTRY\_PRFL\_EVNT\_INDX.sql
- FCC\_PARTY\_PARTY\_RLSHP\_UniqueKeys.sql
- FCC\_RT\_EVENT\_ENTITY\_ENTRIES\_8071.sql
- FCC\_RT\_EVENT\_ENTITY\_ENTRIES\_KYC\_RT\_EXT.sql
- FCC\_RT\_EVENTTYPE\_PTC\_8071.sql
- FCC\_SCENARIO\_MASTER.sql
- FCC\_SCENARIO\_MASTER\_8071.sql
- FCC\_SCENARIO\_MASTER\_TBAML.sql
- FCC\_TABLE\_METADATA.sql
- FCC\_TPG\_CUST.sql
- FCC\_TPG\_SERVICE\_REQUEST.sql
- FCC\_TPG\_TABLE\_JSON\_PERSIST.sql
- FCC\_TPG\_WF\_API\_STATUS.sql
- FCC\_TRXN\_GT\_TABLES.sql
- FCC\_UI\_MODULE\_CONF\_33902975.sql
- FCC\_UI\_MODULE\_CONF\_KYCOB\_RA\_8071.sql
- FN\_AUDIT\_ATTACHPARAMS.sql
- FN\_AUDITPARAMS.sql
- FN\_CMVBO.sql
- FN\_GETCASEIDSLIST.sql
- func\_expire\_event.sql
- GOAML\_VIEW.sql
- grant\_kdd\_casetype\_tabgrp\_map.sql
- Grants\_8073.sql
- H\$KDD\_CASE\_CUSTOMERS.sql
- H\$KDD\_CASE\_EXTERNAL\_ENTITY.sql
- H\$KDD\_CASE\_INSTN\_MASTER.sql
- H\$KDD\_REVIEW\_OWNER\_JRSDCN.sql
- H\$TABLE\_COLUMN\_LENGTH.sql

- H\$TABLE\_COLUMN\_LENGTH\_80713.sql
- INSERT\_CREATE\_PE\_TABLES.sql
- insert\_fcc\_ui\_module\_conf.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_31819849.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_807051.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_8071.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_807116.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_807117.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_807118\_HH.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_807121.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_807125.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_80713.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_80717.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_80718.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_807204.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_80726.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_8072FEB.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_CS.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_CS\_PERFORMANCE.sql
- INSERT\_FCC\_UI\_MODULE\_CONF\_HHSMRY.sql
- INSERT\_FCC\_UI\_RULE\_CONF\_8071.sql
- INSERT\_FCC\_UI\_RULE\_CONF\_807204.sql
- INSERT\_FCC\_UI\_RULE\_FUNC\_MAP\_8071.sql
- INSERT\_FCC\_UI\_RULE\_OUTCOME\_8071.sql
- INSERT\_FCC\_UI\_RULES\_8071.sql
- INSERT\_INFODOM\_PATCHES.sql
- INSERT\_KDD\_COUNTRY.sql
- INSERT\_MESSAGES\_EN\_US\_807111.sql
- INSERT\_MESSAGES\_EN\_US\_807204.sql
- KDD\_ACSMRY\_ARC\_BSM\_VW.sql
- KDD\_ACTION\_8071.sql
- KDD\_ACTION\_CAT\_CD\_8071.sql
- KDD\_ACTION\_LEXUS.sql
- KDD\_ACTION\_VLDTN\_31872404.sql
- KDD\_ACTION\_VLDTN\_8071.sql



- KDD\_BSM\_HHSMRY\_VW.sql
- kdd\_case\_loan\_linksmry\_vw.sql
- KDD\_CASE\_NOTE\_HIST\_VIEW.sql
- KDD\_CASEATTRBT\_VAL\_807113.sql
- KDD\_CASEENTITY\_MASTER\_8071.sql
- KDD\_CASEENTITY\_TAB\_MAP\_8071.sql
- KDD\_CASETYPE\_ACTION\_MAP\_8071.sql
- KDD\_CASETYPE\_ATTRBT\_MAP\_8071.sql
- KDD\_CASETYPE\_ENTITY\_MAP\_IR\_CS.sql
- KDD\_CASETYPE\_TABGRP\_MAP\_8073.sql
- KDD\_CB\_SUM\_DEP\_RSKEVNT.sql
- kdd\_cbsmry\_event\_link\_vw.sql
- KDD\_CENTRICITY.sql
- KDD\_CM\_ACC\_PEE\_DEP.sql
- KDD\_CM\_ACC\_PEE\_DISB.sql
- KDD\_CM\_ACC\_SUM\_BUY.sql
- KDD\_CM\_ACC\_SUM\_DEP.sql
- KDD\_CM\_ACC\_SUM\_SELL.sql
- KDD\_CM\_ACSMRY\_DEF\_VW.sql
- KDD\_CM\_CB\_PEER\_DEP.sql
- KDD\_CM\_CB\_PEER\_DISB.sql
- KDD\_CM\_CB\_SUM\_DEP.sql
- KDD\_CM\_CB\_SUM\_DEPDISB.sql
- KDD\_CM\_CB\_SUM\_DISB.sql
- KDD\_CM\_CUST\_SUM\_BUY.sql
- KDD\_CM\_CUST\_SUM\_DEP.sql
- KDD\_CM\_CUST\_SUM\_SELL.sql
- KDD\_CM\_IA\_SMRY\_VW.sql
- KDD\_CM\_IA\_SUM\_AC.sql
- KDD\_CM\_IA\_SUM\_DIS.sql
- KDD\_CMMNT\_31764490.sql
- KDD\_CODE\_SET\_TRNLN\_8071.sql
- kdd\_hhsmry\_bsm\_vw.sql
- KDD\_INSTALL\_PARAM\_31207742.sql
- KDD\_INSTALL\_PARAM\_31795026.sql

- kdd\_loan\_linksmry\_vw.sql
- KDD\_QC\_DATASET\_MASTER\_8071.sql
- KDD\_QC\_DATASET\_VALUES\_8071.sql
- KDD\_QC\_RULE\_MASTER\_8071.sql
- KDD\_ROLE\_ACTION\_RSTRN.sql
- KDD\_STATUS\_8071.sql
- KDD\_STATUS\_ACTION\_MAP\_8071.sql
- KYCBATCH\_MESSAGES\_EN\_US.sql
- LA\_GRAPH\_PREPROCESSOR.sql
- LP\_AAI\_FF\_FORMS\_CONTAINER\_TL.sql
- LP\_MESSAGES\_EN\_US.sql
- LP\_WEB\_MESSAGES\_EN\_US.sql
- Masking\_8071.sql
- Message\_en\_US\_TBML\_8071.sql
- MESSAGES\_EN\_US\_31207742.sql
- MESSAGES\_EN\_US\_32725015.sql
- MESSAGES\_EN\_US\_8071.sql
- MESSAGES\_EN\_US\_807120.sql
- MESSAGES\_EN\_US\_807121.sql
- MESSAGES\_EN\_US\_80713.sql
- MESSAGES\_EN\_US\_8072.sql
- MESSAGES\_EN\_US\_CASEALLOC\_31795178.sql
- MESSAGES\_EN\_US\_CS\_PDF.sql
- MESSAGES\_EN\_US\_EVENTID\_DSPLY.sql
- MESSAGES\_EN\_US\_FATCA\_IR2.sql
- MESSAGES\_EN\_US\_HH.sql
- MESSAGES\_EN\_US\_ML\_808718.sql
- MESSAGES\_EN\_US\_NTWRK\_TRXNDATE.sql
- MESSAGES\_EN\_US\_NTWRK\_USDFIX.sql
- MESSAGES\_EN\_US\_SELECTVALUE.sql
- mts\_mantasSchema\_8071.sql
- NTWRK\_PERFORMANCE\_CLUSTERING.sql
- NTWRK\_PERFORMANCE\_INDEXES.sql
- ofsa\_object\_application\_map\_32246972.sql
- ofsa\_object\_application\_map\_80701.sql

- ofsa\_object\_application\_map\_807121.sql
- ofsa\_object\_application\_map\_807123.sql
- ofsa\_object\_application\_map\_bd.sql
- ofsa\_object\_application\_map\_ep.sql
- ofsa\_object\_application\_map\_ios.sql
- ofsa\_object\_application\_map\_screening\_tbml.sql
- ofsa\_object\_application\_map\_stdo\_8071.sql
- ofsa\_object\_application\_map\_tbml.sql
- ofsa\_object\_application\_map\_tsk\_stdo\_8071.sql
- ofsa\_object\_application\_map\_tsk\_tbml.sql
- ofsa\_object\_application\_map\_watch\_list\_source.sql
- ofsa\_object\_application\_map\_Wire\_leg\_Arc.sql
- OFSS\_WATCHLIST\_INPUT.sql
- OJF\_CM\_ACC\_AD.sql
- OJF\_CM\_ACC\_ADC.sql
- OJF\_CM\_ACC\_ADDA.sql
- OJF\_CM\_ACC\_IA.sql
- OJF\_CM\_ACC\_MGNT.sql
- OJF\_CM\_ACC\_MGNTA.sql
- OJF\_CM\_ACC\_RI.sql
- OJF\_CM\_ACC\_RLM.sql
- OJF\_CM\_ACC\_RLMA.sql
- OJF\_CM\_ACC\_RSTR.sql
- OJF\_CM\_ACC\_RSTRA.sql
- OJF\_CM\_ACCT\_BLCON.sql
- OJF\_CM\_ACCT\_BLNCE.sql
- OJF\_CM\_ACCT\_DTL.sql
- OJF\_CM\_ACCT\_DTLA.sql
- OJF\_CM\_ACCT\_DTLB.sql
- OJF\_CM\_ACCT\_LIST.sql
- OJF\_CM\_ACCT\_SMRY.sql
- OJF\_CM\_AD\_CR\_MS.sql
- OJF\_CM\_AD\_CR\_MSP.sql
- OJF\_CM\_ALERT\_COLINK.sql
- OJF\_CM\_ALERT\_GRD.sql

- OJF\_CM\_ALERT\_LINKAD.sql
- OJF\_CM\_ATTACH\_DOWN.sql
- OJF\_CM\_ATTACH\_DOWNP.sql
- OJF\_CM\_ATTACH\_SHOWP.sql
- OJF\_CM\_AUDIT\_ATTACH\_GRD\_OJET.sql
- OJF\_CM\_AUDIT\_DTL.sql
- OJF\_CM\_AUDIT\_GRD\_OJET.sql
- OJF\_CM\_AVERTED\_LOSS.sql
- OJF\_CM\_BUTTONS\_PRNT.sql
- OJF\_CM\_CASE\_ALLOC\_ASSIGN\_OJET.sql
- OJF\_CM\_CASE\_CONTEXTN.sql
- OJF\_CM\_CASE\_CONTEXTN\_FATCA\_IR2.sql
- OJF\_CM\_CASE\_CORRELATION\_PGX.sql
- OJF\_CM\_CASE\_DASHBOARD.sql
- OJF\_CM\_CASE\_EVDNSE.sql
- OJF\_CM\_CASE\_EVIDENCE.sql
- OJF\_CM\_CASE\_LINKAD.sql
- OJF\_CM\_CASE\_NRTVE.sql
- OJF\_CM\_CASE\_NRTVEHN.sql
- OJF\_CM\_CB\_ACTA.sql
- OJF\_CM\_CB\_BANK\_SMRY.sql
- OJF\_CM\_CB\_DTL.sql
- OJF\_CM\_CB\_DTLA.sql
- OJF\_CM\_CB\_DTLAB.sql
- OJF\_CM\_CB\_DTLAC.sql
- OJF\_CM\_CB\_DTLP.sql
- OJF\_CM\_CB\_GRDP.sql
- OJF\_CM\_CB\_PEER\_SMRY.sql
- OJF\_CM\_CB\_RISK.sql
- OJF\_CM\_CB\_RISKA.sql
- OJF\_CM\_CREATE\_CASE\_OJET.sql
- OJF\_CM\_CURR\_HIS.sql
- OJF\_CM\_CURRENT\_LOSS.sql
- OJF\_CM\_CUST\_ACT.sql
- OJF\_CM\_CUST\_ACTA.sql

- OJF\_CM\_CUST\_ADDA.sql
- OJF\_CM\_CUST\_AP.sql
- OJF\_CM\_CUST\_APA.sql
- OJF\_CM\_CUST\_DTL.sql
- OJF\_CM\_CUST\_DTLA.sql
- OJF\_CM\_CUST\_DTLAB.sql
- OJF\_CM\_CUST\_DTLAC.sql
- OJF\_CM\_CUST\_DTLC.sql
- OJF\_CM\_CUST\_EMAILP.sql
- OJF\_CM\_CUST\_EML.sql
- OJF\_CM\_CUST\_GRIDS.sql
- OJF\_CM\_CUST\_LIST.sql
- OJF\_CM\_CUST\_ONLACT.sql
- OJF\_CM\_CUST\_ONLACTA.sql
- OJF\_CM\_CUST\_PHP.sql
- OJF\_CM\_CUST\_RLM.sql
- OJF\_CM\_CUST\_SMRY.sql
- OJF\_CM\_DESG\_AS\_IP.sql
- OJF\_CM\_EMP\_ACCTA.sql
- OJF\_CM\_EMP\_EML.sql
- OJF\_CM\_EMP\_EMLP.sql
- OJF\_CM\_EMPLY\_ADDRA.sql
- OJF\_CM\_EMPLY\_DTL.sql
- OJF\_CM\_EMPLY\_LIST.sql
- OJF\_CM\_EMPLY\_LISTA.sql
- OJF\_CM\_EMPLY\_LISTAB.sql
- OJF\_CM\_EMPLY\_LISTAC.sql
- OJF\_CM\_EMPLY\_LISTP.sql
- OJF\_CM\_EMPLY\_PHP.sql
- OJF\_CM\_EVENT\_HH\_SMRY\_OJET.sql
- OJF\_CM\_EVIDENCE\_RFI\_OJET.sql
- OJF\_CM\_EVNT\_ACCT\_SMRY\_OJET.sql
- OJF\_CM\_EVNT\_CB\_SUMRY\_OJET.sql
- OJF\_CM\_EVNT\_LOAN\_SMRY\_OJET.sql
- OJF\_CM\_EXT\_ENTITY.sql

- OJF\_CM\_EXT\_ENTITY\_ADDA.sql
- OJF\_CM\_EXT\_ENTITY\_RLM.sql
- OJF\_CM\_EXT\_ENTITY\_RLMA.sql
- OJF\_CM\_EXT\_ENTITYA.sql
- OJF\_CM\_EXT\_ENTITYAB.sql
- OJF\_CM\_EXT\_ENTITYAC.sql
- OJF\_CM\_EXT\_ENTITYYP.sql
- OJF\_CM\_FATCA\_DETAILS\_OJET\_FATCA\_IR2.sql
- OJF\_CM\_FINANCIALS.sql
- OJF\_CM\_HH\_GRIDS.sql
- OJF\_CM\_HH\_SMRY.sql
- OJF\_CM\_HH\_SMRYF\_OJET.sql
- OJF\_CM\_HH\_SMRYFP.sql
- OJF\_CM\_HOUSEHLD\_ACCTA.sql
- OJF\_CM\_HOUSEHLD\_DTL.sql
- OJF\_CM\_HOUSEHLD\_LIST.sql
- OJF\_CM\_HOUSEHLD\_LISTA.sql
- OJF\_CM\_HOUSEHLD\_LISTAC.sql
- OJF\_CM\_HOUSEHLD\_LISTP.sql
- OJF\_CM\_HOUSEHOLD\_MEMBR.sql
- OJF\_CM\_INVLVD\_PTY\_CHIS.sql
- OJF\_CM\_INVLVD\_PTY\_HIS.sql
- OJF\_CM\_INVLVD\_PTY\_LCHIS.sql
- OJF\_CM\_INVOLVED\_PARTYG.sql
- OJF\_CM\_INVOLVED\_PARTYGS.sql
- OJF\_CM\_INVOLVED\_PRTYADD.sql
- OJF\_CM\_INVOLVED\_PTY\_DTL.sql
- OJF\_CM\_INVST\_ADVS.sql
- OJF\_CM\_INVST\_ADVSMRY.sql
- OJF\_CM\_INVST\_GRDP.sql
- OJF\_CM\_LINK\_GRD.sql
- OJF\_CM\_LOSS\_RCVRY.sql
- OJF\_CM\_MULTI\_COMMENT.sql
- OJF\_CM\_RECOVERY.sql
- OJF\_CM\_REL\_AUDIT\_GRD\_OJET.sql

- OJF\_CM\_REL\_EVD\_GRD\_OJET.sql
- OJF\_CM\_REL\_EVNT\_GRD\_OJET.sql
- OJF\_CM\_REL\_NRTVE.sql
- OJF\_CM\_REL\_NRTVEHN.sql
- OJF\_CM\_REL\_NRTVEHP.sql
- OJF\_CM\_RELATION\_COMM.sql
- OJF\_CM\_RLT\_ALERT.sql
- OJF\_CM\_RLT\_CASES.sql
- OJF\_CM\_RLT\_CASES\_RSN\_OJET.sql
- OJF\_CM\_RLT\_CASESHISTP.sql
- OJF\_CM\_RLT\_CASESP.sql
- OJF\_CM\_Sup\_FD\_Ac.sql
- OJF\_CM\_Sup\_FD\_CB\_Ac.sql
- OJF\_CM\_Sup\_FD\_CB\_RiG.sql
- OJF\_CM\_Sup\_FD\_Cu.sql
- OJF\_CM\_Sup\_FD\_Emp.sql
- OJF\_CM\_Tab\_CB\_DtG.sql
- OJF\_CM\_Tab\_Cu\_Act.sql
- OJF\_CM\_TRX\_ADD.sql
- OJF\_CM\_TRX\_ADDA.sql
- OJF\_CM\_TRX\_BOT.sql
- OJF\_CM\_TRX\_BOT\_LINK.sql
- OJF\_CM\_TRX\_BOT\_LINK\_H.sql
- OJF\_CM\_TRX\_BOT\_LNKC.sql
- OJF\_CM\_TRX\_BOTA.sql
- OJF\_CM\_TRX\_CT.sql
- OJF\_CM\_TRX\_CTA.sql
- OJF\_CM\_TRX\_EFT.sql
- OJF\_CM\_TRX\_EFT\_LINK.sql
- OJF\_CM\_TRX\_EFT\_LINKR.sql
- OJF\_CM\_TRX\_EFT\_LNKC.sql
- OJF\_CM\_TRX\_EFTA.sql
- OJF\_CM\_TRX\_EFTL.sql
- OJF\_CM\_TRX\_EFTLP.sql
- OJF\_CM\_TRX\_GRIDS.sql

- OJF\_CM\_TRX\_MIT.sql
- OJF\_CM\_TRX\_MIT\_LINK.sql
- OJF\_CM\_TRX\_MIT\_LINK\_G.sql
- OJF\_CM\_TRX\_MIT\_LNKC.sql
- OJF\_CM\_TRX\_MITA.sql
- OJF\_CS1\_Ad\_Ab.sql
- OJF\_CS1\_Ad\_AccATM\_AC.sql
- OJF\_CS1\_Ad\_Am.sql
- OJF\_CS1\_Ad\_AntPro.sql
- OJF\_CS1\_Ad\_Bot.sql
- OJF\_CS1\_Ad\_Ca1.sql
- OJF\_CS1\_Ad\_CorBk.sql
- OJF\_CS1\_Ad\_Ct.sql
- OJF\_CS1\_Ad\_Cu1.sql
- OJF\_CS1\_Ad\_DrAdr.sql
- OJF\_CS1\_Ad\_Eft.sql
- OJF\_CS1\_Ad\_ExtEnt.sql
- OJF\_CS1\_Ad\_Hh\_Bal.sql
- OJF\_CS1\_Ad\_Ia.sql
- OJF\_CS1\_Ad\_Loans.sql
- OJF\_CS1\_Ad\_Loans\_Smry.sql
- OJF\_CS1\_Ad\_Mit.sql
- OJF\_CS1\_ALERT\_DETP.sql
- OJF\_CS1\_ALERT\_GD.sql
- OJF\_CS1\_ENTITY\_GRIDS.sql
- OJF\_CS1\_Tab\_Ac\_Smry\_BSM.sql
- OJF\_CS1\_Tab\_BsmHH\_Smry.sql
- OJF\_CS1\_Tab\_CB\_Smry.sql
- OJF\_CS1\_TRX\_BOT\_LINK.sql
- OJF\_CS1\_TRX\_EFT\_LINKR.sql
- OJF\_CS1\_TRX\_EFTL.sql
- OJF\_CS1\_TRX\_MIT\_LINK.sql
- P\_CASE\_TITLE\_TBAML\_80701.sql
- P\_ECM\_USER\_ATTRI\_MAP.sql
- P\_ECM\_USER\_POPULATION.sql



- P\_INS\_ECM\_EMAIL\_INFO.sql
- P\_UPDATE\_PREV\_STATUS\_CD.sql
- P\_USER\_SECURITY\_ATTR\_MAP.sql
- PARTY\_PARTY\_RLSHP\_SKEY.sql
- PDF\_FORMS\_LOCALE\_MASTER.sql
- PDF\_FORMS\_LOCALE\_MASTER\_HHSMRY.sql
- Persist\_data\_Metadata.sql
- PGX\_CORRELATION\_CASE\_DESIGNER\_8073.sql
- PGX\_CORRELATION\_REMOVAL\_8073.sql
- PKG\_CM\_ACTION\_HISTORY.sql
- PKG\_CM\_ACTION\_HISTORY\_BODY.sql
- PKG\_CM\_DATATEMPLATE.sql
- PKG\_CM\_DATATEMPLATE\_BODY.sql
- PKG\_CM\_HISTORY.sql
- PKG\_CM\_HISTORY\_BODY.sql
- PKG\_CM\_NETVIS.sql
- PKG\_CM\_NETVIS\_BODY.sql
- PKG\_CM\_TABS.sql
- PKG\_CM\_TABS\_BODY.sql
- PKG\_CORRELATION.sql
- PKG\_CORRELATION\_BODY.sql
- PKG\_FCC\_DM.sql
- PKG\_FCC\_DM\_BODY.sql
- PKG\_FCC\_DM\_FTP.sql
- PKG\_FCC\_DM\_FTP\_BODY.sql
- pkg\_goaml.sql
- pkg\_goaml\_body.sql
- PKG\_POPULATE\_ADDITIONAL\_INFO.sql
- PKG\_POPULATE\_ADDITIONAL\_INFO\_BODY.sql
- PKG\_PROMOTE\_CASE\_CORRELATION.sql
- PKG\_PROMOTE\_CASE\_CORRELATION\_BODY.sql
- pkg\_rskevnt\_acct\_smry.sql
- pkg\_rskevnt\_acct\_smry\_body.sql
- pkg\_stdo\_additional\_info.sql
- pkg\_stdo\_additional\_info\_body.sql

- PLC\_BD\_EXPITY\_EVENT.sql
- PLC\_BD\_ORPHAN\_PURGE.sql
- PLC\_CASE\_AGE\_CALC.sql
- PLC\_F\_FCC\_BATCH\_RUN.sql
- PLC\_F\_FCC\_UPDATE\_CASE.sql
- PLC\_POPULATE\_P2C\_FL\_OFATCA.sql
- PLC\_PRE\_CASE\_SCORE\_FATCA.sql
- PLC\_STDO\_ENTITY\_SUP\_INFO.sql
- PMF\_AAI\_WF\_PROCESS\_B\_UPDATE\_8071.sql
- PMF\_ECM\_8071.sql
- PMF\_ECM\_FATCA\_IR2.sql
- PMF\_ECM\_KYC\_8071.sql
- PMF\_KYCOB\_8071.sql
- PMF\_SCRIPTS\_ECM\_PEP\_EDD.sql
- PMF\_SCRIPTS\_ECM\_SAN.sql
- pr2\_object\_tl\_32246972.sql
- pr2\_object\_tl\_80701.sql
- pr2\_object\_tl\_807121.sql
- pr2\_object\_tl\_807123.sql
- pr2\_object\_tl\_bd.sql
- pr2\_object\_tl\_ep.sql
- pr2\_object\_tl\_ios.sql
- pr2\_object\_tl\_screening\_tbml.sql
- pr2\_object\_tl\_stdo\_8071.sql
- pr2\_object\_tl\_tbml.sql
- pr2\_object\_tl\_tsk\_stdo\_8071.sql
- pr2\_object\_tl\_tsk\_tbml.sql
- pr2\_object\_tl\_watch\_list\_source.sql
- pr2\_object\_tl\_Wire\_leg\_Arc.sql
- pr2\_object\_trace\_32246972.sql
- pr2\_object\_trace\_80701.sql
- pr2\_object\_trace\_807121.sql
- pr2\_object\_trace\_807123.sql
- pr2\_object\_trace\_bd.sql
- pr2\_object\_trace\_ep.sql

- pr2\_object\_trace\_ios.sql
- pr2\_object\_trace\_screening\_tbml.sql
- pr2\_object\_trace\_stdo\_8071.sql
- pr2\_object\_trace\_tbml.sql
- pr2\_object\_trace\_tsk\_stdo\_8071.sql
- pr2\_object\_trace\_tsk\_tbml.sql
- pr2\_object\_trace\_watch\_list\_source.sql
- pr2\_object\_trace\_Wire\_leg\_Arc.sql
- PR2\_PRECEDENCE\_Modified\_bd\_8071.sql
- PR2\_PRECEDENCE\_Modified\_bd\_808.sql
- PR2\_PROCESS\_3RD\_PARTY\_TBAML.sql
- PR2\_PROCESS\_3RD\_PARTY\_TBAML\_PGX.sql
- PR2\_process\_40.sql
- PR2\_PROCESS\_64.sql
- pr2\_process\_b\_32246972.sql
- pr2\_process\_b\_80701.sql
- pr2\_process\_b\_807121.sql
- pr2\_process\_b\_807123.sql
- pr2\_process\_b\_bd.sql
- PR2\_PROCESS\_B\_CS.sql
- pr2\_process\_b\_ep.sql
- pr2\_process\_b\_ios.sql
- pr2\_process\_b\_screening\_tbml.sql
- pr2\_process\_b\_stdo\_8071.sql
- pr2\_process\_b\_tbml.sql
- pr2\_process\_b\_watch\_list\_source.sql
- pr2\_process\_b\_Wire\_leg\_Arc.sql
- Pr2\_Process\_BD\_LINKANALYSIS.sql
- PR2\_PROCESS\_PARTY\_PARTY\_RLSHP.sql
- PR2\_PROCESS\_SCRTY\_8071.sql
- pr2\_process\_task\_32246972.sql
- pr2\_process\_task\_80701.sql
- pr2\_process\_task\_807121.sql
- pr2\_process\_task\_807123.sql
- pr2\_process\_task\_bd.sql

- pr2\_process\_task\_ep.sql
- pr2\_process\_task\_ios.sql
- pr2\_process\_task\_parameter\_32246972.sql
- pr2\_process\_task\_parameter\_80701.sql
- pr2\_process\_task\_parameter\_807121.sql
- pr2\_process\_task\_parameter\_807123.sql
- pr2\_process\_task\_parameter\_bd.sql
- pr2\_process\_task\_parameter\_ep.sql
- pr2\_process\_task\_parameter\_ios.sql
- pr2\_process\_task\_parameter\_screening\_tbml.sql
- pr2\_process\_task\_parameter\_stdio\_8071.sql
- pr2\_process\_task\_parameter\_tbml.sql
- pr2\_process\_task\_parameter\_watch\_list\_source.sql
- pr2\_process\_task\_parameter\_Wire\_leg\_Arc.sql
- pr2\_process\_task\_precedence\_80701.sql
- pr2\_process\_task\_precedence\_bd.sql
- pr2\_process\_task\_precedence\_ep.sql
- pr2\_process\_task\_precedence\_screening\_tbml.sql
- pr2\_process\_task\_precedence\_stdio\_8071.sql
- pr2\_process\_task\_precedence\_tbml.sql
- pr2\_process\_task\_screening\_tbml.sql
- pr2\_process\_task\_stdio\_8071.sql
- pr2\_process\_task\_tbml.sql
- pr2\_process\_task\_watch\_list\_source.sql
- pr2\_process\_task\_Wire\_leg\_Arc.sql
- PR2\_PROCESS\_TRADE\_8071.sql
- PR2\_PROCESS\_TRADE\_ORDR\_SCRTY.sql
- pr2\_run\_b\_tsk\_stdio\_8071.sql
- pr2\_run\_b\_tsk\_tbml.sql
- pr2\_run\_object\_precedence\_tsk\_tbml.sql
- pr2\_run\_object\_tsk\_stdio\_8071.sql
- pr2\_run\_object\_tsk\_tbml.sql
- proc\_expiry\_event.sql
- proc\_orphaned\_events.sql
- PURGE\_TABLES\_DM.sql

- RTSCR\_EXTID\_sequences.sql
- RTSCR\_sequences.sql
- RTSCR\_tables.sql
- SYNONYM\_8073.sql
- TBAML\_THIRD\_PARTY\_SEQUENCES.sql
- TRUNC\_ECM\_TBL.sql
- TY\_ACTION\_TB.sql
- TY\_ECMEMAIL\_OBJ.sql
- TY\_ECMEMAIL\_TB.sql
- Update\_FCC\_ASSIGN\_RULE\_USER\_MAP.sql

### 3.3 XML Files

Following are the XML files

- Case\_DataModel.xml
- M\_AUDIT\_DTL.xml
- CM\_RLT\_ALERT.xml
- CM\_web.append.xml
- CC\_PURGE\_INPUT.xml
- fop\_cs.xml
- log4j2.xml
- RTIExport\_EventScoring.xml
- TTF\_FontsNames.xml
- web.xml
- web\_ECM.xml

### 3.4 JavaScript Files

The following JavaScript files are packaged in this release:

- aai-ecm.js
- addEvidence.js
- auditHistoryAttachment.js
- auditHistoryDetails.js
- caseAction.js
- caseAllocationAssignment.js

- caseAssign.js
- caseContext.js
- caseDesigner.js
- CM\_NetworkBB.jsp
- CM\_NetworkView.jsp
- CM\_Questionnaire.jsp
- cmCommon.js
- cmLayout.js
- cmSolution.js
- createCase.js
- createEvent.js
- createEvent\_tbaml.js
- cssorientation.jsp
- ECM\_InstallParam.jsp
- ECM\_OBIEEReports.jsp
- ecmAccountLoanSummaryGrid.js
- ecmAccountPeerGroupSummaryGrid.js
- ecmAccountSummaryGrid.js
- ecmAddNarrationPopup.js
- ecmAddNarrativePopoutButton.js
- ecmCorrelationPGX.js
- ecmCorrelationScoreWidget.js
- ecmCorrespondentPeerGroupSummaryGrid.js
- ecmCorrespondentSummaryGrid.js
- ecmCSGrid.js
- ecmCSRTGrid.js
- ecmCSTreeTable.js
- ecmCustomerScreening.js
- ecmCustomerSummaryGrid.js
- ecmDashboard.js
- ecmEEGrid.js
- ECMEncrypt.jsp
- ecmEventAccountSummaryGrid.js
- ecmEventCorrespondentBankSummaryGrid.js
- ecmEventLoanSummaryGrid.js

- ecmEvidenceRFIGrid.js
- ecmExternalEntityScreening.js
- ecmFileBrowser.js
- ecmGrid.js
- ecmGuage.js
- ecmInvestmentAdvisorSummaryGrid.js
- ecmKYCRiskAssessment.js
- ecmKYCRuleBasedGrid.js
- ecmNetwork.js
- ecmPie.js
- ecmRealTimeScreening.js
- ecmShowEmail.js
- ecmSolution.js
- ecmTagCloud.js
- ecmTBMLDetails.js
- ecmTile.js
- ecmTimelineChart.js
- ecmUserPreference.js
- eventDetails\_tbaml.js
- eventHHSummary.js
- eventHousehold.js
- eventHouseholdMember.js
- eventHouseholdMemberDetails.js
- eventNetworkStructure.js
- eventNetworkStructureDetails.js
- eventTrade.js
- FatcaAcctDtls.js
- FatcaAsmntDtls.js
- FatcaAssdCustDtls.js
- FatcaDcmntInds.js
- FatcaIndicialInds.js
- FatcaOthrInds.js
- FatcaOwnCustDtls.js
- fccGrid.js
- fccGridDialog.js

- householdSummaryGrid.js
- kycAssessmentCustomerBasicDetails.js
- kycCustScoreTabular.js
- kycDashboard.js
- kycObQuestionnaire.js
- kycObRiskScore.js
- kycObRiskScoreView.js
- kycRiskScoreCustomers.js
- kycRiskScoreGuage.js
- layout.js
- lineChart.js
- narrativeEvent.js
- narrativeIP.js
- narrativeIPDetails.js
- narrativeIPHHistory.js
- network.js
- networkBB.js
- networkView.js
- qtnrECM.js
- relationshipAuditHistory.js
- relationshipEventGrid.js
- relationshipEvidence.js
- reportsForCase.jsp
- RltCaseContext.js
- RltCaseReason.js
- rltEvidenceAttachment.js
- searchCase.js
- searchScoringRules.js
- setEvent.js
- watchlist.js

## 3.5 Properties Files

The following properties files are packaged in this release:

- Case\_ExternalConfig.properties



- connection.properties
- connection.properties
- connection\_ECM.properties
- ECMConfig.properties
- Event\_resource.properties

## 3.6 Configuration Files

The following configuration files are packaged in this release:

- deeplinkURLList.append.cfg
- EventPurgeConfig.cfg
- excludeURLList.append.cfg
- ExpiredEventsConfig.cfg

## 3.7 RTF and XSL Files

The following RTF and XSL files are packaged in this release:

- Mantas\_Case.rtf
- export\_To\_PDF\_CS\_fo.xsl
- export\_To\_PDF\_fo.xsl
- MantasFO-mainCase.xsl

## 3.8 Data Model XMLs

The following Data Model XMLs files are packaged in this release:

- Case\_DataModel.xml

## 3.9 CSS Files

The following CSS files are packaged in this release:

- alta.css
- alta.min.css
- CMstylesheet.css
- CSS\_ICON\_OFSAAI.css
- CSS\_OFSAAI.css

- CSS\_OFSAAI\_rtl.css
- demo-alta-site-min.css
- fcc\_ui\_framework.css
- font-awesome.min.css
- OFS\_NGECM.css
- OFS\_NGECMCS.css
- OFS\_NGECMCSRT.css
- OFS\_NGECMKYC.css
- OFS\_NGECMKYCOB.css
- oj-alta-notag.css
- oj-alta-notag-min.css
- qtnr.css
- stylesheet.css
- stylesheet\_ojetAlta.css
- stylesheet\_rtl.css

## 3.10 HTML Files

The following HTML files are packaged in this release:

- auditHistoryAttachment.html
- auditHistoryDetails.html
- caseAllocationAssignment.html
- caseContext.html
- createEvent.html
- ecmAccountLoanSummaryGrid.html
- ecmAccountPeerGroupSummaryGrid.html
- ecmAccountSummaryGrid.html
- ecmAddNarrationPopup.html
- ecmAddNarrativePopoutButton.html
- ecmCorrelationPGX.html
- ecmCorrespondentPeerGroupSummaryGrid.html
- ecmCorrespondentSummaryGrid.html
- ecmCSGrid.html
- ecmCSRTGrid.html
- ecmCSTreeTable.html

- [ecmCustomerScreening.html](#)
- [ecmCustomerSummaryGrid.html](#)
- [ecmDashboard.html](#)
- [ecmEEGrid.html](#)
- [ecmEventAccountSummaryGrid.html](#)
- [ecmEventCorrespondentBankSummaryGrid.html](#)
- [ecmEventLoanSummaryGrid.html](#)
- [ecmExternalEntityScreening.html](#)
- [ecmFileBrowser.html](#)
- [ecmGrid.html](#)
- [ecmGuage.html](#)
- [ecmInvestmentAdvisorSummaryGrid.html](#)
- [ecmKYCRiskAssessment.html](#)
- [ecmNetwork.html](#)
- [ecmPie.html](#)
- [ecmRealTimeScreening.html](#)
- [ecmShowEmail.html](#)
- [ecmTagCloud.html](#)
- [ecmTile.html](#)
- [ecmTimelineChart.html](#)
- [ecmUserPreference.html](#)
- [eventDetails\\_tbaml.html](#)
- [eventHHSummary.html](#)
- [eventHousehold.html](#)
- [eventHouseholdMember.html](#)
- [eventHouseholdMemberDetails.html](#)
- [eventNetworkStructure.html](#)
- [eventNetworkStructureDetails.html](#)
- [eventTrade.html](#)
- [fccGrid.html](#)
- [fccGridDialog.html](#)
- [householdSummaryGrid.html](#)
- [kycAssessmentCustomerBasicDetails.html](#)
- [kycCustScoreTabular.html](#)
- [kycDashboard.html](#)

- kycObQuestionnaire.html
- kycObRiskScore.html
- kycObRiskScoreView.html
- kycRiskScoreCustomers.html
- kycRiskScoreGuage.html
- narrativeEvent.html
- narrativeIP.html
- network.html
- networkBB.html
- obApplicationStatus.html
- obInputJSON.html
- relationshipAuditHistory.html
- relationshipEventGrid.html
- relationshipEvidence.html
- RltCaseReason.html
- rltEvidenceAttachment.html
- searchCase.html
- setEvent.html

## 3.11 Image Files

The following image files are packaged in this release:

- account.png
- account.png
- app\_ui.png
- app\_ui\_icon.png
- avatar\_24px.png
- avatar\_24px\_2x.png
- bg\_cvd1.png
- bg\_cvd1\_alta.png
- bg\_hzl1\_alta.png
- bg\_vtl2\_alta.png
- closed.png
- closed-dwn.png
- closed-dwn-r.png

- closed-ena.png
- closed-ena-r.png
- closed-ovr.png
- closed-ovr-r.png
- control-deMagnify-dwn.png
- control-deMagnify-ena.png
- control-deMagnify-ovr.png
- control-magnify-dwn.png
- control-magnify-ena.png
- control-magnify-ovr.png
- customer.png
- customer.png
- dashboard-bank-icon-color.png
- dashboard-bank-icon-color.png
- dashboard-external-link.png
- dashboard-external-link.png
- dashboard-usd.png
- dashboard-usd.png
- dashboard-user.png
- dashboard-user.png
- drag\_horizontal.png
- drag\_horizontal.png
- drag\_vertical.png
- drag\_vertical.png
- externalEntity.png
- externalEntity.png
- fa-exclamation-triangle.png
- fa-exclamation-triangle.png
- fa-external-link.png
- fa-external-link.png
- fa-home.png
- fa-home.png
- fa-link.png
- fa-link.png
- fa-university.png

- fa-university.png
- fa-usd.png
- fa-usd.png
- fa-user.png
- fa-user.png
- fa-user-20.png
- fa-user-20.png
- fa-user-24.png
- fa-user-24.png
- fa-users.png
- fa-users.png
- func\_floppy\_16\_ena.png
- func\_minus\_16\_act.png
- func\_minus\_16\_dis.png
- func\_minus\_16\_ena.png
- func\_minus\_16\_hov.png
- func\_plus\_16\_act.png
- func\_plus\_16\_dis.png
- func\_plus\_16\_ena.png
- func\_plus\_16\_hov.png
- func\_x\_16\_ena.png
- gridtoolbar\_add.png
- gridtoolbar\_delete.png
- gridtoolbar\_reject.png
- gridtoolbar\_reset.png
- gridtoolbar\_save.png
- gridtoolbar\_search.png
- gridtoolbar\_toggle.png
- icon\_common1.png
- icon\_common1\_alta.png
- link\_account.png
- link\_account\_collapse.png
- link\_account1.png
- link\_address.png
- link\_address\_collapse.png

- link\_alert.png
- link\_alert\_collapse.png
- link\_client\_bank.png
- link\_client\_bank\_collapse.png
- link\_common\_address.png
- link\_common\_mail.png
- link\_common\_phone\_no.png
- link\_common\_pswd.png
- link\_common\_taxid.png
- link\_customer.png
- link\_customer\_collapse.png
- link\_employee.png
- link\_employee\_collapse.png
- link\_external\_entity.png
- link\_external\_entity\_collapse.png
- link\_household.png
- link\_household\_collapse.png
- link\_instructions.png
- link\_journals.png
- link\_monitary\_ins.png
- link\_wires.png
- marquee-down.png
- marquee-hover.png
- marquee-up.png
- maximize-icon-13.png
- maximize-icon-13.png
- menu\_ovr.png
- menu\_pnormal2.png
- menu\_pover2.png
- menuhdr.png
- narrative-image-map.png
- narrative-image-map.png
- node\_collapse.png
- node\_collapse\_ovr.png
- node\_expand.png

- node\_expand\_ovr.png
- onselTreeNd.png
- open-dwn.png
- open-dwn-r.png
- opened.png
- open-ena.png
- open-ena-r.png
- open-ovr.png
- open-ovr-r.png
- page\_headerbg.png
- page\_headerbgsmall.png
- pan-down.png
- pan-hover.png
- pan-up.png
- popout-blue-24.png
- popout-blue-24.png
- postit1.png
- postit2.png
- postit3.png
- pushSelect.png
- pushSelectNew.png
- pushSelectNew.png
- pushSelectNew.png
- qual\_plus\_16\_mono.png
- qual\_plus\_16\_mono.png
- qual\_plus\_16\_mono.png
- s\_max\_dis.png
- s\_max\_dis\_rtl.png
- s\_max\_dwn.png
- s\_max\_dwn\_rtl.png
- s\_max\_ena.png
- s\_max\_ena\_rtl.png
- s\_max\_ovr.png
- s\_max\_ovr\_rtl.png
- s\_restore\_dis.png



- s\_restore\_dis\_rtl.png
- s\_restore\_dwn.png
- s\_restore\_dwn\_rtl.png
- s\_restore\_ena.png
- s\_restore\_ena\_rtl.png
- s\_restore\_ovr.png
- s\_restore\_ovr\_rtl.png
- spectrum-opacity-slider-bg.png
- tab\_remove.png
- tab\_remove.png
- tab\_remove.png
- texture.png
- wfPreview.png
- wfPreview.png
- wfPreview.png
- zoom-down.png
- zoom-hover.png
- zoom-up.png

## 3.12 TTF Files

The following TTF files are packaged in this release:

- 128R00.ttf
- ADUO.ttf
- ADUOB.ttf
- ADUOJ.ttf
- ADUOJB.ttf
- ADUOK.ttf
- ADUOKB.ttf
- ADUOSC.ttf
- ADUOSCB.ttf
- ADUOTC.ttf
- ADUOTCB.ttf
- ALBANWTJ.ttf
- ALBANWTK.ttf
- ALBANWTS.ttf

- ALBANWTT.ttf
- ALBANYWT.ttf
- ARIALUNI.ttf
- ArialUnicodeMS.ttf
- B39R00.ttf
- glyphicons-halfings-regular.ttf
- LucidaBrightDemiBold.ttf
- LucidaBrightDemItalic.ttf
- LucidaBrightItalic.ttf
- LucidaBrightRegular.ttf
- LucidaSansDemiBold.ttf
- LucidaSansRegular.ttf
- LucidaTypewriterBold.ttf
- LucidaTypewriterRegular.ttf
- mangal.ttf
- sazanami-gothic.ttf
- UPCR00.ttf

### 3.13 Excel Files

The following Excel files are packaged in this release:

- FCC\_PURGE\_INPUT.xls

### 3.14 Shell Script Files

The following Shell Script files are packaged in this release:

- 34376048\_ECM\_Duplicate\_Jar\_Removal.sh
- 34376048\_ECM\_Duplicate\_Jar\_Removal\_Pack\_on\_Pack.sh
- ant.sh
- case\_assignment.sh
- EventPurge.sh
- ExpiredEventsPurge.sh
- install.sh
- QCWorkflowUpdater.sh
- UpdateECMKYCUserPassCodes.sh

## 3.15 Build-related Files

The following build-related files are added for this ML release:

**Note**

The following files are required for the patch utility to work.

- merge\_wsdd.xsl
  - merge\_Persistence.xsl
  - merge\_web.xsl
  - merge\_Menu.xsl
- 
- DB\_Install.xml
  - Pre\_Scripts.xml
  - DB\_ECM\_preinstall\_drop\_80710.sql
  - INSERT\_INFODOM\_PATCHES.sql

## 4 Appendix B : WEB.XML Code to be Removed

Remove the following tags from the code in WEB.XML. This is applicable only for a standalone ECM instance. For Pack on pack setup (OFSBD 807 + OFSECM 807), these web.xml changes are not required.

```
<context-param>
  <param-name>contextConfigLocation</param-name>
  <param-value>
    <!-- /WEB-INF/acegi-base.xml, /WEB-INF/dataAccessContext.xml-->
    /WEB-INF/applicationContext.xml
  </param-value>
</context-param>
<resource-ref>
<description>Data source for Analyst</description>
<res-ref-name>jdbc/##ANALYST_DATA_SOURCE##</res-ref-name>
<res-type>javax.sql.DataSource</res-type>
<res-auth>Container</res-auth>
</resource-ref>

<resource-ref>
<description>Data source for Miner</description>
<res-ref-name>jdbc/##MINER_DATA_SOURCE##</res-ref-name>
<res-type>javax.sql.DataSource</res-type>
<res-auth>Container</res-auth>
</resource-ref>

<filter>
  <filter-name>UTF8Filter</filter-name>
  <filter-class>com.mantas.platform.servlet.UTF8Filter</filter-class>
</filter>

<filter>
  <filter-name>RequestValidatorFilter</filter-name>
  <filter-
class>com.mantas.platform.admin.filter.RequestValidatorFilter</filter-class>
  <init-param>
```

```

        <param-name>excluded-urls</param-name>
        <param-value></param-value>
    </init-param>
</filter>
<filter-mapping>
    <filter-name>UTF8Filter</filter-name>
    <url-pattern>/*</url-pattern>
</filter-mapping>

<filter-mapping>
    <filter-name>RequestValidatorFilter</filter-name>
    <url-pattern>/app/request/*</url-pattern>
</filter-mapping>

    <listener>
        <listener-
class>org.springframework.web.context.ContextLoaderListener</listener-class>
    </listener>

    <servlet id="Servlet_1046464107434">
        <servlet-name>RequestServlet</servlet-name>
        <servlet-class>com.mantas.platform.web.RequestServlet</servlet-class>
    </servlet>
    <servlet>
        <servlet-name>AdminInitServlet</servlet-name>
    <!--<display-name>AdminInitServlet</display-name> -->
        <servlet-class>com.mantas.platform.admin.AdminInitServlet</servlet-
class>
        <load-on-startup>1</load-on-startup>
    </servlet>

    <servlet-mapping id="ServletMapping_1046465055267">
        <servlet-name>RequestServlet</servlet-name>
        <url-pattern>/app/request/*</url-pattern>
    </servlet-mapping>

    <servlet>
        <servlet-name>Test</servlet-name>

```

```
        <servlet-class>com.Test</servlet-class>
    </servlet>

    <servlet-mapping>
    <servlet-name>Test</servlet-name>
    <url-pattern>/admin_tools/Test</url-pattern>
</servlet-mapping>

    <welcome-file-list id="WelcomeFileList_1046465055277">
    <welcome-file>index.jsp</welcome-file>
</welcome-file-list>

    <jsp-config>
    <taglib id="TagLibRef_1046465055277">
        <taglib-uri>/WEB-INF/tags/ui-taglib.tld</taglib-uri>
        <taglib-location>/WEB-INF/tags/ui-taglib.tld</taglib-location>
    </taglib>
</jsp-config>
```