

**Oracle Financial Services Financial
Accounting and Reporting Standards
(IFRS and CECL) Application Pack -
Java 8**

Installation Guide

Release 8.0.7.8.0

August 2022

ORACLE
Financial Services

ORACLE

Oracle Financial Services Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack

Copyright © 2022 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information on third party licenses, click [here](#).

Document Control

Version Number	Revision Date	Change Log
1	August, 2022	Created the document for the Java 8 Release.

Table of Contents

1	Preface	5
1.1	What is New in this Release for OFS IFRS Application Pack	5
1.1.1	<i>New Features</i>	5
1.1.2	<i>Deprecated Features</i>	5
1.1.3	<i>Desupported Features</i>	5
1.2	Audience	5
1.3	How this Guide is Organized	6
1.4	Access to Oracle Support	6
1.5	Related Documents	6
1.6	Conventions	6
1.7	Abbreviations	7
2	OFS Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack Maintenance Release 8.0.7.8.0	9
2.1	Pre Installation Requirements	9
2.2	How to Apply This Maintenance Release?	10
2.2.1	<i>Downloading Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack</i>	10
2.2.2	<i>Pre Installation Activities</i>	11
2.2.3	<i>Installing OFS Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack</i>	11
2.2.4	<i>Post Installation Activities</i>	12
3	Appendix A	14
3.1	Frequently Asked Questions	14

1 Preface

This section provides information about the Oracle Financial Services Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack Installation Guide.

Topics:

- [What is New in this Release for OFS IFRS Application Pack](#)
- [Audience](#)
- [How this Guide is Organized](#)
- [Access to Oracle Support](#)
- [Related Documents](#)
- [Conventions](#)
- [Abbreviations](#)

1.1 What is New in this Release for OFS IFRS Application Pack

This section lists new features and changes in the OFS IFRS Application Pack.

1.1.1 New Features

There are no new features in this release.

1.1.2 Deprecated Features

There are no deprecated features in this release.

1.1.3 Desupported Features

There are no desupported features in this release.

1.2 Audience

The Oracle Financial Services Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack Installation and Configuration Guide is intended for Administrators, Business User, Strategists, and Data Analyst, who are responsible for installing and maintaining the Application Pack Components.

- OFS IFRS Application Pack Components
- OFSAA Architecture
- UNIX Commands
- Database Concepts

- Web Server/Web Application Server

1.3 How this Guide is Organized

The Installation Guide is organized into the following sections:

- [Pre-installation](#): This section contains the pre-installation requirements for a successful installation and functioning of the OFS Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack. This section recommends the hardware and base software environment, and the preparatory procedures required before triggering the installation.
- [Installation](#): This section details the steps to follow during the OFS Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack Installation.
- [Frequently Asked Questions \(FAQs\) and Error Dictionary](#): This section contains a reference to the FAQs and installation error-related information.

1.4 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For more information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> Or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

1.5 Related Documents

Oracle strives to keep this and all other related documents updated regularly. Visit the [OHC Documentation Library](#) and [My Oracle Support](#) web pages to download the latest document version available. The list of related documents is as follows:

- [OFS Analytical Application Technology Matrix](#)

1.6 Conventions

The following text conventions are used in this document.

Table 1: Document Conventions

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action or terms defined in text or the glossary.
<i>Italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
Monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, file names, text that appears on the screen, or text that you enter.
Hyperlink	Hyperlink type indicates the links to external websites, internal document links to sections.

1.7 Abbreviations

The following table lists the abbreviations used in this document.

Table 2: Abbreviations

Conventions	Description
AIX	Advanced Interactive executive
CDH	Cloudera Distribution Hadoop
DEFQ	Data Entry Forms and Queries
DML	Data Manipulation Language
EAR	Enterprise Archive
EJB	Enterprise JavaBean
ERM	Enterprise Resource Management
FTP	File Transfer Protocol
GUI	Graphical User Interface
HTTPS	Hypertext Transfer Protocol Secure
J2C	J2EE Connector
J2EE	Java 2 Enterprise Edition
JDBC	Java Database Connectivity
JDK	Java Development Kit
JNDI	Java Naming and Directory Interface
JRE	Java Runtime Environment
JVM	Java Virtual Machine
LDAP	Lightweight Directory Access Protocol
LHS	Left Hand Side
MFA	Multi-Factor Authentication
MOS	My Oracle Support
OFS	Oracle Financial Services
OFSAAI	Oracle Financial Services Analytical Application Infrastructure
OFS IFRS	Oracle Financial Services Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack
OHC	Oracle Help Center
OLAP	On-Line Analytical Processing
OS	Operating System
RAM	Random Access Memory
RDMS	Relational Database Management System

Conventions	Description
SFTP	Secure File Transfer Protocol
SID	System Identifier
SSL	Secure Sockets Layer
TDE	Transparent Data Encryption
TNS	Transparent Network Substrate
URL	Uniform Resource Locator
VM	Virtual Machine
Web Archive	WAR
XML	Extensible Markup Language

2 OFS Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack Maintenance Release 8.0.7.8.0

This Maintenance Release of OFS Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack is cumulative and includes all enhancements and bug fixes done since the OFS IFRS Application Pack v8.0.7.0.0 release.

2.1 Pre Installation Requirements

This section provides pre-installation requirements for OFS IFRS 8.0.7.8.0 Java8 Release.

- The OFS IFRS Application Pack Release v8.0.7.8.0 is compatible with WebLogic v12.2.x and does not support WebLogic v12.1.3. If the WebLogic version is 12.1.3, upgrade to WebLogic 12.2.x version.
- Oracle Financial Services Analytical Applications Infrastructure (OFSAAI) 8.0.7.5.0 (patch **31656139**) plus other prerequisite OFSAAI patches (see section **1.1 Pre-Installation Requirements** of [OFS AAI Installation Guide](#)) must be installed and configured in your machine ([OHC Documentation Library](#)).
- Oracle Financial Services Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack version 8.0.7.0.0 (patch **29114825**) plus other prerequisite OFS IFRS Patches (see section **3.1 Installer and Installation Prerequisites** of [OFS IFRS Installation Guide](#)) must be installed in your machine.
- Oracle Database Release 19c Server and Client configuration:

For information about configuring the Oracle Database Release 19c Server and Client for existing installations of OFSAA running Oracle Database Release 12c Server and Client, see the MOS Doc ID: [2699715.1](#).

- Enable the unlimited Cryptographic Policy. By default, JCE Policy JAR files are available for the Java versions mentioned in the following link and for later versions:

https://bugs.java.com/view_bug.do?bug_id=JDK-8170157

For Java versions, where unlimited Cryptographic Policy is not enabled by default, perform the following steps:

1. Download the JCE Policy related JARs `local_policy.jar` and `US_export_policy.jar`.
 - For Oracle Java, download `local_policy.jar` and `US_export_policy.jar` files from <http://www.oracle.com/technetwork/java/javase/downloads/jce-7-download-432124.html>.
 - For IBM Java, download `local_policy.jar` and `US_export_policy.jar` files from <https://www14.software.ibm.com/webapp/iwm/web/preLogin.do?source=jcesdk>.
2. Copy (or replace) the downloaded JCE Policy related JARs `local_policy.jar` and `US_export_policy.jar` into the `/jre/lib/security` folder of the Java installation directory used for OFSAAI and the Web Application Servers.

NOTE

You can refer to the Technology Matrix, for Hardware and Software Requirements.

2.2 How to Apply This Maintenance Release?

2.2.1 Downloading Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack

NOTE

Refer to [My Oracle Support - Doc ID 2890601.1](#) and install the appropriate compatibility patches based on your installed applications.

Refer to the following instructions to download and extract the release.

NOTE

This patch release is applicable only for the RDBMS installation.

1. Login to <https://support.oracle.com/> and search for Patch ID **34486694** under the *Patches & Updates* tab.
2. Download the OFS IFRS Application Pack v8.0.7.8.0 archive file and copy it to your OFSAA server in **Binary** mode.

NOTE

The archive files are different for a different Operating Systems like AIX, Solaris, and RHEL/Oracle Linux.

3. Shut down all the OFSAAI Services. For more information, refer to the *Start/Stop Infrastructure Services* section in [Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack Installation and Configuration Guide](#)
4. Log in to the OFSAA Server as a non-root user.
5. Execute the following command:


```
chmod -R 750 $FIC_HOME
```
6. Assign WRITE permission to the files/ folders such as commonscripts, EXEWebService, ficapp, ficweb, and ficdb by executing the command:


```
chmod -R 775 *
```
7. If you have Unzip utility, skip to the next step. Download the Unzip utility (OS specific) **unzip_<os>.Z** and copy it in **Binary** mode to the directory that is included in your PATH variable, typically **\$HOME** path or directory in which you have copied the 8.0.7.8.0 installer.
 - Uncompress the unzip installer file using the command:

```
uncompress unzip_<os>.Z
```

NOTE

If you notice an error message “uncompress: not found [No such file or directory]” when the package is not installed, contact your UNIX Administrator.

- Give EXECUTE permission to the file using the command:

```
chmod 751 OFS_IFRS_PACK_8.0.7.8.0_<OperatingSystem>.zip.
```

8. Extract the contents of the 8.0.7.8.0 archive file using the command:

```
unzip_<os> -a <name of the file to be unzipped>
```

NOTE

Rename or remove the existing OFSAA Application Pack folder from the OFSAA server before extracting the contents from the release archive (.zip). For example: For this release when extracted from the archive creates a folder with the name OFS_IFRS_PACK. Rename or remove if a folder with the same name exists in the path where the release archive is copied.

The above “-a” option is mandatory to unzip the archive file. For example:

```
unzip_aix -a
OFS_IFRS_PACK_8.0.7.8.0_<OperatingSystem>.zip.
```

2.2.2 Pre Installation Activities

Model Upload Parameter

The configuration file (`params.conf`) should be updated before triggering the installation. The `params.conf` file is available in the `/OFS_IFRS_PACK/OFS_IFRS/conf/params.conf` directory.

Following are the input parameters for `params.conf` file:

Model Upload Process: Input values required are 0/1

- **0** indicates Skip Model Upload Process
- **1** indicates Trigger Model Upload

If the value is **1**, then the next option is to select the option of the type of Model upload:

- **0** indicates Released Data Model
- **1** indicates Customized Data Model

2.2.3 Installing OFS Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack

Perform the following steps to install the OFS IFRS application pack:

1. Give EXECUTE permission to the maintenance release archive file. Navigate to the path `./OFS_IFRS_PACK` and execute the command:

```
chmod 755 OFSAAIUpdate.sh
```

2. Execute `OFSAAIUpdate.sh` file using the following command:

```
./OFSAAIUpdate.sh
```

3. If OFSAA is deployed on Oracle WebLogic Server version 12.2.x, install the one-off patch **25343603**. Refer to the Readme available with the patch for further instructions on installing the patch.

NOTE

If the release is already applied as a part of 8.0.7.0.0, this step is not required.

See the Technology Matrix for a list of supported servers for OFSAAI 8.0.7.0.0.

If the release is already applied as part of 8.0.7.0.0, this step is not required. Verify if the release is applied successfully by checking the log file generated in the installation folder. Logs can be found in `/OFS_IFRS_PACK/logs` and `/OFS_IFRS_PACK/OFS_IFRS/logs` directory. You can ignore ORA-00001, ORA-00955, ORA-02260, ORA-01031, and ORA-01430 errors in the log file. For any other errors, contact [My Oracle Support](#).

2.2.4 Post Installation Activities

This section provides information on the post-installation activities that must be performed after the OFS IFRS Installation.

Platform Related Post Installation Activities

Perform the following steps after the OFS IFRS Application Pack is installed:

1. After successful installation, follow these steps:
 - Clear the application cache. Navigate to the following path depending on the configured web application server and delete the files.
 - **Tomcat:**
<Tomcat installation folder>/work/Catalina/localhost/<Application name>/org/apache/jsp
 - **WebLogic:**
<Weblogic installation location>/domains/<Domain name>/servers/<Server name>/tmp/_WL_user/<Application name>/<auto generated folder>/jsp_servlet
 - **Websphere:**
<Websphere installation directory>/AppServer/profiles/<Profile name>/temp/<Node name>/server1/<Application name>/<.war file name>
2. Add umask 0027 in the `.profile` file of the UNIX account which manages the WEB server to ensure restricted access permissions.
3. Perform the necessary additional configuration as mentioned in the *Additional Configurations* section in [Oracle Financial Services Financial Accounting and Reporting Standards \(IFRS and CECL\) Application Pack Installation Guide 8.0.7.0.0](#).
4. Generate the application EAR/WAR file and redeploy the application onto your configured web application server. For more information on generating and deploying EAR/WAR files, refer to the *Post Installation Configuration* section in [Oracle Financial Services Financial Accounting and Reporting Standards \(IFRS and CECL\) Application Pack Installation Guide 8.0.7.0.0](#).
5. After the successful installation of the release, restart all the OFSAAI services. For more information, refer to the *Start/Stop Infrastructure Services* section in [Oracle Financial Services](#)

Financial Accounting and Reporting Standards (IFRS and CECL) Application Pack Installation Guide 8.0.7.0.0.

3 Appendix A

3.1 Frequently Asked Questions

1. What checks does the 8.0.7.8.0 Release patch perform?

- Environment Check- As part of environment check, it performs Java validation, Environment Variables validation, OS specific validation, DB specific validation, and it shuts down all OFSAAI Services (Infrastructure Server, ICC Server, and back-end services).
- Post Install check- As part of the Post install check, it checks if OFSAAI services can be successfully started.

2. Which version of erwin Data Modeler does OFSAAI support?

OFSAAI now supports erwin version 9.8 generated XMLs.

3. What should I do for viewing the log files in Debug level for troubleshooting?

By default, the log level is set as INFO. You need to manually change it to Debug to view the log files at debug level. Based on your requirement, you can change the log level to Warn, Error, or Fatal as well.

1. Navigate to `$FIC_HOME/conf` in the APP layer of your OFSAAI installation.
- Change the **priority value** to **Debug** in the `RevLog4jConfig.xml` file.

For example:

```
<root>
  <priority value = "debug" />
  <appender-ref ref="ConsoleAppender1"/>
</root>
```

- Change the value of **LOGGERLEVEL** in the `DynamicServices.xml` file from **20** to **0** (**20** is the value for Info and **0** for Debug).

NOTE

For multi-tier installation, you need to change the log level to Debug in the `DynamicServices.xml` and `RevLog4jConfig.xml` files, which are present in `$FIC_APP_HOME/conf`, `$FIC_DB_HOME/conf`, and `$FIC_WEB_HOME/conf` as well.

2. Navigate to `$FIC_WEB_HOME/webroot/conf` and change the **priority value** to **Debug** in the `ExportLog4jConfig.xml`, `MDBLogger.xml`, and `PR2Logger.xml` files for viewing log files in Debug level for the modules Archive/Restore, Metadata Browser and RRF respectively.
3. Generate the application EAR/WAR file and redeploy the application onto your configured web application server. For more information on generating and deploying EAR / WAR files, refer to the *Post Installation Configuration* section in [OFS Advanced Analytical Applications Infrastructure Application Pack Installation and Configuration Guide](#).
4. Restart the OFSAAI Services (APP and WEB). For more information, refer to the *Start/Stop Infrastructure Services* section in [OFS Advanced Analytical Applications Infrastructure Application Pack Installation and Configuration Guide](#).

OFSAA Support

Raise a Service Request (SR) in [My Oracle Support \(MOS\)](#) for queries related to the OFSAA applications.

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the [Oracle Support](#).

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access the [My Oracle Support](#) site that has all the revised/recently released documents.

