

Oracle Financial Services Treasury Risk Application Pack

Language Pack Installation & Configuration Guide

Version 8.0.1.0.0



DOCUMENT CONTROL

| Version Number | Revision Date | Changes Done |
|-----------------------|-------------------------------|--|
| Version 1.0 | January 2016 | Created document to capture OFS TR Language Pack Release 8.0.1.0.0 patch update procedure. |
| Created By: Swathi | Reviewed By: Pallavi Reddy | Approved By: Surag Ramachandran / Kumaran Krishnan |

Executive Summary

This document includes the necessary instructions to install the Oracle Financial Services Treasury Risk (OFS TR) application pack 8.0.1.0.0 (Language Pack) and perform the required post update configurations. The latest copy of this guide can be accessed from [OTN Library](#).

TABLE OF CONTENTS

- 1 OFS TR RELEASE 8.0.1.0.0 (LANGUAGE PACK) 4**
 - 1.1 Pre Installation Requirements 4
 - 1.1.1 Additional Information 5
 - 1.2 How to Apply this Language Pack Release? 5
 - 1.2.1 GUI Mode Installation 7
 - 1.2.2 Silent Mode Installation 11
 - 1.3 Post Installation Configuration 12
 - 1.3.1 Run MLS Utility 12
 - 1.4 OFS TR (Oracle Financial Services Treasury Pack Analytics) Language Pack Support 12
 - 1.4.1 Webcatalog Changes 12
 - 1.4.2 RPD Changes 13
 - 1.5 User Desktop Settings 14

- 2 REFERENCES 18**
 - 2.1 Supported Languages in TR Pack 18
 - 2.2 Configuration for GUI Mode Installation 19

1 OFS TR Release 8.0.1.0.0 (Language Pack)

This document describes the necessary steps to install and configure 8.0.1.0.0 (Language Pack), and enable the UI of OFS TR in different languages in addition to US-English. The language Packs supported in this release are *Simplified Chinese, Traditional Chinese, French, German, Indonesian, Italian, Japanese, Korean, Portuguese, Russian, Spanish, Thai, Canadian French, Arabic, Hebrew, Turkish, and Vietnamese.*

1.1 Pre Installation Requirements

- OFS TR 8.0.0.0.0 Language Pack has to be successfully installed before proceeding with OFS TR 8.0.1.0.0 Language Pack installation.
- Ensure to install one-off patch 21422713_GENERIC.zip and 22232363 before proceeding with this TR pack installation.
- Check the locale installed,

To check the locale installed, execute the following command:

```
locale -a | grep -i 'en_US.utf'
```

Based on the operating system, the following output is displayed:

- Linux : en_US.utf8
 - AIX : EN_US.UTF-8
 - Solaris : en_US.UTF-8
- As OFS TR pack does not provide multi-locale support, it is recommended to take a back-up of the following OFS LRM and MR tables:

OFS LRM Tables:

- DIM_ACCT_STATUS
- DIM_BANDS
- DIM_BOOLEAN_FLAGS
- DIM_CAPITAL_COMP_GROUP
- DIM_CASH_FLOW_TYPE
- DIM_COUNTRY
- DIM_CREDIT_STATUS
- DIM_CURRENCY
- DIM_ENCUMBRANCE_STATUS
- DIM_HOLDING_TYPE
- DIM_INSUR_SCHE_COVER_TYPE
- DIM_INTEREST_TYPE

- DIM_LCR_OPTION
- DIM_RESULT_BUCKET
- DIM_STANDARD_PARTY_TYPE
- DIM_STANDARD_PRODUCT_TYPE
- DIM_STANDARD_ACCT_HEAD
- DIM_ORG_STRUCTURE
- DIM_LCR_ADJUSTMENT_RULE
- DIM_ASSET_LEVEL
- DIM_RISK_WEIGHT
- FSI_TIME_BUCKET_MASTER
- BATCH_MASTER
- BATCH_TASK_MASTER

OFS MR Tables:

- DIM_INSTRUMENT_TYPE
- DIM_MR_ASSET_CLASS
- DIM_RUN_TYPE
- RATING_CODE_MASTER
- RATING_SRC_MASTER
- SETUP_TIME_VERTICES

1.1.1 Additional Information

| OFS TR Pack Version | Patches/ Instructions |
|---------------------|--|
| 8.0.1.0.0 | Download and install patch for Bug # 22232363 : LRM 8.0.1.0.0 LANGUAGE PACK ONE -OFF |

1.2 How to Apply this Language Pack Release?

Refer to the following instructions to install the contents of this LP (Language Pack).

1. Login to <https://support.oracle.com/> and search for **22278308** under the *Patches & Updates* tab.

2. Download the Oracle Financial Services TR Pack v8.0.1.0.0 Language Pack Release #1 archive file from MOS and copy it to your OFSAA server in **Binary** mode.
3. Stop all the OFSAA Services. For more information, refer to the *Start/Stop Infrastructure Services* section in [OFS TR 8.0.1.0.0 Installation Guide](#) available at OTN library.
4. If you have Unzip utility, skip to the next step. Download the Unzip utility (OS specific) `unzip_<os>.Z` from the location <https://updates.oracle.com/unzips/unzips.html> and copy it in **Binary** mode to the directory that is included in your PATH variable, typically \$HOME path or directory in which you have copied the language pack archive file.

- Uncompress the unzip installer file using the command:

```
uncompress unzip_<os>.Z.
```

NOTE: In case you notice an error message “**uncompress: not found [No such file or directory]**” when the package is not installed, contact your administrator.

- Give Execute permission to the file using the command:

```
chmod 751 unzip_<os>.
```

For example, `chmod 751 unzip_sparc.Z`

5. Extract the contents of the OFS TR Application Pack Language Pack 8.0.1.0.0 archive file using the following command:

```
unzip <name of the file to be unzipped>
```

For example, `unzip OFS_TR_8.0.1.0.0_LP_GENERIC.zip`

6. Grant permissions 755 for Installation and Download directory.
7. Navigate to `OFS_TR/bin` directory. The Language Pack installation is supported in both **GUI Mode** and **Silent Mode**. Begin the Language Pack installation by executing **Setup.sh** file in either of the following options:
 - **./setup.sh GUI** - The GUI mode of installation requires certain prerequisite configurations to be performed. For more information, refer [Configuration for GUI Mode Installation](#).
 - **./setup.sh SILENT** - The SILENT mode of installation does not require a simulator. You need to set the installation parameters in `OFS_TR/conf/silent.props` file and execute the command. For more information, refer to the [Silent Mode Installation](#) section.

For information on Language Pack *Code* and its *Properties*, refer to the [Supported Language Pack Details](#) section.

Note the following:

- An Installation log is generated in the path `OFS_TR/logs` folder. You can ignore ORA-00942 and ORA-00955 errors in log file. In case of any other errors, contact Oracle Support.
 - You should not use process-interrupting commands like Ctrl+C or Ctrl+Z, which may terminate the process abruptly.
8. Post successful installation of the Language Pack, perform the configurations as explained in the [Post Installation Configuration](#) section.
 9. Delete the existing EAR/WAR file available in `$FIC_HOME/ficweb` folder.
 10. Generate **EAR/WAR** file and redeploy the application onto your configured web application server. For more information, refer to *Appendix C* in the [OFS TR 8.0.1.0.0 Installation Guide](#) available at OTN library.
 11. Once the Language Pack has been installed successfully and post installation configurations are done, **restart** all the OFSAA services. For more information, refer to the *Appendix D* section in the [OFS TR 8.0.1.0.0 Installation Guide](#) available at OTN library.


1.2.1 GUI Mode Installation

In GUI mode of installation, you can to enter the Installation parameters through the wizard.


To install Language Pack in GUI mode, follow these steps:

1. Execute the `setup.sh` file with argument as `./setup.sh GUI`.

After initialization, the *Introduction* screen is displayed.



- 2. Click **Next**, the Pre-Setup Information is displayed.




- 3. Select **General** and click **Next**
- 4. Select the languages you want to install and click **Next**. For information on Language Pack Code and its *Properties*, refer to the [Supported Language Pack Details](#) section.


Note: As OFS TR pack does not provide multi-locale support, you are allowed to select only one language at a time.




The selected Languages are configured.



5. Click **Install**.



A confirmation message is displayed, click **Yes** to start the installation process.



6. After the installation is complete the *Installation Complete* window is displayed.



7. Click **Done**.

1.2.2 Silent Mode Installation

To install Language Pack in Silent mode, follow these steps:

- Modify the OFS_TR/conf/silent.template file to specify the required Language Pack(s) to be installed and save as **silent.props** file.

Note:

As OFS TR pack does not provide multi-locale support, ensure to provide a language code (user preferred language) against the parameter DEFAULT_LANGUAGE.

For Example:

```
DEFAULT_LANGUAGE= fr_FR
```

The language codes are provided in **silent.props** file as follows:

```
# Specify the locale code you want to install
```

```
# ar_EG = Arabic
```

```
# pt_BR = Português - Brasil
```

```
# fr_FR = Français
```

```
# fr_CA = Canadian French
```

```
# de_DE = Deutsch
```

```
# iw_IL = Hebrew
```

```
# in_ID = Indonesia
```

```
# it_IT = Italian
```

```
# ja_JP = Japanese
```

```
# ko_KR = Korean
```

```
# ru_RU = Russian
```

```
# zh_CN = Simplified Chinese
```

```
# es_ES = español
```

```
# th_TH = Thai
```

```
# zh_TW = Traditional Chinese
```

```
# vi_VN = Vietnamese
```

```
# tr_TR = Turkish
```

```
DEFAULT_LANGUAGE=
```

For information on Language Pack *Code* and its *Properties*, refer to the [Supported Language Pack Details](#) section.

1.3 Post Installation Configuration

Post successful installation of 8.0.1.0.0 (Language Pack), you need to perform the following configurations.

1.3.1 Run MLS Utility

1. Execute the **MLS Utility**.
2. Navigate to \$FIC_HOME/Post_AAI_Migration directory.
3. Execute the following command:

```
./aaipi.sh
```

For more information, contact Oracle Support.

NOTE: This step is required to be executed every time a new language is installed until the next release of OFS AAI Application Pack Language Pack is available.

1.4 OFS TR (Oracle Financial Services Treasury Pack Analytics) Language Pack Support

This section is applicable if you are installing this language pack on an OFS Treasury Application Pack version 8.0.1.0.0.

1.4.1 Webcatalog Changes

Refer Language pack tabular sheet on how to configure and support TR BI (Treasury Pack Business Intelligence) Reports on multiple language packs.

| Language pack tabular sheet | | | | |
|-----------------------------|---------------------|--------------------|-------------------|------------------------------|
| S.No | Language Pack | Java Locale Folder | Caption Folder ID | obiee - Select a language |
| 1 | Arabic | ar_EG | l_ar | عربية - Arabic |
| 2 | Simplified Chinese | zh_CN | l_zh-cn | 中文 - Chinese |
| 3 | Traditional Chinese | zh_TW | l_zh-tw | 中文繁體 - Chinese (Traditional) |
| 4 | French | fr_FR | l_fr | français |
| 5 | German | de_DE | l_de | Deutsch |
| 6 | Hebrew | iw_IL | l_he | עברית - Hebrew |
| 7 | Italian | it_IT | l_it | italiano |
| 8 | Japanese | ja_JP | l_ja | 日本語 - nihongo |
| 9 | Korean | ko_KR | l_ko | 한국어 - hangul |
| 10 | Portuguese | pt_BR | l_pt-br | Português (Brasil) |
| 11 | Russian | ru_RU | l_ru | Русский - russkij |
| 12 | Spanish | es_ES | l_es | Español |
| 13 | Thai | th_TH | l_th | ไทย |
| 14 | Turkish | tr_TR | l_tr | Türkçe |
| 15 | Vietnamese | vi_VN | l_vi | Tiếng Việt Nam |
| 16 | Indonesian | in_ID | l_id | Indonesian |
| 17 | French Canada | fr_CA | l_fr-ca | français (Canada) |

- Copy obiee caption xml files available at \$FIC_HOME/TR_BI/CAPTIONS/<Java Locale Folder> for a particular language pack selected during installation into the obiee deployment area available at:

```
<Oracle BI Instance
Home>/bifoundation/OracleBIPresentationServicesComponent/coreapplication_obips1/msgdb/<Caption Folder ID>/captions/
```

- Note that Administrator has to create a folder structure as "msgdb/<Caption Folder ID>/captions/" as mentioned above if not physically available before placing the xml file(s).
- Restart obiee server.

For more information contact Oracle Support.

NOTE: This step is required to be executed every time a new language is installed until the next release of OFS Treasury Pack Language Pack is available.

1.4.2 RPD Changes

For RPD changes, perform the following steps:

1. Open **Treasury Pack LRMBI RPD** in online mode.
2. Navigate to **Manage -> Variables->Session->Initialization Blocks**.
3. Navigate to **LRM External Metadata Strings** on the RHS.Double click,check out and edit **Data source**.
4. Click **Check Out** and edit **Data Source**.

5. Replace the **SELECT** query with the following.

```
SELECT message_id, message_text
FROM fsi_bi_messages_repository_mls
WHERE TRIM(language_id )= DECODE( 'VALUEOF(NQ_SESSION.LOCALE)' , 'ar',
'ARA', 'en', 'ENU', 'fr', 'FRA', 'de', 'DEU', 'es', 'ESN', 'ja', 'JPN', 'pt-br', 'PTB', 'it', 'ITA',
'sv', 'SVE', 'da', 'DAN', 'nl', 'NLD', 'zh-cn', 'CHS', 'zh-tw', 'CHT', 'he', 'HEB', 'ko', 'KOR',
'cs', 'CSY', 'fi', 'FIN', 'el', 'ELL', 'pt', 'PTG', 'pl', 'POL', 'el','GRC', 'hu','HUN',
'ro','ROM', 'sk','SKY', 'fr-ca','FRC', 'en-ca','ENC', 'en-gb','ENG', 'en-nl','ENN',
'en-ie','ENI', 'fr-ch','FRS', 'de-ch','DES', 'de-at','DEA', 'fr-be','FRB', 'nl-be','NLB',
'tr','TRK', 'ru', 'RUS', 'th', 'THA', 'vi', 'VIT', 'id', 'IDN', 'ENU')
```


6. Click **OK** and then close the window.
7. Right-click subject areas **Liquidity Risk Analysis and Market Risk** in the Presentation Layer and click **Check Out** button.
8. Navigate to **Externalize Descriptions -> Generate Custom Description** and click **Check Out** button.
9. Check in the changes and save the RPD.
10. Login into **Treasury Pack Analytics**, reload files and metadata by navigating through Administration link and refresh the cache.

1.5 User Desktop Settings

Post successful installation of Language Pack, you need to set the Operating System and Browser on every User Desktop, prior accessing the OFS DM application.

Follow these steps to enable the settings in Operating System level.

1. Navigate to **Start**; click **Control Panel** select **Regional and Language Options**.
2. Under the **Formats** tab, choose the desired language from the drop-down list for Language for non-Unicode programs.




For information on Language Pack Code and its *Properties*, refer to [Supported Language Pack Details](#) section.


3. Click **Apply** and click **OK**.

Follow these steps to enable the settings in Browser (Internet Explorer).

1. Navigate to **Tools > Internet Options**.
2. Under the **General** tab, Click **Languages**. The *Language Preference* window is displayed.



3. Click **Add**. The *Add Language* window is displayed.



4. Select the installed Language Pack from the list. You can press and hold **Ctrl** key for multiple selections. For information on Language Pack *Code* and its *Properties*, refer to section [Supported Language Pack Details](#). Click **OK**.

5. Click **OK** in the *Language Preference* window and again click **OK** in *Internet Options* window to save the settings and exit.
6. Restart the user machine for the above changes to take effect.

2 References

This section of the document consists of information which is common to all the sections and are referenced where ever required. You can refer to the details based on your need.

2.1 Supported Languages in TR Pack

The following table lists all the supported languages in OFS TR 8.0.1.0.0 release along with their code and properties available for selection.

| Sl. No. | Language | Applications which support the Language | Locale | Locale as displayed in “Regional and Language Options” list | Code |
|---------|---------------------|---|------------------------|---|-------|
| 1 | Simplified Chinese | OFS LRM | LOCALE_CHINESE_SIM | Chinese (PRC) | zh_CN |
| 2 | Traditional Chinese | OFS LRM | LOCALE_CHINESE_TRAD | Chinese (Taiwan) | zh_TW |
| 3 | French | OFS LRM | LOCALE_FRENCH | French (France) | fr_FR |
| 4 | German | OFS LRM | LOCALE_GERMAN | German (Germany) | de_DE |
| 5 | Indonesian | OFS LRM | LOCALE_INDONESIAN | Indonesian | in_ID |
| 6 | Italian | OFS LRM | LOCALE_ITALIAN | Italian (Italy) | it_IT |
| 7 | Japanese | OFS LRM | LOCALE_JAPANESE | Japanese | ja_JP |
| 8 | Korean | OFS LRM | LOCALE_KOREAN | Korean | ko_KR |
| 9 | Portuguese | OFSLRM, OFS MR | LOCALE_PORTUGUESE | Portuguese (Brazil) | pt_BR |
| 10 | Russian | OFS LRM | LOCALE_RUSSIAN | Russian | ru_RU |
| 11 | Spanish | OFS LRM | LOCALE_SPANISH | Spanish (Spain) | es_ES |
| 12 | Thai | OFS LRM | LOCALE_THAI | Thai | th_TH |
| 13 | Vietnamese | OFS LRM | LOCALE_VIETNAMESE | Vietnamese | vi_VN |
| 14 | Canadian French | OFS LRM | LOCALE_CANADIAN_FRENCH | Canadian French | fr_CA |

| Sl. No. | Language | Applications which support the Language | Locale | Locale as displayed in “Regional and Language Options” list | Code |
|---------|----------|---|----------------|---|-------|
| 15 | Arabic | OFS LRM | LOCALE_ARABIC | Arabic | ar_EG |
| 16 | Hebrew | OFS LRM | LOCALE_HEBREW | Hebrew | iw_IL |
| 17 | Turkish | OFS LRM | LOCALE_TURKISH | Turkish | tr_TR |

2.2 Configuration for GUI Mode Installation

To install in GUI mode, you need to ensure the below software and configurations are available:

- Install and configure any PC X Server software such as Open Text Exceed (formerly Hummingbird Exceed) on the user desktop system from which the installation is triggered.
- Configure DISPLAY variable in the user .profile.

Ensure to set the DISPLAY variable (in user .profile) on the system on which OFSAA will be installed to point to the user desktop system where the PC X Server software has been installed.

Syntax:

```
export DISPLAY=hostname:n.n1
```

where hostname is the IP Address/ Host Name of the user desktop system and n is the sequence number (usually 0).

For example, 10.11.12.13:0.0 or myhostname:0.0



OFS TR
Language Pack Installation and Configuration Guide

Oracle Corporation
World Headquarters
500 Oracle Parkway
Redwood Shores, CA 94065
U.S.A.

Worldwide Inquiries:
Phone: +1.650.506.7000
Fax: +1.650.506.7200
www.oracle.com/us/industries/financial-services

Copyright © 2016 Oracle Financial Services Software Limited. All rights reserved.

No part of this work may be reproduced, stored in a retrieval system, adopted or transmitted in any form or by any means, electronic, mechanical, photographic, graphic, optic recording or otherwise, translated in any language or computer language, without the prior written permission of Oracle Financial Services Software Limited.

Due care has been taken to make this Language Pack Installation and Configuration Guide and accompanying software package as accurate as possible. However, Oracle Financial Services Software Limited makes no representation or warranties with respect to the contents hereof and shall not be responsible for any loss or damage caused to the user by the direct or indirect use of this Language Pack Installation and Configuration Guide and the accompanying Software System. Furthermore, Oracle Financial Services Software Limited reserves the right to alter, modify or otherwise change in any manner the content hereof, without obligation of Oracle Financial Services Software Limited to notify any person of such revision or changes.

All company and product names are trademarks of the respective companies with which they are associated.