

Automated End of Day User Guide

Oracle FLEXCUBE Universal Banking

Release 12.87.04.0.0

Part No. E92710-01

January 2018

Automated End of Day User Guide
January 2018
Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2018, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. Preface	1-1
1.1 Introduction.....	1-1
1.2 Audience.....	1-1
1.3 Documentation Accessibility.....	1-1
1.4 Organization	1-1
1.5 Related Documents	1-2
1.6 Glossary of Icons.....	1-2
2. Automated End of Cycle Operations	2-1
2.1 Introduction.....	2-1
2.2 Specifying Data Values for EOD Functions.....	2-1
2.2.1 <i>Maintaining End of Cycle Groups</i>	2-2
2.3 Defining Functions to be Run Automatically.....	2-3
2.3.1 <i>Specifying Frequency at which Function should be Run</i>	2-5
2.3.2 <i>Indicating Execution Layer</i>	2-6
3. Viewing Unauthorized Maintenances, Functions and Transactions .	3-1
3.1 Viewing Unauthorized Maintenances	3-1
3.2 Viewing Unauthorized Transactions	3-2
3.3 Viewing Branch EOC Stages.....	3-3
3.4 Viewing Branch Pending Functions.....	3-4
3.5 Reversing Automatic EOD Suspense Entry	3-5
3.6 Viewing Reverse EOD Balancing Summary Details.....	3-7
3.6.1 <i>EOTI/EOF1 Stages of Batch Processing</i>	3-7
4. End of Cycle Operations	4-1
4.1 Introduction.....	4-1
4.2 Starting End of Cycle Process.....	4-1
4.2.1 <i>Processing End of Cycle Operations</i>	4-2
4.2.2 <i>Verifying EOC Process</i>	4-4
4.2.3 <i>Dropping End of Transaction Input</i>	4-6
4.3 Maintaining End of Cycle Business Group	4-8
4.3.1 <i>Viewing End of Cycle Business Group Summary</i>	4-9
4.4 Changing System Date.....	4-10
4.4.1 <i>Authorizing Date Change</i>	4-12
5. Annexure A - List of End of Cycle Functions	5-1
5.1 Introduction.....	5-1
5.1.1 <i>Beginning of Day (BOD) Functions for all Modules</i>	5-1
5.1.2 <i>End of Day (EOD) Functions for all Modules</i>	5-2
5.1.3 <i>Pre-End of Day Functions for all Modules</i>	5-4
5.2 Account Revaluation Batch	5-5
6. Function ID Glossary	6-1

1. Preface

1.1 Introduction

This user manual is designed to help you quickly get acquainted with the many functions routinely executed everyday in Oracle FLEXCUBE.

You can obtain information specific to a particular field by placing the cursor on the relevant field, and striking <F1> on the keyboard.

1.2 Audience

This manual is intended for the following User/User Roles:

Role	Function
Back office clerk	Input functions for contracts
Back office managers/officers	Authorization functions
Product Managers	Product definition and authorization
End of Day operators	Processing during End of Day/ Beginning of Day
Financial Controller/Product Managers	Generation of reports

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.4 Organization

This manual is organized into the following chapters:

Chapter 1	<i>About this Manual</i> gives information on the intended audience. It also lists the various chapters covered in this User Manual.
Chapter 2	<i>Automated End of Cycle Operations</i> provides a snapshot of the functions run routinely everyday as part of the end of cycle (EOC) process.
Chapter 3	<i>Viewing Unauthorized Maintenances, Functions and Transactions</i> gives the list of unauthorized records that can be viewed.
Chapter 4	<i>End of Cycle Operations</i> details the various stages that are a part of the cycle.
Chapter 5	<i>Annexure A - List of End of Cycle Functions</i> contains a list of all the mandatory functions run as part of the EOC cycle.
Chapter 6	<i>Function ID Glossary</i> has alphabetical listing of Function/Screen ID's used in the module with page references for quick navigation.

1.5 Related Documents

- The Settlements User Manual
- The Core Services User Manual
- The Procedures User Manual

1.6 Glossary of Icons

This User Manual may refer to all or some of the following icons.

Icons	Function
	Exit
	Add row
	Delete row
	Option List

2. Automated End of Cycle Operations

2.1 Introduction

You have to execute many functions routinely everyday as part of the end of cycle (EOC) process. Moreover, these functions should be run at various stages of the EOC process. The Automated End of Day (AEOD) feature eliminates manual intervention during the End of Day process, by automating the execution of these functions.

AEOD ensures that once the End of Cycle processing is started off, each function that should be run in the sequence that you specify will be executed automatically. However, if there are any problems in running the function you can intervene at any point to take manual control.

Certain functions would require some inputs (called run-time inputs) before they are executed. You can automate the process of giving these inputs also.

The AEOD process should be defined and executed separately for different branches of your bank. When the process is running, you could choose to monitor it from a central location, perhaps your data center.

2.2 Specifying Data Values for EOD Functions

Some EOD functions may require inputs for their successful execution, such as data values. For this, you can specify the required data value in the Batch EOD Function Input screen.

You can invoke the 'Batch EOD Function Input' screen by typing 'BADEODFE' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'Batch EOD Function Inputs' window. It features a 'Batch End Of Day Functions' section with dropdown menus for 'Branch Code', 'Function', and 'Description'. Below this is the 'End of Cycle Group' section with radio buttons for 'Transaction Input', 'End of Transaction Input', 'End of Financial Input', 'End of Day', and 'Beginning Of Day'. To the right is the 'Report Orientation' section with radio buttons for 'Not Applicable', 'Portrait', and 'Landscape'. The 'Function Inputs' section contains a table with the following structure:

Parameter *	Data Type *	Value	Date Format
	VARCHAR2		

At the bottom, the 'Fields' section includes input fields for 'Maker', 'Checker', 'Date Time', 'Mod No', 'Record Status', and 'Authorization Status', and a 'Cancel' button.

Select the EOC group to which the function is associated, for which you wish to specify values. You must also select the branch and the corresponding function identification that would be executed as part of marking the selected EOC state. The parameters for which the system expects a data value are displayed in the Parameter column. You can specify the required data value in the Value field.

Report Orientation

Specify the orientation, i.e. Landscape or Portrait. If you do not wish to specify it, select Not Applicable.

2.2.1 Maintaining End of Cycle Groups

In Oracle FLEXCUBE, you can trigger EOC process from any branch for all the branches of the bank. To simplify the process of selection of branches, you may group them into several EOC groups. Such grouping can be based on the time zones, holiday calendar, time at which the branches close the operations of a day or such similar common features.

You can invoke the 'End of Cycle Groups' screen by typing 'AEDECGRU' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'End of Cycle Groups' application window. The window title is 'End of Cycle Groups'. Below the title bar is a search bar labeled 'Enter Query'. There are two input fields: 'Group Code *' and 'Group Description'. Below these is a data grid with two columns: 'Branch Code *' and 'Branch Name'. The grid is currently empty. At the bottom of the window is a blue footer bar containing fields for 'Maker', 'Checker', 'Date Time:', 'Mod No', 'Record Status', 'Authorization Status', and an 'Exit' button.

To maintain an End of Cycle group, specify the following details:

Group Code

Enter a unique code for the EOC group that you wish to create. This group can later be identified by the group code specified.

Group Description

Enter a description that describes the nature of the group.

Branches

Select the branches to be grouped. Select 'Add' from the Actions menu in the Application tool bar or click add icon to add more rows to the list of branches. Specify the branch code of each branch to be grouped. The system displays the name of the branch against each code specified.

At times, you may wish to remove a branch from the list of branches. To remove a branch, check the box against the branch code and Select 'Delete' from the Actions menu in the Application tool bar or click delete icon.

Note

One branch can be grouped under one EOC group only.

2.3 Defining Functions to be Run Automatically

Through the Mandatory Batch Program Maintenance screen, you can indicate the functions that should be automatically triggered as part of automatic End of Cycle. You can invoke the 'Mandatory Batch Program Maintenance' screen by typing 'EIDMANPE' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'Mandatory Batch Program Maintenance' window. It features a 'Save' button at the top left. The main area contains several sections: 'Branch * 001' and 'Module *' at the top; 'Function *', 'Sequence Number', and 'Description' below; 'End of Cycle Group *' with radio buttons for 'Txn Input', 'End of Txn Input', 'End of Fin Input', 'End of Day' (selected), and 'Beginning of Day'; 'Error Handling' with radio buttons for 'Stop Automatic End of Day and Run Emergency Program' (selected) and 'Continue with Automatic End of Day'; 'Frequency' set to 'Daily', 'Holiday Rule' set to 'Do Not Execute', 'Execution Layer' with radio buttons for 'Database' (selected) and 'Application', and 'Sub Stage' set to '1'; 'Number Of Days', 'Run Date', 'Job Code', and another 'Description' field. A 'Predecessors' table is visible below, showing one entry 'Predecessors *'. At the bottom, there is a 'Fields' section with 'Maker', 'Checker', 'Mod No', 'Date Time', 'Record Status', and 'Authorization Status', and a 'Cancel' button.

Picking up Function to be Part of AEOD

You should choose the automated process that should be run as part of AEOD and define attributes for it.

2.3.0.1 Specifying EOC Group

While defining a function in the AEOD Maintenance table, you should also indicate the stage at which it should be run. The end of cycle processing has different stages. They are as follows:

- Transaction Input
- End of Transaction Input (EOTI)

- End of Financial Input (EOFI)
- End of Day (EOD)
- Beginning of Day (BOD)

EOTI indicates End of all Transaction Inputs, during which all transaction inputs are completed and the batch should be run before EOFI. EOFI indicates End of Financial Input, during which all accounting transactions are completed and the batch should be run before EOD. EOD indicates End of Day, during which all activities for that day are completed and the batch should be run before BOD. BOD indicates Beginning of the Day, during which the transactions are Input.

The Beginning of Day (BOD)

This is the stage after the system date has been changed and authorized, and before the transaction input for the day can begin.

At this stage, the system is expecting certain functions to be executed. For example, automatic liquidation of interest or commission scheduled for the day.

The execution of these functions during this stage ensures that all the debits and credits to a customer account that are triggered automatically are done and the balances updated. Thus, when the customers of your bank walk in to execute transactions during the day, your records will reflect the latest balance.

The End of Transaction Input (EOTI)

This stage indicates that all the transactions for the day have been input and authorized. Thus, the automated processes that involve transaction input during the day have to be executed (periodic accruals, any automatic interest or commission liquidation triggered by transactions that were input during the day, etc.) when the system is in the EOTI stage.

The End of Financial Input (EOFI)

This stage indicates that no further accounting entries can be passed for the day either through transactions or by automated processes.

The End of Day (EOD)

This stage indicates that all the activities for the day are complete. Further activities can be done on the system only after the system date has been changed to the next working day and authorized.

Typically, most of the automated functions will be a part of the Beginning of Day operations. Thereafter, some of them (say accruals, for example) should be executed when the system is in the EOTI stage. Some of the functions run during Beginning of Day should be repeated during EOTI stage so that any automated liquidation triggered by transactions input during the day will be processed.

Sub Stage

Specify a valid sub stage number to run a batch ensuring inter branch dependency from the adjoining drop-down list. This list displays numbers from 1–3.

The following sub stages are available for different EOC stages:

- Post End of Transaction Input
 - Post End of Transaction Input 1
 - Post End of Transaction Input 2
 - Post End of Transaction Input 3
- Post End of Financial Input
 - Post End of Financial Input 1

- Post End of Financial Input 2
- Post End of Financial Input 3
- Post End of End of Day
 - Post End of End of Day 1
 - Post End of End of Day 2
 - Post End of End of Day 3
- Post End of Beginning of Day
 - Post End of Beginning of Day 1
 - Post End of Beginning of Day 2
 - Post End of Beginning of Day 3
- Mark Transaction Input

For example, if you need to run a batch at head office, after running the batch at all the reporting branches, then the batch run at HO is maintained at Sub Stage 3 and the batch run at reporting branches is maintained at 1 or 2, so that the system runs Stage 3 after successfully completing Stage 2 in all branches. EOD run mode is maintained as 'Parallel'.

2.3.1 Specifying Frequency at which Function should be Run

Certain functions performed at your bank will have to be run daily, while some others may need to be executed at other periodic frequencies. Specify the functions that should be run at AEOD and select the frequency with which it should be run from the adjoining drop-down list. This list displays the following values:

- Daily
- Month-end
- Quarter-end
- Half-year-end
- Year end
- Nth day of the month
- N days before end of month
- Specific date
- Weekly

Typically, repayments due to loans or deposits, liquidation of commissions due to an LC, etc. would be functions that you should execute daily since such transactions may happen on any day, depending on the liquidation date specified for the individual contracts.

If you select the frequency options 'Nth day of the month' or 'N days before month-end', you should specify the exact date in the 'Run Date' field or the number of days before which the function should be run in the 'Number of days' field respectively.

It is a known fact that month-ends are usually a period of hectic activity for bankers. Hence, you might want to postpone certain activities to a later date, so that you can spread the load evenly.

For instance, you might want to run the liquidation of interest on current and savings accounts to the fifth day of every month. While defining the IC liquidation function, you can specify the frequency as 'Nth day of the month' and specify the number of days as five. The liquidation function will be executed on the fifth, but the processing will be done as of the end of the previous month.

Similarly, you can opt to execute a function a few days before the month-end. To do this, specify the frequency level as N days before end of month. Specify the number of days before which the function should be executed.

If you have defined the frequency as Specific date, you should enter the date on which the particular function has to be executed.

2.3.2 Indicating Execution Layer

BIP reports can be automatically generated using the job scheduler. Indicate the following details:

Execution Layer

Choose 'Application' as the execution layer.

Job Code

Specify a job code that needs to be run to process the job scheduler operations.

Job description

This is displayed based on the job code specified.

3. Viewing Unauthorized Maintenances, Functions and Transactions

3.1 Viewing Unauthorized Maintenances

All the transactions and maintenance records processed during the day should be authorized before End of Day operations can begin. Authorizers in the various departments should authorize transactions before handing over the system to the data center for End of Day processing.

In Oracle FLEXCUBE, you can get a list of unauthorized transactions and records at any point in time. This information enables the authorizers to easily find out which transactions or records are unauthorized.

You can view the maintenance that are yet to be authorized through the View Unauthorized Maintenance option.

You can invoke the 'Pending Maintenances' screen by typing 'STSVWPEN' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'Pending Maintenances' application window. The window title is 'Pending Maintenances'. It features a search bar with 'Search', 'Advanced Search', 'Reset', and 'Clear All' buttons. Below the search bar is a 'Case Sensitive' checkbox. There are six input fields for search criteria: 'Function Id', 'Language Code', 'Description', 'Branch Code', 'Maker ID', and 'Maker Home Branch'. Below the search fields is a table with columns: 'Function Id', 'Language Code', 'Description', 'Branch Code', 'Maker ID', and 'Maker Home Branch'. The table is currently empty. At the bottom right of the window is an 'Exit' button.

In the above screen, you can base your queries on any or all of the following parameters and fetch records:

- Function ID
- Language Code
- Description
- Branch Code
- Maker ID
- Maker Home Branch

Select any or all of the above parameters for a query and click 'Search' button. The records meeting the selected criteria are displayed.

System displays the following details pertaining to the fetched records:

- Branch
- Module
- Reference Number
- Events
- Maker ID
- Function ID
- Maker Home Branch

3.3 Viewing Branch EOC Stages

You can view the current status of EOC of a branch using 'EOC Monitor' screen. You can invoke the 'EOC Monitor' screen by typing 'AEDBRMTR' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'EOC Monitor' application window. At the top, there are input fields for 'Branch Code *', 'Branch Name', 'Message', and 'EOC Status'. A 'Refresh' button is positioned below the 'Branch Code' field. Below these fields are two data grids. The first grid, titled 'EOC Run Chart', has columns: 'Branch Date *', 'Sequence *', 'EOC Stage', 'Stage Status', and 'Reference Number'. The second grid, titled 'EOC Programs', has columns: 'EOC Batch *', 'Batch Status', 'EOC Reference Number', 'Session', and 'Error Code'. Both grids have a 'Run' button below them. An 'Exit' button is located at the bottom right of the window.

You can view the status of branch wise EOC here.

Branch Code

Select the branch code from the option list for which you want to view the EOC status. Based on the branch you selected branch name gets displayed.

When you click 'Go' button the records matching the specified branch are displayed. For each record fetched by the system based on your query criteria, the following details are displayed:

- Message
- EOC Status
- Branch Date
- Sequence
- EOC Stage
- Stage Status
- Reference Number
- Session
- Error Code

3.4 Viewing Branch Pending Functions

You can view the pending functions of a branch using 'Pending Functions' screen. You can invoke the 'Pending Functions' screen by typing 'EISWPPGM' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows a web application window titled 'Summary'. At the top, there are search filters: 'Branch', 'Function Id', and 'Function Name' (each with a text input and a search icon), and 'Module' and 'Status' (each with a dropdown menu and a search icon). Below these are buttons for 'Search', 'Advanced Search', and 'Reset'. A 'Records per page' dropdown is set to '15', and a 'Go' button is next to it. Below the search area is a table header with columns: 'Branch', 'Module', 'Function Id', 'Status', and 'Function Name'. At the bottom of the window, there is a 'Process Status' legend with 'S - Complete', 'T - Pending', and 'E - Error'. An 'Exit' button is located in the bottom right corner.

In the above screen, you can base your queries on any or all of the following parameters and fetch records:

- Branch
- Module
- Function Identification
- Status
- Function Name

Select any or all of the above parameters for a query and click 'Search' button. The records meeting the selected criteria are displayed.

System displays the following details pertaining to the fetched records:

- Branch
- Module
- Function Identification
- Status
- Function Name

3.5 Reversing Automatic EOD Suspense Entry

The reversal of the Automatic EOD suspense entry can be done using the 'Reverse EOD Balancing' screen.

To invoke this screen type 'EIDREVRS' in the field at the top right corner of the Application tool bar and click the adjoining arrow button.

Specify the following details:

Branch Code

Specify the Branch code.

Branch Name

Specify the name of the Branch.

Suspense Reference Number

Specify the suspense reference number.

Suspense Entry Date

Specify the suspense entry date.

Suspense Entry Details

Specify the following suspense entry details:

General Ledger No

Specify general ledger number.

D/C

Select the appropriate option to indicate whether debit or credit from the drop-down list. You have the following options:

- Debit
- Credit

Local Currency

Specify the local currency.

Real/Contingent

Select the appropriate option to indicate whether real or contingent from the drop-down list. You have the following options:

- Real
- Contingent

Amount

Specify the amount in figures.

Batch Number

Specify the batch number.

End of Input Status

Select the end of input status from the drop-down list. You have the following options:

- End of Transaction Input
- End of Financial Input

Transaction Code

Specify transaction code.

Reversal Details

Specify the following reversal entry details:

Reverse Reference Number

Specify the reverse reference number.

Reversal Date

Specify the reversal date.

3.6 Viewing Reverse EOD Balancing Summary Details

You can reverse the entries which have been posted as part of Balancing during the Batch using 'Reverse EOD Balancing Summary' screen. To invoke this screen type EISREVRS in the field at the top right corner of the Application tool bar and click the adjoining arrow button.

The screenshot shows a web application window titled 'Summary'. It contains several search filters: Authorization Status (dropdown), Record Status (dropdown), Branch Code (text input), Suspense Entry Date (text input), Suspense Reference (text input), and Reversal Date (text input). Below these are buttons for Search, Advanced Search, Refresh, and Reset. A table below the filters shows search results with columns: Authorization Status, Record Status, Branch Code, Suspense Entry Date, and Suspense Reference. The table has 8 rows, all with empty cells. At the bottom right of the window is an 'Exit' button.

In the above screen, you can base your queries on any or all of the following parameters and fetch records:

- Authorization Status
- Record Status
- Branch Code
- Suspense Entry Date
- Suspense Reference
- Reversal Reference
- Reversal Date

Select any or all of the above parameters for a query and click 'Search' button. The records meeting the selected criteria are displayed.

System displays the following details pertaining to the fetched records:

- Authorization Status
- Record Status
- Branch Code
- Suspense Entry Date
- Suspense Reference
- Reversal Reference
- Reversal Date

3.6.1 EOTI/EOF1 Stages of Batch Processing

Following validations and processes takes place during EOTI and EOF1 processing of the EOD batch:

- Generation of automatic suspense entry

- Suspense entry reversal check

3.6.1.1 Generation of Automatic Suspense Entry

While running EOD at EOTI and EOFI stages system checks if the Suspense Entry Required is 'Y' at the Branch level. If it is 'N' further it checks if there is any mismatch between the sum of balances of Real/Contingent Credit/Debit values then system will display an error message and EOD is stopped. If Suspense Entry Required is 'Y' then it proceeds with the Automatic Suspense entry sub process.

In this process all the authorized accounting entries for the branch for the current processing day will be browsed. There is a check made to find if mismatch exists upon sum of the real dr/real Credit entry or in the contingent dr/contingent Credit entry.

If there is a mismatch in the real Debit and real Credit entries, then the difference amount is calculated and if the Debit Amount is greater than the Credit Amount then a Credit Entry for the difference Amount is posted into the Real Suspense GL maintained at the Branch Level

Else if the Credit Amount is greater than the Debit Amount then a Debit Entry for the difference Amount is posted into the Real Suspense GL maintained at the Branch Level, where the Transaction Code is the Suspense Transaction Code maintained at the Branch Level. Similarly, the Suspense Entry is posted for the Contingent suspense GL when there is a mismatch in the contingent Debit and contingent Credit entries.

An equivalent entry gets posted with Suspense transaction code and Suspense Batch number maintained at Branch level. A new Transaction reference number is created to post the entries.

In order to check the entries posted by system to overcome the misbalances during EOTI stage, you can check in Reverse Entry EOD screen for a given date.

The Branch, Branch Date, Real contingent, Branch status, Batch No, Amount, Currency, Suspense Entry Reference No, Reversal Entry ref no and a few other Suspense Entry details are stored into the database.

3.6.1.2 Suspense Entry Reversal Check

In this process, the system browses through the details of the Suspense entries posted for the records which have not been reversed for the records whose branch date is greater than or equal to (Current date - Reverse Suspense entry days maintained at branch level). If reverse entries are not posted for any of those records then the system will display the error message as "Suspense Entries not reversed for the Branch" at EOTI and EOFI stages of EOD and EOD is stopped


You have to post the reversal entries using the 'Reverse EOD Balancing' screen and continue with the EOD.

You can get the automatic suspense entry records and do the reversal on the same. You are allowed to perform New, F7 and F8 operations on this screen. You can query record for a particular branch and date and Suspense reference number. The reversal of the entries can be done by using Reverse Button. System posts equivalent negative entries for the amount and currency and generates a unique reversal suspense entry.

4. End of Cycle Operations

4.1 Introduction

The End of Cycle operations consist of several stages. In this chapter we shall discuss in details the various stages that are a part of the cycle. The various stages in this cycle have been diagrammatically represented below:



The list of mandatory functions that should be run as part of BOD, for each module of Oracle *FLEXCUBE* has been listed in Annexure A of this user manual.

4.2 Starting End of Cycle Process

To start the End of Cycle process, choose End of Cycle and the Start EOC option under it.

4.2.1 Processing End of Cycle Operations

You can invoke the 'End of Cycle Operations' screen by typing 'AEDSTART' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Sequence	Branch Code	Branch Description	Branch Date	Current Stage	Target Stage
				Transaction Input	Mark Time Level 9

In order to initiate EOC operations, specify the following details:

EOC Reference

On clicking 'Submit' button, the system generates a unique EOC reference number.

Target Stage

As part of EOC operations, the system will process each selected branch from its current stage to the target stage. Select the target stage for all the branches from the adjoining drop-down list. This list displays the following stages:

- Mark End of Transaction Input
 - Post End of Transaction Input 1
 - Post End of Transaction Input 2
 - Post End of Transaction Input 3
- Mark End of Financial Input
 - Post End of Financial Input 1
 - Post End of Financial Input 2
 - Post End of Financial Input 3
- Mark End of Day
 - Post End of End of Day 1
 - Post End of End of Day 2
 - Post End of End of Day 3
- Mark Beginning of Day
 - Post End of Beginning of Day 1
 - Post End of Beginning of Day 2
 - Post End of Beginning of Day 3

- Mark Transaction Input

You can select the appropriate one. The system defaults this as the target stage for all branches. However, you can modify the same for each branch.

Run Branches

Indicate the mode in which the EOC operation should take place. The system allows you to select any one of the following run modes:

- Serial – The system processes EOC in a serial mode taking branch after branch. In this mode, even if the process fails for a particular branch, the system moves on to the next branch and proceeds.
- Parallel – The system processes EOC stage wise, for all selected branches. At any stage if it fails, the system will not be able to run it for any of the remaining branches. For example, consider an EOC operation for two branches, Branch A and Branch B from the stage 'Set Time Level to 9' to the stage 'End of Financial Input'. The system initially processes both branches to the stage 'End of Transaction Input' at once. It goes on till the final stage. However, in the meantime, if any branch fails to process, the system stops the EOC operations for both the branches together.

Note

You should select the Run batch mode as 'Parallel' or 'Cutoff' while processing EOD and EOC Business group. The system displays an error message when the group type is 'BU Group' and the Run Batch mode is other than 'Parallel' or 'Cutoff'.

EOC Type

Select a valid EOC operation type you need from the adjoining drop-down list. This list displays the following options:

- Multi Thread – If you select this option, the system runs EOD based on the scheduler framework. Oracle FLEXCUBE prepares EOD run charts for the selected branches and submits synchronous request to the Database to run EOD. Scheduler framework then picks-up these branches and runs EOD. Hence Multi Thread is also referred as 'Scheduler' type. A Scheduler Framework is available to process EOD batch.
 - Branch Scheduler – It polls branches submitted for EOD in scheduler mode and triggers the EOD process. Before triggering the EOD process for a particular branch, the scheduler validates its feasibility for processing EOD. If EOD Running Mode is maintained as 'Parallel', then it checks for the movement of the branch to the next stage, because all the branches are synchronously moved across stages. Scheduler also keeps track of number of sessions for the current EOC.
- Single Thread – If you select this option, the system runs the entire EOD process in single session, for all branches. After submitting EOD, Oracle FLEXCUBE submits an asynchronous request to the Database to run EOD.

Maximum Threads

Specify maximum number of sessions you need to maintain, if you have selected 'Multi Thread' as 'EOC Type'.

Group Type

Select the group type to capture the level at which the End of day process to be executed from the drop-down list. The list displays the following values:

- Custom Branches - To process End of Day for a single or multiple branches as per the executive choice. The branch codes selected is processed only when all the branch(es) are not part of any valid EOC Business group.
- EOC Group - To process the End of Day for a single End of Day branches group

- Business Group - To process the End of Day for a Business group

Group Code

Specify the group code. Alternatively, you can select the group code from the option list. The list displays the valid group codes maintained in the system.

Group Description

Specify the description of the group code selected.

Click 'Add Branches From Group' to populate all the branches, which are part of the EOC Business group or End of Day (EOC) group.

Under EOC Branch Groups, the system displays the list all EOC branch groups that you have maintained. You can select one or more branch groups to proceed with EOC operations. Use the checkbox adjacent to each group to select it. Check against 'ALL' to indicate that the EOC has to be run for all the branches together.

Once you have selected the branch groups, click 'Populate' button. Under EOC Branches, the system displays all branches grouped under the selected branch groups.

Note

The system does not display the branches for which EOC is already running.

You can add more branches to the list of branches displayed. Click add icon to add more rows to the list. Specify a valid branch code to set the target stage. This adjoining option list displays all valid branch codes maintained in the system. However, the option list will not display the branches for which EOC is already running.

To remove a branch from the list, check the box adjacent to the branch code and Click delete icon.


Once you have specified all the details, click 'Submit' button. The system proceeds with the EOC process in Asynchronous mode after necessary validations.

You can use the 'Reset' button to clear the list of branches. Further, you need to select the branch groups and individual branches again to proceed with EOC operation.

4.2.2 Verifying EOC Process

In Oracle FLEXCUBE, you can verify the status of EOC that you have submitted. The EOC Monitor screen displays the status of EOC process across branches. You can invoke the 'EOC Monitor' screen by typing 'AESBRMTR' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screen is as shown below:



Branch Code

You can filter your search by branch code. Select the branch code from the option list to view the status of the EOC processes for that branch.

EOC Reference Number

You can filter your search by the reference number of the EOC operation. Select the reference number from the option list to view the status of the EOC processes.

You will notice four buttons arrayed on the screen. The functions that each of these buttons performs are detailed below:

Search

For the specified criteria, on clicking 'Search' button, the system fetches the records.

Reset

Use this button to reset the search criteria.

Advanced Search

You can perform an advanced search defining more filter criteria.

Go to Page

Based on the number of records displayed per page, the system will fetch them on multiple pages. Enter the page number and use this button to navigate to that page.

On this screen, you can search for the EOC processes that are currently running. Specify the branch code or the EOC Reference number and click 'Search' button. Based on the filters that you have set, the system displays the details of the EOC processes.

You can drill down to view the detailed information on a specific EOC process. Double click on the required row to view the details.

The system displays the following details under EOC Runchart:

- Branch Date
- Sequence
- EOC Stage
- Stage Status
- Reference Number
- Session

You can select a particular stage to see the status of the batches configured for that stage. The system displays the following details pertaining to the selected batch:

- EOC batch
- Batch status, i.e. pending, completed or aborted
- The EOC reference number
- Error code, in case the process is aborted

If you find a batch in aborted status, you may process the batch again using 'Rerun Batch' button.

4.2.3 Dropping End of Transaction Input

You may stop a running AEOD batch within the current branch using 'End of Cycle Operations' screen. You can invoke the 'End of Cycle Operations' screen by typing 'EIDUEOTI' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screen is as shown below:

The screenshot shows a software window titled "End Of Cycle Operations". Inside the window, there is a "New" icon at the top left. Below it, there are two main sections: "- Branch Status" and "- Mark Branch Status". Under "- Branch Status", there are three input fields: "Branch Code", "Branch Name", and "End of Input". Below these fields is a button labeled "Drop End of Transaction Input". At the bottom right of the window, there is an "Exit" button.

The system displays the following details on this screen:


- Branch code of the current branch
- Branch name
- End of Input

You can stop an AEOD process by clicking 'Drop End of Txn Input' button on the screen. The system seeks a confirmation for going ahead with dropping. Once you confirm it, the system updates the status of the process as 'End of Transaction Input'.

4.2.3.1 Stopping EOC for Running Branches

You can stop running EOC processes for specific branches using 'End of Cycle' screen. You can invoke the 'End of Cycle' screen by typing 'AEDSTOP' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screen is as shown below:



The system displays the running branches on this screen. Check the box under 'Stop', against the branches for which you wish to stop the process. Click 'Stop' button to stop the process for the selected branches.

4.2.3.2 **Various Stages of EOC Process**

End of Transaction input (EOTI)

The End of Transaction input (EOTI) stage is the first stage in EOD operations. The system should be moved to this status after all the transactions for the day have been entered into the system. In addition, all the transactions should be authorized and the relevant messages generated.

Note

Please note that while it is not mandatory for all the messages to be generated on the same day as transaction input, it is ideally done that way. In an exceptional situation, you can go ahead with the End of Day processes without generating a message. This message will remain in the ungenerated status in the Outgoing Message Browser and can be generated on any other day. An ungenerated message will not be archived.

You will not be allowed to mark EOTI under the following circumstances:

- When a message is in an unprocessed state

Note

When a reply to the message sent has either not been received or arrived at by the system.

- The above validations are applicable for RTGS messages only.
- When transactions that have been input are yet to be authorized
- When the debit and credit totals for the day do not match for some reason

Under such circumstances, you should examine the transaction(s), which have resulted in the imbalance (with the help of the Transaction Journal) and take the necessary action. The action could be in the posting an extra entry, or moving an entry from one account to another, etc.

After you have moved the system to this status, you will neither be allowed to enter further transactions into the system nor will you be allowed to perform any maintenance functions. All the relevant toolbar actions will also be disabled. However, you can perform queries on the system.

You can run only those automated functions that have been defined for this stage of End of Day processing.

End of Financial Input (EOFI)

At this stage no further accounting entries can be passed for the day either through transactions that you have entered or by transactions that are automatically triggered by the system.

After you have moved the system to this status you can generate financial reports for the day now since all the automatic processes have been run for the day and since the balances available will be the latest.

After EOFI is marked, you can generate all advice related messages like reports, tracers and all other information on the day's activities.

End of Day

The EOD process is designed to tie up all the operations for a financial day and prepare the system for the next day.

The End of Day operations for a branch can begin after all the transactions for the day have been input and authorized. Ideally, all the messages for the day should also be generated before the End of Day operations begin. A message should be carried over to a subsequent day only under exceptional conditions.

The End of Day status indicates that you have completed all the activities for the day. After EOD for a branch is run, the system will not allow you to run any other operation in the branch, till the system date has been changed to the next working day, and authorized. If you try to run any application, you will be prompted to change the system date first.

4.3 Maintaining End of Cycle Business Group

You can group the existing End of Day groups to a Business group. The system provides a flat 'cut-off' to capture cut-off processing required for the group.

- By enabling the cut-off processing required at the EOC business group level, the existing cut-off of the intra-day batch AEDCUOFF is enabled for the branches part of this group.
- Centralized cut-off is applied for all the branches part of the EOC business group.
- Centralized date change is applied for all the branches part of the EOC business group.
- Call centre or branch users, posting the transactions during cut-off is operationally controlled to access only branches part of the EOC business group that is having the cut-off processing required.

You can group the existing End of Day groups to a Business group in the 'EOC Business Maintenance' in 'EOC Business Group Maintenance' screen. To invoke this screen type 'AEDBUGRP' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Specify the following details:

Group Code

Specify the business group code.

Group Description

Specify the description of the business group code.

Cutoff

Check this box to indicate cut-off processing is required.

EOC Group


Specify the EOC group code. Alternatively, you can select the EOC group code from the option list. The list displays the values maintained in the system.

Note

If a Customer Account statement is taken during cut-off and after date change, the system logs the statement date as next working day for the transactions processed during the cut-off.

4.3.1 Viewing End of Cycle Business Group Summary

You can view the details of the End of Cycle business group in the 'EOC Business Group Maintenance Summary' screen. You can invoke this screen by typing 'AESBUGRP' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.



You can search for the records based on either one or more of the following search parameters:

- Authorization Status
- Record Status
- Group Code
- Group Description
- Cutoff

Once you have specified the search parameters, click 'Search' button. The system will display the following information:

- Authorization Status
- Record Status
- Group Code
- Group Description
- Cutoff

4.4 Changing System Date

The first task for a business day is to change the system date to the current working date. This date will be used by the system for all purposes that are associated with a date: automatic processes scheduled for the day, the date/time stamp for the activities that take place during the day, and so on.

You can maintain details of the system date in the system dates table. You can invoke the 'System Dates Maintenance' screen by typing 'STDDATES' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The default date will be displayed in the screen. For instance, on the first working date 1st of January, 1998; the system dates will be updated to read as follows:

Today s date = 01 January 1998

Previous working date = 31 December 1997

Next working date = 02 January 1998

Today's date is defaulted from Next working date of the old record. Previous working date is defaulted from today's date of the old record. The Next working date is picked up from the Local branch holiday calendar as maintained for your branch.

You can change the defaulted values for Today's date and Next working date. Any change to these fields will require an override.

The only time you add a record in the system dates table is when Oracle FLEXCUBE is first installed in your branch. Subsequently, you should only modify the record to change the current system date. To modify the dates in the table, Click unlock icon when the details of the date change record are displayed.

Saving the Record

After you have made the necessary changes, click save icon.

On saving the record, your User ID will be displayed in the Input By field at the bottom of the screen. The date and time at which you saved the record will be displayed in the Date/Time field.

A record that you have created should be authorized by a user bearing a different Login ID, before the EOD process is run. Once the record is authorized, the ID of the user who authorized the record will be displayed in the Auth By field. The date and time at which the

record has been authorized will be displayed in the Date/Time field positioned next to the Auth By field. The status of the record will be displayed in the check box marked Authorized. The field will remain unchecked until the record is authorized.

Click 'Exit' button to exit the screen. You will be returned to the Application Browser.

4.4.1 Authorizing Date Change

The date change should be authorized before you can carry out any further activity on the system. Authorization can be carried out only by a user other than the one who carried out the activity being authorized. For example, if you have modified the dates in the System Dates Maintenance table, it should be authorized by a user bearing a different Login ID.

Note

To reiterate, you have to authorize the date change immediately. None of the other functions of Oracle FLEXCUBE will run, if the date change is unauthorized.

The Procedure

To authorize a system Dates Maintenance record, click authorize icon. You will be prompted to confirm the authorization. The record will be authorized only if you give the confirmation.

After you confirm the authorization, your user-ID will be displayed at the Auth By field. The date and time authorization will be displayed in the Date/Time field. These fields will always show the details of the latest authorization.

Note

Please note that the current system date can be changed only when the EOC status is in Date change. However, after running the Beginning of Day processes for the day and before you mark the EOTI status, you can change the Next Working Day.

5. Annexure A - List of End of Cycle Functions

5.1 Introduction

This Annexure contains details of all the mandatory functions that should mandatorily run as part of the following stages of the EOC cycle:

- Beginning of Day (BOD)
- Pre-End of Day
- End of Day (EOD)

The contents of this Annexure are organized on the basis of the module to which the function belongs.

5.1.1 Beginning of Day (BOD) Functions for all Modules

The mandatory functions for BOD are marked with a Yes under the Mandatory Column.

Module	Function	Frequency	Mandatory
SMS	Change time	Daily	
Core	Posting of tank	Daily	
CASA	Group Status Change	Daily	
DE	Till opening	Daily	Yes
DE	Cash movement function	Daily	
FT	Autoint	Daily	Yes
FT	FT exception report	Daily	Yes
FT	Contract release processed by FT rate update function	Daily	
LD	Auto- daily	Daily	
LD	Auto- initiation	Daily	
LD	Auto- liquidation	Daily	
MM	MM activation of forward contracts	Daily	Yes
MM	MM auto- liquidation of contracts	Daily	Yes
MM	MM auto- liquidation of interests	Daily	Yes
MM	MM auto- rollover execution	Daily	Yes
MM	MM maturity report	Daily	
MM	MM exception report	Daily	Yes
BC	Accruals	Daily	Yes
BC	AutoLiq	Daily	Yes

BC	Auto-change of Acceptance to Advance	Daily	Yes
BC	Auto- status control	Daily	
BC	Floating rate change	Daily	
BC	Tracer generation	Daily	
LC	LCEOD	Daily	Yes
SI	Sweeps	Daily	
AEOD	Refinance rates	Input	
AEOD	Currency rates	Input	
AEOD	Forward rates	Input	
AEOD	Discount rates	Input	

5.1.2 End of Day (EOD) Functions for all Modules

The mandatory functions for EOD are marked with a Yes under the Mandatory Column.

Module	Function	Frequency	Mandatory
SMS	Log of events	Daily	
SMS	Security violations report	Daily	
Core	Financial balancing	Daily	
Core	Date change	Daily	
Core	Accounting entries history	Daily	
Core	Currency position update	Daily	
Core	Auto- revaluation	Daily	
Core	Account statement	Daily	
Core	Brokerage liquidation	Daily	
Core	Brokerage liquidation report	Daily	
Core	Limits updation	Daily	
CASA	Group Status Change	Daily	
CASA	Liquidating PDC Linked Schedules	Daily	
DE	Daily cash movement function	Daily	Yes
DE	Daily cash movement report	Daily	Yes
DE	Batch totals report	Daily	
DE	Transaction journal	Daily	Yes

DE	Daily teller transaction report	Daily	
DE	Till balancing exception report	Daily	Yes
DE	Till closing position (history)	Daily	Yes
CASA	Amount block	Daily	
CASA	Stop payment	Daily	
FT	FT activity journal	Daily	Yes
FT	FT contract report	Daily	
FX	FX contract revaluation	Daily, Monthly	Yes
FX	FX contract auto liquidation	Daily	Yes
FX	FX auto- rollover	Daily	Yes
FX	FX settlement message generation	Daily	Yes
FX	FX fetch unauthorized	Daily	Yes
FX	FX netting of (settlements amounts)	Daily	Yes
FX	FX contracts purge	Optional	
LD	Auto- daily	Daily	
LD	Auto- interest liquidation	Daily	
LD	Auto- liquidation	Daily	
LD	Auto- rollover	Daily	
MM	MM activation forward contracts	Daily	Yes
MM	Auto- liquidation of MM contracts	Daily	Yes
MM	MM auto- liquidation of interests	Daily	Yes
MM	Generation of payment messages, days before actual date	Daily	Yes
MM	MM auto- rollover execution	Daily	Yes
MM	MM interest rate revision	Daily	
MM	MM fetch unauthorized	Daily	
MM	MM maturity report	Daily	
MM	MM daily movement	Daily	Yes
MM	MM exception report	Daily	Yes
BC	Accruals	Daily	Yes
BC	Auto- liq	Daily	Yes

BC	Auto-change of acceptance to advance	Daily	Yes
BC	Auto- status control	Daily	
LC	LCEOD	Daily	Yes
LC	LC tracer general	Daily	Yes
IC	Liquidation	Daily	
IC	Interest advices	Daily	
IC	Accruals	Daily	
SI	SI Batch Process	Daily	Yes
GL	GL report	Daily	
GL	Cash flow report	Daily	
MIS	Product profitability	Daily	
MIS	Customer profitability	Daily	
MIS	Pool profitability	Daily	
MIS	MS clause- wise report	Daily	
AEOD	Change time level	Daily	

5.1.3 Pre-End of Day Functions for all Modules

The mandatory functions for BOD are marked with a Yes under the Mandatory Column.

Module	Function	Frequency	Mandatory
BC	Auto- status control	Daily	
LC	LCEOD	Daily	Yes
IC			
SI	Payments	Daily	

The following is the list of pre-EOC functions that have to be executed after EOTI has been marked:

Module	Function	Frequency	Mandatory
BC	Auto- status control	Daily	
LC	LCEOD	Daily	Yes
SI	Payments	Daily	

5.2 Account Revaluation Batch

As part of EOD batch programs, the system will maintain the account revaluation batch (ACCREVAL). This program will be maintained at EOTI (Pre-EOC) stage of end of day. Revaluation accounting is posted in foreign currency with equivalent of LCY difference.

This batch will do the revaluation separately for Internal GLs, Customer Account Revaluation is maintained for profit and loss GLs in the GL maintenance. For the GL's maintained at the revaluation setup, you need to check the 'Revaluation' checkbox at GL chart of accounts level.

This batch will also transfer the foreign currency positions to a designated branch based on the revaluation/ position transfer setup maintained at the branch preferences level.

The system will transfer the position from the existing branch to the treasury branch. If the position is negative in the given GL, then the system will choose the offset account as Position asset GL and if the position is positive in the given GL, then the system will choose the offset account as Position liability GL.

The sequence of the EOD between the designated branch and all other branches are operationally controlled.

6. Function ID Glossary

A

AEDBRMTR	3-3
AEDBUGRP 8	
AEDECGRP	2-2
AEDECGRU 2	
AEDSTART	4-2
AEDSTOP	4-6
AESBRMTR	4-4
AESBUGRP 9	

B

BADEODFE	2-1
----------------	-----

E

EIDMANPE	2-3
EIDREVRS	3-5
EIDUEOTI	4-6
EISREVRS	3-7
EISVWPEN	3-2
EISVWPNT 2	
EISWPPGM	3-4

S

STDDATES	4-11
STSWUNAT	3-1