Oracle FLEXCUBE Universal Banking ® 12.87.04.0.0 Development Workbench - Tracking Changes

January 2018



Contents

1	Pr	eface	3
	1.1	Audience	3
		troduction	
	2.1	How to use this Guide	3
		ew Changes	
		Process Steps	
4		lange Report	
		Process Steps	
		Functionality Demonstration	

1 Preface

This document describes the Tracking Changes available in Oracle FLEXCUBE Development Workbench for Universal Banking and guides the developers on how to use this feature

1.1 Audience

This document is intended for FLEXCUBE Application developers/users that use Development Workbench to develop various FLEXCUBE components.

To Use this manual, you need conceptual and working knowledge of the below:

Proficiency	Resources
FLEXCUBE Functional Architecture	Training programs from Oracle Financial Software Services.
FLEXCUBE Technical Architecture	Training programs from Oracle Financial Software Services.
FLEXCUBE Object Naming conventions	Development Overview Guide
Working knowledge of Web based applications	Self Acquired
Working knowledge of Oracle Database	Oracle Documentations
Working knowledge of PLSQL developer	Respective vendor documents
Working knowledge of PLSQL & SQL Language	Self Acquired
Working knowledge of XML files	Self Acquired

2 Introduction

2.1 How to use this Guide

The information in this document includes:

- <u>Chapter 2 , "Introduction"</u>
- <u>Chapter 3 , "View Changes "</u>
- <u>Chapter 4 , "Change Report"</u>

3 View Changes

View Changes allows the developer to see what exact change has been done in the radxml as part of the various nodes in the Workbench across different releases.

Track changes will show various changes done in each node in the radxml. It will highlight the nodes through the color. It shows the modified Data Sources, Data Source Fields, LOVs, Data Blocks, Block Fields, Call forms etc in Blue Color. And it shows the newly added Data Sources, Data Source Fields, LOVs, Data Blocks, Block Fields, Call forms etc in Green Color.

The main page of View changes looks like function generation page. Here in this page user is allowed to load a radxml. Then Workbench will show the all the changes done in the radxml across the release and release type accordingly with two different colors.

Blue indicates modified Green indicates new.

So using View changes in Development Workbench, user can easily identify the changes done in the radxmls across releases Across the release and release type.

3.1 Process Steps

The starting page of the View changes will have only load button enabled and all the other buttons will be disabled at the beginning.



Fig 4.0 Development Workbench - View Changes link.

w Changes			
			🖩 🗵 🔳 🔗 🇐
Action Load -		Function Type Parent	Function Category Maintenance
Function Id		Parent Function	Header Template None 👻
Load Screen Xml	BROWSE	Parent Xml	Footer Template None
ch			
🚞 Preferences			
DataSource			
DeteRiseks			
i DataBlocks			
FieldSets			
ia Actions			
CallForms			
🚞 LaunchForms 🚞 Summary			
Juninary			

Fig 4.2 Development Workbench - View Changes page.

This page will allow user to load the radxml to view the changes in the radxml across releases and release types.

Workbench allows viewing the changes done as part of Child or Cluster or Custom Release. Upon loading the Cluster or Custom or Child RAD xml, it shows the Modifications done as part Of Cluster or Custom or Child.

To load the radxml.




Fig 4.3 View Changes - loading radxml.

After loading the radxml one small window will pop up and will notify the details of the function id Like Function Type, Release Type.

Figure notifies that changes done in the radxml as part of Cluster Release will be highlighted




Fig 4.4 View Changes – Notifying the release type in which changes done

This will give brief details of what are the changes shown according to the release type. After loading the function id , Workbench will show the screen in the below format with blue and green accordingly.

View Changes		_ ×
		🖬 🗷 🔳 7 🎯 💠
Action Load Function Id FTDREAS Save XML Path FTDREAS_RA	Function Type Parent Parent Function BROWSE Parent Xml	Header Template None Footer Template None
Search	Block Field Properties	- N Q 9
Preferences DataSource DataSource DataSource DotOULE EVENT_DATE EVENT_CODE ListOfValues DataBlocks DataBlocks DataBlocks DataBlocks EVENT_DATE EVENT_DATE EVENT_CODE Screens FIEldSets FI	Field Name ◆ MODULE Field Label DataSource Column Name ◆ MODULE Data Type ◆ Varchar2 → Display Type Item Type Parent Field Related Block Related Field LOV Name FieldSet Name FST_REASSIGN	XSD Tag MODULE Required XSD Annotation Visible Field Size * Read Only Maximum Length Calender Text Minimum Value Popup Edit Required Maximum Decimals Uppercase Only Maximum Decimals Input by LOV Only TextArea Rows Input by LOV Only Obfault Value Not Required in Xsd Preview Value Report Parameter Mask Id VE
CallForms LaunchForms Summary	Custom Attributes Events Related Field	· [+]-]
Junnary	Attribute Name	Attribute Value Active Position
		-

Fig 4.5 Highlighting the Changes done in Cluster Release

This will show the changes in the colors blue and green. Blue indicates modified and green indicates new, so in this function id.

One data source is modified (in blue color) while one block is newly added (in green color) as part of cluster release

4 Change Report

Change Report allows us to view the changes in the provided base and source list of radxml's, helps to get the changes done in the two radxml's across releases and release types.

View Changes Report allows the developer to see what exact change has been done in the radxml's as part of the various nodes in the Development Workbench across two different releases or release types.

It is generates reports based on two formats **Comparison Types:**


- 1. Function specific: Compares Radxml's Based on the function name
- 2. Parent child: Compares Radxml's Based on the parent child Relation


These are the nodes which are compared and report is generated based on the differences found in these below nodes of the two radxml's given in the list Radxml's.

PREFERENCES, MENU_DETAILS, DATASOURCES, COLUMNS, LOVS LOV_DETAILS, DATA_BLOCKS, BLOCK_FIELDS, DATASOURCES_ATTACHED, CUSTOM_ATTRIBUTES, LOV_RETURN_FIELDS, LOV_BIND_VARS, FIELD_EVENTS, LOV_OFF_LINE_BIND_VARS, LOV_OFF_LINE_RETURN_FIELDS, SCREENS, SCREEN_ARGUMENTS, TABS, SECTIONS, PARTITIONS, FIELDSETS, FIELDSET_FIELDS, SUMMARY, SUMMARY_DETAILS, LAUNCHFORMS, CALLFORMS, ACTIONS, WEB_SERVICES.

4.1 Process Steps

View Changes Report process is explained taking STDCUSAC as example From FCUBS_11.3.0 and FCUBS_11.4.0 Releases. Click on View Change Report Node from Development Workbench landing page.





The following window will be launched

Vi	ew Changes Excel				_ ×
	Source File List Comparison Type	Same Function ▼ ✓ Data source Changes ✓ Data Blocks Changes ✓ Screen Changes	SE Base File	List BROWSE Lov Changes Fieldset Changes Other Nodes Changes Order Changes	
	SI.No	File Name	File Status	Error Description	*
					~
				Genera	ate Close


Fig 4.1.2: Development Workbench View Changes Report Screen

Source File List: Browse and select the text file containing source file list.

🗉 🚞 Administration	View Changes Excel			×
Eurotion Generation				
Screen Customizer		BROWSE Base File List	BROWSE	
Tracking Changes	Upload	×	Lov Changes	
View Changes			📝 Fieldset Changes	
🗀 Change Report			Olher Nodes Changes	
Notification Triggers				
Notifications	Upload File	Browse	Order Changes	
Bulk Generation				
Excel Template Generation				
Refresh		Choose File to Upload		×
🗉 🚞 Web Sevices				
🗉 🗀 Trax			✓ 4 Search 113	Q
Block Detail Upload			0	
Test Case Definition		Organize 🔻 New folder	8== ▼	
Runchart Definition		Name	Date modified	Туре
Test Case Data Upload		Favorites		
Create Request		Desktop Source.txt	9/6/2013 11:17 AM	
Test Case Execution Runchart Execution		Downloads	RAD.xml 2/11/2011 3:47 PM	M XML File
Test Case Data Bulk Upload		📃 Recent Places		
Test Case Data Burk Optoad Execution Report				
Generic Interface Formats		Nesktop		
Sql Editor		📜 Libraries		
Purge Generation		B panraju ≡		
		E Computer		
		System (C:)		
		👝 Data (D:)		
		🔮 DVD RW Drive (
		FLEXCUBE_Kerr		
		📮 Xperia L		
		Setwork		
		Control Panel		
		· · · · · ·		
		Recycle Bin 👻 🖌	III	•
		File name: source.txt	✓ All Files (*.*)	-
		Jourceixe		
			Open	Cancel


Fig 4.1.3: Selecting source file list text file for View Changes Report

Source File list is a text file which contains the absolute path of all the radxml's to be compared.



The figure above shows the content of the source.txt file .Here STDCUSAC is the source radxml which has to be compared.

If View Changes Report of more than one function_id is required, absolute path of each radxml has to be specified; each in a new line



Base File List: Browse and select the text file containing base file list

Fig 4.1.5: Selecting base file list text file for View Changes Report

Base File list is a text file which contains the absolute path of all the base radxml's to be Compared (here STDCUSAC is the base radxml)

If View Changes Report of more than one function_id is required, absolute path of each base radxml has to be specified; each in a new line

1	🗐 ba	se.txt ·	- Notepad			x	
	File	Edit	Format	View	Help		
Ī	D:∖v	init	\114\51	DCUS/	AC_RAD.xml		*
l							
l							
l.							
l							
I.							
1							
I.							
1							
1							
١.							-
	•					P	.н.

Fig 4.1.6: Content of base.txt file

File Location: Choose file location as client if the path provided is in the client machine. **Comparison Type:** Choose Comparison type as Function Specific.

Select Changes: Check if required to compare the selected nodes also.

Click on Generate button on lower left portion of the screen and wait for the system to do the process.

Process time will vary depending on the number of files provided, size of each files etc




Fig 4.1.7: File Status after View Changes Report

After Completion of the process, status will be shown in the screen. File status will be generated successfully if comparison is successful.

Generated Files:

1) **Excel Report of Changes:** A war file named RAD will be created and will be shown after successful process of comparing, which will contain Excel files for the particular source radxml's.

PANDETIP_FRONTEND_LOG.txt

- 2) Log Files : Following log files will be generated
 - i) View Comparison Log: This contains the status of all the files Compared.
 - ii) View Comparison Report: This file can be used for troubleshooting.

All the nodes will be compared and will be painted in the excel sheet based upon the values of base and source list of radxml's, the values will be having 3 statuses

NEW, MODIIFED, DELETED.

Based on this status old and new values will be shown in the view changes report.

4.2 Functionality Demonstration

In the above View Changes Report process, **STDCUSAC** is compared with the latest **STDCUSAC**. The figure below shows the comparison of STDCUSAC (**FCUBS_11.3.0**) and STDCUSAC (**FCUBS_11.4.0**).

This source is part of the FLEXCUBE Software System and is copyrighted by Oracle Financial Services Software Limited.

All rights reserved. No part of this work may be reproduced, stored in a retrieval system, adopted or transmitted in any form or by any means, electronic, mechanical, photographic, graphic, optic recording or otherwise, translated in any language or computer language, without the prior written permission of Oracle Financial Services Software Limited.

Oracle Financial Services Software Limited. 10-11, SDF I, SEEPZ, Andheri (East), Mumbai -400096. India. Copyright 2008-2010 by Oracle Financial Services Software Limited. All rights reserved.

	SOURCE	BASE
FUNCTION_ID	STDCUSAC	STDCUSAC
RELEASE CODE	FCUBSV.UM 11.2.0.0.0.0.0	FCUBS 11.4.0
RELEASE TYPE	KERNEL	KERNEL
FUNCTION TYPE	P	Р
FUNCTION CATEGORY	MAINTENANCE	MAINTENANCE
_		

Fig 4.2.1: STDCUSAC screen copy right clause.

Fig 4.2.2: STDCUSAC screen Header.

PREFERENCES

STATUS	PREFERENCES	PROPERTIES	OLD VALUE	NEW VALUE
MODIFIED	MENU			
		TXN BLOCK NAME	BLK_CUST_ACCOUNT	
		TXN FIELD NAME	BRN	
		MULTI BRANCH ACCESS	Y	

STATUS	MENU DETAILS	PROPERTIES	OLD VALUE	NEW VALUE
MODIFIED	STDCUSAC			
		LBL FUNCTION DESC		LBL_STDCUSAC_FNDESC
				Customer Accounts
		FUNCTION DESC		Maintenance
		LBL FUNC MODULE		LBL_STDCUSAC_MODULE
		DESC		_
MODIFIED	STSCUSAC			
		LBL FUNCTION DESC		LBL_STSCUSAC_FNDESC
				Customer Accounts
		FUNCTION DESC		Summary
		LBL FUNC MODULE		LBL_STSCUSAC_MODULE
		DESC		

Fig 4.2.3: STDCUSAC screen Preferences changes from previous release screen

The change report will compare the two function ids and will paint the excel sheet in the format above represented for the preferences node of the radxml's compared. Preferences will show the difference in the both versions of the releases. The nodes representing here are

(PREFERENCES, MENU_DETAILS)

Description:

change Report will compare two radxml's and will form one Dom which will have the nodes which will have the diff between two radxml's which has old value and new value.

Here in preferences, the status is the nodes are modified and the node modified is preferences the property of that node modified is Txn block name Old value is block_cust_account no and new value is null ,STDCUSAC (FCUBS_11.3.0) radxml has no value and STDCUSAC (FCUBS_11.4.0) has block_cust_account as Txn block

Similarly for the other screens also the values will be painted as below fig.

DATASOURCES

i i	💑 Cut 📄 Copy		rial B I U -	• 10 • A		≫- ≢ #=	Wrap T		Genera	il % • .	• 00.0	Conditional	Format	Cell	Insert	Delete Form	The second seco	ZI Sort 8	Find &
×	Ipboard	Painter 🛄	Fo					5		Number	6	ormatting *	as Table -			• •	2 Clear	Filter Editing	Select *
C						Alignm	ieni	0		vumber			Styles			Cells		Ealling	
	F9	• (DELETED	0		D		1	-		F			0				
STA	A	DATASO	B	PROP	C ERTIES	OLD V	D /ALUE		NEW V	E		F			G		Н		
	DIFIED	ICTMS_A																	
					JLT WHE	produc ictms_	N (SELECT ct_code FR/ product_de RE product_	finition	product ictms_p	(SELECT _code FR(roduct_de _ product_	finition)							
MOE	DIFIED	ACVWS_	CRTUR_LMT	_BAL		LIMIT	PRD = (SE	LECT	LIMIT F	RD = (SE	LECT								
						STTM	PRD FROM TURNOVE HERE LIMI	R_PERIC	STTM_1		R_PERI								
						ust_ac MT_CO to_date date) E	_stdcusac.v count.TRN ODE AND e(global.ap) BETWEEN	OVER_L plication_	account CODE / to_date date) Bl	TRNÖVE AND (global.app ETWEEN	R_LMT_								
				DEEAL	JLT WHE		START_DA			IARI_DA									
					SRC TYP	NORM		-)	LINIT_L		-)								
					DATASE	Ν													
												STATUS		DLUMNS		PR	OPERTIES		OLD VAL
												DELETER) BF	RANCH_C	ODE			-	DD 4 NOU
																	LUMN NAME		BRANCH
																	X LENGTH		УАКСПА 3
																WI-	AN ELINOTTI		BLK STT
																BI	OCK NAME		NKAGES
												DELETER) CL	IST AC I	NO				
																CC	LUMN NAME		CUST A
																DA	TATYPE		VARCHA
																MA	X LENGTH		20
																			BLK_ST
																	OCK NAME		NKAGES
												DELETER		ULLATER.	AL_TYPE				
																	LUMN NAME		COLLATE
																	TATYPE		VARCHA
																MI/-	IN LENGTH		
												DELETER) ((LLATER.	AI	BL	OCK NAME		BLK_STT NKAGES
												Second			-	CC	LUMN NAME		COLLATE
																	TATYPE		VARCHA
																	X LENGTH		50
		ight Clause	/ Header /	PREFERENC			- /		1/	NS / FIEL									

Fig 4.2.4: STDCUSAC screen Data Sources changes from previous release screen

The change report will compare the two function ids and will paint the excel sheet in the format above represented for the Data Sources node of the radxml's compared. Data Sources will show the difference in the both versions of the releases. The nodes representing here are

(DATASOURCES, COLUMNS)

Order Changes:

View Changes Excel				_ ×
	Browse Data source Changes Data Blocks Changes Screen Changes Other Nodes Changes	Base File List Browse ✓ Lov Changes ✓ Fieldset Changes ☐ Order Changes	e Comparison Type Same Function 👻	
SI.No	File Name	File Status	Error Description	
			Generate Close	1

Fig 4.2.5: order changes in change report screen

On click of this order changes the nodes will also be compared for the order maintained in the radxml of respective releases. Mainly order changes will affect 3 nodes

FIELD_ORDER, FIELDSET_ORDER, TAB_ORDER, SEC_ORDER, DATA_BLK_ORDER, BLK_FIELD_ORDER

All the orders will be compared between sources and base radxml's and will be painted in the excel as below fig

One such example Comparing two radxml's with order changes required in the screen the comparison will include the above nodes in comparing the two radxml's.

Order Changes screen for fieldsets:

STATUS	FIELDSETS	PROPERTIES	OLD VALUE	NEW VALUE
MODIFIE	FST_REVOLVING_LOAN			
		FIELDSET_SECTION	SEC_PREF1	SEC_PREF4
		FIELDSET_PARTITIO	SEC PART3	SEC PREF4_PART
		FIELDSET_VISIBLE	Y	N
		FIELDSET_ORDER	59	0
MODIFIE	FST_PRD			
	652			
	FOT DU			
MODIFIE	FST_RML			
				-
	1			

STATUS	FIELDSET_FIELDS	PROPERTIES	OLD VALUE	NEW VALUE
MODIFIED	LEASE_TYPE			
	1953-19	ACTIVE	Y	N
		FIELD_ORDER	8	0
STATUS	FIELDSET_FIELDS	PROPERTIES	OLD VALUE	NEW VALUE
NEW	ROLLALWD			
		FIELD_NAME		ROLLALWD
		ACTIVE	1	Y
		FIELD_ORDER		2
NEW	PRDTYPE	-		
		FIELD_NAME		PRDTYPE
		ACTIVE		Y
		FIELD ORDER		3

Fig 4.2.6: order changes painted in excel sheet in change report screen



Development Workbench - Tracking Changes January 2018

Oracle Corporation World Headquarters 500 Oracle Parkway Redwood Shores, CA 94065 U.S.A.

Worldwide Inquiries: Phone: +1.650.506.7000 Fax: +1.650.506.7200 www.oracle.com/ financial_services/

Copyright © 2017-2018 Oracle Financial Services Software Limited. All rights reserved.

No part of this work may be reproduced, stored in a retrieval system, adopted or transmitted in any form or by any means, electronic, mechanical, photographic, graphic, optic recording or otherwise, translated in any language or computer language, without the prior written permission of Oracle Financial Services Software Limited.

Due care has been taken to make this document *Development Workbench-Tracking Changes* and accompanying software package as accurate as possible. However, Oracle Financial Services Software Limited makes no representation or warranties with respect to the contents hereof and shall not be responsible for any loss or damage caused to the user by the direct or indirect use of this *Development Workbench-Tracking Changes* and the accompanying Software System. Furthermore, Oracle Financial Services Software Limited reserves the right to alter, modify or otherwise change in any manner the content hereof, without obligation of Oracle Financial Services Software Limited to notify any person of such revision or changes.

All company and product names are trademarks of the respective companies with which they are associated.