

Oracle Financial Services
Regulatory Reporting for
European Banking Authority (EBA)
– Lombard Risk Integration Pack

User Guide

Release 8.0.6.1.0

September 2018

ORACLE®
Financial Services

Oracle Financial Services Regulatory Reporting for European Banking Authority (EBA) – Lombard Risk Integration Pack User Guide, Release 8.0.6.1.0

Copyright © 2018, Oracle and/or its affiliates. All rights reserved.

Primary Author: Naveen Harry D'Cruz
Contributors: Anita Joshi, Manoj Rout

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing. If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates are not responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

TABLE OF CONTENTS

1	INTRODUCTION	11
1.1	Overview	11
1.2	OFSAA Regulatory Reporting Architecture	12
1.3	Scope.....	13
2	GETTING STARTED	16
2.1	Prerequisites	16
2.2	Assumptions.....	16
2.3	Logging in to the OFSDF Interface with Lombard Risk for EBA.....	17
2.4	Organization of Interface for User Roles	18
2.4.1	Marking Run as Final	19
2.4.2	Executing Batch to Resave Derived Entities (EBA / ECR)	20
2.4.3	Executing Batch to Resave Derived Entities (AnaCredit / ECB)	21
2.4.4	Logging to AgileREPORTER to Retrieve the Returns.....	23
2.4.5	Report Verification - Drill Down from AgileREPORTER to OFSAA Results Area.....	26
2.5	Metadata Browser	31
3	REGULATORY REPORTING SOLUTION DATA FLOW.....	36
3.1	Data Preparation	36
3.1.1	Assumptions for Data Preparation	36
3.1.2	EBA RUN CHART.....	37
3.1.3	Run/Execution Expectations	37
3.1.4	Data Flow from Source Systems to Staging Area	38
3.1.5	Data Flow from Staging to Results Area	38
3.1.6	Data Flow from Staging to Processing Area	44
3.1.7	Data Flow from Processing to Results Area.....	44
3.1.8	Guidelines for Data Loading to Result Area Tables in Data Foundation for Regulatory Reporting Implementations.....	44
3.1.9	FSDF Entity Information.....	47
3.1.10	Fact Tables/Entities	60
3.2	Mapping of Results to Reporting Requirements of Lombard Risk.....	69
3.3	AgileREPORTER: Submission.....	70
4	OFSAA FEATURES	71
4.1	OFSAA Infrastructure.....	71

4.2	Business Metadata.....	72
4.3	Derived Entity.....	73
4.3.1	Creation of Derived Entity	74
4.3.2	User Roles	74
4.4	Rules Run Framework Features	75
4.5	Dimension Mapping	75
5	EXECUTING RUN THROUGH RUN MANAGEMENT	77
5.1	Summary and Details Page	77
5.2	Navigation within the Summary Page	77
5.2.1	Search Section.....	77
5.2.2	List of Runs Section	78
5.2.3	Navigation within Run Default Parameters Window	79
5.2.4	Navigation within Run Execution Summary Page	81
6	METADATA EXPORT UTILITY	84
6.1	Prerequisites	84
6.1.1	Verifying Logs	92
6.1.2	Validating Lineage Outputs	92
6.2	User Access	92
6.3	Create and Export Metadata Report Templates.....	93
6.4	View Metadata Report Templates	103
6.5	Modify/Edit Metadata Report Templates	104
6.6	Delete Metadata Report Templates	104
7	REPORT SUBMISSION	105
7.1	Report Submission: AgileREPORTER to Regulator.....	105
7.2	Edit Checks/ Validity Check/ Quality Checks	105
7.2.1	Executing Edit Check Batch for AnaCredit CBM.....	105
7.2.2	Executing Edit Check Batch for AnaCredit ECB	106
7.2.3	Edit Check Validation Results	107
7.3	Report Templates to be used in AgileREPORTER	108
7.4	Supported Report Template Version and Activation Date.....	112
8	MAINTENANCE.....	114
9	TROUBLESHOOTING GUIDELINES.....	116
9.1	Prerequisites	116
9.2	Troubleshooting Use Cases.....	116

9.2.1	Unable to Generate Report.....	116
9.2.2	Data Unavailable in AgileREPORTER	117
9.2.3	Data Available in AgileREPORTER but Not as Expected	118

LIST OF FIGURES

Figure 1: Regulatory Reporting Solution Architecture	12
Figure 2: OFSAAI Log In.....	17
Figure 3: Landing Page.....	18
Figure 4: Run Management Summary Screen	19
Figure 5: Run Execution Summary Screen	19
Figure 6: Batch Execution Screen.....	20
Figure 7: Batch Monitor Screen.....	20
Figure 8: Batch Execution Screen.....	21
Figure 9: Batch Monitor Screen.....	22
Figure 10: Retrieve Returns Page.....	23
Figure 11: AgileREPORTER Login page	26
Figure 12: AgileREPORTER Main Page	27
Figure 13: AgileREPORTER Page Displaying List of Schedules	27
Figure 14: AgileREPORTER Drill-down (OFSAA Icon).....	28
Figure 15: AgileREPORTER Drill-down	28
Figure 16: Data Trace Browser / OFSAA Report Drill-down Screen	29
Figure 17: Derived Entity MDB View	29
Figure 18: Drill-down Attribute Selector 1.....	30
Figure 19: Drill-down Attribute Selector 2.....	30
Figure 20: Drill-down Columns	31
Figure 21: MDB - Reporting Metadata - Schedule View 1.....	32
Figure 22: MDB - Reporting Metadata - Schedule View 2.....	32
Figure 23: MDB - Reporting Metadata - Schedule View 3.....	33
Figure 24: MDB - Business Metadata - Measure View.....	34
Figure 25: MDB - Business Metadata – Derived Entity	35
Figure 26: DIH Connectors	46

Figure 27: Data Flow between OFSAA and AgileREPORTER	69
Figure 28: Decision Process in AgileREPORTER.....	70
Figure 29: Landing Page.....	72
Figure 30: Derived Entity Summary Screen	73
Figure 31: Derived Entity User Interface	74
Figure 32: Run Search Section	77
Figure 33: Run Selection.....	78
Figure 34: Run Default Parameters Window	79
Figure 35: Run Execution Summary	81
Figure 36: Edit Check (ANACREDIT CBM) Batch Execution Screen.....	105
Figure 37: Edit Check (ANACREDIT CBM) Batch Monitor Screen	106
Figure 38: Edit Check (ANACREDIT ECB) Batch Execution Screen	106
Figure 39: Edit Check (ANACREDIT ECB) Batch Monitor Screen	107
Figure 40: AgileREPORTER Entity Setup 1	112
Figure 41: AgileREPORTER Entity Setup 2.....	113
Figure 42: Data Warehouse Integration	114
Figure 43: Adding Contextual Button	115
Figure 44: AgileREPORTER	116
Figure 45: Fetching Null Values	117
Figure 46: Fetching Zero Values	117
Figure 47: Schedule 4.1 from FI04 Report	118
Figure 48: Data Lineage OFSAA Icon.....	119
Figure 49: AgileREPORTER Drill-down	119
Figure 50: Measure Values	120
Figure 51: Data Lineage Unavailable	121
Figure 52: Business Metadata.....	121
Figure 53: Business Metadata.....	122

LIST OF TABLES

Table 1: Conventions Used in this Guide	x
Table 2: Fields and their Descriptions in Reporting Element Properties	33
Table 3: Data Transformation Example.....	39
Table 4: Data Reclassification Example 1	39
Table 5: Data Reclassification Example 2	39
Table 6: Dimension Seeded Tables/Entities	47
Table 7: Fact Seeded Tables/Entities	60

ABOUT THE GUIDE

This section provides a brief description of the scope, the audience, the references, concepts and the organization of the user guide and conventions incorporated into the user guide. The topics in this section are organized as follows:

- ◆ [Scope of the guide](#)
- ◆ [Intended Audience](#)
- ◆ [Documentation Accessibility](#)
- ◆ [Related Information Sources](#)
- ◆ [How This Guide is Organized?](#)
- ◆ [Conventions Used](#)

SCOPE OF THE GUIDE

The objective of this user guide is to provide a comprehensive working knowledge on Oracle Financial Services Regulatory Reporting for European Banking Authority (EBA) – Lombard Risk Integration Pack, Release 8.0.6.1.0. This user guide is intended to help you understand the key features and functionalities of Oracle Financial Services Regulatory Reporting for European Banking Authority (OFS REG REP EBA) – Lombard Risk Integration Pack release 8.0.6.1.0 and details the process flow and methodologies used.

INTENDED AUDIENCE

Welcome to Release 8.0.6.1.0 of the Oracle Financial Services Regulatory Reporting for European Banking Authority (EBA) – Lombard Risk Integration Pack User Guide.

This guide is intended for:

- ◆ Regulatory Reporting Analyst who bears the responsibility to verify and submit the results. He/She is also entrusted to maintain the dimensional values across multiple reporting requirements, maintain results area structure of Oracle Financial Services Data Foundation.
- ◆ Data Analysts, who clean, validate, and import data into the Oracle Financial Services Download Specification format, and ensure that data is populated in the relevant tables as per the specifications and executions required for regulatory reporting.
- ◆ System Administrator (SA), instrumental in making the application secure and operational and configures the user roles providing necessary access to users.

DOCUMENTATION ACCESSIBILITY

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>

ACCESS TO ORACLE SUPPORT

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

RELATED INFORMATION SOURCES

In addition to this user guide you can refer to the following documents in the [OTN](#) documentation library:

- ◆ Oracle Financial Services Regulatory Reporting for European Banking Authority (EBA) – Lombard Risk Integration Pack Installation Manual Release 8.0.6.1.0
- ◆ Oracle Financial Services Data Foundation User Guide Release 8.0.6.1.0
- ◆ Oracle Financial Services Data Foundation Installation Manual Release 8.0.6.1.0
- ◆ Oracle Financial Services Analytical Applications Infrastructure User Guide Release 8.0.6.1.0 (present in the [OHC](#) documentation library)

HOW THIS GUIDE IS ORGANIZED?

The OFS REG REP EBA User Guide includes the following topics:

- ◆ [Chapter 1: Introduction](#)
- ◆ [Chapter 2: Getting Started](#)
- ◆ [Chapter 3: Regulatory Reporting Solution Data Flow](#)
- ◆ [Chapter 4: OFSAA Features](#)
- ◆ [Chapter 5: Executing Run through Run Management](#)
- ◆ [Chapter 6: Metadata Export Utility](#)
- ◆ [Chapter 7: Report Submission](#)
- ◆ [Chapter 8: Maintenance](#)
- ◆ [Chapter 9: Troubleshooting Guidelines](#)

CONVENTIONS USED

Table 1 lists the conventions used in this guide.

Table 1: Conventions Used in this Guide

Convention	Meaning
<i>Italics</i>	Names of books, chapters, and sections as references
Bold	<ul style="list-style-type: none">◆ Object of an action (menu names, field names, options, button names) in a step-by-step procedure◆ Commands typed at a prompt◆ User input
Monospace	<ul style="list-style-type: none">◆ Directories and subdirectories◆ File names and extensions◆ Process names◆ Code sample, including keywords and variables within text

1 Introduction

This chapter provides an understanding of the OFS REG REP EBA application and its scope. It includes:

- ◆ [Overview](#)
- ◆ [OFSAA Regulatory Reporting Architecture](#)
- ◆ [Scope](#)

1.1 Overview

With the onset of regulatory requirements from a variety of regulators around the globe, financial institutions are struggling to keep up with the constantly changing regulatory environment and the regulators themselves are finding it difficult to analyse a pile of reports. In turn, the European Banking Authority (EBA) introduced a common standard of reporting: one for Financial Reporting (FINREP) and one for Common Reporting (COREP). The two standards use a very structured way of gathering data, and also introduced the Data Point Model (DPM) along with the relational database to provide standard meaning to all reporting elements.

On the lines of common reporting requirements as stipulated by the EBA, the European Central Bank (ECB) also came out to collect detailed credit risk data pertaining to Non-Natural Persons in a harmonized manner. ECB issued a regulation on May 18, 2016, widely known as AnaCredit (Analytical Credit Dataset) Regulation, to collect granular credit and credit risk data with effect from reporting date September 30, 2018.

While on one hand, ECB ensures to harmonize reporting requirements and implementation practices, on the other hand, it gives discretionary powers to the National Central Banks (NCBs) either to collect additional data or to provide derogations for small resident reporting agents.

The RRS EBA solution addresses the reporting requirements of both the regulators, EBA and ECB. In addition, it addresses the reporting requirements with respect to AnaCredit as laid down by the Central Bank of Malta (CBM).

The RRS EBA solution enables financial services organizations to manage and execute regulatory reporting in a single integrated environment. It automates end-to-end processes from data capture through submission with industry-leading solutions. It leverages Oracle Financial Services Analytical Application (OFSAA) and Oracle Financial Services Data Foundation (OFSDF) for managing analytical application data. The AgileREPORTER in Regulatory Reporting Solution (RRS) enables firms to automate the final mile of the reporting process. It provides pre-built integration to Lombard Risk Reporting, eliminating the need for further manual intervention. The solution ensures data integrity allowing banks to focus more time on analyzing and gaining new business insight from their growing stores of data instead of preparing data and reports with the sole objective of meeting submission deadlines.

1.2 OFSAA Regulatory Reporting Architecture




Figure 1: Regulatory Reporting Solution Architecture

This interface connects the Oracle FSDF to Lombard Risk. As one can see in Architecture figure above, Data flows from OFSAA to Lombard Risk.

OFSDf is an analytical data warehouse platform for the Financial Services industry. OFSDf combines an industry data model for Financial Services along with a set of management and infrastructure tools that allows Financial Services Institutions to develop, deploy, and operate analytical solutions spanning key functional areas in Financial Services, including:

1. Enterprise Risk Management
2. Enterprise Performance Management
3. Customer Insight
4. Financial Crime and Compliance Management

OFSDf is a comprehensive data management platform that helps institutions to manage the analytical data life cycle from sourcing to reporting and business intelligence/BI using a unified, consistent platform and toolset.

AgileREPORTER is a forms and workflow tool that enables both creation and submission of regulatory returns. AgileREPORTER addresses the financial reporting requirements of both domestic and international banks and financial institutions by automating compliance with mandated reports to central banks, regulatory agencies. AgileREPORTER works easily with multiple sources of information as it standardizes data elements and automates regulatory report production in prescribed templates with the associated workflow for automatic submission. It is reliable and efficient infrastructure to compile, generate and submit regulatory reports. It collects data from a wide universe (not just OFSAA Results). It provides automated repeated manual adjustments, variance analysis and validation checks.

The solution provides a pre-built interface or integration between FSDF and AgileREPORTER. With this integration end user can automate end to end reporting process covering data preparation to last mile of reporting.

1.3 Scope

Oracle Financial Services Regulatory Reporting for European Banking Authority (EBA) – Lombard Risk Integration Pack covers the following regulatory reports for specified release as mentioned in the table:

Report Name	Schedule Name / Description	Released Version
COREP – Credit Risk Standardised Approach	C 07.00 – Credit and counterparty credit risks and free deliveries: Standardized Approach to capital requirements	8.0.3
COREP – Operational Risk	C 17.00 – Operational risk: Losses and recoveries by business lines and event types in the last year	8.0.3
COREP – Large Exposures	C 26.00 – Large exposures limits	8.0.3
COREP – Large Exposures	C 27.00 – Identification of the counterparty	8.0.3
COREP – Large Exposures	C 28.00 – Exposures in the non-trading and trading book	8.0.3
COREP – Large Exposures	C 29.00 – Detail of the exposures to individual clients within groups of connected clients	8.0.3
COREP – Large Exposures COREP - Large Exposures	C 30.00 – Maturity buckets of the 10 largest exposures to institutions and the 10 largest exposures to unregulated financial entities	8.0.3
COREP – Large Exposures	C 31.00 – Maturity buckets of the 10 largest exposures to institutions and the 10 largest exposures to unregulated financial entities: detail of the exposures to individual clients within groups of connected clients	8.0.3
COREP – Leverage Ratio	C 40.00 – Alternative treatment of the Exposure Measure	8.0.4
COREP – Leverage Ratio	C 41.00 – On- and off-balance sheet items – additional breakdown of exposures	8.0.4
COREP – Leverage Ratio	C 42.00 – Alternative definition of capital	8.0.4

Report Name	Schedule Name / Description	Released Version
COREP – Leverage Ratio	C 43.00 – Breakdown of leverage ratio exposure measure components: Off-balance sheet items, derivatives, SFTs and trading book	8.0.4
COREP – Leverage Ratio	C 44.00 – General Information	8.0.4
COREP – Leverage Ratio	C 47.00 – Leverage ratio calculation	8.0.4
COREP – Liquidity Coverage	C 72.00 – Liquidity Coverage. Liquid assets	8.0.3
COREP – Liquidity Coverage	C 73.00 – Liquidity Coverage. Outflows	8.0.4
COREP – Liquidity Coverage	C 74.00 – Liquidity Coverage. Inflows	8.0.5
COREP – Liquidity Coverage	C 75.00 – Liquidity Coverage. Collateral swaps	8.0.4
FINREP	F 01.00 – Balance Sheet Statement [Statement of Financial Position]	8.0.4
FINREP	F 02.00 – Statement of profit or loss	8.0.3
FINREP	F 03.00 – Statement of comprehensive income	8.0.5
FINREP	F 04.00 – Breakdown of financial assets by instrument and by counterparty sector	8.0.3
FINREP	F 05.00 – Breakdown of loans and advances by product	8.0.3
FINREP	F 06.00 – Breakdown of loans and advances to non-financial corporations by NACE codes	8.0.3
FINREP	F 07.00 – Financial assets subject to impairment that are past due or impaired	8.0.3
FINREP	F 08.00 – Breakdown of financial liabilities by product and by counterparty	8.0.3
FINREP	F 09.00 – Off-balance sheet items subject to credit risk	8.0.3
FINREP	F 10.00 – Derivatives: Trading	8.0.3
FINREP	F 11.00 – Derivatives - Hedge accounting	8.0.3

Report Name	Schedule Name / Description	Released Version
FINREP	F 12.00 – Movements in allowances and provisions for credit losses	8.0.5
FINREP	F 13.00 – Breakdown of loans and advances by collateral and guarantees	8.0.3
FINREP	F 14.00 – Fair value hierarchy: financial instruments at fair value	8.0.3
FINREP	F 15.00 – Derecognition and financial liabilities associated with transferred financial assets	8.0.6
FINREP	F 16.00 – Interest income and expenses by instrument and counterparty	8.0.3.1
FINREP	F 17.00 – Reconciliation between IFRS and CRR scope of consolidation	8.0.5
FINREP	F 18.00 – Information on performing and non-performing exposures	8.0.3.1
FINREP	F 19.00 – Information on forborne exposures	8.0.3.1
FINREP	F 20.00 – Geographical breakdown	8.0.3.1
FINREP	F 21.00 – Tangible and intangible assets	8.0.5
FINREP	F 22.00 – Fee and commission income and expenses by activity	8.0.5
FINREP	F 30.00 – Geographical breakdown	8.0.5
FINREP	F 31.00 – Related parties	8.0.5
FINREP	F 40.00 – Group structure	8.0.6
FINREP	F 41.00 – Fair value hierarchy	8.0.5
FINREP	F 42.00 – Tangible and intangible assets	8.0.5
FINREP	F 43.00 – Provisions	8.0.5
FINREP	F 44.00 – Net defined benefit plan assets and liabilities	8.0.5
FINREP	F 45.00 – Gains and losses on financial assets and liabilities/ on de-recognition of non-financial assets	8.0.5
FINREP	F 46.00 – Statement of changes in equity	8.0.5
AnaCredit	AnaCredit – Central Bank of Malta (CBM) Regulatory Reporting	8.0.6

2 Getting Started

This chapter provides an understanding of the pre-requisites, general and data preparation assumptions and logging into the application. It includes:

- ◆ [Prerequisites](#)
- ◆ [Assumptions](#)
- ◆ [Logging in to the OFSDF Interface with Lombard Risk for EBA](#)
- ◆ [Organization of the Interface for User Roles](#)
- ◆ [Metadata Browser](#)

OFSDF interface with OFS REG REP EBA allows you to perform the following activities:

- ◆ Manage Data Loading and Transformation from various source systems to staging, processing, and results.
- ◆ Manage relevant OFSAA metadata for regulatory reporting purpose. This includes creating, modifying, and viewing the metadata used in reporting.
- ◆ View the report metadata for mapping.
- ◆ Drill down from AgileREPORTER to OFSAA results area.

2.1 Prerequisites

For detailed prerequisites and instructions on installing this Interim Release, see [Oracle Financial Services Regulatory Reporting for European Banking Authority – Lombard Risk Integration Pack Installation Guide Release 8.0.6.1.0](#).

2.2 Assumptions

OFSDF interface with OFS REG REP EBA is a reporting application and it does not perform any risk/stress calculations. Following listed are the assumptions for the application:

- ◆ Textual and other related portions of reports like person details, contact details, Yes / No choices must be updated on Report Portal directly and FSDf does not have placeholder for it.
- ◆ Data provided is post reconciliation to ensure that accuracy of data being reported (non-prescribed by regulators) are performed in OFSAA using various components – General Ledger (GL) reconciliation.
- ◆ Validity checks such as edit checks, cross-validation checks and so on prescribed by regulator are performed within the AgileREPORTER.
- ◆ All monetary amounts are expected to be positive in number, except valuation outputs which can be positive or negative. Rules are constructed assuming the negative sign of valuation amounts wherever applicable.
- ◆ The application populates few specific dimension tables, known as seeded / sample tables as part of the installation script. Since they are used in the metadata, changes in data values have impact on the overall functioning.


- ◆ All percentage data are expected in decimal format meaning 9% must be provided as 9 and not 0.09.
- ◆ For a data provided as of date, such as last day of the quarter of the reporting year: Quarterly and Year to Date (YTD) report for the given date displays same value for those measures which are of as of date in nature. For example, Annual and Quarterly Balance Sheet and BASEL reports generated as of 31-MAR show same values for all measures such as Account Balance.
- ◆ Account Balances such as End of Period Balances are expected to be provided as Net of (without) Unearned Income.
- ◆ For the purpose of CBM AnaCredit reporting, it is assumed that all the Observed Agents are under the purview of Capital Requirement Regulation. As a result, they will continue to report the default status at the counterparty level in the Counterparty Risk Dataset and not at the instrument level,
- ◆ For Counterparty Default Dataset and Counterparty Risk Dataset:
The Protection Provider is reported (apart from debtor acting as Protection Provider) on condition that they are at the same time the issuer of the protection (in particular, if the protection item is a financial guarantee as defined in the ITS).
However it contradicts with the Case 11.2 – Non-recourse factoring published by ECB as "AnaCredit_Manual_Part_III_Case_studies.en", where PP8564235 is reported as Protection Provider even though it is not a "Debtor" and Type of Protection is not "financial guarantee as defined in the ITS". Currently, we are NOT filtering Protection Provider based on Type of Protection.

2.3 Logging in to the OFSDF Interface with Lombard Risk for EBA

After the application is installed and configured, to access the OFSDF Interface with Lombard Risk for EBA application you need to log into OFSAAI environment using the OFSAAI login page.

To access application follow these steps:

1. Enter the OFSAAI URL in your browser. The OFSAAI login page is displayed.



ORACLE Financial Services Analytical Applications About

Language: US-English

User ID:

Password:

Login

Version 8.0.6.0.0
Copyright © 1993, 2018 Oracle and/or its affiliates. All rights reserved.

Figure 2: OFSAAI Log In

2. Select the desired language from the **Language** drop-down list.
3. Enter your **User ID** and **Password**. When you log into OFSAAI, the first screen is displayed.



Figure 3: Landing Page

2.4 Organization of Interface for User Roles

This section explains the various features used by an analyst. It describes the organization of the user interface and provides step-by-step instructions for navigating through the application to carry out these activities.

Data Analysts are expected to perform the following activities:

1. Marking Run as Final
2. Executing Batch to Refresh Derived Entities
3. Drill Down from AgileREPORTER to OFSDF

Reporting Analyst are expected to perform the following activities:

1. Drill Down from AgileREPORTER to OFSDF
2. Using Metadata Browser to check Schedule Wise metadata
3. Using Metadata Browser to check metadata usage across schedules

2.4.1 Marking Run as Final

Various applications provide data for regulatory reporting. You must mark specific executions for regulatory reporting as final run.




Figure 4: Run Management Summary Screen




Figure 5: Run Execution Summary Screen

2.4.2 Executing Batch to Resave Derived Entities (EBA / ECR)

To execute the batch to refresh derived entities, perform the following steps:

1. Navigate to **Financial Services Data Foundation → Operations → Batch Execution**
2. Select the batch <<INFODOM>>_REG_REP_EBA_DE_RESERVE to resave all the DEs used in EBA (ECR).

The screenshot shows the 'Batch Execution' interface. At the top, there are search filters for 'Batch ID Like' (containing 'FSDFINFO_'), 'Batch Description Like', 'Module', and 'Last Modification Date' (with 'Between' and 'And' options). Below the filters is a table of batches:

Batch ID	Batch Description
<input type="checkbox"/> FSDFINFO_REG_REP_ANAC_DE_RESERVE	This Batch Resaves data in the Anacredit DEs
<input type="checkbox"/> FSDFINFO_REG_REP_ANAC_UNIONVIEW_RESERVE	This Batch Resaves the ANAC UNION VIEW
<input type="checkbox"/> FSDFINFO_REG_REP_EBA_DE_REFRESH	This Batch Refreshes data in the RRS EBA MVIEWES
<input checked="" type="checkbox"/> FSDFINFO_REG_REP_EBA_DE_RESERVE	This Batch Resaves the RRS EBA Derived Entity for Creating MVIEWES
<input type="checkbox"/> FSDFINFO_SECURITIZATION	Data Quality batch for Securitization tables

At the bottom, there are navigation controls: 'Page 9 of 10 (41-45 of 48 items)', 'Records Per Page 5', and buttons for '<', '>', and '<X>'. There are also links for '> Task Details', 'Exclude/Include', and 'Hold/Release'.

Figure 6: Batch Execution Screen

3. Monitor status of the batch using **Batch Monitor** (**Financial Services Data Foundation → Operations → Batch Monitor**).


The screenshot shows the 'Batch Monitor' interface. It has search filters for 'Batch ID Like' (containing 'FSDFINFO_'), 'Batch Description Like', 'Module', 'Status', 'Start Date', and 'End Date'. Below the filters is a table of batches:

Batch ID	Batch Description
<input type="checkbox"/> FSDFINFO_MDB	Batch for MDB Publish
<input checked="" type="checkbox"/> FSDFINFO_POP_DATA_ELEMENTS_EBA	Populates Data and Report Elements for EBA
<input type="checkbox"/> FSDFINFO_POP_DATES_DIM	Populate DIM_DATES
<input type="checkbox"/> FSDFINFO_POP_DIM_FISCAL_PERIODS	Populates Dim_Fiscal_Periods using FSL_FISCAL_PERIOD_SETUP
<input type="checkbox"/> FSDFINFO_REG_REP_ANAC_DE_REFRESH	This Batch Refreshes data in the Anacredit DEs

At the bottom, there are navigation controls: 'Page 2 of 3 (6-10 of 13 items)', 'Records Per Page 5', and buttons for 'Start Monitoring', 'Stop Monitoring', and 'Reset'. There are also fields for 'Information Date', 'Monitor Refresh Rate (seconds)' (set to 5), and 'Batch Run ID'.

Figure 7: Batch Monitor Screen

4. Navigate to **Financial Services Data Foundation → Operations → Batch Execution**
5. Select the batch <<INFODOM>>_DS_RESERVE_UNION_VIEW_EBA to resave all the Views used in EBA / ECR.



6. Monitor status of the batch using **Batch Monitor (Financial Services Data Foundation → Operations → Batch Monitor)**.

2.4.3 Executing Batch to Resave Derived Entities (AnaCredit / ECB)

To execute the batch to refresh derived entities, perform the following steps:

1. Navigate to **Financial Services Data Foundation → Operations → Batch Execution**
2. Select the batch <<INFODOM>>_REG_REP_ANAC_DE_RESERVE to resave all the DEs used in ECB (AnaCredit).




Figure 8: Batch Execution Screen

3. Monitor status of the batch using **Batch Monitor** (*Financial Services Data Foundation → Operations → Batch Monitor*).





Figure 9: Batch Monitor Screen

4. Navigate to *Financial Services Data Foundation → Operations → Batch Execution*
5. Select the batch <<INFODOM>>_REG_REP_ANAC_UNIONVIEW_RESERVE to resave all the Views used in ECB.



6. Monitor status of the batch using **Batch Monitor** (*Financial Services Data Foundation → Operations → Batch Monitor*).

2.4.4 Logging to AgileREPORTER to Retrieve the Returns

The Retrieve Return functionality in AgileREPORTER fetches data from OFSAA derived entities and embeds them on AgileREPORTER templates. This runs the decision table process in Lombard Risk. You can view the relevant OFSAA data on various schedules of the AgileREPORTER using this functionality.





Figure 10: Retrieve Returns Page

2.4.4.1 AgileREPORTER for AnaCredit Data Schedules

The Retrieve Return functionality in AgileREPORTER for AnaCredit (ECB) is performed as follows:


1. Navigate to **Settings** → **Administration** → **Config Pacakge Binding** → **Binding Calculation Engine To Form**.

Ensure that all the AnaCredit data schedule boxes are selected as shown in the figure.



2. Navigate to **Settings** → **Entity Setup**.


In **Entity Setup**, assign a Reporting identifier.




3. Navigate to **Settings** → **Administration** → **Setup Network Files Location**.

Create a folder from WinSCP server under Linux user (`/scratch/ofsaapp1/export`).


Select **Add** and enter the export path for the Data Schedule **xml** files as shown in the figure.




4. Select Retrieve Return. Enter the required details to retrieve the Data Schedule report as usual procedure.




5. Open the generated report and lock the report for export with the option at the top left column as shown in the figure (next to **Show Import Log**).



6. Now go to submit option in the task bar which you can see in the below snap shot and select **Export To <required data schedule>** (in this case, **Survey CMANR**) as shown in the figure.



7. Export the data by selecting the required **Forms** and then **Force export** as shown in the figure.



8. The **xml** file is generated in the location mentioned in Step 3.

2.4.5 Report Verification - Drill Down from AgileREPORTER to OFSAA Results Area

Drill down functionality enables the user to view the accounts included in the aggregation. Following these steps to drill down from AgileREPORTER to OFSAA:

1. Log in to the AgileREPORTER.




Figure 11: AgileREPORTER Login page

- The user can view the list of reports in the main page. Click any report name in the Returns column, for example, **FI04**.




Figure 12: AgileREPORTER Main Page

- The schedule list is displayed in the right hand side. Click any **schedule name**, for example, **Table 4.1**.




Figure 13: AgileREPORTER Page Displaying List of Schedules

- Click any cell to drill down. Figure 14 displays drill down for the cell. The **OFSAA icon** is displayed.

The screenshot shows the AgileREPORTER interface for Lombard Risk. The main table displays financial assets held for trading, categorized by references and carrying amounts. A specific cell containing the value 7479 751112 is highlighted, and an OFSAA icon is visible next to it. A 'direct cell edit' dialog box is open over the cell. The right-hand sidebar shows a list of pages, including Table 4.1, Table 4.2, Table 4.3 P1, Table 4.3 P2, Table 4.4 P1, Table 4.4 P2, and Table 4.5.

References	Carrying amount	Accumulated changes in fair value due to credit risk
010	350,043	020
010 Equily instruments	350,043	
020 of which: at cost	137,821	
030 of which: credit institutions	12,775	
040 of which: other financial corporations	7,783	
050 of which: non-financial corporations	132,188	
060 Debt securities	1,870,026	126,001
070 Central banks	218,956	
080 General governments	369,748	34,219
090 Credit institutions	305,284	29,485
100 Other financial corporations	171,918	8,993
110 Non-financial corporations	801,119	55,105
120 Loans and advances	1,162,606	92,369
130 Central banks	166,302	12,334
140 General governments	151,304	13,815
150 Credit institutions	195,865	14,500
160 Other financial corporations	55,082	4,267
170 Non-financial corporations	473,414	39,790
180 Households	120,639	7,673

Figure 14: AgileREPORTER Drill-down (OFSAA Icon)

- Click the OFSAA icon, to view how this cell was populated (provides information about the amounts reported in a cell) from OFSAA results. You are redirected to the OFSAA drill down page.

The screenshot shows the OFSAA drill-down page, titled 'Data Lineage'. It displays a table with columns for various flags and indicators, including Run Execution Id, Date, Legal Entity, Reference Identifier, and a list of derived entities. The table contains 15 rows of data, with some cells highlighted in blue.

Run Execution Id	Date	Legal Entity	Reference Identifier						
1	30 Jun 2016	EU Entity 01	F10401R070C020						
Derived Entity : DE_IFRS Account Summary (15)									
Red Flag	Seniority Flag	Over The Counter Indicator	Buy or Sell Flag	Senior Claim Flag	Instrument Contract Indicator	Regulatory Credit Status Code	Trading Account Book Type Code	Hedge Type	Cumulative change in FV due to credit risk RCY
N	S	N	N	N		NS			
N	S	N	N	N			TRLADER		
N	S	N	N	N		S			2,257,544.72
N	B	Y	N	N					253,755.79
N	B	N	N	N			TRLADER		4,419,603.88
N	B	N	N	N			TRLADER		
N	S	Y	N	N					
N	S	N	N	N		S			287,298.16
N	B	N	N	N					
N	B	N	N	N					
N	S	N	N	N		S			
N	S	N	N	N			TRLADER		
N	B	Y	N	N		NS			

Figure 15: AgileREPORTER Drill-down

6. This cell is populated from the derived entity mentioned in the grid header *DE – IFRS Account Summary*. The value in the derived entity grid 7479.751112 (rounded to 7,480) is sum of the **Cumulative change in FV due to credit risk RCY** must match with that of the cell in the report. Derived entity is an aggregate built on top of OFSAA results model to serve regulatory template requirements. It is built using dimensions, measures and business processors. The dimensions that participates in determining the cell value is displayed with data. Click the **Derived Entity** link in the grid header.




Figure 16: Data Trace Browser / OFSAA Report Drill-down Screen

Derived entity details are displayed in the Metadata Browser within the page. Scroll to view complete details such as Datasets, Hierarchies, Measures and so on.

7. Double-click any figure in the screen to drill-down to the fact tables. The below grid displays the detailed granular rows of fact data that comprises the derived entity aggregate. Scroll to the right in second grid to view the values.




Figure 17: Derived Entity MDB View

- Click **Attribute Selector** icon on the header of the second grid.




Figure 18: Drill-down Attribute Selector 1

- Expand **Data Entities** and select **Attribute** to be shown in the drill-down. Click **OK**.




Figure 19: Drill-down Attribute Selector 2

NOTE: Select the required Data Source, from the Available list and click icon. You can press **Ctrl** key for multiple selections. To map all the listed Data Sources to the application, click icon.

- If **Accumulated Charge in Fair Value** details are required, scroll and click the column header. The details are displayed in a separate window.




Figure 20: Drill-down Columns

2.5 Metadata Browser

This section helps you to navigate through Metadata Browser and guides you in tracing the source of the metadata. The Metadata Browser function allows you to view and analyze all aspects of the metadata used in the OFSAAI. It provides extensive browsing capabilities of metadata, helps in tracking the impact of changes to metadata, and trace through to the source of originating data.

Metadata Browser (Object and Application View) provides common repository of metadata objects created in OFSAAI and applications hosted in OFSAAI. Using this view, you can identify the usage of base objects in higher level objects and the mapping of Objects to Application, thus enabling traceability. It also allows you to view the data flow and the work flow of the application and understand the usage of objects within the application.

The new visualization of Metadata Browser (MDB) supports Application view and Object view. In Application view, you can browse through the metadata created using the applications hosted in OFSAAI. In object view, you can view the metadata created in OFSAAI.

To access the Metadata Browser (Object and Application View), your role must be mapped to the SCR_MDB function.

Analysts review the metadata used for a particular report schedule to verify the data. Data verification may require looking for metadata used in given schedule or it can be schedules in which particular metadata is used. Data Analysts and Reporting Analysts perform the report verification. Metadata refers to business measures, hierarchies, data sets, derived entities used for a given schedule.

To use MDB for schedule wise metadata, and to use MDB for metadata wise schedule, perform the following steps.

1. To use MDB for schedule wise metadata, for a given schedule, identify the metadata used.
 - a) User can verify the data for related data elements in results using this information. Navigate to path **Objects** → **OFSAA Data Model** → **Reporting Metadata** → **Reports**. The Left Hand Side (LHS) displays the list of reports. For example, Figure 21 refers to **FI0401** report.




Figure 21: MDB - Reporting Metadata - Schedule View 1

- b) Click the object view **FI04-FI0401**. The *Report Details* page is displayed.




Figure 22: MDB - Reporting Metadata - Schedule View 2

You can view the below information in the *Details* tab:

- ◆ **Reporting Elements:** This section displays the line items in report with regulatory references.
 - ◆ **Depends On:** This section displays the metadata used in a given schedule.
 - ◆ **Used In:** This section displays the Reports in which this schedule is used.
 - ◆ **Applications:** This section displays the applications in which this schedule is used.
- c) Click any Reporting Element. For example, **FI0401R140C010**. The following page is displayed.




Figure 23: MDB - Reporting Metadata - Schedule View 3

You can view the following information in this page:

- ◆ **Reporting Element Properties:** It provides information on line items or cell references in regulatory reports.

Table 2: Fields and their Descriptions in Reporting Element Properties

Fields	Description
Derived	Provides information on whether the cell is derived / computed using other elements.
Confidentiality	Refers to regulator specific interpretation.
Type	Refers to regulator specific interpretation.
Notes	Refers to regulator specific interpretation.
Start Date	Refers to regulator specific interpretation.
End Date	Refers to regulator specific interpretation.

- ◆ **Dimension Filters:** This section displays the dimensions and node value filters used to derive a particular cell.
 - ◆ **Depends on:** This section displays all the hierarchies (dimensions, filters) and business measure used for arriving at a particular cell / MDRM code.
 - ◆ **Used In:** This section displays the Objects in which this schedule is used.
 - ◆ **Applications:** This section displays the applications in which this schedule is used.
2. Starting from a common metadata used across application, you may want to know the list of reports/ derived entities this metadata has used. Let us take an example of measure. To identify how a value has been computed, follow these steps to trace it back to the metadata:
- a) To view the measures, navigate to path **Objects → OFSAA Data Model → Business Metadata → Measures**. The LHS displays the list of measures. For example, Figure 24 refers to **ALM EOP Balance RCY**.




Figure 24: MDB - Business Metadata - Measure View

You can view the below information in this page:

- ◆ **Measure Properties:** It provides information on properties of Business measures. For example aggregation function, Measure Data Type, Business Exclusions, Filter and Rollup Type.
- ◆ **Depends on:** This section displays all the object names and their types, such as Entities, Columns and so on.
- ◆ **Used In:** This section displays the Objects in which this schedule is used.
- ◆ **Applications:** This section displays the applications in which this schedule is used.

Follow these steps to view the derived entities used in a given schedule:

Note: The similar steps as below are applicable for other metadata such as Business Metadata (Hierarchies, Measures, Variables and so on) and Derived Metadata (Dimensions, Filters and so on).

- a) To view the schedule wise derived entities, navigate to path **Objects → OFSAA Data Model → Derived Metadata → Derived Entities**. The LHS displays list of Schedules. For example, Figure 25 displays the derived entities used in **FCT IFRS Account Summary**.




Figure 25: MDB - Business Metadata – Derived Entity

You can view the following information in this page:

- ◆ **Derived Entity Properties:** It provides information on properties of derived entities, such as Source Type, Aggregate Flag, and Materialized View.
- ◆ **Depends on:** This section displays all the object names and their types, such as Measure, Hierarchy, and so on.
- ◆ **Used In:** This section displays the Objects in which this schedule is used.
- ◆ **Applications:** This section displays the applications in which this schedule is used.

3 Regulatory Reporting Solution Data Flow

This chapter provides an understanding of the data flow. It explains what happens within data flow and how various processing aspects are integrated with the overall data flow.

It includes:

- ◆ [Data Preparation](#)
- ◆ [Mapping of Results to Line Items in Reporting](#)
- ◆ [AgileREPORTER: Submission](#)

3.1 Data Preparation

This section explains the input data preparation from OFSAA. It includes:

- ◆ [Assumptions for Data Preparation](#)
- ◆ [Run/Execution Expectations](#)
- ◆ [Projection Data](#)
- ◆ [Data Flow from Sources Systems to Staging Area](#)
- ◆ [Data Flow from Staging to Results Area](#)
- ◆ [Data flow from Staging to Processing Area](#)
- ◆ [Data Flow from Processing to Results Area](#)
- ◆ [Dimension Tables/Entities](#)

3.1.1 Assumptions for Data Preparation

1. RRS is a reporting solution, which uses data from underlying fact tables directly for reporting. The end user is expected to prepare the load for the required data in reporting area accordingly. Although this has a thin processing layer to reclassify to regulatory dimensions and bands, all the processing measures are expected to be from respective applications and provide as required.
2. It is integrated with results area of the respective processing application, and any change in the underlying processing can disturb the RRS data sourcing.
3. Baseline and stress data must be populated with appropriate codes. Inaccurate mappings may lead to inaccurate results. For details please refer to [Relationship between Run and Stress](#).
4. For usage of consolidation dimension (which has values like Actual, Budgeted, Forecast, and so on), all historical data is expected to be tagged as actual for the purpose of reporting vintage data, as per report requirements. For projection data, for a given run and Projection Period (quarter/year), only one set of data is expected to be stored.
5. All processing reporting requirements requiring cash flows, integration package expects bucketed cash flow as an input (meaning a time bucket for cash flow and cash flow amount is expected as input).

6. For the purpose of AnaCredit reprotng, default status, if any, is expected at a counterparty level and not at instrument level.
7. For the purpose of AnaCredit reprotng, interest rate curve is expected as a concatenation of interest rate curve plus currency plus tenor. For instance, LIBOR in USD corresponding to 1 Month is expected as LIBOR – USD – 1M.
8. Data for the Attribute “Type of Identifier” is direct download from the reporting institution (@Stg_Customer_Identifctn_Doc.v_doc_type_code) and it is not seeded by FSDF. So the reporting institution has to provide the download in sync with the rRegulatory requirements and periodic updates, as applicable.

3.1.2 EBA RUN CHART

Oracle Financial Services Regulatory Reporting for EBA – Lombard Risk Integration Pack provides the EBA RUN Chart listing the tasks required for population of data for EBA Reports. This covers the following tasks:

- ◆ Set up table population
- ◆ Stage Dimension Load
- ◆ Seeded Dimension Data Population
- ◆ Common data Population
- ◆ Common Tasks like Exchange Rate Population
- ◆ EBA Specific Data Population and Transformation
- ◆ Derived Entity Refresh

Download the OFS REG REP EBA 8.0.6.1.0 RUN Chart from the [MOS](#).

3.1.3 Run/Execution Expectations

Run refers to execution. It is assumed that at different time periods, different combination of parameters, and different data require different executions. From a reporting perspective, as required by regulators, data is required for the following executions:

1. Current Data / Execution
 - a. Reporting month end data
 - b. Projection Data
2. Historical (trend/vintage) Data
 - a. Yearly
 - b. Quarterly
3. Stressed Data

Note:

- ◆ For Movement measures data is not carried from one reporting period to another. For example, Profit or Loss. Where General ledger balances such as loan outstanding are carried forward from one year to another, profit and loss is period specific.
 - ◆ Therefore, unlike End of Period (EoP) balance, movement values for quarter actuals must be derived for reporting. For a historical data, net sales for quarter 3 is the difference between sales figure as of end of quarters 2 and 3. You do not need to provide this difference as a download. Movement data for actual is identified through different runs and the respective values is summed up.
 - ◆ Only those records, whose corresponding runs fall between the fiscal month start date and end date of the reporting quarter are selected for summation. Each Run has an associated date, and runs can be performed daily. Assuming that runs are performed daily in a given quarter (90 days), RRS sums up data points across all 90 days to arrive at a quarter end movement figure.
 - ◆ However, when projection of net sales for quarter 2 next year is to be performed, no derivation is required. Projections data for said quarter can be directly downloaded in the respective Fact table(s) for reporting.
-

3.1.4 Data Flow from Source Systems to Staging Area

The staging area is populated with data from various data sources, such as GL data, Account data, Customer data, Trading data, Currency data, and Master data. See [Data Integration Hub \(DIH\) User Guide](#) in OTN Documentation Library for details. DIH enables to load the data from the source systems to the OFSAA staging tables, through logical interfaces, known as Application Data Interfaces (ADI). DIH provides a set of User Interfaces (UI), which is used to define and maintain External Data Descriptor (EDD), Application Data Interfaces, and map the EDDs and ADIs through connectors.

3.1.5 Data Flow from Staging to Results Area

This section details the pass through data, transformed data and classification.

3.1.5.1 Pass Through Data

Pass through data refers to the static data that is pre-processed and flows to the results area directly. The Common Staging Area (CSA) model represents the data entry point into the FSDF. CSA provides a simplified, unified data sourcing area for inputs required by analytical applications and engines. It consists of over 400 tables and nearly 9000 columns organized into distinct subjects.

The staging area is a physical data model, which is deployed using the Analytical Application Infrastructure, which manages it. The design of the staging area data model is to allow efficient data loading for analytics. It thus has crucial differences from a general-purpose repository of operational/transactional data across a bank.

The staging area acts as the single source of data, and contains unified data requirements for various banking areas such as Loans and Losses, Off balance Sheet products, Securities, Derivatives, Capital Data, Management Ledger and General Ledger. Common example of this category includes various monetary amounts, dates and so on.

3.1.5.2 Derived / Transformed Data and Reclassifications

OFSDF Interface with Lombard Risk for EBA requires specific hierarchies and data to be transformed and reclassified to regulator specific values.

Table 3: Data Transformation Example

Source Hierarchy		Target Hierarchy
Maturity Date	As-of-Date	DIM EBA Remaining Maturity

This rule uses the bank-specific data coming at account level, such as maturity date. The difference between the maturity date and the as-of-date is computed to arrive at the remaining maturity band. However, these values are bank specific, and must be converted or reclassified to regulatory specific set of value such as DIM EBA Remaining Maturity Band as mentioned above.

Reporting derived entities use this reclassified dimensions. Some of the reclassifications are performed in the respective application area.

For example, DIM BASEL PRODUCT TYPE. This reclassification is performed in Basel application processing and available for reporting directly.

Other transformations include various bands such as delinquency band, loan purpose and so on.

3.1.5.3 Re-classified to Regulatory Classifications

After transformation, the regulatory data is reclassified as follows:

Table 4: Data Reclassification Example 1

Source	Attribute	Interim Target	Target
DIM PRODUCT	Withdrawable Reserve	DIM STANDARD PRODUCT	DIM REG PRODUCT
Checking Accounts	= N	CASA	Current Accounts

Table 5: Data Reclassification Example 2

FCT REG ACCOUNT SUMMARY			
Account Number	REG PROD Classification	Remaining Maturity Band	Delinquency Band
1	OTHER TERM LOAN	1	3

The sample reclassifications performed to transform the existing hierarchies to regulatory specific hierarchies are:

- ◆ Regulatory Product Classification
- ◆ Regulatory Instrument Classification
- ◆ Trading Account Book Type Classification

The additional transformations that are performed are:

- ◆ Remaining Time to Maturity Band
- ◆ Regulatory Delinquency Band

Within reclassification rules, few rules where source is customer specific values. In such cases, these rules must be validated and updated as required by end user because Out of Box rule may differ from what end user has. Such rules are very few and restricted to:

1. Standard Product Type Reclassification
2. Standard Party Type Reclassification
3. Standard Mitigant Type Reclassification
4. Regulatory Industry Reclassification
5. Regulatory Credit Status Reclassification
6. Regulatory Loan Purpose Reclassification

AnaCredit Reclassification Rules are as follows.

Sl. No.	Rule Name	Rule Type	Source Table	Source Column	Target Table	Target Column
1	Standard Product Reclass – DIM_PRODUCT_TYPE to DIM_STANDARD_PRODUCT_TYPE	CUSTOM	FCT_REG_ACCOUNT_SUMMARY	N_PROD_TYPE_SKEY	FCT_REG_ACCOUNT_SUMMARY	N_STANDARD_PRODUCT_TYPE_SKEY
2	Standard Party Reclass – DIM_PARTY_TYPE to DIM_STANDARD_PARTY_TYPE	CUSTOM	FCT_REG_ACCOUNT_SUMMARY	N_PARTY_TYPE_SKEY	FCT_REG_ACCOUNT_SUMMARY	N_STANDARD_PARTY_TYPE_SKEY
			[Party granule] DIM_PARTY	[Party granule] V_PARTY_TYPE	FCT_REG_ACCT_JOIN_T_LIABILITY	
			[Joint Liability granule] DIM_PARTY	[Joint Liability granule] V_PARTY_TYPE	FCT_REG_PARTY_DET_AILS	
3	Standard Mitigant Reclass – DIM_MITIGANT_TYPE to DIM_STD_MITIGANT_TYPE	CUSTOM	FCT_MITIGANTS	N_MITIGANT_TYPE_SKEY	FCT_MITIGANTS	N_STD_MITIGANT_TYPE_SKEY
4	Encumbrance Source – DIM_REG_ENCUMB_SOURCES – DIM_ENCUMBRANCE_SOURCES	CUSTOM	FCT_COMMON_ACCOUNT_SUMMARY	N_ENCUMBRANCE_SOURCE_SKEY	FCT_REG_ANAC_INST_ACCT_FIN_DS	N_REG_ENCUMB_SRC_SKEY

OFS Regulatory Reporting for European Banking Authority (EBA) – Lombard Risk Integration Pack

User Guide, Release 8.0.6.1.0

5	Legal Proceeding Status – DIM_REG_LEGAL_PROCEEDING_ STATUS - DIM_LEGAL_PROCEEDING_STATUS	CUSTOM	FCT_REG_PARTY_D ETAILS	N_LEGAL_PROCEEDIN G_STS_SKEY	FCT_REG_ANAC_CNT RPRTY_REF_DS	N_REG_LEGAL_PRO CEDING_STS_SKEY
6	Type of Protection Value – DIM_REG_PROTECTION_VALUE_ TYPE - FCT_MITIGANTS	CUSTOM	FCT_MITIGANTS	V_TYPE_OF_PROTECT ION_VALUE	FCT_REG_ANC_PRTN_ RCD_DS	N_REG_PROTECT_ VALUE_TYPE_SKEY
7	Forbearance Status – FCT_REG_ACCOUNT_SUMMARY - FCT_COMMON_ACCOUNT_SUMM ARY	CUSTOM	FCT_COMMON_ACC OUNT_SUMMARY	N_FORBORNE_STATU S_SKEY	FCT_REG_ANAC_INST _ACCT_FIN_DS	N_REG_FORBORNE_ STATUS_SKEY
8	Account Purpose – DIM_REG_ACCOUNT_PURPOSE - DIM_ACCOUNT_PURPOSE	CUSTOM	FCT_COMMON_ACC OUNT_SUMMARY	N_ACCOUNT_PURPOS E_SKEY	FCT_REG_ANAC_INST _ACCT_FIN_DS	N_REG_ACCT_PURP OSE_SKEY
9	Industry Type – DIM_REG_INDUSTRY - DIM_INDUSTRY	CUSTOM	DIM_PARTY	V_INDUSTRY_CODE	FCT_REG_ANAC_CNT RPRTY_REF_DS	N_REG_INDUSTRY_ SKEY
10	Organization Constituent Type – DIM_REG_ORG_CONSTITUTENT_ TYPE – DIM_PARTY	CUSTOM	DIM_PARTY	V_ORG_CONSTITUENT _TYPE	FCT_REG_ANAC_CNT RPRTY_REF_DS	N_REG_ORG_CONS T_TYPE_SKEY
11	Securitization Type- DIM_REG_SECURITIZATION_TYPE (CUSTOM)	CUSTOM	FCT_COMMON_ACC OUNT_SUMMARY	N_SECURITIZATION_T YPE_SKEY	FCT_REG_ANAC_INST _ACCT_FIN_DS	N_REG_SECURITIZA TION_TYPE_SKEY
12	Accounting Classification – DIM_REG_ACCT_CLASSIFICATION - DIM_HOLDING_TYPE	OUT-OF- BOX				

OFS Regulatory Reporting for European Banking Authority (EBA) – Lombard Risk Integration Pack
User Guide, Release 8.0.6.1.0

13	Default Status – DIM_REG_DEFAULT_STATUS - FCT_PARTY_DETAILS and FCT_COMMON_ACCOUNT_SUMM ARY	OUT-OF- BOX				
14	Enterprise Classification – DIM_REG_ENTPRISE_CLASSIFICTION - DIM_PARTY and FCT_PARTY_FINANCIAL_DETAIL	OUT-OF- BOX				
15	Interest Rate Reset Frequency – DIM_REG_FREQUENCY_TYPE - FCT_COMMON_ACCOUNT_SUMM ARY	OUT-OF- BOX				
16	Payment Frequency – FCT_REG_ACCOUNT_SUMMARY - FCT_COMMON_ACCOUNT_SUMM ARY	OUT-OF- BOX				
17	Amortization Type – DIM_REG_AMORTIZATION_TYPE - DIM_AMORTIZATION_TYPE	OUT-OF- BOX				
18	Regulatory Product type – FCT_REG_ACCOUNT_SUMMARY – DIM_STANDARD_PRODUCT_TYPE	OUT-OF- BOX				
19	Protection Valuation Method - DIM_REG_VALUATION_METHOD - DIM_VALUATION_METHOD	OUT-OF- BOX				

OFS Regulatory Reporting for European Banking Authority (EBA) – Lombard Risk Integration Pack
User Guide, Release 8.0.6.1.0

20	Institutional Sector – DIM_REG_PARTY_TYPE - DIM_STANDARD_PARTY_TYPE	OUT-OF- BOX				
21	Credit Status – DIM_REG_CREDIT_STATUS - DIM_CREDIT_STATUS	OUT-OF- BOX				
22	Mitigant Type – DIM_REG_MITIGANT_TYPE - DIM_STD_MITIGANT_TYPE	OUT-OF- BOX				
23	GL Account to Reporting Line Mapper Maintenance	OUT-OF- BOX				

Refer to [Business Metadata](#) for details of these reclassifications.

3.1.6 Data Flow from Staging to Processing Area

The staging area of the FSDF serves as a container for analytical processing from sourcing to consumption. Such processing is usually delivered in the form of discrete units called analytical applications, spanning different analytical use cases ranging from Finance to Risk to Compliance.

These applications consist of custom-built computational engines and numerical libraries, and can execute processes on the data that range from simple aggregations to complex, multi-step stochastic processes such as Monte-Carlo simulation.

Hence, analytical applications place varying demands on the data infrastructure in terms of volumes and speed, and hence place different demands on the data architecture. In practice, the normalized (3NF) design favored for enterprise data warehouses often fails to be efficient or performant when it comes to analytical processing across a wide range of use cases.

Therefore, the OFSDF recognizes the need for distinct application-specific working stores, separate from the staging and reporting area. For example, the OFSAA Asset and Liability Management (ALM) application has a distinct set of ALM-specific tables, as does the Market Risk solution.

Note: The structure of these processing area stores is decided by the actual analytical application and engine used. The OFSAA suite of applications is organized this way, with each application managing a specific set of tables/schemas within the processing area.

The processing area tables/schemas are not part of the OFSDF. This is because OFSDF is intended to be an open platform. Other analytical applications and engines can equally provision data out of OFSDF by mapping their input requirements appropriately to the OFSDF staging area model.

3.1.7 Data Flow from Processing to Results Area

This step is similar to [Data Flow from Staging to Results Area](#). It involves either pass through data from processing to results or loading directly to results (refer [Section 3.1.8](#)). This is mostly due to processing measures such as Fair Value, Risk Weighted Assets, and so on.

3.1.8 Guidelines for Data Loading to Result Area Tables in Data Foundation for Regulatory Reporting Implementations

Regulatory reports make use of data available across several fact tables in the OFSAA data foundation model and these result tables are either loaded from the raw data sourced from source systems via out of the box T2T's or processed data output from various OFSAA applications.

For example, Fact LRM Account Summary (FCT_LRM_ACCOUNT_SUMMARY) which stores the liquidity risk related attributes and metrics computed by OFSAA LRM application, Fact Loan Loss Forecasting and Provision Account Summary (FCT_LLFP_ACCOUNT_SUMMARY) which stores the attributes and measures computed by OFSAA LLFP application. However, there can be several implementation use cases in the regulatory reporting space where customer may not have licensed any of OFSAA application and hence must put additional custom effort to design an ETL process to load the required data elements into the respective fact tables referenced by the report. The following section highlight some of the guidelines that the customer can consider when designing a data flow for such a use case.

◆ Consistent Usage of Run Identifier

Most of the fact tables used in regulatory reporting are run enabled and have a composite primary key inclusive of run identifier that enables same snapshot of data to be loaded multiple times into the target fact table for any given execution date. All the out of the box processes that impact data used in regulatory reports are executed as part of an integrated run to ensure that run identifier is consistent across fact tables. Since the reporting is done on an integrated schema, it is imperative for the custom data flow design to keep this integrity intact. This essentially means that the custom ETL processes designed to load the data directly into the fact tables must be able to leverage the run identifier generated by the run engine during execution. Run Identifier information is available in DIM_RUN table.

◆ Correct Dimensional Lookup Configuration

Dimensional identifiers are typically part of referential integrity constraints with the fact table so the custom ETL processes must ensure that lookups retrieve a valid surrogate keys for a given value of business key. The intermediate staging structure must ensure all the business keys are persisted correctly and the lookup condition is designed on the correct dimension table.

For example, FCT_LRM_ACCOUNT_SUMMARY.n_asset_level_skey → DIM_ASSET_LEVEL.n_asset_level_skey. The business key (v_asset_level_code) must be sourced and persisted to ensure correct values are populated in the target column, that is, FCT_LRM_ACCOUNT_SUMMARY.n_asset_level_skey.

From OFSAA technical infrastructure standpoint, the mentioned options are available to the customer to design and implement the custom ETL process explained above. OFSAA strongly recommends the below options to maintain consistency in terms of data lineage in Metadata browser as the configured metadata can be made available in meta model via MDB publish:

- 1) Data Integration Hub (DIH) Connectors
- 2) Data Mapping (T2T) option in Application Infrastructure
- 3) Data File Mapping (F2T) option in Application Infrastructure

3.1.8.1 DIH Connectors

For customer's that have licensed DIH to source data from external systems into OFSAA, this probably is the easiest approach to load data into the result area table. Source data could either reside in relational structure or in a file structure. Mappings maintained in DIH are logical in nature while physical implementation is managed internally. Dimensional lookups work seamlessly without the need for any additional configuration in the connector mapping as this too is managed internally by DIH. See the *DIH User Guide* for details on how to load data into a result area table.




Figure 26: DIH Connectors

3.1.8.2 Data Mapping (T2T)

Data Mapping refers to the process of retrieving unstructured data from data sources for further data processing, storage, or migration. This feature is commonly known as RDBMS source to RDBMS target (T2T) framework in the OFSAA world and can be leveraged when source data is available in Oracle database. Dimensional lookups must be handled via the T2T's join condition and expressions. See the *OFS AAI User Guide* for more details on configuring a T2T.

3.1.8.3 Data File Mapping (Flat File to RDBMS Target - F2T)

If the source data is available in file structures, OFSAA F2T component can be used to bring the data in the OFSAA eco system. As lookups cannot be configured in a F2T, this component must be used in conjunction with T2T component, that is, data is first loaded from the file to an interim staging structure using the F2T component followed by data load to the target result area table using the T2T component. This is least recommended approach as there is need for interim table structure in data model and involves multiple data hops which add to the overhead.

See the *OFS AAI User Guide* for more details on configuring a F2T.

3.1.9 FSDF Entity Information

3.1.9.1 Dimension Tables/Entities

Table 6: Dimension Seeded Tables/Entities

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
1	DIM_ACCOUNT_CLASSIFICATION	Account Classification Dimension	This entity stores the account classifications according to different regulations.
2	DIM_ASSET_LEVEL	Liquidity Asset Level	This table stores the various Assent Level that can be assigned to the account. Under Basel Accord an account can be either Level 1 Asset or Level 2 Asset or Other Asset.
3	DIM_BANDS	Bands Dimension	This table stores the list of band dimensions. Information on the table name, columns containing the band codes, upper and lower bound values are stored in the setup table and a generic code is executed to populate the band codes in the respective fact tables.
4	DIM_BANKING_ARRANGEMENT	Banking Arrangement Dimension	This table stores the banking arrangement codes.
5	DIM_BASEL_ASSET_CLASS	Basel Asset Class	This table stores the Basel defined Asset classes used to arrive at the relevant risk weight category or calculation formula.
6	DIM_BASEL_BANK_ROLE	Basel Bank Roles	This table stores the Bank Role type as defined by Basel Accord.
7	DIM_BASEL_CREDIT_RATING	Basel Credit Ratings Dimension	This table stores the Basel defined Credit Ratings
8	DIM_BASEL_METHODODOLOGY	Basel Methodology Dimension	This table stores the Approach Methodology as defined by Basel

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
9	DIM_BASEL_PRODUCT_TYPE	Basel Product Types Dimension	This table stores the product type as defined by Basel.
10	DIM_BOOLEAN_FLAGS	Boolean Flag Dimension	This table stores the list of the Boolean Flags.
11	DIM_CLEARED_TXN_BANK_ROLE	Cleared Transaction Bank Role Dimension	This table stores the role of the financial institution in the transactions cleared by central counterparties, for example: Clearing Member, Clearing Member Client.
12	DIM_CONSOLIDATION	Consolidation Dimension	This entity stores details of various kinds of values to be analyzed like actual or budget.
13	DIM_COUNTRY	Country Dimension	This table stores country dimension data.
14	DIM_CREDIT_LINE_PURPOSE_CAT	Credit Line Purpose Category Dimension	This entity stores the purpose category of credit line which is available for liquidity, credit, both or other. This may have four values: LIQ (=Liquidity), CRT (=Credit), BOT (=Both Liquidity and Credit), OTH (Others).
15	DIM_CREDIT_RATING	Credit Rating Dimension	This table stores the credit rating information.
16	DIM_CURRENCY	Currency Dimension	The table stores the currency information.
17	DIM_DELQCY_WORKOUT_PROGRAM	Delinquency Workout Program Dimension	This table stores the loss / delinquency workout program associated with loans. Workout program are defined generally as: if particular program is deferment, forbearance, term changes, rate changes, and so on.

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
18	DIM_DEPOSIT_PRIM_PURPOSE	Deposit Primary Purpose Dimension	This table stores the primary purpose of deposit. The list of Values are: (1) PAYREMIT = Payment remittance; (2) SAFEKEEPING = Administration of payments and cash flows related to the safekeeping of investment assets, Not including the purchase or sale of assets; (3) PAYROLLADMIN = Payroll administration and control over the disbursement of funds; (4) PYMNTORDER = Transmission, reconciliation, and confirmation of payment orders; (5) DAYOVERDRAFT = Daylight overdraft; (6) INTRADAYSETTLEMNT = Determination of intra-day and final settlement positions; (7) SECTRNS = Settlement of securities transactions; (8) CAPDSTBN = Transfer of capital distributions and recurring contractual payments; (9) SUBSCREDEMNS = Customer subscriptions and redemptions; (10) ESCFNDTRNSFR = Escrow, funds transfer, stock transfer, and agency 11) CUSTFNDDISTRBN = Scheduled distribution of customer funds; (12) ESCFNDTRNSFRPAYSET = Escrow, funds transfer, stock transfer, and agency services,

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
			including payment and settlement services, payment of fees, taxes, and other expenses; and (13) FNDCOLL = Collection and aggregation of funds. (14) OTH = Others
19	DIM_EXPOSURE_UNDERLYING_TYPE	Exposure Underlying Type	This table stores the various underlying type for the exposures.
20	DIM_GAAP	Generally Accepted Accounting Principles Dimension	This entity stores the details of Generally Accepted Accounting Practice.
21	DIM_HOLDING_TYPE	Holding Type Dimension	This table stores the Holding Type of the security.
22	DIM_INSTRUMENT_TYPE	Instrument Type Dimension	This entity stores the details of all instrument types that are supported by Reveleus Market Risk.
23	DIM_LCR_CAP_CASH_FLOWS	LCR cap dimension	This table stores the cap on cash flows for liquidity reporting.
24	DIM_MATURITY_BUCKETS	Maturity Bucket Dimension	This table stores the bucket ranges for maturity dates of an account.
25	DIM_METHODOLOGIES	Methodologies Master	This entity stores the different methodologies available for different applications.
26	DIM_OR_STATUS	Operation Risk Status Dimension	This table stores information about Status like Open, Close, Complete, and so on.
27	DIM_PRODUCT_BOOK	Product Book Dimension	This table stores exposure details whether it is Banking book or Trading book (if info is not available it is under Missing category).

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
28	DIM_REG_CAP_EXEMPTION_CRITERIA	Regulatory Capital Exemption Criteria Dimension	This table stores the various exemption criteria as specified under the regulatory capital guidelines. This exemption criteria is applicable for any exposures to be exempted from the regulatory calculation like leverage ratio or large exposures. These criteria is unique and is not overlapping for the exposures in a specific run.
29	DIM_REG_CONSTITUTED_FORM	Regulatory Dimension for Company Constitution Form	This table stores the list of all constituted forms of establishment of an entity for various jurisdictions like Joint stock, Mutual/cooperative, Other non-joint stock, and so on.
30	DIM_REG_DEPOSIT_TYPE	Regulatory Deposit Type Dimension	This table stores details of various deposit types like Demand deposits and NOW accounts.
31	DIM_REG_ENTITY_TYPE	Regulatory Dimension for Entity Type	This table stores the list of all regulatory entity types to be reported in various jurisdictions like Universal banking, Retail/commercial banking, Investment banking, Specialised lender, and so on.
32	DIM_REG_INSTR_CLASSIFICATION	Regulatory Instrument Classification	This table stores data for different Instrument Classified defined by Regulators.
33	DIM_REG_LOAN_PURPOSE	Regulatory Loan Purpose Dimension	This table stores the description for the regulatory loan purpose / utilization of loan amount. Values expected are: 1 = Purchase 4 = Rate / Term Refinance

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
			5 = Cash-Out Refinance 6 = Other Refinance 7 = Home Improvement 8 = Debt Consolidation 9 = Education A = Medical Y = Other U = Unknown
34	DIM_REG_PARTY_RELATIONSHP_TYPE	Regulatory Party Relationship Type Dimension	This table stores the relationship types defined by the Regulators. The table is used to determine the regulatory relationship type between two parties. This can also be used for relationship type between an entity and a party, wherein the entity is represented.
35	DIM_REG_PRODUCT_CLASSIFICATION	Regulatory Product Classification Dimension	This tables stores the classification of loans underlying Mortgage Servicing Rights into Regulatory classes as required for reports. Example: FHLMC/ FNMA, FHA loans, and so on.
36	DIM_REG_PRODUCT_TYPE	Regulatory Product Type	This table stores regulatory product types. This is used for regulatory reporting purpose and contains values like Auto Loans, Credit Cards, other consumer loans, and so on.
37	DIM_RISK_TYPE	Risk Type Dimension	This table stores the Risk Types. For example: Price Risk, Volatility Risk, and so on.
38	DIM_RISK_WEIGHT	Risk Weight Dimension	This table stores the various Risk Weight assigned under Basel Accord.

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
39	DIM_STANDARD_ACCT_HEAD	Standard Accounting Head Dimension	This entity lists the various standard accounting heads (Equity, Reserves and Surplus, and so on) under which a bank classifies its GL sources of accounting capital.
40	DIM_STANDARD_EVENT_TYPE	Standard Loss Event Type Dimension	This entity stores the master list of Operational Loss Event Types as prescribed by the Regulator.
41	DIM_STANDARD_PARTY_TYPE	Standard Party Type Dimension	This table stores the standard party type, party here could be customer, issuer and guarantor, and so on.
42	DIM_STANDARD_PRODUCT_TYPE	Standard Product Type Dimension	This table stores the list of all product types specified by regulator for risk computations.
43	DIM_STD_MITIGANT_TYPE	Standard Mitigant Type Dimension	This entity stores the standard mitigant type.
44	DIM_TRADING_ACCT_BOOK_TYPE	Trading Account Book Type	This table stores the trading assets and liabilities. Along with Holding type as held for trading at times regulator has an additional criteria like positive fair value for identification of trading assets and negative fair value for trading liabilities.
45	DIM_UNDRLYNG_ASST_POOL_TYPE	Underlying Asset Pool Type Table	This table stores the underlying asset pool type for derivative instruments. For example: Student Loan ABS means an asset backed security backed by student loans. In this case, this table stores Student Loan.

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
46	DIM_REG_FIXED_ASSETS	Reg Fixed Assets Dimension	This table stores the data related to reg fixed assets. Reg fixed assets are physical assets such as Buildings, Land, Machinery, Automobiles, Gold bullion, and so on. They can be sold and appropriate profit/loss can be recognized based on appropriate accounting principles.
47	DIM_REG_VALUATION_METHOD	Regulatory Valuation	This table stores the Regulatory valuation method used to calculate the mitigant value.
48	DIM_FV_CLASSIFICATION_TYPE	Fairvalue Classification Type For Dimension	This table stores list of all the fair value option classification types.
49	DIM_CASH_FLOW_TYPE	Cash Flow Type Dimension	This table contains the cash flow types like principal, interest, and so on.
50	DIM_AMORTIZATION_TYPE	Amortization Type Dimension	This entity stores the various type/method of amortizing principal and interest.
51	DIM_IFRS9_STAGES	Dimension Table For Ifrs9 Stages	This table stores the stages into which an account can be classified based on IFRS9 final guidelines.
52	DIM_CREDIT_PARTCPN_TYPE	Credit Participation Type Dimension	This table stores the various Credit Participation types. This table contains pre-seeded values.
53	DIM_CREDIT_PARTCPTION_TYPE	Credit Participation Contract Type Dimension	This table stores the type of the contract identifiers for the main participation or syndication contract.
54	DIM_INTEREST_TYPE	Interest Type Dimension	This table stores the Interest Type.

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
55	DIM_CREDIT_STATUS	Credit Status Dimension	This entity stores the credit status codes for the customer account along with the descriptions for each status code. For example: current, delinquent, foreclosed.
56	DIM_REG_ACCOUNT_PURPOSE	Regulatory Account Purposes Dimension	This table stores the classification of instruments according to their purpose. As a general rule, the value of the attribute “purpose” refers to the contract running at the reporting reference date. In particular, if the initial contract has been changed, then a new account for the altered purpose is made. Possible values can be: <ul style="list-style-type: none"> -- Debt financing -- Residential real estate purchase -- Margin lending -- Other purposes -- Working capital facility -- Imports -- Construction investment -- Commercial real estate purchase -- Exports
57	DIM_REG_ACCT_CLASSIFICATION	Regulatory Account Classifications Dimension	This dimension table stores the Accounting portfolio where the instrument is recorded in accordance with the accounting standard. This is stipulated in the AnaCredit Regulation. This is a seeded dimension table. An accounting portfolio is a classification on IFRS or GAAP.

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
58	DIM_REG_AMORTIZATION_TYPE	Regulatory Amortization Type	This table stores the information regarding various regulatory amortization types.
59	DIM_REG_INDUSTRY	Reg Industry Type	This table store the standard industry codes such as NAICS, NACS, SIC, and so on.
60	DIM_REG_LEGAL_PROCEEDING_STATUS	Regulatory Legal Proceeding Status Dimension	<p>This table stores the Categories describing status of the legal proceedings initiated against the counterparty for the recovery of the dues. This is stipulated in the AnaCredit Regulation. The following list of legal proceeding scenarios can be held in the table:</p> <ul style="list-style-type: none"> -- Other legal measures -- Under judicial administration, receivership or similar measures -- Bankruptcy / insolvency -- No legal actions taken
61	DIM_REG_MITIGANT_TYPE	Regulatory Mitigant Type Dimension	This entity stores the regulatory mitigant types. These are derived based Standard Mitigant type and few other mitigant attributes.
62	DIM_REG_ORG_CONSTITUENT_TYPE	Regulatory Organisation Constituent Type Dimension	<p>This table stores the Regulatory values for the Party's Legal Organisation constituent type in the country of incorporation. This is stipulated in the AnaCredit Regulation. The list of values are:</p> <ul style="list-style-type: none"> -- Private Persons, -- General partnership, -- Limited partnership, -- Mutual Insurance, -- Corporation Owner Association, and so on.

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
63	DIM_REG_PARTY_ROLE_RANKING	Regulatory Party Role Ranking Dimension	This table stores the ranking list/order in which a party can be ranked based on the role associated to the accounts. In CBM's AnaCredit a counterparty might have n number of roles associated to n number of accounts. Since the counterparty appears only once in "Counterparty Reference Dataset", this ranking is used to stamp the highest rank against the counterparty. Indicative values for CBM's AnaCredit are: 31 for Reporting agent – MT, 29 for Creditor – MT, 27 for Head office undertaking – MT, 26 for Immediate parent undertaking – MT, and so on.
64	DIM_REG_PARTY_TYPE	Regulatory Party Type Dimension	This entity stores the regulator specific party types.
65	DIM_REG_CREDIT_STATUS	Regulatory Credit Status Dimension	This table stores the regulatory credit status as prescribed by the regulator.
66	DIM_REG_DEFAULT_STATUS	Regulatory Default Status Of Instrument And Counterparty Dimension	This dimension table stores the Default Status of Instrument and Counterparty. This is stipulated in the AnaCredit Regulation. The following list of values are expected: -- Not in default -- Default because unlikely to pay
67	DIM_REG_FORBORNE_STATUS	Anacredit Forborne Status Dimension	This table stores the Anacredit Specific Forbearance Statuses.

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
68	DIM_REG_ENCUMB_SOURCES	Regulatory Encumbrance Sources Dimension	This table stores the type of product which is used as a source of encumbrance. For the purpose of AnaCredit, an asset is treated as encumbered if it is pledged or if it is subject to any form of arrangement to secure, collateralize or pledging. Encumbered securities means the securities that are owned by one entity but subject to a legal claim by another. List of values are: <ul style="list-style-type: none"> -- CBF -- DEPNOTREPO -- OTCDER -- NOENCUMB -- DSNOTCBABS -- DSABS -- DEPREPONOTCB -- ETDER -- DSCB -- OTHER
69	DIM_REG_ENTPRISE_CLASSIFICATION	Regulatory Enterprise Classification Dimension	This table stores the classification of enterprises by size. As per the criteria provided in the AnaCredit regulation, the enterprise size is decided by the following factors: <ul style="list-style-type: none"> -- Number of employees -- Turnover -- Value of the company
70	DIM_VALUATION_METHOD	Valuation Method Dimension	This table stores the list of all methods used for valuation purposes.

Sl. No.	List of Seeded Tables	Table/Entity Logical Names	Table/Entity Descriptions
71	DIM_REG_FREQUENCY_TYPE	Regulatory Frequency Type Dimension	This table stores the frequency types. And in AnaCredit , it is used for Payment frequency (Frequency of payments due, either of principal or interest, that is, number of months between payments) and Interest Rate Resetting (frequency at which the interest rate is calculated on the principal amount).
72	DIM_REG_PROTECTION_VALUE_TYPE	Regulatory Protection Value Type Dimension	This table stores the protection type value. This is stipulated in the AnaCredit Regulation. The following list of values are expected: -- Notional amount, -- Fair value, -- Market value, -- Long-term sustainable value.
73	DIM_REG_SECURITIZATION_TYPE	Regulatory Type Of Securitization Dimension	This table stores the regulatory list of values for securitization type as expected in AnaCredit regulation. This is stipulated in the AnaCredit Regulation. The following list of values are expected: -- Traditional or -- Synthetic
74	DIM_STANDARD_CENTRAL_BANKS	Standard Central Banks Dimension	This table stores the names of various central banks across the world.

3.1.10 Fact Tables/Entities

For all tables with data flow type tagged as a Processing, it is recommended that end users map data directly to result area if processing application is not part of OFSAA product suite. For example, Basel computations, RWA Numbers, and Capital Ratio are taken from processing area which is populated by OFSAA or other Basel application.

For processed tables, you can look for the following options:

- ◆ OFSAA Data Integration Hub (DIH) product
- ◆ Flat File
- ◆ Table-to-Table Transformation with source being processing application

Table 7: Fact Seeded Tables/Entities

Sl. No.	Seeded Table	Table/Entity Logical Name	Table/Entity Description	Data Flow Type
1	FCT_IFRS_ACCOUNT_SUMMARY	Fact IFRS Account Summary	This table holds the measures related to account that are computed by IFRS application.	Processing
2	FCT_COMMON_ACCOUNT_SUMMARY	Fact Common Account Summary	This table stores common account level information that usually comes as an input through staging.	Staging
3	FCT_CREDIT_LINE	Fact Credit Facility	This table stores the credit facility data. Credit facility is committed line of credit given to a customer who can have multiple draws / exposures out of a given credit line.	Staging, Processing
4	FCT_CREDITRISK_ACCOUNT_SUMMARY	Fact Credit Risk Account Summary	This entity captures different measures of exposures pertaining to Credit Risk Analytics.	Staging
5	FCT_IFRS_MITIGANTS_SUMMARY	Fact IFRS Mitigants Summary	This table stores the IFRS mitigants summary.	Processing
6	FCT_LCR_CAP_WEIGHT_SPECS	Fact Cap On Flows And Weight Specification For LCR	This table stores the inputs for cap on cash flows and applicable weight that is haircut, which is used in Liquidity Coverage Ratio reporting as stipulated in the Delegated Act on Liquidity issued by the European Commission.	Processing

Sl. No.	Seeded Table	Table/Entity Logical Name	Table/Entity Description	Data Flow Type
7	FCT_LEGAL_ENTITY_DETAILS	Fact Legal Entity Details	This table stores the legal entity details.	Staging
8	FCT_LLFP_ACCOUNT_SUMMARY	Fact Loan Loss Forecasting And Provision Account Summary	This entity stores loan loss forecasting and provision account summary. This table is an input from loan loss forecasting and provision (LLFP) application.	Processing
9	FCT_LRM_ACCOUNT_SUMMARY	Fact LRM Account Summary	This table stores the Account Derived details in Liquidity Risk Management (LRM) solution.	Processing
10	FCT_LRM_ACCT_PLCD_COLL_MAP	Fact LRM Account Placed Collateral Map	This entity stores the details of account and the placed collateral.	Processing
11	FCT_LRM_PLACED_COLLATERAL	Fact LRM Placed Collateral	This entity stores the LRM Placed Collateral details.	Processing
12	FCT_MGMT_REPORTING	Fact Management Reporting	This table stores management reporting data related to organization and product profitability / income statement / balance sheet.	Processing
13	FCT_MITIGANT_REG_CAPITAL	Fact Mitigant Regulatory Capital	This table stores the regulatory capital information related to mitigants.	Processing
14	FCT_MITIGANTS	Fact Mitigants	This entity stores the consolidated details of all the mitigants.	Staging
15	FCT_OPERATIONAL_LOSS	Fact Operational Loss	This entity stores the Operational Losses as reported by the Financial Institution or the Operational Loss Data Consortium.	Staging
16	FCT_OPSLOSS_DATA_THRESHOLD	Fact Operation Loss Threshold	This table stores the threshold for the operational loss recording for a given combination of Line of Business and every type.	Staging
17	FCT_PARTY_PARTY_RELATIONSHIP	Fact Party To Party Relationship	This table stores the relationship between the parties.	Staging

Sl. No.	Seeded Table	Table/Entity Logical Name	Table/Entity Description	Data Flow Type
18	FCT_PLACED_COLLATERAL	Fact Placed Collateral	This stores the details of collateral which are placed against an account.	Staging
19	FCT_REG_ACCOUNT_SUMMARY	Fact Regulatory Account Summary	<p>This table stores the regulatory reclassifications and other information as required for regulatory reporting.</p> <p>Note:</p> <p>Since the F_NCA_DISPOSAL_GRP_FLAG value is not directly available in bank's source system, this flag must be updated separately post stage data loading. The bank can choose any method (that is, rule/ excel/ query population, and so on) to populate this column.</p>	Results
20	FCT_REG_ACCT_MITIGANT_MAPPING	Fact Regulatory Account Mitigant Mapping	This table stores the account mitigant mapping information.	Processing
21	FCT_REG_AGG_CASH_FLOWS	Fact Regulatory Aggregated Cash flows	This entity stores the Aggregated Cash flows for regulatory reporting.	Processing
22	FCT_REG_CAP_ACCOUNT_SUMMARY	Fact Regulatory Capital Account Summary	This table stores regulatory capital for each account. This table is an input from Basel application.	Processing
23	FCT_REG_CAP_PARTY_GRP_MMBR_MAP	Fact Member Map for Party-Party Relationship	This table stores the mapping between member and the group head and the type of relation. Members are determined from both party dimension and party-party relationship entity.	Processing

Sl. No.	Seeded Table	Table/Entity Logical Name	Table/Entity Description	Data Flow Type
24	FCT_REG_CAP_PLCD_COLL_SUMMARY	Fact Regulatory Capital Placed Collateral Summary	This table stores the information of all exposures to a bank which are placed collateral. The placed collateral are collateral placed by the bank for either default fund contribution or for other OTC transactions, with a central counterparty. It is generally used for cleared transactions and default fund contributions.	Processing
25	FCT_REG_LARGE_EXP_CP_LIMITS	Fact Regulatory Large Exposure Counter Party Limits Details	This table stores the values of Large Exposure Limits.	Processing
26	FCT_REG_CP_CAPITAL_SUMMARY	Fact Regulatory Counterparty Capital Summary	This table stores all the regulatory capital related information of a counterparty. Some of the risk parameters in this table are probability of default and internal and external rating for the counterparty. This table is generally used for CVA calculations and default fund calculations.	Processing
27	FCT_REG_PLACED_COLLATERAL	Fact Regulatory Placed Collateral	This table stores the cash flow groups required for EBA Reporting.	Processing
28	FCT_SIGNIFICANT_CURRENCY	Fact Significant Currency	This table stores the significant currency value. It is a currency that is held in significant quantities by governments and financial institutions as part of their foreign exchange reserves. This table is used for LCR reports.	Processing

Sl. No.	Seeded Table	Table/Entity Logical Name	Table/Entity Description	Data Flow Type
29	FCT_SWAP_MITGT_PLCD_COLL_MAP	Fact Collateral Swap Account Map for Collateral Lent and Mitigant Received	This table stores the mapping between the collateral lent and mitigant received on a proportionate basis for a Collateral Swap account.	Staging
30	FCT_LOAN_ACCOUNT_SUMMARY	Fact Loan Summary	This table stores the details of loans. This table includes mortgage, vehicle loans.	Staging
31	FCT_FIXED_ASSETS	Fact Fixed Assets	This fact table stores measures pertaining to assets. Fixed assets are physical assets such as Buildings, Land, Machinery, Automobiles, Gold bullion etc. They can be sold and appropriate profit/loss can be recognized based on appropriate accounting principles.	Staging
32	FCT_ACCOUNT_MITIGANT_MAP	Fact Account Mitigant Map	Processing entity to capture account to mitigant mapping. It supports more than one mitigant to be mapped to an account.	Staging
33	FCT_ACCT_FAIRVALUE_ATTRIBUTION	Fact For Fair Value Gain Loss Values	This fact table stores the FV gain loss value taken to equity or profit/loss.	Processing
34	FCT_ACCT_PLACED_COLL_MAP	Fact Account Placed Collateral Map	This table stores account to placed collateral mapping. It is an intersection table to denote a placed collateral can be used in multiple account & an account contains multiple collateral.	Staging
35	FCT_REG_RUN_LEGAL_ENTITY_MAP	Fact Regulatory Legal Entity Run Map	This table stores reporting entity identifier for every regulatory reporting run.	Processing

Sl. No.	Seeded Table	Table/Entity Logical Name	Table/Entity Description	Data Flow Type
36	FCT_REG_FIXED_ASSETS	Fact Reg Fixed Assets	This fact table stores measures pertaining to the assets required for regulatory reporting. Fixed assets are physical assets such as Buildings, Land, Machinery, Automobiles, Gold bullion etc. They can be sold and appropriate profit/loss can be recognized based on appropriate accounting principles.	Processing
37	FCT_CREDIT_PARTCPTION_CONTRACT	Fact Credit Participation Contract	This table stores the contract identifiers and other attributes for the main participation or syndication contract. Bank can open one default or multiple tranches under a given main contract.	Staging
38	FCT_FORECAST_REG_CAP_SUMMARY	Fact Forecasted Regulatory Capital Summary	This table stores the forecasted information of all exposures to a bank, at an aggregated category level based on the regulatory asset class and the exposure type. This is applicable across the forecast dates and the various scenarios. The aggregated category can be based on a product type, party type combination, or can have more detailed category specifications.	Processing
39	FCT_HEDGED_ACCT_MAP	Fact Hedged Account Map	This table stores the mapping between the account which is the hedged item and the Hedge ID.	Processing
40	FCT_HEDGING_INSTRU_MAP	Fact Hedging Instrument Map	This table stores the mapping between the account which is the hedging instrument and the Hedge ID.	Processing

Sl. No.	Seeded Table	Table/Entity Logical Name	Table/Entity Description	Data Flow Type
41	FCT_LOAN_SERVICED_MITIGANT_MAP	Fact Loans Serviced Mitigant Map	This entity stores the loans serviced to mitigant mapping. It supports more than one mitigant to be mapped to a loan serviced account.	Staging
42	FCT_MR_VAR_PORTFOLIO_SUMMARY	Fact Market Risk Var Portfolio Summary	This table stores the information of the market risk VaR at a portfolio level. The VaR is calculated under the Advanced Approach of Market Risk. The VaR portfolios are defined, and then the VaR is computed at a portfolio level.	Processing
43	FCT_MR_VAR_SUMMARY	Fact Market Risk Var Summary	This table stores the information of the market risk VaR at an entity level. The VaR is calculated across the various portfolios under the Advanced Approach of Market Risk. These values are aggregated to form the entity level VaR values.	Processing
44	FCT_PARTY_ACCOUNT_ROLE_MAP	Fact Party Account Role Map	This table stores the role played by the party against an account.	Staging
45	FCT_REG_ACCT_JOINT LIABILITY	Fact Regulatory Account Joint Liabilities	This table stores the attributes with respect to joint liability accounts. Here, liability means customer liability to bank.	Processing
46	FCT_REG_CAP_POOL_SUMMARY	Fact Regulatory Capital Pool Summary	This table stores the information of all exposures to a bank, which are at a pool level. Some of the pool identified for this table are OTC nettable pool, Retail pools. This table stores the regulatory capital information related to these pools.	Processing

Sl. No.	Seeded Table	Table/Entity Logical Name	Table/Entity Description	Data Flow Type
47	FCT_REG_DEREG_ASSETS_SOLD_SUMM	Fact Regulatory Derecognized Assets Sold Summary	This fact table stores the regulatory summary data of entirely derecognized assets sold over a period of time.	Processing
48	FCT_REG_HEDGE_SUMMARY	Fact Regulatory Hedge Summary	This table stores the summary of hedged portfolio set which includes effective and ineffective portion of gain and loss, hedged notion amount, IRC used, and so on.	Processing
49	FCT_REG_LE_CAPITAL_SUMMARY	Fact Regulatory Legal Entity Capital Summary	This table stores the regulatory capital related information for the legal entity. This table stores all information from the GL related to the capital structure processing and the various levels of capital computations processed and computed by the application. This stores information at the granularity of the capital line item, for each capital component group. Some of the line items stored are Tier 1 Capital, Tier 2 Capital, Total Capital, and Capital Ratio.	Processing
50	FCT_REG_MARKET_RISK_EXPOSURES	Fact Regulatory Market Risk Exposures	This table stores Basel Processing output for Market Risk Exposures for Regulatory Reporting.	Processing
51	FCT_REG_MITIGANTS_SUMMARY	Fact Regulatory Mitigants Summary	This table stores the cashflow groups required for FR 2052A reporting.	Processing
52	FCT_REG_SEC_POOL_SUMMARY	Fact Regulatory Securitization Pool Summary	This table holds the information of the securitization pool, to be used for the regulatory reporting purpose.	Processing

Sl. No.	Seeded Table	Table/Entity Logical Name	Table/Entity Description	Data Flow Type
53	FCT_REG_OR_CAPITAL_SUMMARY	Fact Regulatory Operational Risk Capital Summary	This table stores the operational risk capital summary information. This represents the information at LoB level for the entity. This represents the operational risk for each LoB based on the different indicator types. Some of the different indicators used for the LoB risk calculations are gross income, loans and advances, and so on.	Processing
54	FCT_REG_POOL_MITIGANT_MAP	Fact Regulatory Nettable Pool Mitigant Mapping	This table stores the mitigant mapping information for each nettable pool.	Processing
55	FCT_REG_SER_LN_JOINT_LIABILITY	Fact Regulatory Loans Serviced Joint Liabilities	This table stores the attributes with respect to joint liability accounts of loans being serviced. Here, liability means customer liability to bank.	Processing
56	FCT_MR_CAPITAL_SUMMARY	Fact Market Risk Capital Summary	This table stores the information of the market risk capital calculations at a portfolio level. Some of the portfolios used for market risk reporting are Equity, Commodity, and Currency. The portfolios are defined by the bank, and then the market risk general risk charge are calculated at this portfolio level.	Processing
57	FCT_CUST_IDENTIFICATION_DOC	Fact Customer Identification Document	This table stores the information regarding identification documents provided by customers for the purpose of Know Your Customer (KYC) identity verification when opening an account or for Foreign Account Tax Compliance Act (FATCA).	Results

Sl. No.	Seeded Table	Table/Entity Logical Name	Table/Entity Description	Data Flow Type
			There should be a physical document associated with each Customer Identification Document record. Various documents submitted by customer are identified by document type as: BC - Certificate of Birth, BL - Business License, VR - Vehicle Registration Card/Title , VRC - Voter's Registration Card, and so on.	

3.2 Mapping of Results to Reporting Requirements of Lombard Risk

Figure 27 explains the flow of data between OFSAA and AgileREPORTER.




Figure 27: Data Flow between OFSAA and AgileREPORTER

OFSA provides the data to AgileREPORTER in the form of derived entities. Derived entity is an existing OFSAA higher order metadata object and can be physicalized as a materialized view in the database. Derived entities store aggregated data from base fact entities specified in the dataset and have the necessary dimensions and measures.

Dimensional and measure combination stored within the derived entity is mapped to cells within the report. This mapping is maintained within the 'Dimensional mapping' template. 'Decision Process' within AgileREPORTER reads the derived entities and dimension mapping information to derive the data for reporting. Derived entities are created based on measures, hierarchies, and datasets.




Figure 28: Decision Process in AgileREPORTER

Some cells in the schedule can be derived as per the logic provided by the regulator. Derivation can be an expression built using values from other cells. Examples of derivation are ratio, node-level rollup, direct reference to cells in other schedules within the report. These derivations are performed within the AgileREPORTER. OFSAA provides data only for the cells that are not derived.

Note: Metadata for data transformation is available as part of the data ware house configuration pack provided Out-of-Box / pre-configured from OFSAA. You need not perform any mapping for the reports. However, this information can be useful for maintenance or extensions when Out-of-Box pack is not available.

3.3 AgileREPORTER: Submission

The AgileREPORTER is a web-based regulatory reporting tool provided by Lombard Risk. It provides necessary features to address e-filing workflow, validation and submission process, and supports reports (called as forms/returns) for various jurisdictions. AgileREPORTER provides a reliable and efficient infrastructure to compile, generate, and submit regulatory reports.

4 OFSAA Features

This chapter provides an understanding of the AAI components used in the solution and dimensional mapping. It includes:

- ◆ [OFSAA Infrastructure](#)
- ◆ [Business Metadata](#)
- ◆ [Derived Entity](#)
- ◆ [Rules Run Framework Features](#)
- ◆ [Dimension Mapping](#)

Regulatory Reporting Solution (RRS) configures the data hand off structure to Lombard using metadata. The following sections provide details on datasets, measures, hierarchies and Derived Entities. Multiple derived entities are linked to a specific regulatory schedule. You can modify the configuration using OFSAA infrastructure. Additionally, metadata route provides traceability from reporting elements to the data elements used.

4.1 OFSAA Infrastructure

OFSAA Infrastructure includes the facilities for creating and maintaining dimensional reference data, interest rate and currency exchange rate data, and process tuning data. Additionally, OFSAA Infrastructure includes functionality for building and maintaining rules that can be used by any Oracle Financial Services Analytical Application. These common rule objects include:

- ◆ Expressions
- ◆ Hierarchies
- ◆ Filters

The analytical applications that you see on the Left Hand Side (LHS) of the Financial Services Applications home page depends on your logon privileges and on the OFSAA modules that are installed for your environment.



Figure 29: Landing Page

4.2 Business Metadata

In addition to Derived Entity, RRS uses the following OFSAA features to create the business metadata. For details on the features, see [OFS Analytical Applications Infrastructure User Guide](#) in [OHC](#) documentation library.

- ◆ **Hierarchies:** Some OFSAA dimensions support hierarchies. Hierarchies can be used to provide sophisticated stratification for either processing or reporting purposes. For example, an organizational hierarchy can start with a Division level containing Western Region, Eastern Region, and Southern Region; the next level down within the hierarchy can be state or county. A product hierarchy can begin with branches for Asset vs. Liability vs. Service products; under the Asset branch, you can define additional branches for Mortgage Lending, Commercial Lending, Consumer Lending, and so on.
- ◆ **Measures:** Business Measure refers to a uniquely named data element of relevance which can be used to define views within the data warehouse. It typically implies aggregated information as opposed to information at a detailed granular level that is available before adequate transformations.
- ◆ **Business Processor:** It refers to a uniquely named data element of relevance which can be used to define views within the data warehouse. It typically implies aggregated information as opposed to information at a detailed granular level that is available before adequate transformations.
- ◆ **Datasets:** It refers to a group of tables whose inter-relationship is defined by specifying a join condition between the various tables. It is a basic building block to create a query and execute on a data warehouse for a large number of functions and to generate reports.

4.3 Derived Entity

It is the primary component of OFSAA used for OFSDF Interface with Lombard Risk for EBA. Regulatory Reporting Solution uses Derived Entity to create physical materialized view which is then queried by Lombard using pre-set data hand-off templates. An Entity refers to a table in which data is stored. Derived Entity within the infrastructure system facilitates you to define entities which are populated through a series of data transformation processes resulting from an existing Data Set or a Source Application. An Entity can be used to define other Business Metadata such as measures, hierarchies, dimensions, data sets, and cubes.

Derived Entities comprise the following:

- ◆ Measures
- ◆ Hierarchies
- ◆ Datasets

Ensure to define the above components within OFSAA before configuring the derived entity, and select **Materialized View** property in Derived Entity. This property creates the derived entity as materialized views.

1. Navigate to path **Financial Services Data Foundation → Unified Analytics Metadata → Business Metadata Management → Derived Entity**. The existing derived entities summary screen is displayed. You can Add a new derived entity and Edit, View, Delete, or Copy an existing derived entity.




Figure 30: Derived Entity Summary Screen

2. Click the **Add** button to create a new Derived Entity.

The screenshot displays the 'Derived Entity Details' user interface. At the top, there is a breadcrumb trail: 'Home > Summary Screen > Derived Entity Details'. Below this, the 'Derived Entity Details' section contains several input fields and controls:

- Code**: A text input field with an asterisk indicating it is mandatory.
- Short Description**: A text input field with an asterisk indicating it is mandatory.
- Long Description**: A text input field.
- Source Type**: A dropdown menu currently set to 'Dataset' with an asterisk indicating it is mandatory.
- Aggregate**: A toggle switch.
- Materialize View**: A toggle switch.
- DataSet Name**: A dropdown menu.
- Source Name**: A dropdown menu.
- Refresh Interval**: A dropdown menu set to 'None'.
- Refresh Method**: A dropdown menu set to 'None'.
- Enable Query Rewrite**: A toggle switch.
- Parallelism**: A text input field.
- Hint**: A text input field.

At the bottom of the form, there is a 'Metadata Tree' section with two panes: 'Available Values' and 'Selected Values'. Between these panes are navigation buttons: '>', '>>', '<<', and '<'. To the right of the 'Selected Values' pane are additional navigation buttons: '<', '<<', '>', and '>>'. In the top right corner of the form area, there is a 'Reset' button. In the bottom right corner, there are 'Save' and 'Close' buttons.

Figure 31: Derived Entity User Interface

4.3.1 Creation of Derived Entity

Derived Entities must have **Code**, **Short Description** and **Source Type** mandatory dimensions as shown in Figure 31: Derived Entity User Interface. Rest of the structure of the derived entity can vary depending on the dimensions present. A metadata configuration table is present in AgileREPORTER to link the name of the column in the derived entity and dimension that is referred in dimension mapping process.

Derived entities have data for the 'Final Reporting Run' only, which is reported to the Regulatory, and are refreshed for the latest hand-off date.

A metadata configuration table is maintained within AgileREPORTER to capture the derived entities that supply data for each schedule.

Refer to [OFS Analytical Applications Infrastructure User Guide](#) in (OHC) documentation library for detailed steps on creating a derived entity.

4.3.2 User Roles

Following are the user roles for derived entity:

- ◆ **Reporting Analyst**: This user can create, modify, and delete a derived entity.
- ◆ **Data Analyst**: This user can view the derived entities.

4.4 Rules Run Framework Features

OFSDF Interface with Lombard Risk for EBA uses the following Rules Run Framework of OFSAA. For details on the features refer to [OFS Analytical Applications Infrastructure User Guide](#) in [OHC](#) documentation library.

- ◆ **Rules:** Financial institutions require constant monitoring and measurement of risk in order to conform to prevalent regulatory and supervisory standards. Such measurement often entails significant computations and validations with an organization's data. Data must be transformed to support such measurements and calculations. The data transformation is achieved through a set of defined Rules.
RRS uses Rules for reclassification of dimensions.
- ◆ **Process:** A set of Rules collectively form a Process. A Process definition is represented as a Process Tree. The Process option in the Rules Run Framework provides a framework that facilitates the definition and maintenance of a Process. By defining a Process, you can logically group a collection of Rules that pertain to a functional process.
- ◆ **Run:** The Run feature in the Rules Run Framework helps you to combine various components and/or processes together and execute them with different underlying approaches. Further, run conditions and/or job conditions can be specified while defining a run.

4.5 Dimension Mapping

Each cell reference is mapped to a set of dimensions and measures. This mapping is documented in excel and then converted to a Decision table through an offline utility provided by AgileREPORTER. Decision table is a metadata object within AgileREPORTER that stores the criteria for deriving value for each cell reference. The metadata is packaged for regulatory report as part of the OFS Risk Regulatory Solution. Decision table process within AgileREPORTER reads the metadata and derived entity published by OFSAA to populate data required for returns for the specified date and legal entity.

The following table is an example of dimension mapping. Each cell reference is mapped to a set of dimension members and measure. If a dimension is left empty for a cell reference, it indicates that it is not participating in the mapping process. If there are multiple mappings for a cell reference, then the value of this cell can come from any of these criteria.

Decision mapping table is processed against the contents of derived entity to reporting data. Each record of the derived entity is matched against the criteria specified in the decision table to identify the cell reference and derive return data (such as, cell reference and cell value).

NOTE: **Note:** All the dimension member codes that are used in the decision table are pre-seeded by OFSAA and cannot be modified. Therefore, if you have other member codes in the dimension, then you must re-classify them by using re-classification rule post load, or value-code mapping during load.

Decision tables must be prepared closer to the report submission period. In some cases, reclassification of multiple dimensions which result in a single unified reporting dimension must be performed in order to address the complexity of decision table. Reclassification rule is defined in OFSAA and packaged as part of OFSAA Risk Regulatory Reporting Solution.

In some cases, certain sections of the schedule or the entire schedule can be a list of data rows without any mapping to fixed set of dimension members. For example, Top 20 counterparties, List of Available for Sale (AFS) – securities. In such cases, since there are no cell references, decision table mapping specifies the names of dimensions and measures of derived entities in 'sheet' column or 'row' column of the template.

NOTE: As a part of the solution, metadata exists as out of box / pre-configured with installer.

5 Executing Run through Run Management

Starting from OFSDF 8.0.3.1.0 release, we are packaging two out-of-the-box Runs for data loading. Same can be executed through the Run Management screen. The following are the two runs that are packaged as part of Installer.

- ◆ **Financial Services Data Foundation Sourced Run:** This Run can be executed once per day for Data Movement from Staging Area to Results Area for Non-RUN SKEY tables.
- ◆ **OFS REG REP EBA Run:** This Run can be executed any number of times per day with each unique RUN SKEY for Data Movement in Run enabled tables.

5.1 Summary and Details Page

Upon initially navigating to **Run Management** → **Run Management**, a summary page is displayed showing all the defined Runs. By selecting a Run or by using search criteria, you can control the set of Runs that are displayed. This page displays the list of runs defined in the Run Rule Framework (RRF) except those with Immediate Execution Option **Yes** in the grid.

5.2 Navigation within the Summary Page

When you first navigate to the Run Management summary page, the Runs defined in the RRF are presented in a summary grid. The Run Management summary page has two sections:

- ◆ Search
- ◆ List of Runs

5.2.1 Search Section

Among other properties, each Run possesses a segment, a Run Name, and a Run Type. You may search on any of these properties in the Search section.




Figure 32: Run Search Section

5.2.2 List of Runs Section

The List of Runs section presents a grid containing all of the Runs that meet your search criteria. This summary grid offers several icons that allow you to perform different functions when a Run is selected.

To select a Run, click the check box in the first column of the grid.





Figure 33: Run Selection

- ◆ **View** (

5.2.2.1 List of Runs Summary Grid

The following columns categorize each Run in the summary grid:

- ◆ **Run Name:** Displays the short name of the Run.
- ◆ **Run Type:** Displays the type of Run, Simulation or Baseline Run.
- ◆ **Created By:** Displays the name of the User who defined the Run.
- ◆ **Creation Date:** Displays the date on which the Run was created.
- ◆ **Last Modified By:** Displays the name of the user who has performed any modifications to the Original Run details.
- ◆ **Last Modified Date:** Displays the date on which the Original Run details were modified.

5.2.3 Navigation within Run Default Parameters Window

Click **Run Default Parameters** icon on the navigation bar of the *Run Management Summary* Window to input the Run level parameters. The *Run Parameters* Window is displayed.

The screenshot shows a web-based interface for configuring run parameters. At the top, under 'Run Details', the 'Run Name' is 'EBA Regulatory Reporting Run'. The main section, 'Run Execution Parameters', contains several input fields: 'Reporting Currency' (text input), 'Legal Entity' (text input), 'Consolidation Type' (dropdown menu with 'Consolidated' selected), 'Consolidation Hierarchy' (text input), 'GAAP Code' (text input), and 'FIC MIS Date' (calendar icon). Below these fields are 'Save', 'Execute', and 'Close' buttons. At the bottom, an 'Audit Panel' displays metadata: 'Created By: SYSADMN', 'Created Date: 11/30/2016', 'Last Modified By: SYSADMN', and 'Last Modified Date: 12/29/2016'.

Figure 34: Run Default Parameters Window

NOTE: To modify or view the parameters the Modify Run Parameters role should be mapped to that relevant user profile.

This window consists of two sections Run Details and Run Execution Parameters.

5.2.3.1 Run Details Section

This section displays the name of the Run which is a read-only value.

5.2.3.2 Run Execution Parameters Section

In this section, you can update the following:

- ◆ **Reporting Currency:** Reporting Currency Code parameter is used for calculation of amounts in Reporting Currency during Data Population.
- ◆ **Legal Entity:** Legal Entity Code parameter is used for identifying the legal entity, which is used for the Run.
- ◆ **Consolidation Type:** Consolidation Type parameter is used for selecting legal entities on a solo or consolidation basis. In a solo run, only the selected legal entity will be used. In a consolidated run, along with the selected legal entity, all its child legal entities are also used.

- ◆ **Consolidation Hierarchy:** Legal Entity Hierarchy is used for selecting the required hierarchy for the consolidated run. This parameter is not required for solo run.
- ◆ **GAAP Code:** Enter the required GAAP code for the Run.
- ◆ **FIC MIS Date:** Enter the extraction date in this field.
- ◆ **Run Execution Description:** Enter a longer description of the Run.

Before proceeding further, to ensure that you do not lose the updated data, click **Save**.

NOTE: To get the values for Reporting Currency parameter and Legal Entity parameter, you need to save the following hierarchies under Save Metadata screen:

- ◆ Legal Entity Code for Run (HSFDF001)
 - ◆ Reporting Currency Code for Run (HSFDF002)
 - ◆ Legal Entity Hierarchy for Run (HSFDF003)
-

NOTE: For further details on Save Hierarchy, refer to *Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack 8.0.6.1.0 User Guide* on [OHC](#).

The values selected for reporting currency and Legal entity for the selected Run is shown as the default selected value in the *Run Execution Parameters* screen.

5.2.3.3 Run Details Section

This section displays the name of the Run which is a read-only value.

5.2.3.4 Run Execution Parameters Section

The following Run execution parameters can be updated:

- ◆ **Reporting Currency:** Reporting Currency Code parameter is used for calculation of amounts in Reporting Currency during Data Population.
- ◆ **Legal Entity:** Legal Entity Code parameter is used for identifying the legal entity, which is used for the Run.
- ◆ **Consolidation Type:** Consolidation Type parameter is used for selecting legal entities on a solo or consolidation basis. In a solo run, only the selected legal entity will be used. In a consolidated run, along with the selected legal entity, all its child legal entities are also used.
- ◆ **Consolidation Hierarchy:** Legal Entity Hierarchy is used for selecting the required hierarchy for the consolidated run. This parameter is not required for solo run.
- ◆ **GAAP Code:** Enter the required GAAP code for the Run.
- ◆ **FIC MIS Date:** Enter the extraction date in this field.
- ◆ **Run Execution Description:** Enter a longer description of the Run.

NOTE: To get the values for Reporting Currency parameter and Legal Entity parameter, you need to save the following hierarchies under Save Metadata screen:

- Legal Entity Code for Run (HFSD001)**
- Reporting Currency Code for Run (HFSD002)**
- Legal Entity Hierarchy for Run (HSFDF003)**

By clicking the Save button; a batch with the defined Run execution parameters is created. The batch created can be executed from the Batch Execution screen.

By clicking the Execute button, a batch with the defined Run execution parameters is created and executed immediately. Status of the executed run can be seen in Batch Monitor screen or Run Execution Summary page.

NOTE: For further details on Save Hierarchy and Batch Execution, refer to *Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack 8.0.6.1.0 User Guide* on [OHC](#). To execute a Run, the execute run role should be mapped to your user profile. Currently, the users mapped under FSDF Admin or FSDF Operator User Groups automatically have this role.

5.2.4 Navigation within Run Execution Summary Page

Select a Run from the *Run Management Summary* page and click *Run Execution Summary* icon to display the *Run Execution Summary* page where the following sections are displayed.



Figure 35: Run Execution Summary

This section consists of the two sections Run Execution Summary and Run Execution Details.








5.2.4.1 Run Execution Summary Section

The Run Execution Summary displays the following details:

- ◆ **Run Name:** Displays the name of the Run.
- ◆ **Run Type:** Displays the type of Run, Baseline or Simulation.
- ◆ **Run ID:** Displays the Run Execution ID.

5.2.4.2 Run Execution Details Section

The Run Execution Details section presents a grid containing all of the executions of Run and status of a particular execution of the Run. The menu bar in this grid offers several icons that allow you to perform different functions when a Run Execution is selected. To select a Run Execution, click the check box in the first column of the grid. More than one Run Execution can be selected at a time but this will cause some of the icons to become disabled.

- ◆ **Parameter Details** (): Click this icon to view the Run execution and Run default parameter details in read-only mode.
- ◆ **Copy** (): Click Copy icon, to copy the parameters as defined in the *Run Execution Parameter* window to create a new batch.
- ◆ **Execute** (): Click Execute icon to trigger the batch which has been created from the *Run Execution Parameter* window. The status of the triggered batch is displayed. In the Execution Summary page, multiple selections of the execution IDs are available to trigger a batch.
- ◆ **Request Report Flag** (): To request for a Report Flag, select a Run Execution ID in the *Run Execution Summary* page and click **Request for Reporting Execution** icon. A dialog box appears to input your comments. Click **Submit** and the status of this Run is displayed in the *Report Flag* section. Only a successful execution can be requested for reporting. For the selected Run and Execution date, there can be only one reporting flag.
- ◆ **Override Report Flag** (): Any reporting execution can be overwritten with another execution. Select a successfully triggered batch in the *Run Execution Summary* page. The **Override Report Flag** icon is enabled, if an execution is already marked as a *Report Flag*. You can override the execution by updating your comments. This should be approved by the approver and the procedure is similar to the procedure detailed in the *Approve Report Flag* section.
- ◆ **Approve Report Flag** (): After submitting the Reporting Run in the earlier section, the **Approve Report Flag** icon is enabled. After clicking the icon, a dialog box with the *User Comments and Approver Comments* is displayed. The Approver can update the comments in the **Approver Comments** field and then click **Approve or Reject** button accordingly.
- ◆ **Reload** (): Click this icon to refresh / reload the Run Execution Summary details.

5.2.4.3 Run Execution Grid

The Run Execution Details displays the following details:

- ◆ **Run Skey:** Displays the Run Skey of an individual execution.
- ◆ **Run Execution ID:** Displays the execution ID of the Run.
- ◆ **FIC MIS DATE:** Enter the extraction date in this field.
- ◆ **Execution Status:** Displays the status of the execution which is failed or complete.
- ◆ **Execution Date:** Displays the date when the Run was executed.
- ◆ **Time of Execution:** Displays the time when the Run was executed.
- ◆ **Report Flag:** Displays the flag type used when the Run was executed.

6 Metadata Export Utility

The Metadata Export Utility helps the user to export OFSAA metadata into Excel Sheet. This feature helps to get a view of OFSAA metadata and its dependencies. It is a template based approach where-in user creates templates and selects Metadata Objects that need to be extracted. The extraction process is supported only for Excel Sheet. While defining the template, user is expected to have prior knowledge of the OFSAA Metadata objects that are relevant from his application point of view.

6.1 Prerequisites

The following executions must be performed before using the Metadata Export Utility:

1. **Before executing MDB Publish and Data Elements Wrapper Batch, ensure the following:**

- a. Tablespace Requirement:
 - i. Ensure that the **USERS** tablespace have minimum **150 GB** available
 - ii. Ensure that the **TEMP** tablespace is minimum **45 GB** available
- b. Execute the following **Gather Stat** command for the mentioned tables:

```
BEGIN  
DBMS_STATS.GATHER_TABLE_STATS (USER, 'TABLE_NAME' );  
END;
```

i. **Atomic Schema:**

1. FSI_M_CELL_DEFN
2. FSI_M_CELL_DETAILS
3. FSI_M_CELL_DIM_VAL
4. FSI_DE_SEEDED_DIMENSIONS
5. FSI_DE_TABLE_APPLICATION_MAP
6. FSI_DE_PP_TABLE_LIST
7. FSI_DE_METADATA_SEEDED_VW_MAP
8. FSI_DE_PP_TABLE_REPORT_MAP

ii. **Config Schema:**

1. AAI_OBJECT_B
2. AAI_OBJECT_TL
3. AAI_DMT_DEFINITION
4. AAI_DMT_DEF_SOURCE_ENTITY
5. AAI_DMT_MAPPING_DETAILS
6. PR2_RULES_B
7. PR2_RULE_MAP
8. PR2_RULE_OBJECT

9. PR2_RULE_OBJECT_MEMBER
 10. PR2_OBJECT_TL
 11. PR2_OBJECT_TRACE
 12. BATCH_MASTER
 13. BATCH_TASK_MASTER
 14. BATCH_PARAMETER_MASTER
 15. METADATA_MASTER
 16. METADATA_ELEMENT_MASTER
 17. METADATA_LOCALE_MASTER
 18. METADATA_TYPE_MASTER
 19. METADATA_ATTRIBUTE_MASTER
2. **MDB Publish:** Execute the batch, **INFODOM_MDB**
 3. **After Executing MDB Publish and Data Element Wrapper Batch, ensure the following:**
 - a. Execute the following **Gather Stat** command for the mentioned tables:

```
BEGIN  
DBMS_STATS.GATHER_TABLE_STATS (USER, 'TABLE_NAME' );  
END;
```

 - i. **Atomic Schema:**
 1. FSI_DE_REPORT_LINEAGE_BASE
 2. FSI_DE_REPORT_LINEAGE_DETL
 3. FSI_DE_METADATA_TGT_MEMBER
 4. FSI_DE_METADATA_SRC_MEMBER
 5. FSI_DE_REPORT_TARGET_MEMBER
 6. FSI_DE_REPORT_SOURCE_MEMBER
 4. **Logs:** MDB logs are generated under deployed area **/Context_Name/logs/MDB_XXXX.log**
 5. **Data Elements Wrapper Execution:** After MDB Publish is completed successfully with message “Metadata publishing is finished.” in the **/Context_Name/logs/MDB_XXXX.log**, you must execute the Data Elements Utility with the following seeded batch to get the Data Lineage for each Metadata in OFSAA:
<INFODOM>_POP_DATA_ELEMENTS_USTR

NOTE: This execution requires adequate tablespace. Ensure that your Atomic Schema is having enough tablespace in TEMP and USERS.

Parameters used in DATA_ELEMENTS Batch

The batch can be executed in different modes according to each requirement. The following are the parameters used for executing the batch.

The default parameters used in the <INFODOM>_POP_DATA_ELEMENTS_USTR batch are:

Task1 (METADATA PARSER)

Sl. No.	Parameter	Description	List of Values	Default Value
1	P_FULL_PARSE	Full Parser Flag	Y/N	'Y'
2	P_INFODOM_NAME	Infodom Name	##INFODOM##	<Value of the Infodom where EBA is installed>. For example: 'FSDFINFO'

Task2 (REPORT PARSER)

Sl. No.	Parameter	Description	List of Values	Default Value
1	P_JURISDICTION	Jurisdiction Code	EBA	'EBA'
2	P_INFODOM_NAME	Infodom Name	##INFODOM##	<Value of the Infodom where EBA is installed>. For example: 'FSDFINFO'

Execution Types for METADATA Parsing in <INFODOM>_POP_DATA_ELEMENTS_USTR Batch

1. **Full METADATA Parsing [Default Mode]** (if the P_FULL_PARSE parameter is 'Y', then the parsing happens for entire METADATA and Run Elements for the Run(s) enabled in FSI_DE_POP_RUN_LIST table in the Atomic Schema.).
2. **Incremental METADATA Parsing [Optional Mode. Batch Parameter to Be Modified]** (if the P_FULL_PARSE parameter is 'N', then the parsing happens for changed METADATA and Run Elements for the Run(s) enabled in FSI_DE_POP_RUN_LIST table in the Atomic Schema.).

You can edit the parameters by accessing the Batch Maintenance screen.

- a. Login to Oracle Financial Services Analytical Applications interface with your credentials.
- b. Navigate to **Applications → Financial Services Data Foundation → Operations → Batch Maintenance**
- c. Select **Batch Name (<INFODOM>_POP_DATA_ELEMENTS_EBA)**
- d. Select **Task1** and click the **Edit** button. The *Edit Task Definition* Window is displayed.
- e. Modify the **Parameter List** field as applicable.

NOTE: The values must be in single quotes and comma separated for each value. Follow the same order as in the table.

Execution Types for REPORT Parsing in <INFODOM>_POP_DATA_ELEMENTS_USTR Batch:

1. **US Treasury Jurisdiction REPORT Parsing [Default Mode]** (if the P_JURISDICTION parameter is 'EBA', then the parsing happens for EBA Reports enabled in FSI_DE_POP_REPORT_LIST table in the Atomic Schema).

NOTE: Even if the P_JURISDICTION parameter in <INFODOM>_POP_DATA_ELEMENTS_USTR Batch is loaded, the Dashboards which get parsed depend on the FSI_DE_POP_REPORT_LIST table in the Atomic Schema.

2. **All Jurisdictions REPORT Parsing [Optional Mode. Batch Parameter to Be Modified]** (if the P_JURISDICTION parameter is NULL, that is, (") or two Single Quotes, then the parsing happens for entire Reports enabled in FSI_DE_POP_REPORT_LIST table in the Atomic Schema).

You can edit the parameters by accessing the Batch Maintenance screen.

- a. Login to Oracle Financial Services Analytical Applications interface with your credentials.
- b. Navigate to **Applications → Financial Services Data Foundation → Operations → Batch Maintenance**
- c. Select **Batch Name (<INFODOM>_POP_DATA_ELEMENTS_USTR)**
- d. (OPTIONAL) Select **Task2** and click the **Edit** button. The *EditTask Definiton* Window is displayed.
- e. Modify the **Parameter List** field as applicable.

NOTE: The values must be in single quotes and comma separated for each value. Follow the same order as in the table.

Enabling Run for METADATA Parsing

Every execution for METADATA Parsing requires minimum one Run to be enabled in FSI_DE_POP_RUN_LIST table in the Atomic Schema. By default, RGRNUSTR is enabled.

RUN NAME	INCLUDE RUN
RGRNUSTR	Y

Enabling Reports for REPORT Parsing

Every execution for REPORT Parsing requires minimum one Report to be enabled in FSI_DE_POP_REPORT_LIST table in the Atomic Schema. By default, the following Reports are enabled for EBA Jurisdiction.

Sl. No.	DASHBOARD ID	REPORT CODE	JURISDICTION CODE	INCLUDES REPORT
1	5001	FI0200	EBA	Y
2	5002	FI0405	EBA	Y
3	5002	FI040401	EBA	Y
4	5002	FI040201	EBA	Y
5	5002	FI040202	EBA	Y
6	5002	FI0404	EBA	Y
7	5002	FI0402	EBA	Y
8	5002	FI0401	EBA	Y
9	5002	FI040301	EBA	Y
10	5002	FI0403	EBA	Y
11	5003	FI0701	EBA	Y
12	5003	FI0700	EBA	Y
13	5004	FI0802	EBA	Y
14	5004	FI0801	EBA	Y
15	5005	C30.00	EBA	Y
16	5005	C29.00	EBA	Y
17	5005	C28.00	EBA	Y
18	5005	C31.00	EBA	Y
19	5005	C26.00	EBA	Y
20	5005	C27.00	EBA	Y
21	5006	FI0501	EBA	Y
22	5006	FI0500	EBA	Y
23	5007	FI0601	EBA	Y
24	5007	FI0600	EBA	Y
25	5008	FI0902	EBA	Y
26	5008	FI090101	EBA	Y
27	5008	FI0901	EBA	Y
28	5009	C17.00	EBA	Y

Sl. No.	DASHBOARD ID	REPORT CODE	JURISDICTION CODE	INCLUDES REPORT
29	5010	FI1400	EBA	Y
30	5011	FI1000	EBA	Y
31	5012	FI1104	EBA	Y
32	5012	FI1103	EBA	Y
33	5012	FI1101	EBA	Y
34	5013	FI1303	EBA	Y
35	5013	FI1301	EBA	Y
36	5013	FI1302	EBA	Y
37	5014	FI1900	EBA	Y
38	5015	C07.00	EBA	Y
39	5016	C75.00	EBA	Y
40	5016	C74.00	EBA	Y
41	5016	C72.00	EBA	Y
42	5016	C73.00	EBA	Y
43	5017	FI2005	EBA	Y
44	5017	FI2006	EBA	Y
45	5017	FI200701	EBA	Y
46	5017	FI2007	EBA	Y
47	5017	FI2004	EBA	Y
48	5017	FI2001	EBA	Y
49	5017	FI2002	EBA	Y
50	5017	FI2003	EBA	Y
51	5018	FI1602	EBA	Y
52	5018	FI1601	EBA	Y
53	5018	FI1605	EBA	Y
54	5018	FI1606	EBA	Y
55	5018	FI1607	EBA	Y
56	5018	FI1603	EBA	Y
57	5018	FI1604	EBA	Y
58	5018	FI160401	EBA	Y
59	5019	FI1800	EBA	Y
60	5020	C41.00	EBA	Y

Sl. No.	DASHBOARD ID	REPORT CODE	JURISDICTION CODE	INCLUDES REPORT
61	5020	C43.00	EBA	Y
62	5020	C44.00	EBA	Y
63	5020	C40.00	EBA	Y
64	5020	C47.00	EBA	Y
65	5021	FI0102	EBA	Y
66	5021	FI0101	EBA	Y
67	5021	FI0103	EBA	Y
68	5022	FI1703	EBA	Y
69	5022	FI1701	EBA	Y
70	5022	FI1702	EBA	Y
71	5023	FI2100	EBA	Y
72	5024	FI4101	EBA	Y
73	5024	FI4102	EBA	Y
74	5024	FI4103	EBA	Y
75	5025	FI4200	EBA	Y
76	5026	FI4300	EBA	Y
77	5027	FI4600	EBA	Y
78	5028	FI4501	EBA	Y
79	5028	FI4502	EBA	Y
80	5028	FI4503	EBA	Y
81	5029	FI0300	EBA	Y
82	5030	FI3002	EBA	Y
83	5030	FI3001	EBA	Y
84	5031	FI3102	EBA	Y
85	5031	FI3101	EBA	Y
86	5032	FI4403	EBA	Y
87	5032	FI4402	EBA	Y
88	5032	FI4401	EBA	Y
89	5033	FI2202	EBA	Y
90	5033	FI2201	EBA	Y
91	5034	FI1202	EBA	Y
92	5034	FI1201	EBA	Y

SI. No.	DASHBOARD ID	REPORT CODE	JURISDICTION CODE	INCLUDES REPORT
93	5035	FI1500	EBA	Y
94	5036	FI4002	EBA	Y
95	5036	FI4001	EBA	Y
96	5050	Instrument dataset	ECB	Y
97	5050	Financial dataset	ECB	Y
98	5050	Instrument-protection received dataset	ECB	Y
99	5050	Protection received dataset	ECB	Y
100	5050	Joint Liabilities Dataset	ECB	Y
101	5050	Counterparty Risk Dataset	ECB	Y
102	5050	Counterparty-Instrument Dataset	ECB	Y
103	5050	Counterparty Reference Dataset	ECB	Y
104	5050	Accounting dataset	ECB	Y
105	5050	Counterparty Default Dataset	ECB	Y
		FI0405	EBA	Y
		FI0702	EBA	Y
		FI1102	EBA	Y
		FI110301	EBA	Y
		C42	EBA	Y

NOTE: By Default All Dashboards are enabled and if you wish to parse particular Dashboards, modify the FSI_DE_POP_REPORT_LIST table in the Atomic Schema by enabling / disabling the “Include Report Column”.

Executing SELECTED tasks of <INFODOM>_POP_DATA_ELEMENTS_EBA Batch

By Default, the <INFODOM>_POP_DATA_ELEMENTS_EBA Batch contains both the tasks, that is, METADATA Parsing and REPORT Parsing. You can use platform feature of EXCLUDE / INCLUDE Batch Task for Optional execution of required tasks.

6.1.1 Verifying Logs

Data Elements logs are generated in Atomic Schema under the **FSI_MESSAGE_LOGS** table.

Flag	Batch Run ID	Indication
Task1 (METADATA Parsing)	REGISTER_ELEMENTS_<Batch_Run_ID>	Processes Metadata Parsing. The message “Completed REGISTER_ELEMENTS” indicates that the Metadata parsing is completed with Registration.
Task2 (REPORT Parsing)	REPORT_TO_ELEMENTS_<Batch_Run_ID >	Processes Report Parsing. The message “Completed REPORT_TO_ELEMENTS” indicates that all the Report parsing is completed.

6.1.2 Validating Lineage Outputs

In Atomic Schema, you must verify that data is present in the following tables and ensure that the table is populated:

- ◆ FSI_DE_RUN_LINEAGE_METADATA
- ◆ MDR_LINEAGE_METADATA
- ◆ FSI_DE_REPORT_LINEAGE_BASE
- ◆ FSI_DE_REPORT_LINEAGE_DETL

NOTE: It is recommended that the following SQL statement must be executed in Config Schema, if this INDEX is not created:

```
CREATE INDEX index_mdr_mod_parent_child
CREATE INDEX index_mdr_mod_parent_child
ON mdb_object_dependencies (parent_object_def_id,child_object_def_id)
COMPUTE STATISTICS
/
```

6.2 User Access


The following user groups are pre-seeded in the component that help you get access to the Metadata Report Extract screen.

- MDR View Group: To see Metadata Report Extract with View permissions.
- MDR Owner Group: To create templates in Metadata Report Extract.

6.3 Create and Export Metadata Report Templates

Perform the following steps to create and export the Metadata Report Templates:

1. Navigate to **Common Components** → **Utilities** → **Metadata Report**.




The screenshot shows the Oracle Financial Services Data Foundation interface. At the top, there is a search bar with 'Search', 'Reset', and 'Refresh' options. Below the search bar, there are input fields for 'Template Id' and 'Template Name'. The 'Summary' section contains a toolbar with '+ Add', 'Edit', 'View', 'Delete', 'Export to Excel', and 'Download' buttons. A table below the toolbar lists existing templates:

Template Id	Template Name	Template Description	Status	Created Date
227262	LineageTest-hint	Supriti	Completed	2018-07-06 12:11:21.0
227261	LineageTest	Supriti	Ongoing	2018-07-06 10:57:50.0
227260	Sreejith	TEst	Completed	2018-07-05 20:09:27.0

At the bottom, there is a pagination control showing 'Page 1 of 1 (1-3 of 3 items)' and a 'Records Per Page' dropdown set to 15.

2. Click **Add** icon, in **Summary** screen, to create a new Metadata Report Template.



This screenshot is identical to the previous one, but the '+ Add' button in the 'Summary' section is highlighted with a red rectangular box to indicate the next step in the process.

3. Provide the **Name** and **Description** for the new template in **Template Definition** page.

The screenshot shows the 'Template Definition' page. At the top, there is a progress bar with five steps: 'Definition', 'Object Types', 'Filter Objects', 'Lineage Properties', and 'Review'. The 'Definition' step is currently selected and highlighted. Below the progress bar, there is a 'Definition' section. Underneath, there is a 'Basic Details' section with two input fields: 'Name' (with the value 'TR_TEST') and 'Description' (with the value 'Test Report'). At the bottom of the form, there are two buttons: 'Save' and 'Return'.

4. Select the desired object from the **Object Type** dropdown to be exported.

Individual report generates only the basic properties of the object selected, that is, name and description. **Relational** report generates detailed information up to the Entities level, if Dependencies is chosen; and up to the Staging Columns level, if Data Lineage is selected along with Dependencies.

Dependencies: Metadata object is dependent on several other metadata objects. Metadata object is also used (that is, consumed) in several other metadata objects. Dependency or usage tree can be of any depth. For example, a rule can be dependent on a hierarchy, business processor, and dataset. Further, each of these metadata objects can be dependent on other metadata objects. Metadata Export Utility exports all the dependent or used metadata objects for all paths in the dependency or usage tree, if this option is selected.

Lineage: Data is loaded from source systems to staging and then moved across to processing / reporting. Lineage traces the data element as it moves across different layers of OFSAA: staging, processing, and reporting. Metadata Export Utility exports the lineage of each of the reporting area data element that is identified by dependencies.

For Individual: In the **Export Options**, do not select **Dependencies** or **Data Lineage**.

The screenshot shows the 'Template Definition' interface. At the top, there is a progress bar with five steps: Definition, Object Types (current), Filter Objects, Lineage Properties, and Review. Below the progress bar, the 'Object Types' section is visible. It includes a 'Choose' dropdown menu set to 'Dashboard'. Under the 'Export Options' section, there are two toggle switches: 'Dependencies' (turned off) and 'Data Lineage' (turned off). At the bottom, there are 'Save' and 'Return' buttons.

The exported sample report for Individual is as follows:

	A	B	C	D
1	CLASSIFICATION_RULE_NAME	CLASSIFICATION_RULE_DESC	HIERARCHY_NAME	HIERARCHY_DESC
2	Reg Liq Cashflow - Outflow Others Total Collateral	Reg Liq Cashflow - Outflow Others Total Collateral	Risk Scenario Dimension	Risk Scenario Dimension
3	Reg Liq Cashflow - Outflow Others Total Collateral	Reg Liq Cashflow - Outflow Others Total Collateral	Reg Liq Cashflow Group	Reg Liq Cashflow Group
4	Reg Liq Cashflow - Outflow Others Loss of Rights - Placed	Reg Liq Cashflow - Outflow Others Loss of Rights - Placed	Reg Liq Cashflow Group	Reg Liq Cashflow Group
5	Reg Liq Cashflow - Outflow Others Loss of Rights - Placed	Reg Liq Cashflow - Outflow Others Loss of Rights - Placed	Risk Scenario Dimension	Risk Scenario Dimension
6				
7				
8				
9				
10				

For Relational: In the **Export Options**, select **Dependencies**.

The screenshot shows the 'Template Definition' interface. At the top, there is a progress bar with five steps: Definition, Object Types (current), Filter Objects, Lineage Properties, and Review. Below the progress bar, the 'Object Types' section is visible. It includes a 'Choose' dropdown menu set to 'Dashboard'. Under the 'Export Options' section, there are two toggle switches: 'Dependencies' (turned on) and 'Data Lineage' (turned off). At the bottom, there are 'Save' and 'Return' buttons.

The exported sample report for Relational is as follows:

	A	B	C	D	E	F	G	H	I	J	K	L	M	N
1	Path Name	Dependency												
2	Path1	Dashboard > Report > View > Hierarchy > Entities >												
3	Path2	Dashboard > Report > View > Derived Entity > Measure > Entities >												
4	Path3	Dashboard > Report > View > Derived Entity > Hierarchy > Entities >												
5	Path4	Dashboard > Report > View > Derived Entity > Dataset > Entities >												
6	Path5	Dashboard > Report > View > Reporting Line Item > Measure > Entities >												
7	Path6	Dashboard > Report > View > Reporting Line Item > Hierarchy > Entities >												
8	Path7	Dashboard > Report > View > Reporting Line Item > Derived Entity > Measure > Entities >												
9	Path8	Dashboard > Report > View > Reporting Line Item > Derived Entity > Hierarchy > Entities >												
10	Path9	Dashboard > Report > View > Reporting Line Item > Derived Entity > Dataset > Entities >												
11														
12														

The first sheet shows the different Paths and their Dependencies up to the Entities level. Select the required **Path** sheet at the bottom to view the dependencies.

Each path tells how the dependency/usage is derived from dashboard to entity or vice versa involving various OFSAA object types like Derived Entity, Hierarchies, Datasets, Measures, and so on.

These paths are generated by the system using data already published in MDB dependency tables as part of OFSAA MDB object publish.

For every dependent object type displayed in each path sheet, the following columns are displayed:

- ◆ Object type name
- ◆ Object type description
- ◆ One or many Object specific properties (optional)

For example: In Path1, Dashboard is the first Object type, the dependencies generated are Dashboard Name, Dashboard Description, and Dashboard properties: Dashboard Country, Dashboard Regulator and so on. Similarly, Report is the next Object type in Path1 and the dependencies generated are Report Name, Report Description, Views Name, Views Description, View Display Format and so on. Then followed by Hierarchy Objects name, description and properties up to the Entities level.

	A	B	C	D	E	F
1	DASHBOARD_NAME	DASHBOARD_DESC	DASHBOARD_COUNTRY	DASHBOARD_REGULATOR	DASHBOARD_FREQUENCY	REPORT_NAME
2	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0401
3	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0403
4	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0403
5	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0403
6	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0401
7	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0405
8	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0402
9	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0403
10	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0402
11	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0405
12	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0405
13	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0402
14	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0402
15	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0405
16	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0401
17	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0403
18	FI04	Breakdown of financial assets by instrument and by counterp:European Banking Authority			Quarterly	FI0401

The Usage sample report (generated by default when Dependencies is selected) is as follows:


Path Name	Usage
Path1	Columns > Hierarchy > View > Report >Dashboard >
Path2	Columns > Measure > Derived Entity > View > Report >Dashboard >
Path3	Columns > Hierarchy > Derived Entity > View > Report >Dashboard >
Path4	Columns > Measure > Business Processor > Derived Entity > View > Report >Dashboard >
Path5	Columns > Measure > Reporting Element > View > Report >Dashboard >
Path6	Columns > Hierarchy > Reporting Element > View > Report >Dashboard >
Path7	Columns > Measure > Derived Entity > Reporting Element > View > Report >Dashboard >
Path8	Columns > Hierarchy > Derived Entity > Reporting Element > View > Report >Dashboard >
Path9	Columns > Measure > Business Processor > Derived Entity > Reporting Element > View > Report >Dashboard >
Path10	Columns > Measure > Business Processor > Reporting Element > View > Report >Dashboard >

The first sheet shows the different Paths and their Usage up to the Dashboard level. Select the required Path sheet at the bottom to view the Usage.

COLUMNS_NAME	COLUMNS_DESC	COLUMNS_PHYSICAL_COL_ID	HIERARCHY_NAME	HIERARCHY_DESC	HIER_TYPE	HIER_MULTI_DIM	PROPERTY	HIER_TOTAL_REGD
Transaction Account Flag	Indicates if said account is consid	FCT_DEPOSITS_BORROWINGS_F	Trans Account Flag Hierarchy	Hierarchy for Trans Account Fla	BI	REGULAR		Yes
Repurchased Or Indemnified Flag	Indicates if the said account is Rep	FCT_LOAN_ACCOUNT_SUMMARY	Repurchased or Indemnified Flag	Repurchased or Indemnified Flag	BI	REGULAR		Yes
Impairment Amount Under Asc	This column stores the impairment	FCT_LOAN_ACCOUNT_SUMMARY	Impair asc31030 Amount Check	Impair asc31030 Amount Check	BI	REGULAR		Yes
Troubled Debt Restructure Flag	This column indicates if said loan is	FCT_LOAN_ACCOUNT_SUMMARY	Troubled Debt Restructure Flag	Troubled Debt Restructure Flag	BI	REGULAR		Yes
Negative Amortization Flag	This column stores if loan has nega	FCT_LOAN_ACCOUNT_SUMMARY	Negative Amortization Flag	Negative Amortization Flag	BI	REGULAR		Yes
Mortgage Broker Surrogate Key	This stores unique identifier for the	FCT_LOAN_ACCOUNT_SUMMARY	Broker Skye Hierarchy	Broker Skye Hierarchy	BI	REGULAR		Yes
Cleared Transaction Flag	This column stores if particular tra	FCT_REG_ACCOUNT_SUMMARY	Cleared Transaction Flag	Cleared Transaction Flag	BI	REGULAR		Yes
Mark To Market Value In Report	This stores the mark to market val	FCT_REG_ACCOUNT_SUMMARY	Mtm Value-FRAS Hierarchy	Hierarchy Mtm Value-FRAS	BI	REGULAR		Yes
Broker Surrogate key	This stores unique identifier for the	FCT_DEPOSITS_BORROWINGS_N	Broker Hierarchy Deposit Borowi	Broker Hierarchy Deposit Borowi	BI	REGULAR		Yes
Callable Deposit Indicator	Indicates if said deposit can be call	FCT_DEPOSITS_BORROWINGS_F	Deposit Option Indicator	Deposit Option Indicator	BI	REGULAR		Yes
Impairment Amount Under Asc	This column stores the impairment	FCT_LOAN_ACCOUNT_SUMMARY	Impair asc31030 Amount Check	Impair asc31030 Amount Check	BI	REGULAR		Yes
Troubled Debt Restructure Flag	This column indicates if said loan is	FCT_LOAN_ACCOUNT_SUMMARY	Troubled Debt Restructure Flag	Troubled Debt Restructure Flag	BI	REGULAR		Yes
Troubled Debt Restructure Flag	This column indicates if said loan is	FCT_LOAN_ACCOUNT_SUMMARY	Troubled Debt Restructure Flag	Troubled Debt Restructure Flag	BI	REGULAR		Yes
Negative Amortization Flag	This column stores if loan has nega	FCT_LOAN_ACCOUNT_SUMMARY	Negative Amortization Flag	Negative Amortization Flag	BI	REGULAR		Yes
Cleared Transaction Flag	This column stores if particular tra	FCT_REG_ACCOUNT_SUMMARY	Cleared Transaction Flag	Cleared Transaction Flag	BI	REGULAR		Yes
Mark To Market Value In Report	This stores the mark to market val	FCT_REG_ACCOUNT_SUMMARY	Mtm Value-FRAS Hierarchy	Hierarchy Mtm Value-FRAS	BI	REGULAR		Yes
Broker Surrogate key	This stores unique identifier for the	FCT_DEPOSITS_BORROWINGS_N	Broker Hierarchy Deposit Borowi	Broker Hierarchy Deposit Borowi	BI	REGULAR		Yes
Troubled Debt Restructure Flag	This column indicates if said loan is	FCT_LOAN_ACCOUNT_SUMMARY	Troubled Debt Restructure Flag	Troubled Debt Restructure Flag	BI	REGULAR		Yes
Mortgage Broker Surrogate Key	This stores unique identifier for the	FCT_LOAN_ACCOUNT_SUMMARY	Broker Skye Hierarchy	Broker Skye Hierarchy	BI	REGULAR		Yes
Mortgage Broker Surrogate Key	This stores unique identifier for the	FCT_LOAN_ACCOUNT_SUMMARY	Broker Skye Hierarchy	Broker Skye Hierarchy	BI	REGULAR		Yes
Claim Local Currency Code	Refers to the Local currency code	FCT_REG_ACCOUNT_SUMMARY	Currency Code Comparison Hier	Currency Code Comparison Hier	BI	REGULAR		Yes
Cross Border Claim Indicator	Indicates if said claim is cross bro	FCT_REG_ACCOUNT_SUMMARY	Cross Border Claim Hierarchy	Cross Border Claim Hierarchy	BI	REGULAR		Yes
Transaction Account Flag	Indicates if said account is consid	FCT_DEPOSITS_BORROWINGS_F	Trans Account Flag Hierarchy	Hierarchy for Trans Account Fla	BI	REGULAR		Yes
Deposit Call Exercised Indicator	This Column Stores the Deposit Ca	FCT_DEPOSITS_BORROWINGS_F	Next Option Flag Deposit Borrow	Next Option Flag Deposit Borrow	BI	REGULAR		Yes
Troubled Debt Restructure Flag	This column indicates if said loan is	FCT_LOAN_ACCOUNT_SUMMARY	Troubled Debt Restructure Flag	Troubled Debt Restructure Flag	BI	REGULAR		Yes
Troubled Debt Restructure Flag	This column indicates if said loan is	FCT_LOAN_ACCOUNT_SUMMARY	Troubled Debt Restructure Flag	Troubled Debt Restructure Flag	BI	REGULAR		Yes
Negative Amortization Flag	This column stores if loan has nega	FCT_LOAN_ACCOUNT_SUMMARY	Negative Amortization Flag	Negative Amortization Flag	BI	REGULAR		Yes
Recourse to General Credit	This stores the recourse to general	FCT_REG_ACCOUNT_SUMMARY	Recourse To General Credit Indic	Recourse To General Credit Indic	BI	REGULAR		Yes
Contractual Maturity in Days	This column stores the original mati	FCT_REG_ACCOUNT_SUMMARY	Contractual Maturity Term Hier	Contractual Maturity Term Hier	BI	REGULAR		Yes
Nettable Pool Surrogate Key	This column stores the reference to	FCT_REG_ACCOUNT_SUMMARY	Nettable Pool Surrogate Key	Nettable Pool Surrogate Key	BI	REGULAR		Yes
Broker Surrogate key	This stores unique identifier for the	FCT_DEPOSITS_BORROWINGS_N	Broker Hierarchy Deposit Borowi	Broker Hierarchy Deposit Borowi	BI	REGULAR		Yes
Broker Surrogate key	This stores unique identifier for the	FCT_DEPOSITS_BORROWINGS_N	Broker Hierarchy Deposit Borowi	Broker Hierarchy Deposit Borowi	BI	REGULAR		Yes
Deposit Call Exercised Indicator	This Column Stores the Deposit Ca	FCT_DEPOSITS_BORROWINGS_F	Next Option Flag Deposit Borrow	Next Option Flag Deposit Borrow	BI	REGULAR		Yes
Deposit Listing Service Provider	This Column Stores the unique ider	FCT_DEPOSITS_BORROWINGS_N	Deposit List Skye Hierarchy	Deposit List Skye Hierarchy	BI	REGULAR		Yes

Select **Data Lineage** in **Template Definition** → **Choose Object Type** to export the lineage details up to the Staging Columns level.

NOTE: **Data Lineage** can be selected only if **Dependencies** is opted.
The minimum memory settings to run lineage reports should be **export JAVA_OPTS="-Xms1024m -Xmx8192m"**.






NOTE: Data Lineage is generated as a separate sheet in the generated Relational report along with the Dependencies. Select the **Lineage** sheet to view the Data Lineage (up to Staging column level).


1	REPORT	SCHEDULE	VIEW	CELL ID	DERIVED ENTITY CODE	METADATA CODE	RESULT AREA TABLE	RESULT AREA COLUMN
2	FI04	FI0404	FI04-FI0404	FI0404R200C050	MANDATORY_SOURCE_COLUMN	MANDATORY_SOURCE_COLUMN	Mandatory Source Column	MANDATORY_SOURCE_COL
3	FI04	FI0403	FI04-FI0403	FI0403R170C010	MANDATORY_TARGET_COLUMN	MANDATORY_TARGET_COLUMN	FCT_COMMON_ACCOUNT_SUMMARY	N_MIS_DATE_SKEY
4	FI04	FI0404	FI04-FI0404	FI0404R170C020	MANDATORY_TARGET_COLUMN	MANDATORY_TARGET_COLUMN	FCT_COMMON_ACCOUNT_SUMMARY	N_MIS_DATE_SKEY
5	FI04	FI0404	FI04-FI0404	FI0404R030C050	DERR001	DSRR001	FCT_REG_ACCOUNT_SUMMARY	N_REG_PROD_TYPE_SKEY
6	FI04	FI0402	FI04-FI0402	FI0402R180C010	DERR501	DSRR501	FCT_REG_ACCOUNT_SUMMARY	N_STANDAR_PARTY_TYPE
7	FI04	FI0404	FI04-FI0404	FI0404R120C040	MANDATORY_TARGET_COLUMN	MANDATORY_TARGET_COLUMN	FCT_COMMON_ACCOUNT_SUMMARY	N_ACCT_SKEY
8	FI04	FI0404	FI04-FI0404	FI0404R020C050	MANDATORY_SOURCE_COLUMN	MANDATORY_SOURCE_COLUMN	Mandatory Source Column	MANDATORY_SOURCE_COL
9	FI04	FI0403	FI04-FI0403	DATASET_JOINS	MANDATORY_SOURCE_COLUMN	MANDATORY_SOURCE_COLUMN	Mandatory Source Column	MANDATORY_SOURCE_COL
10	FI04	FI0401	FI04-FI0401	FI0401R170C020	DERR501	DSRR501	FCT_REG_ACCOUNT_SUMMARY	N_STANDAR_PARTY_TYPE
11	FI04	FI0404	FI04-FI0404	FI0404R260C020	DERR501	DSRR501	FCT_REG_ACCOUNT_SUMMARY	N_REG_PROD_TYPE_SKEY
12	FI04	FI0404	FI04-FI0404	FI0404R220C010	DERR501	DSRR501	FCT_REG_ACCOUNT_SUMMARY	N_STANDAR_PARTY_TYPE
13	FI04	FI0404	FI04-FI0404	FI0404R190C030	DERR502	DSRR502	FCT_REG_ACCOUNT_SUMMARY	N_STANDAR_PARTY_TYPE
14	FI04	FI0404	FI04-FI0404	FI0404R160C020	DERR501	DSRR501	FCT_REG_ACCOUNT_SUMMARY	N_REG_PROD_TYPE_SKEY
15	FI04	FI0403	FI04-FI0403	FI0403R150C020	DERR501	DSRR501	FCT_REG_ACCOUNT_SUMMARY	N_REG_PROD_TYPE_SKEY
16	FI04	FI0404	FI04-FI0404	FI0404R060C040	DERR502	DSRR502	FCT_REG_ACCOUNT_SUMMARY	N_REG_PROD_TYPE_SKEY
17	FI04	FI0404	FI04-FI0404	FI0404R030C040	DERR502	DSRR502	FCT_REG_ACCOUNT_SUMMARY	N_REG_PROD_TYPE_SKEY
18	FI04	FI0403	FI04-FI0403	FI0403R110C010	MANDATORY_TARGET_COLUMN	MANDATORY_TARGET_COLUMN	FCT_REG_ACCOUNT_SUMMARY	N_RUN_SKEY

The table shows a list of data lineage entries. The 'Lineage' sheet is highlighted in the bottom left corner of the spreadsheet interface.

5. Select **Filter Objects** to see the selected objects.




6. Select one **Filter Object** from the **Available Objects** and Click  to add a **Selected Object**.
Select one **Selected Object** from the **Available Objects** and click  to remove a **Filter Object**.




When the object list is huge, use the Search option as shown above. Type first three letters of the Filter Object name and the relevant Filter Objects is displayed.


NOTE: You can type the complete Filter Object name to select and add to the Selected Objects.




7. Select the **Lineage Properties** required to be generated.



8. Review the **Template Definition** once and click **Save**.




9. Click **Return** to go to the **Summary** page.



10. Select a **Template** in the **Template List** in **Summary** screen and click **Export to Excel** to export the desired objects in Excel Sheet format.

NOTE: MDB Publish must be triggered before executing the **Export to Excel** option.

11. The Report Generation function is an asynchronous action and to check the status of the export function, use the **Refresh** option in **Summary** screen.




- **For Excel Export**, the following are the Status values:
 - ◆ **Not Started:** The Report Generation is yet to start, but the function has triggered the action in the background.
 - ◆ **Ongoing:** The Report Generation is started and in process.
 - ◆ **Completed:** The Report Generation is completed and ready to view or download.
 - ◆ **Failed/Partially Completed:** The Report Generation encountered an issue and the process is partially completed or failed.

NOTE: The export logs are generated and placed in the path
/Context_Name/logs/MDB.log.

Log files give the following information:

- a) All Paths query
- b) Query for each path and if data present for this path
- c) Lineage query
- d) Status of excel output creation
- e) Exceptions and errors, if any

12. Select a **Template** in the **Template List** in **Summary** screen and click **Download** to save a copy of the generated Metadata Report Templates excel sheet, after the export status shows as completed.



User Access


The following user groups are pre-seeded in the component that helps user to get access to the Metadata Report Extract screen.

- ◆ **MDR View Group:** Helps users to see Metadata Report Extract with View permissions.
- ◆ **MDR Owner Group:** Helps users to create templates in Metadata Report Extract.

6.4 View Metadata Report Templates

Perform the following steps to view the Metadata Report Templates:

1. Select a **Template** in the **Template List** in **Summary** screen.
2. Click **View** icon to view the generated Metadata Report Templates excel report (after the export status shows as completed).



NOTE: The Metadata Report Templates excel report is opened in view-only mode.

6.5 Modify/Edit Metadata Report Templates

Perform the following steps to edit or modify the Metadata Report Templates:

1. Select a **Template** in the **Template List** in **Summary** screen.
2. Click **Edit** icon to modify the generated Metadata Report Templates excel report (after the export status shows as completed).

The screenshot shows the Oracle Financial Services Data Foundation interface. The 'Summary' section displays a table of Metadata Report Templates. The 'Edit' icon is highlighted with a red box. The table contains the following data:

Template Id	Template Name	Template Description	Status	Created Date
227263	US FED Lineage	US FED Lineage	Not Started	2018-07-06 15:23:24.0
227262	LineageTest-hint	Supriti	Completed	2018-07-06 12:11:21.0
227261	LineageTest	Supriti	Ongoing	2018-07-06 10:57:50.0
227260	Sreejith	TEst	Completed	2018-07-05 20:09:27.0

6.6 Delete Metadata Report Templates

Perform the following steps to delete the Metadata Report Templates:

1. Select a **Template** in the **Template List** in **Summary** screen.
2. Click **Delete** icon to delete the Metadata Report Templates.

The screenshot shows the Oracle Financial Services Data Foundation interface. The 'Summary' section displays a table of Metadata Report Templates. The 'Delete' icon is highlighted with a red box. The table contains the following data:

Template Id	Template Name	Template Description	Status	Created Date
227263	US FED Lineage	US FED Lineage	Not Started	2018-07-06 15:23:24.0
227262	LineageTest-hint	Supriti	Completed	2018-07-06 12:11:21.0
227261	LineageTest	Supriti	Ongoing	2018-07-06 10:57:50.0
227260	Sreejith	TEst	Completed	2018-07-05 20:09:27.0

7 Report Submission

This chapter provides an understanding of the report submission process. It includes:

- ◆ [Report Submission: AgileREPORTER to Regulator](#)
- ◆ [Edit Checks/ Validity Check/ Quality Checks](#)
- ◆ [Report Templates to be used in AgileREPORTER](#)

7.1 Report Submission: AgileREPORTER to Regulator

After OFSAA has prepared and hands off the data as required to Lombard Risk, the subsequent activities are performed within the AgileREPORTER.

Lombard takes care of the report format as per the regulatory requirement which may be eXtensible Business Reporting Language (XBRL)/ XML/ Excel / .Data/ XML and so on.

7.2 Edit Checks/ Validity Check/ Quality Checks

The OFSAA UI carries out the report level / submission check comprising Edit Checks / Validity Checks / Quality Checks as provided by the regulator.

7.2.1 Executing Edit Check Batch for AnaCredit CBM

To execute the edit check batch for AnaCredit CBM, perform the following steps:

1. Navigate to **Financial Services Data Foundation → Operations → Batch Execution**
2. Select the batch **<<INFODOM>>_ANACREDIT_EDIT_CHECK_CBM** to execute all the tasks in CBM.

Task ID	Task Description	Metadata Value	Component ID	Precedence	Task Status
Task1	DQ Group for - VW_ACCNT_FINCL_INSTMNT_CBM	VW_ACCNT_FINCL_INSTMNT_CBM	RUN DQ RULE		N
Task2	DQ Group for - VW_COUNTERPARTY_DEFAULT_CBM	VW_COUNTERPARTY_DEFAULT_CBM	RUN DQ RULE	Task1	N
Task3	DQ Group for - VW_COUNTERPARTY_INSTRUMENT_CBM	VW_COUNTERPARTY_INSTRUMENT_CBM	RUN DQ RULE	Task2	N
Task4	DQ Group for - VW_COUNTERPARTY_REFERENCE_CBM	VW_COUNTERPARTY_REFERENCE_CBM	RUN DQ RULE	Task3	N
Task5	DQ Group for - VW_INSTRUMENT_PROTECTION_CBM	VW_INSTRUMENT_PROTECTION_CBM	RUN DQ RULE	Task4	N
Task6	DQ Group for - VW_JOINT_LIABILITIES_CBM	VW_JOINT_LIABILITIES_CBM	RUN DQ RULE	Task5	N
Task7	DQ Group for - VW_PROTECTION_RECEIVED_CBM	VW_PROTECTION_RECEIVED_CBM	RUN DQ RULE	Task6	N
Task8	Populates Edit Check Summary for AnaCredit	Fn_Pop_Dq_Edit_Check_Results	TRANSFORM DATA	Task7	N

Figure 36: Edit Check (ANACREDIT CBM) Batch Execution Screen

3. Monitor status of the batch using **Batch Monitor** (*Financial Services Data Foundation* → *Operations* → *Batch Monitor*).

Task ID	Task Description	Metadata Value	Component ID	Task Status	Task Log
Task1	DQ Group for - VW_ACCNT_FINCL_INSTMNT_CBM	VW_ACCNT_FINCL_INSTMNT_CBM	RUN DQ RULE	[13314] Successful	View Log
Task2	DQ Group for - VW_COUNTERPARTY_DEFAULT_CBM	VW_COUNTERPARTY_DEFAULT_CBM	RUN DQ RULE	[13314] Successful	View Log
Task3	DQ Group for - VW_COUNTERPARTY_INSTRUMENT_CBM	VW_COUNTERPARTY_INSTRUMENT_CBM	RUN DQ RULE	[13314] Successful	View Log
Task4	DQ Group for - VW_COUNTERPARTY_REFERENCE_CBM	VW_COUNTERPARTY_REFERENCE_CBM	RUN DQ RULE	[13314] Successful	View Log
Task5	DQ Group for - VW_INSTRUMENT_PROTECTION_CBM	VW_INSTRUMENT_PROTECTION_CBM	RUN DQ RULE	[13314] Successful	View Log

Figure 37: Edit Check (ANACREDIT CBM) Batch Monitor Screen

7.2.2 Executing Edit Check Batch for AnaCredit ECB

To execute the edit check batch for AnaCredit ECB, perform the following steps:

1. Navigate to *Financial Services Data Foundation* → *Operations* → *Batch Execution*
2. Select the batch <<INFODOM>>_ANACREDIT_EDIT_CHECK_ECB to execute all the tasks in ECB.

Task ID	Task Description	Metadata Value	Component ID	Precedence	Task Status
Task1	DQ Group for - VW_ACCNT_FINCL_INSTMNT	VW_ACCNT_FINCL_INSTMNT	RUN DQ RULE		N
Task2	DQ Group for - VW_COUNTERPARTY_DEFAULT	VW_COUNTERPARTY_DEFAULT	RUN DQ RULE	Task1	N
Task3	DQ Group for - VW_COUNTERPARTY_REFERENCE	VW_COUNTERPARTY_REFERENCE	RUN DQ RULE	Task2	N
Task4	DQ Group for - VW_PROTECTION_RECEIVED	VW_PROTECTION_RECEIVED	RUN DQ RULE	Task3	N
Task5	Populates Edit Check Summary for AnaCredit	Fn_Pop_Dq_Edit_Check_Results	TRANSFORM DATA	Task4	N

Figure 38: Edit Check (ANACREDIT ECB) Batch Execution Screen

3. Monitor status of the batch using **Batch Monitor (Financial Services Data Foundation → Operations → Batch Monitor)**.

The screenshot shows the Batch Monitor interface with the following details:

- Batch Run ID:** FSDFINFO_ANACREDIT_EDIT_CHECK_ECB_20160930_1
- Information Date:** 20160930
- Monitor Refresh Rate (seconds):** 5
- Batch Status:** Successful
- Task Details Table:**

Task ID	Task Description	Metadata Value	Component ID	Task Status	Task Log
Task1	DQ Group for - VW_ACCNT_FINCL_INSTMNT	VW_ACCNT_FINCL_INSTMNT	RUN DQ RULE	[13314] Successful	View Log
Task2	DQ Group for - VW_COUNTERPARTY_DEFAULT	VW_COUNTERPARTY_DEFAULT	RUN DQ RULE	[13314] Successful	View Log
Task3	DQ Group for - VW_COUNTERPARTY_REFERENCE	VW_COUNTERPARTY_REFERENCE	RUN DQ RULE	[13314] Successful	View Log
Task4	DQ Group for - VW_PROTECTION_RECEIVED	VW_PROTECTION_RECEIVED	RUN DQ RULE	[13314] Successful	View Log
Task5	Populates Edit Check Summary for AnaCredit	Fn_Pop_Dq_Edit_Check_Results	TRANSFORM DATA	[13314] Successful	View Log

Figure 39: Edit Check (ANACREDIT ECB) Batch Monitor Screen

7.2.3 Edit Check Validation Results

The Edit Check Validation results will be available in the following tables under the ATOMIC SCHEMA after the batches are successfully executed:

1. **FSI_EDIT_CHECK_SUMMARY:** Summary results

V_BATCH_ID	N_EDIT_CHECK_SKEY	V_DQ_CHECK_ID	RUN_STATUS	FAILED_ROWS	FIC_MIS_DATE	ENTITY
1	142	DQ_ANA_ACCNT_FINCL_MTC001_48	...	0	30-Sep-2016	...
2	143	DQ_ANA_ACCNT_FINCL_MTC001_49	E	63	30-Sep-2016	...
3	148	DQ_ANA_ACCNT_FINCL_MTC001_50	...	0	30-Sep-2016	...
4	149	DQ_ANA_ACCNT_FINCL_MTC001_51	...	0	30-Sep-2016	...
5	150	DQ_ANA_ACCNT_FINCL_MTC001_52	...	0	30-Sep-2016	...
6	151	DQ_ANA_ACCNT_FINCL_MTC001_53	...	0	30-Sep-2016	...
7	1	DQ_ANA_ACCNT_FINCL_MTC001_54	...	0	30-Sep-2016	...
8	2	DQ_ANA_ACCNT_FINCL_MTC001_55	...	0	30-Sep-2016	...
9	3	DQ_ANA_ACCNT_FINCL_MTC001_56	...	0	30-Sep-2016	...
10	4	DQ_ANA_ACCNT_FINCL_MTC001_57	...	0	30-Sep-2016	...
11	10	DQ_ANA_ACCNT_FINCL_MTC001_58	...	0	30-Sep-2016	...
12	30	DQ_ANA_ACCNT_FINCL_MTC001_59	...	0	30-Sep-2016	...
13	31	DQ_ANA_ACCNT_FINCL_MTC001_60	...	0	30-Sep-2016	...
14	32	DQ_ANA_ACCNT_FINCL_MTC001_61	...	0	30-Sep-2016	...
15	41	DQ_ANA_ACCNT_FINCL_MTC001_62	...	0	30-Sep-2016	...
16	42	DQ_ANA_ACCNT_FINCL_MTC001_63	E	58	30-Sep-2016	...
17	43	DQ_ANA_ACCNT_FINCL_MTC001_64	...	0	30-Sep-2016	...
18	44	DQ_ANA_ACCNT_FINCL_MTC001_65	E	1	30-Sep-2016	...
19	53	DQ_ANA_ACCNT_FINCL_MTC001_66	...	0	30-Sep-2016	...
20	54	DQ_ANA_ACCNT_FINCL_MTC001_67	...	0	30-Sep-2016	...
21	55	DQ_ANA_ACCNT_FINCL_MTC001_68	...	0	30-Sep-2016	...

2. DQ_RESULT_SUMM_MASTER: Detailed results

V_DQ_CHECK_ID	V_DQ_SRC_TBL	V_DQ_SRC_CDL	N_R	N_I	V_ERR_VALUE	N_REC_FAIL_COUNT
1	DQ_ANA_ACCNT_FINCL_MTC001_46	VW_ACCNT_FINCL_INSTMNT	CBM_RECOURSE	76	1	0
2	DQ_ANA_ACCNT_FINCL_MTC001_49	VW_ACCNT_FINCL_INSTMNT	CBM_REFERENCE_RATE	76	63	63
3	DQ_ANA_ACCNT_FINCL_MTC001_50	VW_ACCNT_FINCL_INSTMNT	SETTLEMENT_DATE	76	1	0
4	DQ_ANA_ACCNT_FINCL_MTC001_51	VW_ACCNT_FINCL_INSTMNT	CBM_SUBORDINATED_DEBT	76	1	0
5	DQ_ANA_ACCNT_FINCL_MTC001_52	VW_ACCNT_FINCL_INSTMNT	SYNDICATED_CONTRACT_IDENTIFIER	76	1	0
6	DQ_ANA_ACCNT_FINCL_MTC001_53	VW_ACCNT_FINCL_INSTMNT	CBM_REPAYMENT_RIGHTS	76	1	0
7	DQ_ANA_ACCNT_FINCL_MTC001_54	VW_ACCNT_FINCL_INSTMNT	FAIR_VALUE_CHANGES_DUE	76	1	0
8	DQ_ANA_ACCNT_FINCL_MTC001_55	VW_ACCNT_FINCL_INSTMNT	REPORTING_IDENTIFIER	76	1	0
9	DQ_ANA_ACCNT_FINCL_MTC001_56	VW_ACCNT_FINCL_INSTMNT	OBSERVED_IDENTIFIER	76	1	0
10	DQ_ANA_ACCNT_FINCL_MTC001_57	VW_ACCNT_FINCL_INSTMNT	CONTRACT_IDENTIFIER	76	1	0
11	DQ_ANA_ACCNT_FINCL_MTC001_58	VW_ACCNT_FINCL_INSTMNT	INSTRUMENT_IDENTIFIER	76	1	0
12	DQ_ANA_ACCNT_FINCL_MTC001_59	VW_ACCNT_FINCL_INSTMNT	INTEREST_RATE	76	1	0
13	DQ_ANA_ACCNT_FINCL_MTC001_60	VW_ACCNT_FINCL_INSTMNT	NEXT_INTEREST_RATE_RESET	76	1	0
14	DQ_ANA_ACCNT_FINCL_MTC001_61	VW_ACCNT_FINCL_INSTMNT	CBM_DEFAULT_STATUS_INSTMNT	76	1	0
15	DQ_ANA_ACCNT_FINCL_MTC001_62	VW_ACCNT_FINCL_INSTMNT	DATE_OF_THE_DEFAULT	76	1	0
16	DQ_ANA_ACCNT_FINCL_MTC001_63	VW_ACCNT_FINCL_INSTMNT	TRANSFERRED_AMOUNT	76	58	58
17	DQ_ANA_ACCNT_FINCL_MTC001_64	VW_ACCNT_FINCL_INSTMNT	ARREARS_FOR_INSTRUMENT	76	1	0
18	DQ_ANA_ACCNT_FINCL_MTC001_65	VW_ACCNT_FINCL_INSTMNT	DATE_OF_PAST_DUE	76	1	1
19	DQ_ANA_ACCNT_FINCL_MTC001_66	VW_ACCNT_FINCL_INSTMNT	CBM_TYPE_OF_SECURITISATION	76	1	0
20	DQ_ANA_ACCNT_FINCL_MTC001_67	VW_ACCNT_FINCL_INSTMNT	OUTSTANDING_NOMINAL	76	1	0
21	DQ_ANA_ACCNT_FINCL_MTC001_68	VW_ACCNT_FINCL_INSTMNT	ACCRUED_INTEREST	76	1	0

3. DQ_AUDIT_TRAIL: Record level details

V_TABLE_NAME	V_COLUMN_NAME	DQ_CHECK_ID	TI	FAIL	ERR_MSG	V_CHECK_NAME	
1		DQ_ANA_ACCNT_FINCL_MTC001_29			ORA-0000: normal, successful completion	INFO	
2		DQ_ANA_ACCNT_FINCL_MTC001_29			ORA-0000: normal, successful completion	INFO	
3		DQ_ANA_ACCNT_FINCL_MTC001_30			ORA-0000: normal, successful completion	STATUS	
4	VW_ACCNT_FINCL_INSTMNT	CONTRACT_IDENTIFIER	DQ_ANA_ACCNT_FINCL_MTC001_30	7	0	ORA-0000: normal, successful completion	INFO
5			DQ_ANA_ACCNT_FINCL_MTC001_30			ORA-0000: normal, successful completion	INFO
6						ORA-0000: normal, successful completion	
7			DQ_ANA_ACCNT_FINCL_MTC001_30			ORA-0000: normal, successful completion	INFO
8			DQ_ANA_ACCNT_FINCL_MTC001_30			ORA-0000: normal, successful completion	INFO
9			DQ_ANA_ACCNT_FINCL_MTC001_31			ORA-0000: normal, successful completion	STATUS
10	VW_ACCNT_FINCL_INSTMNT	INSTRUMENT_IDENTIFIER	DQ_ANA_ACCNT_FINCL_MTC001_31	7	0	ORA-0000: normal, successful completion	INFO
11			DQ_ANA_ACCNT_FINCL_MTC001_31			ORA-0000: normal, successful completion	INFO
12						ORA-0000: normal, successful completion	
13			DQ_ANA_ACCNT_FINCL_MTC001_31			ORA-0000: normal, successful completion	INFO
14			DQ_ANA_ACCNT_FINCL_MTC001_31			ORA-0000: normal, successful completion	INFO
15			DQ_ANA_ACCNT_FINCL_MTC001_32			ORA-0000: normal, successful completion	STATUS
16	VW_ACCNT_FINCL_INSTMNT	CBM_TYPE_OF_INSTRUMENT	DQ_ANA_ACCNT_FINCL_MTC001_32	7	0	ORA-0000: normal, successful completion	INFO
17			DQ_ANA_ACCNT_FINCL_MTC001_32			ORA-0000: normal, successful completion	INFO
18						ORA-0000: normal, successful completion	
19			DQ_ANA_ACCNT_FINCL_MTC001_32			ORA-0000: normal, successful completion	INFO
20			DQ_ANA_ACCNT_FINCL_MTC001_32			ORA-0000: normal, successful completion	INFO
21			DQ_ANA_ACCNT_FINCL_MTC001_33			ORA-0000: normal, successful completion	STATUS

7.3 Report Templates to be used in AgileREPORTER

The report templates to be used in AgileREPORTER are listed as follows:

Report / Schedule Name	Report Template
AnaCredit Summary	ANACREDIT_v2
CMANR	CMANR_v2
CMT1M	CMT1M_v2
CMT2M	CMT2M_v2
CMT2Q	CMT2Q_v2

Report / Schedule Name	Report Template
CRSA07A	CRSA_v6
CRSA07B	CRSA_v6
C1701C17001	OPRD_v2
C1701C17004	OPRD_v2
C1702C17002	OPRD_v2
C1703C17003	OPRD_v2
C27GRP	LEXP_v4
C28GRP	LEXP_v4
C29	LEXP_v4
C30GRP	LEXP_v4
C31INDGP	LEXP_v4
C41	LR_v4
C43AA	LR_v4
C47	LR_v4
C72	LCR_v1
C73	LCR_v1
C74	LCR_v1
C75	LCR_v1
FI0101	FI01_v2
FI0102	FI01_v2
FI0103	FI01_v2
FI02	FI02_v3
FI03	FI03_v2
FI0401	FI04_v2
FI0402.1	FI04_v2
FI0402.2	FI04_v2
FI0403.1	FI04_v2

Report / Schedule Name	Report Template
FI0404.1	FI04_v2
FI0405	FI04_v2
FI05	FI05_v2
FI06	FI06_v2
FI07	FI07_v3
FI0801	FI08_v2
FI0802	FI08_v2
FI0901	FI09_v2
FI0902	FI09_v2
FI10	FI10_v2
FI1101	FI11_v2
FI1103	FI11_v2
FI1104	FI11_v2
FI1201	FI12_v2
FI1202	FI12_v2
FI1301	FI13_v2
FI1302	FI13_v2
FI1303	FI13_v2
FI14	FI14_v2
FI15	FI15_v2
FI1601	FI16_v4
FI1602	FI16_v4
FI1603	FI16_v4
FI1604	FI16_v4
FI1604.1	FI16_v4
FI1605	FI16_v4
FI1606	FI16_v4

Report / Schedule Name	Report Template
FI1607	FI16_v4
FI1701	FI17_v2
FI1702	FI17_v2
FI1703	FI17_v2
FI18	FI18_v2
FI19	FI19_v2
FI2001	FI20_v3
FI2002	FI20_v3
FI2003	FI20_v3
FI2004	FI20_v3
FI2006	FI20_v3
FI2007.1	FI20_v3
FI21	FI21_v1
FI2201	FI22_v1
FI2202	FI22_v1
FI3001	FI30_v2
FI3002	FI30_v2
FI3101	FI31_v2
FI3102	FI31_v2
F14001	FI40_v3
F14002	FI40_v3
FI4101	FI41_v2
FI4102	FI41_v2
FI42	FI42_v1
FI43	FI43_v2
FI4401	FI44_v1
FI4402	FI44_v1

Report / Schedule Name	Report Template
FI4403	FI44_v1
FI4501	FI45_v2
FI4502	FI45_v2
FI4503	FI45_v2
FI46	FI46_v3
LCR1	LCR_v1
LR	LR_v4
LR4	LR_v4
SECA	LEXP_v4

7.4 Supported Report Template Version and Activation Date

The AgileREPORTER contains the details of the Report template version and the activation date of the same. This can be accessed by selecting the Entity setup option in the Settings Menu which enables the user to Add, Modify, and Delete Entities.

Regulator	ENTITY	RETURNS	VERSION	REFERENCE DATE	JOB STATUS	WORKFLOW STATUS	UPDATE	APPROVAL	EDITIONS	TRANSMISSION	MODIFIED
European Common Reporting	EU Entity 01	FI01	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		08/09/2017
	EU Entity 01	FI02	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/30/2017
	EU Entity 01	FI04	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		08/02/2017
	EU Entity 01	FI05	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/20/2017
	EU Entity 01	FI06	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/31/2017
	EU Entity 01	FI07	2	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/30/2017
	EU Entity 01	FI08	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/30/2017 20:06:47
	EU Entity 01	FI09	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/30/2017 18:23:26
	EU Entity 01	FI10	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/30/2017 18:24:37
	EU Entity 01	FI11	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/30/2017 18:29:13
	EU Entity 01	FI13	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/30/2017 20:08:23
	EU Entity 01	FI14	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/30/2017 20:10:12
	EU Entity 01	FI16	3	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/31/2017 10:55:45
	EU Entity 01	FI18	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/30/2017 20:01:58
	EU Entity 01	FI19	1	06/30/2016	OK	□□□□□□	Update	(0) NOT ATTESTED	Manage Editions		07/30/2017 20:02:12

Figure 40: AgileREPORTER Entity Setup 1

Click on a created Entity to access report templates according to version and the activation date, and assign the necessary privileges as required.




Figure 41: AgileREPORTER Entity Setup 2

See the *OFS AgileReporter Application User Guide* for more details.

8 Maintenance

This chapter provides an understanding of the maintenance process for the regulatory templates.

Changes to regulatory template is one of the most common and continuous activity. The following steps help to assess the impact (You can replace the measure, dimension for existing data warehousing configuration pack using the below process):

1. Choosing different execution as a final. After report verification, if requirement is to change the execution, then you must visit [Marking Run as Final](#) section. After making these changes you must refresh Derived Entities ([Executing Batch to Resave Derived Entities](#)). Then AgileREPORTER also needs to retrieve returns so that revised data is reflected on AgileREPORTER.
2. If [Executing Batch to Resave Derived Entities](#) is not working, you can look for Batch Operation Log files. For file path, refer to *OFS Analytical Applications Infrastructure Installation Manual* in [OHC](#) documentation library and search for **ficdb/log**.
3. To apply revised patch, refer to the **ReadMe** file for instructions to be followed.
4. To update revised data warehouse configuration pack, perform the following instructions.
 - i. Click **Settings** → **Administration** → **Data Warehouse Integration**.




Figure 42: Data Warehouse Integration

- ii. Click **Add** to add a contextual button.
- iii. Enter details of the contextual button.

Name: It is the text that needs to be displayed in the contextual button.

URL Pattern: Replace <<OFSAA_HOST>>, <<OFSAA_PORT>> and <<OFSAA_CONTEXT>> with host, port and web context of the environment where OFSAA is installed. Replace <<OFSAA_HOST>> with the name of information domain.

[http://<<OFSAA_HOST>>:<<OFSAA_PORT>>/<<OFSAA_CONTEXT>>/OFSAADrilldown/drilldownreport.jsp?cellid=\\${cellId}&infodom=<<INFODOM>>&legalentity=\\${entityCode}&run=\\${run}&date=\\${referenceDate}](http://<<OFSAA_HOST>>:<<OFSAA_PORT>>/<<OFSAA_CONTEXT>>/OFSAADrilldown/drilldownreport.jsp?cellid=${cellId}&infodom=<<INFODOM>>&legalentity=${entityCode}&run=${run}&date=${referenceDate})

Example:

[http://127.0.0.1:8080/ofsa/OFSAADrilldown/drilldown.jsp?cellid=\\${cellId}&infodom=OFSFSDFINFO&legalentity=\\${entityCode}&run=\\${run}&date=\\${referenceDate}](http://127.0.0.1:8080/ofsa/OFSAADrilldown/drilldown.jsp?cellid=${cellId}&infodom=OFSFSDFINFO&legalentity=${entityCode}&run=${run}&date=${referenceDate})

- i. Use http or https depending on the protocol configured for OFSAA.
 - ii. Pick an icon.
- iv. Click **Add** to save the details.




Figure 43: Adding Contextual Button

5. After the data ware configuration pack is updated, Lombard Configuration pack must reflect this.

Note: Refer to *AgileREPORTER* user documentation for details.

9 Troubleshooting Guidelines

This section covers troubleshooting guidelines for user of Oracle Financial Services Regulatory Reporting Integration with AgileREPORTER, hereafter called as Integration.

Integration users provide the data inputs through the OFSDF where data is loaded, processed and results are made available for reporting purposes. Integration package then makes this data available in required formats to AgileREPORTER. In AgileREPORTER, this data is then aggregated according to the reporting requirements and end users view this from AgileREPORTER User Interfaces designed for the Viewing / Editing of this aggregated data.

This section provides detailed guidelines on how to troubleshoot the data issues tracing back the data flow from AgileREPORTER.

9.1 Prerequisites

It is assumed that user can login and see following menus and respective reports in AgileREPORTER.

Regulator	ENTITY	RETURNS	VERSION	REFERENCE DATE	JOB STATUS	WORKFLOW STATUS	UPDATE	APPROVAL	EDITIONS	TRANSMISSION	MODIFIED	MODIFIED BY
European Common Reporting	EU Entity 01	E101	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		08/09/2017 14:51:43	SYS
	EU Entity 01	E102	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 20:08:46	SYS
	EU Entity 01	E104	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		08/02/2017 17:00:25	SYS
	EU Entity 01	E105	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 18:25:34	SYS
	EU Entity 01	E106	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/31/2017 10:54:21	SYS
	EU Entity 01	E107	2	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 18:26:35	SYS
	EU Entity 01	E108	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 20:06:47	SYS
	EU Entity 01	E109	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 18:23:26	SYS
	EU Entity 01	E110	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 18:24:37	SYS
	EU Entity 01	E111	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 18:29:13	SYS
	EU Entity 01	E113	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 20:08:23	SYS
	EU Entity 01	E114	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 20:10:12	SYS
	EU Entity 01	E116	3	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/31/2017 10:55:45	SYS
	EU Entity 01	E118	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 20:01:58	SYS
	EU Entity 01	E119	1	06/30/2016	R	L V X A E	Update	(0/1)NOT ATTESTED	Manage Editions		07/30/2017 20:02:12	SYS

Figure 44: AgileREPORTER

This means configurations activities for the AgileREPORTER and OFSAA are completed. Set up activities for Entity is done and reports templates as shown above are available for viewing. Report Names shown in the figure are for illustration purpose and actual name depends on the integration pack licensed.

9.2 Troubleshooting Use Cases

9.2.1 Unable to Generate Report

If you are unable to generate reports, meaning none of the derived entities referred in the report has rows for the LE/date combination, then you must refer to Installation Manuals of AgileREPORTER or OFSAA Integration pack for further instructions and steps to be followed.

If the process mentioned in Installation Manual is correctly followed and still report list is not available then you are requested to login the bug / service request with Lombard Risk.

9.2.2 Data Unavailable in AgileREPORTER

This is a use case where you are logged in to AgileREPORTER, and selected particular regulatory report for appropriate entity and As of Date, but unable to generate the report.

9.2.2.1 Fetching Null or Zero Values

AgileReporter is showing either Zero or Null values. It indicates that Derived Entities has data (however, all required filer conditions are not matching and resulting in zero value output) or Derived Entity does not have data at all.

C 27.00 - Identification of the counterparty (LE 4)

Code	Name	LEI code	Residence of the counterparty	Sector of the counterparty	NACE code	Type of counterparty
010	020	030	040	050	060	070
1	Prisma-Assets	5296009632HUK	Bank	Bank	NULL	NULL
2	Albar (UK) Ltd	548300CT2P62UK	Bank	Bank	NULL	NULL
3	Paritas Trading	48300ND005VUK	Bank	Bank	NULL	NULL
4	Accenture (UK)	4830004848VUK	Community Development	Community Development	NULL	NULL
5	Aon (UK) Limited	348300D92T04UK	Bank	Bank	NULL	NULL
6	ITI (UK) Manager	48300R8538PDK	Sovereign	Sovereign	NULL	NULL
7	Admiral Markets	48300CEW1WUK	Bank	Bank	NULL	NULL
8	F&B UK Ltd	48300D004VUK	Sovereign	Sovereign	NULL	NULL
9	CalcChem UK Prod	4830046LTD2VUK	Bank	Bank	NULL	NULL
10	Caplin Holdings	084830007602C8UK	Bank	Bank	NULL	NULL
11	Life Investment	48300Z0205VUK	Corporate	Corporate	NULL	NULL
12	China UK Limited	48300LPT2048UK	Community Development	Community Development	NULL	NULL
13	Pinnacle Investment	483000GE78M8UK	Bank	Bank	NULL	NULL
14	Cibn Finance (U)	48300M0204VUK	Multilateral Development	Multilateral Development	NULL	NULL
15	Beaur (UK) Ltd	483000080802UK	Multilateral Development	Multilateral Development	NULL	NULL
16	Rayline UK Prod	48300TRV1V8UK	Multilateral Development	Multilateral Development	NULL	NULL
17	Dimesa Trading	084830084TC45H8UK	Multilateral Development	Multilateral Development	NULL	NULL
18	Cibank (UK) Per	48300Z3H1VCC8UK	Corporate	Corporate	NULL	NULL
19	Lafarge UK Prod	4830046P7028UK	Corporate	Corporate	NULL	NULL
20	Apple (UK) Limite	48300K02H1V8UK	Public Sector Enterprise	Public Sector Enterprise	NULL	NULL

Figure 45: Fetching Null Values

C 31.00 - Maturity buckets of the exposures

	Greater than 11 months up to 12 Months	Greater than 12 months up to 15 Months	Greater than 15 months up to 18 Months	Greater than 18 months up to 21 Months	Greater than 21 months up to 24 Months	Greater than 24 months up to 27 Months	Greater than 27 months up to 30 Months	Greater than 30 months up to 33 Months	Greater than 33 months up to 36 Months	Greater than 3 years up to 5 years	Greater than 5 years up to 10 years	Greater than 10 years	Undefined maturity
	140	150	160	170	180	190	200	210	220	230	240	250	260
1	0	0	0	0	0	0	0	0	0	0	0	0	0
2	0	0	0	0	0	0	0	0	0	0	0	0	0
3	0	0	0	0	0	0	0	0	0	0	0	0	0
4	0	0	0	0	0	0	0	0	0	0	0	0	0
5	0	0	22,487	25,198	0	0	0	0	0	0	0	0	0
6	0	0	0	0	0	0	0	0	0	0	0	0	0
7	0	0	0	0	0	0	0	0	0	0	0	0	0
8	0	0	0	0	0	0	0	0	0	0	0	0	0
9	0	7,875	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	0	0	0	0	0
11	0	0	0	0	0	0	0	0	0	0	0	0	0
12	0	0	0	0	0	0	0	0	0	0	0	0	0
13	0	0	0	-100	0	0	0	0	0	0	0	0	0
14	0	0	0	3,918	0	0	0	0	0	0	0	0	0
15	0	0	0	0	0	0	0	0	0	0	0	0	0
16	0	0	0	0	0	0	0	0	0	0	0	0	0
17	0	0	0	0	0	0	0	0	0	0	0	0	0
18	0	0	0	0	0	0	0	0	0	0	0	0	0
19	0	0	0	0	0	0	0	0	0	0	0	0	0
20	0	0	0	0	0	0	0	0	0	0	0	0	0

Figure 46: Fetching Zero Values

You must validate as:

1. Derived Entity has data:
 - a. Execute the Derived Entity / Materialized views to check if Derived Entity has data or not.
 - b. If Derived Entity / materialized view has data but not showing in AgileREPORTER, you must log a Bug / Service Request with Lombard Risk.
2. Derived Entity does not have data:
 - a. Execute the Derived Entity / Materialized views to check if Derived Entity has data or not.
 - b. If Derived Entity does not have data, then check the Business Metadata excel for a given schedule.
 - c. Check Worksheet titled 'Derived Entity' in Business Metadata excel. Get all the derived entities for a given schedule.
 - d. Get dataset for each derived entity.
 - e. Execute datasets in OFSAA FSDF Atomic Schema to check if data is available for a given dataset joins.
 - f. If data is available in dataset queries, you must log a Bug / Service Request with AgileREPORTER.
 - g. If data is not available in dataset, then check if selection of Entity, Available Date (as of date) is appropriate and required executions are available. If Entity, As of Date and Run executions are correct and still data is not available, then you must log a Bug / Service Request with [Oracle Support](#).

9.2.3 Data Available in AgileREPORTER but Not as Expected

This use case where you are able to refer data for a required cell of a schedule in AgileREPORTER; however, value shown differs from expected value.

Let us take following example to illustrate the steps to be followed. This refers to Schedule 4.1 from FI04 report of EBA. Particular cell referred here is **FI0401R070C020**:

060 Debt Securities:

070 Central banks

	References	Carrying amount	Accumulated changes in fair value due to credit risk
		010	020
010	Equity instruments	350,049	
020	of which: at cost	137,821	
030	of which: credit institutions	12,775	
040	of which: other financial corporations	7,783	
050	of which: non-financial corporations	132,188	
060	Debt securities	1,378,028	127,220
070	Central banks	218,958	7,490
080	General governments	369,748	34,359
090	Credit institutions	308,284	20,672
100	Other financial corporations	171,918	9,111
110	Non-financial corporations	801,119	55,597
120	Loans and advances	1,162,606	97,888
130	Central banks	166,302	13,249
140	General governments	151,304	14,448
150	Credit institutions	195,865	15,391
160	Other financial corporations	55,082	4,736
170	Non-financial corporations	473,414	41,609
180	Households	120,639	8,376

Figure 47: Schedule 4.1 from FI04 Report

You can drill down for each cell to check details of data as what is included in aggregation. To drill down, click the value of particular cell and it is shown highlighted. It shows OFSAA data lineage icon on clicking as shown in Figure 48.

The screenshot shows the 'Lombard Risk' reporting interface. The main table is titled '4.1 Financial assets held for trading'. The table has columns for 'References', 'Carrying amount', and 'Accumulated changes in fair value due to credit risk'. The value 7479.751112 is highlighted in the 'Carrying amount' column for row 070. A 'direct cell edit' dialog box is open over this cell. An OFSAA data lineage icon is visible next to the highlighted cell.

	References	Carrying amount	Accumulated changes in fair value due to credit risk
		010	020
010	Equity instruments	350,049	
020	of which: at cost	137,821	
030	of which: credit institutions	12,775	
040	of which: other financial corporations	7,783	
050	of which: non-financial corporations	132,188	
060	Debt securities	1,870,023	125,001
070	Central banks	218,954	7479.751112
080	General governments	369,748	34,219
090	Credit institutions	308,284	20,485
100	Other financial corporations	171,918	8,993
110	Non-financial corporations	801,119	55,105
120	Loans and advances	1,162,686	92,389
130	Central banks	166,302	12,334
140	General governments	151,304	13,815
150	Credit institutions	195,865	14,500
160	Other financial corporations	55,092	4,267
170	Non-financial corporations	473,414	39,788
180	Households	120,639	7,673

Figure 48: Data Lineage OFSAA Icon

Make sure that you are logged in to OFSAA infrastructure before clicking **Data Lineage** icon.

- ◆ If you are not already logged in, clicking here opens the OFSAA infrastructure login window. Log in using appropriate credentials and come back to Report Portal and click the same **Data Lineage** icon again.
- ◆ If you are already logged in to OFSAA Infrastructure, the Data Lineage first page opens as shown in Figure 49.

The screenshot shows the 'Data Lineage' interface. The top section contains fields for 'Run Execution ID', 'Date', 'Legal Entity', and 'Reference Identifier'. Below this is a table titled 'Derived Entity: DE_IRRS Account Summary' with 15 rows. The table has columns for 'Intrad Flag', 'Seniority Flag', 'Over The Counter Indicator', 'Buy or Sell Flag', 'Senior Claim Flag', 'Instrument Contract Indicator', 'Regulatory Credit Status Code', 'Trading Account Book Type Code', 'Hedge Type', and 'Cumulative change in PV due to credit risk RCV'.

Intrad Flag	Seniority Flag	Over The Counter Indicator	Buy or Sell Flag	Senior Claim Flag	Instrument Contract Indicator	Regulatory Credit Status Code	Trading Account Book Type Code	Hedge Type	Cumulative change in PV due to credit risk RCV
N	S	N	N	N		NS			
N	S	N	N	N			TRLADR		
N	S	N	N	N			TRLADR		2,257,544.72
N	S	N	N	N		S			263,755.79
N	B	Y	N	N					
N	B	N	N	N			TRLADR		4,419,823.88
N	S	Y	N	N			TRLADR		
N	S	N	N	N					
N	S	Y	N	N		S			287,298.16
N	B	N	N	N					
N	B	N	N	N					
N	S	N	N	N		S			
N	S	N	N	N			TRLADR		
N	B	Y	N	N		NS			

Figure 49: AgileREPORTER Drill-down

Top block of this screen shows following information which helps to connect the AgileREPORTER aggregated data to OFSAA references.

1. **Run Execution ID:** This refers to OFSAA Execution ID chosen for a given report.
2. **Date:** This refers to AS OF DATE selected for a given report.
3. **Legal Entity:** This refers to the OFSAA Legal Entity for whom the report is generated.
4. **Reference Identifier:** This is the cell reference for which data drill down / lineage is being checked.

Second block displays all hierarchies with values used in a given Derived Entity and measures aggregated for a given combination of a hierarchy values.

To refer the measure values, scroll rightwards using horizontal scroll bar at bottom of second block. On extreme right, measures are displayed as shown in Figure 50:

The screenshot shows a 'Data Lineage' window with a header section containing 'Run Execution Id' (1), 'Date' (30 Jun 2016), 'Legal Entity' (EU Entity 01), and 'Reference Identifier' (F10401R07BC020). Below this is a table titled 'Derived Entity : DE - IFRS Account Summary (15)'. The table has the following columns: 'Red Flag', 'Seniority Flag', 'Over The Counter Indicator', 'Buy or Sell Flag', 'Senior Claim Flag', 'Instrument Contract Indicator', 'Regulatory Credit Status Code', 'Trading Account Book Type Code', 'Hedge Type', and 'Cumulative change in FV due to credit risk RCV'. The 'Cumulative change in FV due to credit risk RCV' column contains several hyperlinked values: 2,257,544.72, 253,755.79, 4,419,823.88, and 267,298.18.

Figure 50: Measure Values

Only measure values are hyperlinked indicating that they can be drilled down further. On clicking the amount, second level drill down show the lowest granularity data available for a given cell reference.

9.2.3.1 Using Drill-down with Data Lineage View

Data Analysts/You can then compare these accounts and their respective monetary amounts with expected values. One can check the following:

1. All required accounts are shown in aggregation
2. Unwanted accounts are not included in aggregation
3. Measures / Monetary amounts at account granularity are as expected.

Any deviation from expectations can be then checked back for:

1. If measure is stage pass through, then validate using T2T to verify if stage data is as expected or must be corrected.
2. If measure is processed, then validate using T2T to verify processing measure is correctly moved to result area.
3. If reclassified hierarchies are showing unexpected values, check Rules and source hierarchies of rules. This use case needs close verification to ensure that all source hierarchies have required values or Rule sequence which can lead to overwriting the values.
4. If all the source data is as expected and result area is now showing unexpected output, then log a Bug / Service Request with [Oracle Support Services](#).

9.2.3.2 Data Lineage View is not available

If the second block does not show any data, then data analysts/you are advised to refer to the data set worksheet of Business Metadata.




Figure 51: Data Lineage Unavailable

There can be few reasons why second block does not show the data:

1. Internet connection is timed out or broken down - in this case clicking Data Lineage on AgileREPORTER results in a blank second block. To rectify this, re-login to OFSAA infrastructure and AgileREPORTER.
2. Data Lineage view works after Metadata is published using OFSAA Infrastructure. To validate if Metadata is properly published or not.
3. If Metadata is properly published and second block still does not show the data, then start with Derived Entity code shown at the beginning of second block. This Derived Entity code is available even if data is not available.
4. Using this Derived Entity code data analysts are advised to refer to OFSAA Business metadata with worksheet name as 'Derived Entity'. Sample Business Metadata excel is shown in Figure 52:

Derived Entity Code	Short Description	Long Description	Source Type	Aggregate	Materialised View	Dataset Code	Dataset Name	Selected Metadata
1201 DERR002	DE - Management Reporting YTD Movement	DE - Management Reporting YTD Movement	Dataset	Y		DERR002	DS - Management Reporting YTD Movement	Reporting Line Code Consolidation Code Entry Country ID Org Structure Entity Code Calendar Date Run Description Branch BSR Code Movement RCY
1202 DERR003	DE - Management Reporting QTD Movement	DE - Management Reporting QTD Movement	Dataset	Y	Y	DERR003	DS - Management Reporting QTD Movement	Reporting Line Code Reporting Line Code Consolidation Code Entry Country ID Org Structure Entity Code Calendar Date Run Description Movement RCY Consolidation Name Branch BSR Code
1203 DERR004	DE - Management Reporting MTD Movement	DE - Management Reporting MTD Movement	Dataset	Y	Y	DERR004	DS - Management Reporting MTD Movement	Reporting Line Code Consolidation Code Entry Country ID Org Structure Entity Code Calendar Date Run Description Exp Balance PCY Movement RCY
1204 DERR005	DE - Reg Account YTD Metrics	DE - Reg Account YTD Metrics	Dataset	Y	Y	DERR005	DS - Reg Account YTD Metrics	Branch BSR Code Regulatory Deposit Type Group Code Regulatory Deposit Type Code Entry Country ID Org Structure Entity Code Calendar Date Run Description Exp Interest amount RCY

Figure 52: Business Metadata

5. By referring to Business Metadata, you can get complete information on Derived Entity such as dataset, Fact tables, measures, hierarchies defined under particular Derived Entity.

1	Source Type	Aggregate	Materialised View	Dataset Code	Dataset Name	Selected Metadata	Selected Metadata Code													
1220	Dataset	Y	Y	DSRR002	DS - Management Reporting YTD Movement	Reporting Line Code	HRR004													
1221						Consolidation Code	HRR003													
1222						Entity Country ID	HRR006													
1223						Org Structure Entity Code	HIREG004													
1224						Calendar Date	HIREG001													
1225						Run Description	HIREG002													
1226						Branch BSR Code	HRR009													
1227						Movement RCY	HRR002													
1228	Dataset	Y	Y	DSRR003	DS - Management Reporting QTD Movement	Reporting Line	HRR001													
1229						Reporting Line Code	HRR004													
1230						Consolidation Code	HRR003													
1231						Entity Country ID	HRR006													
1232						Org Structure Entity Code	HIREG004													
1233						Calendar Date	HIREG001													
1234						Run Description	HIREG002													
1235						Movement RCY	HRR002													
1236						Consolidation Name	HRR010													
1237						Branch BSR Code	HRR009													
1238	Dataset	Y	Y	DSRR004	DS - Management Reporting MTD Movement	Reporting Line Code	HRR004													
1239						Consolidation Code	HRR003													
1240						Entity Country ID	HRR006													
1241						Org Structure Entity Code	HIREG004													
1242						Calendar Date	HIREG001													
1243						Run Description	HIREG002													
1244						Exp Balance RCY	HRR001													
1245						Movement RCY	HRR002													
1246						Branch BSR Code	HRR009													
1247	Dataset	Y	Y	DSRR005	DS - Reg Account YTD Metrics	Regulatory Deposit Type Group Code	HRR007													
1248						Regulatory Deposit Type Code	HRR034													
1249						Entity Country ID	HRR006													
1250						Org Structure Entity Code	HIREG004													
1251						Calendar Date	HIREG001													
1252						Run Description	HIREG002													
1253						Exp Interest Amount RCY	HRR003													
1254	Dataset	Y	Y	DSRR006	DS - Reg Account YTD Metrics	Regulatory Deposit Type Group Code	HRR007													

Figure 53: Business Metadata

The Dataset ANSI Joins provide valuable information on how various entities are joined/linked together. By executing these Joins, you can confirm if data is available for given filters and conditions. If data is fetched using Dataset Joins and Data Lineage does not show data, you must log a Bug / Service Request with [Oracle Support](#).



Oracle Financial Services Regulatory Reporting for European Banking Authority (EBA) – Lombard Risk Integration Pack 8.0.6.1.0 User Guide

September 2018

Oracle Corporation
World Headquarters
500 Oracle Parkway
Redwood Shores, CA 94065
U.S.A.

Worldwide Inquiries:
Phone: +1.650.506.7000
Fax: +1.650.506.7200
oracle.com

Copyright © 2018, Oracle and/or its affiliates. All rights reserved. This document is provided for information purposes only and the contents hereof are subject to change without notice. This document is not warranted to be error-free, nor subject to any other warranties or conditions, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. We specifically disclaim any liability with respect to this document and no contractual obligations are formed either directly or indirectly by this document. This document may not be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without our prior written permission.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark licensed through X/Open Company, Ltd. 0518
