

# **Oracle Financial Services Data Management Application Pack**

## **Installation Guide**

**Release 8.0.8.1.0**

**December 2021**

**ORACLE**  
Financial Services

## Oracle Financial Services Data Management Application Pack

Copyright © 2020 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information on third party licenses, click [here](#).

## Document Control

Version Number	Revision Date	Change Log
01	April 2020	Created for the OFSDM v8.0.8.1.0 release.

# Table of Contents

- 1 Preface..... 5**
  - 1.1 Audience ..... 5
    - 1.1.1 Prerequisites for the Audience..... 5
  - 1.2 Related Documents ..... 5
  - 1.3 Conventions and Acronyms ..... 6
- 2 OFS DM Application Pack Release 8.0.8.1.0 ..... 7**
  - 2.1 Prerequisites..... 7
  - 2.2 How to Apply This Upgrade Release ..... 7
    - 2.2.1 Installing OFS DM ..... 7
  - 2.3 Post Installation Configuration ..... 10
    - 2.3.1 Merging Key Indicators..... 10
    - 2.3.2 Updating Measures for Key Indicators..... 10
    - 2.3.3 Key Indicator Configuration ..... 11
    - 2.3.4 OBIEE Configuration and Deployments..... 11
    - 2.3.5 Updating Metadata for Account Mapper Batch..... 12
    - 2.3.6 Run Chart for Batch Executions ..... 12

# 1 Preface

This document provides step-by-step instructions to install the OFS Data Management Application Pack 8.0.8.1.0 Release.

This chapter discusses the following topics:

- [Audience](#)
- [Related Documents](#)
- [Conventions Used](#)

## 1.1 Audience

The Oracle Financial Services Data Management Application Pack Installation Guide is intended for administrators and implementation consultants who are responsible for installing and maintaining the application pack components.

### 1.1.1 Prerequisites for the Audience

This document assumes that you have experience in installing Enterprise components and you have basic knowledge of the following.

- Oracle Financial Services Advanced Analytical Applications Infrastructure pack components
- OFSAA Architecture
- UNIX Commands
- Database Concepts
- Web Server/ Web Application Server

## 1.2 Related Documents

For more information, refer to the Oracle Financial Services Data Management Application Pack 8.0.8.1.0 documents available in [OHC](#).

- Oracle Financial Services Data Governance for US Regulatory Reporting User Guide Release 8.0.8.0.0
- Oracle Financial Services Data Governance for European Central Reporting User Guide Release 8.0.8.0.0
- Oracle Financial Services Reconciliation Framework User Guide Release 8.0.8.0.0
- Oracle Financial Services Analytical Applications Infrastructure User Guide Release 8.0.8.0.0 ( [OHC library](#) )
- Oracle Financial Services Analytical Applications Infrastructure Installation Guide Release 8.0.8.1.0 ( [OHC library](#) ).
- Oracle Financial Services Analytical Applications Technology Matrix ( [OHC library](#) ).

## 1.3 Conventions and Acronyms

Conventions	Description
Actions are indicated in Bold. Command or query is indicated in <code>Courier New font</code> .	
AIX	Advanced Interactive eXecutive
OFSAAI	Oracle Financial Services Analytical Applications Infrastructure
OFS AAAI	Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack
OFS DM	Oracle Financial Services Data Management Application Pack
RHEL	Red Hat Enterprise Linux
IR	Interim Release
ML	Maintenance Level
Atomic Schema	Database schema where the application data model is uploaded.
Config Schema	Database schema which contains setup related configurations and metadata

## 2 OFS DM Application Pack Release 8.0.8.1.0

This release of OFS DM Application Pack is cumulative and includes all enhancements and bug fixes done since the OFS DM Application Pack v8.0 GA release.

### 2.1 Prerequisites

You must have the OFS DM Application Pack version 8.0.8.0.0 as the minimum patch set level.

**NOTE** Refer to the [Technology Matrix](#) for the Hardware and Software requirements.

### 2.2 How to Apply This Upgrade Release

#### 2.2.1 Installing OFS DM

To download, extract, and configure this maintenance release, follow these steps:

1. Login to <https://support.oracle.com> and search for OFS DM Maintenance Level patch ID **31114463** under the **Patches & Updates** tab.
2. Download the OFS DM Pack v8.0.8.1.0 ML Release archive file and copy it to your OFSAA server in Binary mode.
3. Shutdown all OFSAAI Services. For more information, see the *Start/Stop Infrastructure Services* section in the [Oracle Financial Services Data Management Pack Installation Guide 8.0.8.0.0](#).
4. Log in to [My Oracle Support](#), search for the **33663417** Mandatory Patch in the **Patches & Updates** Tab and download it.

**ATTENTION** On the 10th of December 2021, Oracle released Security Alert CVE-2021-44228 in response to the disclosure of a new vulnerability affecting Apache Log4J prior to version 2.15. The application of the **33663417** Mandatory Patch fixes the issue.

For details, see the My Oracle Support Doc ID [2827801.1](#).

5. Login to the OFSAA server with the user credentials that were used to install OFS DM.
6. Execute the following command:
 

```
chmod -R 755 $FIC_HOME
```
7. If you already have an unzip utility installed, skip to the next step.  
If you do not have an unzip utility, download the unzip utility (OS-specific), and copy it in **Binary** mode to the directory that is included in your PATH variable, typically **\$HOME** path or the directory in which you have copied the v8.0.8.1.0 ML installer.

- Uncompress the unzip installer file using the following command:

```
uncompress unzip_<os>.z
```

**NOTE**

If you notice an error message stating: "Uncompress: not found [No such file or directory] and the package is not installed", contact your UNIX administrator.

- Give EXECUTE permission to the file using the following command:

```
chmod 755 OFS_DM_80810_<OS>.zip
```

8. Extract the contents of the OFS DM Application Pack v8.0.8.1.0 in the Download Directory installer archive file using the following command:

```
unzip <name of the file to be unzipped>
```

Modify `params.conf` file present in the `OFS_DM_PACK/OFS_DM/conf` directory and update the following parameters as per the instructions given in the `params.conf` file.

In the `params.conf` file, update the value in the `UPLOAD_MODEL` parameter to 0.

9. Give EXECUTE permission to the installer file. Navigate to `OFS_DM_PACK/` directory and execute this command:

```
chmod 755 OFSAAIUpdate.sh
```

10. Execute the following command:

```
./OFSAAIUpdate.sh
```

Verify if the maintenance level release is applied successfully by checking the following log files generated in the installation folder:

- `OFS_DM_PACK/logs/OFSAAIUpdate.log` for Infrastructure installation log file.
- `OFS_DM_PACK/OFS_DM/logs/OFS_DM_patch_installation.log` for OFS Data Management Application Pack installation log file.

11. You can ignore the following errors in the log files:

- ORA-00001

If there are other errors, contact My Oracle Support.

12. After the successful installation, follow these steps:

- a. Clear the application cache. Navigate to the following directories depending on the configured web application server and delete the files:
  - i. Tomcat: `<Tomcat Installation Folder>/work/Catalina/localhost/<Application Name>/org/apache/jsp`
  - ii. Weblogic: `<Weblogic installation location>/domains/<Domain name>/servers/<Server name>/tmp/_WL_user/<Application name>/<auto generated folder>/jsp_servlet`

13. Delete the existing EAR/WAR file present in the `$FIC_HOME/ficweb` directory.

14. Apply the **33663417** Mandatory Patch.

See the Readme that is packaged with the patch for further instructions on how to install and apply it.



15. Generate the application EAR/WAR file and redeploy the application onto your configured web application server. For more information on generating and deploying the EAR / WAR file, see the *Post Installation Configuration* section in the [Oracle Financial Services Data Management Pack Installation Guide 8.0.8.0.0](#).
16. After the successful installation of the release, restart all OFSAAI services. For more information, see the *Start/ Stop Infrastructure Services* section in the [Oracle Financial Services Data Management Pack Installation Guide 8.0.8.0.0](#).

## 2.3 Post Installation Configuration

### NOTE

This section is applicable for Oracle Financial Services Data Governance for US Regulatory Reporting.

On successful installation of the Oracle Financial Services Data Management Application Pack, follow these post-installation configuration steps.

### 2.3.1 Merging Key Indicators

To merge the Key Indicators, follow these steps:

1. Execute the Batch Name as MERGE\_FCT\_KRI\_DEF. This batch is used to merge the variance and edit checks into the Key Indicators.
2. Enter the current system date as the **MISDATE** for this batch.

ORACLE Financial Services Data Governance for US Regulatory Reporting

Batch Execution

Batch Mode: Mode Run Restart Rerun

Search: Batch ID Like DGSINFO\_merge Batch Description Like Last Modification Date Between And

Batch Details Schedule Batch

Batch ID	Batch Description
DGSINFO_MERGE_FCT_KRI_DEF	Merging variance and Edit checks data into KI Tables

Page 1 of 1 (1-1 of 1 items) K < > X

Task Details Exclude/Include Hold/Release

Task ID	Task Description	Metadata Value	Component ID	Precedence	Task Status
Task1	Merging variance and Edit checks data into KI Tables	FN_MERGE_FCT_KRI_DEF	TRANSFORM DATA	START	N

Page 1 of 1 (1-1 of 1 items) K < > X

Information Date: Date

Execute Batch

### 2.3.2 Updating Measures for Key Indicators

To update Measures for Key Indicators, follow these steps:

1. Execute the Batch Name FCT\_KRI\_DEF\_UPDATE. This batch is used to update the measure name, map key, and measure key for the Key Indicators available in the system.
2. Enter the current system date as the **MISDATE** for this batch.

The screenshot displays the Oracle Financial Services Data Governance for US Regulatory Reporting interface. It shows a list of tasks with their descriptions and a table of task details.

Task ID	Task Description	Metadata Value	Component ID	Precedence	Task Status
Task1	Updating Formula, Actual Formula for fct kri def	FN_FCT_KRI_DEF_UPDATE	TRANSFORM DATA		N

Page 1 of 1 (1-9 of 9 items) K < > X

Records Per Page 15

Task Details Exclude/Include Hold/Release

Information Date Date 12/14/2018

Execute Batch

### 2.3.3 Key Indicator Configuration

The `##INFODOM##_KI_CONFIGURATION` batch generates the report, schedule, and cells required for the Key Indicator assessment configurations. In the *Key Indicator Assessment configurations* screen, you can select and configure the report, schedule and cell combinations. For more information on Key Indicator assessment configurations, see the *Defining the Key Indicators for Monitoring* section in the *DGS US Regulatory Reporting and DGS European Central Reporting 8.0.8.0.0 User Guide* on [OHC](#).

The screenshot displays the Oracle Financial Services Data Governance for US Regulatory Reporting interface, specifically the Batch Execution screen. It shows the Batch Mode, Search, Batch Details, Task Details, and Information Date sections.

Batch Execution

Batch Mode Mode ☒ Run ☐ Restart ☐ Rerun

Search Batch ID Like FSDFINFO\_KI\_conf Batch Description Like Last Modification Date Between And

Batch Details Schedule Batch

Batch ID	Batch Description
FSDFINFO_KI_CONFIGURATION	Inserting data into KI Configuration Tables

Page 1 of 1 (1-1 of 1 items) K < > X

Records Per Page 15

Task Details Exclude/Include Hold/Release

Task ID	Task Description	Metadata Value	Component ID	Precedence	Task Status
Task1	Inserting data into KI Configuration Tables	FN_KI_CONFIGURATION	TRANSFORM DATA	START	N

Page 1 of 1 (1-1 of 1 items) K < > X

Records Per Page 15

Information Date Date 10/04/2019

### 2.3.4 OBIEE Configuration and Deployments

The following OBIEE configuration files must be updated to change the user's preferred currency.

1. Edit the to `/Oracle_Home/bi/bifoundation/web/display/currencies.xml` file.
2. Update "symbol="\$" to change the preferred currency as follows:
 

```
<Currency tag="int:wrhs" type="international" placeholder="true"
symbol="$" format="$#" digits="2"
displayMessage="kmsgCurrencySiebelWarehouse">
  <negative tag="minus" format="-$#" />
</Currency>
```
3. Copy the `DGS.catalog` and `DGS.rpd` files from the `<FIC_HOME>/DGSBI` directory to your local machine and redeploy the `DGS.catalog` and `DGS.rpd` files.

### 2.3.5 Updating Metadata for Account Mapper Batch

To update Metadata for the Account Mapper Batch, follow these steps:

1. Update `FSI_METADATA_DRLDWN_MST` table:
 

Before executing the `DGS_KI_BATCH` batch, follow these steps:

  - a. Login to the Atomic Schema.
  - b. Execute the [con\\_fsi\\_metadata\\_drldwn\\_mst\\_account.sql](#) script.

<b>NOTE</b>	This is a one-time activity, and it is not required to be executed again.
-------------	---

2. Update `ACCT_CELL_QUERY_MAPPING` table:
 

Before executing `ACCT_MAPPER_INSERT` batch, follow these steps:

  - a. Login to the Atomic Schema.
  - b. Execute the [ACCT\\_CELL\\_QUERY\\_MAPPING.sql](#) script.

<b>NOTE</b>	This script must be executed before running the <code>##INFODOM##ACCT_MAPPER_INSERT</code> batch.
-------------	---

### 2.3.6 Run Chart for Batch Executions

For batch executions, see the *DGS US Regulatory Reporting 8.0.8.1.0 Run Chart* on [MOS](#).

---

## OFSAAI Support Contact Details

- Raise an SR in [My Oracle Support \(MOS\)](#) if you have any queries related to EPM, ERM, and FCCM applications.

---

## Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site which has all the revised/recently released documents.

