Oracle Financial Services Regulatory Reporting for Reserve Bank of India – Lombard Risk Integration Pack

Installation Guide Release 8.0.4.0.0 June 2017



# **DOCUMENT CONTROL**

Version Number	Revision Date	Changes Done
1.0	Created: June 2017	Document contents are categorized to appropriate sections and structured considering all the 8.0.4.0.0 features.
Created by: Naveen Harry D'Cruz	Reviewed by: Kiran Kumar, Datta	Approved by: Kiran Kumar

#### **Executive Summary**

The document consists of all the installation, Pre and Post configuration procedures which have been structured considering all the 8.0.4.0.0 features. You can find the latest copy of this document in <u>OTN library</u> which includes all the recent additions/revisions (if any) done till date.

Before you begin the installation, ensure that you have an access to Oracle Support Portal with the required login credentials to quickly notify us for any specific issues. You can obtain one by contacting <u>Oracle Support</u>.



# TABLE OF CONTENTS

Pre	FACE			
	Audie	ence 4		
	Scop	e 4		
	Prere	equisites for the Audience		
	How	this Guide is Organized		
	Docu	mentation Accessibility		
	Acces	ss to Oracle Support5		
	Relat	ed Documents		
	Conv	entions and Acronyms		
1	HAR	DWARE AND SOFTWARE REQUIREMENTS AND SPECIFICATIONS7		
2	Prei	PARING FOR INSTALLATION		
	2.1	Obtaining the Software		
	2.2	Prerequisites for Installation		
	2.3	Configuration for GUI Mode Installation8		
	2.4	Copying and Extracting the Software9		
3 Indi		ALLING ORACLE FINANCIAL SERVICES REGULATORY REPORTING FOR RESERVE BANK OF OMBARD RISK INTEGRATION PACK10		
4	SILENT MODE INSTALLATION			
5	Pos	T INSTALLATION ACTIONS19		



### Preface

Oracle Financial Services Regulatory Reporting for Reserve Bank of India (OFS\_REG\_REP\_RBI) enables the customers to enables the banks to comply with RBI regulations. It integrates risk data reporting systems and enhances the accuracy of reporting in banks. OFS Risk Regulatory Reporting (RRR) helps in achieving the objectives by enabling preset steps based on the generalization of a set of solutions. This is made possible by:

- Providing a centralized data storage for risk data through relevant subject areas of Financial Services Data Foundation (FSDF).
- Interfacing with a Regulatory Reporting tool Lombard AgileREPORTER to build necessary template reports to meet the regulatory expectations.

This document provides step-by-step instructions to install the Oracle Financial Services Regulatory Reporting for Reserve Bank of India – Lombard Risk Integration Pack (OFS\_REG\_REP\_RBI) Release 8.0.4.0.0.

This chapter discusses the following topics:

- <u>Audience</u>
- <u>Scope</u>
- Prerequisites for the Audience
- How this Guide is organized
- Documentation Accessibility
- <u>Access to Oracle Support</u>
- <u>Recommended Environment</u>
- Related Documents
- <u>Conventions and Acronyms</u>

### Audience

This Manual is meant for Oracle Financial Services Regulatory Reporting for Reserve Bank of India – Lombard Risk Integration Pack System Administrator. It provides step-by-step instructions necessary for installing the OFS\_REG\_REP\_RBI application components.

### Scope

This manual provides a step-wise instruction to install Oracle Financial Services Regulatory Reporting for Reserve Bank of India – Lombard Risk Integration Pack.



### Prerequisites for the Audience

Following are the expected preparations before starting the actual installation:

- The document assumes you have experience in installing Enterprise components.
- Basic knowledge about the Oracle Financial Services Data Foundation Application Pack components, OFSAA Architecture, UNIX commands, Database concepts and Web Server/ Web Application Server is recommended.

### How this Guide is Organized

The Installation Manual is organized into the following chapters.

- **Pre Requisites** section identifies the hardware and base software environment that is required for a successful installation and functioning of the Oracle Financial Services Regulatory Reporting for Reserve Bank of India Lombard Risk Integration Pack.
- **Installing the Application** section details the steps to be followed during the installation.
- **Post installation Activities** section details the steps that are required to be performed after a successful installation of Oracle Financial Services Regulatory Reporting for Reserve Bank of India Lombard Risk Integration Pack.

### **Documentation Accessibility**

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <a href="http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc">http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc</a>

### Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <u>http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info</u> or visit <u>http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs</u> if you are hearing impaired.

### **Related Documents**

This section identifies additional documents related to Oracle Financial Services Regulatory Reporting for Reserve Bank of India – Lombard Risk Integration Pack. You can access Oracle documentation online from Documentation Library (<u>OTN</u>):

- Oracle Financial Services Regulatory Reporting for Reserve Bank of India Lombard Risk
   Integration Pack User Guide
- Oracle Financial Services Data Foundation Installation Manual Release 8.0.4.0.0 Java 7 and Java 8
- Oracle Financial Services Analytical Applications Infrastructure Installation Guide 8.0.4.1.0



### **Conventions and Acronyms**

Conventions	Description	
References to sections or chapters in the manual are displayed in <i>Italics</i> . Screen names are displayed in the following manner: <b>Introduction</b> screen Options and buttons are displayed in <b>Bold</b> .		
OFSAAI	Oracle Financial Services Analytical Applications Infrastructure	
OFS AAAI	Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack	
RHEL	Red Hat Enterprise Linux	
Atomic Schema	Database schema where the application data model is uploaded	
Config Schema	Database schema which contains setup related configurations and metadata	
OFS_REG_REP_RBI	Oracle Financial Services Regulatory Reporting for Reserve Bank of India – Lombard Risk Integration Pack	



### **1** Hardware and Software Requirements and Specifications

This section describes various Operating System, Database, Web Application Server version and other variant details on which this release of the OFS Regulatory Reporting for Reserve Bank of India – Lombard Risk Integration Pack (OFS\_REG\_REP\_RBI) application has qualified.

Refer to the <u>Technology Matrix</u> for Hardware and Software requirements for this release.

**Oracle Financial Services Software Confidential - Restricted** 



## 2 Preparing for Installation

This chapter provides necessary information to review before installing the OFS\_REG\_REP\_RBI Application v8.0.4.0.0. This chapter includes the following topics:

- Obtaining the Software
- Prerequisites for Installation
- <u>Configuration for GUI Mode Installation</u>
- Copying and Extracting the Software

### 2.1 Obtaining the Software

Login to <u>https://support.oracle.com/</u> and search for **26239883** under the Patches and Updates tab.

### 2.2 Prerequisites for Installation

This installer has both Upgrade and Fresh install capabilities. The prerequisites required for this release is as follows:

**NOTE:** If it is an Upgrade, the minimum patch set level should be OFS REG REP RBI 8.0.2.0.0.

- OFS FSDF v8.0.4.0.0 Application Pack should be installed and configured in your Machine (<u>OTN Documentation Library</u>).
- OFSAAI v8.0.4.1.0 Infrastructure Pack should be installed and configured in your Machine (<u>OTN Documentation Library</u>).
- Execute pre-script file available in the Installer (at <installer\_kit\_path>/OFS\_REG\_REP\_RBI/Pre\_Scripts/reg\_rep\_rbi\_pre\_ins tall\_confg\_script.sql) in Config Schema.
- **NOTE:** The prescripts are Mandatory irrespective of any version of OFS\_REG\_REP\_RBI application already installed on the setup.
  - Make sure you have executed **.profile** before you trigger the installation.
  - Make sure FIC Server is up and running before you trigger the installation. For information on restarting the services, Refer OFS AAI Release 8.0.4.1.0 Installation Guide (<u>OTN</u> <u>Documentation Library</u>) for more information.

### 2.3 Configuration for GUI Mode Installation

To install OFS\_REG\_REP\_RBI in GUI mode, you need to ensure that the following software and configurations are available:

- Install and configure any PC X Server software such as Open Text Exceed (formerly Hummingbird Exceed) on the user desktop system from which the installation is triggered.
- Configure DISPLAY variable.



Ensure to set the DISPLAY variable on the system on which the OFSAA is installed, to point to the user desktop system where the PC X Server software is installed.

Syntax:

export DISPLAY=hostname:n.n1

where, hostname is the IP Address/ Host Name of the user desktop system and n is the sequence number (usually 0).

For example, 10.11.12.13:0.0 or myhostname:0.0

#### 2.4 Copying and Extracting the Software

Perform the following steps to copy and extract the OFS REG REP RBI software.

1. Copy Pack v8.0.4.0.0 archive file to your OFSAA server in Binary mode.

**NOTE:** You must be logged in to the UNIX operating system as a non-root user.

- 2. Download the unzip utility (OS specific) unzip\_<os>. Z, and copy it in Binary mode to any directory and include the directory in your PATH variable. If you already have the unzip utility to extract the contents of the downloaded archive, skip to the next step.
- 3. Uncompress the unzip installer file using the command:

uncompress unzip\_<os>.Z

**NOTE:** In case you notice an error message "uncompress: not found [No such file or directory]" when the package is not installed, contact your UNIX administrator.

4. Give EXECUTE permission to the file using the command:

chmod 751 unzip <os>

For example, chmod 751 unzip\_sparc

5. Extract the contents of the OFS\_REG\_REP\_RBI 8.0.4.0.0 in the Download Directory installer archive file using the following command:

unzip OFS\_REG\_REP\_RBI\_8.0.4.0.0\_GENERIC.zip

**NOTE:** DO NOT rename the Application installer folder name on extraction from the archive.

6. Give below permission to the installer folder. Navigate to the Download Directory and execute the command:

chmod -R 755 OFS REG REP RBI



## 3 Installing Oracle Financial Services Regulatory Reporting for Reserve Bank of India – Lombard Risk Integration Pack

The OFS\_REG\_REP\_RBI installer can be installed in both GUI and silent mode.

For executing the installer in silent mode, refer to the section Silent Mode Installation.

For running in GUI mode:

- 1) Log in to the system as **non-root user**
- 2) Execute the user .profile
- 3) Navigate to installer location OFS\_REG\_REP\_RBI/Pre\_Scripts
- Manually execute the pre-script file (reg\_rep\_rbi\_pre\_install\_confg\_script.sql) available in the path in Config Schema.
- **NOTE:** The prescripts are Mandatory irrespective of any version of OFS\_REG\_REP\_RBI application already installed on the setup.
  - 5) Navigate to installer location OFS\_REG\_REP\_RBI/bin
  - 6) Run the installer in GUI Mode by executing the command:

```
./setup.sh GUI
```

Refer to the below steps for installation in GUI mode:

1. Execute the following command to start the installation for Oracle Financial Services Regulatory Reporting for Reserve Bank of India – Lombard Risk Integration Pack:



#### Installation Splash Screen


2. The **Introduction** screen displays the prerequisites for installation. Ensure that the prerequisites are satisfied before you proceed.





#### Introduction Screen

3. Choose the **Log Mode** for this installer. If you select, **Debug**, the Passwords are printed in the log file.



Pre-Setup Information – Log Mode Screen



4. In the **Pre-Setup Information** screen, specify the existing infodom name to be used for the application installation and click **Next**.

		Pre-Setup	Information
<ul> <li>Introduction</li> <li>Pre-Install Configuration</li> <li>Pre-Install Summary</li> <li>Installing</li> <li>Install Complete</li> </ul>	Infodom Name FSDFINFO Specify the Reg Reporting RBI Segment RBISEG		<b>.</b>
FINANCIAL SERVICES			
InstallAnywhere Cancel <u>H</u> elp		<u>P</u> revious	<u>N</u> ext

Pre-Setup Information – Infodom Type Screen

5. In the **Pre-Setup Information** screen, select **New application/source pair** to create a new ETL application and click **Next**.



Pre-Setup Information – ETL Application Selection Screen




6. In the **Pre-Setup Information** screen, enter the **ETL Application Name & Description** as you wish and **ETL Source Name & Description** as you wish. Then click **Next**.

			Pre-Setup	Information	
Introduction	ETL Application Details				
Pre-Install Configuration	Name	RBI			
<ul> <li>Pre-Install Summary</li> <li>Installing</li> </ul>	Description	RBI			
O Install Complete	ETL Source Details				
	Name	PROCESSING			
	Description	PROCESSING			
ORACLE					
FINANCIAL SERVICES					
TINANCIAL SERVICES					
InstallAnywhere					
Cancel <u>H</u> elp			<u>P</u> revious	<u>N</u> ext	

Pre-Setup Information – ETL Application Details Screen

7. In the **Pre-Setup Information** screen, enter the **OFSAAI User ID** and click **Next**.


Default Value is: **SYSADMN** 



Pre-Setup Information – OFSAAI User ID Screen




8. The Pre-Install Configuration (Please Wait) screen is displayed.



Pre-Install Configuration – Please Wait Screen

9. Review the settings in the Pre-Installation Summary screen and click Install.



**Pre-Installation Summary Screen** 



10. The following message is displayed. Select **Yes** to begin the installation process.




11. The Installing SolutionSetup screen is displayed.



Installing SolutionSetup Screen



12. The Install Complete screen is displayed.



#### Install Complete Screen

- 13. Refer to the log file created in the path /OFS\_REG\_REP\_RBI/logs of installer directory for any error messages.
- 14. Click **Done** to complete the installation.



## 4 Silent Mode Installation

Silent installation is achieved via a properties file (**Silent.props**) that must be updated with proper values, before attempting to install using the silent mode. Follow the below steps to install the product in Silent Mode:

- 1) Navigate to the installer directory **OFS\_REG\_REP\_EBI/Pre\_Scripts**.
- 2) Manually execute the pre-script file (**reg\_rep\_rbi\_pre\_install\_confg\_script.sql**) available in the path in Config Schema.
- **NOTE:** The prescripts are Mandatory irrespective of any version of OFS\_REG\_REP\_RBI application already installed on the setup.
  - Navigate to installer directory OFS\_REG\_REP\_RBI/conf containing the template file Silent.template.
  - 4) Create a copy of this file and rename the copy as **Silent.props**.
  - 5) Edit the **Silent.props** file and specify the parameters as per the requirements.

The following table lists all the properties that must be specified.

Property Name	Description of Property	Permissible Values	Comments
LOG_MODE	Mode for logging	0 = Debug 1= General	Optional; Default : 0
INFODOM_NAME	Specify name of Information Domain (Infodom) into which you wish to install.	For example: OFSBFNDINFO	MANDATORY. Specify Infodom Name Value where FSDF Application is got installed
APPFTP_LOG_PATH	Specify the Infodom App Maintenance log path	For example: /home/ftpshare/OFSBFNDINFO/logs	MANDATORY. Path value must be same as the path which was given during FSDF installation
DBFTP_LOG_PATH	Specify the Infodom DB Maintenance log path	For example: /home/ftpshare/OFSBFNDINFO/logs	MANDATORY. Path value must be same as the path which was given during FSDF installation
SEGMENT_1_CODE	Specify the Reserve Bank of India Segment Code	For example: RBISEG	MANDATORY



ETL_APPSRC_TYPE	Please specify if you want create new ETL App/Src pair or use an existing one.	0 = If you want to create a new ETL app/src pair 1 = If you want to use an existing pair	MANDATORY
ETL_APP_1_NAME	Specify the ETL Application Name where the Definitions will be deployed.	For example: RBI	MANDATORY
ETL_SRC_1_1_NAME	Specify the ETL Source Name into ETL Area Definitions will be deployed	For example: PROCESSING	MANDATORY
ETL_APP_1_DESC	Please give description for the ETL Application	For example: RBI Application	MANDATORY WHEN ETL_APPSRC_TYPE = 0
ETL_SRC_1_1_DESC	Please give description for the ETL Source	For example: RBI Processing Source	MANDATORY WHEN ETL_APPSRC_TYPE = 0

- 1) Log in to the system as **non-root** user
- 2) Execute the user .profile
- 3) Navigate to installer location OFS\_REG\_REP\_RBI/bin
- 4) Run the installer in SILENT Mode with the following command:

./setup.sh SILENT



# 5 Post Installation Actions

Perform the following actions post installation:

- Refer to the log file in the path /OFS\_REG\_REP\_RBI/logs to ensure that there are no errors reported.
- Restart all the OFSAAI Servers. Refer <u>OFS AAAI Release 8.0.2.0.0 Installation and</u> <u>Configuration Guide</u> for more information.
- Generate the application EAR/WAR file and redeploy the application onto your configured web application server. For more information on generating and deploying the EAR/WAR file, refer to the *Post Installation Configurations* section in <u>OFS AAAI 8.0.2.0.0 Installation and Configuration Guide</u>.
- Perform the configurations mentioned under the Additional Configurations section. Refer <u>OFS</u> <u>AAAI Release 8.0.4.1.0 Installation Guide</u> for more information.

The Oracle Financial Services Regulatory Reporting for Reserve Bank of India – Lombard Risk Integration Pack is now ready for use. If you encounter any problems during set up, contact OFSAA Support at <u>Oracle Support</u>.





Oracle Financial Services Regulatory Reporting for Reserve Bank of India - Lombard Risk Integration Pack

Installation Guide

Oracle Corporation World Headquarters 500 Oracle Parkway Redwood Shores, CA 94065 U.S.A.

Worldwide Inquiries: Phone: +1.650.506.7000 Fax: +1.650.506.7200 www.oracle.com/us/industries/financial-services/

Copyright © 2017 Oracle Financial Services Software Limited. All rights reserved.

No part of this work may be reproduced, stored in a retrieval system, adopted or transmitted in any form or by any means, electronic, mechanical, photographic, graphic, optic recording or otherwise, translated in any language or computer language, without the prior written permission of Oracle Financial Services Software Limited.

Due care has been taken to make this Installation Guide and accompanying software package as accurate as possible. However, Oracle Financial Services Software Limited makes no representation or warranties with respect to the contents hereof and shall not be responsible for any loss or damage caused to the user by the direct or indirect use of this Installation Guide and the accompanying Software System. Furthermore, Oracle Financial Services Software Limited reserves the right to alter, modify or otherwise change in any manner the content hereof, without obligation of Oracle Financial Services Software Limited to notify any person of such revision or changes.

All company and product names are trademarks of the respective companies with which they are associated.