

Oracle Financial Services
Regulatory Reporting for
European Banking Authority
(OFS AGILE RP EBA)

Installation Guide

Release 8.0.5.0.0

December 2017

ORACLE®
Financial Services

DOCUMENT CONTROL

Version Number	Revision Date	Changes Done
1.0	Created: December 2017	Document contents are categorized to appropriate sections and structured considering all the 8.0.5 features.
Created by: Satish C S / Naveen Harry D'Cruz	Reviewed by: Manoj Rout / Satish C S	Approved by: Satish C S / Surag Ramachandran

Executive Summary

The document consists of all the installation, Pre and Post configuration procedures which have been structured considering all the 8.0.5.0.0 features. You can find the latest copy of this document in [OHC Documentation Library](#) which includes all the recent additions/revisions (if any) done till date.

Before you begin the installation, ensure that you have an access to Oracle Support Portal with the required login credentials to quickly notify us for any specific issues. You can obtain one by contacting [Oracle Support Services](#).

TABLE OF CONTENTS

PREFACE.....	4
Audience.....	4
Scope	4
Prerequisites for the Audience.....	5
How this Guide is Organized	5
Documentation Accessibility	5
Access to Oracle Support.....	5
Related Documents.....	5
Conventions and Acronyms	6
1 HARDWARE AND SOFTWARE REQUIREMENTS AND SPECIFICATIONS	7
1.1 Configurations Supported for Java 7.....	7
1.2 Configurations Supported for Java 8.....	9
2 PREPARING FOR INSTALLATION.....	11
2.1 Obtaining the Software.....	11
2.2 Prerequisites for Installation	11
2.3 Configuration for GUI Mode Installation.....	11
2.4 Copying and Extracting the Software.....	12
3 ORACLE FINANCIAL SERVICES REGULATORY REPORTING FOR EUROPEAN BANKING AUTHORITY 13	
4 SILENT MODE INSTALLATION.....	20
5 POST INSTALLATION ACTIVITIES.....	22
6 CONFIG PACKAGE AND TEMPLATE PACKAGE DEPLOYMENT.....	23

Preface

Oracle Financial Services Regulatory Reporting for European Banking Authority (OFS_AGILE_RP_EBA) enables the customers to enables the banks to comply with BCBS 239 regulations. It integrates risk data reporting systems and enhances the accuracy of reporting in banks. OFS Risk Regulatory Solution (RRS) helps in achieving the objectives by enabling preset steps based on the generalization of a set of solutions. This is made possible by:

- Providing a centralized data storage for risk data through relevant subject areas of Financial Services Data Foundation (FSDF).
- Interfacing with a Regulatory Reporting tool – OFS AgileREPORTER to build necessary template reports to meet the regulatory expectations.
- Managing accuracy of risk reporting through Data Governance Studio (DGS).

This document provides step-by-step instructions to install the Oracle Financial Services Regulatory Reporting for European Banking Authority (OFS_AGILE_RP_EBA) Release 8.0.5.

This chapter discusses the following topics:

- [Audience](#)
- [Scope](#)
- [Prerequisites for the Audience](#)
- [How this Guide is organized](#)
- [Documentation Accessibility](#)
- [Access to Oracle Support](#)
- [Recommended Environment](#)
- [Related Documents](#)
- [Conventions and Acronyms](#)

Audience

This Manual is meant for Oracle Financial Services Regulatory Reporting for European Banking Authority System Administrator. It provides step-by-step instructions necessary for installing the OFS_AGILE_RP_EBA application components.

Scope

This manual provides a step-wise instruction to install Oracle Financial Services Regulatory Reporting for European Banking Authority.

Prerequisites for the Audience

Following are the expected preparations before starting the actual installation:

The document assumes you have experience in installing Enterprise components. Basic knowledge about the Oracle Financial Services Data Foundation Application Pack components, OFSAA Architecture, UNIX commands, Database concepts and Web Server/ Web Application Server is recommended.

How this Guide is Organized

The Installation Manual is organized into the following chapters.

- **Pre Requisites** section identifies the hardware and base software environment that is required for a successful installation and functioning of the Oracle Financial Services Regulatory Reporting for European Banking Authority.
- **Installing the Application** section details the steps to be followed during the installation.
- **Post installation Activities** section details the steps that are required to be performed after a successful installation of Oracle Financial Services Regulatory Reporting for European Banking Authority.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>

Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Related Documents

This section identifies additional documents related to Oracle Financial Services Regulatory Reporting for European Banking Authority. You can access Oracle documentation online from Documentation Library ([OTN](#)):

- Oracle Financial Services Regulatory Reporting for European Banking Authority User Guide
- Oracle Financial Services Data Foundation Installation Manual Release 8.0.5.0.0 Java 7 and Java 8
- Oracle Financial Services AgileREPORTER Installation Manual Release 8.0.5.0.0
- Oracle Financial Services Analytical Applications Infrastructure Environment Check Utility Guide (present in this [OTN Documentation Library](#))

Conventions and Acronyms

Conventions	Description
	References to sections or chapters in the manual are displayed in <i>Italics</i> . Screen names are displayed in the following manner: Introduction screen Options and buttons are displayed in Bold .
OFSAAI	Oracle Financial Services Analytical Applications Infrastructure
OFS AAAI	Oracle Financial Services Advanced Analytical Applications Infrastructure Application Pack
RHEL	Red Hat Enterprise Linux
Atomic Schema	Database schema where the application data model is uploaded.
Config Schema	Database schema which contains setup related configurations and metadata.
OFS_AGILE_RP_EBA	Oracle Financial Services Regulatory Reporting for European Banking Authority.

1 Hardware and Software Requirements and Specifications

This section describes the various Operating System, Database, Web Server, and Web Application Server version and other variant details on which this release of the OFS Regulatory Reporting for European Banking Authority (OFS_AGILE_RP_EBA) application has qualified.

1.1 Configurations Supported for Java 7

The following table shows the minimum hardware and software requirements for OFS_AGILE_RP_EBA (Java 7) application on each machine.

Requirement	Sub-Category	Value
Operating System	Oracle Linux / Red Hat Enterprise Linux (x86-64)	Red Hat Enterprise Linux or Oracle Linux Server Release 6 Update 6 to latest update version Red Hat Enterprise Linux or Oracle Linux Server Release 7 Update 1 to latest update version
	Shell	KORN Shell (KSH)
<p>Note:</p> <p>If the operating system is RHEL, install the package <code>lsb_release</code> using one of the following commands by logging in as <code>root</code> user:</p> <ul style="list-style-type: none"> • <code>yum install redhat-lsb-core</code> • <code>yum install redhat-lsb</code> 		
Java Runtime Environment	Oracle Linux / Red Hat Enterprise Linux	Oracle Java Runtime Environment (JRE) 1.7.x - 64 bit Oracle Java Runtime Environment (JRE) 1.8.x - 64 bit
Oracle Database Server and Client	<p>Oracle Database Server Enterprise Edition 11g Release 2 (11.2.0.3.0+) - 64 bit RAC/ Non-RAC with/ without partitioning option</p> <p>Oracle Database Server Enterprise Edition 12c Release 1 (12.1.0.1.0+) - 64 bit RAC/ Non-RAC with/ without partitioning option</p> <p>Oracle Client 11g Release 2 (11.2.0.3.0+) - 64 bit</p> <p>Oracle Client 12c Release 1 (12.1.0.1.0+) - 64 bit</p> <p>Oracle 11g Release 2 (11.2.0.3+) JDBC driver (Oracle thin driver)</p> <p>Oracle 12c Release 1 (12.1.0.1+) JDBC driver (Oracle thin driver)</p> <p>Note:</p> <p>Ensure that the following patches are applied:</p> <p>Oracle Server 12c, v12.1.0.1 – 17082699</p> <p>Oracle Server 12c, v12.1.0.2 – 20698050</p> <p>Also for latest information, refer http://support.oracle.com/, 12.1.0.2 Bundle Patches for Engineered Systems and DB In-Memory - List of Fixes in each Bundle (Doc ID 1937782.1)</p>	
OLAP	Oracle Hyperion Essbase	V 11.1.2.1+ (Server and Client) with Oracle 11g Database V 11.1.2.3+ (Server and Client) with Oracle 12c Database

Requirement	Sub-Category	Value
	Oracle OLAP	V 11.2.0.3+ with Oracle 11g Database V 12.1.0.1+ with Oracle 12c Database
	<p>Note: Oracle Hyperion Essbase & Oracle OLAP is required only if you are using the OLAP feature of OFSAAI. For Oracle OLAP, ensure that you have configured the Oracle Database server with OLAP option.</p>	
Web Server/ Web Application Server	Oracle Linux / Red Hat Enterprise Linux	Oracle HTTP Server 11.1.1.7.1/ Apache HTTP Server 2.2.x/ IBM HTTP Server 8.5.5 <ul style="list-style-type: none"> • Oracle WebLogic Server 12.1.3+ (64 bit) Oracle WebLogic Server 12.2.x (64 bit) • IBM WebSphere Application Server 8.5.5.9+ with bundled IBM Java Runtime (64 bit) • Apache Tomcat 8.0.25+ (64 bit)
	<p>Note: OFSAA Infrastructure web component deployment on Oracle WebLogic Server with Oracle JRockit is not supported.</p>	
Desktop Requirements	Operating System	MS Windows 7/ Windows 10
	Browser	MS Internet Explorer 11.x (Compatibility Mode) Oracle Java plug-in 1.7.0+* (64- bit) Turn on Pop-up blocker settings. For more information, refer Internet Explorer Settings . Google Chrome 57.x Mozilla Firefox 52.x For Chrome and Firefox, Turn off Pop-up blocker settings by choosing "Always allow pop-ups for <URL>"
	Office Tools	MS Office 2007/ 2010/ 2013/ 2016 Adobe Acrobat Reader 10 or above
	Screen Resolution	1024*768 or 1280*1024
Directory Services	-	OFSAAI is qualified on both OPEN LDAP 2.2.29+ and Oracle Internet Directory v 11.1.1.3.0. However, it can be integrated with other directory services software like MS Active Directory.
	<p>Note: Configuration of Directory services software for OFSAAI installation is optional. For more information on configuration, see Infrastructure LDAP Configuration. Open LDAP needs to be installed on MS Windows Server machine only.</p>	

1.2 Configurations Supported for Java 8

The following table shows the minimum hardware and software requirements for installing OFS_AGILE_RP_EBA (Java 8) application on each machine.

Requirement	Sub-Category	Value
Operating System	Oracle Linux / Red Hat Enterprise Linux (x86-64)	Red Hat Enterprise Linux or Oracle Linux Server Release 6 Update 6 to latest update version Red Hat Enterprise Linux or Oracle Linux Server Release 7 Update 1 to latest update version
	Shell	KORN Shell (KSH)
<p>Note: If the operating system is RHEL, install the package <code>lsb_release</code> using one of the following commands by logging in as <code>root</code> user:</p> <ul style="list-style-type: none"> <code>yum install redhat-lsb-core</code> <code>yum install redhat-lsb</code> 		
Java Runtime Environment	Oracle Linux / Red Hat Enterprise Linux	Oracle Java Runtime Environment (JRE) 1.8.x - 64 bit Oracle Java Runtime Environment (JRE) 1.8.x - 64 bit
Oracle Database Server and Client	<ul style="list-style-type: none"> Oracle Database Server Enterprise Edition 11g Release 2 (11.2.0.3.0+) - 64 bit RAC/ Non-RAC with/ without partitioning option Oracle Database Server Enterprise Edition 12c Release 1 (12.1.0.1.0+) - 64 bit RAC/ Non-RAC with/ without partitioning option Oracle Client 11g Release 2 (11.2.0.3.0+) - 64 bit Oracle Client 12c Release 1 (12.1.0.1.0+) - 64 bit Oracle 11g Release 2 (11.2.0.3+) JDBC driver (Oracle thin driver) Oracle 12c Release 1 (12.1.0.1+) JDBC driver (Oracle thin driver) <p>Note: Ensure that the following patches are applied:</p> <ul style="list-style-type: none"> Oracle Server 12c, v12.1.0.1 – 17082699 Oracle Server 12c, v12.1.0.2 – 20698050 Also for latest information, refer http://support.oracle.com/, 12.1.0.2 Bundle Patches for Engineered Systems and DB In-Memory - List of Fixes in each Bundle (Doc ID 1937782.1) 	
OLAP	Oracle Hyperion Essbase	V 11.1.2.1+ (Server and Client) with Oracle 11g Database V 11.1.2.3+ (Server and Client) with Oracle 12c Database
	Oracle OLAP	V 11.2.0.3+ with Oracle 11g Database V 12.1.0.1+ with Oracle 12c Database
	<p>Note: Oracle Hyperion Essbase & Oracle OLAP is required only if you are using the OLAP feature of OFSAAI. For Oracle OLAP, ensure that you have configured the Oracle Database server with OLAP option.</p>	

Requirement	Sub-Category	Value
Web Server/ Web Application Server	Oracle Linux / Red Hat Enterprise Linux	Oracle HTTP Server 11.1.1.7.1 or 11.1.1.9+/ Apache HTTP Server 2.2.x/ IBM HTTP Server 8.5.5 <ul style="list-style-type: none"> Oracle WebLogic Server 12.1.3+ (64 bit) Oracle WebLogic Server 12.2.x (64 bit) Apache Tomcat 8.0.25+ (64 bit) IBM WebSphere Application Server 8.5.5.9.+ (64 bit)
	Note: OFSAA Infrastructure web component deployment on Oracle WebLogic Server with Oracle JRockit is not supported.	
Desktop Requirements	Operating System	MS Windows 7/ Windows 10
	Browser	MS Internet Explorer 11.x (Compatibility Mode) Oracle Java plug-in 1.7.0+* (64- bit) Turn on Pop-up blocker settings. For more information, refer Internet Explorer Settings . Google Chrome 57.x Mozilla Firefox 52.x For Chrome and Firefox, Turn off Pop-up blocker settings by choosing "Always allow pop-ups for <URL>"
	Office Tools	MS Office 2007/ 2010/ 2013/ 2016 Adobe Acrobat Reader 10 or above
	Screen Resolution	1024*768 or 1280*1024
Other Software	Directory Services	OFSAAI is qualified on both OPEN LDAP 2.2.29+ and Oracle Internet Directory v 11.1.1.3.0. However, it can be integrated with other directory services software like MS Active Directory.
	Note: Configuration of Directory services software for OFSAAI installation is optional. For more information on configuration, see Infrastructure LDAP Configuration . Open LDAP needs to be installed on MS Windows Server machine only.	

OFS_AGILE_RP_EBA application recommends the following software combinations for deployment.

Recommended Software Combinations

Operating System	Database	Web Application Server	Web Server
Oracle Linux 6.6 / 7.1	Oracle Database	Oracle WebLogic Server/ Apache Tomcat Server	Oracle HTTP Server/ Apache HTTP Server

2 Preparing for Installation

This chapter provides necessary information to review before installing the OFS_AGILE_RP_EBA Application v8.0.5.0.0. This chapter includes the following topics:

- [Obtaining the Software](#)
- [Prerequisites for Installation](#)
- [Configuration for GUI Mode Installation](#)
- [Copying and Extracting the Software](#)

2.1 Obtaining the Software

This release of OFS_REG_REP_EBA 8.0.5.0.0 can be downloaded from the Oracle Support Services site (<https://support.oracle.com/>). Log in and search for **27292313** under the Patches and Updates tab.

You need to have a valid Oracle account in order to download the software.

2.2 Prerequisites for Installation

The following are the prerequisites to install OFS_AGILE_RP_EBA application:

- OFS Analytical Applications Infrastructure 8.0.5.0.0 should be installed and configured in your Machine.
- OFS FSDF 8.0.5.0.0 Application Pack should be installed and configured in your Machine.
- OFS AgileREPORTER **8.0.5.0.0** Application should be installed and configured in your Machine.
- Ensure that you have executed **.profile** before you trigger the installation.
- Make sure FIC Server is up and running before you trigger the installation. For information on restarting the services, Refer OFS AAI Release 8.0.5.0.0 Installation Guide ([OHC Documentation Library](#)) for more information.

2.3 Configuration for GUI Mode Installation

To install OFS_AGILE_RP_EBA in GUI mode, you need to ensure the below software and configurations are available:

- Install and configure any PC X Server software such as Open Text Exceed (formerly Hummingbird Exceed) on the user desktop system from which the installation is triggered.
- Configure DISPLAY variable.

Ensure to set the DISPLAY variable on the system on which the OFSAA is installed, to point to the user desktop system where the PC X Server software has been installed.

Syntax:

```
export DISPLAY=hostname:n.n1
```

where, hostname is the IP Address/ Host Name of the user desktop system and n is the sequence number (usually 0).

For example, 10.11.12.13:0.0 or myhostname:0.0

2.4 Copying and Extracting the Software

Once you obtain the installer, copy the installer (in BINARY mode) to the system on which the OFS_AGILE_RP_EBA application components are installed.

NOTE: You must be logged in to the UNIX operating system as a non-root user.

1. Download the unzip utility (OS specific) `unzip_<os>.Z`, and copy it in Binary mode to any directory and include the directory in your PATH variable. If you already have the unzip utility to extract the contents of the downloaded archive, skip to the next step.
2. Uncompress the unzip installer file using the command:

```
uncompress unzip_<os>.Z
```

NOTE: In case you notice an error message "uncompress: not found [No such file or directory]" when the package is not installed, contact your UNIX administrator.

3. Give EXECUTE permission to the file using the command:

```
chmod 751 unzip_<os>
```

For example, `chmod 751 unzip_sparc`

4. Extract the contents of the OFS_AGILE_RP_EBA 8.0.5.0.0 in the Download Directory installer archive file using the following command:

```
unzip OFS_AGILE_RP_EBA_8.0.5.0.0_<os>.zip
```

NOTE: DO NOT rename the Application installer folder name on extraction from the archive.

5. Give below permission to the installer folder. Navigate to the Download Directory and execute the command:

```
chmod -R 755 OFS_AGILE_RP_EBA
```

3 Oracle Financial Services Regulatory Reporting for European Banking Authority

The OFS_AGILE_RP_EBA installer can be installed in both GUI and silent mode.

For executing the installer in silent mode, refer to the section [Silent Mode Installation](#).

For running in GUI mode:


- 1) Log in to the system as **non-root user**
- 2) Execute the user **.profile**
- 3) Navigate to installer location **OFS_AGILE_RP_EBA/bin**
- 4) Run the installer in GUI Mode by executing the command:

```
./setup.sh GUI
```




Installation Splash Screen

1. The **Introduction** screen displays the prerequisites for installation. Ensure that the prerequisites are satisfied before you proceed.




Introduction Screen

2. Choose the **Log Mode** for this installer. If you select, **Debug**, the Passwords are printed in the log file.




Pre-Setup Information – Log Mode Screen

3. In the **Pre-Setup Information** screen, specify the existing infodom name to be used for the application installation and click **Next**.




Pre-Setup Information – Infodom Type Screen

4. In the **Pre-Setup Information** screen, select **New application/source pair** to create a new ETL application and click **Next**.



Pre-Setup Information – ETL Application Selection Screen

5. In the **Pre-Setup Information** screen, enter the **ETL Application Name & Description** as you wish and **ETL Source Name & Description** as you wish. Then click **Next**.




The screenshot shows the 'Pre-Setup Information' dialog box. On the left, a navigation pane lists steps: Introduction (checked), Pre-Install Configuration (selected), Pre-Install Summary, Installing..., and Install Complete. The main area is titled 'ETL Application Details' and contains two sections: 'ETL Application Details' with fields for Name (EBA) and Description (EBA Application), and 'ETL Source Details' with fields for Name (PROCESSING) and Description (Processing Source). The Oracle Financial Services logo is at the bottom left. At the bottom, there are 'Cancel', 'Help', 'Previous', and 'Next' buttons.

Pre-Setup Information – ETL Application Details Screen

6. In the **Pre-Setup Information** screen, enter the **OFSAAI User ID** and click **Next**.


Default Value is: **SYSADMN**



The screenshot shows the 'Pre-Setup Information' dialog box. The navigation pane is the same as in the previous screenshot. The main area has a heading 'Please specify the OFSAAI user ID(Should be Capital Letter)' and a text input field containing 'SYSADMN'. The Oracle Financial Services logo is at the bottom left. At the bottom, there are 'Cancel', 'Help', 'Previous', and 'Next' buttons.

Pre-Setup Information – OFSAAI User ID Screen

7. The **Pre-Install Configuration (Please Wait)** screen is displayed.




Pre-Install Configuration – Please Wait Screen

8. Review the settings in the **Pre-Installation Summary** screen and click **Install**.




Pre-Installation Summary Screen

9. The following message is displayed. Select **Yes** to begin the installation process.




10. The **Installing SolutionSetup** screen is displayed.



Installing SolutionSetup Screen

11. The **Install Complete** screen is displayed.



Install Complete Screen

12. Refer to the log file created in the path `/OFS_AGILE_RP_EBA/logs` of installer directory for any error messages.

13. Click **Done** to complete the installation.

4 Silent Mode Installation

Silent installation is achieved via a properties file (**Silent.props**) that must be updated with proper values, before attempting to install using the silent mode. Follow the below steps to install the product in Silent Mode:

- 1) Navigate to installer directory **OFS_AGILE_RP_EBA/conf** containing the template file **Silent.template**.
- 2) Create a copy of this file and rename the copy as **Silent.props**.
- 3) Edit the **Silent.props** file and specify the parameters as per the requirements.

The following table lists all the properties that must be specified.

Property Name	Description of Property	Permissible Values	Comments
LOG_MODE	Mode for logging	0 = Debug 1= General	Optional; Default : 0
INFODOM_NAME	Specify name of Information Domain (Infodom) into which you wish to install.	For example: OFSBFNDINFO	MANDATORY. Specify Infodom Name Value where FSDF Application is got installed
APPFTP_LOG_PATH	Specify the Infodom App Maintenance log path	For example: /home/ftpshare/OFSBFNDINFO/logs	MANDATORY. Path value should be same as the path which was given during FSDF installation
DBFTP_LOG_PATH	Specify the Infodom DB Maintenance log path	For example: /home/ftpshare/OFSBFNDINFO/logs	MANDATORY. Path value should be same as the path which was given during FSDF installation
SEGMENT_1_CODE	Specify the European Banking Authority Segment Code	For example: EBARPSEG	MANDATORY
ETL_APPSRC_TYPE	Please specify if you want create new ETL App/Src pair or use an existing one.	0 = If you want to create a new ETL app/src pair 1 = If you want to use an existing pair	MANDATORY

Property Name	Description of Property	Permissible Values	Comments
ETL_APP_1_NAME	Specify the ETL Application Name where the Definitions will be deployed.	For example: EBA	MANDATORY
ETL_SRC_1_1_NAME	Specify the ETL Source Name into ETL Area Definitions will be deployed	For example: PROCESSING	MANDATORY
ETL_APP_1_DESC	Please give description for the ETL Application	For example: EBA Application	MANDATORY WHEN ETL_APPSRC_TYPE = 0
ETL_SRC_1_1_DESC	Please give description for the ETL Source	For example: EBA Processing Source	MANDATORY WHEN ETL_APPSRC_TYPE = 0

- 1) Log in to the system as **non-root** user
- 2) Execute the user **.profile**
- 3) Navigate to installer location **OFS_AGILE_RP_EBA/bin**
- 4) Run the installer in SILENT Mode with the following command:

```
./setup.sh SILENT
```

Refer to the console log (or the **preinstall.log** file) for any error messages.

5 Post Installation Activities

After the installation is complete, perform the following activities:

- Refer to the log file in the path `/OFS_AGILE_RP_EBA/logs` to ensure that there are no errors reported.
- Restart all the OFSAAI Servers. Refer *OFS AAI Release 8.0.5.0.0 Installation and Configuration Guide* ([OHC](#)) Documentation Library for more information.

The Oracle Financial Services Regulatory Reporting for European Banking Authority is now ready for use. If you encounter any problems during set up, contact OFSAA Support at [Oracle Support Services](#).

6 Config Package and Template Package Deployment

This section describes the order to deploy the config package after saving the derived entities:

1. To deploy the product configuration on AgileREPORTER using the package **AR_ECR_Package_v1_26_1_3.zip** bundled inside **Template_Package** folder of installer:

- a. Navigate to **<AgileREPORTER>/bin** under the installed location
- b. Add a new configuration with the following command:

```
./config.sh -a <Template_Package Full Path>
```

For example:

```
./config.sh -a  
/scratch/kit/805/OFS_AGILE_RP_EBA/Template_Package/  
AR_ECR_Package_v1_26_1_3.zip
```

2. To deploy the product configuration on AgileREPORTER using the package **OFSAA_REG_REP_EBA_80500.zip** bundled inside **Config_Package** folder of installer:

- a. Navigate to **<AgileREPORTER>/bin** under the installed location
- b. Add a new configuration with the following command:

```
./config.sh -a <Config_Package Full Path>
```

For example:

```
./config.sh -a  
/scratch/kit/805/OFS_AGILE_RP_EBA/Config_Package/  
OFSAA_REG_REP_EBA_80500.zip
```

- c. Activate the configuration with the following command:

```
./config.sh -t OFSAA_REG_REP_EBA_80500 -iv 8.0.5.0.0
```

- d. Update the Alias with the following command:

```
./config.sh -ea OFSAA_REG_REP_EBA_80500 -iv 8.0.5.0.0 -  
alias "OFSAA EBA DATA SOURCE" -aif  
<AgileREPORTER>/bin/aliasinfo.properties
```

If you encounter any problems during deployment, contact OFSAA Support at [Oracle Support](#).



Oracle Financial Services Regulatory Reporting for European Banking Authority (OFS AGILE RP EBA) 8.0.5.0.0 Installation Guide

December 2017

Oracle Corporation
World Headquarters
500 Oracle Parkway
Redwood Shores, CA 94065
U.S.A.

Worldwide Inquiries:
Phone: +1.650.506.7000
Fax: +1.650.506.7200
www.oracle.com/us/industries/financial-services/

Copyright © 2017 Oracle Financial Services Software Limited. All rights reserved.

No part of this work may be reproduced, stored in a retrieval system, adopted or transmitted in any form or by any means, electronic, mechanical, photographic, graphic, optic recording or otherwise, translated in any language or computer language, without the prior written permission of Oracle Financial Services Software Limited.

Due care has been taken to make this Installation Guide and accompanying software package as accurate as possible. However, Oracle Financial Services Software Limited makes no representation or warranties with respect to the contents hereof and shall not be responsible for any loss or damage caused to the user by the direct or indirect use of this Installation Guide and the accompanying Software System. Furthermore, Oracle Financial Services Software Limited reserves the right to alter, modify or otherwise change in any manner the content hereof, without obligation of Oracle Financial Services Software Limited to notify any person of such revision or changes.

All company and product names are trademarks of the respective companies with which they are associated.
