FCUBS Local Limits Usage
Oracle FLEXCUBE Universal Banking
Release 14.1.0.0.0
[January] [2019]

ORACLE®
FINANCIAL SERVICES

ORACLE®

Table of Contents

ORACLE®

1. Local Limits in FCUBS without ELCM

1.1 Introduction

This document explains the usage of local limit functionalities in Oracle FLEXCUBE UBS without ELCM.

1.1.1 Setup

Oracle FLEXCUBE UBS Application Setup without ELCM by maintaining "ELCM_SETUP_MODE" = "N" in CSTB_PARAM.

1.2 Local Limits

In UBS set without ELCM system supports two types of local limits could be created namely,

- Local Facility-Facilities for which utilization and validations are tracked with in UBS
- Local Collateral-Collaterals for which utilization and validations are tracked with in UBS.

Local Collateral and facilities are allowed to be used in CASA and other modules

1.2.1 Customer creation with Track Limits (For usage of Limits in UBS without Limits)

For creation of local facility or collateral, The "Track Limits" Flag has to be opted in Customer Maintenance (STDCIF) under "Additional" tab. On authorization of customer system will automatically create the liability and link it with the customer on authorization.

- Customer number is used as Liability number/Optionally an existing liability number can be selected. In that case this customer would be linked existing Liability .Existing details of the liability would not be changed.
- Customer Full name (FULL_NAME) is used as Liability Name for Individual type of customers
- Customer Name (CUSTOMER_NAME1) is used for Liability Name for other type of customers like Corporate/Bank.
- Customer's branch (LOCAL_BRANCH) is used as Liability branch
- Branch local currency is used as Liability currency
- A configurable override would be displayed if an existing liability is mapped instead of creating a new one.

ORACLE®

You can invoke the 'Customer Maintenance' screen by typing 'STDCIF' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

You can also navigate to Customers > Operations > Customer Input.

1.2.2 Modification of Track Limit Details.

User can mark the track limits enabled during customer modification as well. Changing the Track limit from yes to No is allowed during customer modification

1.2.3 Local Facility Creation

Facilities can be created once we done with the customers are created with Track Limit flag enabled. Local utilization tracking will be done when using this facility in FCUBS modules. Limit related validations are performed in UBS for local Facilities and shown during the transactions as applicable

To create the facilities, follow the steps below:

1. Navigate to Common Entity > Limits Maintenance > External Facilities Maintenance' (STDCRFAC) screen.

2. Create the facility with 'Utilization tracking' as "Local".

1.2.4 Local Collateral Creation

Collaterals can be created once we done with the customers are created with Track Limit flag enabled .Collaterals can be created from Local Collateral Maintenance (STDCOLAT) screen.

- Local utilization tracking will be done when using this local collateral from modules.
- For CASA, Linked portion will be blocked upfront on linkage. Further, there will not be any utilization tracking for each transaction.
- Limit related validations are performed in UBS for local Facilities and shown during the transactions as applicable.

You can invoke the 'Local Collateral Maintenance' screen by typing 'STDCOLAT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

You can also navigate to Common Entity > Limits Maintenance > Local Collateral Input screen.

Local Collateral Maintenance							−	
New Copy Close Unlock Print Enter Query								

Collateral Code * MAINCOLLT004434   Branch Code 000
Collateral Description Property   Liability Number * 004434
Collateral Currency GBP   Collateral Type Property
Collateral Value   Source Code
Collateral Contribution 200,000.00
Start Date 2018-03-16
End Date YYYY-MM-DD

Available Amount 100,000.00
Utilized Amount 100,000.00
Blocked Amount 0.00

Linkage | Change Log

Maker JAROM01	Date Time: 2018-03-16 18:03:30	Mod No 1	Record Status Open	Exit
Checker JAROM01	Date Time: 2018-03-16 18:03:30		Authorization Authorized Status	

1.3 CASA Limits

CASA module support linkage of local limit types in a UBS without ELCM setup mode.

1.3.1 Account class parameters specific to Limits

- 'Overdraft facility' under account class – 'Preferences' sub screen should be enabled to attach the limits with the account created under that account class.
- 'Limit Check' flag under account class – 'Preferences' sub screen should be enabled for utilization tracking or using local facility.
- Margin on Advance against uncollected fund and default CASA OD interest parameters are can be maintained under account class – 'Default Limits' subsystem.
- Also the default 'Fund Utilization Sequence' and Channel wise sequences are should be chosen. This is used for raising overrides to control the usage of account level limits. For more information, Please refer *FCUBS_14.0.0.0.0_ DesignDocument_Limit_Changes.docx*

ORACLE®

You can invoke the 'Account Class Maintenance' screen by typing 'STDACCLS' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

You can also navigate to Customer Accounts > Customer Accounts Maintenance > Account Classes

ORACLE®

1.3.2 Maintaining Limits at Customer Account Level

The following sources of funds will be considered for utilization at account level.

Component	Impact in Limit	Remarks
B- Balance	Nil	Balance refers to clear balance available for debits at account.
S- Sweep in Funds	Nil	Funds available as a result of Sweep in Set Up including Cover account, auto deposit and term deposit linkages
O- OD Limit	Yes	Will apply to account level OD limits like • Term Deposits • Local Collateral • Un-secured Limit
A- AUF limit	Yes	• Limit granted against uncollected funds available in the account • It will be issued after reserving a portion of the uncollected funds as margin.
L – Line	Yes	• Local Facility linked at account level
T – TOD	Yes	• Temporary Overdraft given at account level
D – Daylight	Yes	• Day Light Limit amount given to the account
V- Overline	Yes	• Always last component to be utilized

Utilization sequence will be defaulted from account class.

ORACLE

1.3.2.1 Using Term Deposit as Collateral

Follow the steps below to book a term deposit as collateral:

1. Invoke the 'Account Class Maintenance' screen by typing 'STDACCLS' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

2. Book a term deposit with the flag "Allow Collateral Linkage" enabled.
3. Once the term deposit is authorized, it will get listed in Customer Account Maintenance

1.3.2.2 Local Collateral

Local collaterals created in Sec 1.2.3 are allowed to link as account level OD. Linked portion will be blocked upfront on linkage. Further, there will not be any utilization tracking on each transaction.

1.3.2.3 Un-secured Limit

It is a clean limit assigned without any collateral. i.e. Unsecured limits granted not backed by collaterals.

You can invoke the 'Customer Account Maintenance' screen by typing 'STDCUSAC' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

You can also navigate to Customer Accounts > Customer Accounts Operations > Customer Account Input.

ORACLE®

1.3.2.4 Limit Balance after Limit Linkage

	Local Collateral	Local Facility
LIMIT_TYPE	X	F
LIAB_NO	003962	003962
LIMIT_REF_NO	LCL_COLLAT_01	LINE0039621
LIMIT_SOURCE	FLEXCUBE	FCUBS
UTIL_AMT	0.000	0.000
MATURED_UTIL	0.000	0.000
REVOLVING_AMT	0.000	0.000
BLOCKED_AMT	3000.000	0.000
AVAILABLE_AMOUNT	22000.000	50000.000

1.3.2.5 Account Balance

CUST_AC_BRN	000
CUST_AC_NO	000039622688
ACY_WITHDRAWABLE_BAL	84.000
ACY_UNCOLLECTED	750.000
ACY_BLOCKED_AMT	0.000
WITHDRAWABLE_UNCOLLED_FUND	750.0000000
AC_STAT_DORMANT	N
RECEIVABLE_AMOUNT	0
ACY_ECA_BLOCKED_AMT	0
CCY	GBP
ACY_UNAUTH_CR	0

1.3.3 Account Balance and Limit Balance/Utilization after debit Transaction

1.3.3.1 Scenario 1

- Considering the above mentioned account (Sec 1.2.6.5) and balance (Sec 1.2.6.4), Debit the account for 50 GBP
- System completes the transaction without any override as it has sufficient account balance

ORACLE

1.3.3.2 Scenario 2

- Considering the above mentioned account (Sec 1.2.6.5) and balance (Sec 1.2.6.4), Debit the account for 250 GBP
- System will use below components and raise overrides
    - o B - Balance   84 GBP
    - o O – OD Limit   666 GBP
- Sweep and Daylight components are not available to use.

1.3.3.3 Scenario 3

- Considering the above mentioned account (Sec 1.2.6.5) and balance (Sec 1.2.6.4), Debit the account for 33333 GBP
- System will use below components and raise overrides
    - o B - Balance   84 GBP
    - o O – OD Limit   33000 GBP
    - o A – AUF   249 GBP
- Sweep and Daylight components are not available to use.

1.3.3.4 Scenario 4

- Considering the above mentioned account (Sec 1.2.6.5) and balance (Sec 1.2.6.4), Debit the account for 35000 GBP
- System will use below components and raise overrides
    - o B - Balance   84 GBP
    - o O – OD Limit   33000 GBP
    - o A – AUF   750 GBP
    - o T – TOD   1166 GBP
- Sweep and Daylight components are not available to use.

1.3.3.5 Scenario 5

- Considering the above mentioned account (Sec 1.2.6.5) and balance (Sec 1.2.6.4), Debit the account for 36000 GBP
- System will use below components and raise overrides
    - o B - Balance   84 GBP
    - o O – OD Limit   33000 GBP
    - o A – AUF   750 GBP
    - o T – TOD   2000 GBP
    - o L – Line   166 GBP (Local utilization tracking will be done in Line)
- Sweep and Daylight components are not available to use.

You can invoke the 'Journal Entry Input' screen by typing 'DEDJNLON' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

You can also navigate to Accounting and MIS > Journal Posting Operation > Journal Entry Online

ORACLE

Limit Balance

	Local Collateral	Local Facility
LIMIT_TYPE	X	F
LIAB_NO	003962	003962
LIMIT_REF_NO	LCL_COLLAT_01	LINE0039621
LIMIT_SOURCE	FLEXCUBE	FCUBS
UTIL_AMT	0.000	166.000
MATURED_UTIL	0.000	0.000
REVOLVING_AMT	0.000	0.000
BLOCKED_AMT	3000.000	0.000
AVAILABLE_AMOUNT	22000.000	49834.000

Account Balance

CUST_AC_BRN	000
CUST_AC_NO	000039622688
ACY_WITHDRAWABLE_BAL	-35916.000
ACY_UNCOLLECTED	750.000
ACY_BLOCKED_AMT	0.000
WITHDRAWABLE_UNCOLLED_FUND	750.0000000
AC_STAT_DORMANT	N
RECEIVABLE_AMOUNT	0
ACY_ECA_BLOCKED_AMT	0
CCY	GBP
ACY_UNAUTH_CR	0

ORACLE®

1.4 Local Limits Linkage at modules

Local facilities and collaterals can be linked at modules for limit tracking. The linked /contract amount will be utilised/de-utilized based on the module operation.

CL Local Facility Linkage

CL Local Facility Linkage

Account Details   — ✕

Save   Hold

Product * LRE3	Branch 000	Version Number 1
Product Description Home Loans	Account * 000LRE318075AWSM	User Reference 000ZSWF180753M3F
Product Category RETAIL	Alternate Account Number 000LRE318075AWSM	User Defined Status NORM
Application Number	IBAN Required No ▾	Derived Status
	IBAN Account Number	

Main | Preferences | Components | Charges | **Linkage Details** | Advices | Rollover | Credit Score | Fields | Check List | Holiday Preferences

Collateral Linkage Details

◄◄ ◄ 1 Of 1 ► ►►   Go   + − ≔

☑	Linkage Type	Linked Reference Number	Branch	Currency	Overall Amount	Limit Amount	Linked Amoun
☑	Local Collateral ▾	004208LCOL1 🔍	000	GBP	500,000.00		

Commitment/Linkage Details

◄◄ ◄ 1 Of 1 ► ►►   Go   + − ≔

☐	Linkage Sequence Number	Linkage Type *	Linkage Branch	Customer Id	Linked Reference *	Linked Currency	Linkage Amount

Promotions | Other Applicants | Payment Mode Details | Assets | Financials | Internal Rate of Return Details | MIS | Events | General Ledger Query | Installment Query |

Maker Id LIJOJAMES01	Authorized By	Status	
Date Time 2018-03-16 13:30:28	Date Time	Authorization Status Unauthorized	Cancel

ORACLE®

Trade Local collateral Likage

In Case of UBS is deployed without ELCM, system allows to link local collateral and facility to the trade transactions.

1.5 Customer Limit Details Query(STDLMBAL)

User shall invoke Customer Limit Details Query screen to view the limit details for customer .This screen provide all the limit details for a customer and its utilisations

Navigate to Limits and Collaterals>Query>Customer Limit Details.

1.5.1 Assumptions

None.

ORACLE®

Deploying Oracle FLEXCUBE on WebSphere
January 2019
Version 14.1.0.0.0

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax:+91 22 6718 3001
www.oracle.com/financialservices/

ORACLE®