

Payments and Collections User Guide

Oracle FLEXCUBE Universal Banking

Release 12.87.05.0.0

Part No. E94311-01

June 2018

Payments and Collections User Guide
June 2018
Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2018, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. Preface	1-1
1.1 Introduction.....	1-1
1.2 Audience.....	1-1
1.3 Documentation Accessibility.....	1-1
1.4 Organization	1-1
1.5 Related Documents	1-2
1.6 Glossary of Icons.....	1-2
2. Payments and Collections - An Overview	2-1
2.1 Introduction.....	2-1
2.1.1 <i>Difference between DD and RFD</i>	2-1
2.1.2 <i>Maintaining Module Specific Information</i>	2-2
2.1.3 <i>Maintaining Products</i>	2-4
2.1.4 <i>Product Categories</i>	2-4
2.1.5 <i>Payments Contract Batch processing</i>	2-5
3. Maintaining Information Specific to Payments and Collections	3-1
3.1 Introduction.....	3-1
3.1.1 <i>Maintaining Static Data</i>	3-1
3.2 Maintaining Information Specific to PC Module.....	3-1
3.3 Maintaining Bank Code Types.....	3-2
3.4 Maintaining Bank Directory.....	3-3
3.4.1 <i>Specifying UDF Details</i>	3-6
3.5 Maintaining Clearing Network Details.....	3-6
3.5.1 <i>Specifying the UDF Details</i>	3-10
3.5.2 <i>Maintaining Redirection Details for a Bank</i>	3-10
3.6 Maintaining Clearing Network Qualifier Details	3-12
3.7 Maintaining Network Calendar	3-13
3.8 Modifying Window Period Information	3-13
3.9 Maintaining Redirection Details for an Account.....	3-15
3.10 Maintaining Beneficiary Accounts for Counterparty Bank	3-16
3.11 Maintaining P2P Beneficiary Details.....	3-18
3.12 Viewing P2P Beneficiary Details	3-19
3.13 Maintaining P2P Payments Parameters.....	3-20
3.14 Viewing P2P Payments Beneficiary Registration Queue	3-21
3.14.1 <i>Notifying KYC Status of P2P Beneficiary</i>	3-23
3.14.2 <i>Notifying Successful P2P Final Payment</i>	3-23
3.14.3 <i>Notifying Rejected Test Transaction and P2P Final Payment</i>	3-23
3.15 Maintaining Upload Sources	3-23
3.16 Specifying Parameters for a Source.....	3-24
3.17 Capturing Customer Agreements	3-26
3.18 Maintaining Creditors.....	3-31
3.19 Maintaining DD Agreement Details for Creditors.....	3-32
3.20 Maintaining DD Agreement Details for Debtors.....	3-34
3.21 Maintaining Customer Stations.....	3-37
3.22 Maintaining Product Categories	3-38

3.22.1	<i>Main Tab</i>	3-40
3.22.2	<i>Detail Tab</i>	3-43
3.22.3	<i>Clearing Tab</i>	3-46
3.22.4	<i>Associating User Defined Fields with a Product Category</i>	3-47
3.22.5	<i>Maintaining a Learning Database</i>	3-49
3.23	Creating the Learning Database.....	3-49
3.24	Defining User Defined Fields for Account Statements	3-50
3.25	Specifying UDF Details.....	3-51
3.26	Specifying Fields to be Included in Account Statements.....	3-52
3.26.1	<i>Clearing Network Restrictions for Local Payment</i>	3-53
3.27	Reject Code Maintenance	3-55
3.28	Maintaining Debtor Customer Categories	3-57
3.29	Defining Preferences for a Combination of a Product and a Debtor Category	3-59
3.30	Maintaining Details for Periodic Instructions.....	3-60
3.30.1	<i>Counterparty Tab</i>	3-62
3.30.2	<i>Periodicity Tab</i>	3-65
3.31	Maintaining Details for Dispatch File	3-68
3.32	Processing Incoming Payments	3-71
3.32.1	<i>Mapping Product Categories to Message Queues</i>	3-71
3.32.2	<i>Mapping SWIFT and Non SWIFT Tags in Incoming Messages to Fields in the Payments and Collection Module</i>	3-72
3.32.3	<i>Maintaining the Unsettled Payment Account or GL</i>	3-75
3.33	Outgoing Payments for Local Currency Transactions in Other Modules.....	3-77
3.33.1	<i>Mapping Payments Module Settlement Details to other Modules</i>	3-78
3.33.2	<i>Maintaining Local Clearing Details and Cover Details for Customer Settlement Instructions</i>	3-80
3.33.3	<i>Maintaining Local Clearing Details and Cover Details for Settlement Messages</i>	3-82
3.33.4	<i>Generation of the Local Payments Contract for Local Currency Transactions</i>	3-83
4.	Defining Attributes Specific to Payments and Collections Products .	4-1
4.1	Introduction.....	4-1
4.2	Maintaining Product Details.....	4-1
4.2.1	<i>Specifying Preferences for a Product</i>	4-3
4.2.2	<i>Main Tab</i>	4-7
4.2.3	<i>Additional Tab</i>	4-18
4.2.4	<i>Network Parameters Tab</i>	4-25
4.2.5	<i>Specifying the List of Banks</i>	4-28
4.3	Viewing Level 1 Authorization (A1) Details.....	4-29
4.4	Viewing Level 2 Authorization (A2) Details.....	4-30
4.5	Viewing Release Queue Details	4-31
4.6	Validations for Product and Collection Type Combinations.....	4-32
4.7	Processing Outgoing Payment Transaction	4-34
4.7.1	<i>Window Periods for Outgoing Payments</i>	4-37
4.8	Processing Incoming Payment Transaction	4-38
4.8.1	<i>Viewing Incoming Transaction Authorization Details</i>	4-38
4.8.2	<i>Viewing Repair Queue</i>	4-40
5.	Processing a Payment or Collection Transaction	5-1
5.1	Introduction.....	5-1
5.2	Capturing Details of Payment/Collection Transactions	5-1

5.2.1	<i>Entering a Transaction</i>	5-1
5.2.2	<i>Capturing Details of the Main Transaction</i>	5-3
5.2.3	<i>Specifying Transaction Details</i>	5-10
5.2.4	<i>Specifying Collection Details</i>	5-13
5.2.5	<i>Specifying Additional Details</i>	5-15
5.2.6	<i>Specifying the Party Details</i>	5-17
5.2.7	<i>Specify the country of birth of ultimate creditor. Capturing the Message Details</i>	5-20
5.2.8	<i>Viewing the User Defined Fields for a PC contract</i>	5-22
5.2.9	<i>Specifying Split and MIS Details</i>	5-23
5.2.10	<i>Specifying the Split Details</i>	5-26
5.2.11	<i>Specifying the MIS Details</i>	5-27
5.2.12	<i>Viewing Event Details</i>	5-28
5.2.13	<i>Viewing Duplication details</i>	5-28
5.2.14	<i>Specifying Project Details</i>	5-30
5.3	<i>Viewing Payments and Collection Transactions</i>	5-31
5.4	<i>Simplified Entry of Payments and Collection Transactions</i>	5-32
5.5	<i>Authorizing a transaction</i>	5-35
5.6	<i>Multilevel Authorization of a Contract</i>	5-37
5.7	<i>Operations on Collection Transaction</i>	5-38
5.7.1	<i>Collection Status of a Transaction</i>	5-39
5.7.2	<i>Status of a Transaction</i>	5-39
5.8	<i>Specifying Exchange Rate for a Transaction</i>	5-40
5.9	<i>Authorizing the Input of Exchange Rates</i>	5-40
5.10	<i>Refreshing the Exchange Rate</i>	5-40
5.11	<i>Processing Credit Exceptions</i>	5-41
5.12	<i>Consolidating Accounting Entries for Customer Legs</i>	5-42
5.13	<i>Consolidation Exception Queues</i>	5-43
5.14	<i>Viewing Transaction History Summary</i>	5-45
5.15	<i>Viewing Transaction Exception Summary</i>	5-45
5.16	<i>Viewing Details of Split Transactions</i>	5-46
5.17	<i>Process Exception Queues</i>	5-47
5.18	<i>Exchange Rate Queues</i>	5-48
5.19	<i>Periodic Exception Queues</i>	5-49
5.20	<i>The Batch Browser</i>	5-51
5.21	<i>Updating Cut-Off Time Status</i>	5-51
5.22	<i>Incoming MT012 and MT019 messages</i>	5-52
5.23	<i>Processing Incoming MTN96 Message</i>	5-53
5.23.1	<i>MTN96 Processing for MT103/MT102/MT202 Messages</i>	5-53
5.23.2	<i>MTN96 Processing for an MT195 Message</i>	5-55
5.23.3	<i>MTN96 Processing for an MT192 Message</i>	5-55
5.24	<i>Handling SEPA Credit Transfers and Direct Debits</i>	5-56
5.24.1	<i>Maintaining Parameters for SEPA Transactions</i>	5-59
5.24.2	<i>Process Flow</i>	5-62
5.24.3	<i>Validations done on the SCT and SDD Messages</i>	5-63
5.24.4	<i>Maintaining Dispatch File Parameters</i>	5-64
5.24.5	<i>Generating Dispatch File</i>	5-66
6.	Levying Charges on Payments and Collections Transactions	6-1
6.1	<i>Introduction</i>	6-1
6.1.1	<i>Charge Specifications for a Payment/Collection Product</i>	6-1

6.1.2	<i>Specifying Charge Components</i>	6-3
6.1.3	<i>Specifying Charges</i>	6-3
6.2	Building Charge Rules	6-4
6.2.1	<i>Specifying Parameters for Charge Rule Application</i>	6-6
6.3	Defining the Charge Account Maintenance	6-6
6.4	Defining Charge Product Categories	6-8
7.	Outgoing Payments Workflow	7-1
7.1	Introduction	7-1
7.1.1	<i>Enabling the Outgoing Payments Workflow</i>	7-2
7.1.2	<i>Viewing Message Status of a Contract</i>	7-2
8.	Payments and Collections - Operations and Processes	8-1
8.1	Introduction	8-1
8.2	Batch Process for the Payments and Collections Module	8-1
8.2.1	<i>Periodic Instructions</i>	8-2
8.2.2	<i>Processing Incoming MT102</i>	8-4
8.3	Background Processes	8-4
8.3.1	<i>Viewing Background Processes</i>	8-5
8.4	The Online Mode	8-7
8.5	Contract Partitions	8-7
8.6	Processing Customer Consolidation Batch	8-8
9.	Annexure A - Accounting Entries and Advices	9-1
9.1	Events for the Payments and Collections Module	9-1
9.1.1	<i>Accounting Roles</i>	9-2
9.2	Product Type and Event Code and Accounting Entry combinations	9-3
9.2.1	<i>Events for Payment and Collection Products</i>	9-3
9.2.2	<i>Accounting Entries</i>	9-6
9.3	Event- Advices for PCs	9-14
9.4	Credit Acknowledgement Messages	9-16
9.4.1	<i>Message Format</i>	9-16
10.	Reports	10-1
10.1	Introduction	10-1
10.1.1	<i>Generating Reports</i>	10-1
10.1.2	<i>Contents of the report</i>	10-2
10.2	Processed Salary Report	10-2
10.3	Unprocessed Salary Report	10-4
11.	Function ID Glossary	11-1

1. Preface

1.1 Introduction

This manual is designed to help you to quickly get familiar with the Payments and Collections module of Oracle FLEXCUBE. It takes you through the various stages in processing a Payments or Collections transaction.

You can further obtain information specific to a particular field by placing the cursor on the relevant field and striking <F1> on the keyboard.

1.2 Audience

This manual is intended for the following User/User Roles:

Role	Function
Back Office Trade Finance Department Clerks	PC Contract Input functions except Authorization.
Back Office Trade Finance Department Officers	PC Contract Authorization, maintenance of static data specific to the BC module
Front end Trade Finance Product Managers	PC Product definition functions excluding authorization. BC Report/Query functions
End of Day Operators	End and beginning of day related processing functions. PC Report/Query functions.
Bank's Financial Controller/ Trade Finance Department Manager	Branch level processing related setup for PC module and Authorization of the same Authorization of PC product definitions/amendments PC Report/Query functions
MIS Department Officers	PC Query/Report functions

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.4 Organization

This manual is organized into the following chapters:

Chapter 1	<i>About this Manual</i> gives information on the intended audience. It also lists the various chapters covered in this User Manual.
Chapter 2	<i>Payments and Collections - An Overview</i> provides a snapshot of the features of the module
Chapter 3	<i>Maintaining Information Specific to the Payments and Collections</i> describes the procedure to set up reference information related to the module.

Chapter 4	<i>Defining Attributes Specific To Payments And Collections Products</i> talks about defining the attributes specific to setting up a Payments and Collection product.
Chapter 5	<i>Processing a Payment or Collection Transaction</i> deals with the sequence of events involved, to process Payments and Collection transactions.
Chapter 6	<i>Levying Charges on Payments and Collections Transactions</i> provides a snapshot of the charges applicable for Payment and Collection transactions
Chapter 7	<i>Outgoing Payments Workflow</i> explains how you can use the outgoing payments workflow facility
Chapter 8	<i>Payments and Collections-Operations and Processes</i> explains the operations and background processes for the Payments and Collection module.
Chapter 9	<i>Annexure A - Accounting Entries And Advices</i> acquaints you with the accounting entries and advices generated in the Payments and Collections module.
Chapter 10	<i>Reports</i> explains about the types of reports that can be generated for this module.
Chapter 11	<i>Function ID Glossary</i> has alphabetical listing of Function/Screen ID's used in the module with page references for quick navigation.





1.5 Related Documents

You may need to refer to any or all of the User Manuals while working on the PC module:

- Procedures
- Products
- User Defined Fields

1.6 Glossary of Icons

This User Manual may refer to all or some of the following icons:

Icons	Function
	Exit
	Add row
	Delete row
	Option List

2. Payments and Collections - An Overview

2.1 Introduction

The Payments and Collections (PC) Module of Oracle FLEXCUBE helps you process local currency funds transfer transactions initiated either by your customer through an Electronic Banking System, or by your staff in any of your branches on behalf of a customer. The PC module handles the following types of transactions:

- Payment transactions involving the transfer of funds from one's own account to another account (s). Such transactions are initiated by the debtor who instructs his bank (debtor's bank) to draw / transfer a certain amount from his (debtor's) account, to the creditor's account in the creditor's bank.
- Collection transactions involving the transfer of funds from a different account into one's own account; Such transactions are initiated by the creditor who instructs his bank (the creditor's bank) to draw a certain sum from the debtor's account (in the debtor's bank), assuming that such an agreement exists between the debtor and the creditor of the transaction and between them and their respective banks.

Collection transactions are of two types:

- Direct Debit transactions (DD)
- Request for Debit transactions (RFD)

To process collection transactions, the creditor's bank will send a message (Outgoing DD/RFD) to the debtor's bank. The debtor's bank will receive the message (Incoming DD/RD) and after performing the required validations (availability of funds, agreement details etc.), will draw the specified amount from the debtor's account and transfer it to the creditor's bank. In case of an RFD an approval message needs to be sent to the creditor's bank, but in case of a DD no response needs to be sent. A DD agreement is deemed to be approved in case no response is received from the debtor's bank within a specific number of days.

If for some reasons (insufficiency of funds for instance), the debtor's bank rejects the Incoming DD/RFD, the message will result in a Reject of Incoming DD/RFD. On the creditor's side, the same will be processed as a Reject of Outgoing DD/RFD.

2.1.1 Difference between DD and RFD

The primary difference between a DD and an RFD transaction is that a DD will be considered processed/settled if not rejected within the stipulated period known as the response period. An RFD, on the other hand, will be considered closed if not approved within the specified response period. Further, you can recall a DD whereas an RFD cannot be recalled. A recall is initiated by the debtor when he chooses to re-collect his funds from the creditor's account.

The various types of collection transactions can be summarized as follows:

Direct Debit (DD) Transactions

1. Outgoing Direct Debits
2. Incoming Direct Debits
3. Reject of Outgoing Direct Debits
4. Reject of Incoming Direct Debits
5. Recall of Outgoing Direct Debits
6. Recall of Incoming Direct Debits

Request for Debit (RFD) Transactions

1. Outgoing Request for Debits
2. Incoming Request for Debits
3. Approval of Incoming Request for Debits (results in an Outgoing Payment)
4. Approval of Outgoing Request for Debits (results in an Incoming Payment)
5. Reject of Outgoing Request for Debits
6. Reject of Incoming Request for Debits

In the Payments module, you can perform the following operations:

- Module specific Static data maintenance
- Product definition
- Contract input
- Transaction processing
- Process Monitoring and Recovery
- Batch Processing
- Generation of Advices

2.1.2 Maintaining Module Specific Information

Before you begin operations in the Payments and Collections module of Oracle FLEXCUBE, you have to maintain certain information that is required to process the transactions that you receive. This maintenance is done in screens invoked from the Application Browser.

Local Bank Directory Maintenance

You can maintain a directory of Local Clearing Banks in the Local Banks screen. In this screen, you have to specify a unique Code for the bank a brief description. In addition, you can capture the addresses of the bank, its stage of transition to the IBAN Format, and the various clearing networks supported by the bank. You can also indicate whether the bank supports DD and RFD transactions.

Clearing Network Maintenance

You can define the networks (such as SORBNET) over which you communicate with banks and other financial institutions for transactions.

Bank Redirection Maintenance

On occasion, the transactions involving a specific bank may have to be redirected to another bank. You can capture this information in the Bank Redirection Maintenance screen.

Account Redirection Maintenance

The transactions involving a specific account in Oracle FLEXCUBE may have to be redirected to another account maintained in Oracle FLEXCUBE. You can capture this information in the Account Redirection Maintenance screen.

Upload Source Maintenance

You can maintain the different sources from which you receive transactions as part of the Upload Source Maintenance. The details of such transactions are uploaded from such external sources into Oracle FLEXCUBE.

Upload Source Parameters Maintenance

You can define certain parameters for a product category and upload source combination. As part of the parameters you specify for the combination, you can specify details such as the transaction retention period, and if transactions should be automatically authorized, etc.

Customer Station Maintenance

In the Customer Station Maintenance screen, you can specify the authorized customers and the accounts for a specific station and source combination. All transactions that you receive will be validated for the existence of a valid Customer Station and Account.

Client Agreement Maintenance

You can capture customer agreements relating to a product in the Customer Agreements screen. For the transactions processed under a specific product, involving a specific customer, you can specify the manner in which the value date of the accounting entries for the customer leg of the transaction should be arrived at; the cut-off time, whether consolidation is required or not and other such parameters which take precedence over the parameters defined at the product level.

While generating outgoing DD collections on behalf of your customers, you should maintain the Creditor's DD agreements wherein the details pertaining to the debtor's account, bank and agreement ID are captured.

Similarly, while receiving incoming DD's on behalf of your customers you must ensure that you maintain DD agreements wherein the details pertaining to the creditor such as the creditor's bank, account number and agreement ID are captured.

Account Statement Fields Definition

You can specify the fields that should be included in the account statements that you generate. You can do this in the Account Statement Fields screen. You can specify a maximum of fifteen fields for an account statement. You must also specify the sequence in which the fields must be displayed in the account statements. The fields are defined for a product type and product code combination.

User Defined Fields (UDF) and User Defined LOV Maintenance

You can define additional fields required for processing DD and RFD transactions through the User Defined Fields screen. You can also maintain a list of possible values for the User Defined Values.

Reject Code Maintenance

DD and RFD transactions may be rejected because of several reasons. You can associate the appropriate reject code with such transactions. Reject codes are maintained in the Reject Code screen.

Debtor Customer Category Maintenance

You can maintain debtor categories through the Debtor Customer Category screen. This will enable you to define preferences for a debtor category instead of defining for each debtor participating in DD and RFD transactions. The preferences for a category are maintained in the Product Debtor Category Preferences screen.

Charge Product Category Maintenance

Maintaining charge categories will allow you to collate statistics involved in payment and collection transactions. Using the data that is collated you will be able to define appropriate charges for processing transactions.

Charge Account Mapping

Typically, the processing charges are debited to the customer account involved in the transaction. However, through the Charge Account Mapping screen, you can specify a different account, for collecting such charges

2.1.3 Maintaining Products

You may process transactions, which involve transfer of funds between accounts maintained at your bank. You can define this type of local payment as a product in the P&C module. You can define products for each type of DD and RFD transactions mentioned earlier.

The advantages of defining a product

Let us consider the steps involved in processing an outgoing payment instruction (involving a foreign currency account) at your bank. Your specifications would include the following:

- The type of payment being made (that is, outgoing in this case)
- The Clearing Mode
- The Clearing Network
- The Exchange Rate applicable
- The Customer Entry days
- The Customer Entry Value days
- The Counterparty Entry days
- The GLs to which the accounting entries should be posted
- The advices that should be generated

If you process a thousand such outgoing payments, you would need to repeat these operations as many times.

By defining outgoing payments involving an incoming or outgoing collection as a product in Oracle FLEXCUBE, and defining standard attributes for it, you can make the task of processing such payments easier.

You can define the following broad parameters for a product:

- Product Preferences
- Events and Accounting Entry Definition
- Advices to be generated for the various events
- MIS Definition

2.1.4 Product Categories

Once you have created a product, you can associate it with a 'product category'. A product category helps in identifying the product that should be used to process a transaction that is received.

A product category can be of either of the following types:

- Incoming
- Outgoing

Once you have maintained the basic details for a category, you can proceed to associate products that have been created at your bank, with the category. For a product category, you have to identify products for the following types of processing:

- Book Transfers
- Internal Clearing
- External Clearing

For internal and external clearing, you also have to specify the sequence in which the products should be taken up for product resolution. Depending on the sequence, the appropriate product will be associated when a transaction is initiated in the system.

An outgoing transfer includes information about the outgoing product category. When this transaction is received, Oracle FLEXCUBE resolves the product to be used for processing as follows:

Case One

- The outgoing product category maintenance is referred.
 - If a book transfer, the system picks up the outgoing book transfer product specified here (the customer leg is processed using this product).
 - The Incoming Product Category specified for the outgoing product is picked up.
 - The Incoming Product Category maintenance is referred and the product which corresponds to the incoming transaction within this product category is picked up. The counterparty leg of the transaction is processed using this product.

Case Two

- The outgoing product category maintenance is referred.
 - If the transaction does not fit the specifications of the book transfer product, the system tries to fit the transaction in the list of internal clearing products you have maintained (in the sequence you have specified).
 - If the transaction fits the parameters defined for an internal clearing product, the transaction is processed using the product.

Case Three

- The outgoing product category maintenance is referred.
 - If the transaction does not fit the specifications defined for any internal clearing product, the system tries to match the transaction with the external clearing products you have specified for the product category (in the sequence you have specified).
 - The transaction is then processed using the first product in the list of external clearing product whose parameters match that of the transaction.

Apart from specifying the different clearing products, you can specify certain preferences for a product category. The preferences you specify for a category determine the manner in which transactions are ultimately processed.

2.1.5 Payments Contract Batch processing

A payment transaction from an electronic banking system is handed off to the Incoming Message Queue of Oracle FLEXCUBE. The message is then translated into contract details by the interface function. The transaction details are then handed off to the P&C module. Uploaded transactions will ideally be one of following categories:

- Outgoing/Incoming Payments initiated by Electronic Banking
- Outgoing/Incoming Collections initiated by Electronic Banking
- Incoming leg of Internal Transactions

All uploaded contracts, along with the contract manually entered by the user from Online Screen, form part of the processing queue. Preliminary validations are done for checking the integrity of the contract data. Validations are made along the following parameters:

- Upload Source

- Product Category
- Customer and Customer Account
- Bank Code
- Clearing Network
- Product Code
- Activation Date
- User Defined Fields (UDFs)
- Customer Agreements

Based on the validations made, the contract is moved to appropriate queue for event processing/error handling. Processed contracts are authorized based on the authorization parameter maintained in the Upload Source.

Depending on the errors encountered during processing, the transactions will be handed off to the appropriate exception queue. The following exception queues are available to view the details of contracts with exceptions:

Processing Exception Queue

This queue displays the details of transactions for which an exception is raised during processing. The system can raise an exception during charge computation or advice generation.

Credit Exception Queue

Transactions that were rejected due to unavailability of funds will be displayed in this queue.

Consolidation Exception Queue

All transactions that were rejected due to errors in posting the consolidated entry will be displayed in this queue.

3. Maintaining Information Specific to Payments and Collections

3.1 Introduction

Before you begin operations in the Payments and Collections (PC) module of Oracle FLEXCUBE, you must maintain certain basic information in the system. For example, you must maintain the:

- Local Bank Directory
- Clearing Networks
- Upload Sources
- Bank Redirection details

This data is essential for processing the payments and collections transactions during the course of the day.

Data of this sort is referred to as 'Static Data' because it remains constant over a period of time.

3.1.1 Maintaining Static Data

The static data maintained in Oracle FLEXCUBE can either be common to several modules or be specific to a module. For example, data relating to exchange rates is common to modules such as Foreign Exchange, Funds Transfer, Payments, etc. Static Data that is commonly accessed by several modules is maintained in the Core Services module.

Data that is specific to a module is maintained in the module itself. For example, the details relating to the clearing networks that you support are specific to the Payments and Collections module. It is, therefore, maintained in the PC module.

3.2 Maintaining Information Specific to PC Module

Before you proceed with operations in the Payments and Collections module, you must maintain the following information:

- Local Bank Directory
- Clearing Networks
- Bank Redirection details
- Account Redirection details
- Upload Sources
- Upload Source Parameters
- Products
- Client Agreements (after product maintenance)
- Customer Station details
- Details of Creditors
- Product Category (after product maintenance)
- Account Statement Fields
- User Defined Fields (UDF) and User Defined LOVs
- Reject Codes

- Debtor Customer Categories
- Charge Product Categories
- Charge Account Mappings
- Cover requirement

You can maintain this information in screens that are invoked from the Application Browser. The subsequent sections of this chapter talk about each of the above mentioned maintenances in detail.

3.3 Maintaining Bank Code Types

You can maintain the different types of bank codes that you intend to maintain for banks in the System, through the 'Bank Code Type Maintenance' screen. This maintenance is required to distinguish between the types of bank codes.

You can invoke the 'Bank Code Type' screen by typing 'PCDNKTYP' in the field at the top right corner of the Application tool bar and click the adjoining arrow button.

Fields	
Maker	Date Time:
Checker	Date Time:
Mod No	Record Status
	Authorization Status

In this screen, you can specify the following details:

Bank Code Type

Specify the type of identifying code that will be maintained for a bank in the system – for instance, SWIFT, BIC, BLZ, IFSC and so on. This code is used to identify the type of Bank code maintained in bank directory.

IFSC code is a unique code used to identify the banks in NEFT/RTGS network.

Description

Specify an appropriate description of the type of bank code specified in the Bank Code Type field.

3.4 Maintaining Bank Directory

You can maintain a list of 'Clearing Banks' participating in payments and collections transactions in the 'Bank Directory Maintenance' screen. You can invoke this screen by typing 'PCDBNKMT' in the field at the top right corner of the Application tool bar and click the adjoining arrow button.

Bank Directory Maintenance

New Enter Query

Bank Code *
Bank Code Type *
BANKNAME *
City *
Address *
Country Code
National Clearing Code
Valid From Date
Valid Till Date
☐ Main Bank Id Code Flag
Branch Code
SWIFT Address
Customer No
☐ International Bank Account Number Mandatory
☐ Internal Clearing

1 Of 1

Network Id *	Direct/Indirect	Cover	Direct Bank Code	Addressee	Direct Debit Participation	Request For Debit Participation

Fields

Maker
Checker
Date Time:
Date Time:
Mod No
Record Status
Authorization Status
Exit

In this screen, you can to maintain the following details:

Bank Code

Every bank with which you have a relationship for processing local payments, direct debits and requests for debit should be identified by a unique code. The clearing bank will be referred by this code throughout the system.

Bank Code Type

You can select the type of identification code being specified for the bank in the directory. For instance, it could be SWIFT, BIC, BLZ, IFSC and so on. The drop down list contains the bank code types maintained in the system, and you can choose the appropriate code type.

Bank Name

Specify the name of the bank maintained in the directory.

City

Specify the name of the city of the bank in the bank directory.

Address

In addition to the bank code, you can also capture the name of the bank and the address for correspondence.

Country

Specify the country of the bank in bank directory. This adjoining option list displays all valid country codes maintained in the system. You can choose the appropriate one.

Note

The country information is captured to enable Mantas to analyse the transactions for possible money laundering activities.

For more details on Mantas, refer 'Mantas' interface document.

National Clearing Code

Enter the national clearing code to be used in case the system is not able to resolve the TARGET-2 participant based on the bank code.

TARGET-2 is a high value Euro Payment clearing system.

For more information on TARGET-2, refer Maintaining Clearing Network details section.

Valid From Date

Specify the date from which the clearing code is valid.

Valid Till Date

Specify the date up to which the clearing code is valid.

Main Bank Identification Code Flag

Main BIC Flag is used to resolve 8 characters BIC. Check this option to indicate that the main BIC must be used if the bank code is incomplete.

Branch Code

If the clearing bank being defined is a Oracle FLEXCUBE branch, you can select the appropriate branch code from the option-list available. Every branch in Oracle FLEXCUBE is identified by a unique branch code. A transaction routed through an internal branch will be processed as an Internal Book transfer.

SWIFT Address

If the clearing bank is part of the SWIFT network, you can select the corresponding SWIFT address from the available option-list.

Customer

You can indicate the customer CIF linked to the clearing bank code, for which the bank directory details are being maintained. For incoming messages in which the clearing bank code (for which the CIF has been maintained) is the counterparty bank code, the CIF maintained here is used, along with the product category of the incoming queue to which the message has been routed, to determine the settlement account.

International Bank Account Mandatory

You can indicate whether outgoing payments booked for the bank with clearing networks for which IBAN validations are made, would be subject to IBAN validation for the counterparty account number.

Cover would be generated along with the payment Message as long as Payment message is linked as an advice to the PC Product [DCLG Event].

The cover message is sent to Direct Participant and Payment message to the addressable Indirect Participant.

Internal Clearing

You need to determine whether the Clearing Bank being defined is an internal entity or an external entity. (A transaction is recognized as an 'internal' type when it involves accounts maintained in Oracle FLEXCUBE and another maintained in any other system at your bank. In other words, the accounts belong to the same bank but are maintained in two different systems, Oracle FLEXCUBE being one of them. A transaction is recognized as an 'external' type when it involves accounts maintained in Oracle FLEXCUBE and an external entity.

When processing transactions, the system looks up this directory and identifies a clearing bank as 'internal' if you have associated it with a valid branch code maintained in Oracle FLEXCUBE and opted for the 'Internal Clearing' option. If the clearing bank of the transaction is not specified for Internal Clearing, the system recognizes the clearing bank as an external entity.

Clearing Participation

Clearing Network

Typically, you would specify the clearing network for clearing banks that are defined for external clearing. To recall, external clearing involves accounts maintained in Oracle FLEXCUBE and an external entity. The clearing network will be used to send local payments, direct debits and requests for debit instructions from the bank.

Direct/Indirect

For each clearing network, you can specify the nature of the clearing relationship (whether direct or indirect). If the relationship with the entity is indirect, you have to indicate the name of the redirecting bank also.

Mention the account number that your bank maintains with the clearing network.

Cover

For each RTGS and Network combination, you can choose to generate both cover message and payment message for the direct participant of the counterparty. Check the Cover Message option against the clearing network if the cover message has to be generated along with the payment message. The system generates the cover message only if you have linked an advice format in the Dispatch event of Payment Product and also opted for cover message generation for the specified contract.

Direct Bank Code

For processing incoming payment messages, you can setup the following details in the 'PC Bank Directory' screen for the clearing network:

- For direct participants, the 'Direct' option can be chosen in the Direct / Indirect field
- For Addressable Indirect Participants, the 'Indirect' option can be specified, with Cover enabled and the Direct Bank Code (the option list in the Direct Bank Code field contains those bank codes for which the 'Direct' option has been specified for the Clearing Network)
- For Non - Addressable Indirect Participants, the 'Indirect' option can be specified, without Cover and the Direct Bank Code.

Addressee

This will default to the Bank Code in case the Bank Code is a Direct Participant in the Network.

If the Bank Code is a Non-addressable indirect participant, then this will default to the Direct Participant Bank Code.

If the Bank Code is an addressable Indirect Participant, then this will default to the Bank Code.

You can also change the defaulted value if required.

Participation in Direct Debit and Request For Debit Transactions

You also need to indicate the type of transactions supported by the clearing network (whether DD and/or RFD transactions). This specification will be validated when the appropriate transaction type is being processed at your bank.

If not specified, the network will be used to process only payment transactions.

3.4.1 Specifying UDF Details

Click 'Fields' button to provide values for the UDFs associated with the screen.

3.5 Maintaining Clearing Network Details

In the Clearing Networks screen, you can maintain the networks (such as SORBNET and ELIXIR) through which you communicate with other banks and financial institutions for funds transfers.

You can invoke this screen by typing 'PCDCLRNT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button. The screen is as below:

Clearing Network Maintenance

New Enter Query

Network

Clearing Network*
Description
Clearing Currency*
Clearing System Id Code
Network BIC

Handoff Directory

Incoming
Outgoing
IBAN Validation
Indirect Participant

RTGS

Network Type: ☐ RTGS ☒ Non - RTGS
☒ New Cover format Required

Network Qualifier
Network Service Identifier
SWIFT Type

Default Account

Incoming

Branch Code
Incoming Currency Code
Incoming Account
Description

Outgoing

Branch Code
Outgoing Currency Code
Outgoing Account
Description

Dispatch Accounting Parameters

Branch*	Currency	Nostro Account	Outgoing Transaction Code	Incoming Transaction Code

Fields

Input By Date Time
Authorized By Date Time
Modification Number
☐ Authorized
☐ Open

In this screen, you should specify the following details:

Network

- The Name of the Clearing Network. This will uniquely identify the network in Oracle FLEXCUBE.
- A brief description of the network
- Clearing currency of the network
- Clearing system ID code
- Clearing Network BIC

Handoff Directory

- The Incoming and Outgoing Handoff directories. Incoming and Outgoing transactions will be handed off to the respective directories that you indicate in this screen.
- IBAN validation for the Counterparty Account Number is required for outgoing payments and incoming collections using the clearing network.

Note

For SEPA products (PC products where Service Level Code is SEPA) system will do the IBAN validation even if the IBAN Validation check box is not checked. For Non SEPA products (PC products where Service Level Code is not SEPA) system will do IBAN validation only when the IBAN Validation check box is checked.

- Indicate whether the processing bank is an indirect participant of the clearing network. If yes, then the counterparty account will be replaced with the currency correspondent account.

RTGS

The following RTGS network details should be specified:

Network Type

Select the network type. This can be RTGS or Non-RTGS. By default, system selects Non-RTGS. The network type is RTGS for RTGS networks and Non-RTGS for SKN networks.

If you select the 'Network Type' as 'RTGS' and 'Network Qualifier' as 'RTGS', then while saving, the system will check if the 'Network Qualifier' is 'RTGS'. If yes, then the Network Type will be 'RTGS'

If you select the 'Network Type' as 'Non-RTGS' and 'Network Qualifier' as 'NEFT', then while saving, the system will check if the 'Network Qualifier' is 'NEFT'. If yes, then the Network Type will be 'Non-RTGS'

Network Qualifier

If the network type is RTGS, indicate whether the network is TARGET 2 system. To enable the system to perform TARGET -2 specific validations during contract input and message generation, select TARGET-2 from the network qualifier option list.

You can select 'S' for SKN, 'I' for RTGS, 'TARGET 2' or 'Others' as the network qualifier. The default value is 'Others'.

Note

This field is enabled only if the network type is chosen as 'RTGS'.

TARGET-2 is a RTGS clearing system for high value Euro payments. All the participants in the current National RTGS system automatically become members of TARGET-2.

Following are the units of TARGET-2:

- Direct TARGET-2 participant
- Indirect TARGET-2 participant

If payment is done from direct TARGET-2 participant to another direct TARGET-2, the account of the sender will be debited and that of receiver is credited.

If payments are sent from a direct TARGET-2 participant to a direct TARGET-1 participant, an interlinking account is used.

Swift Type

Select the swift type from the drop down list. The drop down list contains the options 'FIN' and 'FIN Y- Copy'. This preference is used in Funds Transfer module.

Network Service Identifier

The service identifier that is specified here will be displayed in Field 113 of Block 3 header in the RTGS message.

Note

This will be enabled if network type chosen is 'RTGS'.

Customer cover messages are always generated in new format (MT202COV or MT205-COV). This preference is used in the Funds Transfer module.

For more details on new cover message formats, refer to the Settlements user manual.

Incoming

Branch Code

Specify the code for the branch that is participating in the incoming account process.

Incoming Currency Code

If you select the currency code, all the accounts associated with the chosen currency code will be displayed in the option list provided in the adjacent field.

Incoming Account

In case of incoming transactions received over the network, the account that you indicate here will be debited by default.

Description

In case of TARGET 2 clearing network, the default incoming account will be the primary nostro account with the central bank that should be debited while processing an incoming TARGET 2 payment.

Outgoing

Branch Code

For all outgoing transactions sent over the network you are maintaining, you can specify the default account that should be credited.

Outgoing Currency code

If you select the currency code, all the accounts associated with the chosen currency code will be displayed in the option list provided in the adjacent field.

Outgoing Account

In case of outgoing transactions received over the network, the account that you indicate here will be credited by default.

Description

In case of TARGET 2 clearing network, the default incoming account will be the primary Nostro account with the central bank that should be credited while processing an outgoing TARGET 2 payment.

Note

You are not allowed to maintain the same default incoming or outgoing accounts for different networks.

Dispatch Accounting Parameters

To consolidate the accounting entries such that the Clearing Nostro GL is netted to post single debit and credit entries for each file that is dispatched, you will need to identify the Clearing Nostro account through the Dispatch Accounting Parameters section in the 'Clearing Network' screen.

Branch

Select the appropriate branch code and the currency code from the corresponding option lists available.

Nostro Account


You can maintain different clearing Nostro accounts for the above combination of branch and currency.

Outgoing and Incoming Transaction Code

After you identify the nostro account to which the consolidated entry will be passed for all Dispatch entries you have to select separate transactions codes against which all the incoming and outgoing transactions are to be tracked. The BIC codes for the clearing network will be derived using the Nostro Account so maintained.

3.5.1 Specifying the UDF Details

Click 'Fields' button to provide values for the UDFs associated with the screen.



The screenshot shows a window titled 'User Defined Fields'. Inside, there is a 'Details' section with a table. The table has three columns: 'Field Name', 'Value', and 'LBL_FIELD_VAL_DES'. The first row is empty, and the second row contains a small icon in the 'Field Name' column, a small icon in the 'Value' column, and a small icon in the 'LBL_FIELD_VAL_DES' column. The table is scrollable, and there are buttons for adding, deleting, and refreshing the data.

3.5.2 Maintaining Redirection Details for a Bank

On occasions, transactions involving a specific bank may have to be redirected to another bank. In the 'Bank Redirection Maintenance' screen, you can maintain the redirection details

for a bank. You can invoke this screen by typing 'PCDBKRED' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

Payments & Collections Bank Redirection Maintenance

New Enter Query

Bank Redirections

Bank Code *
Bank Name
To Bank *
Redirect Bank Name

Fields

Maker	Date Time:
Checker	Date Time:
Mod No	Record Status
	Authorization Status

Exit

In this screen, you can specify:

From Bank

Select the bank for which you are maintaining redirection details

To Bank

Select the bank to which transactions should be redirected.

All transactions involving the bank for which you are maintaining redirection details will be automatically redirected to the bank you specify here.

Note

You can maintain redirection details only for banks maintained in the Bank Directory screen.

3.6 Maintaining Clearing Network Qualifier Details

In the Clearing Network Qualifier Maintenance screen, you can maintain the network qualifiers. You can invoke this screen by typing 'PCDCLNTQ' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Clearing Networks Qualifier Maintenance

New Enter Query

Clearing Networks Qualifier

Network Qualifier *

Description *

Fields

Maker Date Time:

Checker Date Time:

Mod No Record Status

Authorization Status

Exit

Network Qualifier

Specify the network qualifier details.

For BI-SKN network specify the network qualifier as 'S' and for BI-RTGS network specify the network qualifier as 'I'.

Description

Specify the network qualifier description.

Network Qualifiers will be factory shipped as follows:

Network Qualifier	Description
T	TARGET-2
O	Others
R	RTGS-INR
N	NEFT

3.7 Maintaining Network Calendar

In the 'Network Holiday Maintenance' screen, you can maintain the working days, half working days and holidays for the year and network. You can invoke this screen by typing

'PCDNWHOL' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'Local Holiday Calendar Maintenance' application. It includes a 3x3 grid of calendar views for the months of the year. At the top, there are tabs for 'New' and 'Enter Query', and a row of day-of-the-week buttons (S, M, T, W, Th, F, Sa). Below the calendar grid, there are input fields for 'Network Code *' and 'Year *', along with a 'Refresh' button. At the bottom, there is a 'Network Holidays' table with columns for Year, Months, Holiday List, and Network Code. The footer contains a 'Fields' section with labels for Input By, Authorized By, Modification Number, and checkboxes for Authorized and Open status.

Network Code

Specify the network code.

Year

Specify the calendar year.

When calendar is added for a year, by default the system will mark all Sundays as holiday with Red color and Saturdays are marked as half-day with Orange color and remaining days are marked as Green color that indicates working day.

3.8 Modifying Window Period Information

In the Payment Window Period Modification screen, you can modify the window period information for a product for a branch for the current process date. The window periods maintained in this screen is applicable only to the current process date.

You can invoke this screen by typing 'PCDPRDAT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Branch Code

Specify the branch code.

Product Code

Specify the product code.

Process Date

Specify the process date.

Payment Type

The system will display the product type of the selected product.

Initiator Start Time

Specify the contract initiation start time in hours and minutes for Full Day.

End Time

Specify the contract initiation end time in hours and minutes.

Auth1 Start Time

Specify the contract Level 1 Auth start time in hours and minutes for Full Day.

Auth1 End Time

Specify the contract Level 1 Auth end time in hours and minutes for Full Day.

Auth2 Start Time

Specify the contract Level 2 Auth start time in hours and minutes for Full Day.

Auth2 End Time

Specify the contract Level 2 Auth end time in hours and minutes for Full Day.

Release Start Time

Specify the contract Release start time in hours and minutes for Full Day.

Release End Time

Specify the contract Release end time in hours and minutes for Full Day.

Clicking on the 'Default' button, the system will default the window period information for the given product. If the current process date is Full Day then system will default the Full Day window period information else if the Process Date is Half Day then system will default the Half Day window period information.

3.9 Maintaining Redirection Details for an Account

Just as you redirect transactions from one bank to another, so also on occasions, transactions involving a specific account maintained in Oracle FLEXCUBE may have to be redirected to another valid account maintained in Oracle FLEXCUBE. In the 'Account Redirection Maintenance' screen, you can maintain the redirection details for an account. You can invoke this screen by typing "PCDACARE" in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Account Redirections From		Account Redirections To	
Account Number *		Redirected Account Number *	
Customer Name		Redirected Customer Name	
Account Branch		Redirected Branch Code	
Customer Ac Ccy		Redirected Currency	

Fields	
Maker	Date Time:
Checker	Date Time:
Mod No	Record Status
	Authorization Status

Exit

In this screen, you can specify:

From

Select the account number for which you are maintaining redirection details. The following are displayed:

- The branch code of the selected account number
- The currency of the account number
- The customer name who is holding the account

To

Select the account to which transactions should be redirected.

On selection of the account number from the option-lists available, the following details get displayed:

- The branch code of the selected account number
- The currency of the account holder
- The customer name who is holding the account

All transactions involving the account for which you are maintaining redirection details will be automatically redirected to the account that you specify here.

3.10 Maintaining Beneficiary Accounts for Counterparty Bank

You can maintain a list of beneficiary accounts for a counter party bank for local payments and collections transactions through the 'Beneficiary Maintenance' screen. You can invoke this screen by typing 'PCDBENMT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'LBL_PCDBENMT_MSCR' application window. It has a title bar with a diamond icon and window controls. Below the title bar is a menu bar with 'New' and 'Enter Query' options. The main area is divided into three sections:

- Counterparty Account:** Contains three text input fields: 'Bank Code *', 'Account Number *', and 'Bank Name'.
- Counterparty Details:** Contains multiple text input fields: 'Counterparty Name', 'Address Line 1', 'Address Line 2', 'Address Line 3', 'Address Line 4', 'Address Line 5', 'Surname', 'Father Name', 'Telephone', 'Email Id', 'LBL_FACEBKID', and 'Remarks'.
- LBL_ID_DETAILS:** Contains several input fields: 'Id' (a dropdown menu), 'Id Type', 'Id Value', 'Other Id Type' (a dropdown menu), 'Issuer', 'City Of Birth', and 'Country Of Birth'.

At the bottom of the window is a 'Fields' section with a table-like structure:

Maker	Date Time:	Mod No
Checker	Date Time:	Record Status
		Authorization Status

An 'Exit' button is located in the bottom right corner of the window.

Counterparty Account

Bank Code

You need to specify the Bank Code of the Counterparty Account from the option list provided. The Bank Name will be displayed alongside.

Account Number

You need to specify the Account Number of the counterparty account. This along with the Bank Code will be uniquely identified in the system.

If you have checked the option 'IBAN Check Required' at clearing network level, the system validates IBAN for the counterparty account for outgoing payments and incoming collections. However, the system does not validate the account number that you specify here. You need to specify the correct account number for the counterparty.

Counterparty Details

Name

You need to specify the counterparty name for the local payment transaction.

Address Line1, 2, 3, 4 and 5

Specify the address of the counterparty. You can maintain up to five lines of address information.

Surname

Specify the surname of the counterparty.

Fathers Name

Specify the fathers' name of the counterparty.

Telephone

Specify the telephone number of the counterparty.

Email Id

The system defaults the email ID if an existing beneficiary is maintained in P2P Beneficiary Maintenance screen or new records of a new beneficiary is registered.

Facebook ID

The system defaults the Facebook ID if an existing beneficiary is maintained in P2P Beneficiary Maintenance screen or new records of a new beneficiary is registered.

Remarks

Specify the free hand text related information of the beneficiary.

Identification Details

Identification

Select the option to identify the counterparty either by Organization details or by Individual person details. The options available in the drop-down list are:

- Organization Identification
- Private Identification

Identification Type

Select the identification type of the Counterparty from the option list available. This is mandatory only if Identification is specified.

Identification Value

Specify the identification value for the Counterparty for the given identification type. This is mandatory only if the Identification type is specified.

Issuer

Specify the Identification Issuer of the counterparty. This is used to identify if Organization identification is used as Proprietary Identification or Private Identification.

Other Identification Type

Specify the type of the other identification specified for the Counterparty. This is enabled and is mandatory for Private identification details.

City of Birth

Specify the city of birth of the Counterparty. This is enabled and is mandatory if you have selected identification type as 'Date and Place of birth'.

Country of Birth

Select the country of birth of the Counterparty from the option list. This is enabled and is mandatory if you have selected the identification type as 'Date and place of Birth'.

3.11 Maintaining P2P Beneficiary Details

You can maintain peer to peer payment transactions by registering beneficiary details in the 'P2P Beneficiary Maintenance' screen. P2P beneficiary maintenance can be done for any of the following combinations:

- Email ID
- Email ID and Telephone
- Email ID and Facebook ID
- Email ID, Telephone and Facebook ID

You can maintain same beneficiary account details with multiple email IDs or multiple combinations of Email ID, Telephone and Facebook ID. You can invoke this screen by typing 'PCDPTPBN' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

P2P Beneficiary Maintenance

New Enter Query

Beneficiary Identification

Email Id *
Telephone
Facebook ID

Beneficiary Account

Bank code *
Bank Name
Account Number *

Beneficiary Details

Beneficiary Name
Address 1
Address 2
Address 3
Address 4
Address 5

KYC Status: Yet To Verify
Remarks

Maker
Checker
Mod No

Date Time:
Date Time:
Record Status
Authorization Status

Exit

Beneficiary Identification

Email ID

Specify the email identification of the beneficiary.

Telephone

Specify the contact number detail of the beneficiary.

Facebook ID

Specify the facebook identification of the beneficiary.

Beneficiary Account

Bank Code

Select the bank code where the beneficiary holds the account from the adjoining option list.

Bank Name

The system defaults the name of the bank based on the bank code selected.

Account Number

Specify the account number of the beneficiary.

Beneficiary Details

Beneficiary Name

Specify the name of the beneficiary.

Address 1,2,3,4 and 5

Specify the address of the beneficiary.

KYC Status

Select the KYC status from the adjoining drop-down list. The options available are:

- Yet to Verify
- Verified
- Verification Failed

By default the system maintains 'Yet to Verify' as the KYC status.

Remarks

Specify remarks, if any.

3.12 Viewing P2P Beneficiary Details

You can view the peer to peer beneficiary details maintained in the 'P2P Beneficiary Maintenance' screen using the 'P2P Beneficiary Summary' screen. You can invoke this

screen by typing 'PCSPTPBN' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

P2P Beneficiary Summary

Search Advanced Search Reset Clear All

Case Sensitive

Authorization Status Record Status

Email Id Telephone

Facebook ID Bank code

Account Number KYC Status

Records per page 15 1 Of 1

<input type="checkbox"/>	Authorization Status	Record Status	Email Id	Telephone	Facebook ID	Bank code	Bank Name	Account Number
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								
<input type="checkbox"/>								

Exit

In the above screen, you can base your queries on any or all of the following parameters and fetch records:

- Authorization Status
- Email ID
- Facebook ID
- Account Number
- Record Status
- Telephone
- Bank Code
- KYC Status

Select any or all of the above parameters for a query and click 'Search' button. The records meeting the selected criteria are displayed.

If you are allowed to query beneficiary details, then system displays the following details pertaining to the fetched records:

- Authorization Status
- Record Status
- Email Id
- Telephone
- Facebook ID
- Bank Code
- Bank Name

- Account Number
- Beneficiary Name
- Address 1, 2, 3 4 and 5
- KYC Status
- Remarks

3.13 Maintaining P2P Payments Parameters

You can maintain peer to peer payment processing details in the 'P2P Payments Parameters Maintenance' screen. You can invoke this screen by typing 'PCDPTPPM' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

You can specify the following in this screen:

Bank Code

Select the bank code from the adjoining option list.

Bank Name

The system displays the bank name.

P2P Payment Details

Registration Period in Days

Specify the number of days within which beneficiary has to register in the sender's bank to receive the payments.

The activation date of the customer debit or effective date of the amount block request will be considered as 'From Date' to calculate the end date for beneficiary registration.

Notify Days

Specify the days to notify the end date for beneficiary registration in sender's bank. Notify Days is mandatory if the Registration Period in Days is mentioned. Registration Notification Start Date is derived based on notify days and end date for beneficiary registration.

Note

Notify days cannot be greater than or equal to 'Registration Period in Days'.

Calendar Basis

Select the calendar basis from the adjoining drop-down list. The options available are:

- Calendar Days - Select Calendar Days to consider all days in a calendar.
- Branch Calendar - Select Branch Calendar to consider only the working days of a transaction branch.

By default the system selects 'Branch Calendar'

Registration Notification Frequency

Select the frequency for generating registration notification from the adjoining drop-down list. The options available are:

- Daily
- Weekly
- Monthly
- Quarterly
- Half Yearly
- Yearly

The system defaults 'Daily' as Registration Notification Frequency.

Notification Alert on End Date

Check this box to indicate that the notification needs to be generated on the registration expiry date.

Archival Days

Specify the days after which the record should be moved from P2P Payments Registration Queue to corresponding history data store. The data movement is done if any record becomes older than the archival days maintained..

3.14 Viewing P2P Payments Beneficiary Registration Queue

You can view the customer debit transactions and amount block requests for the P2P payments in the 'P2P Payments Beneficiary Registration Queue' screen. You can invoke this

screen by typing 'PCSBORGQ' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

In the above screen, you can base your queries on any or all of the following parameters and fetch records:

- Transaction Reference
- Account Number
- Telephone
- Status
- Branch Code
- Email Id
- Facebook ID

Select any or all of the above parameters for a query and click 'Search' button. The system displays the following details pertaining to the fetched records:

- Transaction Reference
- Branch Code
- Account Number
- Email ID
- Telephone
- Facebook Id
- Status
- End Date]

3.15 Maintaining Upload Sources

You can identify the sources from which you would like to receive payment and collection transactions for processing. The transactions are uploaded from these sources into Oracle FLEXCUBE. You can identify a source in the PC - Upload Sources screen and invoke the 'Upload Sources' screen by typing 'PCDUPLDM' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Fields	
Maker	Date Time:
Checker	Date Time:
Mod No	Record Status
	Authorization Status

In this screen, you must enter the following details:

Source Code

Specify a unique code that will identify the source throughout the system.

Description

Enter a brief description of the source.

Oracle FLEXCUBE has the following inbuilt upload sources:

- MANUAL_BOOK (Manual Book)
- MANUAL_REJT (Manual Reject)
- MANUAL_APPR (Manual Approval)
- MANUAL_RECL (Manual Recall)
- MANUAL_RDSP (Manual Redispatch)

Note

Users at your bank can ONLY process payment transactions received from a source that is maintained in this screen.

3.16 Specifying Parameters for a Source

For a combination of product category, source code and customer, you can maintain certain upload parameters such as:

- An Automatic Authorization Limit
- Whether uploaded transactions can be deleted
- The fields that can be amended
- The number of working days (calculated from the initiation date of the transaction) for which the messages need to be retained in the system
- The source parameter maintenances should be in sync with the maintenances for external systems in Gateway module

For more information on 'Gateway Maintenances', please refer to Gateway Maintenance user manuals.

You can setup upload parameters in the 'Source Parameters Maintenance' screen and invoke this screen by typing 'PCDUPLDT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Payments & Collections Source Parameters Maintenance

New

Product Details

Product Category *

Description

Source Code *

Description

Auto Authorization

Auto Authorization Limit *

Currency

Deletion Option

☐ Deletion Allowed

Amendable Fields

☒ Customer Account ☒ Counterparty Bank Code

☒ Activation Date ☒ Counterparty Account Local Clearing Format

☒ Transaction Amount ☒ Counterparty Name

Days

Message Retention Days

Fields

Input By Date Time Authorized By Date Time Modification Number

☐ Authorized ☐ Open

Exit

In this screen, you can specify the following details:

Product Details

Product Category

Select the product category from the list of options available.

Source Code

Select the source code from the list of options available.

Auto Authorization

Auto Authorization Limit

If you specify an automatic authorization limit, transactions (belonging to the product category and source combination) involving amounts less than or equal to the limit will be automatically authorized on upload. Transactions exceeding the limit specified have to be authorized manually after upload. The authorization limit is maintained in the local currency of the bank.

If you do not specify an authorization limit, all transactions belonging to the customer, source and product category combination will be automatically authorized on upload.

Deletion Option

Deletion Allowed

Check this box to indicate that the uploaded transaction can be deleted.

Amendable Fields

For a combination of customer, source code and product, you can also specify a list of fields that can be amended on upload. This implies that on upload, the transaction details corresponding to the fields you specify here can be amended before the transaction is processed. You can amend the following fields:

- Customer Account
- Activation Date
- Transaction Amount
- Counterparty Bank Code
- Counterparty Account Local Clearing Format
- Counterparty Name

Days

Message Retention Days

The number of working days (calculated from the initiation date of the transaction) for which the messages need to be retained in the system.

As stated earlier, Oracle FLEXCUBE has the following inbuilt sources, for which you need to maintain the corresponding preferences:

Upload Source	Product category
Manual Book	Incoming Collection Reject Of Outgoing Collection Recall of Outgoing Collection
Manual Redispatch	Outgoing Collection
Manual Approval	Approval of Incoming Collection (RFD)
Manual Reject	Reject Of Incoming Collection
Manual Recall	Recall of Incoming Collection (DD)

3.17 Capturing Customer Agreements

Prior to processing payment and collection transactions, you need to capture the details of the agreement between your bank and the customer involved in the transaction. The agreement details maintained in the 'Customer Agreement Maintenance' screen, are for a product, customer and account combination. You can invoke this screen by typing 'PCDCLAGT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'Payments & Collections Customer Agreement Maintenance' window. It has a title bar with a diamond icon and the text 'Payments & Collections Customer Agreement Maintenance'. Below the title bar is a menu bar with 'New' and 'Enter Query' options. The main area is divided into several sections:

- General Information:** Product *, Product Description, Customer *, Customer Name, Branch *, Account *, Currency.
- Mandatory Fields:** ☐ Creditor Id Required, ☐ Agreement Id.
- Cutoff Time:** Hour, Minute.
- Invoice Split Required:** ☐ Invoice Split Required.
- Customer Days:** Entry Value Days, Entry Days, ☐ Currency Calander.
- Customer Entry Consolidation:** Consolidation Limit, ☐ LBL_PROD_REQD.
- Redispatch Details:** ☐ Redispatch Required, ☐ Auto Redispatch, Redispatch Count, Redispatch Days.
- Direct Debit Agreement Fields:** ☐ Agreement Id, ☐ Counterparty Bank Code, ☐ Counter Party Account Number, ☐ Creditor Id, ☐ Agreement Id.
- Response Details:** ☐ Automatic Response, ☐ Response Advice Required, ☐ ASCII Handoff Required, ☐ Collection Statement Required, Basis (dropdown).
- Other Details:** Creditor Id, General Ledger Description, Debtor Category, Description.

At the bottom, there is a 'Fields' section with 'Maker', 'Checker', 'Date Time:', 'Mod No', 'Record Status', and 'Authorization Status'. An 'Exit' button is located in the bottom right corner.

The following agreement details can be maintained:

General Information

Product

You can select the product for which the agreement details are being maintained. The agreement details will be validated only for transactions involving the product selected in this field.

Customer

In this field, you will select the name of the customer taking part in the agreement.

The 'ALL' option is available for all payment product types and for recall and reject collection product types. An incoming/outgoing DD or RFD may be rejected or recalled (applicable only to DDs) for various reasons. Thus, a reject or recall transaction (involving the appropriate reject or recall product) is in effect the child transaction of the corresponding incoming or outgoing (parent) transaction. At the time of processing the parent transactions, the system will perform the necessary validations. When processing a reject or recall (child) transaction, you will need to specify the 'Original Collection Reference Number' (of the parent transaction) as mandatory information. The system will use this number to associate the child transaction with the appropriate parent transaction. No further validations will be performed on the child transaction. In other words, the agreement details for a reject or recall transactions will necessarily be the same for all customers and not specific to a customer. Therefore, you can use the 'ALL' option in this field.

Branch

Specify the branch that is that is associated with the customer for whom the agreement is being maintained.

Account

You can specify the account for which the agreement details are being maintained. The currency of the selected account will get displayed in the adjacent field, based on the product linked.

In this field also, you can select the 'ALL' option for payments, reject and recall products ONLY, for reasons discussed above.

Note

Note the following:

- If you have specified an account that uses an account class that is restricted for debit or credit transactions for the product, an override is sought when you attempt to save the agreement.
 - If a branch has been maintained as a customer of your bank, and you are specifying an internal GL of the branch as the account for the agreement, you can choose the CIF ID of such a branch in the Customer field, and the requisite GL in this field. Such agreements would be validated for whenever a direct debit transaction is entered with a GL as the account, and the branch CIF ID as the customer of the transaction.
-

Cut Off Time**Hour/Minutes**

You can indicate the cut off time (in hr and min) for the customer and product combination involved in the agreement. The cut off time specified here takes precedence over the one specified at the product level.

During product resolution, based on the cut off time maintained, the system will determine whether the transaction is received before the cut off time. For transactions received after the cut off time, the system will resolve the product for which 'post cut off' is allowed. The activation date (the current system date) of such transactions will be moved to the next day.

Transactions with activation dates in the past or future will be resolved as received before the cut off time (pre cut off).

Customer Days**Entry Days**

For the transactions processed under a specific product, involving a specific customer, you can specify the manner in which the booking date of the transaction should be arrived at.

Your specification in the Customer Entry Days field will be added to the activation date to arrive at the Customer Entry Date for transactions received before the cutoff time specified for the product.

Entry Value Days

For the transactions processed under a specific product, involving a specific customer, you can specify the manner in which the value date of the accounting entries for customer leg of the transaction should be arrived at.

Your specification in the Pre-cutoff field will be added to the activation date to arrive at the Customer Entry Value Date for transactions received before the cutoff time specified for the product.

Customer Entry Consolidation

You can opt to consolidate the customer leg of transactions involving the customer and product combination.

At Product Level Required

Check the box to if you require transactions to be consolidated at product level.

Consolidation Limit

If the customer leg of the transactions should be consolidated, you can specify a transaction amount limit for the transactions that should be considered for consolidation. Transactions that exceed the limit you specify will not be taken up for consolidation. If you do not specify a consolidation limit, the customer leg of all transactions involving the customer and product will automatically be consolidated.

Note

Note that your specifications in this screen take precedence over any product or account level parameters.

Invoice Split Required

Invoice Split Required

Oracle FLEXCUBE allows you to split a transaction into multiple transactions if the transaction amount exceeds the maximum transaction amount limit specified above. However, you can choose to split the amount for transactions involving an outgoing product.

Direct Debit Agreement Fields

Direct Debit Agreement Required

For the product and customer combination, you have to indicate if a direct debit (DD) agreement is required for processing Incoming and Outgoing transactions. Unlike the customer agreement, which is used to validate the product and customer involved in a transaction, a DD agreement exists between the customer and the counterparty participating in a transaction.

Counterparty Bank Code

Check the box if you have the counterparty bank code that is involved in the DD agreement.

Counterparty Account Number

Check the box if you have the counterparty account number that is involved in the DD agreement.

Creditor Identification

Check the box if you have the counterparty account number that is involved in the DD agreement

Agreement Identification

Check the box if you have the DD agreement identification details.

Redispatch Details

Redispatch Required

An outgoing DD/RFD may be rejected for various reasons, one such reason being the lack of funds in the customer (debtor's) account. The debtor's bank may therefore, reject the Incoming DD/RFD. The creditor's bank will process the same as a reject of Outgoing DD/RFD. However, the system allows you to redispatch a rejected outgoing DD/RFD. A redispatch initiates a new transaction, which is referred to as the child contract of the original, rejected transaction. On initiation of the child contract, the corresponding parent contract gets closed. The child contract inherits all attributes of the parent contract. The redispatched contract may be rejected by the debtor's bank again. In such a case the creditor's bank may redispatch the collection based on the parameters maintained in the agreement. Every redispatch creates a new child contract. The activation date of a rejected redispatch will be used to determine the date of the subsequent redispatch.

Auto Redispatch

You can also select the 'Auto Redispatch' option to indicate that the redispatch will be done automatically by the system.

Redispatch Count

For an automatic redispatch, you can specify the number of times a transaction can be redispatched in the 'Redispatch Count' field. A redispatch may eventually result in a funds transfer, if sufficient funds are available in the debtor's account. If funds are not available even after the last redispatch, the system will process it as a reject transaction.

Redispatch Days

For an automatic redispatch, you can indicate the number of working days (redispatch days) to be added to the activation date to arrive at the date on which a transaction is to be redispatched.

Response Details

Auto Response

An RFD transaction, if not approved within the response period is considered closed. Select the 'Auto Response' option to indicate that the approval or closure will be handled automatically by the system.

ASCII Handoff Required

For contracts involving the product and customer combination, you can specify whether the contract information is to be written into handoff tables, to be picked up or referenced by the external agency.

Collection stmt Required

Collection statements can be generated for contracts involving the customer and product combination, if indicated in this screen.

Response Advice Required

You can also choose to generate a response advice for Incoming/Outgoing DD and RFD transactions. If selected, one of the following advices will be generated:

- Approval: An advice of approval will be sent to the creditor's bank if the Incoming DD/RFD is approved by the debtor's bank.
- Reject: Reject of an Incoming DD/RFD will result in the generation of the reject advice. This will be from the debtor's bank to the creditor's bank.
- Closure: A closure advice is sent when the transaction is closed by the system.

If you have opted to generate a response advice, you need to indicate when the advice needs to be sent. You can send the advice on the event date or on the response date.

Basis

Select the basis for response. You can select any one of the following options:

- Response Date
- Event Date

Mandatory Fields

You can check the fields that are required as mandatory information for processing Incoming and Outgoing transactions. The fields available are:

- Agreement Identification Required
- Creditor Identification Required

Note

You cannot select the creditor's ID for an Outgoing transaction as the transaction is initiated by the creditor.

Other Details

Creditor Identification

For outgoing collections initiated by the customer, you can specify the creditor ID of the customer.

Whenever an outgoing transaction involves an outgoing product and customer combination, the system defaults the creditor ID as mentioned in the customer agreement.

Debtor Category

For outgoing collections initiated by the customer, you can specify the debtor categories with which the customer deals.

Whenever an outgoing transaction involving an outgoing product and customer combination, the system defaults the preferences maintained for the debtor category that has been specified in the customer agreement.

3.18 Maintaining Creditors

You can maintain the creditor identification like the Creditor ID and description for creditors with whom your bank transacts. These details are maintained in the 'Payments and Collections Creditor ID Maintenance' screen. You can invoke this screen by typing

'PCDCREID' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Fields	
Maker	Date Time:
Checker	Date Time:
Mod No	Record Status
	Authorization Status

Creditor Identification

Specify the Creditor identification here.

Description

Enter a description for the creditor id that you have entered.

3.19 Maintaining DD Agreement Details for Creditors

This agreement is maintained by your bank on behalf of customers who participate as creditors in a direct debit transaction. The details are maintained in the 'Creditor Direct Debit

Agreement Maintenance' screen. You can invoke this screen by typing 'PCDCRAGT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Creditor Direct Debit Agreement Maintenance

New Enter Query

Customer

Product Code *
Product Description
Customer No *
Customer Name

Account No *
Customer Account Branch *
Currency
☐ Charge Applicable

Counterparty Details

Creditor Id
Creditor Scheme ID
Creditor Name
Date of Signature
Agreement Id *
CounterParty Bank Code *
Bank Name
Counterparty Account Number *

Counterparty Name
Address 1
Address 2
Address 3
Address 4
Debtor ID
Transaction Type

Effective Date

1 Of 1 Go

Effective Date *	Active	Amend
	<input type="checkbox"/>	

Fields

Maker
Checker
Mod No

Date Time:
Date Time:
Record Status
Authorization Status

Exit

The details maintained here will be used to validate outgoing transactions (initiated by the creditor).

Note

If a branch has been maintained as a customer of your bank, and you are specifying an internal GL of the branch as the account for the agreement, you can choose the CIF ID of such a branch in the Customer field, and the requisite GL in this field. Such agreements would be validated for whenever a direct debit transaction is entered with a GL as the account, and the branch CIF ID as the customer of the transaction.

Product

Select the product from the list option provided. This is applicable only if the corresponding customer agreements exist and you have indicated that a DD agreement is required for the respective customer agreements.

Customer

Specify the customer if the corresponding customer agreements exist and you have indicated that a DD agreement is required for the respective customer agreements.

Branch

Specify the branch if the corresponding customer agreements exist and you have indicated that a DD agreement is required for the respective customer agreements.

Account

Specify the account if the corresponding customer agreements exist and you have indicated that a DD agreement is required for the respective customer agreements.

Charge Applicable

To indicate applicability of charges or fees levied on setting up and / or amending direct debit creditor or debtor agreements, you can enable the Charges Applicable option in the PC Creditor Agreements screen.

The applicable charges are computed through the Interest and Charges (IC) module. For details, refer the Interest and Charges module user manual.

Note

The preferences for product debtor categories are discussed in a later section of this chapter.

You need to specify the following agreement details:

Counterparty Details**Creditor Identification**

Specify the Creditor identification under the SEPA scheme.

Creditor Name

Specify the name of the creditor under the scheme.

Date of Signature

Specify the date on which the mandate has been signed by the debtor.

Agreement Identification

Specify a unique ID to identify the agreement between the creditor and the debtor participating in a transaction.

Bank code

Select the bank of the counterparty (debtor).

Account

Specify the Debtor account in Local Clearing Format (LCF). Banks within the same local clearing network will be assigned unique account numbers based on the local clearing format specific to the network.

Name

Specify the name of the counterparty taking part in the transaction.

Address 1, 2, 3, 4 and 5

Specify the counterparty address.

Debtor Identification

Specify the identification details of the debtor.

Transaction Type

Select the debit transaction type from the drop-down list. The options are:

- One-off
- Recurrent

Creditor Scheme identification

Specify the scheme identification number of the creditor.

Effective date**Effective Date**

Specify the date from which the agreement is valid or invalid.

Note

At the Customer Agreement level, you can choose the Agreement ID, Counterparty Bank and / or the Counterparty Account fields to validate the DD agreement details.

Amendment Reason

Specify the reason for which the mandate details are amended.

3.20 Maintaining DD Agreement Details for Debtors

This agreement is maintained by your bank on behalf of customers who participate as debtors in a direct debit transaction. The details are maintained in the 'Debtor DD Agreements'

screen. You can invoke this screen by typing 'PCDDRAGT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Debtor Direct Debit Agreement Maintenance

New Enter Query

Customer

Product Code*

Product Description

Account*

Currency

Branch*

Customer*

Description

☐ Charge Applicable

Counterparty

Creditor Id*

Description

Agreement Id*

Bank Code*

Bank Name

Account*

Maximum Transaction Amount

Currency Description

Customer Name

Address

Address 2

Address 3

Address 4

Effective Date

Effective Date*	Active
	<input type="checkbox"/>

Fields

Input By
Date Time

Authorized By
Date Time

Modification
Number

☐ Authorized

☐ Open

The details maintained here will be used to validate incoming transactions (initiated by the creditor). The agreement is maintained for a Product, Customer and Customer Account combination only if the corresponding customer agreements exist and you have indicated that a DD agreement is required for the respective customer agreements.

Agreement Reference

The agreement reference number is auto generated by the system.

Customer

Product Code

Select the product from the list option provided. This is applicable only if the corresponding customer agreements exist and you have indicated that a DD agreement is required for the respective customer agreements. Based on the product code selected, the description of the product code is auto populated in this field.

Customer Account Branch

Specify the branch if the corresponding customer agreements exist and you have indicated that a DD agreement is required for the respective customer agreements.

Account Number

Specify the account if the corresponding customer agreements exist and you have indicated that a DD agreement is required for the respective customer agreements.

Customer Number

Specify the customer if the corresponding customer agreements exist and you have indicated that a DD agreement is required for the respective customer agreements. Based on the customer number selected, the customer name is auto populated in the Customer Name field.

Charge Applicable

To indicate applicability of charges or fees levied on setting up and / or amending direct debit creditor or debtor agreements, you can enable the Charges Applicable option in the PC Debtor DD Agreements screen.

Currency

Specify the currency. This is applicable in case a corresponding customer agreement exists and a DD agreement is required for the respective customer agreements.

The applicable charges are computed through the Interest and Charges (IC) module. For details, refer the Interest and Charges module user manual.

Counterparty**Creditor Identification**

You have to enter the ID of the Creditor by whom the Collection transaction has been initiated.

Description

The system displays a description of the creditor identification specified.

Agreement Identification

Specify a unique ID to identify the agreement between the creditor and the debtor participating in a transaction.

Counter Party Bank code

Select the bank of the counterparty (creditor). Based on the bank code selected, the name of the bank is auto populated by the system in the Bank Name field.

Counter Party Account Number

Specify the creditor account in Local Clearing Format (LCF). Banks within the same local clearing network will be assigned unique account numbers based on the local clearing format specific to the network.

Maximum Transaction Amount

This specifies the maximum amount for each Collection transaction that can be approved by the Debtor's Bank.

Currency Description

The system displays the local currency.

Name

Specify the name of the counterparty taking part in the transaction.

Address 1 2 3 and 4

Specify the counterparty address.

Effective Date**Effective Date**

Specify the date from which the agreement is valid or invalid.

- The effective date from which the debtor agreement becomes valid

Note

At the Customer Agreement level, you can choose the Agreement ID, Counterparty Bank and / or the Counterparty Account fields to validate the DD agreement details.

Indicating an account that uses a restricted account class

If you have specified an account that uses an account class that is restricted for debit or credit transactions for the product, an override is sought when you attempt to save the agreement.

Specifying an Internal GL as the Account

If a branch has been maintained as a customer of your bank, and you are specifying an internal GL of the branch as the account for the agreement, you can choose the CIF ID of such a branch in the Customer field, and the requisite GL in this field. Such agreements would be validated for whenever a direct debit transaction is entered with a GL as the account, and the branch CIF ID as the customer of the transaction.

3.21 Maintaining Customer Stations

You can maintain customer station details in the 'Payments & Collection Customer Station Maintenance' screen. You can invoke this screen by typing 'PCDCUSST' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

First of all, you must choose the Source for which you are maintaining Station details.

Source Code

Identify the Station you are maintaining with a unique code.

Station Identification

Specify a unique id for the station you have chosen.

Description

Give a small description for the station you are maintaining.

Restricted Station

The station provides restricted access to specific customers and accounts, and if so the list of customers and accounts.

Allow General Ledger

You would like to allow access to a GL from the station.

If you have opted to restrict access to a station to specific customers, you must identify the customers. You must also identify the account(s) that the customer can access from the station.

Allowed Customer/Accounts details**Customer**

System displays the customer who is allowed for the station maintenance.

Customer Name

System displays the customer name that is allowed for the station maintenance.

Branch

System displays the branch that is allowed for the station maintenance.

Account

System displays the account details that are allowed for the station maintenance.

Currency

System displays the currency details of the transaction that is allowed for the station maintenance.

3.22 Maintaining Product Categories

You can associate the products that you have maintained at your bank with 'product categories'. A product category helps in identifying the product that should be used to process a transaction that is received.

You can maintain product categories in the 'Payments Product Categories Maintenance' screen. You can invoke this screen by typing 'PCDPDCAT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Product Category

Identify the Product Category that you maintain with a unique code and a brief description.

Product Type

You should also specify the product category type. A product category can be of either of the following types:

- Incoming Payment
- Outgoing Payment
- Outgoing Collection
- Incoming Collection
- Reject of Incoming Collection
- Reject of Outgoing Collection
- Recall of Incoming Collection
- Recall of Outgoing Collection
- Outgoing Request for Debit
- Incoming Request for Debit
- Reverse of Outgoing collection
- Reverse of Incoming collection

Category Description

Give a brief description of the product here.

Transfer Type

Select the type of transfers that can be processed from the drop-down list. Following are the option available in the drop-down list:

- Bank Transfers
- Customer Transfers
- Internal Transfer

Only bank transfer types of products can be mapped to product categories defined for bank transfers. Book transfer products cannot be mapped to product categories defined for bank transfers.

Similarly, only customer transfer types of outgoing payment products can be mapped to product categories defined for customer transfers.

Bank transfer is allowed for outgoing payment type of products only. EXTERNAL clearing is permitted for such products. However, BOOK and INTERNAL clearings are not permitted.

Collection Type

Specify the collection type of the product category. This could be either:

- DD
- RFD

3.22.1 Main Tab

The screenshot shows the 'Payments & Collections Product Category' window with the 'Main' tab selected. The window has a title bar with a minus, maximize, and close button. Below the title bar is a 'New' button. The main area contains several input fields: 'Product Category*' (text), 'Category Description' (text with a help icon), 'Product Type' (dropdown), 'Transfer Type' (dropdown set to 'Customer Transfer'), and 'Collection Type' (dropdown). Below these fields is a tabbed interface with 'Main', 'Detail', 'Clearing', and 'Fields' tabs. The 'Main' tab is active and shows a list of categories with checkboxes and icons: 'Offset Category', 'Recall Category', 'Reject Category', 'Approval Category', 'Redispatch Category', and 'Reverse Category'. Below this is a 'Book Transfer' section with a table. The table has columns for 'Product', 'Currency', and 'Description'. The 'Product' column has a search icon. At the bottom of the window is a status bar with buttons for 'Offset', 'Reject', 'Recall', 'Approval', 'Redispatch', 'Reverse', 'Network', 'Duplication', 'UDF Details', and 'Rule'. Below these buttons are labels for 'Input By Date Time', 'Authorized By Date Time', and 'Modification Number'. There are also checkboxes for 'Authorized' and 'Open', and an 'Exit' button.

Once you have maintained these basic details, you can proceed to associate products that have been created at your bank with the category. For a product category, you have to identify products for the following types of processing:

- Book Transfers
- Internal Clearing
- External Clearing

For internal and external clearing, you also have to specify the sequence in which the products should be taken up for product resolution.

An outgoing transfer includes information about the outgoing product category. When this transaction is received, Oracle FLEXCUBE resolves the product to be used for processing as follows:

Case One

- The outgoing product category maintenance is referred.
 - If a book transfer, the system picks up the outgoing book transfer product specified here (the customer leg is processed using this product) along with the product clearing currency. You can capture multiple products for a book transfer.
 - The Incoming Product Category specified for the outgoing product is picked up.
 - The Incoming Product Category maintenance is referred and the product which corresponds to the incoming transaction within this product category is picked up. The counterparty leg of the transaction is processed using this product.

Case Two

- The outgoing product category maintenance is referred.
 - If the transaction does not fit the specifications of the book transfer product, the system tries to fit the transaction in the list of internal clearing products you have maintained (in the sequence you have specified).
 - If the transaction fits the parameters defined for an internal clearing product, the transaction is processed using the product.

Case Three

- The outgoing product category maintenance is referred.
 - If the transaction does not fit the specifications defined for any internal clearing product, the system tries to match the transaction with the external clearing products you have specified for the product category (in the sequence you have specified).
 - The transaction is then processed using the first product in the list of external clearing product whose parameters match that of the transaction.

Offset Category

As stated earlier, a book transfer is the movement of funds between two accounts within the bank. Thus while processing an outgoing book transfer the system will also need to process the incoming leg of the book transfer. It would resolve the incoming product using the offset category specified adjacent to the book transfer product in the Product Category maintenance.

Similarly while processing transactions belonging to an incoming collection product category; it is necessary to maintain the reject, recall or approval product categories. In such a case, while rejecting an incoming collection transaction the system generates a 'reject' of an incoming transaction automatically using the offset Reject Category. For incoming transactions resulting in a recall or approval the system resolves a recall or approval product using the product category specified therein.

You need to maintain the offset categories for the different product categories as follows:

Table of Offset Categories for Direct Debit	
Product Category	Offset Product Category

Outgoing Collection category for DD	Incoming Collection category DD
Incoming Collection category DD	Incoming Reject category DD Incoming Recall category DD
Reject of Incoming Category DD	Reject of Outgoing Category DD
Recall of Incoming Category DD	Recall of Outgoing Category DD
Product Category	Offset Product Category
Outgoing Collection category for RFD	Incoming Collection category RFD
Incoming Collection category RFD	Incoming Approval category RFD (Outgoing Payment Category) Incoming Reject category RFD
Approval of Incoming Category RFD (Outgoing Payment Category)	Approval of Outgoing Category RFD (Incoming Payment Category)
Reject of Incoming Category RFD	Reject of Outgoing Category RFD
Product Category	Offset Product Category
Reject of Incoming payments	Reject of Outgoing payments

Reject Category

For collection transactions for this product category that are rejected, the reject product category needs to be specified. This is not applicable for Reject of Incoming payment, Reject of outgoing payment, Reverse of Outgoing collection, and Reverse of Incoming Collection.

Recall Category

For collection transactions for this product category that are recalled, the recall product category needs to be specified. This is applicable to Direct Debit collections only.

This is not applicable for Reject of Incoming payment, Reject of outgoing payment, Reverse of Outgoing collection, and Reverse of Incoming Collection.

Apart from specifying the different clearing products, you can specify certain preferences for a product category. The preferences you specify for a category determine the manner in which transactions are ultimately processed. The following are the preferences that you can specify for a product category.

Approval Category

Select the approval category from the option list. The corresponding description is displayed. Approval categories are required to approve RFD collections. For incoming collections RFD, outgoing payment is the approval category. Similarly, for outgoing collections RFD, incoming payments are the approval categories.

Redispatch Category

For collection transactions for this product category that are redispached, the redispach product category needs to be specified.

Redispatch is applicable to outgoing collections only.

Reverse Category

For Outgoing collections product category you can specify the reverse product category from the option list.

3.22.2 Detail Tab

The screenshot shows the 'Payments & Collections Product Category' window with the 'Detail' tab selected. The window is divided into several sections for data entry:

- Product Category:** Includes fields for 'Product Category *', 'Category Description', and 'Product Type'.
- Transfer Type:** A dropdown menu set to 'Customer Transfer'.
- Collection Type:** A dropdown menu.
- Counterparty Name:** Includes a 'Mandatory' checkbox, 'Maximum Length', and 'Character Set *' (set to 'SWIFT').
- Name Address:** Includes a 'Maximum Length' field.
- Default Customer Account:** Includes 'Default Account type', 'Branch', 'Account Number', and 'Currency'.
- Unsettled Customer Account:** Includes 'Unsettled AC Type', 'Currency', 'Branch', and 'Account Number'.
- Automatic User Reference Generation:** Includes 'Auto Custom Reference' checkbox and 'Customer Reference Sequence Code'.
- Rekey:** A list of checkboxes for fields to be rekeyed: Required, Customer Account, Amount, Counterparty Bank, Counterparty Account, Counterparty Name, Activation Date, Exchange Rate, and Currency.
- Duplication Recognition:** A list of checkboxes for fields to be recognized: Required, Source, Station Id, Source Ref, Customer Account, Amount, Counterparty Bank, Counterparty Account, Counterparty Name, and Activation Date.
- Contract:** Includes 'Response Days', 'Archival Days *', and 'Purge Days *'.
- Learning Database:** Includes 'Applicable' (set to 'Not Applicable') and 'Purge Days'.

At the bottom, there is a navigation bar with buttons: Offset, Reject, Recall, Approval, Redispach, Reverse, Network, Duplication, UDF Details, and Rule. Below this is a status bar with 'Input By Date Time', 'Authorized By Date Time', 'Modification Number', and checkboxes for 'Authorized' and 'Open'. An 'Exit' button is located in the bottom right corner.

Counterparty Name

Mandatory

For instance, you can specify if transactions processed under a product should contain the Counterparty Name.

Maximum Length

If you choose this option, you can also specify the maximum length of that the name can extend to.

Character set

You can specify if the characters must adhere to Non- Swift standards.

Maximum Length

If you choose this option, you can also specify the maximum length of the character set can extend to.

Default Customer Account

Default A/C type

For the product category, you can specify the default customer account to be used for payments or collection transactions. This account will be defaulted (in the Transaction Input screen) when you enter a payments or collection transaction involving the product category, and it cannot be changed.

Default account type indicate the type of account that will be defaulted when an incoming collection is received. The default customer maintained in the product category will be picked up and the transaction will be processed.

Account No

Specify the account number of the default customer account. The currency and the branch is displayed.

Automatic User Ref No. Generation

Auto Custom Ref. No.

You can specify whether custom reference numbers must be automatically generated for payments or collection contracts using the product.

Custom Ref. Seq. Code

You can specify the custom code to be used for sequential reference number generation.

The format specified for the selected sequence code in the Sequence Generation maintenance (in the Branch Parameters) is used to generate the custom reference numbers.

For details about the Sequence Generation screen, refer to the Core Services User Manual.

Re-Key

Required

You can specify the values of a contract that have to be rekeyed when authorizing it.

All operations on a contract have to be authorized as follows:

- By a user other than the one who carried out the operation
- Before you can begin the End of Day operations

As a cross-checking mechanism to ensure that you are invoking the right contract for authorization, you can specify that the values of certain fields should be entered before the other details are displayed. The complete details of the contract will be displayed only after the values to these fields are entered. This is called the re-key option. The fields for which the values have to be given are called the re-key fields.

If no re-key fields have been defined, the details of the contract will be displayed immediately after the authorizer calls the contract for authorization.

The re-key option also serves as a means of ensuring the accuracy of inputs.

Fields

You can specify any or all of the following as re-key fields:

- Customer Account
- Activation Date
- Amount
- Counterparty Bank
- Counterparty Account
- Counterparty Name

- Exchange Rate
- Currency

Duplication Recognition

Required

You can ensure that the same transaction is not taken up a second time for processing by opting for the Duplicate Recognition – Required feature. If you choose this option, you also have to specify the fields in a transaction that need to be matched with records in the transaction table for duplication.

For duplicate recognition, you can choose any of the following fields listed below:

Fields

- Source
- Station Id
- Source Ret
- Customer Account
- Amount
- Counter Party Bank
- Counterparty Account
- Counterparty Name

If you have opted for Duplicate Recognition, during transaction processing, Oracle FLEXCUBE provides an override message if it finds a matching record in the transaction table. Deleted or reversed transactions will not be considered for Duplicate Recognition.

Note

You can specify additional fields for duplicate record recognition in the ‘Duplicate Recognition – User Defined Fields’ screen.

Validate Customer Name

While maintaining Product Categories meant for Incoming Payments you can indicate whether the Counterparty Name should be validated against the authorized variations of the customer’s name maintained in the Customer Names screen. If you enable this option, all incoming PC transactions involving the product category are processed only after the customer’s Account Number and Name correspond to the authorized variations of the customer’s name.

Note

If the validation fails the contract will be uploaded as unauthorized. Even during manual authorization of such contracts, an override is displayed asking whether the customer name needs to be added to the existing list. It will be added to the existing list on confirming the override.

Contract details

Response Days

As mentioned earlier, an RFD transaction, if not approved within the response period is considered closed. You can specify the number of response days applicable to contracts using the product category.

Archival Days

You can also maintain the number of days for archival of transactions using the product category.

Purge Days

You can also maintain the number of days for purging the transactions using the product category.

Learning Database details

Applicable

While maintaining details of a product category you can choose to check the Applicable box positioned next to the Learning Database field to indicate that the UDF details that you capture while processing a payment or collection contract should be stored in the Learning Database.

Consequently, while processing a transaction involving the product category the UDF values involved in the transaction will be saved in the learning database for the given Counterparty Bank and Account Number combination.

3.22.3 Clearing Tab

The screenshot displays the 'Payments & Collections Product Category' window with the 'Clearing' tab selected. The window is divided into several sections. At the top, there are input fields for 'Product Category', 'Category Description', and 'Product Type'. To the right, there are dropdown menus for 'Transfer Type' (set to 'Customer Transfer') and 'Collection Type'. Below these fields is a tabbed interface with 'Main', 'Detail', 'Clearing', and 'Fields' tabs. The 'Clearing' tab is active, showing two tables: 'Internal Clearing' and 'External Clearing'. Each table has columns for 'Product', 'Sequence Number', and 'Description'. Below the tables, there is a row of buttons: 'Offset', 'Reject', 'Recall', 'Approval', 'Redispatch', 'Reverse', 'Network', 'Duplication', 'UDF Details', and 'Rule'. At the bottom of the window, there are fields for 'Input By', 'Authorized By', and 'Modification Number', along with checkboxes for 'Authorized' and 'Open', and an 'Exit' button.

You can specify the following details:

3.22.3.1 Specifying Internal Clearing details

Product

Specify the product details.

Sequence Number

Specify the sequence number.

Description

The system will display the description for the selected product.

3.22.3.2 Specifying External Clearing details**Product**

Specify the product details.

Sequence Number

Specify the sequence number.

Description

The system will display the description for the selected product.

3.22.4 Associating User Defined Fields with a Product Category

While defining a product category you can choose to associate UDF Values to the product category through the Product Category - User Defined Fields sub-screen.

You can choose to associate UDF Values with a product category to capture additional information, which should be included in the payment or collection contract. This information can pertain to the inclusion of option lists, Numeric Text based or Date fields in the payments contract.

For the system to validate the correctness of the data captured against the user defined fields during contract processing, you can choose to maintain the following information as well:

- Compose Derivation Rules, whereby you can capture the logical derivation for the specified user defined fields. These rules will be executed during contract processing.
- Define Validation Rule(s). Validation rules are multiple conditions for validating the UDF values that you capture while processing a transaction. The validation that the system needs to perform can pertain to the length of the field, whether the field is a mandatory field and the value restriction of the field and so on.

Click Fields tab in the 'Product Category Maintenance' screen to invoke the 'PC – UDF' screen.

You need to define the specific attribute of each UDF that you choose to associate with the product category.

Refer the Creating Custom Fields Chapter in the Core Services User Manual for details.

After you capture the derivation logic, specify whether it is mandatory for the system to capture the corresponding value based on the derivation logic that you have maintained. You can do this by checking the box positioned next to the Force Derivation Logic field.

To specify the multiple conditions for validating the UDF values that you capture while processing a transaction you can click on the Rule button in this screen.

The Validation Rule Logic screen is displayed as shown below:

The screenshot shows a window titled "Rule" with a sub-header "UDF Field Rule". Below the header is a table with the following columns: "Rule Number", "Condition", "Return Type", "Result", and "Error Message". The "Return Type" column has a dropdown menu set to "True", and the "Result" column has a dropdown menu set to "Error". There are "Ok" and "Exit" buttons at the bottom right of the window.

Rule Number	Condition	Return Type	Result	Error Message
		True	Error	

During contract processing the system validates the check-digit against each of these validations.

3.22.5 Maintaining a Learning Database

The learning database facility enables the system to intuitively 'learn' about customers and the counterparties that are involved in payments or collection transactions that use a product category. These transaction details are stored in the learning database, to enable defaulting of transaction details whenever transactions are entered for the same customer, counterparty and product category combination.

You can also:

- Manually create a learning database according to your requirement, by entering the details to be stored, in the Learning Database Counterparty Details screen.
- Upload details from an external system into the learning database.

3.23 Creating the Learning Database

You can create a custom learning database by specifying details in the Learning Database Counterparty Details screen.

You can invoke this 'Counter Party Details' screen by typing 'PCDPTYDM' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

You must specify the following details:

- The product category for which the data is being maintained
- The Creditor ID of the customer for whom the database is being maintained
- The ID of the agreement in the context of which the learning database is to be used
- Details of the customer, such as the name and address, Customer Number and Account Number, as well as any user defined fields for customer information.
- The customer identification details like identification type, identification value, other identification type, issuer, city of birth, country of birth.
- OLE_LINK6OLE_LINK5Details of the counterparty, such as the name and address, Account Number and Bank Code, as well as any user defined fields for counterparty information.
- The counterparty identification details like identification type, identification value, other identification type, issuer, city of birth, country of birth.
- The user defined fields applicable for the product category in which the learning database would be used.

3.24 Defining User Defined Fields for Account Statements

The 'User Defined Fields Maintenance' screen in the Payments and Collections module allows you to define fields that you wish to appear in the account statements as well as the list of values for the user defined fields that need to appear in the statements. You can invoke

this screen by typing 'PCDUDMNT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

In the 'User Defined Fields Maintenance' screen, you specify the following details for each user defined field you create:

Description

Field Number

Specify the identification number.

Field Description

Specify the description of the field,

Data Type

Date Type

Specify whether the field is alphanumeric, numeric, or a date, or an integer.

Date Mask

If you specify a date field, you can indicate a format for the date to be displayed.

Character Set

Specify whether the values for the field should only contain Non SWIFT compatible characters.

3.25 Specifying UDF Details

In the 'User Defined LOV Maintenance' screen, you can specify a list of values applicable for a user defined field that you have created. Each list can be identified by an LOV Code and

description. You can invoke this screen by typing 'PCDLUPMT' in the field at the top right corner of the Application tool bar and click the adjoining arrow button.

List of Values Code

Specify the code for the list of values.

Description

Specify the description of the code.

3.26 Specifying Fields to be Included in Account Statements

You can specify the fields that should be included in the account statements that you generate. You can do this in the 'Account Statement Fields' screen, invoked from the

Application Browser by typing 'PCDACSMT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Payments & Collections Account Statement Field Maintenance

New Enter Query

Account Statement Fields

Product Type *

Description

Product Code *

Description

Fields

Field Number *	Field Name	Field Description
<input type="text"/>	<input type="text"/>	

Fields

Input By
Date Time

Authorized By
Date Time

Modification
Number

☐ Authorized

☐ Open

You need to specify the product type and the product code before specifying the fields. You can specify a maximum of fifteen fields for an account statement. In this screen, you must also specify the sequence in which the fields must be printed.

3.26.1 Clearing Network Restrictions for Local Payment

You can define and associate the Clearing Network Restrictions at the product category level in the product category through the 'Product Category – Clearing Network Restrictions' sub-screen.

Click 'Network' button in the 'PC Product Category Maintenance' to invoke the 'Clearing Network Restrictions' screen, where you can define the clearing network restrictions for a Product Category.

3.26.1.1 Specifying Clearing Network Details

You can maintain an 'allowed' or 'disallowed' list of networks. The available networks are displayed in the Available list, from where you can select the required networks and move them to the Allowed / Disallowed section.

When a product category is defined the system validates that the network specified for the External Clearing Products linked to the Product Category are allowed for the Product Category also.

Also during modification of an existing Product with Clearing Mode as "External Clearing" the system validates that the Network being linked to the Product is not disallowed for any of the existing Product Categories which would have been already linked to the Product.

The Bank Codes linked to the available clearing networks are displayed in PC Contract Online screen and PC Fast Input Screen for the Product Category. The displayed bank codes list sequence is driven by the way of you navigate through the Contract Online screen:

After entering the product category details, if you proceed to the bank code without entering the product code and network, the entire list of bank codes used by that product is displayed.

If you enter the product code after entering the product category details, then:

- If the Product is Book Transfer Type, the network field is blank. The Book Transfer Type of Bank Codes from the PC Bank Directory is displayed in the list of Bank Codes from the PC Bank Directory.
- If the specified Product is internal type, the network field is blank. The entire list of bank codes used by that Product is displayed.
- If the product is of the type external, the default network chosen in the product preference screen is displayed. Only those bank codes using this network are displayed.

On entering the product category details, if you click on the Networks option list, then only networks allowed for that product category are displayed, and on selecting the network,

- If you click on the bank code without entering the product code, then only the banks using this network are displayed.
- If the product code is entered, the network defaulting happens as explained.

3.26.1.2 Specifying the Clearing Network Details

Network ID

Select the identification for the network.

Description

The system displays the description of the network as electronic network or clearing.

3.27 Reject Code Maintenance

Collection transactions can be rejected for various reasons – for example, insufficiency of funds in the debtor's account. In such a case, the debtor's bank sends a reject transaction with relevant reject codes to the creditor's bank. The 'Reject Code Maintenance' screen allows you to describe each reject code that you specify. You can invoke this screen by typing 'PCDRJCOD' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Reject Code

Specify the reject code for the rejected transaction here.

Description

You can give a small description for the reject code you have specified.

Network ID

Specify the network ID.

Error Type

Select the type of reject code values from the drop-down list. Following are the options available in the option list:

- Error

- Reschedule

Verify Funds

A collection transaction, which has been rejected, is redispached only if the reject reason is 'insufficiency of funds' and if the 'Verify Funds' box is checked.

ISO reject codes for SEPA transactions can be maintained in the system using the PC – Reject Code screen and the data is also factory shipped.

The following Reject Codes are factory shipped:

ISO Code	ISO Name	SEPA Reasons
AC01	IncorrectAccountNumber	Account identifier invalid (i.e. invalid IBAN or account number does not exist)
AC04	ClosedAccountNumber	Account closed
AC06	BlockedAccount	Account blocked, reason not specified
AG01	TransactionForbidden	Credit transfer or Direct Debit forbidden on this type of account (For example, savings account) or for regulatory reasons
AG02	InvalidBankOperationCode	Operation/ Transaction code incorrect, invalid file format
AM01	ZeroAmount	AOS
AM02	NotAllowedAmount	AOS
AM03	NotAllowedCurrency	AOS
AM04	InsufficientFunds	Insufficient Funds
AM05	Duplication	Duplicate collection Duplicate Entry
AM06	TooLowAmount	AOS
AM07	BlockedAmount	AOS
AM09	WrongAmount	AOS
AM10	InvalidControlSum	AOS
BE01	InconsistentWithEndCustomer	AOS
BE04	Missing Creditor Address	Account address invalid
BE05	UnrecognisedInitiatingParty	AOS
BE06	UnknownEndCustomer	AOS
BE07	MissingDebtorAddress	AOS
DT01	InvalidDate	AOS

ED01	CorrespondentBankNotPossible	AOS
ED03	BalanceInfoRequested	AOS
MD01	NoMandate	No valid mandate Account blocked for direct debit by the debtor
MD02	MissingMandatoryInformation-InMandate	Mandate Data missing or incorrect Account blocked for direct debit by the debtor
MD03	InvalidFileFormatForOther-ReasonThanGroupingIndicator	Operation/ Transaction code incorrect, invalid file format
MD04	InvalidFileFormatFor-GroupingIndicator	AOS
MD06	RefundRequestByEndCustomer	Disputed Authorized transaction
MD07	EndCustomerDeceased	Beneficiary/ Debtor deceased
MS02	NotSpecifiedReasonCustomer-Generated	By order of the Beneficiary
MS03	NotSpecifiedReasonAgent-Generated	Reason not specified
NARR	Narrative	AOS
RC01	BankIdentifierIncorrect	Bank Identifier Incorrect
RF01	NotUniqueTransactionReference	AOS
TM01	CutOffTime	File received after cut-off time
ED05	SettlementFailed	AOS
RR01	-	Regulatory reason Usage Rule: To be specified in 'Proprietary' of 'Return Reason', using the code 'RR01'.

3.28 Maintaining Debtor Customer Categories

Debtor categories are used to define preferences for a group of debtors rather than for each debtor. For instance, a creditor might wish to allow a longer recall period to debtors of a certain category.

The 'Payments & Collection Debtor Categories Maintenance' screen allows you to define such debtor categories. This information is picked up while capturing customer agreement

details. You can invoke this screen by typing 'PCDDCCAT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Fields	
Maker	Date Time:
Checker	Date Time:
Mod No	Record Status
	Authorization Status

Debtor Customer Category

Specify the Debtor Customer Category code here.

Description

Enter a small description of the Debtor Customer Category you have entered.

3.29 Defining Preferences for a Combination of a Product and a Debtor Category

The 'Payments And Collections Debtor Preferences Maintenance' screen allows you to define the preferences for a debtor category created by you. You can invoke this screen by typing

'PCDPRCAT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Payments And Collections Debtor Preferences Maintenance

New Enter Query

Products

Product Code *
Debtor Category
Product Description
Description

Preferences

Maximum Transaction Amount
Currency
Recall Days
Recall Days Basis
Date Basis

Fields

Maker	Date Time:
Checker	Date Time:
Mod No	Record Status
	Authorization Status

Exit

3.29.0.1 Specifying Product details

Product

Select the product from the list of options available.

You define a product, the maximum amount for each transaction, the number of recall days and the basis (working days or calendar days) for computing recall days.

Debtor Category

Select the debtor category from the list of options available.

3.29.0.2 Specifying Preferences

Maximum Transaction Amount

Specify the maximum amount that can be used for a transaction. The currency for this amount will be defaulted as the product currency.

Recall Days

Specify the number of recall days here.

Recall Days Basis

Select the basis for computing the recall days, whether it has to be working days or calendar days.

Recall Date Basis

Select the basis for computing the recall dates, whether it has to be working days or calendar days.

3.30 Maintaining Details for Periodic Instructions

Your bank could process outgoing payments or collections that need to be initiated periodically, at pre-defined frequencies.

Oracle FLEXCUBE facilitates maintenance of details for such periodic payments or collections. A batch process that is executed during the Beginning of Day processes generates periodic transactions for which details have been maintained.

You can maintain details of periodic payment or collection transactions in the 'Periodic Instruction Maintenance' screen, which you can invoke from the application browser. You must maintain basic details such as the product category, product code, customer and counterparty details, transaction amount and user-defined fields. You can invoke this screen by typing 'PCDINSTM' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Periodic Instruction Maintenance

New Enter Query

Customer Details Counterparty Details Periodicity Fields

Product Category *
Instruction Reference Number
Product Code

Customer Address
Clearing Branch
Account Branch
Customer Account
Currency

Customer Information
Customer Information 1
Customer Information 2
Customer Information 3
Customer Information 4
Customer Reference

Customer Id Details
Source Code *
Station ID *
Customer Identification
Id
Type
Issuer
City of Birth
Country of Birth
Country

Fields
Maker
Checker
Date Time
Mod No
Record Status
Authorization Status

Exit

In the Periodic Instruction Maintenance screen, you can capture the following details for periodic payment or collection transactions:

Product Category

View the product category that would be used to pick up default information for the periodic outgoing payment or collection. The product to be used for the transaction will be picked up from this information. You can only indicate an outgoing product category.

Instruction Reference Number

This is the system-assigned reference number of the periodic instruction.

Product Code

It is not mandatory that you indicate the outgoing payment or collection product to be used for the periodic outgoing transaction, since the system picks up this information from the outgoing product category specified. However, you can specify the product, if required; if you choose to do so, you can only choose a product belonging to the same product type as the product category that you specified. Based on the product code, the system will default the currency code linked to this product in the 'Txn CCY' field. Alternately, the system can also arrive at the product code based on the currency specified in the 'Txn CCY' field.

Customer Details

Clearing Branch

Specify the clearing branch where the amount is getting cleared.

Customer Account Branch

Specify in which branch a customer is holding an account.

Customer Account Currency

Select the currency for the customer account in which it is maintained.

Customer Account Number

If you choose to specify the customer account, the name and number will be displayed when you save the contract. You must enter a valid customer account maintained in Oracle FLEXCUBE in this field, or a GL for which posting is allowed. If you use the option list available in this field, the customer number and name will be displayed instantly.

Customer Number

System defaults the customer number when you select the customer account number.

Name

System defaults the customer name when you select the customer account number.

Bank Code

Specify the code for the bank that is used in the clearing activity.

Account Local Clearing Format

Specify the local format used in the clearing the amount.

Customer Information

Customer Information 1 2 3 and 4

If you need to specify other information regarding the customer of the transaction, free format 35-character text fields are provided, with appropriate labels applicable for your installation. You can specify the customer information in these fields.

Customer Reference

Specify the reference number to identify a customer.

Source Code

System displays the source code when you provide the customer reference and information.

Station Identification

System displays the identification number of the station when you specify the customer information and reference numbers.

Creditor Identification

Specify the identification number of the creditor.

Agreement Identification

Specify the identification number to identify an agreement.

Customer Address

Address Line 1, 2, 3, 4 and 5

Specify the address of a customer in the lines 1, 2, 3, 4 and 5.

Customer Identification details

Identification

Select the option to identify the customer either by Organization details or by Individual person details. The options available in the drop-down list are Organization and Private.

Identification Type

Select the identification type of the Customer from the option list available. This is mandatory only if Identification is specified.

Identification Value

Specify the identification value for the Customer for the given identification type. This is mandatory only if the Identification type is specified.

Other Identification Type

Specify the type of the other identification specified for the customer. This is mandatory for Private identification details.

Issuer

Specify the issuer of the customer. This is used to identify if the Organization identification is used as Proprietary Identification or Private Identification

City of Birth

Specify the city of birth of the customer. This is enabled and is mandatory if you have selected identification type as 'Date and Place of birth'.

Customer Country of Birth

Select the country of birth of the customer from the option list. This is enabled and is mandatory if you have selected the identification type as 'Date and place of birth'.

Country

Specify the country of residence of the customer. This adjoining option list displays all valid country codes maintained in the system. You can choose the appropriate one.

Note

The country information is captured to enable Mantas to analyse the transactions for possible money laundering activities.

Oracle FLEXCUBE supports 24x7 functionality for PC periodic instruction.

For more details on Mantas, refer 'Mantas' interface document.

3.30.1 Counterparty Tab

The counterparty details are defaulted on selection of counterparty account number, if the counterparty identification details are maintained in PC Beneficiary Maintenance screen.

Identification

Select the option to identify the counterparty either by Organization details or by Individual person details. The options available in the drop-down list are Organization Identification and Private Identification.

Identification Type

Select the identification type of the Counterparty from the option list available. This is mandatory only if Identification is specified.

Identification Value

Specify the identification value for the counterparty for the given identification type. This is mandatory only if the Identification type is specified.

Issuer

Specify the Identification Issuer of the counterparty. This is used to identify if Organization identification is used as Proprietary Identification or Private Identification.

Other Identification Type

Specify the type of the other identification specified for the counterparty. This is mandatory for Private identification details.

City of Birth

Specify the city of birth of the counterparty. This is enabled and is mandatory if you have selected identification type as 'Date and Place of birth'.

Country of Birth

Select the country of birth of the counterparty from the option list. This is enabled and is mandatory if you have selected the identification type as 'Date and place of birth'.

Country

Specify the country of residence of the counter party. This adjoining option list displays all valid country codes maintained in the system. You can choose the appropriate one.

Note

The country information is captured to enable Mantas to analyse the transactions for possible money laundering activities.

For more details on Mantas, refer 'Mantas' interface document.

Multiple Dr/Cr Account for Periodic Instruction

To specify the multiple debit/credit account for Outgoing Payment or Outgoing Collection PC category types, with facility to specify MIS for each of the leg, you can click the 'S' button provided in the Periodic Instruction Maintenance which facilitates capturing the 'Split Details' screen as shown below. This button is enabled for Outgoing Payments and Outgoing Collection type of PC Product Categories.

The sum total of all debits/ credits is defaulted to the total transaction provided in the Split Details, and the MIS details can also be provided.

Split Details**Serial Number**

Specify the serial number to know the order of the preference.

Branch

Specify the branch where the split details are stored.

Account Number

You can specify the multiple debit/credit accounts for Outgoing Payments and Outgoing Collection Type of PC Product Categories.

Amount

You can specify the amount for each of the debit / credit accounts you have specified. The sum of amounts specified for all the accounts must be equal to the transaction amount.

CCY

Specify the currency used in the split process.

MIS

Click this button to capture MIS parameters.

Total Amount

Specify the total amount that is used in the split process.

Note

Note the following:

- Split of debit / credit amount is allowed only when currency is local currency and debit/credit accounts are GL's.
 - In case of Multiple debit's/credit's, the first account is defaulted as the Customer Account in the 'Periodic Instruction' screen.
 - During generation of Outgoing Payment/Collection the multiple accounts would be debited/credited depending upon the instruction maintenance.
 - You can only select a local currency account for periodic instructions.
-

Customer No. and Name

If you opted to specify the customer account, the name and number will be displayed when you save the contract. If you selected the customer account using the option list available in the customer account field, these fields will display the customer name and number respectively.

Clearing Branch

The clearing branch for the specified customer bank code is displayed in this field.

Customer Bank Code and Account (LCF)

You can input the bank code and the account in LCF (local clearing format; this is the clearing account number) for the transaction.

Customer Address

You can specify the address of the customer involved in the contract. You can specify up to five lines of address information.

Customer Information

If you need to specify other information regarding the customer of the transaction, free format text fields are provided, with appropriate labels applicable for your installation. You can specify the customer information in these fields.

Specifying Counter Party details**Counterparty Bank**

Select a valid bank code maintained in Oracle FLEXCUBE. If you select a code from the option list, the bank name is displayed instantly. If you choose to enter the code, the name of the bank is displayed when you save the transaction.

Counterparty Account

You can specify the account of the counterparty here. In case of internal transfers, the account needs to be a valid account of Oracle FLEXCUBE either in Oracle FLEXCUBE or in the Local Clearing Format. You can also select an account number from the option list provided. In such a case, the system will default the name and the address lines and counterparty information fields as maintained for that account. If at the time of selecting

Counterparty Account, Bank Code is null, then the Bank Code and Name will also appear by default.

Counterparty Name

You can enter the name of the counterparty.

Counterparty Address

You can specify the address of the counterparty involved in the contract. You can specify up to five lines of address information.

Counterparty Information

If you need to specify other information regarding the counterparty of the transaction, free format 35-character text fields are provided, with appropriate labels applicable for your installation. You can specify the counterparty information in these fields.

Note

The country information is captured to enable Mantas to analyse the transactions for possible money laundering activities.

For more details on Mantas, refer 'Mantas' interface document.

Specifying Transaction Details

Txn CCY

Enter the currency for the transaction. You can click on the adjoining option list to choose from a list of valid currency codes maintained in the system. Input to this field is mandatory. If the product code is input, then the system will display the currency linked to the product in this field. You will not be able to change the defaulted value.

Actual Amount

Specify the actual transaction amount in local currency.

Remarks

Specify any requisite narrative regarding the transaction that is to be generated.

Charge Mode

You can indicate whether charges applicable for the transaction are to be applied over and above the transaction amount (premium) or subtracted from the transaction amount (discount).

3.30.2 Periodicity Tab

You can capture the following details:

First Generation Date

Specify the date of first generation of the transaction. This date would be the activation date for the transaction.

Next Generation Date

When you first maintain periodic instructions for an outgoing collection transaction, the next generation date is considered by default to be the same as the first generation date that you specified.

End Date

You can specify an end date for generation of transactions for the instruction.

Holiday Exception

Indicate whether generation of transactions must be rolled forward when the generation date falls on a currency holiday. If you check this box, the system will check transaction value dates against the currency calendar of the transaction currency.

Frequency

You must specify the frequency of generation of the instruction, in terms of:

- Days
- Months
- Years

Month End Flag

In addition, you can indicate that the transactions must be generated on the month-end day.

Specifying Consolidation Details**Consolidation**

This indicates if the customer leg of the transaction needs to be consolidated. In case the customer account is in a foreign currency, you cannot opt for consolidation.

Consolidation Reference

If a reference is provided by the customer for the consolidation of the customer leg, you must capture the same.

Specifying Other Details**Generate Advice**

You can indicate whether a customer advice needs to be generated for the contract. If you do not specify this, after product resolution, the transaction acquires the specification defined for the product.

Response Advice Basis

Specify whether the response advice for the collection transaction is to be generated on the event date or the response date. By default, the system picks up this specification from the customer agreement.

Redispatch Reqd

Indicate if this outgoing collection transaction needs to be redispatched if rejected.

Debtor Category

Specify the debtor category to which the debtor of the transaction belongs. If you do not specify this, the system will use a default value from the customer maintenance (for incoming collections) or creditor DD agreement (for outgoing collections).

Priority

This indicates the priority assigned to the contract in the processing queue. If you do not specify this, after product resolution, the transaction acquires the specification defined for the product.

Split Indicator

This indicates whether the collection transaction has been split into multiple contracts. If it has not been split, this field indicates 'Not Applicable'. If the transaction has been split, this field indicates whether the transaction being viewed is a parent transaction or a child transaction.

Creditor ID

For an Incoming Collection transaction or its reject / recall, mention the Creditor ID.

Agreement ID

For Collection transactions, enter the Creditor or Debtor Agreement ID as applicable.

Source Code

The source of the transaction is displayed here

Station ID

The customer station of the transaction is displayed here

User-defined fields

The user-defined fields are displayed in the UDF screen, which can be accessed using the (UDF) Tab. The fields will be displayed based on the display sequence no defined at the product category level and the label of the field will be shown in the language of the Oracle FLEXCUBE user.

Payment Details

You can indicate any specific details regarding the payment in this section.

Closing periodic instructions

When you close a periodic instruction and subsequently have another user authorize the closure, the instruction ceases to generate any transactions in future.

3.31 Maintaining Details for Dispatch File

You can define the parameters of dispatch files generated from Oracle FLEXCUBE using 'Dispatch File Parameters' (PCDSFPRM) screen.

Dispatch File Parameters

New Enter Query

Dispatch Type * Bank Code *

Service Identification * Customer Account *

Network Code *

Maximum Tracers

Files * Message Bunks * No Of Transactions In Bulk *

Test Mode File Format Type File Path *

Bulk Message File Per Transaction Type

Maker Date Time: Checker Date Time: Mod No Record Status Authorization Status Exit

You can capture the following details here:

Dispatch Type

Specify the type of the dispatch. The drop-down list displays the following details:

- Network – If you choose this, you must specify the clearing network code. The system will default the Bank Code and the Customer Number as 'ALL'.
- Bank Code - If you choose this, you must specify the bank code. The system will default the Clearing Network and the Customer Number as 'ALL'.
- Customer - If you choose this, you must specify the customer number. The system will default the Bank Code and the Clearing Network as 'ALL'.
- ALL – If you choose this, the system will generate XML files for all customers.

Choose the appropriate one.

Service Identifier

Specify the service type as of the clearing network. The dropdown list displays the following details:

- SCT
- SDD

Choose the appropriate one.

Clearing Network

Specify the clearing network for which the dispatch file parameters are maintained. The option list displays all valid clearing networks maintained in the system. Choose the appropriate one.

Bank Code

Specify the direct or the indirect participant bank code for which the dispatch file parameters are maintained.

Customer Number

Specify the customer number for whom the file parameters are maintained.

Test Mode

Specify the test or production mode for the clearing network. If you have chosen dispatch type as 'Network', you must specify the test mode.

File Format Type

Specify the format of the file. The supported file format is XML.

File Path

Specify the path to locate the file.

Bulk Message

Check this option to indicate that the message bulk should be created with many transactions.

Maximum No of Files

Specify the maximum number of files that can be sent to the clearing network in one settlement cycle.

Maximum No of Message Bulks

Specify the maximum number of message bulks in a file.

Maximum No of Transaction

Specify the maximum number of transactions that can be bulked in a message bulk.

File Per Transaction Type

Check this option to create dispatch files with message bulks of each of the transaction types. If you do not check this option, the file is created with the following transaction types in the same order:

- SCT
 - Credit Transfer Message Bulk (pacs.008)
 - Payment Return (pacs.004)
- SDD
 - Direct Debit Instructions (pacs.008)
 - Rejects (pacs.002)
 - Reversals (pacs.007)
 - Return/Refunds (pacs.004)

If this option is selected then the one file is created for each transaction type.

You can view a summary of dispatch file parameters using 'Dispatch File Parameters – Summary' (PCSSFPRM) screen.

The parameters given above are STEP2 clearing system specific to handle SEPA Credit Transfers and SEPA Direct Debits. Files sent to STEP2 clearing system follow the naming conventions given below:

1. File Naming Convention

EEVVSSSSBBBBBBBX...X.Z

Where-

- EE is S2 (STEP2)
- VV is the format version (02 = XML)
- SSS is the three character service identifier, SCT in this case; or SDD

- BBBB BBBB is the BIC (8) of the Direct Participant
- X...X (optional - up to 15 characters) is to be used by the Direct Participant
- Z indicates the type of the file, where: I = ICF (SCT) or I = IDF (SDD)

The STEP2 central system generates files with X...X fields as follows and the same will be done in FLEXCUBE -

YYMMDDHHMMSSNNN, where:

YYMMDDHHMMSS indicates the file creation date and time and NNN an incremental number starting from 000. This is reset to 000 every time the DD (date) is changed.

2. File Size parameters

The STEP 2 clearing system allows a maximum of 500 files in one settlement cycle. Each file can have a maximum of 500 message bulks. System can include 100,000 transactions in each of the message bulks.

Files are generated for customer or bank with the following naming convention.

EEVVSSBBBBBBBX...X

Where -

- EE is PC
- VV is the format version (02 = XML)
- SSS is the three character service identifier, SCT in this case; or SDD
- BBBB BBBB indicate the BIC the processing bank
- X...X (optional - up to 15 characters) is to be used by the Direct Participant
- YYMMDDHHMMSS indicates the file creation date and time. NNN is an incremental number starting from 000. This is reset to 000 every time the DD (date) is changed.

3.32 Processing Incoming Payments

Oracle FLEXCUBE provides the facility of processing incoming payment messages, which are uploaded into Oracle FLEXCUBE and processed as incoming payment transactions in the Payments and Collections module. In order to facilitate such processing for incoming payments, you must:

- Map the requisite product categories in the Payments and Collections module to the requisite message queues to which the incoming payment messages are routed when they are uploaded.
- For different combinations of incoming message type, product category, source code and station ID, maintain mappings between the CPG fields and their corresponding fields in the Payments and Collections module. This enables the STP process to interpret the incoming message and resolve the details into a PC contract in the system.

3.32.1 Mapping Product Categories to Message Queues

To recall, in order to facilitate the processing of incoming payment messages, you must map the requisite product categories in the Payments and Collections module to the requisite message queues to which the incoming payment messages are routed when they are uploaded. You can do this in the 'Product Mapping Detailed' screen. You can invoke this

screen by typing 'MSDPRDMP' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

For each incoming message type, you can indicate the queue to which the messages must be routed, and the Payments and Collection product /product types / instrument type that is to be linked to the queue, to be used to process the resulting incoming payments transaction.

3.32.2 **Mapping SWIFT and Non SWIFT Tags in Incoming Messages to Fields in the Payments and Collection Module**

To recall, in order to facilitate the processing of incoming payment messages, you must maintain mappings between the CPG fields and their corresponding fields in the Payments and Collections module, for different combinations of incoming message type, product category / product / instrument type, source code, station ID and network id. You can do this in the PC Message Mapping screen.

Based on the Product Category / Product / Instrument type chosen the corresponding description will be displayed alongside.

Depending on the status of the instrument being uploaded, the instrument will be uploaded as creation of a new instrument or liquidation of an issued instrument in the system. You can invoke the ' Payments & Collections Message Mapping Maintenance' screen by typing

'PCDMSGMA' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

In the 'Payment Type' select the Payment type from the adjoining option list. Once you select the 'Payment Type' and click 'Default' button, the field mapping for the selected Payment Type is done. However, you can change the field mapping after it is defaulted.

Note

System does not validate the default type and product/product category type.

This mapping enables the STP process to interpret the CPG fields in uploaded incoming payment messages and resolve the tags into a PC contract in the system.

The list of fields supported as a part of the instruments transaction will be factory shipped in the common payments gateways fields' data store.

Example of an Incoming Message resulting in an outgoing RTGS:

{1:F01 RTGPDEFFAXX111111111}

{2:O103 CITIGB21XXXXN}

{3 :{ 103: RTP} {113: LIYN} {108:0211042130840011} {119: STP}}{4:

20:000PRTG033650001

23: CRED

32A:031231EUR1000

57A: AABSDE31

59:/BENAC-12345}

Sender - RTGPDEFF

Amount – 1000

Currency – EUR

Value Date – 31-Dec-2003

AWI - AABSDE31

Beneficiary - BENAC-12345

Incoming Message from a direct participant for passing funds to Non- Addressable Indirect participant

For a truly incoming message, you will need to link tag 57 content to the customer account and sender to the counterparty BIC.

Example of a truly Incoming Message:

{1:F01UBSWGB2LAXXX111111111}

{2:O103 CITIGB21XXXXN}

{3 :{ 103: RTP} {113: LIYN} {108:0211042130840011} {119: STP}}{4:

20:000PRTG033650001

23: CRED

32A:031231EUR1000

57A:AABSDE31

59:/BENAC-12345

-}

Sender - UBSWGB2L

Non-Addressable Indirect Participant – AABSDE31

Amount – 1000

Currency – EUR

Value Date – 31-Dec-2003

Beneficiary - BENAC-12345

For SEPA transactions the mapping between Common Payment Gateway Fields and PC will be as follows:

- SEPA Credit Transfer - CPG-PC mapping -
- SEPA Direct Debits- CPG-PC mapping -

3.32.3 Maintaining the Unsettled Payment Account or GL

Details in regard to maintaining the unsettled Payment Account or GL are explained below.

3.32.3.1 Incoming Payments

Processing an incoming payment message could be aborted due to specific reasons; for instance, the beneficiary of the payment not being resolved. You can ensure that such aborted incoming payments are processed using an unsettled payment account or a GL.

You can specify the requisite unsettled account or GL to be used for processing rejected incoming payments, for each payments product category, in the 'Payments and Collections Product Category Maintenance' screen.

When the aborted transactions are posted to the unsettled GL that you specify, they can be rejected subsequently if communication is received from the customer. Such rejection would generate a corresponding outgoing payment transaction.. The reject category for the rejected transaction can be maintained in the Product Category Maintenance for the incoming payment category.

If you do not specify the unsettled account or GL for a product category, then incoming payments using the product category, which are rejected, will not be processed, and no accounting entries will be posted in respect of them.

3.32.3.2 Incoming Collections

In the case of incoming collections processing could be aborted due to the DD mandate being closed, or posting to the relevant account not being possible, and so on. Such aborted transactions are rejected automatically, and the customer account is replaced by the Unsettle GL Account that you specify in the Product Category maintenance.

Maintaining error codes for automatic rejection

Also, it is possible to maintain a list of errors that would result in rejection of the incoming collection contract and in posting to the Unsettle GL. You can maintain this list in the 'Auto Reject Mapping Maintenance' screen. You can invoke this screen by typing 'PCDERRCD' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'Error Codes' application window. It features a title bar with the text 'Error Codes' and standard window controls (minimize, maximize, close). Below the title bar is a toolbar with 'New' and 'Enter Query' buttons. The main area is titled 'Error Codes' and contains four input fields: 'Error Code *', 'Error Description', 'Reject Code', and 'Reject Reason'. At the bottom, there is a 'Fields' section with labels for 'Maker', 'Checker', 'Mod No', 'Date Time:', 'Record Status', and 'Authorization Status'. An 'Exit' button is located in the bottom right corner.

In this screen, you can map the relevant error codes to the appropriate reject codes. If any of the errors mapped in this screen are encountered in processing, the customer account in the incoming collection would be replaced with the Unsettle GL that you have specified in the Product Category maintenance.

The following error codes can be mapped:

Error Code	Description
PC-BK064	Currency restriction occurred
PC-BK043	Customer account is closed
PC-BK045	Customer account is unauthorized
PC-SAV-024	Customer account has been blocked
PC-SAV-025	Stop Payment has been issued against customer account
PC-SAV-026	No Credit is allowed for the customer account
PC-SAV-027	No Debit is allowed for the customer account

PC-SAV-028	Customer account is dormant
PC-SAV-029	Customer account is frozen
PC-SVV-092	Unable to get creditor DD agreement for product \$1, customer \$2 and account \$3 - \$4
PC-SVV-093	Unable to get creditor DD agreement for product \$1, customer \$2 and account \$3 - \$4
PC-SVV-094	Creditor DD agreement for product \$1, customer \$2 and account \$3 - \$4not valid as of \$5
PC-SVV-095	Creditor DD agreement for product \$1, customer \$2 and account \$3 - \$4not valid as of \$5
PC-SAV-024	Customer account is blocked
PC-SAV-025	Payment not allowed for customer account
PC-SAV-026	Credit not allowed for customer account
PC-SAV-027	Debit not allowed for customer account
PC-SAV-028	Customer account is dormant
PC-SAV-029	Customer account is frozen

3.33 Outgoing Payments for Local Currency Transactions in Other Modules

Oracle FLEXCUBE provides the facility of generating outgoing payment instructions through the Payments and Collections module, for local currency transactions in any of the following modules:

- Foreign Exchange
- Money Market
- Loans and Deposits
- Letters of Credit
- Bills and Collections
- Securities
- Standing Instructions

In the Branch Parameters, you can specify whether these payment instructions (for LCY transactions in the branch) must be routed either through messaging, or through the local clearing network.

Click the 'LCY Msg Pref' button in the 'Branch Parameters Preferences' screen to invoke the 'LCY Message Preference' screen.

In this screen, you can specify any of the following options for messages related to LCY transactions, in any of the modules mentioned above.

In the LCY Message Type field, the following options are available:

Suppress LCY message

If this option is chosen, then the payment is routed through the local clearing network, external to Oracle FLEXCUBE and the message is suppressed.

Gen PC Contract

If this option is chosen, a contract is generated in the Payments and Collections module for the local currency payment, provided that the payment option chosen is 'Local Clearing'; or if the payment option is 'Message' and the cover option is 'Local Clearing'.

Gen LCY Message Thru SWIFT

If the option is chosen, local currency payments are sent as SWIFT Messages, routed through the SWIFT network. This option is the default; and you can change it if necessary.

3.33.1 Mapping Payments Module Settlement Details to other Modules

In order to facilitate processing of outgoing payments instructions for local currency transactions in any module, through the Payments module, you must map the requisite settlement details defined for specific payments product categories, to the products in other modules. You can do this using the 'Settlements to Payment Product and UDF Mapping' screen.

You can invoke the 'Payment UDF Mapping Maintenance' screen by typing 'PCDISMAP' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

OLE_LINK1In this screen, you can map settlement details and user-defined fields designated for specific product categories in the Payments module:

- To a specific product defined for a specific module
- To all products defined for a specific module

Pay/ Receive Option

You will also need to identify the process direction of the settlement. It can either be Pay or Receive. If you select the Pay option, a list of all Outgoing Payment categories will be displayed in the option list. Similarly, settlement will be restricted to Outgoing Collections if the process direction is Receive.

Transfer Type

You can also specify the Transfer type, which enables the System to distinguish whether the payment is a Customer Transfer or a Bank Transfer. You can choose to maintain different Payment product categories for different types of payments. In case of bank transfer, select a Bank Transfer type of PC product category. Similarly, for customer transfer select Customer Transfer type of product category. For the Receive Leg, the Customer Transfer option is defaulted in the Transfer Type field and disabled.

Oracle FLEXCUBE allows you to route MT 400 messages from the Bills and Collections (BC) module through the PC module. A separate Transfer Type called Collection Payment Advice is available for the purpose. This is only applicable for the BC module, when the settlement direction is Pay. The PC Product Categories available for mapping in such a case will be Bank Transfer Type of Products.

You can specify the following details as part of the mapping for each module, product, process direction, payments product category, source code and station ID combination:

- Any or all settlement related fields defined for the payments product category
- Any or all user-defined fields defined for the Payments module

- Any or all user-defined fields defined for the payments product category

Source Code and Customer Station id

You must specify the code of the upload source and the ID of the customer station maintained for the source.

Enabling Post Accounting Entries option

If you have indicated that PC Contracts should be generated for local currency payments within your bank (LCY Message Type) and if the settlement is routed through the Clearing House you have the option of posting accounting entries as part of PC processing.

Your specification in this field is defaulted to the Settlement sub-screen.

Local Clearing for Funds Transfer transactions through the PC Module

For funds transfer transactions with local clearing through the PC module, you must map the requisite settlement details defined for the requisite payments product categories, to the FT products in the Settlements to UDF Mapping screen. When this setup is authorized, the payment for such FT contracts is processed as follows:

- If payment is indicated by message, the corresponding message is generated upon authorization of the contract.
- If payment is through local clearing, a PC contract is generated with the clearing details mentioned in the Settlements screen. In this case, the FT contract reference number will be the source reference for the PC contract.

Note

The payment message can be routed through SWIFT and the Cover can be routed through PC.

3.33.2 Maintaining Local Clearing Details and Cover Details for Customer Settlement Instructions

When you specify settlement instructions for a customer, you can indicate whether payment for local currency transactions is to be effected via messaging or over the local clearing network. You can also indicate whether a cover is required for payment, and whether the cover is through messaging or over the local clearing network.

You can specify these details in the 'Settlement Instructions' screen. You can invoke this screen by typing 'ISDINSTN' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

In the Payment By field, indicate the mode of payment, either Message or Local Clearing; and in the 'Cover By' field, indicate the mode through which cover must be available.

The screen is as below:

Settlement Instructions Maintenance

New Enter Query

Counterparty * Counterparty Name Counterparty CIF Currency * Branch * Module * Product Code * Sequence Number * 0 Relations

Pay **Receive**

Branch Currency Account Description Payment By Branch Currency Account Description Payment By

☐ Cover Required
Cover By
Charges Details @ Ourselves Beneficiary Shared

Pay Parties **Pay Parties** **Receiver Parties** **Cover Parties** **Clear Details** **Cover Details** **Other Details**

Intermediary Reimbursement Institution **Intermediary**

Country Country

☐ Rtgs Payment
RTGS Network

Fields

Maker Date Time: Mod No
Checker Record Status
Date Time: Authorization Status

Exit

If you indicate payment over a clearing network, you must also specify the account details of the external counterparties both pay and receive accounts, in the Local Clearing tab (change name?), in the 'Settlement Instructions' screen.

Settlement Instructions Maintenance

New Enter Query

Counterparty * Counterparty Name Counterparty CIF Currency * Branch * Module * Product Code * Sequence Number * 0 Relations

Pay **Receive**

Branch Currency Account Description Payment By Branch Currency Account Description Payment By

☐ Cover Required
Cover By
Charges Details @ Ourselves Beneficiary Shared

Pay Parties **Pay Parties** **Receiver Parties** **Cover Parties** **Clear Details** **Cover Details** **Other Details**

External Counterparty Pay Details **External Counterparty Receive details**

Bank Code Account Name Clearing Network Bank Name Bank Code Account Name Bank Name

Fields

Maker Date Time: Mod No
Checker Record Status
Date Time: Authorization Status

Exit

For the counterparty details, you can specify:

Bank Code

Select the bank code from the list of options available.

Account

Specify the account here.

Name

Specify the name of the account here.

If you indicate cover for payment via the local clearing network, you must specify the account details of the cover party, in the Cover Details tab in the Settlement Instructions screen.

The screen is as below:

For the cover party account details, you can specify:

Bank Code

Select the bank code from the list of options available.

Account

Specify the account here.

Name

Specify the name of the account here.

The following scenarios are possible:

Cover Required	Cover By	Payment By	Local Clearing Counterparty Details?	Cover Details?
Yes	Message	Message	No	No
Yes	Local Clearing	Message	No	Yes
No		Message	No	No
No		Local Clearing	Yes	No

3.33.3 Maintaining Local Clearing Details and Cover Details for Settlement Messages

For local currency transactions for which the payment instructions are to be generated through the Payments module, you can specify the following settlement details:

- Whether the payment is to be effected through messaging or via the local clearing network
- Whether a cover is required for the payment

- Whether the cover must be available through messaging or through the local clearing network

You can specify these details in the Settlements Message Details screen. In the Message Details tab, you can indicate the payment mode, and the cover details.

If you indicate payment through the local clearing network, or cover through the local clearing network, you must indicate the external counterparty details in the Local Clearing tab in the 'Settlement Message Details' screen.

For processing direct debits on loans you will also need to capture the Agreement ID of the counterparty in order to facilitate a cross-referencing between the Loans Payment and the Direct Debit instruction when a reversal of payment is carried out due to rejection of the outbound DD.

The post accounting option is defaulted from the Settlements to Payment Product and UDF Mapping screen. If enabled this indicates that accounting entries maintained for the PC product should be posted for the PC contract initiated for Clearing

3.33.4 Generation of the Local Payments Contract for Local Currency Transactions

In cases where outgoing payment transactions need to be generated for local currency transactions for a module (as specified in the LCY Message Preferences in the Branch Parameters), the payments transaction is created with the following fields:

- Product Category – This is derived from the mapping in the Settlements to Payment Product and UDF Mapping maintenance (in the Settlements to Payment Product and UDF Mapping screen) for the module and product.
- Source – This is derived from the mapping in the Settlements to Payment Product and UDF Mapping maintenance (in the Settlements to Payment Product and UDF Mapping screen) for the module and product.
- Branch – This is the branch from which the contract was entered.
- Customer Branch – The branch where the customer account resides, derived from the Settlement Message Details maintenance for the contract.
- Counterparty Name – This information is picked up from the counterparty details in the Settlement Instructions maintenance.
- Their Reference Number – This is the same as the Contract Reference Number of the entered contract.
- Customer Account and Customer Entry Value Date– This is the debit account of the contract. For every amount tag, an offset amount tag is defined. During the generation of the contract the debit account and the debit value date are picked up for the ESN and Contract Reference Number and offset amount tag.
- Station - This is derived from the mapping in the Settlements to Payment Product and UDF Mapping maintenance (in the Settlements to Payment Product and UDF Mapping screen) for the module and product.
- Counterparty Bank – This is picked up from the Settlement Instructions maintenance, where it has been defined for the customer of the contract.
- Counterparty Account - This is picked up from the Settlement Instructions maintenance, where it has been defined for the customer of the contract.
- Activation Date – This is considered to be the Credit Value Date.
- Clearing Bank Code – This is derived from the Clearing Bank Code maintained for the branch.

- UDF 1 – 30 – These user-defined fields are derived mapping in the Settlements to Payment Product and UDF Mapping maintenance (in the Settlements to Payment Product and UDF Mapping screen) for the module and product.

The PC contract for the local currency transaction is generated if the LCY Message Preferences option chosen is 'Generate PC Contract', and provided:

- Payment By option chosen for the contract is 'Local Clearing'
- Payment By option chosen for the contract is 'Message' and cover is required, and the Cover By option chosen is 'Local Clearing'.

It is not possible to have both Payment By and Cover By options as 'Local Clearing'.

4. Defining Attributes Specific to Payments and Collections Products

4.1 Introduction

In the Local Payments (PC) module of Oracle FLEXCUBE, a product refers to a specific type of transfer of funds. For example, you may process payments that involve transfer of funds between accounts maintained at your bank. You can define this type of local payment as a product at your bank.

In this chapter, we shall discuss the manner in which you can define attributes specific to a local payments product.

4.2 Maintaining Product Details

You can create a PC product in the 'Payments and Collection Product Definition' screen, invoked from the Application Browser. You can invoke this screen by typing 'PCDPRMNT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button. In this screen, you can enter basic information relating to a PC product such as the Product Code, the Description, etc.

The screenshot shows the 'Payments and Collections Product Definition' window. It has a title bar with a diamond icon and the text 'Payments and Collections Product Definition'. Below the title bar is a menu bar with 'New' and 'Enter Query' options. The main area is divided into two columns. The left column contains the following fields: Product Code *, Product Description *, Product Type, Description, Slogan, Product Group, Start Date, End Date, and Remarks. The right column contains: - Exchange Rate Variance (%), Override Limit *, Stop Limit *, Rate Code *, and Rate Type *. At the bottom of the window is a horizontal array of icons: Events, Expression, MIS, Preferences, and Accounting Roles. Below this array are fields for Maker, Checker, Mod No, Date Time, Record Status, and Authorization Status. An Exit button is located in the bottom right corner.

For any product you create in Oracle FLEXCUBE, you can define generic attributes, such as accounting roles and heads, events and MIS details, etc., by clicking on the appropriate icon in the horizontal array of icons in this screen. For a PC product, in addition to these generic attributes, you can specifically define other attributes. These attributes are discussed in detail in this chapter.

You can define the attributes specific to a PC product in the PC Product Definition Main screen and the PC Product Preferences screen. In these screens, you can specify the product type and set the product preferences respectively.

For further information on the generic attributes that you can define for a product, refer the following Oracle FLEXCUBE User Manuals under Modularity:

- *Product Definition*
- *User Defined Fields*
- *Settlements*

Product Code

Specify the product code.

Description

It may be difficult to recognize a product just by its code. In the Description field, therefore, suitably describe the product code so that it can be easily identified. This description will be displayed along with the code throughout Oracle FLEXCUBE.

Product Type

An important detail in defining a product is to specify the type of product you are creating. The product type identifies the basic nature of a product. This helps to classify the product.

The entries that are passed, the messages that are generated and the processing of contracts depend on the 'Product Type'. A payment and collection product that you define can belong to either of the following categories:

- Incoming Collection
- Incoming Payment
- Outgoing Payment
- Outgoing Collection
- Reject of Incoming Collection
- Reject of Outgoing Collection
- Recall of Incoming Collection
- Recall of Outgoing Collection
- Reject of Incoming Payments
- Reject of Outgoing Payments
- Reverse of Outgoing collection
- Reverse of Incoming collection

These product categories are referred to as product types. When you create a product, you must specify its 'type'.

Slogan

You can enter a marketing punch line for every product you create. This slogan will be printed on all advices that are sent to customers who avail of the product.

For example, if you set up a borrowings product called Money Multiplier, you could enter the slogan 'Watch your money grow with Money Multiplier.'

Product Group

Products can be categorized into groups based on the common elements that they share. You must associate a product with a group. This would facilitate retrieval of information of a *class* of products at one stroke.

For example, you can group all products involving travelers' checks into a product group. You can group all products involving loans into a product group.

Start Date and End Date

A product can be defined to be active over a specific period. When you create a product, you can specify a 'Start Date' and 'End Date' for it. The product can only be used within the specified period (i.e. within the Start Date and End Date).

If you do not specify the Start Date, the branch date will be displayed as the Start Date.

If you do not specify an End Date for a product, it can be used for an indefinite period.

The start and end dates of a product come in handy when you are defining a product that you would like to offer over a specific period.

Remarks

Enter the free hand remarks regarding the products.

Exchange Rate Variance (in %)

You can define the exchange rate variance that you would like to allow for a PC product. This variance is expressed in terms of a percentage.

For a special customer, or in special cases, you may want to use an exchange rate (a special rate) that is greater than the exchange rate maintained for a currency pair. The variance is referred to as the Exchange Rate Variance.

When creating a product, you can express an Exchange Rate Variance Limit in terms of a percentage. This variance limit would apply to all contracts associated with the PC product.

Override Limit

If the variance between the default rate and the rate input varies by a percentage that is between the Override Limit and the Rate Stop Limit, you can save the transaction (involving the product) by providing an override.

Stop Limit

If the variance between the default rate and the rate input varies by a percentage greater than or equal to the Rate Stop Limit, you cannot save the transaction involving the product.

Rate Code

Specify the rate code that will be used to define at the product level.

Rate Type

Specify the rate type that will be used to define at the product level.

Note

You can AR or AP for ICCF components, by maintaining 'Resultant Charge Type' as 'Charge Component'. If the component is marked for AP or AR, then the system creates the LQ record.

4.2.1 Specifying Preferences for a Product

Preferences are the options available to you for defining the attributes of a product. The options you choose, ultimately, shape the product. For example, you can specify the cutoff time, entry dates, redispach dates and response days for transactions processed under a product. This specification will apply to all transactions processed under the product. You can

invoke the 'Payment and Collection Product Preferences' screen by clicking 'Preferences' button.

Payments and Collections Product Preferences

Product Code:
Description:
Product Type:

Collection Type:
RFD Type:
Transfer Type:

Main | Additional | Network Parameters

Clearing Details

Clearing Mode:
Payment Type:
Currency:

Clearing House Account

Branch:
Account:
Currency:
Clearing GL:
Reject GL:

External Clearing

Clearing Network:
Description:
Currency:
Minimum Divisible Amount:
Currency:
Minimum Transaction Amount:
Currency:
Maximum Transaction Amount:
Charge Mode:

☐ Invoice Split Required

Cut Off Hour:
Processing Priority:
Customer Entry Days:
Customer Entry Value Days:
Counterparty Entry Days:
Counterparty Entry Value Days:

☐ Allow Post Cutoff Transaction

Dispatch

☐ Dispatch
☐ Auto Dispatch
☐ Outgoing Payment Workflow

Dispatch Media:
Dispatch Days:
Maximum Interest Amount (% of Transaction Amount):
Maximum Split Count:

Response Fields

☐ Cut Off Min
☐ Override Overdraft
☐ Dispatch Accounting
☐ Referral Required
☐ Currency Calendar
☐ Network Calendar
☐ Intermediary Suspense GL Required

☐ Auto Response
☐ ASCII Handoff Req'd
☐ Collection Statement Required
☐ Response Advice Required

Response Days:
Basis:

Reject Account Details before Response Days

Account Type:
Account:
Response Days:
Currency:

LBL_P2P_PYMNT

LBL_P2P_PYT_TYP:

List of Banks

Ok Exit

Product Code

Specify the product code for which you want to maintain the preferences.

Transfer Type

Select the type of transfer. The options are:

- Customer Transfer
- Bank Transfer

- Internal Transfer Type

You can indicate the types of transfers that can be processed using the product– bank transfers or customer transfers. This specification is defaulted from the product category to which the product is linked.

Only bank transfer types of products can be mapped to product categories defined for bank transfers. Book transfer products cannot be mapped to product categories defined for bank transfers.

Similarly, only customer transfer types of outgoing payment products can be mapped to product categories defined for customer transfers.

This specification is only applicable for outgoing payment product types with external or internal Clearing Modes.

Bank transfer is allowed for outgoing payment type of products only. EXTERNAL clearing is permitted for such products. However, BOOK and INTERNAL clearings are not permitted.

Product Type

Incoming and Reject of outgoing payment product types:

- Collection Type
- RFD Type
- Max Interest Amount
- Max Split Count
- Invoice Split Required
- Collection Stmt Required
- Account details for rejection before response days
- Account details for rejection after response days
- Recall Days Details
- Re-dispatch details
- DD Agreement Required
- Creditor Agreement Required

Collection Type

For the selected collection product type, you have to indicate the collection type. The options available are:

- Direct debit
- Request for debit

If you capturing the details of Incoming or Outgoing collection product types, you must necessarily specify 'direct debit' as the collection type. While creating product meant for outgoing and incoming payments you will not be allowed to define product types. For outgoing/incoming collection products and for Reject of incoming/outgoing collection products you can choose either one of the collection types.

The 'Direct Debit' collection type can be selected for both 'Customer Transfer' and 'Bank Transfer' type of product codes and product categories.

A counterparty bank code indicates the bank from which funds will be transferred. If the counterparty bank code is an indirect participant, then the system derives the direct participant based on TARGET-2 directory maintenance and defaults the direct participant as the receiver.

The message type 'DIRECT_DEBIT' is available to generate MT204.

Refer the section titled Validations performed on the Product and Collection Type combination for detailed information on the various validations performed by the system depending on the Product and Collection type combination.

RFD Type

The RFD type indicates the manner in which you choose to process requests for debit for a product. While setting up products meant to cater to outgoing type of RFD's you could choose any of the following options:

- No Tracking: indicates that the RFD is not considered for approval or rejection.
- Full Payment: indicates that the RFD is processed for payment of full transaction amount.
- Partial Payment: indicates that the RFD payments can be made in multiple installments.

Note

You will not be allowed to select the first option while setting up a product meant for Incoming RFDs.

4.2.2 Main Tab

Click 'Main' tab to capture the essential preferences of the product.

The screenshot shows the 'Payments and Collections Product Preferences' dialog box with the 'Main' tab selected. The dialog is divided into several sections:

- Product Information:** Fields for Product Code, Description, Product Type, Collection Type, RFD Type, and Transfer Type (set to 'Customer Transfer').
- Clearing Details:** Fields for Clearing Mode, Payment Type (set to 'Both'), Currency, Branch, Account, Currency, Clearing GL, and Reject GL.
- External Clearing:** Fields for Clearing Network, Description, Currency, Minimum Divisible Amount, Currency, Minimum Transaction Amount, Currency, Maximum Transaction Amount, Charge Mode, Invoice Split Required, Cut Off Hour, Processing Priority, Customer Entry Days, Customer Entry Value Days, Counterparty Entry Days, Counterparty Entry Value Days, Allow Post Cutoff Transaction, Cut Off Min, Override Overdraft, Dispatch Accounting, Referral Required, Currency Calendar, Network Calendar, and Intermediary Suspense GL Required.
- Dispatch:** Fields for Dispatch, Auto Dispatch, Outgoing Payment Workflow, Dispatch Media, Dispatch Days, Maximum Interest Amount (% of Transaction Amount), and Maximum Split Count.
- Response Fields:** Fields for Auto Response, ASCII Handoff Req'd, Collection Statement Required, Response Advice Required, Response Days, and Basis.
- Reject Account Details before Response Days:** Fields for Account Type, Account, Response Days, and Currency.
- LBL_P2P_PYMNT:** Field for LBL_P2P_PYT_TYP.

At the bottom, there is a 'List of Banks' section and 'Ok' and 'Exit' buttons.

Clearing Details

Payment Type

Payment type indicates whether the payment is within the country or outside. The options are:

- Domestic

- Cross Border
- Both

At the time of product resolution, system compares the counterparty bank code's country with the current logged in branch country to identify whether payment is a domestic or a cross border payment. The product is then resolved appropriately.

Currency

Specify the currency in which PC contracts linked to this product should be created. The adjoining option list displays the currency codes maintained in the system. You can select the appropriate one.

Clearing House Account

Account

The accounting entries for a payment or collection transaction using the product could be passed to either a clearing vostro account, or to a clearing suspense GL. If they are to be passed to a vostro account, you must specify the appropriate vostro account in this field.

Note

If you have indicated a clearing account, the system populates the BIC of the clearing account in the advice message tag NOSTRO BIC. This tag will be null if clearing account is not specified for the PC Product.

Branch

The branch of the clearing house account is displayed.

Currency

The currency of the clearing house account is displayed.

External Clearing

Clearing Network

Indicate the preferred clearing network. All payments processed under this product will be funnelled through this network to the external entity.

Minimum Divisible Amount

A key preference that you can specify for a product is the lowest denomination in which transactions involving the product can be processed.

Specifying a minimum divisible amount helps you restrict transactions to specific denominations. You can also use this facility to specify the minimum factor for the transaction amount. In such a case, the transaction amount (of transactions processed under the product) should be a multiple of the

Charge Mode

You can indicate whether charges applicable for a transaction involving the product are to be applied over and above the transaction amount (premium) or subtracted from the transaction amount (discount).

Minimum and Maximum Transactions Amount

For a Payments product, you can specify a transaction range. If a transaction is to be processed under a product, its size, in terms of the transaction amount, should be within the transaction range that you specify for the product.

The Maximum Transaction Amount and the Minimum Transaction Amount that you specify constitute the transaction range.

Invoice Split Required

If the transaction amount of a transaction involving this product exceeds the maximum amount specified for the product you can indicate that the collection transaction needs to be split into multiple transactions. You can enable this option by checking the Invoice Split Required option.

Cut Off Time

Transactions received after the cutoff time that you specify for a product will be processed according to the post cutoff parameters you maintain. Your cutoff time specifications will apply to all transactions processed under the product.

Processing Priority

When creating a product, you can define the *priority* with which the transactions associated with it should be processed. You can indicate this priority on a scale of one to ninety-nine.

Note

Transactions received from the different queues are processed according to the following criteria:

- The priority specified by the initiator, and if unavailable
 - The priority specified for the product with which they are associated
-

Customer Entry days

You can specify the number of working days to be added to the activation date to determine the entry date for the customer leg of transactions processed under a product. (For outgoing transactions, the Customer Entry Date of a transaction should be earlier than or the same as the Dispatch Date. The Customer Entry Date of a transaction should also be later than or the same as the Activation Date.)

For an Outgoing product type, your specification will apply to the debit leg of the transactions processed under the product. For an Incoming product type, your specification will apply to the credit leg of the transactions processed under the product.

Customer Entry value days

You can specify the number of working days to be added to the activation date to determine the value date for the customer leg of transactions processed under a product.

For an Outgoing product type, your specification will apply to the debit leg of the transactions processed under the product. For an Incoming product type, your specification will apply to the credit leg of the transactions processed under the product.

Counterparty Entry days

When creating a product, you can specify the number of working days to be added to the activation date to determine the entry date for the counterparty leg of transactions processed under it.

For an Outgoing product type, your specification will apply to the credit leg of the transactions processed under the product. For an Incoming product, your specification will apply to the debit leg of the transactions processed under it.

Counterparty Values days

You can specify the number of working days to be added to the activation date to determine the value date for the counterparty leg of transactions processed under a product.

The Counterparty Entry Value Date of a transaction should be later than or the same as the Counterparty Entry Date.

For an Outgoing product type, your specification will apply to the credit leg of the transactions processed under the product. For an Incoming product type, your specification will apply to the debit leg of the transactions processed under the product.

Transactions received before the cutoff time you have specified will be processed according to your pre-cutoff specifications. Transactions received after the cutoff time you have specified will be processed according to your post-cutoff counterparty entry value days specification for the product.

Allow Post Cutoff Transaction

You have the option to indicate that a particular product can be used for processing collection transactions beyond the specified cut-off time by enabling the Allow Post Cut-off Transactions option.

Override Overdraft


While maintaining details of products which debit the customer account (like Outgoing Payments or Incoming Collections) you have to indicate whether transactions involving these products should be sent to the Credit Exception queue or whether the credit check should be ignored.

If you enable this option, the transaction will be processed regardless of its overdraft status. If you leave this box unchecked, all such transactions are sent to the Credit Exception Queue as well as to the Referral Queue. Upon Accepting or Rejecting a transaction in the Referral Queue, these transactions are processed in the same manner as any other transaction in the Credit Exception queue.

For further details refer to the processing transactions in the Credit Exception Queue refer to the Processing Credit Exceptions section in the Processing a Payment or Collection Transaction chapter of this manual.

Dispatch Accounting

To enable the consolidation run manually after each dispatch of clearing contracts for daytime processing, Dispatch Accounting Batch in PC is available.



The screenshot shows a software window titled "Payments & Collections Dispatch Accounting". The window has a standard Windows-style title bar with a diamond icon on the left and minimize, maximize, and close buttons on the right. Below the title bar is a menu bar with two items: "New" and "Enter Query". The main content area is mostly empty, with a label "Clearing Network *" followed by a text input field. At the bottom right of the window, there is a button labeled "Exit".

To initiate Dispatch Accounting manually after physical dispatch of a clearing file, use the Dispatch Accounting screen. To invoke this screen, select 'Dispatch Accounting' under 'PC Processes' in the Application Browser.

You can specify the Clearing Network for which the dispatch accounting needs to be triggered; if you do not specify a Clearing Network, the Dispatch Accounting would be triggered for all Clearing Networks.

In order to facilitate the processing of loan repayments by customers who have their current or settlement accounts in some other bank of the clearing network you can generate Direct Debits to these accounts 'Loan DD Generation Days' before the payment date. Loan DD generation days are maintained in the Branch Parameters maintenance screen.

While generating the direct debit the following entries will be passed in Oracle FLEXCUBE:

Dr	Clearing suspense
Cr	Dummy Settlement Account

Liquidation is performed on the schedule date and the accounting entries passed during liquidation are:

Dr	Dummy Settlement Account
Cr	Loan Asset GL / Interest Income GL

However, if you would like to consolidate the accounting entries you can enable the Dispatch Accounting preference for the product. As a result the Clearing Nostro GL is netted to post single debit and credit entries for each file that is dispatched. The netted accounting entries that are posted will be as follows:

Dr	Clearing Nostro (Defined in the Dispatch Accounting details screen)
Cr	Clearing Suspense

Referral Required

Referral refers to the process of handling customer transactions which force the accounts involved in such a transaction to exceed the overdraft limit. Payments and Collections are examples of typical transactions, which can force an account to move into overdraft. While maintaining the details of a PC product you can indicate whether transactions involving the product need to be considered for referral checks. Enabling this option indicates that transactions involving the product needs to be considered for referral.

If a product is marked for referral, the details of transactions resulting in the account (involved in the transaction) moving into Overdraft will be sent to the Referral Queue.

Note

If a PC transaction breaches the limits, the details of all transactions processed during the day will also be moved to the Posted Entries section in the Referral Queue. You can choose to accept or reject the transactions. The details of the transaction which has breached the limits will be displayed in the Unposted Entries section of the queue.

For further details on Referrals refer the Processing Referrals in Oracle FLEXCUBE chapter of the Core Entities manual.

Currency Calendar

While processing the contracts, if you want the system to use the currency calendar for deriving the processing days instead of the local branch calendar, check the 'Currency Calendar' box. This is used when the system has to derive the processing days for the following:

- Activation Date
- Customer Entry days
- Customer Entry Value days
- Counterparty Entry days
- Counterparty Entry Value days
- Dispatch days
- Payment Reject days
- Response Days

Network Calendar

Check this box to validate the system date with network calendar.

Intermediary Suspense GL Required

Check this box to generate the Intermediary Suspense GL entries if DRLQ and CRLQ are happened on same day.

Dispatch

Dispatch

You can control the dispatch of transactions processed under a product. Choose the Dispatch option if you would like transactions involving the product to be dispatched to the Clearing Server on the basis of the Dispatch Days that you specify.

Auto Dispatch

You can indicate that outgoing transactions must be dispatched to the clearing server on authorization.

Outgoing Payment Workflow

Outgoing payment transactions could be tracked to closure, if required. Such tracking indicates monitoring of the transaction in each different status in its life cycle.

If you do not indicate this in the product preferences, then outgoing payment transactions will not be tracked through the different statuses.

Dispatch Media

Oracle FLEXCUBE provides the facility to process outgoing payment orders for the bank's clients, through the Payments and Collections module. If the beneficiary is a client of an external bank, Oracle FLEXCUBE generates the requisite message to be sent to the clearing network.

When you create a payments and collections product for processing outgoing payments, you must indicate the medium through which the outgoing payment would be dispatched, in the 'PC Product Preferences' screen. The dispatch medium that you specify could be either:

- Oracle FLEXCUBEOR
- INTERFACE, in which case the dispatch will be done through the Oracle FLEXCUBE Interface system

Dispatch media should be selected as 'INTERFACE' for SEPA products.

Dispatch Days

Specifying the dispatch days refer to the number of working days to be added to the activation date to determine the date of dispatch to the Clearing Server.

For outgoing transactions, the Dispatch Date should be later than or the same as the Activation Date.

Transactions received before the cutoff time you have specified will be processed according to your Pre-cutoff Dispatch Days specification for the product. Transactions received after the cutoff time specified for the product will be processed only if you have enabled the Allow Post Cut-off option for the product. Such transactions will be posted with the Activation Date as the next working day.

For an outgoing payment product, the System validates that the Dispatch days can be less than the Counterparty Entry Days but not less than the Customer Entry Days. The local payments accounting process dispatches events for all Outgoing Payment contracts in respect of which the dispatch date is less than or equal to current system date, and for which the DRLQ event has been processed, but the CRLQ event has not been triggered.

Note

The cut-off time is also maintained at the Customer Agreement level (for a product and customer combination). This takes precedence over the cut-off time defined for the product.

Maximum Interest Amount (% of Transaction Amount)

Indicate the maximum percentage of the transaction amount that can be levied as interest, for recalled transactions involving the product.

Maximum Split Count

In certain cases, you may find it necessary to split an outgoing collection transaction into multiple transactions, due to restrictions on the amount of each payment that can be sent over the payment network.

In the Product Preferences, you can restrict the number of transactions into which a parent transaction would be split, by specifying the maximum split count.

Reject Account Details before Response Days Details

Account Type

Select the type of account that is used in the rejection leg. You can select any one of the following options:

- Account
- GL

Account

Specify account number that is used in the rejection leg.

While creating products which cater to outbound DDs you can indicate whether the rejects from the outbound DDs should be processed before the response days. In such a case, you will need to identify the reject suspense account, which has to replace the customer leg as a PC product preference.

Note

Note the Following:

- If an outbound DD is rejected before the response days, the loans payment can also be reversed along with the reject processing. You can choose to reverse the loan payment for contracts involving a product by enabling the Reverse LD Payment preference in the 'LD Product Preferences' screen.
 - This reversal is supported only if there is a single DD generated for the schedule.
-

Response Fields

Auto Response

For Outgoing requests for debit products you can indicate that the system-generated response is required for collection transactions involving this product. Enable this option by checking the Auto Response option positioned next to this field.

ASCII Handoff Required

For contracts involving the product, you can specify whether the contract information is to be written into handoff tables, to be picked up or referenced by the external agency.

Collection Stmt Required

Collection statements can be generated for contracts involving the product, if indicated in this screen.

Response Advice Required

You have the option of indicating that a response advice needs to be generated for approvals, rejections and closures by enabling the check box positioned next to the Response Advice Required field.

Response Days

The response days indicates the number of days after the activation date beyond which an incoming collection transaction using the product cannot be rejected.

Basis

If you indicate that a response advice needs to be generated you have to indicate the basis for response advice generation. The response advice generation can be based on the Event Date or on the Response Date.

P2P Payments

P2P Payment Type

Select the P2P payment type from the adjoining drop-down list. The options available are:

- Customer Debit
- Test Transaction
- P2P Final Payment
- NULL

Note

P2P Payment Type is applicable for Outgoing Payment and Reject Outgoing Payment product types only.

- If the P2P payment type is 'Customer Debit', then it is not mandatory to specify the Counterparty Bank Code and Counterparty Account Number as long as email ID, telephone number and facebook ID are specified for the transaction.
 - If the P2P payment type is 'Test Transaction', 'P2P Final Payment' or 'Null', then it is mandatory to specify the Counterparty Bank Code and Counterparty Account Number during the customer debit transaction.
-

4.2.2.1 Processing Rejects of Inward or Outward DDs

For transaction rejects (outgoing or incoming DD) that are uploaded after the applicable response days have elapsed, an override is sought by the System. The processing for such transactions is based on two factors:

- Whether the Process After Response Days option has been set in the product preferences for the product used by the transaction
- Whether the override that is sought in such cases is accepted. Accepting the override in the case of incoming DD transactions would result in rejection of the transaction. In the case of outgoing DD, the transaction is placed in the Process Exception Queue from where it can be taken up for processing or rejected.

The processing of rejection for such transactions is depicted below:

Outward DD

Are Process Rejects After Response Days?	Are Response Days greater than Rejection Days?	System Action	Override Accept ?	Action
Yes	Yes	Reject the contract		
Yes	No	Override "Receiving Date is more than the response days. Do you want to reject the contract?"	Yes	Contract is placed in Process Exception with exception queue 'PE'. It can then be unlocked and saved again if required. If so, the same override is sought again, and the contract is rejected if the override is accepted. If the override is not accepted, no processing is done.
Yes	No	Override "Receiving Date is more than the response days. Do you want to reject the contract?"	No	No processing is done.
No	Yes	Override "Receiving Date is more than the response days. Do you want to reject the contract?"	Yes	Contract is placed in Process Exception with exception queue 'RR', from where it can be deleted if required.
No	No	Reject the contract		

Inward DD

Process Rejects After Response Days?	Response Days greater than Rejection Days?	Action	Override Accept ?	Action
Yes	Yes	Override "Do you want to reject the contract?"	Yes	Reject the contract
Yes	No	Override "Receiving Date is more than the response days. Do you want to reject the contract?"	No	No processing is done.
Yes	No	Override "Receiving Date is more than the response days. Do you want to reject the contract?"	Yes	Reject the contract
No	Yes	Override "Do you want to Recall the contract?"	Yes	Contract is Recalled.
No	No	Override "Do you want to reject the contract?"	Yes	Reject the contract

Note

Note the following:

- For online transactions, even after the response days have passed, the System rejects the contract if the Process Rejects After Response Days option has been enabled for the product used by the contract.
 - For uploaded of transactions, transactions that are rejected after response days are queued in the Process Exception Queue.
-

4.2.3 Additional Tab

Click the 'Additional' tab to specify the additional preferences pertaining to the product.

The screenshot shows the 'Payments and Collections Product Preferences' dialog box with the 'Additional' tab selected. The dialog is divided into several sections for configuring product preferences.

Product Information:

- Product Code: [Text Field]
- Description: [Text Field]
- Product Type: [Text Field]
- Collection Type: [Dropdown Menu]
- RFD Type: [Dropdown Menu]
- Transfer Type: [Dropdown Menu, set to 'Customer Transfer']

Activation Date:

- Back Value Limit Days: [Text Field]
- Future Value Limit Days: [Text Field]
- ☐ Move Back Dated Activation Date
- Default Activation Date: [Dropdown Menu]

Reject Account Details after Response Days:

- ☐ Process Rejects After Response Days
- ☐ Reject Verify Funds Only
- Response Days Basis: ☐ Calendar, ☒ Working
- Account Type: [Dropdown Menu]
- Account: [Text Field]
- Response Days: [Text Field]
- Currency: [Text Field]

Exchange Rate:

- ☐ Auto Exchange Rate

Redispatch Details:

- ☐ Redispatch Required
- ☐ Auto Redispatch
- Count: [Text Field]
- Days: [Text Field]

Mandatory Fields:

- ☐ Agreement Id Required
- ☐ Creditor Id Required

Customer Entry Consolidation:

- ☐ Required
- Consolidation Limit: [Text Field]
- Currency: [Text Field]

Charge Details:

- ☐ Waiver
- ☐ Allow Third Party Charge
- ☐ Charge Customer Statistics
- ☐ Charge Account Statistics
- Volume Statistics: [Dropdown Menu]
- Charge Category: [Text Field]
- Description: [Text Field]

Dispatch:

- File Name: [Text Field]
- No of Records: [Text Field]
- Payment Reject Days: [Text Field]
- Earliest Collection Receipt Days: [Text Field]
- First Collection Receipt Days: [Text Field]

Reversal General Ledger:

- Reversal Settlement General Ledger: [Text Field]
- Service Level Code: [Dropdown Menu]
- Charge Bearer: [Dropdown Menu]
- Recurrent Collection Receipt Days: [Text Field]
- First Collection Dispatch Days: [Text Field]

List of Banks: [List Box]

Buttons: [Ok] [Exit]

Activation Date

If at the time of booking a transaction involving the product, if you have failed to specify the transaction date the default date that you specify in this field will be picked up.

Back Value Limit Days

You can indicate the number of calendar days before the 'Default Activation Date' up to which back-valued transactions can be allowed.

Similarly, you can indicate the number of calendar days after the 'Default Activation Date' up to which future-valued transactions can be allowed.

During transaction processing you will be allowed to post back/future valued transactions up to the specified date in the past or future (no check will be done).

If you have not specified the 'Back Value Limit Days', the System checks against the back value limit days maintained for the branch in the Branch Parameters. If the limit in either case is exceeded, an override is sought when the transaction is saved.

For example, in the product preferences, you have maintained the Back Value Limit Days as zero, and the Future Valued Limit Days as 1.

The Booking date of the transaction is 10th June 2003, and the Default Activation Date is 'Today'.

- If the activation date is not specified the online screen, the Default Activation Date is considered as the activation date, which in this case is 10th June 2003. Since the activation date and Default Activation Date are the same, the back valued limit days are not exceeded, and the transaction is accepted.
- If you specify 12th June 2003 as the activation date in the online screen, the System compares it against the Default Activation Date, which is 10th June 2003. In this case, the future valued limit days are crossed, and an override is sought when the transaction is saved.

Future Value Limit Days

If the Booking date of the transaction is future date then the Default Activation Date is 'Future Value Limit Days'.

Consider the example:

- If the activation date is not specified the online screen, the Default Activation Date is considered as the activation date, which in this case is 11th June 2003. Since there is a difference of a day between the activation date and Default Activation Date, the future valued limit days are not exceeded, and the transaction is accepted.
- If you specify 12th June 2003 as the activation date in the online screen, the System compares it against the Default Activation Date, which is 11th June 2003. Since the difference between activation date and Default Activation Date is within the future valued limit days, the transaction is accepted.
- If you specify 10th June 2003 as the activation date in the online screen, the System compares it against the Default Activation Date, which is 11th June 2003. Since the difference between activation date and Default Activation Date is not within the back valued limit days, an and an override is sought when the transaction is saved.

Move Back Dated Activation Date

You can indicate that the activation date, if in the past, is to be moved forward to the default activation date by enabling the Move Back Dated Activation Date option. If you enable this option you have to indicate the Default Activation Date as well. The default activation date can be either today's date or the next working day.

Default Activation Date

Select the default activation date as Today, etc from the option list provided.

Move Back Dated Activation Date

You can indicate that the activation date, if in the past, is to be moved forward to the default activation date by enabling this option. If you enable this option you have to indicate the Default Activation Date as well. The default activation date can be either today's date or the next working day.

If at the time of booking a transaction involving the product, if you have failed to specify the transaction date the default date that you specify in this field will be picked up.

Exchange Rate

You can indicate exchange rate details as part of the preferences you define for a product. The exchange rate parameters you define for a product will be used when payments involve foreign currency accounts.

Specify the Exchange Rate Code (Standard, TC, Cash, etc.) and Exchange Rate Type (Mid, Buy, or Sell) that should be picked up for transactions processed under the product. The rate corresponding to the Rate Code and Rate Type you specify will be applied on all transactions involving the product.

Auto Exchange Rate

During transaction processing, if you like to automatically apply the exchange rate that corresponds to the Rate Code and Rate Type specified for the product, choose the Automatic Exchange Rate option. This specification will apply to all payment transactions processed under the product, involving foreign currency accounts.

Alternatively, you can choose to manually apply the exchange rate on transactions processed under the product. In this case, the exchange rate value that is specified for the transaction will be validated against the Exchange Rate Variance defined for the product.

Rate Code

Specify the exchange rate code.

Rate Type

Specify the exchange rate type that should be picked up for transactions processed under the product. You can select any one of the following options:

- Mid Rate
- Buy Rate
- Sell Rate

Mandatory Fields

You can choose to validate collection transactions on the basis of the following mandatory fields. These include:

Agreement ID Required

Check this box if you require customer agreement ID.

Creditor ID Required

Check this box to make a customer agreement as mandatory.

Charge Details

Waiver

You can indicate whether charge processing is required for transactions involving the product. If you would like to process charges you can enable the check box positioned next to this field.

Allow Third Party Charge

You can indicate that third party charges are allowed for rejected outgoing DD contracts using the product.

If third party charges are allowed, the amount of a rejected outgoing collection transaction using the product is inclusive of the third party interest or charge. The charge amount is calculated as the difference between the amount of the rejected outgoing collection transaction that has been uploaded and the amount of the original transaction.

This specification is applicable only for outgoing collection transaction products.

The accounting entries while collecting third party charges are as follows:

Accounting Role	Amount Tag	Debit / Credit Indicator
CUSTOMER	THIRD_PARTY_CHG	Debit
CLGSUSPENSE	THIRD_PARTY_CHG	Credit

Note

If the transaction amount of the reject contract is less than the original contract the contract is sent to the Processing Exception queue. This is also true for uploaded reject contracts.

Charge Customer Statistics

Check this option to indicate that the customer statistics is charged for collection of charge data for transactions using the product.

Charge Account Statistics

Check this option to indicate that the account statistics is charged for collection of charge data for transactions using the product.

Charge Category

The charge category indicates the category under which charge related transaction details should be collected. This is used to track the collection of statistics. You can associate the appropriate charge category with the product which you are creating.

Volume Statistics

As part of specifying the charge details you will need to indicate whether details of transactions using the product need to be tracked for charge computation or not.

Choose one of the following options to specify your choice:

- Add: To add the transaction details to the volume statistics
- Subtract: To subtract the transaction details from the volume statistics
- Ignore: To indicate that the transaction details are not to be collected for volume statistics.

You can also indicate the following levels for collection of charge data for transactions using the product:

- Customer-charge statistics
- Charge account statistics

Dispatch

File Name

In the main section of the screen if you have indicated that transactions involving the product should be dispatched to the Clearing Server on the basis of the dispatch days that you specify, then you have to indicate the dispatch file name that you wish to be generated.

Number of Records

Specify the number of record transactions to be considered while creating a dispatch file. Specify the type of clearing network to which the dispatch file would be sent.

Payment Reject Days

You can specify the number of days by which an incoming payment can be rejected. The number of days specified will be considered as per the product currency calendar if the 'Currency Calendar' option is checked, or else it is considered as per the local branch calendar. The payment reject days is added to the activation date of an incoming payment to arrive at the payment rejection date.

Earliest Collection Receipt Days

You can specify the number of calendar days to arrive at the earliest date by which the incoming collection transaction should be received by the debtor bank. The no. of days that you specify here will be subtracted by the activation date or the due date to arrive at the earliest collection receipt days.

System will display an override if it receives an incoming collection with activation date greater than the earliest collection receipt days maintained.

This is applicable only for incoming collection type of products.

First Collection Receipt Days

You can specify the number of calendar days to arrive at the latest date by which the first incoming collection transaction should be received by the debtor bank.

System will display an override message if the first collection, which is determined based on the Direct Debit sequence type, is not received within the First Collection receipt days from the activation date.

This is applicable only for incoming collection transaction.

Reject Account Details after Response Days

Process Rejects After Response Days

If you indicate that the outbound DD is to be rejected after the response days by enabling the Process Rejects After Response Days option, the customer leg of the transaction will be replaced by the reject suspense account that you identify for this purpose.

Reject Verify Funds Only

Transactions involving a product can be rejected due to many reasons. While defining a product you can indicate whether transactions involving the product should be rejected only if the reason is insufficiency of funds.

Response Days Basis

As a product preference you have indicated whether the System needs to validate the rejects based on the maximum number of allowable days for receiving/sending the rejects. If the rejects are within the maximum number of allowable days (i.e., 04 type of transactions), a reversal of a DD is triggered for the rejects by enabling the Process Rejects After Response Days option. If the rejects are beyond the maximum number of allowable days (i.e., 05 type of transactions), an appropriate warning or exception is given for the rejects.

You can indicate whether the Response Days should be derived on the basis of the Calendar Days or Working Days. While processing transactions involving the product the Response Date is computed on the basis of your specification.

Scenario I

If you have selected Calendar as the Response Days Basis, the Response Date is computed as follows:

Activation Date + Response Days maintained for the product.

Therefore, if the Activation Date is 01-April-2003 and Response Days maintained happens to be two the Response Date will be 03-April-2003.

Scenario II

If you have selected Working as the Response Days Basis, the Response Date is computed as the Next Working Date based on the Response Days.

Account Type

Select the type of account that is used in the rejection leg. You can select any one of the following options:

- Account
- GL

Redispatch Details

Redispatch Required

You have the option of re-despatch required on the outgoing DD/RFDs involving a product. If you choose this option you will have to indicate whether such DDs and RFDs need to be re-dispatched automatically or manually.

Auto Redispatch

If you indicate that rejected DDs and RFDs need to be re-dispatched automatically you have to specify the maximum number of tries for a rejected outgoing DD / RFD. Additionally, you will also have to specify the number of working days past the activation date, after which the system will query for a rejected outgoing DD / RFD and re-dispatch, automatically.

Count

Count determines the number of times a re-dispatch should take place.

Days

Days determine the number of days in which the re-dispatch should be done.

Recall Days

Days

As part of specifying the preferences for Recall Days, you have to specify the maximum number of days past the activation date, within which the transaction entered using this product, can be recalled.

Basis

You will also need to specify whether the basis for the recall days should be counted as Working Days or as Calendar Days.

Date Basis

You need to select the date basis on which the recall date needs to be computed. You can base it either on customer debit date or the activation date of the collection. The options available in the drop-down list are Debit Date or Activation Date. By default Activation Date is selected.

Customer Entry Consolidation

Required

You can opt to consolidate the customer entry of transactions processed under a product.

Consolidated Limit

If you choose to consolidate transactions processed under a product, you can opt to specify a transaction amount limit. Any transaction that exceeds the limit you specify will not be considered for consolidation. All transactions will be considered for consolidation, if you have chosen to consolidate transactions, but do not specify a transaction amount limit.

Reversal General Ledger

Reversal Settlement General Ledger

In the Product Preference, you can specify the GL to which the entries due to the debit leg of the DRLQ (Debit Entry Liquidation) event due to a cash reversal will be posted, for transactions using the payments product.

Charge Bearer

You can select the party who will bear the charges. This is sent as part of the outgoing message for SCT and SDD.

The option available in the drop-down list is:

- SLEV – This indicates that the charges are to be applied following the rules agreed in the service level and/or the scheme.

Service Level Code

You can select an identification code for a pre-agreed level of service between the parties from the drop-down list. This service level code is used in the outgoing SCT and SDD messages of the product. The option available in the drop-down list is SEPA.

Recurrent Collection Receipt Days

System will display an override message if the recurrent collection, which determined based on the Direct Debit sequence type, is not received within the Recurrent Collection receipt days from the activation date.

You can specify the number of calendar days to arrive at the latest date by which the recurrent incoming collection transaction should be received by the debtor bank.

This is applicable only for incoming collection transaction.

First Collection Dispatch days

You can specify the number of calendar days to indicate the dispatch days for the first outgoing collection transaction. The dispatch date for the first collection, determined by the DD sequence type, will be derived by adding the first collection dispatch days to the activation date.

This is applicable only for outgoing collection products.

4.2.4 Network Parameters Tab

Click the 'Network Parameters' tab to specify the network parameters pertaining to the product.

The screenshot shows the 'Payments and Collections Product Preferences' dialog box with the 'Network Parameters' tab selected. The dialog is divided into several sections:

- Product Information:** Fields for Product Code, Description, Product Type, Collection Type, RFD Type, and Transfer Type (set to 'Customer Transfer').
- Outgoing Payment Parameters:**
 - Authorization and Release Limits:** Fields for Authorization 1 Limit, Authorization 2 Limit, Release Limit, and Authorization Currency.
 - Transaction Window periods-Full Day (Time in 24-hours clock):** Fields for Initiator Start/End Time, Auth1 Start/End Time, Auth2 Start/End Time, and Release Start/End Time.
 - Transaction Window Periods-Half Day (Time in 24 HR clock):** Similar fields for half-day periods.
- Incoming Payment Parameters:** Includes a checkbox for 'Allow Transaction Repair', 'Authorization Limit', and 'Limit for Name Match'.
- List of Banks:** A scrollable list area at the bottom.

Buttons for 'Ok' and 'Exit' are located at the bottom right.

4.2.4.1 Specifying Authorization and Release Limits

Authorization 1 Limit

Specify the limit amount for level 1 authorization.

Authorization 2 Limit

Specify the limit amount for level 2 authorization.

Release Limit

Specify the limit amount for release.

Authorization Currency

The system displays the authorization currency.

The outgoing payments will undergo one of the following treatments depending on the authorization limit and release limit:

- No authorizations and/or release are needed
- Only Level 1 authorization is needed
- Level 1 and Level 2 authorizations are needed
- Level 1 and Level 2 authorizations, and release is needed
- Level 1 authorization and release are needed
- Only Release is needed

4.2.4.2 Viewing Transaction Periods for Full Day**Initiator Start Time (HR:MN)**

Specify the contract initiation start time in hours and minutes for Full Day.

Auth1 Start Time (HR:MN)

Specify the contract Level 1 Auth start time in hours and minutes for Full Day.

Auth2 Start Time (HR:MN)

Specify the contract Level 2 Auth start time in hours and minutes for Full Day.

Release Start Time (HR:MN)

Specify the contract Release start time in hours and minutes for Full Day.

Initiator End Time (HR:MN)

Specify the contract initiation end time in hours and minutes for Full Day.

Auth1 End Time (HR:MN)

Specify the contract Level 1 Auth end time in hours and minutes for Full Day.

Auth2 End Time (HR:MN)

Specify the contract Level 2 Auth end time in hours and minutes for Full Day.

Release End Time (HR:MN)

Specify the contract Release end time in hours and minutes for Full Day.

4.2.4.3 Viewing Transaction Periods for Half Day**Initiator Start Time (HR:MN)**

Specify the contract initiation start time in hours and minutes for Half Day.

Auth1 Start Time (HR:MN)

Specify the contract Level 1 Auth start time in hours and minutes for Half Day.

Auth2 Start Time (HR:MN)

Specify the contract Level 2 Auth start time in hours and minutes for Half Day.

Release Start Time (HR:MN)

Specify the contract Release start time in hours and minutes for Half Day.

Initiator End Time (HR:MN)

Specify the contract initiation end time in hours and minutes for Half Day.

Auth1 End Time (HR:MN)

Specify the contract Level 1 Auth end time in hours and minutes for Half Day.

Auth2 End Time (HR:MN)

Specify the contract Level 2 Auth end time in hours and minutes for Half Day.

Release End Time (HR:MN)

Specify the contract Release end time in hours and minutes for Half Day.

4.2.4.4 Viewing Incoming Payment Parameters

When the system is unable to process an Incoming Payment because the target credit account in the message does not exist in the system, it keeps such transactions aside, by posting them to a 'Repair Queue', awaiting corrections to be made to the transaction. This process of manual correction of an Incoming Payment is called Repair.

Allow Transaction Repair

Check this box to allow transaction repair. The system will move the incoming payment transaction into the Repair queue if the customer account does not exist in the system.

Note

The Repair function is available only for Incoming Payments.

Authorization Limit

If the transaction amount exceeds this amount then corresponding contract will be moved into Incoming Payment Authorization queue.

Limit for Name Match

This amount is used to identify if validation is required on customer name or not.

If 'Validate Customer Name' checkbox is checked in product category and transaction amount also exceeds this amount, then the system will check if the customer name is available in the system or not. If it is not available then the system will move the contract to the Incoming Payment Authorization queue.

4.2.5 Specifying the List of Banks

You can maintain list of the clearing branches of your bank to which the payments should be directed. Click 'List of Banks' button in the 'Product Preferences' screen to invoke the 'List of Banks' screen.

List of Banks

Product Description *

Bank Details

Bank Code *	Bank Name
-------------	-----------

Role To Head Mapping

Accounting Role *	Role Description	Account Head	GL Description
-------------------	------------------	--------------	----------------

Ok Exit

4.3 Viewing Level 1 Authorization (A1) Details

You can view the Level 1 Authorization (A1) details using the 'Payments & Collections Auth1 Queue' screen. To invoke this screen, by typing 'PCSAUTQ1' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Authorizer 1 Queue

Search Advanced Search Reset Clear All

Case Sensitive

Contract Reference No Product Category Exception Queue

Account Entry Reference Product Code Network

Customer Account No Branch

Records per page 15 1 Of 1

Contract Reference No	Product Category	Exception Queue	Account Entry Reference	Product Code	Network	Customer Bankcode	Account Branch
-----------------------	------------------	-----------------	-------------------------	--------------	---------	-------------------	----------------

Detail Reverse Authorize

Exit

You can query the record based on the following details:

- Contract Reference Number
- Product Category
- Exception Queue
- Account Entry Reference
- Product Code
- Network
- Customer Account Number

Clicking on 'Search' button, the system will display all the records pertaining to the specified criteria. Double clicking on any of the records, the system will display the record details.

Clicking on 'Authorize' button, you can authorize the contract(s). The system will validate the contract amount against the Auth2 Limit amount. If the contract amount exceeds the Auth2 Limit amount, then the contract will be moved into Level 2 Authorization (A2) queue. If the contract amount does not exceed the Auth2 Limit then the contract will be ready for dispatch and also system will process the DRLQ event. You can select multiple contracts and authorize them in bulk.

Clicking on 'Reverse' button, you can reverse the selected contract(s). You can also select multiple contracts and reverse them in bulk.

Clicking on 'Details' button, the system will display the details of the selected contract.

4.4 Viewing Level 2 Authorization (A2) Details

You can view the Level 2 Authorization (A2) details using the 'Payments & Collections Auth2 Queue' screen. To invoke this screen, by typing 'PCSAUTQ2' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

You can query the record based on the following details:

- Product Category
- Contract Reference Number

- Product Code
- Customer Account Number
- Network
- Account Entry Reference Number

Clicking on 'Search' button, the system will display all the records pertaining to the specified criteria. Double clicking on any of the records, the system will display the record details.

Clicking on 'Authorize' button, you can authorize the contract(s) and set it for dispatch. This will process the DRLQ event. You can select multiple contracts and authorize them in bulk.

Clicking on 'Reverse' button, you can reverse the selected contract(s). You can also select multiple contracts and reverse them in bulk.

Clicking on 'Details' button, the system will display the details of the selected contract.

4.5 Viewing Release Queue Details

You can view the release queue details using the 'Payments & Collections release Queue' screen. To invoke this screen, by typing 'PCSR LXSQ' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'Transaction Release Queue' application window. At the top, there is a title bar and a menu bar with options: Search, Advanced Search, Reset, and Clear All. Below the menu bar, there is a 'Case Sensitive' section with search criteria: Contract Reference No, Account Entry Reference, Network, Product Category, Product Code, and Customer Account No. Each criterion has a text input field and a search icon. Below the search criteria, there is a table with columns: Contract Reference No, Product Category, Account Entry Reference, Product Code, Network, and Customer Bankcode. The table has 15 rows, each with a checkbox on the left. Below the table, there is a footer with 'Detail Release Reverse' links and an 'Exit' button.

You can query the record based on the following details:

- Product Category
- Contract Reference Number
- Product Code
- Customer Account Number

- Network
- Account Entry Reference Number

Clicking on 'Search' button, the system will display all the records pertaining to the specified criteria. Double clicking on any of the records, the system will display the record details.

Clicking on 'Release' button, you can release the contract(s). If the contract is released, then further processing continues on the transaction, wherein the transaction is transmitted to the network. This will process the CRLQ event. You can select multiple contracts and release them in bulk.

Clicking on 'Reverse' button, you can reverse the selected contract(s). The system will reverse the accounting entries which were posted in DRLQ event. You can also select multiple contracts and reverse them in bulk.

Clicking on 'Details' button, the system will display the details of the selected contract.

4.6 **Validations for Product and Collection Type Combinations**

The system performs various validations during transaction processing based on the Product type and Collection type combination and the various dates that you have specified during product definition. These dates include:

- Customer Entry Days
- Customer Entry Value Days
- Counterparty Entry Days
- Counterparty Entry Value Days
- Dispatch Days
- Response Days

Listed below is a set of validations that you can capture while creating products for specific Product and Collection type combinations:

Product Type	Collection Type	Set of Validations
Outgoing Payment	NA	<p>Customer entry days should be less than or equal to counterparty entry days</p> <p>Customer entry value days should be less than or equal to counterparty entry value days</p> <p>Counterparty entry days should be less than dispatch days</p> <p>Auto response days should be null</p>

Incoming Payment	NA	<p>Counterparty entry days should be less than or equal to customer entry days.</p> <p>Counterparty entry value days should be less than or equal to customer entry value days.</p> <p>Dispatch days should be null</p> <p>Auto response days should be null</p>
Outgoing Collection	DD	<p>Counterparty entry days should be less than or equal to customer entry days</p> <p>Counterparty entry value days should be less than or equal to customer entry value days</p> <p>Dispatch days should be less than or equal to counterparty entry days</p> <p>Customer entry days should be less than or equal to auto response days</p>
Incoming Collection	DD	<p>Customer entry days should be less than or equal to counterparty entry days</p> <p>Customer entry value days should be less than or equal to counterparty entry value days</p> <p>Dispatch days should be null</p> <p>Auto response days should be specified</p>
Reject of Incoming Collection	DD	<p>Customer entry days should be less than or equal to counterparty entry days</p> <p>Customer entry value days should be less than or equal to counterparty entry value days</p> <p>Dispatch days should be specified</p> <p>Auto response days should be null</p>
Reject of Outgoing Collection	DD	<p>Counterparty entry days should be less than or equal to customer entry days</p> <p>Counterparty entry value days should be less than or equal to customer entry value days</p> <p>Dispatch days should be null</p> <p>Auto response days should be null</p>

Recall of Incoming Collection	DD	<p>Customer entry days should be less than or equal to counterparty entry days</p> <p>Customer entry value days should be less than or equal to counterparty entry value days</p> <p>Dispatch days should be specified</p> <p>Auto response should be null</p>
Recall of Outgoing Collection	DD	<p>Counterparty entry days should be less than or equal to customer entry days</p> <p>Counterparty entry value days should be less than or equal to customer entry value days</p> <p>Dispatch days should be null</p> <p>Auto response days should be null</p>
Outgoing Collection	RFD	<p>Counterparty entry days and customer entry days should be null</p> <p>Counterparty entry value days and customer entry value days should be null</p> <p>Dispatch days should be specified</p> <p>Dispatch days should be less than or equal to auto response days</p>
Incoming Collection	RFD	<p>Customer entry days and counterparty entry days should be null</p> <p>Customer entry value days and counterparty entry value days should be null</p> <p>Dispatch days can be specified</p> <p>Dispatch days, if specified, should be less than or equal to auto response days</p>
Reject of Incoming Collection	RFD	<p>Customer entry days and counterparty entry days should be null</p> <p>Customer entry value days and counterparty entry value days should be null</p> <p>Dispatch days should be specified</p> <p>Auto response days should be null</p>

Reject of Outgoing Collection	RFD	Counterparty entry days and customer entry days should be null Counterparty entry value days and customer entry value days should be null Dispatch days should be null Auto response days should be null
-------------------------------	-----	---


4.7 Processing Outgoing Payment Transaction

Oracle FLEXCUBE allows you to manually authorize or release an outgoing payment transaction to the network. If the transaction amount does not exceeds any of the authorization limits and release limit, then the system will automatically send the outgoing payment transaction to the network. Else, you should send it manually.

When Outgoing Payment transactions require manual authorizations or release, a significant time delay may exist between the initiation of a transaction in the system and actual transmission of the transaction message to the network. During this time period, the balance of the account, which was found to be sufficient to support the payment at the time of initiation but if it is not sufficient at the time of authorization. This will be handled by the system in the following manner

- The system will block the funds against the account when the transaction is successfully initiated and unblock the funds and debit the account at a later and appropriate point of time.
- The system will unblock the funds if the contract gets reversed

The process is as follows:



The details of amount block processing on different stages (Initiation/Level 1 Authorization/Level 2 Authorization/Release) are explained as follows:

If the transaction goes through this workflow	On Initiation	On completion of Level 1 Authorization	On completion of Level 2 Authorization	On completion of RELEASE


Initiation-> Network	Account is debited and amount block will not be done	Not applicable	Not applicable	Not applicable
Initiation-> Level 1 Authorization -> Network	Amount will be blocked on account	Amount Block is removed and Account is debited	Not applicable	Not applicable
Initiation-> Level 1 Authorization -> Release-> Network	Amount will be blocked on account	Amount Block is removed and Account is debited	Not applicable	No action
Initiation-> Level 1 Authorization -> Level 2 Authorization -> Network	Amount will be blocked on account	No action	Amount Block is removed and Account is debited	Not applicable
Initiation-> Level 1 Authorization -> Level 2 Authorization -> Release->Network	Amount will be blocked on account	No action	Amount Block is removed and Account is debited	No action
Initiation-> Level 1 Authorization 1(Reject)	Amount will be blocked on account	Amount Block is removed on account	Not applicable	Not applicable
Initiation-> Level 1 Authorization -> Level 2 Authorization (Reject)	Amount will be blocked on account	No action	Amount Block is removed on account	Not applicable
Initiation-> Level 1 Authorization -> Release (Reject)	Amount will be blocked on account	Amount Block is removed and Account is debited	Not applicable	Account debit is reversed

Initiation-> Level 1 Author- ization -> Level 2 Author- ization -> Release (Reject)	Amount will be blocked on account	No action	Amount Block is removed and Account is deb- ited	Account debit is reversed
Initiation-> Release-> Network	Account is deb- ited	Not applicable	Not applicable	No action
Initiation-> Release (Reject)	Account is deb- ited	Not applicable	Not applicable	Account debit is reversed

4.7.1 Window Periods for Outgoing Payments

A 'Window Period' is a time interval during which the operations of Initiation, Level 1 Authorization, Level 2 Authorization and Release of payment transactions are allowed. Window periods are applicable for Outgoing Payments only. The respective operations will not be allowed at times that lie outside of the window period. Window periods are defined as follows:

- For each product level, a separate window period is defined for initiation, authorization and release of payments.
- The Window period can be extended for the current date using the separate window period modification screen.




During the contract validation, the system will check if the window period is maintained for the current date. If the window period is not maintained for current date, then the system will check the window period information from the product

Based on the details provided in the 'Network Parameters' tab in the 'Payments and Collections Product Preferences' screen, the appropriate window period validation are handled during contract Save, Level 1 Authorization, Level 2 Authorization and Release stages. If the contract fails on the above validations, then system will not process the contract further.

4.8 Processing Incoming Payment Transaction

An Incoming Payment transaction can be defined such that it requires authorization before its target account is credited.



Incoming payment transaction limits are defined in product level. You need to maintain a separate product for both NEFT and RTGS.

Following are the levels of authorization for incoming payments:

- A single level of authorization can be imposed on an Incoming Payment.
- Based on the transaction amount details, the system will authorize the incoming payment. In case the incoming payment exceeds the amount set for authorization it will require a maker and checker for authorization.
 - If the incoming payment transaction amount is less than or equal to the authorization limit, then no authorization is required.
 - If the incoming payment transaction amount is greater than the authorization limit, then authorization is required.

4.8.1 Viewing Incoming Transaction Authorization Details

Oracle FLEXCUBE allows you to view the incoming transaction authorization details using the 'Payments and Collection Incoming Auth Queue' screen. To invoke this screen, by typing

'PCSINAUQ' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows a web application window titled 'Summary'. At the top, there are 'Advanced Search' and 'Reset' buttons. Below this, there are two columns of search criteria fields, each with a dropdown arrow button:

- Contract Reference
- Exception Queue
- Product Code
- Customer Account Number
- Product Category
- Account Entry Reference Number
- Network

Below the search fields, there is a pagination bar with the following elements:

- Records per page: 15 (dropdown)
- First, Previous, 1 Of 1, Next, Last, Go (links)

Below the pagination bar is a table with the following columns:

Contract Reference	Product Category	Exception Queue	Account Entry Reference Number	Product Code	Network	Customer Bank Cod

At the bottom of the table, there are four action links: Detail, Authorize, Reject, Post to Suspense. In the bottom right corner of the window, there is an 'Exit' button.

You can query the record based on the following details:

- Product Category
- Contract Reference Number
- Product Code
- Customer Account Number
- Network
- Account Entry Reference Number
- Exception Queue

Clicking on 'Search' button, the system will display all the records pertaining to the specified criteria. Double clicking on any of the records, the system will display the record details.

Clicking on 'Authorize' button, you can authorize the contract(s) and set it for dispatch. You can select multiple contracts and authorize them in bulk.

Clicking on 'Reject' button, you can reject the contract(s). For this action, the system will generate the return of incoming payment messages (N07 for NEFT and R41 for RTGS customer transfer and R42 for RTGS Bank transfer). Bulk operation is not allowed for this.

Clicking on 'Post to Suspense' button, the system will credit the unsettled GL instead of the customer account. The transaction can then be handled operationally from the Unsettle GL. This Unsettle GL is picked up from the Product category maintenance based on the product category of the contract.

Clicking on 'Details' button, the system will display the details of the selected contract.

4.8.2 Viewing Repair Queue

Oracle FLEXCUBE allows you to view the details of incoming payments awaiting for repair using 'Incoming Payment Repair Queue' screen. To invoke this screen, by typing 'PCSIPRSQ' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'Incoming Payment Repair Queue' application window. It features a search bar at the top with buttons for 'Search', 'Advanced Search', 'Reset', and 'Clear All'. Below the search bar is a section titled 'Case Sensitive' containing six input fields: 'Contract Reference', 'Account Entry Reference', 'Network', 'Product Category', 'Product Code', and 'Account No'. The main area of the window is a table with the following columns: 'Contract Reference', 'Product Category', 'Exception Queue', 'Account Entry Reference', 'Product Code', 'Network', and 'Cust'. The table is currently empty. At the bottom of the window, there are buttons for 'Detail', 'Repair', and 'Reject', and an 'Exit' button in the bottom right corner.

You can query the record based on the following details:

- Product Category
- Contract Reference Number
- Product Code
- Customer Account Number
- Network
- Account Entry Reference Number

Clicking on 'Search' button, the system will display all the records pertaining to the specified criteria. Double clicking on any of the records, the system will display the record details.

Clicking on 'Reject' button, you can reject the contract(s). For this action, the system will generate the return of incoming payment messages (N07 for NEFT and R41 for RTGS customer transfer and R42 for RTGS Bank transfer). Bulk operation is not allowed for this.

Clicking on 'Details' button, the system will display the details of the selected contract.

Clicking on 'Repair' button, the 'Repair' window is displayed as follows:

The 'Repair' window is a standard Oracle-style application window. It features a title bar with the text 'Repair' and window control buttons (minimize, maximize, close). Below the title bar is a menu bar with two items: 'New' and 'Enter Query'. The main content area is divided into two columns of input fields. The left column contains 'Contract Reference *', 'Product Code', 'Product Category', and 'Network'. The right column contains 'Customer Reference', 'Product Type', and 'Transaction Amount'. Below these fields is a tabbed interface with two tabs: 'Existing Details' and 'New Details'. The 'Existing Details' tab contains 'Beneficiary Account Number' and 'Beneficiary Name'. The 'New Details' tab contains 'New Account Number'. At the bottom of the window is a footer area with several labels: 'Maker ID', 'Checker Id', 'Record Status', 'Maker Date Stamp', 'Checker Stamp', and 'Mod Number'. On the far right of the footer are two buttons: 'Ok' and 'Exit'.

Contract Reference Number

Specify the contract reference number.

Beneficiary Account Number

Specify the customer account number.

Beneficiary Name

The system displays the beneficiary name.

New A/C No

Specify the new account number.

The above screen will display the following details of the selected contract:

- Customer Reference Number
- Product Category
- Product Type
- Product Code
- Transaction Amount
- Network

You can unlock the contract and capture the reject code.

The 'Reject' (PCDIAUTC) screen will reject the selected Incoming Payment and creates another transaction as Reject of Incoming Payment.

Reject

Enter Query

Contract Reference *

Custom Reference Number

Product Category

Product Code

Type

Transaction Amount

Reject Details

Reject Code

Reject Reason

Ok Exit

The product category for the reject of incoming payment is maintained in the Product Category of Incoming Payment.

5. Processing a Payment or Collection Transaction

5.1 Introduction

In the Payments and Collections module of Oracle FLEXCUBE, a product refers to a specific type of transfer of funds. For example, you may process payments/collections that involve transfer of funds between accounts maintained at your bank. You can define this type of internal payment /collection as one of the payment/collection products at your bank.

Defining a product makes it easier for you to enter transactions. The other advantage of defining a product is that you can define certain general attributes for a product, which will default to all contracts processed under it.

Note

Contracts are customer specific. A customer could make a payment through your bank (local payments) or collect payments from debtors through your bank (direct debits or requests for debit).

Every time you process a transaction, you do not have to specify its general attributes, since a transaction acquires the attributes defined for the product it involves. You can change these default attributes to suit a specific transaction.


You can capture the details of a Payment/Collection transaction in the PC Transaction Input online screen.

5.2 Capturing Details of Payment/Collection Transactions

You can invoke the 'PC Transaction Input online' screen from the Application Browser.

5.2.1 Entering a Transaction

To enter a transaction in this screen, select new icon from the toolbar.



In this screen, you must enter the following details:

Product Category

Enter a valid product category code. The transaction that you are capturing will be associated with the product category you specify. If you enter a valid code, the Transaction Input screen is displayed.

Batch Number and Batch Description

Specify the Batch Number and a description of the batch. (A batch is used to group transactions.).

When you confirm your input, the main 'PC Transaction Input' screen is displayed. In this screen, you will view the batch number to which your transaction will be posted, the current number, and the reference number of the transaction you are capturing.

You can invoke this screen by typing 'PCDTRONL' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

Click new icon in the application toolbar and enter the details.

The screenshot displays the 'Transaction Input' application window. At the top, there is a toolbar with a 'New' icon and an 'Enter Query' button. Below the toolbar, the main form is organized into several sections. The first section contains fields for 'Product Category *', 'Product Code', 'Network', 'Collection Type', 'RFD Type', 'Contract Reference *', 'Custom Reference', 'Product Type', and 'Source Reference'. A tabbed interface follows, with 'Main' selected. The 'Customer Details' section includes fields for 'Account Number *', 'Account Description', 'Account LOF', 'Customer Number', 'Bank Code', 'Clearing Branch', 'Bank City', 'Account Branch', 'Account Currency', 'Available Balance', 'Customer Name', 'Bank Name', and 'Branch Name'. Below this is an expandable 'Additional Customer Details' section. The 'Counter Party Details' section has fields for 'Account Number', 'Bank Code', 'Counter Party Name', 'Bank Name', and 'Bank City'. Another expandable 'Additional Counter Party Details' section follows. The 'Transaction Details' section contains fields for 'Book Date', 'Activation Date', 'Transaction Currency *', 'Amount *', 'Foreign Currency', 'Foreign Currency Amount', 'Remitted Amount Currency', 'Remitted Amount', 'Local Currency', 'Local Currency Equivalent', 'Charge Amount', 'Exchange Rate', 'Remarks', 'Acknowledgement Status', 'Exception Queue', 'Message Status', 'Collection Status', 'Current Number', 'Batch Number', 'Batch Description', 'Auto/Manual', and 'FX Contract Reference'. At the bottom, there is a navigation bar with links for 'Split Details', 'Events', 'Charge', 'Status', 'Project Details', 'Duplication Details', and 'MIS'. The footer area includes fields for 'Input By', 'Date Time', 'Authorized By', 'Date Time', 'Contract Status', and 'Authorized', along with an 'Exit' button.

The following details are displayed in the main screen of the contract:

Product Category

The category you specified on invoking this screen will default here. You cannot change the default.

Product Code

Specify the product that you wish to use to process the contract. Based on the product code, the system will default the currency code linked to this product in the 'Txn CCY' field.

Alternately, the system can also arrive at the product code based on the currency specified in the 'Txn CCY' field.

Network

Specify the clearing network for the contract. Based on the network ID, the system will default the currency code linked to this network in the 'Txn CCY' field.

Collection Type

The Collection Type of the transaction will be displayed. This could be either DD or RFD.

RFD Type

If the incoming collection transaction is an RFD, specify the RFD type. This could be any one of the following:

- No Tracking: indicates that the RFD is not considered for approval or rejection
- Full Payment: indicates that the RFD is processed for payment of full transaction amount

Partial Payment: indicates that the RFD is processed for partial payment

Contract Reference

The system identifies every transaction with a unique reference number. You can view the reference number for the transaction that you are capturing.

Customer Reference

The custom reference number for the contract is displayed.

Product Type

It defines the product and the product category of collection, payment. In PC transaction input it will be defaulted from the Product Category.

Source Reference

The system identifies every transaction with a unique source reference number. You can view the reference number for the transaction that you are capturing.

Specify the following details in the main screen of the contract:

5.2.2 Capturing Details of the Main Transaction

As mentioned earlier, the PC Transaction Input screen is used to enter the details of a local payment/collection transaction.

Apart from the standard fields that are available, you will view the user-defined fields that the administrator at your customer station has maintained. These fields will be displayed in the sequence that your administrator has specified when defining the product category.

Customer Details**Account Number**

Click 'A' and select a valid customer account from the option list. The list displays all customer accounts maintained in Oracle FLEXCUBE, or a GL for which posting is allowed (for instance,

a cash GL in case of remittance of cash handed over the counter) in this field. The option list displays customer accounts and internal GLs with the corresponding Clearing Account Number and the IBAN Account Number (for GLs, as maintained in the 'Chart of Accounts').

Note

Note the following:

- If you have specified an account that uses an account class that is restricted for debit or credit transactions for the product, an override is sought when you attempt to save the contract.
 - If the customer account is the debit account for a transaction, you can indicate a GL of type Asset, Liability, Income and Expense type only. Cash GLs cannot be specified.
 - During upload of incoming payments (File upload), the batch process checks whether the beneficiary/customer account number is an IBAN account and resolves the customer account for the specified IBAN. If it is not found, the System checks the customer account (or GL) in LCF format, and resolves the customer account for the specified LCF number. If checks for IBAN and LCF formats fail, the System checks for the customer account. If the customer account is also not present the contract is marked for repair.
 - If you specify a Trust account, you will have to capture project details in the 'Project details' sub-screen by clicking 'Project Details' button. If you do not capture project details, the system will display an error message while saving.
-

Account Description

The system displays the description of the specified account number based on the details maintained at 'Customer Account Maintenance' level.

Account Branch

This is maintained for the branch in customer account maintenance screen. The branch will be defaulted when you save the PC transaction.

Account Currency

This is maintained for the account in customer account maintenance screen. The values maintained will be defaulted when you save the PC transaction.

Available Balance

The available balance of the customer will be defaulted here when you save the PC transaction. The balance is maintained in the customer account maintenance screen.

Account in LCF

You can specify the customer account in Local Clearing Format in the A/C LCF field.

Customer Name

The name of the customer who is linked to the customer account will be defaulted here when you save the PC transaction. The name is maintained in the customer account maintenance screen.

Customer Number

The system defaults the customer number of the customer linked to the PC transaction.

Bank Code

You can enter the bank code and the account in LCF (local clearing format) for the transaction. The option list displays the Bank Code, Name, Bank Code Type and City for each bank in the list. The Bank Code, Name and City details are displayed on the Transaction Input screen when you select the bank code.

Bank Name

The system displays the name of the bank.

Branch Name

The system displays the branch name of the bank.

Clearing Branch

The clearing branch for the specified customer bank code is displayed in this field.

Bank City

The system displays the bank city.

Additional Customer Details

Click on 'Additional Customer Details' to maintain the additional details of the customer.

Customer Address

You can specify the address of the customer involved in the contract. You can specify up to five lines of address information.

Customer Information

If you need to specify other information regarding the customer of the transaction, free format 35-character text fields are provided, with appropriate labels applicable for your installation. You can specify the customer information such as Surname, Email, ID No, Telephone and Customer Reference in these fields.

Communication Mode

Indicate the mode of the communication to the customer to intimate about the beneficiary account credit. You can select one of the following options:

- Mobile
- Email ID

The above field is enabled only for the product that uses the NEFT clearing network, i.e., Network Qualifier of the Clearing network should be NEFT.

Customer Reference

Specify the customer reference number.

Mobile Number/Email ID

Specify the mobile number or Email ID of customer.

Customer Identification details

You need to specify customer identification details of the customer of the transaction, free format 35-character text fields are provided, with appropriate labels applicable for your installation.

You can specify the following details:

- Identification
- Identification Type
- Identification Value
- Other Identification Type
- Country
- Issuer
- City Of Birth

- Country of birth

Counter party Details

The Bank Code, Name and City details are displayed on the Transaction Input screen when you select the bank code.

Account Number

You can specify the account of the counterparty here. In case of internal transfers, the account needs to be a valid account of Oracle FLEXCUBE either in Oracle FLEXCUBE or in the Local Clearing Format. You can also select an account number from the option list provided. In such a case, the system will default the counterparty name and the address lines as maintained for that account. If at the time of selection of counterparty account, Bank Code is null, then Bank Code and Name will also get defaulted.

Counter party Name

Specify the name of the customer (counter party).

You can click 'Learning Database' button to invoke the learning database to specify the counter party details. All counter parties involved with the specific customer of the contract, are displayed in the learning database.

You can select the Counter party Bank Code, Counter party Account Number and Name of the required counter party.

Bank code

Select a valid bank code maintained in Oracle FLEXCUBE. If you select a code from the option list, the bank name is displayed instantly. If you choose to enter the code, the name of the bank is displayed when you save the transaction.

Validations for counterparty details for bank transfers:

- For bank-to-bank transfers it is not mandatory to specify the counterparty account and name. If you indicate only the counterparty bank code it is considered as a beneficiary institution. If you indicate both the Counterparty Bank Code and Counterparty Name, the Counterparty Bank Code is interpreted as the Account With Institution, and the Counterparty Name is interpreted as Beneficiary Institution.
- If both the Counterparty Bank Code and Counterparty Name are specified for bank-to-bank transfers, the system validates the Counterparty name with that maintained in the PC Bank Directory. The System also checks to ensure that both the Counterparty Bank Code and Counterparty Name have been defined with the same Bank Code Type.

Additional Counterparty Details

Click on 'Additional Counterparty Details' to maintain additional details on the counterparty.

Counterparty Information

If you need to specify other information regarding the counterparty of the transaction, free format 35-character text fields are provided, with appropriate labels applicable for your installation.

You can specify the counterparty information in these fields:

Surname

Specify the surname of the counterparty.

Father Name

Specify the father's name of the counterparty.

Telephone

Specify the contact number of the counterparty.

Email ID

Specify the email Id of the counterparty.

Facebook ID

Specify the facebook Id of the counterparty.

Remarks

Specify remarks, if any.

Counterparty Address

You can specify the address of the counterparty involved in the contract. You can specify up to five lines of address information.

Counterparty Identification details

You need to specify other information regarding the counterparty of the transaction, free format 35-character text fields are provided, with appropriate labels applicable for your installation.

You can specify the following details:

- Currency
- ID
- ID Type
- ID Value
- Other ID Type
- Country
- Issuer
- City Of Birth
- Country Of birth

Counterparty Bank**Direct Participant**

This is the Direct Participant for the Counterparty BIC and is derived from the Clearing Network information maintained in the 'PC Bank Directory' screen. Only if the counterparty is an indirect participant of the network, the system displays the direct participant of the corresponding counterparty BIC. In case of counterparty being direct participant, the field is null.

Transaction Details**Book Date**

The system displays the book date of the transaction.

Activation Date

This is the activation date of the contract. The system defaults to the current date. However, you can change this. Since you can post back-value dated PC transactions, for the purpose of risk tracking you can indicate a date beyond which users will be prevented from posting a back value dated transaction by enabling the Back-Value Check Required in the 'Branch Preference' screen. The System validates whether the activation date falls within the maximum period up to which back valued posting can be processed.

Transaction Currency

Enter the currency for the transaction. You can click on the adjoining option list to choose from a list of valid currency codes maintained in the system. Input to this field is mandatory. If the network ID is input, then the system will display the currency linked to the clearing network in this field. If the product code is input, then the system will display the currency linked to the product in this field. You will not be able to change the defaulted value. The system will ensure that this currency code is the same as that linked to the product code and network ID of the contract.

Amount

This refers to the transaction amount, i.e. the actual amount transferred during the transaction. For example, if you have maintained the Charge Mode as 'Discount' at the Product Preference level, then the actual amount sent to the beneficiary will be the difference between transaction amount and charge.

On saving the transaction after entering all the required details in the system, the system validates the value of the transaction amount against the following:

- Product transaction limit
- User Input limit

If the transaction currency and the limit currency are different, then the system converts the amount financed to limit currency and checks if the same is in excess of the product transaction limit and user input limit. If this holds true, the system indicates the same with below override/error messages:

- Number of levels required for authorizing the transaction

Transaction amount is in excess of the input limit of the user

Foreign Currency Amount

The system displays the foreign currency which is involved in the PC transaction.

Remitted Amount

The system displays the remitted amount that is involved in the PC transaction.

LCY Equivalent

The system displays the transaction amount in the local currency.

Charge Amount

You can specify the charge amount in this field. This specification will override the charge amount computed for the first charge condition set applicable for the transaction. To view the charges for the other condition sets specified for the product, click the 'Charge' button to invoke the 'PC Charges' screen.

Collection Status

The status of the transaction is displayed at the bottom of the screen.

The following details are displayed.

- Contract Status
- Authorization Status
- Exception Queue
- Collection Status

Exchange Rate

The exchange rate of the transaction will be displayed in case the customer account is in a foreign currency (only for payment transactions).

Remarks

Specify any remarks for the transaction, if required.

Exception Queue

The name of the queue to which the transaction is logged in case of any processing exception is displayed here

Message Status

If the outgoing payments workflow is applicable for the transaction, the status of the message is displayed here.

Batch Number

The batch number, to which the transaction will be posted, is displayed here.

Batch Description

The description associated with the batch is displayed here.

Generate REMT SLP during INIT event

Check this box to indicate that a remit slip needs to be generated during INIT event.

FX Contract Reference

Specify the FX Contract Reference number you need to link to the PC contract, for the currency pair. The adjoining option list displays Forward Deal Type FX contracts which are authorized and active. Select the appropriate one.

The system disables Rate Date and Rate Serial, if the FX Contract Reference number is specified.

While entering a payment contract, the system facilitates you to choose a FX forward contract. This FX forward contract must meet the following requirements:

- The FX contract must be the only Forward Deal Type
- The FX forward contract must be active and authorized.
- Option Date is mandatory for the FX forward contract
- For an outgoing PC Transaction, the Transaction Currency of the PC Transaction must be equal to the Sold Currency of the FX contract and Customer Account Currency of the PC Transaction must be equal to the Bought Currency of the FX contract.
- For Incoming PC Transaction the Transaction Currency of the PC Transaction will be equal to the Bought Currency of the FX contract and Customer Currency of the PC Transaction will be equal to the Sold Currency of the FX contract.
- For Outgoing or Incoming PC Transaction the Customer Entry Date must be greater than or equal to the Option date and less than the maturity date (min of Bought Value Date and Sold Value Date) of the FX contract
- The Customer of the PC Transaction must be the Counterparty of the FX contract
- The unutilized Amount of the FX contract must be greater than or equal to the PC Transaction amount.
- The unutilized sold Amount of the FX contract must be greater than or equal to the transaction amount for Outgoing PC Transaction or unutilized buy Amount of the FX contract must be greater than or equal to the transaction amount for Incoming PC Transaction.
- The FX forward contract linked to PC Transaction cannot be part of combination product. It cannot have NDF feature and settlement cannot be through CLS
- The FX contract linked as Collateral cannot be linked to PC Transaction.

If any of the above criteria is not met then the system displays an appropriate error message.

The following validations and processes are involved:

- FX contract can be linked only for Payment transactions.
- Linking FX contract to PC transaction is optional for cross currency transaction. If linked, then the system considers the FX contract exchange rate as the exchange rate for the PC transaction
- During creation and modification of the PC transaction, FX Contract can be linked to PC transaction
- FX contract will not be linked to a PC transaction with Auto Exchange Rate checkbox checked at PC product level.
- While saving a PC Transaction, the system triggers LINK event in FX to decrease the available utilization amount
- If the FX linked PC Transaction is deleted before authorization, then the system deletes the existing LINK event in FX to increase the unutilized amount.
- If the FX linked PC Transaction is modified before authorization, then if;
 - FX linkage is removed, the system deletes the existing LINK event in FX to increase the unutilized amount
 - FX linkage is attached, the LINK event is created in FX to decrease the unutilized amount
 - The transaction amount is increased, the system validates if the outstanding amount of the linked FX forward contract would cover the increased amount. If it is, then the system deletes the existing LINK event (FX with old amount) and increases the unutilized amount. This is followed by creation of new LINK event and decrease in the unutilized amount.
 - The transaction amount is decreased, the system deletes the existing LINK event and increases the unutilized amount followed by LINK event to create a new linkage and decrease the unutilized amount.
 - The Customer Entry Date is modified, the system will validate if the new Customer Entry Date is greater than or equal to the option date and less than the maturity date (min of Bought Value Date and Sell Value Date). If it is, then the system deletes the existing LINK event (FX with old Value date) and increases the unutilized amount followed by LINK event to create the new linkage (FX with new Value date) and decreases the unutilized amount. If the condition is not satisfied, then the system displays an appropriate error message.
- For an Outgoing Payment Transaction, if Debit Entry Liquidation (DRLQ) event is triggered, then the system creates PLIQ event in FX to pass the reverse contingent entries to the equivalent amount of the PC Transaction.
- For PC Incoming Payment Transaction, if Credit Entry Liquidation (CRLQ) event is triggered, then the system creates PLIQ event in FX to pass the reverse contingent entries to the equivalent amount of the PC Transaction.
- If the FX linked PC Transaction (future dated) is amended after authorization, then if
 - FX linked is removed, the system creates DLNK event FX to increase the unutilized amount.
 - New FX linkage is created, the system creates LINK in FX to decrease the unutilized amount
 - The transaction amount is increased, the system validates if the outstanding amount of the linked FX forward contract would cover the increased amount. If it is, then the system triggers DLNK event to delink the old linkage (FX with old amount), increase the unutilized amount followed by LINK event to create the new linkage (FX with new amount) and decrease the unutilized amount.
 - The transaction amount is decreased, the system triggers DLNK event to delink the old linkage, increase the unutilized amount. This is followed by LINK event to create the new linkage and decrease the unutilized amount

- The Customer Entry Date is modified, the system validates if the new Customer Entry Date is greater than or equal to the Option Date and less than the maturity date (min of the Bought Value Date and Sell Value Date). If it is, then the DLNK event will delink the old linkage (FX with old Value date) and increase the unutilized amount. This is followed by LINK event to create the new linkage (FX with new Value date) and decrease the unutilized amount.
- If in FX linked PC Transaction the Customer or the Currency is modified, then the system will not allow you to save transaction, unless the linked FX Contract is removed from the PC Transaction
- Reversal of FX linked PC transaction before liquidation will decrease the FX contract utilization. However, if the reversal is after liquidation, it will have no impact on the utilization of the FX contract. So if the PC contract is reversed prior to liquidation, then the system will send DLNK details to FX contract to update the utilization.

5.2.3 **Specifying Transaction Details**

Click on the 'Transaction Details' tab to capture transaction details.

Payment Reference

Station ID

The system displays the station identification

Clearing System ID

Specify the clearing system identification.

Priority

The system displays the priority order of the messages.

Service Level Code

Priority, which is a user defined field, set at the product category level is defaulted in this screen.

Source Code

The system displays the source code.

Charge Details

Charge Bearer

This indicates which party will bear the charges associated with the payment. This value is received from the incoming SEPA instruction and you are not allowed to change this. For manually input transaction this will be defaulted from the Product Maintenance.

Charge Mode

You can indicate whether charges applicable for the transaction are to be applied over and above the transaction amount (premium) or subtracted from the transaction amount (discount).

Waive Charge

You can indicate that the charges in respect of the transaction computed according to the first condition set displayed in the Charge Amount field, must be waived.

Third Party Charge Currency

Select the third party charge currency from the adjoining option list.

Third Party Charge Amount

Specify the third party charge amount.

Processing Value Date

Customer Entry Date

This indicates the date on which the customer account will be debited for outgoing transfers and credited for incoming transfers. If you do not input a date here, it will be derived from the activation date by adding the working days to the value of customer entry days specified for the product. The values will be used based on the cutoff status of the transaction.

Customer Entry Value Date

This indicates the value date of the debit entry for outgoing transfers and credit entry for incoming transfers. If you do not input a date, it will be derived from the activation date by adding the working days to the value of customer entry value days specified for the product. The values will be used based on the cutoff status of the transaction.

Counterparty Entry Date

This indicates the date on which the counterparty account will be credited for outgoing transfers and debited for incoming transfers. If you do not input a date, it will be derived from the activation date by adding the working days to the value of counterparty entry days specified for the product. The pre/post cutoff values will be used based on the cutoff status of the transaction.

Counterparty Entry Value Date

This indicates the value date of the credit entry for outgoing transfers and debit entry for incoming transfers. If you do not input a date, it will be derived from the activation date by adding the working days to the value of counterparty entry value days specified for the product. The pre/post cutoff values will be used based on the cutoff status of the transaction.

Instruction Date

This indicates the requested execution date of the SCT transaction and Collection due date of an SDD transaction. This is a display only field.

Settlement Date

Specify the inter bank settlement date of the incoming instruction.

Initiation Date

The date and time when the transaction was received through the Electronic Banking System is displayed.

Receive Date of Incoming

The system displays the incoming receive date.

Exception Details

Reject Code

The reject code, if any, that was specified for rejection of the transaction, is displayed here.

Reject Detail

The reject reason, if any, corresponding to the reject code is displayed here.

Reject Code Additional

This is the reject reason for the reject messages. This will be used in case the reject reason is not covered by available ISO reject codes.

Compensation Amount

Specify the amount that the debtor bank has to receive from the creditor bank.

It should always be Euro (EUR)

Their Reference

This is the reference number of the counterparty bank for collections (for instance, incoming collections). This is the reference that would be sent back when any responses are sent back to the counterparty bank.

Original Collection Reference

If you are rejecting or recalling a collection transaction, you must specify the reference number of the original collection transaction

Reject Originator Name

The system displays the reject originator name.

Reject Originator Bank

The system displays the reject originator bank.

Reject Reference Number

The system displays the reject reference number.

Payment Reject Date

Specify the payment reject date from the adjoining calendar.

Purpose Details**Category Purpose**

Specify the category purpose of the credit transfer from the option list.

Purpose Type

Select the purpose type of the credit transfer from the drop-down list. Following are the options available in the drop-down list:

- Proprietary
- Code

Purpose Value

Specify the purpose value of the credit transfer.

Local Instrument Type

Select the local instrument type from the drop-down list. Following are the options available in the drop-down list:

- Proprietary
- Code

Local Instrument Value

Specify the local instrument value.

Electronic Signature

Specify the electronic signature of the debtor.

Other Details**Cutoff Status**

This indicates if the transaction was received before the cutoff time defined for the product.

Cover required

The system displays the cover message preference you have maintained for the counterparty as part of the Clearing Network maintenance. The system defaults the values in Direct Participant and Cover field only if you have maintained the information for the contract. In

case you have maintained the counter party bank code without a clearing network, the system defaults the values for both the above fields only after you save the contract.

5.2.4 Specifying Collection Details

General Collection Details

Creditor Identification

For an Incoming Collection transaction or its reject / recall, mention the Creditor ID

Agreement Identification

For Collection transactions, enter the Creditor or Debtor Agreement ID as applicable.

Debtor Category

Select the debtor category from the adjoining option list.

Mandate/Agreement Details

Sequence Type

Select the sequence type of the DD transaction as first collection or One-off. The following options are available:

- FRST – First Collection
- FNAL – Final Collection
- OOFF – One Off Transaction
- RCUR – Recurring Transaction

Sign Date

This indicates the date on which the mandate was signed by the debtor. This would be defaulted based on the mandate ID selected. This is a display only field.

Amend Indicator

Select the option to indicate if the mandate has been amended or not. The values available in the drop down are 'Yes' and 'No'. The value that you select here is populated in the outgoing message for an outgoing collection transaction.

Amend Type

Specify the type of mandate amend that has been done. This is applicable only if 'Mandate Amend Ind' is selected as 'Yes'. This value is populated in the outgoing message of the outgoing collection transaction

Original Mandate ID

Specify the original mandate ID if the mandate is amended. This is applicable only if amend indicator is selected as 'Yes'.

Original Debtor Account

Specify the original Debtor Account under the scheme if the mandate is amended. This is applicable only if amend indicator is selected as 'Yes' scheme if the mandate is amended. This is applicable only if amend indicator is selected as 'Yes'.

Original Debtor Bank

Specify the original Debtor bank BIC under the scheme if the mandate is amended. This is applicable only if amend indicator is selected as 'Yes'.

Creditor Scheme Details

Scheme Identification

Select the scheme identification code of the creditor from the drop-down list. Following are the options available in the drop-down list:

- Private Identification

Scheme Identification Type

Specify the scheme identification type of the creditor from the option list.

Scheme Identification Value

Specify the scheme identification value of the creditor.

Scheme Type

Specify the scheme type of the creditor.

Original Creditor Scheme Details

Identification

Select the scheme identification code of the original creditor from the drop-down list. Following are the options available in the drop-down list:

- Private Identification

Creditor Name

Specify the name of the original creditor.

Identification Type

Specify the scheme identification type of the original creditor from the option list.

Identification Value

Specify the scheme identification value of the original creditor.

Scheme Type

Specify the scheme type of the original creditor.

Other Details

Collected Amount

Specify the collected amount.

Related Transaction

The system displays the related transaction.

Response Date

Specify the date beyond which an incoming collection transaction cannot be rejected. If you do not specify this, the date is picked up from the customer agreement.

Response Advice Required

Indicate whether response advice needs to be sent for this collection transaction. By default, the system picks up this specification from the customer agreement

Response Advice Basis

Specify the response advice basis from the adjoining drop-down list. the options are:

- Response Date
- Event Date

5.2.5 **Specifying Additional Details**

Payment Details

Payment Details 1, 2, 3 and 4

Specify the payment details.

Sender Receiver Information

Sender Receiver Details

Specify the sender receiver details.

Sender Receiver 1, 2, 3 and 4

Specify the sender receiver information.

Payment Consolidation

Account Entry Reference

The system displays the account entry reference.

Customer Consolidation at Product Level

Specify the preference for consolidating customer at product level, by selecting an appropriate option from the drop-down list. The options available in the drop-down list are:

- Yes
- No
- Blank

Customer Consolidation Across Products

Check this box to consolidate the transactions of a customer across the products.

Customer Consolidation Reference

The system displays the customer consolidation reference number. If 'Customer Consolidation at Product Level' or 'Customer Consolidation Across Products' is checked, then a unique customer consolidation reference number is captured for all those transactions booked Manually. If 'Customer Consolidation Across Products' is checked then system populates the customer consolidation reference number with Payment Information ID generated at the Common Payment Gateway for all those transactions consolidated for a customer across different products.

Payment Split Details

You can maintain the following payment split details here:

Split Number

Specify a valid number for the payment split.

Split Transaction Reference

Specify a valid transaction number for payment split.

Split Indicator

Select a valid indicator for the payment split from the adjoining drop-down list. The list displays the following values:

- Not Applicable
- Parent
- Child

Invoice Split Required

Check this box if you need to invoice the split required.

Other Details**Generate Advice**

You can indicate whether a customer advice needs to be generated for the contract. If you do not specify this, after product resolution, the transaction acquires the specification defined for the product.

Generate Remit Slip

Check this box to generate remit slip.

Bank Redirect

Check this box to indicate whether the transaction must be redirected from the customer or counterparty bank to any other bank.

Auto Response

Indicate if a system generated response is required for the collection transaction.

Account Redirected

Check this box to redirect the transaction from customer or counterparty account to any other account.

Auth Reject Remarks

The system displays the authorization reject remarks.

Event Details**Last Event Code**

The system displays the last event code.

Next Event Code

The system displays the next event code.

Next Event Date

The system displays the next event date.

P2P Payments**Customer Debit Reference Number**

The system displays the customer debit reference number.

Note

If the P2P payment type is 'Customer Debit', then the customer debit reference number will be same as the contract reference number.

If the P2P payment type is 'Test Transaction' or P2P Final Payment, then the customer debit reference number will be customer debit reference.

Amount Block Reference Number

The system displays the amount block reference number.

Test Transaction Reference Number

The system displays the test transaction reference number.

Note

If the P2P payment type is 'Customer Debit', then the test transaction reference number will be null.

If the P2P payment type is 'Test Transaction', then the test transaction reference number will be same as the contract reference number.

If the P2P payment type is 'P2P Final Payment', then the test transaction reference number will be reference number of the test transaction involved in P2P payment.

P2P Payment Type

The system displays the value maintained for 'P2P Payment Type' maintained for the product in the transaction.

Processing P2P Final Payment

During the P2P final payment transaction, an outgoing payment is created for P2P Final Payment Transaction. When the customer debit transaction is processed, the customer ledger in the debit liquidation is replaced with the suspense GL of the bank for debiting the transaction amount. The debit GL used for debit liquidation is maintained at contract level. This GL is used during the reject of P2P final payment transaction processing to credit the transaction amount in credit liquidation. When an 'Amount Block' request is processed, the amount block on senders's account is released. Hence for the final payment the transaction amount will be debited from sender's account and will be credited to the clearing suspense GL.

Processing P2P Customer Debit Payment

During customer debit transaction, an outgoing payment of type 'Book Transfer' is created. You have to specify the email ID, telephone number or facebook details for the transactions with P2P payment type as 'Customer Type'. For the customer type other than 'Customer Debit', it is mandatory to specify the counterparty bank code and counterparty account number details. During the customer debit transaction processing, following transaction data would be logged into 'P2P Payment Beneficiary Registration Queue' to track the beneficiary registration till the end date:

- Contract Reference Number
- Branch Code
- Sender Account Number
- Beneficiary's Email ID
- Beneficiary's Telephone
- Beneficiary's Facebook ID

The end date for the beneficiary registration is derived based on the 'Registration Period in Days' parameter value from P2P payments parameters level. The derived end date will also be logged into 'P2P Payment Beneficiary Registration Queue'. Credit GL used for the credit liquidation will be maintained at contract level. This GL is used during the Reject of customer debit transaction processing for debiting the transaction amount in debit liquidation.

Processing Amount Block

The system creates an amount block on the sender's account for the transaction amount on receipt of amount block request from the external system. A failure response message is sent to the external system in case of any error during amount block processing.

During the amount block processing, following transaction data would be logged into 'P2P Payment Beneficiary Registration Queue' to track the beneficiary registration till the end date.

- Amount Block Number
- Branch Code
- Account Number
- Beneficiary's Email ID
- Beneficiary's Telephone
- Beneficiary's Facebook ID

5.2.6 The end date for the beneficiary registration would be derived based on the 'Registration Period in Days' parameter value from P2P payments parameters level. The derived end date is logged into 'P2P Payment Beneficiary Registration Queue' and will be updated as expiry date in Amount Block Input function.

5.2.7 Specifying the Party Details

Indirect Participant Customer Details

Name

Specify the name of the customer participating in the indirect transaction.

Address1 and 2

Specify the address of the customer participating in the indirect transaction.

Country

Specify the country of the customer participating in the indirect transaction.

Identification Type

Specify the identification type of the customer from the option list. This is optional. It is mandatory only if the Customer Identification is specified.

Identification ID Type

Specify the identification type of the customer participating in the indirect transaction.

Other Identification Type

Specify the type of the other identification for the customer. This is mandatory for other identification details under Private identification details.

Identification Value

Specify the identification value for the customer for the given identification type. This is optional. It is mandatory only if the customer identification type is specified.

Issuer

Specify the Identification Issuer of the customer. This is an optional field. This is applicable for Organization identification as Proprietary Identification or Private Identification.

City of Birth

Specify the city of birth of the Customer. This will be enabled and is mandatory for identification type as Date and place of birth.

Country of Birth

Select the country of birth of the Customer. This will be enabled and is mandatory for identification type as Date and place of birth. Country - Specify the address country code of the customer from the option list. This is optional.

Account Number

Specify the account number of the customer participating in the indirect transaction.

Currency

Specify the currency that is used in an indirect transaction

Bank Code

Specify the Bank code of the bank that has participated in a transaction.

Initiating Party Details**Name**

Specify the name of the initiating party. This is an optional field.

Address Line 1

Specify the address line1 of the initiating party. This is an optional field.

Address Line 2

Specify the address line 2 of the initiating party. This is an optional field.

Country

Select the country of the initiating party from the option list. This is a mandatory field if the address details are specified.

Issuer

Specify the Identification Issuer of the initiating party. This is an optional field. This is applicable for Organization identification as Proprietary Identification or Private Identification.

City of Birth

Specify the city of birth of the Initiating party. This will be enabled and is mandatory for identification type as Date and place of birth.

Initiating Party Identification

Select the unique way of identifying the initiating party from the drop-down list. The following are the options available:

- Organization Identification
- Private Identification

Country of Birth

Select the country of birth of the Initiating Party from the option list. This will be enabled and is mandatory for identification type as Date and place of birth.

Other Identification Type

Specify the type of the other identification for the Initiating party. This is mandatory for other identification details under Private identification details.

Identification Value

Specify the identification value for the initiating party for the given identification type. This is optional. It is mandatory only if the Initiating party identification type is specified.

Ultimate Debtor Details**Name**

Specify the name of the ultimate debtor.

ID

Select the identification code of the ultimate debtor from the drop-down list. Following are the options available in the drop-down list:

- Organization Identification
- Private Identification

ID Type

Specify the identification type of the ultimate debtor from the option list.

ID Value

Specify the identification value of the ultimate debtor.

Other ID Type

Specify the identification type of other identification specified for the ultimate debtor.

Issuer

Specify the other identification type issuer of ultimate debtor.

City of Birth

Specify the city of birth of ultimate debtor.

Country of Birth

Specify the country of birth of ultimate debtor.

Ultimate Creditor Details**Name**

Specify the name of the ultimate creditor.

ID

Select the identification code of the ultimate creditor from the drop-down list. Following are the options available in the drop-down list:

- Organization Identification
- Private Identification

ID Type

Specify the identification type of the ultimate creditor from the option list.

ID Value

Specify the identification value of the ultimate creditor.

Other ID Type

Specify the identification type of other identification specified for the ultimate creditor.

Issuer

Specify the other identification type issuer of ultimate creditor.

City of Birth

Specify the city of birth of ultimate creditor.

Country of Birth

Specify the country of birth of ultimate creditor.

5.2.8 Capturing the Message Details

Payments & Collections Transaction Input

New Enter Query

Product Code Contract Reference *
Product Category * Custom Reference
Product Type
Source Reference
Network
Collection Type
RFD Type

Main Customer Details Counterparty Details Message Details Other Details 2 Other Details 1 Other Details 3 UDF

Original Message Details

Name
Reference Number
Source Reference
Settlement Date
Amount
Original Settlement
Currency

Outgoing Message Details

Outgoing File Reference
Outgoing Message Id
Outgoing Message Name
Message Creation Date

Incoming Message Details

File Reference
Message Id
Message Name
Message Creation Date
Instructing Bank
Instructed Bank
Settlement Method

Mandate Details

Sequence Type
Sign Date
Amend Indicator
Amend Type
Original Mandate Id
Original Debtor Account
Original Debtor Bank

Sender Receiver Information

Sender Receiver Details
Sender Receiver 1
Sender Receiver 2
Sender Receiver 3
Sender Receiver 4
Sender Receiver 5

MIS | Split Details | Events | More | Charge | UDF Details | Status | Project Details | Duplication Details

Input By Date Time Authorized By Date Time Contract Status Authorized

You can capture the following details here:

Dispatch Details

Dispatch

This indicates whether the contract needs to be dispatched to clearing. In case of incoming transactions, dispatch is not allowed. If you do not specify this, after product resolution, the transaction acquires the specification defined for the product.

Redispatch Required

Indicate if this outgoing collection transaction needs to be redispatched if rejected.

Dispatch Date

This is the date on which the transaction will be sent for dispatch. If you do not enter a date, it will be derived from the activation date by adding the working days to the value of dispatch days specified for the product. The pre/post cutoff values will be used based on the cutoff status of the transaction.

Incoming Message Details

Specify the following incoming message details:

File Reference

Specify the reference number of the file that is used in the incoming message processing.

Message ID

Specify the mode to identify a message.

Message Name

Specify the name of the message that is been referred in the incoming messages.

Message Creation Date

Specify the date on which a message was created.

Instructing Bank

Specify code of the instructing bank from which the message was instructed.

Instructed Bank

Specify code of the instructed bank to which the message was instructed.

Settlement Method

Specify the settlement mode.

Outgoing Message Details

You can maintain the following outgoing message details:

Outgoing File Reference No

This indicates the file reference number of the incoming message. This is a display only field.

Outgoing Message ID

This is a unique message bulk reference number populated from the incoming instruction.
This is a display only field.

Outgoing Message Name

This indicates the message name identifier of the outgoing message. For e.g.
Pain.001.001.01.

Message Creation Date

This indicates the date and time the transaction was created. This is a display only field and is defaulted with the value in the incoming message.

Original Message Details**Name**

This indicates the message name of the original instruction for which a new instruction is received. This is a display only field.

Reference Number

This indicates the message identification of the original instruction for which a new instruction is received. This is a display only field.

Amount

The system displays the new instructions received for the original amount.

Original Settlement Currency

This indicates the settlement amount and currency of the original instruction. This is a display only field.

Source Reference

This indicates the source reference number of the original instruction for which reject/refund is received. This is a display only field.

Settlement Date

This indicates the settlement date of the original instruction. This is a display only field.

Redispatch Details**Redispatch Number**

Specify the redispatch count for the parent transaction which is being redispatched.

Redispatch Reference

For collection transactions, specify the reference number of the parent transaction that is being redispatched.

Redispatch Indicator

This indicates whether the collection transaction has been redispatched. If it has not been redispatched, this field indicates 'Not Applicable'. If the transaction has been redispatched, this field indicates whether the transaction being viewed is a parent transaction or a child transaction.

Auto Redispatch

Indicate if this outgoing collection transaction needs to be redispatched automatically if rejected.

Redispatch Date

Specify the date of redispatch of the parent transaction

5.2.9 Viewing User Defined Fields for a PC contract

In the 'PC Transaction Input' main screen, based on the preferences assigned to the product category of the transaction, the contract User Defined Fields are displayed in the UDF tab in the screen, and you can specify the values for these fields, which are applicable for the contract.

You can execute queries on the user-defined fields, and select specific records based on the user-defined fields.

The screenshot shows the 'Transaction Input' window. At the top, there are buttons for 'New' and 'Enter Query'. Below these are several input fields: 'Product Category *', 'Product Code', 'Network', 'Collection Type', 'RFD Type', 'Contract Reference *', 'Custom Reference', 'Product Type', and 'Source Reference'. A tabbed interface is visible with tabs for 'Main', 'Transaction Details', 'Collection Details', 'Additional Details', 'Party Details', 'Message Details', and 'UDF'. The 'UDF Details' tab is active, showing a table with columns 'Name' and 'Description'. Below the table, there are buttons for 'Split Details', 'Events', 'Charge', 'Status', 'Project Details', 'Duplication Details', and 'MIS'. At the bottom, there are fields for 'Input By', 'Date Time', 'Authorized By', 'Date Time', 'Contract Status', and 'Authorization Status', along with an 'Exit' button.

You can maintain the following details:

Field Name and Description

System displays the name and description of the UDF.

5.2.10 Specifying Split and MIS Details

Click the 'Split Details' button to specify multiple debit / credit accounts for the transaction so that the 'Split Details' screen can be viewed.

Only leaf GL transactions involving local currency can be entered in the Split Details screen. You can specify the MIS code for each split leg using the 'MIS' button against each split entry.

The sum of the amounts specified in the 'Split Details' screen is defaulted to the main transaction input screen. The first GL account specified in the 'Split Details' screen is

defaulted as the customer account in the main 'PC Transaction Input' screen, and is also used in the corresponding payment message.

Serial Number	Branch	Account Number *	Amount	Currency	MIS

Total Amount

5.2.10.1 Specifying Contract Split Details

Serial Number

The system displays the serial number of the contract.

Branch

The system displays the branch where a contract is present.

Account Number

The system displays the account number of the contract

Currency

The system displays the currency that is used in a transaction.

Amount

The system displays the amount here.

MIS

The system displays the MIS details of the contract

Total Amount

The sum of the split amount is displayed in this field. This amount is displayed in the main screen as the actual amount.

5.2.11 Specifying the Split Details

Split Number

If a collection transaction needs to be split into multiple contracts, specify the number of contracts into which the parent transaction is being split.

Split Parent Reference Number

Specify the reference number of the parent collection transaction, which is being split into multiple contracts.

Split Indicator

This indicates whether the collection transaction has been split into multiple contracts. If it has not been split, this field indicates 'Not Applicable'. If the transaction has been split, this field indicates whether the transaction being viewed is a parent transaction or a child transaction.

Invoice Split Required

Indicate if the collection transaction needs to be split into multiple transactions if the transaction amount exceeds the maximum amount specified in the debtor DD agreement.

Auto Redispatch

Indicate if this outgoing collection transaction needs to be redispatched automatically if rejected.

Redispatch Date

Specify the date of redispatch of the parent transaction

Authorization Reject Remarks

The remarks, if any, that were specified for rejection of the transaction, are displayed here.

Incoming Message Details**File Ref No**

This indicates the file reference number of the incoming instruction. This is a display only field.

Message Identification

This is a unique message bulk reference number populated from the incoming instruction. This is a display only field.

Message Name

This indicates the message name identifier of the incoming message. For e.g. Pain.001.001.01. This is a display only field and is populated from the incoming instruction.

Msg Creation Date

This indicates the date and time the transaction was created. This is a display only field and is defaulted with the value in the incoming instruction.

Instructing Bank

This indicates the sender bank of the incoming instruction. This is a display only field.

Instructed Bank

This indicates the receiver bank of the incoming instruction. This is a display only field.

Settlement Method

This indicates the settlement method used to settle the incoming transaction. This is a display only field.

Note

While you are processing a transaction you have the option of retrieving details based on Product Category, Counterparty bank and Account combination by clicking the History button.


5.2.12 Specifying the MIS Details

The MIS details for the contract can be captured through the MIS screen. Click the 'MIS' button from the PC Transaction Input screen to invoke the 'Transaction MIS Details' screen.

If you do not specify MIS details for a transaction, it acquires the MIS specifications made for the product under which it is processed.

5.2.13 Viewing Event Details

All events, overrides, and accounting entries triggered by the user who processes the transaction during its life cycle are logged in the 'PC Contract View Events' screen, which you can invoke by clicking 'Events' button in the 'PC Transaction Input' screen.



The following details are displayed:

- Event Details – This provides all the user-initiated events during the life cycle of the contract.
- Accounting Details - This provides all a list of the accounting entries passed by the system for the contract. Click 'Accounting Entries' button in the 'PC Contract 'View Events' screen to view these details.
- Override Details – Here you can view the overrides provided for the transaction during its life cycle.
- Message Details - Click 'Message' in the 'PC Contract View Events' screen to view the messages (advices) generated against each event.

5.2.14 Viewing Duplication details

The system checks for duplicate transactions while booking contracts based on the number of days for duplicate check maintained at the 'Branch Parameters Maintenance' screen and the duplication preferences set at the product category level. The system displays the duplicate contract reference number if there is a single match else it displays the following override message;

'Duplicate Contracts recognized based on the product category preference'

You can view all the duplicate contracts in the 'Duplication Details' screen. Click 'Duplication Details' button in the 'PC Transaction Input' screen to invoke this screen.

Here you can view the following details:

- Contract reference no
- Custom Reference no
- Source Ref no
- Product Cat
- Customer Acc No
- Counterparty Acc No
- Counterparty Bank Code
- Counterparty Name
- Txn Ccy
- Txn Amt
- Activation Date
- Payment Details


Note

Duplication check is done based on the following criteria:

- Number of duplication days that is maintained at the 'Branch Parameters Maintenance' screen.
 - Duplication recognition that is selected at the 'Payments and Collection Product Category Maintenance' screen,
 - The duplication details are persistent and can be viewed by the authorizer too.
 - If duplication details are not maintained at branch level for Payments and Collections, no duplicate checks will be carried out.
-

5.2.15 Specifying Project Details

Click the 'Project Details' button in the 'Payments & Collections Transaction Input' screen and invoke the 'Project Details' screen. You will have to capture project details in this screen only if the credit account is a Trust account.



Specify the following details:

Project Name

Specify the developer project name for which payment is being made. The adjoining option list displays all valid projects maintained in the system. You can select the appropriate one. Input to this field is mandatory.

If you specify the Unit ID, the system will display the corresponding project name here.

Unit Payment

Indicate whether the transaction is a unit payment or not by choosing the appropriate value from the adjoining drop-down list. The following values are available:

- Yes
- No

Unit ID

Specify the unit ID of the project. This field will be enabled only if you have selected 'Yes' against 'Unit Payment'. The adjoining option list displays all unit IDs along with the unit holder names corresponding to the project name chosen. You can select the appropriate one.



Deposit Slip Number



Specify the deposit slip number for the payment.



5.3 Viewing Payments and Collection Transactions


You can view the Payments and Collection Transactions using 'Payments and Collection Transactions Summary' screen. To invoke this screen, type 'PCSTRONL' in the field at the top right corner of the Application tool bar and click the adjoining arrow button:



Advanced Search Reset



Contract Reference  Branch Code 

Source Code  Source Reference 

Their Reference  Custom Reference 

Network  Batch Number

Product Category  Product Code 

Priority  Customer Number 

Records per page: 15 1 Of 1 Go

<input type="checkbox"/>	Contract Reference	Branch Code	Source Code	Source Reference	Their Reference	Custom Reference	Network
<input type="checkbox"/>							
<input type="checkbox"/>							
<input type="checkbox"/>							
<input type="checkbox"/>							
<input type="checkbox"/>							
<input type="checkbox"/>							

Exit

You can click 'Search' button to view all the pending functions. However, you can to filter your search based on any of the following criteria:

- Contract Reference
- Source Code
- Their Reference
- Network
- Product Category
- Priority
- Branch Code
- Source Reference
- Custom Reference
- Batch Number
- Product Code
- Customer Number

Click 'Search', the system displays the following details based on the specified search criteria:

- Contract reference
- Branch Code
- Source Code

- Source reference
- Their Reference
- Custom reference
- Network
- Batch Number
- Product Category
- Product Code
- Priority
- Customer Number
- Bank Code
- Account LCF
- Account Branch
- Account Number
- Account Currency
- Foreign Currency Amount
- Remitted Amount
- Exchange Rate
- Bank Code
- Account Number
- Counter Party Name
- Cutoff Status
- Activation date
- Redispatch Required
- Agreement ID
- Reject Code
- Reject detail
- Compensation Amount
- Original Collection Reference
- Clearing Branch
- Transaction Currency
- Local Currency Equivalent
- Auto/manual
- Acknowledgement Status
- Contract Status
- Reject reference Number
- Creditor ID
- Exception Queue
- Collection Status
- Authorized
- FX Contract Reference

5.4 Simplified Entry of Payments and Collection Transactions

For entry of transactions using the following product types, a simplified transaction entry screen, the 'PC Fast Transaction Input' screen, is provided to enable you to key in transactions with the basic transaction details.

- Outgoing/Incoming Payments
- Outgoing/Incoming Direct Debits
- Outgoing/Incoming Request For Debits

You can invoke the 'PC Fast Transaction Input' screen from the Application Browser by typing 'PCDFSTNL' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Transaction Branch

Select the appropriate branch from the list of branches available in the option list.

On clicking 'Ok' button, the system validates the access rights of the selected branch and function for the user. If you don't have appropriate rights on the selected branch and function, the system will display an error message. If you select a valid branch, the system updates the same as transaction branch and the transaction will be posted for this branch.

The screenshot shows the 'Payments & Collections Fast Track Input' window. It has a menu bar with 'New' and 'Enter Query'. The main area is divided into several sections:

- Product Code:** Includes fields for Product Code, Product Category, Description, and another Description.
- Contract Reference:** Includes fields for Contract Reference, Network, and Custom Reference.
- Account Entry:** Includes fields for Account Entry Reference, Collection Type, RFD Type, and Transfer Type.
- Customer Details:** Includes fields for Customer Bank Code, Account LCF, Customer Account Number, Account Description, Customer Address 1, Customer Address 2, Customer Number, Customer Account, Currency, Bank, City, and Customer Name.
- Counterparty Details:** Includes fields for Counterparty Bank Code, Counterparty Account Number, Counterparty Name, Payment Details 1, Payment Details 2, Agreement Id, Bank, and City.
- Transaction Details:** Includes fields for Transaction Currency, Activation Date, LCY Equivalent, FCY Amount, Currency, LCY Currency, Current Number, Batch Number, Amount, Amount, Exchange Rate, Cutoff Status, Exception Queue, Collection Status, Transaction Date, and Auto/Manual.

At the bottom, there is a status bar with 'MIS | Split Details' and a footer with 'Input By Date Time', 'Authorized By Date Time', 'Contract Status', and 'Authorized'.

In the 'Fast Transaction Input' screen, you enter details for a transaction as given below. All validations to values entered in fields are made just as they are in the 'PC Transaction Input' screen:

Refer PC Transaction Input screen details in the same manual.

Basic Details

- Product Code (you can only select those products that are linked to Outgoing / Incoming Payment, Direct Debit or Requests for Debit product categories)
- Network

5.4.0.1 Specifying Clearing Network Restriction

Bank Code lists linked to the available clearing networks are displayed in 'PC Fast Input' screen for the Product Category. The displayed bank codes list sequence is driven by the way you navigate through the 'PC Fast Input' screen:

After entering the product category details, if you proceed to the bank code without entering the product code and network, the functionality will remain as before. (The entire list of bank codes used by that product is displayed)

If you enter the product code after entering the product category details, then

- If the Product is Book Transfer Type, the network field would be blank. The Book Transfer Type of Bank Codes from the PC Bank Directory will be displayed in the list of Bank Codes from the PC Bank Directory.
- If the specified Product is internal type, the network field would be blank. The entire list of bank codes used by that Product would be displayed.
- If the product is of the type external, the default network chosen in the product preference screen will be displayed. Only those bank codes using this network would be displayed.

Network Id	Description
------------	-------------

Transaction Details

- User-defined fields, if any
- MIS Details

Customer Details

- Customer Account, in Oracle FLEXCUBE as well as in Local Clearing Format
- Customer Name
- Customer Information
- Customer Bank Code and account details

Saving a transaction in the PC Fast Transaction Input screen

When a transaction is saved in the 'PC Fast Transaction Input' screen, any overrides or errors in respect of the transaction are displayed. On saving the transaction after entering all the required details in the system, the system validates the value of the transaction amount against the following:

- Product transaction limit
- User Input limit

If the transaction currency and the limit currency are different, then the system converts the amount financed to limit currency and checks if the same is in excess of the product transaction limit and user input limit. If this holds true, the system indicates the same with below override/error messages:

- Number of levels required for authorizing the transaction
- Transaction amount is in excess of the input limit of the user

The transaction is automatically authorized if automatic authorization is allowed for the profile of the user that has entered the transaction.

Viewing the main PC Transaction Input screen

From the 'Fast Transaction Input' screen, in View Mode, you can view the main 'PC Transaction Input' screen by clicking the arrow icon.

5.5 Authorizing a transaction

All operations on a contract need to be authorized before the end of day. Any user with the requisite rights can authorize an operation. Importantly, you cannot authorize an operation that you yourself have performed on a transaction. For instance, you cannot authorize a transaction that you have input, even if you have the rights to authorize transactions.

If you have the requisite rights, you can invoke the 'Payments and Collections Transaction Authorize' screen. You can invoke this screen from the Application Browser by typing 'PCDTRAUT' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

In this screen, you can authorize the following operations that are unauthorized:

- Contract input
- Amend/Modification of contracts
- Reversal of contracts

When you launch the 'PC Authorization' screen from the application browser, you must specify a product category, and click 'Authorize' button. If you wish to authorize all contracts in all product categories, you can select the 'ALL' option.

When you specify a valid product category, all contracts pending authorization in the selected product category (or all categories, as per your selection) are displayed.


Contract Reference

Specify the reference number of the contract you need to authorize.

The system displays the following values related to the contract reference number specified:

- Product Category
- Contract Details
 - Custom Reference No
- Rekey Details
 - Counterparty Bank Code
 - Counterbank Account Number
 - Counterparty Name
 - Activation Date
 - Customer Account Number
 - Exchange Rate
 - Transaction Currency
 - Transaction Amount
- Overrides
 - Confirmed
 - Override Text
 - Status
 - Authorized By
 - Authorized Date Stamp
 - Override Authorize Status

Click 'Reject' link to mention authorization reject remarks, if you have rejected any transaction.




Reject Remarks

Authorize Reject Remarks

Ok Exit

Click 'Error' link, the system displays the Error Code details screen. You can view Error code details here.

Click 'Change Log' link view the changes from the contract before and after Amendment. The system displays the old and new values of the modified fields of the contract.



Change Log

Contract Ref No

Change Log

1 Of 1 Go

Description	Event Sequence Number	Old Value	New Value

Exit

The following details are displayed here:

- Contract Ref No
- Description
- Event Sequence Number
- Old Value
- New Value

Status Details for Contracts Pending Authorization

The status details for each contract are displayed in the Status Fields section:

- Contract Status
- Collection Status

- Exception Queue
- Message Status
- ID of the user that entered the transaction, with the date time stamp.

Rekey Fields for Contract Authorization

If your bank has enforced re-key of contract details during authorization, the values to the re-key fields will not be displayed. You have to enter these values to authorize the contract. If the re-key values you enter do not match the contract you are calling for authorization, an error message will be displayed. If authorization is successful, the next unauthorized contract in the batch will be displayed.

Overrides for Contracts Pending Authorization

All override conditions that occurred at the time of contract input are also displayed for information in the Overrides section. Click on the checkbox alongside the override field, to confirm the override. When confirmed, the checkbox contains a tick mark.

Viewing contracts while authorizing them

While in the 'PC Authorization' screen, you can view the details of a contract that you wish to authorize. However, you must first specify the details that are to be rekeyed (if any) in the Rekey Fields section. After this, click hold icon to view the contract details. The 'PC Transaction Input' screen is opened in view mode, with the selected contract details displayed.

Authorizing contracts

To authorize a contract after you have verified it, select it in the grid at the top of the screen and click 'Ok' button. The contract is marked as authorized.

To authorize all transactions, choose the ALL option at the top of the screen, and then click the 'Ok' button.

All validations that are performed at the time of input or amendment of the contract are performed at the time of authorization to ensure consistency. The details relating the authorization time and User ID of the person authorizing the contract are recorded for audit purposes.

You cannot authorise a transaction in the following cases:

- the contract has multilevel of authorization pending, the same will be done using the 'Multilevel Authorization Detailed' screen
- the level of authorization is greater than or equal to 'N'
- the 'Nth' or the final level of the users authorisation limit is less than the difference between amount financed and sum of the limits of all the users involved in authorizing a transaction, this case holds good when the 'Cumulative' field is checked in the 'Product Transaction Limits Maintenance' screen
- the transaction amount is greater than the authoriser's authorisation limit if the 'Cumulative' field is unchecked in the 'Product Transaction Limits Maintenance' screen

Cancelling operations in the PC Authorization screen

To cancel your operations and exit the 'PC Authorization' screen, click 'Exit' button.

5.5.1 Amending Authorized Contracts

The Payments and Collections screen enables you to modify the contract which is not liquidated or dispatched, post-authorization. When a contract is modified, the system triggers AMND event. The features of the event are as follows:

1. A new event 'AMND' is triggered, whenever an authorized contract, for which either DRLQ or CRLQ or DCLG events are not triggered, is modified.
2. When AMND event is triggered, the system computes the values in the event log table (cstb_contract_change_log) for all the modified fields.
3. AMND event need not be attached in product; it is triggered internally for all modifications performed as part of Step 1.
4. AMND event is not triggered when un-authorized contracts are modified.
5. No accounting entries will be passed for AMND event.
6. When a contract is booked with activation date in future and when the same contract's activation date is modified to current date, the system will not trigger liquidation events, since the system will not default the customer entry value dates. To trigger liquidation events, you need to visit 'Transaction Details' tab, modify the customer entry value date, and save the contract.

5.6 Viewing Transaction Authorization Details

You can view the transaction authorize details in 'Transaction Authorize Summary' screen. You can invoke this screen from the Application Browser by typing 'PCSTRAUT' in the field at the top right corner of the Application Browser.

In the above screen, you can base your queries on any or all of the following parameters and fetch records:

- Contract Reference
- Custom Reference No
- Product Category
- Customer Name

Select any or all of the above parameters for a query and click 'Search' button. The records meeting the selected criteria are displayed.

- Contract Reference
- Custom Reference No
- Product Category
- Product Code
- Customer Number
- Customer Account Currency
- Customer Name
- Auth Status

5.7 **Multilevel Authorization of a Contract**

High value transactions may require multilevel of authorization. The levels of authorizations are defined in the 'Product Transaction Limits' screen. You can use the 'Multilevel Authorization Detailed' screen for authoring a contract n-1 times. However, final authorization can take place only in the contract screen.

For more details, refer the 'Multilevel Authorization of Contract/Loan Account' section in the 'Procedures' User Manual.

5.8 **Operations on Collection Transaction**

The operations that you can perform on a collection transaction in the 'PC Transaction Input' screen depend upon whether it is authorized. If the transaction is unauthorized, you can:

- Put the transaction on hold, if any of the details are incomplete. The system performs no further processing on such transactions, unless they are subsequently amended and saved again.
- Amend the details of the transaction, if necessary. If a contract has been uploaded through the upload facility, you can amend only those details that have been allowed for amend, in the product category and the upload source preferences.
- Delete the transaction. Again, in the case of contracts uploaded using the upload facility, deletion is possible only if allowed in the upload source preferences, for the source from which the contract was uploaded.

You can perform any of the following operations (as required) on an authorized collection transaction:

- Redispatch an outgoing transaction that needs to be manually redispached. Click roll-over icon in the toolbar to redispach the transaction manually. Only collection transactions can be redispached.
- Approve a transaction, in the case of active incoming RFD collection transactions. Click liquidate icon in the toolbar to approve a transaction.
- Close an outstanding collection transaction. Click close button to close the transaction.
- Recall an incoming direct debit transaction. Click 'Re-open' to recall the transaction. The 'Recall Contract Details' screen is opened, where you must specify the Activation Date for the recall and the interest amount applicable. You must also indicate whether the recall must be dispatched.
- Reject a transaction. In the case of incoming DD and RFD contracts, the system marks the parent contracts are rejected and automatically generates new transactions. Click re-open to reject such transactions. The 'Reject Contract Details' screen is opened. You must specify the Activation Date for the rejection, and indicate whether the reject must

be dispatched. You must also specify the reason for rejection by selecting the appropriate reject code. In the case of Outgoing DD and RFD contracts, before the settlement date contract can be rejected the system marks the contract as rejected. Click re-open to reject such transactions. The 'Reject Contract Details' screen is opened. You must specify the Activation Date for the rejection, and indicate whether the reject must be dispatched. You must also specify the reason for rejection by selecting the appropriate reject code.

Note

For transaction rejects (outgoing or incoming DD) that are uploaded after the applicable response days have elapsed, an override is sought by the system. The processing for such transactions is based on two factors:

- Whether the Process After Response Days option has been set in the product preferences for the product used by the transaction.
- Whether the override that is sought in such cases is accepted. Accepting the override in the case of incoming DD transactions would result in rejection of the transaction. In the case of outgoing DD, the transaction is placed in the Process Exception Queue from where it can be taken up for processing or rejected.

For more details about the rejection process in the case of such transactions, refer the chapter 'Defining the attributes specific to Payment and Collection products' in this user manual.

- Reverse an authorized active or liquidated collection transaction. During reversal, all accounting entries passed for the contract are reversed out. A reversal operation must be authorized to be effective; once authorized, no further operations are possible on the transaction. Click reversal icon to reverse a transaction.

Note

During reversal of a transaction, the System verifies whether the transaction has been dispatched earlier. If so, an override is sought. On accepting the override, the reversal will proceed.

5.8.1 Collection Status of a Transaction

The collection status of a transaction depends on the operations that have been performed in respect of it. Accordingly, a collection transaction could be in any of the following statuses:

- Pending
- Approved
- Rejected
- Closed
- Recalled

5.8.2 Status of a Transaction

The status of a payments or collection transaction indicates the processing stage of the contract in the system. The following statuses are possible:

- **Work in Progress:** This status indicates that the transaction has been booked manually and no subsequent operation has been performed on the transaction.
- **Held:** This status indicates the transaction is on hold (typically due to incomplete transaction details) and no operation can be performed on the transaction. In such a

case, you must amend the transaction, enter the missing details, and save it again, to release it from the 'Hold' status.

- **Uninitiated:** This status indicates that the transaction has been uploaded into the system and no subsequent operation has been performed on the transaction.
- **Active:** This status indicates that the transaction has been initiated in the system.
- **Outstanding:** This status, only applicable for outgoing collection transactions, indicates that the system has completed all requisite operations that need to be performed from the creditor's bank, and that the contract is awaiting approval or rejection from the debtor's bank.
- **Liquidated:** This status indicates that the processing cycle of the transaction has been completed.
- **Reversed:** This status indicates that the transaction has been reversed in the system.
- **Split Master:** This status, applicable only for outgoing collection transactions, indicates that the transaction has been split into multiple contracts, because the transaction amount has exceeded the maximum possible transaction amount. The system does not allow any operations on such split transactions.
- **Partial:** This status, only applicable for outgoing request for debit transactions, indicates that the collection transaction has only been settled partially.
- **Deleted:** This status indicates that the transaction is marked for deletion. No further operations are possible on deleted transactions.

5.9 Specifying Exchange Rate for a Transaction

If payment transactions involve a customer account maintained in a foreign currency, the exchange rate to be used is either picked up automatically (based on the product specifications), or manually entered.

In the 'Exchange Rate' screen, invoked from the Application Browser, you can specify the exchange rate for contracts involving customer accounts maintained in a foreign currency.

When you invoke the 'Exchange Rate Input' screen from the Application Browser, all details of the contract are displayed. However, you can only enter a value in the Exchange Rate field. If the rate you input exceeds the override variance limit defined for the product, an override message is displayed. However, if the rate variance is more than the maximum limit maintained for the product, an error message is displayed. You have to specify a rate that is within the variance limits specified for the product.

If the contract amount exceeds the Auto Exchange Rate limit defined for the remitter account, an override is displayed.

If you have specified an appropriate rate for the contract, you can save your specification by clicking on the SAVE button.

Any manual exchange rate input requires an authorization. Once the exchange rate is authorized, the contract is moved from the Exchange Rate Queue to the normal processing queue for further processing.

5.10 Authorizing the Input of Exchange Rates

All contracts for which the exchange rate has been input manually need to be authorized before the end of day. The date and time, and the User ID of the person authorizing the contract will be recorded for audit purposes.

Note that the person who entered the exchange rate for a contract cannot authorize it.

When you invoke the authorization function from the Application Browser, you will be prompted to specify a product category. If you enter a valid code, the authorization screen is displayed. To begin the authorization process, click on the AUTH button. You will be prompted to specify a valid Batch Number. A User ID or Reference number is then displayed.

If re-key of exchange rate is required during authorization, the value will not be displayed. You have to input the values in the re-key fields to authorize the contract. If the re-keyed values for the contract do not match the contract you are calling for authorization, an error message is displayed.

All overrides provided by maker of the record will be displayed. On confirmation, the contract is marked as authorized.

You can Skip a record that is displayed for authorization or choose not to authorize it by clicking on the Reject button. All records that you reject will form a part of the Transaction Re-input Queue.

5.11 Refreshing the Exchange Rate

As mentioned earlier, the exchange rate applicable for transactions involving foreign currency customer accounts is either automatically picked up or manually entered, depending upon the product preferences.

On a given business day, you can trigger the refreshing of exchange rates for all products used at a branch, in the 'Exchange Rate Refresh' screen. You can invoke this screen by typing 'PCDTRFSH' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.


The screenshot shows the 'Rate Refresh' application window. The title bar is 'Rate Refresh'. The menu bar contains 'New' and 'Enter Query'. Below the menu bar is a checkbox labeled 'Propagate Across Branches'. The main area is titled 'Rate Refresh' and contains a table with columns 'Product Code *', 'Product Desc', and 'Rate Available'. The table has one row with a dropdown menu showing 'Yes'. At the bottom right is an 'Exit' button.

You can also update the refreshed exchange rate across all branches, by selecting the 'Propagate Across Branches' option.

5.12 Processing Credit Exceptions

If the customer liability exceeds the specified limit as a result of a contract, an exception is raised and the contract is moved to the Credit Exception Queue. You can Confirm or Reject these overrides in this screen.

You can invoke this screen by typing 'PCDCRXSQ' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.



The contracts are grouped on the product code and customer account. A consolidated amount for each combination is also furnished.

The information is sorted/queried along the following criteria:

- Product Code
- Customer Number
- Customer Account
- Customer Account Branch
- Customer Account Currency
- Customer Bank Code
- Total Amount – Local Currency
- Total Amount – Account Currency
- Limit Amount – Account Currency

Choose any of the following options by clicking on the appropriate buttons in the toolbar in the 'Credit Exceptions Queue' screen:

- 'Detail' – Choosing this option allows you to drill down to the details of a contract for the combination of Product and Customer Account. The detailed view consists of two portions. The upper half of the window displays all contracts where consolidation is not required. The lower half shows contracts grouped by the consolidation parameters. All options provided on the main screen are provided on this screen as well. You can opt to process all the contracts or select contracts.
- 'Reject' – Choosing this option allows you to reject contracts. If a contract is rejected, the contract status is updated as "rejected". No further processing of such transactions is allowed. Click 'Reject' to reject a transaction. The 'Reject Contract Details' screen is opened. You must specify the Activation Date for the rejection, and indicate whether the reject must be dispatched. You must also specify the reason for rejection by selecting the appropriate reject code.
- Choose 'Carry Forward' option if you would like to forward the activation date to the next working day. The contract will be marked for pickup on the next working day.
- Retry – This option marks the contracts for reprocessing. If funds have been credited to the customer account subsequent to the credit exception, a retry would result in the successful processing of the contract. Click 'Retry' to retry a transaction.
- Accept – Choose this option if the contract can be processed even without adequate funds in the customer account. This, typically, means you are providing an overdraft to

the customer. If you specify a limit amount, transactions grossing the limit amount would be allowed for processing. However, if you do not specify a limit amount, all transactions for the product customer combination would be processed. Click 'Accept' to force accept a transaction.

Note

Note the following:

- The carry forward option is not available for incoming collections.
 - All contracts need to be processed before the end of day operations for the day.
-

5.13 Consolidating Accounting Entries for Customer Legs

If you wish to consolidate the accounting entries of customer legs of collection transactions, use the 'Consolidation Summary' screen. Only contracts marked for customer entry consolidation will be grouped into batches based on the following:

- Consolidated Status
- Customer Account Number
- Amount
- Customer Entry Date
- Consolidation Reference No
- Transaction Count
- Customer Number
- Account Currency
- Customer Entry Value Date
- Product Code
- Exception Queue
- Customer Account Branch

Through consolidation, you can post a single entry for the customer leg of all transactions grouped under the consolidation batch. The transaction with customer consolidation across products are also grouped under a consolidation batch. The batch populated for Contracts with customer consolidation across products will have Product Code as Blank.

You can invoke this screen by typing 'PCSCNSOL' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Choose any of the following options in the 'Consolidation Summary' screen:

- 'Search' - Allows for querying of specific records.
- 'Reset' - Resets the required details.

5.14 Consolidation Exception Queues

There could be many reasons why rejections can occur during processing of payment and collection transactions for consolidation. Exceptions are raised in respect of transactions that are rejected. Such transactions, which are not considered for consolidation (due to rejection), can be viewed in the Consolidation Exception Queue. You can invoke this screen by typing 'PCSCNLEX' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

Here, you can manually verify the rejections. To confirm a rejection, click 'Reject' button. This operation must be performed before the end of day cycle can be run.

Consolidation Exception Queue

Search Advanced Search Reset Clear All

Case Sensitive

Consolidation Status Account Number Amount Customer Entry Date Account Entry Reference Number Transaction Count Consol Reference

Customer Number Account Currency Customer Entry Value Date Product Code Exception Queue Customer Account Branch Product Type

Records per page 15 1 Of 1 Go

	Consolidation Status	Customer Number	Account Number	Account Currency	Amount	Customer Entry Value Date
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						

Accept Reject Carry Forward Retry

Exit

The other options available are:

- This option marks the contracts for reprocessing of consolidation. Click 'Retry' to retry consolidation of the transaction.
- Click 'Accept' to force accept a transaction.
- Forward – Choose this option if you would like to forward the consolidation processing to the next working day. The contract will be marked for pickup on the next working day, for consolidation. Click the 'Carry Forward' button to forward the consolidation processing date of the transaction to the next working day.

5.15 Viewing Transaction History Summary

You can view all the transaction history using 'Transaction History Query' screen. You can invoke this screen by typing 'PCSCONHS' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Summary

Advanced Search Reset

Contract Reference

Source Code

Account Entry Reference

Custom Reference

Network

Product Category

Priority

Branch Code

Source Reference

Their Reference

Station Id

Batch Number

Product Code

Customer Number

Records per page 15 First Previous 1 Of 1 Next Last Go

Contract Reference	Branch Code	Source Code	Source Reference	Account Entry Reference	Their Reference	Custom Reference	Station Id	Customer Number
--------------------	-------------	-------------	------------------	-------------------------	-----------------	------------------	------------	-----------------

Recall

Contract !

Debtor Id

Creditor Id

Exit

In this screen you can use the following fields to search the PC Transactions:

- Creditor Identification
- Reject Code
- Original Collection Reference Number
- Clearing Branch
- Local Currency Equivalent Amount
- Agreement Identification
- Interest Amount
- Reject Detail
- Transaction Currency

To recall all the contracts, click on 'Recall' button.

When you click 'Search' button the records matching the specified search criteria are displayed.

5.16 Viewing Transaction Exception Summary

You can view all contracts that encountered a Transaction Exception (TR) during upload, through the 'Transaction Exception Summary' screen. You can invoke this screen by typing

'PCSTEXSQ' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

In this screen you can maintain the following details:

- Authorization Status
- Exception Queue
- Contract Reference Number
- Product Category
- Contract Status
- Account Entry Reference NO
- Product code

To re-upload all the contracts, click the 'Retry' button. If the contracts are successfully uploaded, they will no longer be visible in the screen.

5.17 Viewing Details of Split Transactions

In certain cases, you may find it necessary to split an outgoing collection transaction into multiple transactions, due to restrictions on the amount of each payment that can be sent over the payment network.

In the 'Split Summary' screen, you can view details of such split transactions, by drilling down from the parent transaction to the child transactions. You can invoke this screen by typing

'PCSSPLTS' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

In the 'Split Summary' screen, contracts marked for splitting (in the transaction details) are displayed based on the following:

- Contract Reference Number of the parent contract
- Activation Date
- Transaction Currency
- Branch Code
- Network
- Initiation Date
- Amount

To view any of the child contracts for a split contract, select it in the 'Split Summary' screen and click 'Child' button to view the child contracts.

5.18 Process Exception Queues

The Process Exception Queue lists exceptions that are raised in respect of transactions rejected during processing. You have options for re-processing or rejecting any or all of the transactions appearing in this queue. These operations must be performed before the end of day cycle can be run.

You can invoke this screen by typing 'PCSPEXSQ' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

In this screen you can maintain the following details:

- Authorization Status
- Exception Queue
- Contract Reference Number
- Product Category
- Contract Status
- Account Entry Reference No
- Product code

To view the exceptions, click 'Exception' button. Click 'Retry' button to re-process all the contracts.

5.19 Exchange Rate Queues

For a payments or collection contract involving a foreign currency customer account, the exchange rate required for processing is picked up by the system based on the exchange rate parameters specified for the branch and product combination involved in the transaction.

If the exchange rate is not picked up or if the exchange rate input process fails, the contract is logged into the Exchange Rate Queue. In this queue, you can manually enter the required exchange rate for the transaction. Until the exchange rate is manually entered for a contract

logged in the Exchange Rate Queue, it cannot be processed. Also, such a manually entered exchange rate must be authorized to be effective, before the End of Day processes are executed, for that business day.

You can access the exchange rate queue, in the Exchange Rate Exception Queue. You can invoke this screen by typing 'PCSXRXSQ' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

All contracts logged into the exchange rate queue are displayed, grouped according to the following:

- Authorization
- Exception Queue
- Contract Reference Number
- Product Category
- Contract Status
- Account Entry Reference No
- Product code
- Customer Number
- Customer Account Number
- Activation Date

Click 'Exception' to view the exceptions.

5.20 Periodic Exception Queues

All periodic instructions that have failed to be executed in the immediate previous Beginning of Day batch and which are still pending resolution, can be viewed in the Periodic Exception Queue. You can access this queue in the 'Periodic Exception Queue' screen. You can invoke this screen by typing 'PCSPRXSQ' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Periodic Exception Queue

Search Advanced Search Reset Clear All

Case Sensitive

Instrument Reference	<input type="text"/>		Product Category	<input type="text"/>	
Product Code	<input type="text"/>		Account No	<input type="text"/>	
Customer Account Branch	<input type="text"/>		Customer No	<input type="text"/>	

Records per page: | 1 Of 1

<input type="checkbox"/>	Instrument Reference	Product Category	Product Code	Account No	Customer Account Branch	Customer No
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						
<input type="checkbox"/>						

Detail Exception Ignore Retry

Exit

In this queue, you can also view any instructions that have failed execution on any date earlier than the application date.

The periodic instructions in the queue are displayed grouped according to:

- Instrument Reference Number
- Product Code
- Customer Account
- Customer Number
- Counterparty Name
- Counterparty Bank
- Product Category
- Transaction Amount
- Customer Account Branch
- Account Currency
- Customer Bank
- Counter Account Number

To view the exceptions, click the 'Exception' button. Click 'Retry' to re-process all the periodic instructions in the queue that have failed execution and have not been resolved on the application date. If the generation is successful for any of the instructions, they are marked 'resolved'.

You can also choose to reject any of the instructions. To reject a transaction, click 'Ignore' in the toolbar.

5.21 The Batch Browser

The Batch Browser lists all open batches in the system for collection transactions. You can close or re-assign batches that you opened.

You can invoke this screen by typing 'PCSROWSE' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Summary

Advanced Search Reset

Branch Batch Number

Batch Description Authorisation Status

Blocked Maker Id

Checker Id

Records per page 15 First Previous 1 Of 1 Next Last Go

Branch	Batch Number	Batch Description	Authorisation Status	Blocked	Maker Id	Checker Id
--------	--------------	-------------------	----------------------	---------	----------	------------

Exit

For each batch, the following are displayed:

- Branch
- Batch Description
- Blocked
- Checker Identification
- Batch Number
- Authorize Status
- Maker Identification

5.22 Updating Cut-Off Time Status

During the end of day run for a branch, the system resets cut-off time for all products to the time mentioned in the respective product definitions. You can use the 'Cutoff Time Update' screen to update the cut-off time for a collection product at a branch. This update can be made

applicable only for a specific branch-product combination, or can be propagated across all branches for the same product.

The screen displays all products active at the branch. The cut-off times for each product can be changed here if desired.

You can also invoke this screen by typing 'PCDUTOFF' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Payments and Collections Cutoff Time Update

New Enter Query

☐ Propagate Across Branches

Product Cutoffs

1 Of 1 Go

Product *	Product Code	Product Desc	Cutoff Hour	Hours	Cutoff Min
				Hrs	


Exit

Select the 'Propagate Across Branches' option to update the cut-off time across all branches.


5.23 Handling SEPA Credit Transfers and Direct Debits

A SEPA credit transfer (SCT) is a transaction done on behalf of the Originator holding a payment account with the Originator Bank, in favour of a Beneficiary holding a payment account with the Beneficiary Bank.

The picture below gives the schematic representation for SEPA credit transfers processing.




The picture below gives the schematic representation for SCT processing from indirect participants (Originator and Beneficiary of Indirect participants of SEPA).



A SEPA Direct Debit Transfer (SDD) is a transaction done for collecting funds from a debtor's account with a debtor bank and is initiated by a creditor via its bank (the creditor bank) as agreed between the Debtor and Creditor.

The picture below gives the schematic representation for SEPA Direct Debits processing.



The Common Payments Gateway is used to handle the SEPA (Single Euro Payments Area) messages for Credit/Debit Transfers. The incoming XML messages for SCT and SDD are uploaded into Common Payments Gateway and based on the STP rules specified the SCT and SDD transactions are created in the PC module.

5.23.1 **Maintaining Parameters for SEPA Transactions**

The following maintenances need to be done for the SEPA transactions to be carried out.

Product and Product Category

To handle SEPA transactions, the following product types and product categories are maintained:

- Outgoing payment
- Incoming Payments
- Reject of Incoming payment
- Reject of Outgoing payment
- Outgoing Collections
- Incoming Collections
- Reject of Outgoing Collections
- Reject of Incoming Collections
- Recall of Outgoing Collections
- Recall of Incoming Collections

- Reverse of Outgoing Collection
- Reverse of Incoming Collection

For more details refer section 'Maintaining Product Categories' in the chapter 'Maintaining Information specific to the Payments and Collections Module' of this User Manual.

Clearing Network

To include the ISO codes in the outgoing XML messages for SEPA transactions the ISO clearing system identification codes for clearing networks are maintained in the Clearing network maintenance screen.

For more details refer section 'Maintaining Clearing Network details' in the chapter 'Maintaining Information specific to the Payments and Collections Module' of this User Manual.

Common Payment Gateway Parameters

To handle SEPA transactions the following maintenance needs to be done as part of maintaining the Common Payments Gateway parameters:

- Message types for SCT and SDD messages like:
 - pain.001 – Customer Credit Transfer Initiation
 - pain.008 – Customer Direct Debit Initiation
 - pain.007 – Payment Reversal
 - pacs.008 – Customer Credit Transfer
 - pacs.003 – Customer Direct Debit
 - pacs.007 – Payment Reversal
 - pacs002. – Payment status report
 - pacs.004 – Payment return/refund
- A unique message name to distinguish and identify SCT and SDD messages.

For more details on how to maintain Common Payments Gateway Messages Type, refer section 'Maintaining Common Payment Gateway Message Parameters' in the chapter 'Processing of Non SWIFT Incoming Payment Messages' of the Funds Transfer User Manual.

Queue Parameters

To handle SEPA transactions the following maintenance needs to be done as part of maintaining the Queue details:

- The Queue name for SCT and SDD messages. For e.g., PCINSCT
- The Queue Description. For e.g., Incoming SEPA Credit Transfers
- The code of the SCT and SDD messages that will be routed to this queue. For e.g., PAIN001

For more details on how to maintain Queues, refer section 'Queues Maintenance' in the chapter 'Straight Through Processing – An Overview' of the Funds Transfer User Manual.

Product Mapping

To handle SEPA transactions, as part of mapping message types to product and queues, you need to map PC product category for SCT and SDD message types. This can be done using the Product Mapping Detailed screen.

For more details on mapping message types to products refer section 'Mapping Message Types to Products and Queues' in the chapter 'Straight Through Processing – An Overview' of the Funds Transfer User Manual.

Message Mapping

To handle the processing of incoming SEPA transaction messages, you must maintain mappings between the Common Payment gateway fields and their corresponding fields in the Payments and Collections module, for different combinations of incoming message type, product category / product / instrument type, source code, station ID and network id

For more details on mapping message tags to payment fields refer section 'Mapping Non SWIFT Tags in Incoming Messages to Fields in the Payments and Collection Module' in the chapter 'Maintaining Information specific to the Payments and Collections Module' of this User Manual.

Error Code Maintenance

To handle auto rejection of incoming payments for SEPA, you need to maintain some error codes, based on which the system rejects the payment.

For more details on maintaining error codes, refer section 'Maintaining error codes for automatic rejection' in the chapter 'Maintaining Information specific to the Payments and Collections Module' of this User Manual.

Reject Code Maintenance

You need to maintain the ISO reject codes that are used for SCT rejects using the 'PC Reject Code' screen.

For more details on maintaining reject codes, refer section 'Reject Code Maintenance' in the chapter 'Maintaining Information specific to the Payments and Collections Module' of this User Manual.

STP Rule Maintenance

To handle SEPA transactions the following maintenance needs to be done as part of maintaining the STP Rule maintenance:

- Rules for incoming SCT and SDD messages
- Message queue for the incoming SCT and SDD messages
- The PC product category will be picked up from the Product mapping maintenance based on the queue evaluated in the rule maintenance.
- STP Preferences
- Post upload status and preferences when the uploaded file is invalid

Based on the above mentioned maintenance, the STP rule is set for the following:

- Outgoing Payments
- Incoming Payments
- Reject of Outgoing Payments
- Reject of Incoming Payments
- Outgoing Collections
- Incoming Collections
- Reject of Outgoing Collections
- Reject of Incoming Collections
- Recall of Outgoing Collections
- Recall of Incoming Collections
- Reversal of Outgoing Collections
- Reversal of Incoming Collections

PC Beneficiary Maintenance

The counterparty identification details for the SEPA transaction is maintained in the PC Beneficiary Maintenance screen.

For more details on this refer section 'Maintaining Beneficiary Accounts for a Counterparty Bank' in the chapter 'Maintaining Information specific to the Payments and Collections Module' of this User Manual.

Learning Database Maintenance

The customer and counterparty details of the SEPA transaction is maintained in the Counterparty Details screen. These details that you maintain here can be viewed in the Contract Online screen if the learning database option is selected.

For more details on this refer section 'Maintaining a Learning Database' in the chapter 'Maintaining Information specific to the Payments and Collections Module' of this User Manual.

Creditor DD Agreement

The details of the Creditor involved in the SEPA Direct Debit Transactions are maintained in the 'PC-Creditor DD Agreements' screen.

For more details on this refer section 'Maintaining DD agreement details for creditors' in the Chapter 'Maintaining Information specific to the Payments and Collections Module' of this User Manual.

PC Periodic Instructions

The identification details of the customer and the counterparty involved in the SEPA transactions are also captured in the PC Periodic Instructions screen.

For more information on this refer section 'Maintaining Details for Periodic Instructions' in the chapter 'Maintaining Information specific to the Payments and Collections Module' of this User Manual.

PC Transaction Input

The SEPA related details of the contract are captured in the PC Transaction Input screen.

For more information on this refer section 'Capturing the details of payment/collection transactions' in this User Manual.

5.23.2 Process Flow

The various stages involved in processing a SEPA transaction are as given below:

7. Receiving Incoming messages for SCT and SDD
8. Using the Common Payments Gateway to upload data (from the Incoming SCT and SDD) into PC module. Queue is derived from STP rules.
9. The PC product category will be picked up from the Product mapping maintenance based on the queue evaluated in the rule maintenance
10. Mapping the Common Payment gateway fields to PC contract fields for the product category, using the PC message Mapping Maintenance screen, for different combinations of incoming message type, product category/product/instrument type, source code, station ID and network id
11. Using the contents of the message together with the static maintenance in the system to resolve the contract fields.
12. Automatic booking of contracts in the system depending on the resolved contract fields.

13. Processing the contracts depending on the status of the contract.
14. Generating dispatch files which is sent to CSM, Bank or the Customer.

The contract in the Common Payments gateway can have any of the following statuses:

- Unprocessed
- Processed
- Suppressed
- Repair
- Rejected
- Waiting for Queue Exchange

The contracts with status 'Unprocessed' or 'Waiting for Queue Exchange' in the Common Payments Gateway browser will be picked up for processing and the PC contract will be created. If the creation of the PC contract fails, the transaction is marked as 'Repair' in the Common Payments Gateway. However, you can amend and process this contract again. In such a case, a new version will be created for the amendment operation in the Common payments Gateway message browser.

The transaction in the reject messages (Reject – Payments Status Report pacs.002.001.02) from the Clearing and Settlement Mechanisms (CSM) will be kept in common payments gateway with status as 'Unprocessed' and queue as 'REJECT'. When you click 'Process Reject' button, the system does a pre-settlement reject of a SEPA transaction. The status is further updated as 'Processed'. There will be no transactions created in PC module for these reject transactions and no further processing will be allowed on such transactions.

The incoming payment messages with the following error codes are automatically rejected:

Error Code	Error Description
PC-SAV-024	Account is blocked
PC-SAV-025	Payment Not allowed for customer account
PC-SAV-026	Credit not allowed for customer account
PC-SAV-027	Debit not allowed for customer account
PC-SAV-028	Customer account is dormant
PC-SAV-029	Customer account is frozen

For more details on maintaining error codes for automatic rejection, refer section 'Maintaining error codes for automatic rejection' in 'Maintaining Information specific to the Payments and Collections Module' chapter in this User Manual.

For more details on events and accounting entries for SEPA transactions, refer chapter Annexure A - Accounting Entries and Advices' in this User Manual.

5.23.3 Validations done on the SCT and SDD Messages

The system performs certain validation on the incoming and outgoing instructions for SCT and SDD. Following are some of the validations done by the system:

- The SCT and SDD transactions should have the debtor and the creditor account should be in the IBAN format.

- The Counterparty account number should be in IBAN format if the IBAN validation is set as true in the network preferences or IBAN Mandatory flag is set as true in the PC Bank Directory Maintenance. This validation is also done for outgoing messages.
- The customer account should be in IBAN number format if the IBAN validation is set as true in the network preferences or IBAN Mandatory flag is set as true in the Customer Account maintenance. System will display an override if the IBAN is not maintained for the customer account. This validation is also done for outgoing messages.
- The incoming XML SEPA SCT and SDD messages are validated for BIC. The debtor agent BIC and creditor agent BIC should have valid bank codes maintained in the PC Bank directory maintenance or BIC upload directory.

5.23.4 Maintaining Dispatch File Parameters

You can maintain the details of the dispatch file to be generated using the 'Dispatch File Parameters' screen. You can invoke this screen by typing 'PCDSFPRM' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The following details are captured here:

Dispatch Type:

Select the type of the dispatch from the drop-down list. The following options are available in the drop-down list:

- Network - If you select the dispatch type as network then clearing network code is mandatory and bank code and customer number will be defaulted value 'ALL'
- Bank - If you select dispatch type as bank code then bank code is mandatory and clearing network and customer number will be defaulted value 'ALL'.
- Customer - If you select dispatch type as customer then Customer number is mandatory and clearing network and bank code will be defaulted value 'ALL'. There will be a provision to select 'ALL' to generate XML files for all customers.

This is a mandatory field.

Network Code

Select the clearing network for which the dispatch file parameters are maintained from the adjoining option list. The list displays all valid clearing network maintained in the system. This is a mandatory field.

Service Identifier

Select the service type as of the clearing network from the drop-down list. The options available are:

- SCT - SEPA Credit Transfer
- SDD - SEPA Direct Debits

Bank Code

Specify the direct or the indirect participant bank code for which the dispatch file parameters are maintained. This is enabled for 'Bank' dispatch type.

Customer Account

Select the customer account number for which the dispatch file details are maintained. This is enabled only for 'Customer' dispatch type. If you want to generate dispatch files for every customer you can select the option 'ALL'.

Reference Number

This indicates the reference number entered for every dispatch run. This reference number is used to track the number of files generated as part of every dispatch run.

Maximum Number

The following details are captured:

Files

Specify the maximum number of files that can be sent to the clearing network in one settlement cycle.

Message Bulks

Specify the maximum number of message bulks in a file.

No of Transaction in Bulk

Specify the maximum no of transactions that can be bulked in a message bulk.

Test Mode

Select the test mode from the drop-down list. The options available in the drop-down list are:

- T – Test
- P - Production mode for the clearing network.

This is a mandatory field for dispatch type as Network.

File Format Type

Specify the format of the file. The supported file format is XML. This is mandatory field.

File Path

Specify the path where the file has to be generated.

Bulk Message

Check this box to indicate that the message bulk should be created with many transactions.

File Per Transaction Type

Check this box if you want the system to generate one file for each transaction type.

If this option is not selected then one file is created with the following transaction type in the same order:


- SCT
 - Credit Transfer Message Bulk (pacs.008)
 - Payment Return (pacs.004)
- SDD
 - Direct Debit Instructions (pacs.008)
 - Rejects (pacs.002)
 - Reversals (pacs.007)
 - Return/Refunds (pacs.004)

If this option is selected then one file is created for each transaction type.

5.23.5 **Generating Dispatch File**

Once the SCT and SDD messages are processed in Oracle FLEXCUBE, the system needs to generate and dispatch the handoff files.

You can generate the dispatch file using the 'Dispatch File Generation' screen. You can invoke this screen by typing 'PCDIFGEN' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.



You can capture the following details in this screen:

Dispatch Type

Select the option from the drop-down list to indicate to whom you want to send the generated file. It can be sent to the CSM or another bank. Files are sent to bank only for messages sent from direct participant to indirect participant or indirect participant to direct participant. The options available in the drop-down are:

- CSM
- Bank
- Customer

Clearing Network

Select the clearing network for the dispatch file to be generated.

Service Identifier

Select the service identifier from the drop-down list. The options available are:

- SEPA Credit Transfer
- SEPA Direct Debits

Bank Code

Specify the bank code for which the dispatch file is sent. This is enabled for 'Bank' dispatch type.

Account Number

Select the account number for which the dispatch file has to be sent. This is enabled only for 'Customer' dispatch type. If you want to generate dispatch files for every customer you can select the option 'ALL'.

Reference Number

This indicates the reference number entered for every dispatch run. This reference number is used to track the number of files generated as part of every dispatch run.

6. Levying Charges on Payments and Collections Transactions

6.1 Introduction

At your bank you can opt to levy charges on payments and collection transactions in any of the following ways:

- As a flat amount
- As a percentage of the transaction amount

You can also apply charges depending upon the level at which they need to be applied when levied on a transaction, by building a charge rule and a charge class:

- For all the accounts of a customer
- For a particular customer account
- For all transaction currencies
- For a specific transaction currency

Charges that you levy on a payments or collection transaction are computed when the transaction is initiated, and are liquidated along with the transaction.

The Charge Mode

Also, you can levy charges either as a premium (collected over and above the transaction amount) or a discount (discounted from the transaction amount). This is known as the charge mode, and can be specified for each payments / collections product category, so as to default to any transactions processed under the product category.

6.1.1 Charge Specifications for a Payment/Collection Product

When maintaining a Payment / Collection product, you can define the manner in which charges should be levied on transactions processed under the product. You can 'build' your specifications in the 'Products Condition Maintenance' screen. Invoke this screen by clicking

'Expression' button in the 'Payments and Collection Product Maintenance' (PCDPRMNT) screen.

For each set of conditions that you build, you can indicate whether the resultant charge must be a flat amount, a percentage of the transaction amount or computed as a charge component such as a charge rule or a charge class. You must indicate this in the Resultant Charge field, by choosing from the drop down list.

For details about building charges as components such as charge rules and charge classes, refer the section Building Charge Rules found later on in this chapter.

The following example illustrates the manner in which you can build your charge specifications for a product.

For example, assume you would like to define the following charges for a product linked to the clearing network:

- A network charge
- Charges for transactions initiated manually
- Charges for transactions initiated through EB

You would build the expression for the first charge (for processing transactions over the clearing network) as follows:

Set	Condition No.	Case	Charge Code
1	1	No condition	CNSY

You would build the expression for the second charge as follows:

Set	Condition No.	Case	Charge Code
2	1	IF Manual and Internal payments THEN	CMIN

2	2	ELSE IF Manual and Inter-branch payments THEN	CMIB
2	3	ELSE IF Manual and Standing order charge THEN	CMSO
2	4	ELSE IF Manual and Payment remittance by fax THEN	CMPF
2	5	ELSE IF Manual and Payment remittance on paper form THEN	CMPP

You would build the expression for the last charge as follows:

Set	Condition No.	Case	Charge Code
3	1	IF Through EB and Internal payments THEN	CEIN
3	2	ELSE IF Through EB and Inter-branch payments THEN	CEIB
3	3	ELSE IF Through EB and Standing order charge THEN	CESO
3	4	ELSE IF Through EB and Payment remittance by fax THEN	CEPF
3	5	ELSE IF Through EB and Payment remittance on paper form THEN	CEPP

Note that the expressions 'IF', 'THEN', and 'ELSE' are used to better explain the procedure of setting up a charge for different transactions conditions. When building an expression in this screen, these are implicit and exclusive within a single set. Note that you should use single quotation marks while defining the value of the condition. For example: IF value is ='0'.

The charges defined for a product are automatically applied on all transactions processed under the product. The charges applied on transactions are liquidated according to the frequency specified for the Charge Class.

6.1.2 Specifying Charge Components

After you have built the conditions based on which the charges will be levied, you must also indicate, during product definition, the accounting roles and amount tags to be used to pass the requisite accounting entries for charges.

To recall, charges levied on payments and collection transactions are computed at the time of transaction initiation, and are liquidated along with the contract.

The amount tags available for charges on payments and collection transactions are the CHG_AMT tags, which must be mapped to the CRLQ and DRLQ events, (depending upon which of these is the event for the customer leg of the transaction) during product definition.

For details about associating accounting roles and amount tags, and accounting entries for events, during product definition, refer the chapter Defining a Product in this user manual.

6.1.3 Specifying Charges

Charges on a payments / collection contract are computed based on the condition sets maintained (in the 'Product Conditions Maintenance' screen) for the product that the contract uses. Click 'Charges' button in the 'Payments & Collections Transaction Input' and invoke this screen.

When you enter a payments / collection contract, you can:

- View the details of charges computed for each set of conditions maintained for the product
- Alter the computed charge amount. The system will consider the transaction currency for charge computation.
- Waive the charge altogether, if waivers are allowed in the Product Preferences.

The screenshot shows a window titled 'PC Charge' with a 'Contract Reference' field. Below this are five sections, each labeled 'Charge Details 1' through 'Charge Details 5'. Each section contains three input fields: 'Charge Currency', 'Amount', and 'Waive' (a dropdown menu with 'No' selected). To the right of each 'Charge Details' section are three more input fields: 'Account Currency', 'Account Branch', and 'Account Number'. The 'Waive' dropdown and the 'Account' fields are currently empty or show default values.

The details of the charges computed for each condition set are displayed, and you can make your changes, or waive the charge, if necessary.

If you make any changes to the charge amount, or waive it, an override is sought when you attempt to save the contract.

6.2 Building Charge Rules

In Oracle FLEXCUBE, you can define charges for different types of payment / collection transactions, which could be applied at the following levels:

- For all the accounts of a customer
- For a particular customer account
- For all transaction currencies
- For a specific transaction currency

You can specify the level at which a transaction charge applies when building a Charge Rule at your bank in 'ICCF Rule Maintenance' screen ('CFDRUMNE').

When building a charge rule, you can identify the transaction currency and customer on which the rule applies. To define a standard charge rule that applies across your bank, you would choose the 'ALL' option at all levels. (That is, you would select 'All' at the transaction currency

and customer fields). When defining a charge rule, you can choose to apply it selectively at one or more levels.

The screenshot displays the 'ICCF Rule Maintenance' window with the following sections:

- Header:** Includes 'New' and 'Enter Query' buttons.
- Form Fields:**
 - Rule Type (dropdown)
 - Transaction currency * (text field)
 - Branch Code * (text field)
 - Rule Id * (text field)
 - Description (text field)
 - Customer Group * (text field)
 - Customer * (text field)
- Tabs:** 'Rate Details' (selected) and 'Tenor Details'.
- Rate Type Section:**
 - Rate Type (radio buttons): ☒ Flat Amount, ☐ FIXED RATE
 - ☐ Tenor Basis
 - ☒ Tiered Amount
 - ☐ Tiered Tenor
 - ☐ Duration Based
- Rounding Section:**
 - Period in Months (text field)
 - ☒ Amount, ☐ Rate
 - Minimum Amount (text field)
 - Minimum Rate (text field)
 - Maximum Amount (text field)
 - Maximum Rate (text field)
 - Code: STANDARD (text field)
 - Rate (radio buttons): ☒ Mid, ☐ Buy, ☐ Sell
- Interest Basis Section:**
 - ☒ As per Contract Currency
 - (dropdown menu)
 - Booking Currency: Charge Currency (dropdown menu)
 - Basis Amount Currency (text field)
 - Charge Currency (text field)
 - ☐ Cascade Amount
 - Rate Period (text field)
 - Minimum Commision Period (text field)
- Fields Section:**
 - Maker
 - Checker
 - Mod No
 - Date Time:
 - Date Time:
 - Record Status
 - Authorization Status
- Buttons:** 'Exit' button in the bottom right corner.

For details on building Charge Rules, refer the 'Charges' chapter in the Modularity User Manual.

6.2.1 Specifying Parameters for Charge Rule Application

You can specify the parameters for charge rule application when building the Charge Class to which you associate the charge rule. To invoke this screen, type 'CFDCHGCE' in the field at the top right corner of the application toolbar and click the adjoining arrow button.

Charge Class Maintenance

Save

Module List *

Class Code *

Charge Type

Third Party Type

☐ Net Consideration

☐ Propagation Required

Association Event

Application Event

Liquidation Event

Basis Amount Tag

Default Charge Rule

Default Settlement Currency

☒ Default Waiver

☒ Allow Rule Amendment

☒ Amend After Association

☒ Allow Amount Amendment

☒ Amend After Application

Description

Debit/Credit

Add/Subtract

Swift Qualifier

☐ Capitalize

☐ Consider as Discount

Discount Basis

☐ Accrual Required

☐ Collect LC Advising Charges in Bills

Fields

Maker

Checker

Mod No

Date Time:

Date Time:

Record Status

Authorization Status

Cancel

The charge rule specifies the amount to be charged to the customer.

To recall, charges levied on payments and collection transactions are computed at the time of transaction initiation, and are liquidated along with the contract.

The amount tags available for charges on payments and collection transactions are the CHG_AMT tags, which must be mapped to the CRLQ and DRLQ events, (depending upon which of these is the event for the customer leg of the transaction) during product definition.

The accounting entries and advices that would be generated during the payment or collection lifecycle depend, therefore, on the specifications made at the product definition level.

For details relating to building Charge Classes, refer the 'Charges' chapter in the Modularity User Manual.

6.3 Defining the Charge Account Maintenance

Oracle FLEXCUBE allows you to book charges for payment / collection transactions to an account different from the transaction account. The charge account, so designated accumulates the charges levied across transactions, and the sum of the accumulated charges is swept in to the transaction account at a desired frequency.

You can specify a charge account to be applicable to:

- One, many or all accounts of a particular customer
- One, many or all products
- One, many or all charge components

- One, many or all currencies
- Any combination of the above

The 'Charge Account Maintenance' screen allows you to set up the charge account. You can invoke this screen by typing 'PCDCHACM' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Charge Account Mapping

Customer Number

Select the number of the customer that is stored for charge mapping.

Customer Accounts Branch

Select the branch of the account that a customer is holding for charges mapping.

Customer Account

Select an account for the customer that is eligible for charge mapping.

Product code

Select the product code that is applicable for charge mapping.

Component

Select the component that is used to levy the charge.

Currency

Select a currency that will be used collecting the charges.

Charge Account Branch

Select the branch where the charge is levied on the customers account.

Charge Account

Charge account is an income GL where the charges collected by the bank will be posted.

6.4 Defining Charge Product Categories

Your bank may wish to obtain statistics relating to transaction volumes of a customer for the purpose of extending preferential service / charges. You may wish to collect such volume statistics separately for transactions involving different product categories. When you compute the total business volumes that a customer has given your bank over a certain period, you might wish to consider only certain product categories.

The 'Payments and Collections Charge Category Maintenance' screen allows you to name and describe such product categories as will be considered for computing transaction volume statistics in the 'Product Preferences' screen. You can invoke this screen by typing 'PCDPROCH' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Charge Category *

Description

Fields

Maker
Checker
Mod No

Date Time:
Date Time:
Record Status
Authorization Status

Exit

Charge Product Category

Specify the category to which a charge product belongs to.

Description

You can describe the category for charges which are maintained by the bank.

The transaction statistics so collated under various product categories may be used to define charge rules at the product definition level.

7. Processing Salaries

7.1 Introduction

Salary processing may be one of the significant services you offer your corporate clients. Done manually, this could be a rather prolonged and strenuous task—debiting a specific account of the specified amount and crediting the numerous employee accounts with an appropriate amount, as instructed by your client. The Salary Processing (SL) facility of Oracle FLEXCUBE significantly automates salary processing. This means, salary processing is remarkably quick and error-free.

To begin automatic processing of salaries, you need to set up the following:

- Maintaining Employer details
- Maintaining Employee details
- Maintaining Salary Processing Details
- Making changes to the salary to be paid to an employee, if required
- Execution of the Salary Processing batch process

This chapter explains how you set up reference information that will be used for salary processing.

You will also need to maintain a product category in the Payments and Collection module, which will be used for processing salary payments to employees.

For details about maintaining product categories, refer the chapter titled 'Maintaining information specific to the Payments and Collections module' in this user manual.

7.2 Maintaining Employer Details

To offer salary processing facilities to a corporate customer using Oracle FLEXCUBE, You can maintain this information in the 'Employer Maintenance' screen invoked by typing 'SLDEMPLR' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

For an employer, you have to specify the following information:

- The Branch at which you are maintaining the information
- The Branch at which the employer maintains the salary account
- The PC Product Category used for salary processing. This must be an outgoing payment category.
- The Employer (this would be a valid CIF ID)
- The Employer Account (this would be a valid CASA account)
- The Start Date and Start Month the Frequency at which the salary is to be paid (On the basis of the start date and the frequency you indicate, the salary for the employees of the company will be credited to their respective accounts.)
- The external employer identification number for the employer
- The frequency at which the employer pays a salary (monthly, quarterly, etc.)

7.3 Maintaining Employee Details

Once you have maintained Employer details, you have to maintain salary information for the employees working for the employer. You can maintain this information in the 'Employee Maintenance' screen invoked from the Application Browser. You can also invoke this screen

by typing 'SLDEMPLOY' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

For each employee working for an employer, you have to specify:


- The branch at which you are maintaining details
- The employer for whom the employee works (the CIF ID of the employer)
- The Account holder check box is enabled only if the employee has an Oracle FLEXCUBE account
- Employee to whom he is working
- The CIF ID of the Employee and the ID that identifies the employee with the employer
- The Bank at which the employee holds the salary account
- The status of the employee account (whether closed, active or 'on hold')
- The branch at which the employee maintains the salary account
- The account of the Employee in Oracle FLEXCUBE (in case Account holder check box is enabled)
- The external employee identification number of the employee account
- The name of the employee for whom the salary is to be credited
- The default salary to be credited to the employee account (Unless modified, this is the salary that the system posts to the employee account at every salary cycle.)
- The currency in which the salary is to be paid to the employee
- The maximum payment limit amount for the employee

7.4 Payment of Loan through Salaries

You can define a salary account link to loans. If the employee is an internal employee and has any loan outstanding then this loan can be linked with the salary processing of the employee

To access the 'Loan linkage' screen, click 'Linked Loan Details' button. If loan linkage is specified, then salary batch checks for any outstanding loan schedule against the employee. In case there is any outstanding loan schedule for the employee, system liquidates the same.

The liquidation of any outstanding loan schedule will be up to the limit amount specified in the 'Loan Linkage' screen.



The screenshot shows a window titled 'Loan Linkage'. Inside, there is a section labeled 'Loan Details' which contains a table. The table has the following columns: 'Number', 'Loan Reference', 'Limit Amount', 'Limit Days', 'Penalty', 'Value Date', and 'Outstanding Am'. The table is currently empty, showing only the header row. There are some small icons in the first two columns of the header row. To the right of the table, there are three small buttons: a plus sign, a minus sign, and a list icon. Below the table is a horizontal scrollbar.

This screen displays the loan contract number, which is linked to a salary account and is to be paid through the salary process.

7.4.1 **Specifying Loan Details**

Number

It's a serial number for the Loan Contact Attached to the Employee.

Loan Reference Number

Loan Reference Number LOV shows all the loans available for the employee.

Limit amount

Salary batch checks for any outstanding loan schedule against for the employee, specified in the 'Loan Linkage' screen. In case there is any outstanding loan schedule for the employee, system liquidates the same. The liquidation of any outstanding loan schedule will be up to the limit amount specified in the 'Loan Linkage' screen.

For each loan, you have to maintain the amount limit for payment towards that loan. The total of all the limit amounts is validated against the maximum loan payment amount for the employee, which is also accepted.

Note

Only loans that are displayed in the Employee Details maintenance are allowed for linking.
You can link as many loans to an employee.

Limit Days

You have to define the limit amount and limit days for each loan.

Penalty

You need to specify whether the late payment penalty is to be born by the employee or the employer.

To indicate that the penalty is borne by the employee you can check the Penalty box.

Leave it unchecked to indicate that the penalty is borne by the employer.

All pending payments for all loans are paid first before future instalments are processed. Loans are processed in the order in which you link the loans.

After the salary batch if there is any loan schedule is due, loans payment will get initiated. This will debit the employee account and the pay the loan schedule.

Value Date

Select of the Loan Reference Number system will default the Value date with the Value date of the Loan contract.

Outstanding Amt

Select of the Loan Reference Number system will default the Outstanding amount field with the Outstanding amount of the Loan contract.

7.4.2 Changing the Salary Amount for an Employee for the Current Period

In the 'Employee Details Maintenance' screen, the default salary that is to be paid to an employee is specified. This is the salary that will be credited to the employee's account, by default, on every salary payment date. On occasion, however, the salary that is payable to an employee may be more or less than the default amount specified. In the Salary Details for 'Current Period' screen, for a due date, you can indicate the salary amount that should actually be credited to an employee only for that period. After the current period, the default salary maintenance in the employee screen will be considered. This screen is invoked by typing 'SLDSALCP' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Current Period Salary Maintenance

New Enter Query

Branch code *
Employer *
Employer Name
☐ Account Holder
Employee CIF *
Employee Name
Bank code *
Employee Branch
Employee Branch Description
Employee Account *
Salary Currency
Salary Amount

Fields

Input By
Date Time

Authorized By
Date Time

Modification
Number
☐ Authorized
☐ Open

To specify the salary amount for the current period that should be paid to an employee, you have to capture the following information:

- The Branch (Code) where the employer maintains the salary account
- Employer to whom an employee is working
- The CIF IDs of the employer and employee

- Employee Branch
- The Account holder check box is enabled only if the employee has an Oracle FLEXCUBE account
- The Employee details
- The Salary amount
- The currency in which the salary is to be paid

Once you have captured this information, enter the salary amount that should be credited to the employee's account on the current payment due date. When you execute the salary process for the current period, the amount you specify here will be credited to the employee's salary account.

7.5 Processing salaries for the day

Based on the salary details that you have maintained for your clients, salary is processed either at the beginning of day (BOD) or during end of day (EOD) marking. This maintenance is done from the Mandatory Batch Program Maintenance screen invoked by typing 'EIDMANPR' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The Salary Batch process posts the debit and credit entries to the respective accounts.

You can opt to execute the Salary Batch Process:

- Only for the current system date
- For the holidays that fall between the current system date and the next working day.

This maintenance is done from the Function Input Detailed screen, this screen is invoked by typing 'BADEODFN' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

Function Inputs

New Enter Query

Batch End Of Day Functions

Branch *
Function Id *
Description

End Of Cycle Group
☐ Transaction Input
☐ End Of Transaction Input
☐ End Of Financial Input
☐ End of Day
☐ Beginning Of Day

Report Orientation
☒ Not Applicable
☐ Portrait
☐ Landscape

Function Inputs

Parameter *	Data Type *	Value	Date Format
	VARCHAR2		

Input By
Date Time

Authorized By
Date Time

Modification
Number
☐ Authorized
☐ Open

If you execute the salary process at EOD, you can opt to process salaries that are due upto the next working day. This is achieved by choosing the Next Working Day-1 option. Note that this option is enabled only if the salary process is marked for EOD.

7.6 Viewing Details of Salaries Processed

You can view the details of the salaries that have been processed in the 'Salary Log' screen. This screen can be invoked from the Application Browser by typing 'SLDSALLG' in the field at the top right corner of the Application tool bar and clicking the adjoining arrow button.

The screenshot shows the 'Salary Log' application window. It features a title bar with the text 'Salary Log' and standard window controls. Below the title bar is a menu bar with 'New' and 'Enter Query' options. The main content area is divided into several sections for data entry. At the top, there are fields for 'Branch *', 'Salary Date', 'Product Category *', 'Process Date', and 'Transaction Reference *'. Below these, there are two columns of fields for 'Employer' and 'Employee' details. The 'Employer' column includes 'Employer CIF', 'Employers Account', 'Employers Account Branch', and 'Employers Account Currency'. The 'Employee' column includes 'Employee CIF', 'Employees Account', 'Employees Account Branch', and 'Employee Account Currency'. A section titled 'Salary Amount Details' contains fields for 'Salary Amount', 'Salary Currency', 'Exchange Rate Salary', 'Employer', 'Salary Amount Employer', 'Currency', 'Exchange Rate Employer', 'Employee', and 'Salary Amount Employee', 'Currency'. At the bottom of the window, there is an 'Entries' button and a blue bar.

You can view the salary details along the following criteria:

- Branch
- Product Category used for salary processing.
- Salary Date
- Transaction Reference
- Processing Date
- Employer and Employer Customer Identification File
- Employer and Employers Account
- Employers Account Currency
- Salary Amount
- Salary Currency
- Salary Amount Employer Currency
- Exchange Rate Employer Employee
- Exchange Rate Salary Employer
- Employee Customer Identification File
- Employees Account
- Employee Account Branch
- Employee Account Currency

Click 'Entries' button to view the accounting entries passed by the Salary Process.

The screen is shown below:

The screenshot shows a window titled "Event Details". At the top, there is a "Reference Number*" field with a red asterisk and a search icon. Below this is a section titled "Events" which contains a table. The table has columns: "Event Number*", "Event Date", "Event Code", "Description", "Authorization Status", "Maker Id", and "Ch". The first row of the table is highlighted. Below the table is a horizontal scrollbar. At the bottom of the window, there is a "Message" section with a link to "Accounting Entries".

Event Number*	Event Date	Event Code	Description	Authorization Status	Maker Id	Ch

Click on Accounting Entries Button to view the Accounting Entries maintained for the PC Product.

8. Outgoing Payments Workflow

8.1 Introduction

The normal life cycle of an outgoing payment transaction ends when the debtor makes payment.

After payment has been dispatched for an outgoing payment transaction, your bank may require tracking related to receipt of confirmations from the counterparty. For this, Oracle FLEXCUBE provides the facility of tracking and monitoring outgoing payment transactions from the time they are dispatched, till confirmation is received from the counterparty.

An outgoing payment transaction goes through the following stages after it is dispatched:

Waiting (WT)

After dispatch, till a response is received, the transaction is 'in waiting'.

Processed (PD)

When a positive response is received, the transaction is said to be 'processed'.

Canceling (CG)

After processing, if the transaction is required to be canceled, an appropriate message to this effect is sent to the interface.

Canceled (CD)

When a positive response to a canceling message is received, the transaction stands 'cancelled'.

Undelivered (UD)

If, after successful processing, the creditor's bank is not able to deliver payment to the ultimate beneficiary, and an appropriate message is received to this effect, the transaction is said to be 'undelivered'.

Timeout (TO)

If no response is received within a stipulated period for an outgoing payment, the message would be re-dispatched a stipulated number of times. When the stipulated count is reached, the transaction is said to be 'timed out'.

This situation could also arise when no response is received to a 'canceling' message, in which case the transaction acquires a **Cancel Timeout (CT)** status.

Reject (XX)

The receiver of the payment message could reject it. In such a case, the message stands 'rejected'.

This situation could also arise when a 'cancelling' message is rejected, in which case the **Cancel Reject (CX)** event is automatically logged for the transaction.

Error (ER)

The receiver could also log an error in respect of a message, due to technical problems, for instance. In such a case, the message is said to be in 'error', and an appropriate log would be maintained to document the error.

This situation could also arise when an error is logged in respect of a 'cancelling' message, in which case the transaction acquires a **Cancel Error (CE)** status.

Note

A message that has been 'timed out' (TO) or is in 'error' (ER) can be re-sent, in which case it moves back to being 'in waiting' (WT).

As mentioned earlier, Oracle FLEXCUBE provides the facility to track the different stages enumerated above. The facility is known as the Outgoing Payments Workflow, and is only available for transactions processed using a product category for which the workflow has been enabled.

8.1.1 Enabling the Outgoing Payments Workflow

In order to enable the outgoing payments workflow for payments processed using an outgoing payments product, you must specify the following:

8.1.1.1 Outgoing Payments Product Definition

You must select the Outgoing Payments Workflow option as a product preference, when you are defining the product.

8.1.1.2 Specifications for Outgoing Payments Workflow in the Oracle FLEXCUBE Clearing Gateway

Outgoing payments are dispatched through the Oracle FLEXCUBE Clearing Gateway, which is an interface provided by Oracle FLEXCUBE for dispatch to clearing. The following specifications are made in the Oracle FLEXCUBE Clearing Gateway for the outgoing payments workflow:

- The duration of the time-out period (in minutes), after which the message could be re-dispatched.
- The applicable re-dispatch parameters including the number of times the message would be re-dispatched, before the transaction is timed out.

For details about the Oracle FLEXCUBE Clearing Gateway, refer the Clearing Gateway user manuals.

8.1.1.3 Outgoing Payments Product Category Definition

When you are defining the outgoing payment product category, you can indicate whether custom reference numbers must be generated by the system for outgoing payments, either on online entry or during upload. If this option is indicated, then you must also specify the sequence code that must be used to generate the custom reference number sequence. The custom reference numbers are then generated according to the specifications made for the specified sequence code, in the Sequence Generation maintenance.

For details about how the sequence code is constructed in the 'Sequence Generation Maintenance' screen, consult the Core Services User Manual.

8.1.2 Viewing Message Status of a Contract

For contracts using an outgoing payments product for which the outgoing payments workflow has been enabled, the status of the message can be viewed in the 'PC Transaction Input' screen.

The status could be any of the following:

- Waiting (WT)

- Processed (PD)
- Canceling (CG)
- Canceled (CD)
- Undelivered (UD)
- Timeout (TO)
- Reject (XX)
- Error (ER)
- Cancel Timeout (CT)
- Cancel Error (CE)
- Cancel Reject (CX)

When the status of such a contract changes, the event Outgoing Payment Status Change (OPSC) is triggered, updating the status. This event is logged in the event log for the contract, and the details of processing can be viewed in the 'PC Contract View Events' screen, which you can invoke from the 'PC Transaction Input' screen by clicking 'Events' button.

9. Payments and Collections - Operations and Processes

9.1 Introduction

This chapter explains the following functions of the Payments and Collections module:

- Batch Process
- Background Processing

9.2 Batch Process for the Payments and Collections Module

Batches are run automatically. In the mandatory programs, all batches whichever are required will be maintained in sequence and that is triggered automatically as based on the maintenance in the 'Mandatory Batch Program Maintenance' screen. You can invoke this screen by typing 'EIDMANPE' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

Mandatory Batch Program Maintenance

New Enter Query

Branch * 000
Module *

Function *
Sequence Number
Description

End of Cycle Group *
☐ Txn Input
☐ End of Txn Input
☐ End of Fin Input
☒ End of Day
☐ Beginning of Day

Frequency: Daily
Holiday Rule: Do Not Execute
Execution Layer: ☒ Database ☐ Application
Sub Stage: 1

Error Handling: ☒ Stop Automatic End of Day and Run Emergency Program
☐ Continue with Automatic End of Day

Number Of Days
Run Date
Job Code
Description

Predecessors
1 Of 1
Go

Predecessors *

Fields

Maker	Date Time:
Checker	Date Time:
Mod No	Record Status
	Authorization Status

Exit

Module

Choose the module code from the adjoining option list.

Function Identification

Choose the function ID of batch that you wish to run. The adjoining option list displays all batch processes available for the module. Select the appropriate one.

You can configure the batch to be run at various stages of day like EOD, EOTI etc.

For further details about this screen, refer the chapter 'Setting- up Mandatory Programs for EOD' in the AEOD User Manual.

The batch process for the Payments and Collections module contain the following sub-functions:

9.2.1 Periodic Instructions

This process identifies all periodic payments and collection instructions that need to be generated on the current date and generates contracts for those instructions. These contracts are automatically authorized. If the event processing parameter has been set to 'Online', then these events are also processed online.

Any failures in generation of contracts are logged into the Periodic Exception queue, from where you can process them at a later juncture.

For details about the Periodic Exception Queue, refer the chapter titled Processing a Payment or Collection Transaction, in this user manual.

If there are failures in online event processing the contracts are generated notwithstanding; the exceptions are logged into the respective exception queue from where you can process them at a later juncture.

9.2.1.1 Approval

This process identifies all outgoing direct debit transactions satisfying the following conditions and marks the collection status as 'approved' and the contract status as 'liquidated':

- Contract status is 'outstanding'
- Collection status is 'pending'
- Response date is the same as or earlier than the system date

9.2.1.2 Redispatch

This process identifies all outgoing direct debit transactions satisfying the following conditions and marks the contract status as 'liquidated' and automatically generates corresponding new transactions for redispatch:

- Contract status is 'outstanding'
- Collection status is 'rejected'
- Automatic redispatch is required
- Redispatch date is the same as or earlier than the system date

For all outgoing request for debit transactions satisfying the following conditions, this process marks the contract status as 'liquidated' and automatically generates the corresponding new transactions for redispatch:

- Contract status is 'outstanding'
- Collection status is 'rejected' or 'closed'
- Automatic redispatch is required

- Redispatch date is the same as or earlier than the system date

9.2.1.3 **Closure**

This process identifies all outgoing request for debit transactions satisfying the following conditions and marks the collection status as 'closed' and contract status as 'liquidated':

- Contract status is 'outstanding'
- Collection status is 'pending'
- Automatic redispatch is required, and is the final redispatch, OR
- Redispatch is not required
- Redispatch date is the same as or earlier than the system date

It also identifies all outgoing request for debit transactions satisfying the following conditions and marks the collection status as 'closed'. However, the contract status of the transactions remains 'outstanding', to enable redispatch of such transactions at a later date:

- Contract status is 'outstanding'
- Collection status is 'pending'
- Redispatch is required
- Manual redispatch has been specified for the transaction
- Automatic redispatch is applicable, and the transaction is not the final redispatch
- Redispatch date is the same as or earlier than the system date

9.2.1.4 **Dispatch to Clearing**

This process identifies all contracts that meet the following conditions and dispatches them to clearing using the interface system (Oracle FLEXCUBE Clearing Gateway):

- No exception has occurred for the contract
- Dispatch is automatic
- Contract has not been dispatched as yet
- Dispatch date is the same as or earlier than the system date

If the Dispatch Accounting option has been enabled for PC products, the system posts the netted (consolidated) entry on the Debit Liquidation Date or Credit Liquidation Date of the PC contracts involving the product. Against each dispatch file reference number a consolidated credit and debit entry will be passed to the Nostro account and multiple debit and credit entries are passed to respective suspense accounts.

Incoming Payments, Outgoing Collections, Reject Of Outgoing Collections and Recall of Outgoing Collections product types are processed on the Debit Entry Liquidation date. Similarly, Outgoing Payments, Incoming Collections, Reject of Incoming Collections and Recall Of Outgoing Collections are processed on the Credit Entry Liquidation date.

For rejected DDs the entries are posted into Nostro Account as Contra entries.

In respect of contracts whose dispatch date is the same as the application date, involving Outgoing Collection Products whose clearing mode is either external or internal clearing, the dispatch event is triggered before the DRLQ / CRLQ events.

Note

If no dispatch has occurred during the course of a business day for the contracts with dispatch date as the current business day, for the contracts having dispatch date as the cur-

rent business day, a warning message indicating the same during End of Transaction (EOTI) batch process.

For further details on generic attributes that you can define for liquidation of an LC contract, please refer the 'Liquidation' User Manual under Modularity.

9.2.1.5 Batch for raising DDs for Tax Relief at Source (TRS)

This process generates a direct debit for Tax Relief at Source (TRS) rebate availed by customers on mortgage loans. It is executed during the End of Day (EOD) process after the LD batch processes. The following details are picked up by the process for raising the direct debit:

- **PC Product Category** - The product category for DD generation is picked up from the Bank-Wide Parameters maintenance.
- **Counterparty Bank Code** – This is the code of the revenue bank (picked up from the specification in the Bank-Wide Parameters), for which the DD is raised.
- **Counterparty Account Number** – This is the revenue account number (picked up from the specification in the Bank-Wide Parameters) for which the DD is raised.
- **Counterparty Name** – This is the TRS Contact Person (picked up from the specification in the Bank-Wide Parameters, where this information is maintained in the user-defined fields).
- **Customer Account/GL - Suspense Account** – This is the account that would be credited as part of DD Outgoing Collection processing, and is picked up from the specification in the Bank-Wide Parameters.
- **Customer** – This is defaulted to the Walk-in Customer for the processing branch.
- **Transaction Amount** – The transaction amount is the total of all the debits to the suspense account (maintained in the Bank Wide Parameters) for the TRS amount tags for the processing date. Reversals (represented as negative amounts) are not considered.

You must also consult the Core Services user manual for information about the maintenance in the Bank Wide Parameters, for TRS DD generation.

9.3 Background Processes

The Payments and Collections module processes large volumes of transactions during a given business day. In such a scenario, the processing can be configured to run in a background or JOB mode. This mode involves very little or no front-end processing in the online screens, all processing being done by the various background processing jobs of the system.

The following background processes (or jobs) comprise the JOB mode:

- **BOOK_INIT processor** – Used mainly for contracts that are uploaded and not as yet initiated, this job processes the BOOK and INIT events for uninitiated contracts. It also processes the accounting for those contracts for which accounting is due, including newly authorized contracts that are ready for accounting.
- **INIT processor** – This job processes the INIT event for contracts that are already booked.
- **MISC processor** – This job processes the contracts that are due for miscellaneous processing.
- **CONS processor** – This job processes all the consolidation batches that are present in the system, liquidating and closing them.

- MNTR processor – This job is a system monitoring process, keeping a tab on the various contracts in the system and updating the monitor tables that can be viewed from the System Monitor.

9.3.1 Viewing Background Processes

You can view the details of progress of jobs executed by the background processes in the System Monitor. Account is displayed for transactions in each stage of their life cycle.

You can invoke the 'Payment and Collections System Monitor' screen by typing 'PCSONMON' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

Summary

Advanced Search Reset

Branch Code							Unprocessed Transactions				
Hold Transactions							Rejected Transactions				
Reversed Transactions							Deleted Transactions				
Unauthorized Transactions							Authorized Transactions				
Transaction Rejected Queue							Transaction Re Input Queue				
Exchange Rate Queue							Credit Exception Queue				
Process Exception Queue							Source				

Records per page 15 First Previous 1 Of 1 Next Last Go

Branch Code	Unprocessed Transactions	Hold Transactions	Rejected Transactions	Reversed Transactions	Deleted Transactions	Unauth

Exit

The following details can be maintained in this screen:

- Source
- Hold Transactions
- Reversed Transactions
- Unauthorized Transactions
- Transaction Rejected Queue
- Exchange Rate Queue
- Unexpressed Transactions
- Rejected Transactions
- Deleted Transactions
- Authorized Transactions
- Transaction Reinput Queue
- Credit Exception Queue

You can trigger a background process using the 'Jobs Browser' screen. You can invoke this screen by typing 'CSSJOBBER' in the field at the top right corner of the Application tool bar and click on the adjoining arrow button.

Here you can query on jobs based on the following criteria:

Job Module

Choose the appropriate one from the adjoining drop-down list.

Process

Specify the process for which you wish to run a job.

Status

Indicate the status of the process.

Click 'Search' button. All jobs and processes satisfying the specified criteria will be displayed along with their status and sequence numbers.

Check the box adjoining the desired job and then click 'Start' button to run the job(s).

9.4 The Online Mode

When the volume of transactions being processed is not inordinately high, the system can be configured to run in an online mode, wherein all transaction validations are done in the front-end online screens, with user-driven resolution of errors and overrides.

9.5 Contract Partitions

Another facility provided by Oracle FLEXCUBE for processing large volumes of payments / collection transactions is data division of the contract tables using range partitioning.

The use of range partitioning divides very large tables and indexes into smaller and more manageable pieces called partitions. Once the partitions are defined, SQL statements can access and manipulate the partitions rather than entire tables or indexes. The method of

partitioning used in the Payments and Collections module is Range Partitioning, which maps rows to partitions based on ranges of column values.

The contract table is partitioned based on the column SEQ_NO. The module supports a maximum of ten partitions of the table. The business logic used in the partitioning is that certain customers (institutional) would have extremely high volumes of contracts.

Therefore, for each customer, the value for the SEQ_NO column is maintained, and for contracts of all customers for whom the SEQ_NO is not maintained, the value of SEQ_NO is 1.

The value for SEQ_NO, for a customer, is maintained in the 'Payments and Collections Partition Sequence Maintenance' (PCDSQMNT) screen, which you can invoke from the Application Browser.

Fields	
Maker	Date Time:
Checker	Date Time:
Mod No	Record Status
	Authorization Status

In the screen above you can maintain the following details:

- Customer
- Sequence Number

The important background processing jobs namely, BOOK_INIT, INIT, MISC run on specific partitions only. Multiple copies of these jobs are submitted for each of the partitions. Only data pertaining to the partition applicable to the job is picked up in each of these copies, ensuring parallel processing architecture.

If the number of partitions required is less than ten at an installation (or for that matter, no partitioning), the contract table is created normally at installation without any partitioning. The SEQ_NO for all of the contracts is always 1 and only one copy of each of the background processing jobs is present.

9.6 Processing Customer Consolidation Batch

You can create a customer consolidation batch at file level based on the following parameters:

- Product Type

- Customer
- Customer Account Branch
- Customer Account
- Account Currency
- Customer Entry Date
- Customer Entry Value Date
- Consolidation Reference Number

You can create more than one consolidation batch for a same customer consolidation reference based on the aggregation parameters.

The closure of the file consolidation batch can be either manually or automatically.

For automatic closure of file consolidation batch:

- Customer entry value date for all transactions in a batch should be the system date
- All the transactions should be in processed status in CPG browser for the same file reference number
- All the transaction should be consolidated in PC module for the same file or batch reference number.
- The transactions should not be in TR queue under the same file reference number and for the same customer entry date.

While closing a consolidation batch manually the system displays an error message if:

- The customer entry date has to be the transaction date for the transactions under the consolidation batch.
- If there are any pending transactions to be consolidated for the same file reference number.

9.6.1 Processing of Logging the Batch into Consolidation Summary Screen

During transaction processing the transactions with Customer Consolidation Across Products as 'Yes' will be grouped under a consolidation batch and get logged into the existing Consolidation summary screen. This consolidation batch will have the product code value as 'Null'. The 'CONS' event will be triggered for all transactions that are logged in to Consolidation Summary screen. The Customer consolidation batch at file level shall be created based on the following parameters:

- Product Type
- Customer
- Customer Account Branch
- Customer Account
- Account Currency
- Customer Entry Date
- Customer Entry Value Date
- Consolidation Reference Number

The system can create more than one consolidation batch for a same Customer consolidation reference based on the aggregation parameters. The accounting entry reference number for the file consolidation batch is based on the process code "ZFCN". The closure of file consolidation batch will be through both automatic and manual.

The system will not allow automatic closure of consolidation batch during the day for transactions that are consolidated across products during manual input. The system will internally refer the following logic to consider the automatic closure of consolidation batch:

- Automatic closure of consolidation batch will be allowed if the transactions that are uploaded through file with "File level Customer Consolidation Required" as 'Yes' at CPG browser level

The system will follow the below logic for automatic closure of File Consolidation batch.

- During logging of each transaction in File Consolidation summary screen, system will consider the transaction to be last transaction if:
 - Customer entry value date for all transactions in a batch is the system date.
 - Any transaction is in Unprocessed status in CPG browser for the same file reference number.
 - There are any transaction which is yet to consolidate in PC module for the same file or batch reference number
 - There are any transaction in TR queue under the same file reference number and for the same customer entry date.

If all the above condition satisfies, then the system performs the automatic closure considering that as the last transaction for the file reference number.

If any transaction is pending in TR queue for the same file reference number, and if the transaction is repaired and processed, the system performs the above processing logic while logging into consolidation summary screen. If transactions are not pending for the same file reference number, then the system performs the automatic closure of the file consolidation batch.

During manual closure of consolidation batch across products, system validate based on the below conditions:

The customer entry date has to be the transaction date for the transactions under the consolidation batch. Otherwise the system will display an error message on click of close button.

If there are any transactions that are yet to consolidated (transaction pending in TR queue) for the same file reference number and if you try to close the batch manually, system will display an error message indicating that the transactions are still pending for consolidation under the same file reference number.

9.6.2 Processing EOD for Expiry of Beneficiary Registration

The EOD will mark all the 'Customer Debit' payments and 'Amount Block' requests in Beneficiary Registration Queue as 'Expired' on the end date for the beneficiary registration if the beneficiary has not registered. This will process reversal of payments for 'Customer Debit' payments.

9.7 Notifying KYC Status of P2P Beneficiary

You can view the KYC status of the P2P beneficiary through the external system. The system notifies the KYC status of the P2P Beneficiary as 'Verified' or 'Verification Failure'. You can view the following in the notification screen:

- Beneficiary Email ID
- Beneficiary Telephone
- Beneficiary Facebook ID

- Beneficiary Bank Code
- Beneficiary Account Number
- KYC Status

The system creates a database trigger to initiate the notification task based on the KYC status of the P2P beneficiary. This displays the data in the notification data store. The existing notification job considers this notification also to notify about KYC status.

9.8 **Notifying Successful P2P Final Payment**

You can view the notification for the successful P2P final payment in the external system. The system notifies the liquidated status of the P2P final payment. This notification displays the entire contract details.

The system creates a database trigger to initiate based on the contract status of the payment. This displays the transaction data in the notification data store. The existing notification job considers this notification also to notify about the liquidation of contracts.

9.9 **Notifying Rejected Test Transaction and P2P Final Payment**

You can view the notification for rejected test transaction and P2P final payment from the beneficiary bank in the external system. This notification displays the contract details.

The system creates a database trigger to initiate based on the contract status of the payment. This displays the transaction data in the notification data store. The existing notification job considers this notification also to notify about the rejection of transactions.

Note

While generating account statement the beneficiary account number will not be displayed for all the P2P payments. During the account statement data assignment for all 'Customer Debit' and 'P2P Final Payment' transactions, beneficiary account number will be replaced by the following:

- P2P Payment to <Email ID>
 - P2P Payment to <Contact Number>
 - P2P Payment to <Facebook ID>
-

The EOD PC batch process marks all the customer debit payments and amount block requests, for which beneficiary is not registered, as 'Expired' on the end date of beneficiary registration.

9.10 **Transactions Simulation**

In-order to simulate Payments and Collections transactions, the operation 'SimulatePCContract' is used in the PC web service 'FCUBSPCService'. Using this facility, the following Payments and Collections transactions can be simulated:

- Outgoing Payment > Internal Clearing
- Outgoing Payment > External Clearing
- Outgoing Payment > Book Transfer

The simulation process consists of all the fields similar to creating a transaction in the external system. You can simulate the transaction after providing the necessary details to validate the possible outcomes on execution. On initiating the simulation transaction, the following types of validations are performed before displaying the results:

- Availability of User rights
- User limits
- Mandatory fields information
- Exchange Rate variance
- Transaction level validations. For example, Balance check in Debit Account, Status of the Account and so on
- Charges applicable for the transaction are calculated
- If the transaction is involved with two currencies, then the Exchange Rate is derived

Post completion, the following types of responses are provided to the external channels:

- The status of completion is sent to the external channels.
- If the transaction is successful, then a message 'Simulation is Successful' is sent as response, provided the message 'Simulation is Successful' is maintained in Conversion Error Code Maintenance Screen 'CSDOVDME' for the error code 'ST-SAVE-052'.
- If there are any errors post validation, then all the errors with details are sent as response.

The response will have enriched details like Exchange Rate, Charges, Account Details and so on. In case of any warning, the response message will have the details of warning messages.

Note

The simulation details are not stored in the system.

For details on using this webservice, refer to 'Gateway_FCUBSPCService.pdf' available at OTN Library under the section 'Oracle FLEXCUBE Universal Banking Gateway XSD Documentation'.

10. Annexure A - Accounting Entries and Advices

10.1 Events for the Payments and Collections Module

The following are the events defined for the PC module:

Event Code	Event Description	Remarks
BOOK	Transaction Booking	This event signifies the transaction's entry into the system.
INIT	Transaction Initiation	<p>Involves Product Resolution, Default of Product Parameters, Dates Resolution.</p> <p>BOOK and INIT are automatic events for transactions uploaded from Electronic Banking</p> <p>Auto authorization is done for uploaded contracts if the amount is within the limit defined for the upload source-product category.</p> <p>For the manual input transactions, BOOK is done on SAVE and INIT is automatic. INIT can also be done manually.</p>
DRFX	Exchange Rate Population – Outgoing (Only Payments)	<p>The events DRFX occur before the customer leg of accounting (provided the customer leg is the debit leg)</p> <p>The system triggers these events automatically if the amount is within the limit specified for the customer Agreement / Product / Currency. Else, you will have to trigger them manually.</p>
DRLQ	Debit Entry Liquidation	The system triggers the event automatically and initiates the debit entry either to the customer account or to the clearing suspense account (based on the type of transaction).
DRCO	Debit Entry Consolidation	For debit transactions to the customer account that require consolidation this event is automatically triggered.
CRCO	Credit Entry Consolidation	This event is triggered automatically for all credit transactions to the customer account that require consolidation.
CRFX	Exchange Rate Population – Incoming (Only payments)	<p>The events CRFX occur before the customer leg of accounting (provided the customer leg is the credit leg)</p> <p>The system triggers these events automatically if the amount is within the limit specified for the customer Agreement / Product / Currency. Else, you will have to trigger them manually.</p>

CRLQ	Credit Entry Liquidation	The system triggers the event automatically and initiates the credit entry either to the customer account or to the clearing suspense account (based on the type of transaction)
RJBS	Reject prior to Inter bank settlement	In the case of Outgoing payment this event happens prior to the interbank settlement of the outgoing payment. In the case of Outgoing Collection this event is processed before the due date of an outgoing collection. In the case of Incoming Collection this event is processed before the due date of an incoming collection.
REJT	Reject	In the case of outgoing payment this event is processed when a rejection message is received after the interbank settlement date of the outgoing payment. In the case of incoming payment this event is triggered with in the payment rejection date.
REVP	Reverse	This event is triggered on receiving the reverse of Incoming collection transactions.
AMND	Amend	This event is triggered whenever an authorized contract, for which either DRLQ or CRLQ or DCLG events are not triggered, is modified.

10.1.1 **Accounting Roles**

The following list contains details of the accounting Roles that are applicable to the PCs you can process at your bank.

Accounting Role	Description	Role Type
INTSUSREC	Internal Suspense Receivable	Asset
CLGSUSREC	Clearing Suspense Receivable	Asset
INTSUSPAY	Internal Suspense Payable	Liability
CLGSUSPAY	Clearing Suspense Payable	Liability
CLGVOSTRO	Clearing VOSTRO (this could be used instead of using CLGSUSPAY and CLGSUSREC if a VOSTRO has been designated to be used and not a suspense GL)	Settlement
CHG1_INC	Charge 1 Income	Income
CHG2_INC	Charge 2 Income	Income
CHG3_INC	Charge 3 Income	Income
CHG4_INC	Charge 4 Income	Income

CHG5_INC	Charge 5 Income	Income
P2PCUSTTFR	Customer Debit for P2P Payments	Liability
P2PTESTEX	Test transaction for P2P Payments	Expense

10.2 **Product Type and Event Code and Accounting Entry combinations**

For your convenience we have listed the Events and Accounting Entries, which need to be defined for the various product types that can be maintained for this module.

10.2.1 **Events for Payment and Collection Products**

The Events that you need to set up for the various types of Payment and Collection products are as follows:

Outgoing Payment

You will need to define the following events while defining an Outgoing Payment product:

- BOOK
- INIT
- DRLQ
- CRLQ
- DCLG
- RJBS
- REJT
- CONS

Incoming Payment

You will need to define the following events while defining an Incoming Payment product:

- BOOK
- INIT
- DRLQ
- CRLQ
- CONS

Outgoing Direct Debit

You will need to define the following events while defining an Outgoing Direct Debit product:

- BOOK
- INIT
- DRLQ
- CRCO
- CRLQ
- DCLG
- RDSP
- APPR
- REJT
- CLOS

- RECL
- REVR
- CONS

Incoming Direct Debit

- BOOK
- INIT
- DRLQ
- CRLQ
- REJT
- RECL
- REVR
- CONS

Reject of Incoming Direct Debit

- BOOK
- INIT
- DRLQ
- CRLQ
- DCLG
- REVR

Reject of Outgoing Direct Debit

- BOOK
- INIT
- XREF
- DRLQ
- CRLQ
- REVR

Recall of Incoming Direct Debit

- BOOK
- INIT
- DRLQ
- CRLQ
- DCLG
- REVR

Recall of Outgoing Direct Debit

- BOOK
- INIT
- XREF
- DRLQ
- CRLQ
- REVR

Outgoing Request for Debit

- BOOK

- INIT
- DCLG
- RDSP
- APPR
- REJT
- CLOS
- REVR

Incoming Request for Debit

- BOOK
- INIT
- APPR
- REJT
- REVR

Approval of Incoming Request for Debit (Outgoing Payment)

- BOOK
- INIT
- DRFX
- DRCO
- DRLQ
- CRLQ
- DCLG
- REJT
- REVR

Approval of Outgoing Request for Debit (Incoming Payment)

- BOOK
- INIT
- XREF
- DRLQ
- CRCO
- CRFX
- CRLQ
- REVR

Reject of Incoming Request for Debit

- BOOK
- INIT
- XREF
- DCLG

Reject of Outgoing Request for Debit

- BOOK
- INIT
- XREF

Reject of Incoming Payments

- BOOK
- INIT
- DRLQ
- CRLQ
- DCLG
- MISC

Reject of Outgoing Payments

- BOOK
- INIT
- DRLQ
- CRLQ
- MISC

Reverse of Incoming Collection

- BOOK
- INIT
- DRLQ
- CRLQ
- DCLG
- MISC

Reverse of Outgoing Collection

- BOOK
- INIT
- DRLQ
- CRLQ
- MISC
- CONS

10.2.2 Accounting Entries

DRLQ: Debit Entry Liquidation for Payments

While triggering this event for Outgoing payment transactions the system posts a debit entry to the customer account. In the case of incoming transactions the debit entry will be posted to the Clearing Suspense account.

Those contracts satisfying the following parameters will be picked up for processing based on their priority.

- The contract is Active and Authorized
- The Debit entry date is prior to the current system date or is on the current system date.
- The Initiation event has been processed successfully
- For transactions involving the customer account having a foreign currency the exchange rate population event has been completed and authorized.
- For outgoing transactions the customer entry has been consolidated if the transaction has been marked for consolidation.

Entries posted for Outgoing transfers will be as follows:

Accounting Role	Dr./Cr. Indicator
Customer Account	Debit
Internal Suspense Payable –	Credit

Entries posted for Incoming transfers will be as follows:

Accounting Role	Dr./Cr. Indicator
Clearing Suspense Receivable (or Clearing Vostro)	Debit
Internal Suspense Receivable–	Credit

Note

If the entry dates of the debit and credit legs are the same, the system will not pass the entry to the Internal Suspense account. Also, for transactions marked for client entry consolidation, a single debit entry to the customer's account will be passed. The system generates a new reference number for the consolidation and the accounting entries will be passed using this reference number.

Entries posted for Debit Notification will be as follows:

Accounting Role	Dr./Cr. Indicator
Interbank Receipt GL	Debit
Intermediary GL	Credit

Entries posted for Credit Notification will be as follows:

Accounting Role	Dr./Cr. Indicator
Network GL (NOSTRO)	Debit
Intermediary GL	Credit

If the contract is moved to release queue for 'DRLQ' event, then the following account entries are passed:

Event	Account	Debit/Credit	Amount
DRLQ	Customer Account	Debit	Transaction Amount
DRLQ	Intermediary GL	Credit	Transaction Amount

CRLQ: Credit Entry Liquidation for Payments

During this event a credit entry will be posted to the Internal/Clearing Suspense account for outgoing transactions. The entry will be posted to the customer account for incoming transactions.

Based on their priority, the system picks up all active and authorized contracts if:

- The credit entry date is prior to or is the current system date
- The DRLQ event has been processed successfully

Entries posted for Outgoing transfers will be as follows:

Accounting Role	Dr./Cr. Indicator
Internal Suspense Payable–	Debit
Clearing Suspense –Payable (or Clearing Vostro)	Credit

Entries posted for Incoming transfers will be as follows:

Accounting Role	Dr./Cr. Indicator
Internal Suspense –Receivable	Debit
Customer Account	Credit

Entries posted for Debit Notification will be as follows:

Accounting Role	Dr./Cr. Indicator
Intermediary GL	Debit
Network GL (NOSTRO)	Credit

Entries posted for Credit Notification will be as follows:

Accounting Role	Dr./Cr. Indicator
Intermediary GL	Debit
Interbank Receipt GL	Credit

If the contract is moved to release queue for 'CRLQ' event, then the following account entries are passed:

Event	Account	Debit/Credit	Amount
CRLQ	Intermediary GL	Debit	Transaction Amount
CRLQ	Outgoing Network GL (NOSTRO)	Credit	Transaction Amount

If the incoming payment or return of outgoing payment is suspended from the incoming authorization queue then system will process the 'CRLQ' event with following accounting entries:

Event	Account	Debit/Credit	Amount
CRLQ	Intermediary GL	Debit	Transaction Amount
CRLQ	Unsettle GL (will be picked up from Product Category)	Credit	Transaction Amount

If the incoming payment or return of outgoing payment is authorized from the repair queue then system will not post any accounting entries and the transaction will be moved into incoming authorization queue.

If the transaction is completely authorized from the incoming authorization queue, i.e., if the transaction does not fall on any exception queue, then system will process the 'CRLQ' event and pass the following accounting entries:

Event	Account	Debit/Credit	Amount
CRLQ	Intermediary GL	Debit	Transaction Amount
CRLQ	Customer Account	Credit	Transaction Amount

If the contract does not require any manual authorization or release action then both 'DRLQ' and 'CRLQ' event will be processed and following accounting entries are passed:

Event	Account	Debit/Credit	Amount
DRLQ	Customer Account	Debit	Transaction Amount
DRLQ	Intermediary GL	Credit	Transaction Amount
CRLQ	Intermediary GL	Debit	Transaction Amount
CRLQ	Outgoing Network GL (NOSTRO)	Credit	Transaction Amount

If the transaction does not fall in to any of the exception queues, then both 'DRLQ', 'CRLQ' will be processed and following accounting entries are passed:

Event	Account	Debit/Credit	Amount
DRLQ	Incoming Network GL (NOSTRO)	Debit	Transaction Amount
DRLQ	Intermediary GL	Credit	Transaction Amount
CRLQ	Intermediary GL	Debit	Transaction Amount
CRLQ	Customer Account	Credit	Transaction Amount

If the transaction falls on incoming authorization queue then 'DRLQ' event will be processed and following accounting entries are passed:

Event	Account	Debit/Credit	Amount
DRLQ	Incoming Network GL (NOSTRO)	Debit	Transaction Amount
DRLQ	Intermediary GL	Credit	Transaction Amount

If the transaction is moved from exception TA to exception T1 while authorizing the transaction from incoming authorization queue then system will not post any accounting entries.

The accounting entries posted for 'Outgoing Payment' for which the P2P payment type is 'Customer Debit' is as follows:

Event	DR / CR	Accounting Role	Amount Tag
DRLQ	DR	CUSTOMER	TFR_AMT
DRLQ	CR	INTSUSPAY	TFR_AMT
CRLQ	DR	INTSUSPAY	TFR_AMT
CRLQ	CR	P2PCUSTTFR	TFR_AMT

The following accounting entries can be defined for Outgoing Payment for which the P2P payment type is test transaction:

Event	DR / CR	Accounting Role	Amount Tag
DRLQ	DR	P2PTESTEX	TFR_AMT
DRLQ	CR	INTSUSPAY	TFR_AMT
CRLQ	DR	INTSUSPAY	TFR_AMT
CRLQ	CR	CLGSUSPAY	TFR_AMT

The accounting entries posted for 'Outgoing Payment' for which the P2P payment type is 'P2P Final Payment' is as follows:

Event	DR / CR	Accounting Role	Amount Tag
DRLQ	DR	CUSTOMER	TFR_AMT
DRLQ	CR	INTSUSPAY	TFR_AMT
CRLQ	DR	INTSUSPAY	TFR_AMT
CRLQ	CR	CLGSUSPAY	TFR_AMT

The following accounting entries can be defined for Reject of Outgoing Payment for which the P2P payment type is P2P final payment:

Event	DR / CR	Accounting Role	Amount Tag
DRLQ	DR	CLGSUSREC	TFR_AMT
DRLQ	CR	INTSUSREC	TFR_AMT
CRLQ	DR	INTSUSREC	TFR_AMT
CRLQ	CR	CUSTOMER	TFR_AMT

DRLQ: for Outgoing Collection, Reject of Outgoing Collection and Recall of Incoming Collection products

The following accounting entries can be defined for outgoing collection, reject of outgoing collection and recall of incoming collection products:

Event Code	Accounting Role	Amount Tag	Dr/Cr
DRLQ	CLGSUSREC	TFR_AMT	Debit
	INTSUSPAY	TFR_AMT	Credit
CRLQ	INTSUSPAY	TFR_AMT	Debit
	BENEFICIARY	TFR_AMT	Credit

DRLQ: for Incoming Collection, Reject of Incoming Collection and Recall of Outgoing Collection products

The following accounting entries can be defined for incoming collection, reject of incoming collection and recall of outgoing collection products:

Event Code	Accounting Role	Amount Tag	Dr/Cr
DRLQ	REMITTER	TFR_AMT	Dr
	INTSUSREC	TFR_AMT	Cr
CRLQ	INTSUSREC	TFR_AMT	Dr
	CLGSUSPAY	TFR_AMT	Cr

Reject of Outgoing payments

The following entries can be defined for reject of outgoing payments:

Event Code	Accounting Role	Amount Tag	Dr/Cr
DRLQ	CLGSUSREC	TFR_AMT	Dr
	INTSUSREC	TFR_AMT	Cr
CRLQ	INTSUSREC	TFR_AMT	Dr
	CUSTOMER	TFR_AMT	Cr

Reject of Incoming payments

The following entries can be defined for reject of incoming payments:

Event Code	Accounting Role	Amount Tag	Dr/Cr
DRLQ	CUSTOMER	TFR_AMT	Dr
	INTSUSPAY	TFR_AMT	Cr
CRLQ	INTSUSPAY	TFR_AMT	Dr
	CLGSUSPAY	TFR_AMT	Cr

For reject of Incoming Payments (IN) contracts following accounting entries will be posted for DRLQ and CRLQ events:

Event	Account	Debit/Credit	Amount
DRLQ	Unsettle GL	Debit	Transaction Amount
DRLQ	Intermediary GL	Credit	Transaction Amount
CRLQ	Intermediary GL	Debit	Transaction Amount
CRLQ	Outgoing Network GL (NOSTRO)	Credit	Transaction Amount

Reverse of Outgoing collections

The following entries can be defined for reverse of outgoing collections:

Event Code	Accounting Role	Amount Tag	Dr/Cr
DRLQ	CUSTOMER	TFR_AMT	Dr
	INTSUSREC	TFR_AMT	Cr
CRLQ	INTSUSREC	TFR_AMT	Dr
	CLGSUSPAY	TFR_AMT	Cr

Reverse of Incoming collections

The following entries can be defined for reverse of incoming collections:

Event Code	Accounting Role	Amount Tag	Dr/Cr
DRLQ	CLGSUSREC	TFR_AMT	Dr
	INTSUSPAY	TFR_AMT	Cr
CRLQ	INTSUSPAY	TFR_AMT	Dr
	CUSTOMER	TFR_AMT	Cr

If the incoming payment is rejected from the incoming authorization queue then system will process 'CRLQ' event and pass the following accounting entries:

Event	Account	Debit/Credit	Amount
CRLQ	Intermediary GL	Debit	Transaction Amount
CRLQ	Unsettle GL(will be picked up from Product Category)	Credit	Transaction Amount

If the incoming payment is rejected from the repair queue then system will process 'CRLQ' event and pass the following accounting entries:

Event	Account	Debit/Credit	Amount
CRLQ	Intermediary GL	Debit	Transaction Amount
CRLQ	Suspense GL	Credit	Transaction Amount

If the contract is reversed from Release queue, then contract will be reversed and the following accounting entries are passed:

Event	Account	Debit/Credit	Amount
REVR	Customer Account	Debit	Negative transaction Amount
REVR	Intermediary GL	Credit	Negative transaction Amount

If the contract is reversed from Authorization (A1, A2) queues, then the system will not process any accounting entries.

Customer Consolidation Across Products

For transactions with 'Customer Consolidation Across Products' as checked, system triggers the DRLQ/CRLQ entries during file consolidation batch closure. A single debit entry is posted to the Customer account for the total file consolidation batch amount and individual credit entries are passed to the internal suspense account for each transaction amount. The Amount tag "FILE_AMT" is used for consolidation across products which denotes the total File amount or transaction amount that are considered for Consolidation.

During file level consolidation, for DRLQ event, the accounting entry reference no. for the debit leg will be based on the process code 'ZFCN' and the credit leg for the individual transfer amount will be based on the corresponding product code of the transaction.

The accounting entries for PC transactions with customer consolidation across products is as follows:

For Outgoing Payment

Event Code	Accounting Role	Amount Tag	Dr/Cr
DRLQ	CUSTOMER	FILE_AMT	Dr
DRLQ	INTSUSPAY	TFR_AMT	Cr

Event Code	Accounting Role	Amount Tag	Dr/Cr
CRLQ	INTSUSPAY	TFR_AMT	Dr
CRLQ	CLGSUSPAY	TFR_AMT	Cr

For Outgoing Collection

Event Code	Accounting Role	Amount Tag	Dr/Cr
DRLQ	CLGSUSREC	TFR_AMT	Dr
DRLQ	INTSUSPAY	TFR_AMT	Cr

Event Code	Accounting Role	Amount Tag	Dr/Cr
CRLQ	INTSUSPAY	TFR_AMT	Dr
CRLQ	CUSTOMER	FILE_AMT	Cr

For Reversal of Outgoing Collection

Event Code	Accounting Role	Amount Tag	Dr/Cr
DRLQ	CUSTOMER	FILE_AMT	Dr
DRLQ	INTSUSPAY	TFR_AMT	Cr

Event Code	Accounting Role	Amount Tag	Dr/Cr
CRLQ	INTSUSPAY	TFR_AMT	Dr
CRLQ	CLGSUSREC	TFR_AMT	Cr

10.3 Event- Advices for PCs

The following list of advices can be generated for the various events that get triggered during the life cycle of a PC transaction.

Event code	Advice
INIT	REMIT_SLIP
CRLQ	CREDIT_ADVICE
APPR	APPROVAL_ADVICE
REJT	REJECTION_ADVICE

CLOS	CLOSURE_ADVICE
RECL	RECALL_ADVICE
DRLQ	DEBIT_ADVICE
APPR	APPROVAL_ADVICE
REJT	REJECT_ADVICE
RECL	RECALL_ADVICE

The following advices will be generated for collection transactions

- **Remit Slip:** Based on the product advice definition, this advice is generated when a contract is saved. It is automatically printed and cannot be viewed/regenerated subsequently.
- **Debit Advice:** Based on the product advice setup, this advice is generated while processing the Debit Entry Liquidation (DRLQ) event for the following type of transactions
 - Incoming Direct Debit
 - Reject of Incoming Direct Debit
 - Recall of Outgoing Direct Debit
 - Approval of Incoming Direct Debit (Outgoing Payment)
- **Credit Advice:** Based on the product advice setup, this advice is generated while processing the Credit Entry Consolidation (CRLQ) event for the following type of transactions:
 - Outgoing Direct Debit
 - Reject of Outgoing Direct Debit
 - Recall of Incoming Direct Debit
 - Approval of Outgoing Request for Debit (Incoming Payment).
- **Approval Advice:** Based on the product setup, this advice is generated for the following type of transaction while processing Collection of Approvals (APPR).
 - Outgoing Collection
 - Incoming Collection
- **Reject Advice:** This would be generated for the following type of transactions:
 - **Rejected Outgoing Collections:** If the advice basis date is the Event Date, the advice is generated while processing the Collection of Rejection (REJT) event for the transaction. If you have identified the Response Date as the advice basis date, the advice is generated on the response date of the transaction.
 - **Rejected Incoming Collections:** The advice is generated while processing Collection of Rejection (REJT) event for the transaction.
 - **Rejected Approval of Incoming Request for Debit (Outgoing Payment):** The advice is generated while processing Collection of Rejection (REJT) event for the transaction.
- **Closure Advice:** This advice is generated for following type of transactions:
 - Outgoing Request for Debits without Re-dispatch - generated while processing the Collection Closure (CLOS) event of the transaction.
 - Outgoing Request for Debits with Re-dispatch - generated during contract re-dispatch (RDSP).
- **Recall Advice:** Based on the product advice setup, this is generated for the following type of transactions while processing the Contract Recall (RECL) event

- Outgoing Direct Debit
- Incoming Direct Debit

10.4 Credit Acknowledgement Messages

For Outgoing Payments

If we receive the Credit Acknowledgement message for our outgoing payment contracts then system will update the message status of the corresponding outgoing payment contract as 'CD' (Credit Done).

For Incoming Payments

The system will generate the outgoing Credit Acknowledgment (N10) message for incoming payment contract. After processing the CRLQ event, system will generate the 'Credit Acknowledgement Message' for the incoming payment contract. This process will group the number of incoming payment contracts and generates the single 'Credit Acknowledgement Message' for those contracts (Number of contracts for group will be parameterized in product maintenance).

10.4.1 Message Format

The system will support the following credit acknowledgement messages:

M/O	Field No	Field Name	Contents / Options	Description
M	2020	Transaction Reference Number	16x	Uniquely identifies the message.
Repeating Group Begins				
M	2020	Transaction Reference Number	16x	Uniquely identifies the transaction. (loop)
M	5518	IFSC of Originator of Remittance	4!a4!c[3!c]	IFSC of Debit Originator
M	2006	Related Reference	16x	For inward N10 message (received for our outgoing payment), Transaction reference number of the original N06 message For outward N10 message (generated for the incoming payment which we received), we need to populate the Transaction reference number of the incoming payment message (N02)

M	3501	Amt Credited Time	8!n 6!n	Date and Time when the amount is credited to the customer 8!n is the credited date YYYYMMDD 6!n is the credited time HHMISS
Repeating Group Ends				

11. Reports

11.1 Introduction


During the day, or at the end of the day, you may want to retrieve information on any of the several operations that were performed during the day in your bank. You can generate this information in the form of reports in Oracle FLEXCUBE.

For every module you can generate reports, which give you data about the various events in the life of a specific contract, or across contracts, at a specific point in time. You can have analysis reports, daily reports, exception reports (reports on events that ought to have taken place on the contract but have not, due to various reasons), history reports and so on. A set of report formats is pre-defined for every module.

11.1.1 Generating Reports

From the Application Browser, select the Reports option. A list of all the modules to which you have access rights are displayed in the screen. When you click on a module, all the reports for which you have access rights under the selected module are displayed. Click on the report you want to generate. You will be given a selection Criteria based on which the report would be generated.

Click 'OK' button when you have specified your preferences. The 'Print Options' screen gets displayed, where you can specify the preferences for printing the report.



In this screen, you can indicate the following preferences for printing the report.

Format

Select the format in which you want the report to be generated from the options provided in the drop-down list. The following options are available:

- HTML
- RTF
- PDF
- Excel

Output

Select the output for the report from the options provided. The following options are available:

- Print – select this option if you wish to print the report
- View – select this option if you wish to view the contents of the report
- Spool – select this option if you wish to spool the report for further use

Printer

Specify the name of the printer or select it from the option list provided. All the configured printers are displayed in the list.

This is applicable only if you have specified the output as 'Print'.

11.1.2 Contents of the report

The contents of the report are discussed under the following heads:

Header

The Header section of the report carries the title of the Report, information on the User who generated the report, the branch code, the date and time and the page number of the report.

Body of the report

The actual contents of the report are displayed in this section. It is detailed for each report, in the subsequent sections of this document.

11.2 Processed Salary Report

You can generate salary report using 'Processed Salary Report' screen. You can invoke this screen by typing 'CORPRSAL' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'Processed Salary Report' window. It features a 'Branch Details' tab with fields for 'Branch Code', 'Report Date', and radio buttons for 'All' and 'Single Branch'. There are also dropdown menus for 'Report Format' (set to PDF) and 'Report Output' (set to Print), along with a 'Printer At' dropdown (set to Client) and a 'Printer' text field. 'Ok' and 'Exit' buttons are at the bottom right.

Branch Code

You can generate this report for all the branches or a single branch alone. You can indicate the branch for which the report is being generated using the following options:

- All – If you choose this, the system will generate the report for all the branches.
- Single – If you choose this, you need to specify the branch code for which the report should be generated. The option list displays all valid branch codes maintained in the system. Choose the appropriate one.

Report Date

Specify the date of report from the adjoining calendar.

Contents of the Report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Report Name	Indicates Report Name
Branch Code / Branch Name	Indicates Current Branch code and Branch Name
User ID	Indicates the Identification of the User
Module	Indicates the Module of the Report
Report Run Date	Indicates Current Branch Date
Report Run Time	Indicates Current Branch Time
Branch Date	Indicates the date of Branch in which report is taken.
Page No	Displays Page No out of total No of pages in report.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Branch	Indicates the current branch code
Processed Date	Indicates the processed date
Transaction Reference Number	Indicates the transaction reference number
Salary Date	Indicates the salary date
Employer	Indicates the name of the employer
Employee	Indicates the employee name
Employee Account	Indicates the employee account
Salary Amount	Indicates the salary account
CCY	Indicates the currency of the transaction

11.3 Unprocessed Salary Report

You can generate salary report using 'Unprocessed Salary Report' screen. You can invoke this screen by typing 'CORUNPSL' in the field at the top right corner of the Application tool bar and clicking on the adjoining arrow button.

The screenshot shows the 'Unprocessed Salary Report' window. It features a 'Branch Details' tab with radio buttons for 'All' (selected) and 'Single Branch'. A 'Report Date' field is adjacent. Below these are dropdowns for 'Report Format' (PDF) and 'Report Output' (Print). Further right are 'Printer At' (Client) and 'Printer' dropdowns. 'Ok' and 'Exit' buttons are at the bottom right.

Branch Code

You can generate this report for all the branches or a single branch alone. You can indicate the branch for which the report is being generated using the following options:

- All – If you choose this, the system will generate the report for all the branches.
- Single – If you choose this, you need to specify the branch code for which the report should be generated. The option list displays all valid branch codes maintained in the system. Choose the appropriate one.

Report Date

Specify the date of report from the adjoining calendar.

Contents of the Report

The parameters specified while generating the report are printed at the beginning of the report. Other content displayed in the report is as follows:

Header

The following details are displayed in the header section:

Field Name	Field Description
Report Name	Indicates Report Name
Branch Code / Branch Name	Indicates Current Branch code and Branch Name
User ID	Indicates the Identification of the User
Module	Indicates the Module of the Report
Report Run Date	Indicates Current Branch Date
Report Run Time	Indicates Current Branch Time

Branch Date	Indicates the date of Branch in which report is taken.
Page No	Displays Page No out of total No of pages in report.

Body of the Report

The following details are displayed as body of the generated report:

Field Name	Field Description
Branch	Indicates the current branch code
Employer	Indicates the name of the employer
Employee	Indicates the employee name
Employee Account	Indicates the employee account
Salary Date	Indicates the date of the salary
Salary Amount	Indicates the salary account
Transaction Reference Number	Indicates the transaction reference number
Bank Code	Indicates the bank code
Error Description	Indicates the error description

12. Function ID Glossary

B

BADEODFN 7-7

C

CFDCHGCE 6

CORPRSAL 11-2

CORUNPSL 11-4

CSSJOBBER 9-6

E

EIDMANPE 9-1

EIDMANPR 7-6

F

FTSCONON 5-31

I

ISDINSTN 3-80

M

MSDPRDMP 72

P

PCDACARE 3-15

PCDACSMT 3-54

PCDBENMT 3-16

PCDBKRED 3-11

PCDBNKMT 3-3

PCDCHACM 6-7

PCDCLAGT 3-27

PCDCLNTQ 3-12

PCDCLRNT 3-7

PCDCRAGT 3-33

PCDCREID 3-32

PCDCRXSQ 5-44

PCDCUSST 3-38

PCDDCCAT 3-59

PCDDRAGT 3-36

PCDERRCD 3-76

PCDFTONL 5-33

PCDIFGEN 5-65

PCDINSTM 3-61

PCDISMAP 3-79

PCDLUPMT 3-53

PCDMSGMA'IN 3-73

PCDNKTYP 3-2

PCDNWHOL 3-13

PCDONONL 5-2

PCDPDCTG 3-40

PCDPRCAT 3-60

PCDPRDAT 3-14

PCDPRMNT 4-1

PCDPROCH 6-8

PCDPTYDM 3-51

PCDRJCOD 3-56

PCDSFPRM 3-68, 5-63

PCDTRFSH 5-43

PCDUDMNT 3-52

PCDUPLDM 3-24

PCDUPLDT 3-25

PCDUTOFF 5-55

PCSAUTQ1 4-28

PCSAUTQ2 4-29

PCSCNLEX 46

PCSCNSOL 5-46

PCSCONAU 5-35

PCSCONHS 5-48

PCSIPRSQ 4-40

PCSONMON 9-5

PCSPEXSQ 5-51

PCSPRXSQ 5-53

PCSRLXSQ 4-30

PCSROWSE 5-54

PCSSPLTS 5-50

PCSTEXSQ 5-49

PCSXRXSQ 5-52

S

SLDEMPLR 7-1

SLDEMPY 7-3

SLDSALCP 7-5

SLDSALLG 7-8