

RestService Application Setup
Oracle FLEXCUBE Investor Servicing
Release 14.0.0.2.5
[January] [2019]



Table of Contents

- 1. SETTING UP RESTSERVICE FOR ORACLE FLEXCUBE 1-1**
 - 1.1 INTRODUCTION 1-1
 - 1.2 SETTING UP RESTSERVICE RESTEJB APPLICATION..... 1-1
 - 1.2.1 *Prerequisites* 1-1
 - 1.2.2 *Building EAR File* 1-1
- 2. SETTING UP REST SERVICE WEBSERVICE APPLICATION 2-1**
 - 2.1.1 *Prerequisites* 2-1
 - 2.1.2 *Building EAR File* 2-1
- 3. POST BUILDING ACTIVITY 3-1**
 - 3.1 INTRODUCTION 3-1
 - 3.1.1 *RestService Configuration* 3-1
 - 3.1.2 *Deployment Using Oracle WebLogic Application Server*..... 3-1
 - 3.1.3 *Deployment Using IBM WebSphere Application Server*..... 3-1

1. Setting up RestService for Oracle FLEXCUBE

1.1 Introduction

This chapter explains the steps for setting up the Rest Application for Oracle FLEXCUBE.

1.2 Setting up RestService RESTEJB Application

This section explains the methods of setting up Rest EJB Application.

1.2.1 Prerequisites


You need to create the following RestEJB property files before building the application:

- GW_RESTEJB_Prop.properties
- gw_restejb_logger.properties


1.2.2 Building EAR File

In order to build EAR file for RestEJB Application, you need to follow the steps given below:

1. Launch Oracle FLEXCUBE Universal Installer. The welcome screen is displayed.
2. Click 'Next' the following screen will be displayed.



Choose the Application 'Gateway'. Click 'Next'. The following screen is displayed:



3. Specify the following details:


File Separator Style

Specify the style of file separator (e.g Linux or Windows). Choose the appropriate one from the drop-down list.

Application Server

Specify the application server in which you are creating the property file. Choose the appropriate one from the drop-down list.

4. Choose 'Build Application'. Click 'Next'. The following screen is displayed:
5. This is the FC HOME folder that needs to be set. Also, it should point to SMS schema. Those versions less than or equal to the current environment are allowed.




The screenshot shows the Oracle FLEXCUBE Investor Servicing installation wizard. The title bar reads "Oracle FLEXCUBE Investor Servicing" and "ORACLE". The "Installation Type" section has "FC Home" set to "D:/FCIS_INFRA_Source/SOFT" and "EAR Build" selected. Below this, a table titled "Provide schema details for patch installation." contains the following data:

Name	Value
Username	FCUBS121
Password	●●●●●●●●
Service Name	FC1202WI
IP Address	10.110.110.110
Port	1101
TNS Connect Descriptor	FC1102WI


Below the table is a "Test Connection" button. At the bottom of the window are "Log", "Back", "Next", and "Exit" buttons.

Click 'Test Connection'.

On Successful connection the below message will be displayed.



Click OK. Click 'Next' to navigate to next page



Oracle FLEXCUBE Investor Servicing


ORACLE

Valid Patch List

No	Version	Type	Select
1	14.0.0.0	CONSOLE	<input checked="" type="checkbox"/>

Log Back Next Exit

Click Next.



Oracle FLEXCUBE Investor Servicing

ORACLE

Gateway Property File Creation

Choose the Gateway Application Type

- Gateway Application Type
 - Gateway EJB
 - Gateway MDB
 - Gateway Http Servlet
 - Gateway WebServices
 - REST Services EJB**
 - REST Services WebServices

Log Back Next Exit

- Choose 'REST Service EJB'. Click 'Next'. Verify all the library are available.

Oracle FLEXCUBE Investor Servicing **ORACLE**

Build Process
This screen lists the JARS that are required for compilation

No.	Name	Location	Available
1	javax.ejb_3.2.0.jar	.Library\applicati...	Yes
2	javax.jms-3.1.2.2....	.Library\applicati...	Yes
3	javax.mail-1.4.5.jar	.Library\applicati...	Yes
4	javax.servlet-3.1....	.Library\applicati...	Yes
5	javax.transaction-...	.Library\applicati...	Yes
6	poi-ooxml-schem...	.Library\application	Yes
7	poi-ooxml-3.17.jar	.Library\application	Yes
8	poi-3.17.jar	.Library\application	Yes
9	ziplet-2.3.0.jar	.Library\application	Yes
10	commons-codec...	.Library\common	Yes
11	commons-net-3....	.Library\plugin-q...	Yes
12	commons-transa...	.Library\plugin-q...	Yes
13	quartz-2.3.1-9f9a...	.Library\plugin-q...	Yes

Log Back Next Exit

- Click Next and provide destination Directory

Oracle FLEXCUBE Investor Servicing **ORACLE**

Build Process
Specify the destination directory, application name and context.

Destination Directory

Application Name

Log Back Next Exit

8. Click Next. Provide the property file for RestEJB

Oracle FLEXCUBE Investor Servicing ORACLE

Build Process
Specify the Property File path.

Load Property File

Symmetric key

Provide the property file path to be included.

Log Back Next Exit

Oracle FLEXCUBE Investor Servicing ORACLE

Build Process
Specify the Property File path.

Load Property File

Symmetric key

Provide the property file path to be

Log

Select File

Look In: config

- gw_rest_logger.properties
- GW_REST_Prop.properties
- gw_restejb_logger.properties
- GW_RESTEJB_Prop.properties**
- gw_ws_logger.properties
- GW_WS_Prop.properties
- MANIFEST.MF
- web.xml

File Name: GW_RESTEJB_Prop.properties


Files of Type: All Files

Select Cancel

The following screen is displayed:

Oracle FLEXCUBE Investor Servicing ORACLE

Build Process
Specify the Property File path.

Load Property File 

Symmetric key

Provide the property file path to be included.

Log Back Next Exit

9. Click 'Next'. The following screen is displayed.

Oracle FLEXCUBE Investor Servicing ORACLE

Build Process
Current screen displays the status of sources being copied to destination folder.

100%


333 files in INFRA Copied

Copy...

Log Back Next Exit


10. Click 'Copy' button. The installer copies the files.

11. Click 'Next'. The following screen is displayed.



12. Click 'Compile' Button.

13. Click "Next". The following screen is displayed.



14. Click 'Build' button to start the build process. The installer builds the source files.

This completes the EAR file generation process. The EAR file will be saved to the destination directory.

2. Setting up Rest Service WebService Application

This section explains the methods of setting up Rest Service Webservice Application.

2.1.1 Prerequisites

You need to create the following Rest Service Webservice property files before building the application:


- GW_REST_Prop.properties
- gw_rest_logger.properties

For details, refer to 'RestService_Property_File_Creation'.


2.1.2 Building EAR File

In order to build EAR file for Rest Service Webservice application, you need to follow the steps given below:

1. Launch Oracle FLEXCUBE Universal Installer. The welcome screen is displayed.



Choose the Application 'Oracle FLEXCUBE Gateway'. Click 'Next'. The following screen is displayed:



2. Specify the following details:


File Separator Style

Specify the type of file separator (e.g: Linux or Windows). Choose the appropriate one from the drop-down list. You also need to specify the version of the selected operating system.

Application Server


Specify the application server in which you are creating the property file. Choose the appropriate one from the drop-down list.

Choose 'Build Application'. Click 'Next'. The following screen is displayed




Choose FC home and specify the SMS schema details.


Click 'Test Connection'. On Successful connection the below message will be displayed.




Click OK. Click 'Next' to navigate to next page



Choose patches from list and click 'Next'. The following screen is displayed:




3. Choose 'Rest Service WebService'. Click 'Next'.



4. The following screen is displayed: Click 'Next' the following screen will be displayed.

Oracle FLEXCUBE Investor Servicing ORACLE

Build Process
Specify the destination directory, application name and context.

Destination Directory 

Application Name

Log Back Next Exit


5. Specify the following details:

Destination Directory

Specify the location of the destination directory. The source files from the software will be copied to this location.


Eg: D:\

Once you have specified the details, click 'Next' to continue.




Oracle FLEXCUBE Investor Servicing **ORACLE**

Build Process
Specify the Property File path.






Load Property File 

Symmetric key

Provide the property file path to be included.



Select File

Look In:     

- gw_rest_logger.properties
- web.xml
- GW_REST_Prop.properties
- gw_restejb_logger.properties
- GW_RESTEJB_Prop.properties
- gw_ws_logger.properties
- GW_WS_Prop.properties
- MANIFEST.MF


File Name:

Files of Type:

The following screen is displayed:

Oracle FLEXCUBE Investor Servicing ORACLE®

Build Process
Specify the Property File path.

Load Property File 

Symmetric key

Provide the property file path to be included.

Log Back Next Exit

6. Specify the following details:

Centralized Property File

To modify an existing property file, you need to select the exact property file by clicking on the folder icon.

Note: Do not load the Logger.properties file. The installer will load that file automatically based on the property file.

- Click 'Next'. The following screen is displayed. We can select all the services or we can select an particular service

Oracle FLEXCUBE Investor Servicing **ORACLE**

Gateway Webservices
Choose modules to be included.

Sl....	Module Name	Service Name	Include	Recomp...
1	LE	PolicyService	<input type="checkbox"/>	<input type="checkbox"/>
2	LE	PolicyStatusChangeService	<input type="checkbox"/>	<input type="checkbox"/>
3	LE	PolicySwitchService	<input type="checkbox"/>	<input type="checkbox"/>
4	LE	PolicyTopupService	<input type="checkbox"/>	<input type="checkbox"/>
5	UT	AuthRepService	<input type="checkbox"/>	<input type="checkbox"/>
6	UT	BlockService	<input type="checkbox"/>	<input type="checkbox"/>
7	UT	BrokerService	<input type="checkbox"/>	<input type="checkbox"/>
8	UT	CustomerService	<input type="checkbox"/>	<input type="checkbox"/>

Select All

Log Back Next Exit

Oracle FLEXCUBE Investor Servicing **ORACLE**

Gateway Webservices
Choose modules to be included.

Sl....	Module Name	Service Name	Include	Recomp...
1	LE	PolicyService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2	LE	PolicyStatusChangeService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3	LE	PolicySwitchService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4	LE	PolicyTopupService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5	UT	AuthRepService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6	UT	BlockService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7	UT	BrokerService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8	UT	CustomerService	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Select All

Log Back Next Exit

Click 'Next'. The following screen is displayed:

Oracle FLEXCUBE Investor Servicing
ORACLE

Gateway Webservices
Choose modules to be included.

SI....	Module Name	Service Name	Include	Recomp...
16	UT	SwitchService	<input type="checkbox"/>	<input type="checkbox"/>
17	UT	TransactionService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
18	UT	TransferService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
19	UT	UnitholderService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
20	PA	PASAddressDetailsService	<input type="checkbox"/>	<input type="checkbox"/>
21	PA	PASAssetClassService	<input type="checkbox"/>	<input type="checkbox"/>
22	PA	PASBankDetailsService	<input type="checkbox"/>	<input type="checkbox"/>
23	PA	PASIdDetailsService	<input type="checkbox"/>	<input type="checkbox"/>

Select All


Oracle FLEXCUBE Investor Servicing
ORACLE

Gateway Webservices
Choose modules to be included.


SI....	Module Name	Service Name	Include	Recomp...
16	UT	SwitchService	<input type="checkbox"/>	<input type="checkbox"/>
17	UT	TransactionService	<input type="checkbox"/>	<input type="checkbox"/>
18	UT	TransferService	<input type="checkbox"/>	<input type="checkbox"/>
19	UT	UnitholderService	<input checked="" type="checkbox"/>	<input type="checkbox"/>
20	PA	PASAddressDetailsService	<input type="checkbox"/>	<input type="checkbox"/>
21	PA	PASAssetClassService	<input type="checkbox"/>	<input type="checkbox"/>
22	PA	PASBankDetailsService	<input type="checkbox"/>	<input type="checkbox"/>
23	PA	PASIdDetailsService	<input type="checkbox"/>	<input type="checkbox"/>

Select All


8. Click 'Next'



9. Click 'Copy'
10. Click 'Next'



11. Click 'Compile'. On successful compilation click 'Next'.



This completes the EAR file generation process. The EAR file will be saved to the destination directory..

3. Post Building Activity

3.1 Introduction

This section introduces you to the activities to be carried out after setting up the Rest applications.

3.1.1 RestService Configuration

Rest application looks for the required files inside the 'XSD Path' and 'Logger File' provided at the time of Gateway Property creation.

Refer Rest Property file generation document for details.

You need to maintain the following files in XSD Path and Logger Path:

Path	Files
Rest EJB Logger Path	Logger path should contain the gateway property files generated by the Installer. For instance, for RestEJB application, the installer generates the files 'gw_restejb_logger.properties' and 'GW_RESTEJB_Prop.properties'. While creating the property file if you specify the 'Logger Path' as 'D:/GW_EJB/config/gw_restejb_logger.properties', then you need to place both the files 'gw_restejb_logger.properties' and 'GW_RESTEJB_Prop.properties' inside the folder 'D:/GW_EJB/config/
Rest WebService Logger Path	Logger path should contain the gateway property files generated by the Installer. For instance, for RestEJB application, the installer generates the files 'gw_rest_logger.properties' and 'GW_REST_Prop.properties'. While creating the property file if you specify the 'Logger Path' as 'D:/GW_EJB/config/gw_rest_logger.properties', then you need to place both the files 'gw_restejb_logger.properties' and 'GW_REST_Prop.properties' inside the folder 'D:/GW_EJB/config/

3.1.2 Deployment Using Oracle WebLogic Application Server

For details on the manual deployment using Oracle WebLogic Application Server, refer to the chapter 'Link for RESTService_Deployment_Weblogic.doc to be provided'

3.1.3 Deployment Using IBM WebSphere Application Server

For details on the manual deployment using IBM WebSphere Application Server, refer to the chapter 'Link for RESTService_Deployment_WebSphere.doc to be provided'.



RestService Application Setup
[January] [2019]
Version 14.0.0.2.5

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2007], [2019], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

