

Oracle® Revenue Management and Billing

Version 2.7.0.0.0

Database Administrator's Guide

Revision 14.5

E95807-01

May, 2018

ORACLE®

Oracle Revenue Management and Billing Database Administrator's Guide

E95807-01

Copyright Notice

Copyright © 2018, Oracle and/or its affiliates. All rights reserved.

Trademark Notice

Oracle, Java, JD Edwards, PeopleSoft, and Siebel are registered trademarks of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

License Restrictions Warranty/Consequential Damages Disclaimer

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure, and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or de-compilation of this software, unless required by law for interoperability, is prohibited.

Warranty Disclaimer

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

Restricted Rights Notice

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS

Oracle programs, including any operating system, integrated software, any programs installed on the hardware, documentation, and/or technical data delivered to U.S. Government end users are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, documentation, and/or technical data shall be subject to license terms and restrictions as mentioned in Oracle License Agreement, and to the extent applicable, the additional rights set forth in FAR 52.227-19, Commercial Computer Software--Restricted Rights (June 1987). No other rights are granted to the U.S. Government.

Hazardous Applications Notice

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Third Party Content, Products, and Services Disclaimer

This software and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third party content, products, or services.

Preface

About This Document

This document will help you to understand how to install and maintain the Oracle Revenue Management and Billing (ORMB) database.

Intended Audience

This document is intended for the following audience:

- End-Users
- Database Administrators
- Consulting Team
- Implementation Team

Organization of the Document

The information in this document is organized into the following sections:

Section No.	Section Name	Description
Section 1	Database Overview	Lists the database server supported on each platform. It also lists the dos and don'ts while maintaining a database.
Section 2	Installing Oracle Revenue Management and Billing Version 2.7.0.0.0 Database	Explains how to install the Oracle Revenue Management and Billing database.
Section 3	Database Design	Lists the naming conventions for various database objects. It also lists and describes the column data types and foreign key constraints.
Section 4	Exadata Database Settings	Lists a set of activities that you need to perform if you are using the Oracle Exadata Database machine as the database server.
Section 5	Database Implementation Guidelines	Lists and describes the general guidelines for configuring various objects in the database and implementing Oracle Database.
Appendix A	New Objects in the Oracle Revenue Management and Billing V2.7.0.0.0 Database	Lists the objects that are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database.
Appendix B	Application Services Configured for Default User Group	Lists the application services configured for the default user groups shipped with Oracle Revenue Management and Billing Version 2.7.0.0.0.

Section No.	Section Name	Description
Appendix C	Changing the DB User Password	Explains how to change the database user password.
Appendix D	New Objects in the Oracle Utilities Application Framework V4.3.0.4.0 Database	Lists the objects that are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database.
Appendix E	Oracle Utilities Application Framework System Table Guide	Lists the system tables owned by Oracle Utilities Application Framework V4.3.0.4.0 and explains the standards and guidelines to be followed while updating the data in the system tables.
Appendix F	License and Copyright Notices	Lists all notices with reference to usage of third party products.

Related Documents

You can refer to the following documents for more information:

Document	Description
<i>Oracle Revenue Management and Billing Version 2.7.0.0.0 Release Notes</i>	Provides a brief description about the new features, enhancements, UI and database level changes, supported platforms, framework upgrade, supported upgrades, and technology upgrade made in this release. It also highlights the discontinued features, bug fixes, and known issues in this release.
<i>Oracle Revenue Management and Billing Installation Guide</i>	Lists the application server pre-requisites, supported platforms, and software and hardware requirements for installing the Oracle Revenue Management and Billing application. It explains how to install the Oracle Revenue Management and Billing application.
<i>Oracle Revenue Management and Billing Quick Installation Guide</i>	Provides high-level information on how to install the Oracle Revenue Management and Billing (ORMB) application and selected additional software.
<i>Oracle Revenue Management and Billing Server Administration Guide</i>	Explains the Oracle Revenue Management and Billing (ORMB) architecture and technical know-how required for configuring and using the ORMB application. It explains how to configure and deploy web and business application servers. In addition, it explains how to monitor client machines, web and/or business application servers, and database connections.

Document	Description
<i>Oracle Revenue Management and Billing Security Guide</i>	Lists the security features available in the Oracle Revenue Management and Billing application. It explains how to configure security for the Oracle Revenue Management and Billing application using the default security features.

Conventions

The following conventions are used across this document:

Convention	Meaning
boldface	Boldface indicates graphical user interface elements associated with an action, or terms defined in the text.
italic	Italic indicates a document or book title.
Monospace	Monospace indicates commands within a paragraph, URLs, code in examples, text that appears on the screen or entered in the application.

Change Log

Revision	Last Update	Updated Section	Comments
14.1	01-Jun-2018	Section 2.3.1.4: Installing Oracle Utilities Application Framework	Added information in the Installing Rollup Pack for Oracle Utilities Application Framework Version 4.3.0.4.0 section
14.2	11-Jun-2018	Section A.1.6: Column Format Change	Updated Information
14.3	14-Jun-2018	Section 2.3.2: Demo Install	Added Section
14.4	28-Jun-2018	Section 2.3.1.6: Post Installation Tasks	Added the Apply the 28105411 Patch section
		Section 2.3.2.5: Post Demo Database Creation Tasks	Added the Apply the 28105411 Patch section
14.5	02-Jul-2018	Section 2.3.1.3: Setting the MAX_STRING_SIZE Parameter to EXTENDED	Updated Information
		Section 2.3.1.4: Installing Oracle Utilities Application Framework	Updated information in the Installing Oracle Utilities Application Framework Version 4.3.0.4.0 section
		Section 2.3.1.5: Installing Oracle Revenue Management and Billing	Updated Information

Revision	Last Update	Updated Section	Comments
		Section 2.3.2.3: Setting the MAX_STRING_SIZE Parameter to EXTENDED	Updated Information

Contents

1.	Database Overview	1
1.1	Supported Database Platforms	1
1.1.1	Supported Platforms Summary Table.....	1
1.1.2	Support for Software Patches and Upgrades	2
1.2	Database Maintenance Rules.....	2
1.2.1	Permitted Database Changes.....	3
1.2.2	Non-Permitted Database Changes.....	3
2.	Installing Oracle Revenue Management and Billing Version 2.7.0.0.0 Database	4
2.1	Installation Overview.....	4
2.2	Creating the Database	4
2.3	Oracle Database Installation	6
2.3.1	Initial Install, or Installing Version 2.7.0.0.0 for the First Time	6
2.3.2	Demo Install	26
2.3.3	Populating Language Data	32
2.3.4	Installing Service Packs and Patches	33
3.	Database Design	34
3.1	Database Object Standard.....	34
3.1.1	Categories of Data.....	34
3.1.2	Naming Standards.....	34
3.2	Column Data Type and Constraints	38
3.2.1	User Defined Code	38
3.2.2	System Assigned Identifier.....	38
3.2.3	Date/Time/Timestamp.....	38
3.2.4	Number	38
3.2.5	Fixed Length/Variable Length Character Columns	38
3.2.6	Null Column Support.....	39
3.2.7	XML Type Support.....	39
3.2.8	Cache and Key Validation Flags.....	39
3.2.9	Table Classification and Table Volume Flags	39
3.2.10	Default Value Setting.....	39
3.2.11	Foreign Key Constraints.....	40
3.3	Standard Columns	40
3.3.1	Owner Flag	40
3.3.2	Version	40
4.	Exadata Database Settings	41
5.	Database Implementation Guidelines	42

5.1 Configuration Guidelines.....	42
5.1.1 Index.....	42
5.1.2 Temporary and Undo Tablespace	42
5.1.3 Transparent Data Encryption Recommendations.....	43
5.1.4 Data Compression Recommendations.....	43
5.1.5 Database Vault Recommendations.....	44
5.1.6 Oracle Fuzzy Search Support	45
5.1.7 Storage Recommendations.....	45
5.1.8 Database Configuration Recommendations.....	46
5.1.9 Database Syntax.....	46
5.1.10 Database Initialization Parameters	46
5.1.11 Shrink Tables	48
5.1.12 Oracle Database Implementation Guidelines	49
5.1.13 Materialized View.....	50
Appendix A : New Objects in the Oracle Revenue Management and Billing V2.7.0.0.0 Database	53
A.1 Schema Changes.....	53
A.1.1 New Tables.....	53
A.1.2 Added Columns.....	56
A.1.3 Dropped Tables.....	57
A.1.4 Dropped Columns	57
A.1.5 Added Views	58
A.1.6 Column Format Change	58
A.2 New System Data	58
A.2.1 Algorithm Types	59
A.2.2 Algorithms.....	61
A.2.3 Business Services	64
A.2.4 Portals	66
A.2.5 Batch Controls.....	67
A.2.6 Foreign Key References.....	67
A.2.7 Scripts.....	68
A.2.8 New Zones In Existing Portals	71
A.2.9 Zones.....	72
A.2.10 UI Maps	76
A.2.11 Lookups	81
A.2.12 Characteristic Types	84
A.2.13 Feature Configurations	84
A.2.14 Option Types in Feature Configurations	85
A.2.15 Zone Types	85
A.2.16 Business Objects.....	85

A.2.17	Maintenance Objects	86
A.2.18	To Do Types.....	87
A.2.19	Application Services	87
Appendix B :	Application Services Configured for Default User Group	89
B.1.1	ALL_SERVICES.....	89
B.1.2	C1_BSERCIVES	102
B.1.3	HCADMIN	113
B.1.4	INADMIN	123
Appendix C :	Changing the DB User Password	134
Appendix D :	New Objects in the Oracle Utilities Application Framework V4.3.0.4.0 Database.....	135
D.1	Schema Changes.....	135
D.1.1	New Tables.....	135
D.1.2	Added Views	135
D.1.3	Dropped Tables.....	135
D.1.4	Unsupported Tables.....	135
D.1.5	Added Columns.....	135
D.1.6	Dropped Columns	136
D.1.7	Column Format Change	136
D.2	New System Data	136
D.2.1	Algorithms.....	136
D.2.2	Algorithm Types	137
D.2.3	Zones.....	137
D.2.4	UI Maps	138
D.2.5	Maintenance Objects.....	138
D.2.6	Business Services	138
D.2.7	Portals	139
D.2.8	Business Objects	139
D.2.9	Portal Zone	140
D.2.10	Lookups	140
D.2.11	Foreign Key References.....	141
D.2.12	Batch Controls.....	141
D.2.13	Application Services	141
D.2.14	Characteristic Types.....	142
Appendix E :	Oracle Utilities Application Framework System Table Guide	143
E.1	About System Tables	143
E.2	System Table Standards	143
E.3	Guidelines for System Table Updates.....	143
E.3.1	Business Configuration Tables	144
E.3.2	Oracle Utilities Application Framework only Tables.....	158

E.4	System Table List	158
Appendix F :	License and Copyright Notices.....	171
F.1	Third-Party Products.....	171
F.1.1	Notice Concerning Usage of ANTLR.....	171
F.1.2	Notice Concerning Usage of Apache Software	172
F.1.3	Notice Concerning Usage of ASM	176
F.1.4	Notice Concerning Usage of Concurrent	176
F.1.5	Notice Concerning Usage of DOM4J.....	177
F.1.6	Notice Concerning Usage of International Components for Unicode (ICU4J).....	177
F.1.7	Notice Concerning Usage of Jaxen.....	178
F.1.8	Notice Concerning Usage of JQuery	178
F.1.9	Notice Concerning Usage of SLF4J	179
F.1.10	Notice Concerning Usage of Staxmate	179
F.1.11	Notice Concerning Usage of XMLPULL	180
F.1.12	Notice Concerning Usage of XStream.....	180
F.1.13	Notice Concerning Usage of YUI.....	180

1. Database Overview

This section provides an overview of the Oracle Revenue Management and Billing database, including:

- Supported Database Platforms
- Database Maintenance Rules

1.1 Supported Database Platforms

This section defines the platforms on which Oracle Revenue Management and Billing is verified to operate.

1.1.1 Supported Platforms Summary Table

Oracle Revenue Management and Billing (ORMB) is supported on the following platforms:

Platform	Database Server
AIX 7.2 TLO (64-bit)	Oracle Database Server 12.1.0.2 (64-bit) Oracle Database Server 12.2.0.1 (64-bit)
Oracle Linux 6.5+ and 7.x (64-bit)	Oracle Database Server 12.1.0.2 (64-bit) Oracle Database Server 12.2.0.1 (64-bit)
Red Hat Enterprise Linux ¹ 6.5+ and 7.x (64-bit)	Oracle Database Server 12.1.0.2 (64-bit) Oracle Database Server 12.2.0.1 (64-bit)
Solaris 11 (SPARC 64-bit)	Oracle Database Server 12.1.0.2 (64-bit) Oracle Database Server 12.2.0.1 (64-bit)
Windows Server 2012 R2 (64-bit)	Oracle Database Server 12.1.0.2 (64-bit) Oracle Database Server 12.2.0.1 (64-bit)

Note:

Oracle Corporation distributes Oracle Linux with the following two kernels:

- **Red Hat Compatible Kernel** – This kernel is identical to the kernel shipped in Red Hat Enterprise Linux.
- **Unbreakable Enterprise Kernel** – This kernel is based on a later Linux 2.6-series kernel, with Oracle's own enhancements for OLTP, InfiniBand, SSD disk access, NUMA-optimizations, Reliable Datagram Sockets (RDS), async I/O, OCFS2, and networking.

¹ Oracle Revenue Management and Billing is tested and certified on Oracle Linux 6.5+ and 7.x. Oracle Linux is 100% userspace-compatible with Red Hat Enterprise Linux, and therefore Oracle Revenue Management and Billing is supported on Red Hat Enterprise Linux.

Note:

Oracle claims that the Unbreakable Enterprise Kernel is compatible with Red Hat Enterprise Linux; and Oracle middleware and third-party Red Hat Enterprise Linux-certified applications can be installed and run unchanged on Unbreakable Enterprise Kernel. However, for users requiring strict compatibility with Red Hat or for users running kernel modules dependent on specific kernel versions, the Red Hat Compatible Kernel offers 100% compatibility with Red Hat Enterprise Linux.

The following Oracle Database Server Editions are supported:

- Oracle Database Enterprise Edition

Oracle Database Client 12.1.0.2 is required for Oracle Database Server 12.1.0.2 and 12.2.0.1.

Note:

Oracle Database Enterprise Edition with the Advanced Compression and Partitioning options is strongly recommended in all situations.

We strongly recommend you to install Oracle Revenue Management and Billing (ORMB) on Windows platform only for non-production activities, such as User Acceptance Testing (UAT), development setup, and so on.

1.1.2 Support for Software Patches and Upgrades

Due to the ongoing nature of software improvement, vendors will issue patches and service packs for the operating systems, application servers and database servers on top of specific versions that Oracle Revenue Management and Billing has been tested with.

If it is necessary to apply an upgrade, please do so in a test environment that is running on the same platform as your production environment prior to updating the Oracle Revenue Management and Billing production environment.

The exception from this rule is Hibernate Version 4.1 GA. This version should not be upgraded.

Always contact Oracle Support prior to applying vendor updates that do not guarantee backward compatibility.

1.2 Database Maintenance Rules

The database supplied with the product consists of the following elements:

- A set of users to administrate, execute and read the database schema provided.
- A set of database roles to implement security for each of the users provided.
- A tablespace and a schema containing the base database objects used by the product.

The installation of these components is outlined in the installation section of this document.

1.2.1 Permitted Database Changes

During and after installation of the product the following changes may be performed by the database administrator personnel on site:

- Users supplied by product may be changed according to the site standards.
- Database objects may be added to the schema according to database naming standards outlined later in this document.
- Database views and indexes may be created against base database objects. Please make sure to prefix them with "CM" (for customer modification).
- Database storage attributes for base indexes and base tables may be changed according to site standards and hardware used.
- Tablespace names, attributes and locations may be changed according to site standards.
- Database topology (that is, base table/index to tablespace, tablespace to data file, data file to location) may be altered according to tuning and/or site standards.
- Database triggers may be created against base database objects unless they attempt to contravene base data integrity rules.
- Database initialization and parameter settings may be altered according to site standards unless otherwise advised by Oracle Support or outlined in this document.

1.2.2 Non-Permitted Database Changes

In order to maintain operability and upgradeability of the product, during and after the installation of the product, the following changes may not be performed by the database administration personnel on site:

- Base objects must not be removed or altered in the following ways:
 - Columns in base tables must not be altered in anyway (altered, removed or added).
 - Columns in Indexes must not be altered or removed.
 - Tables must not be renamed or removed.
 - Base views must not be renamed or removed.
 - Base Triggers and Sequences must not be renamed or removed.
 - Base indexes must not be altered or removed.

2. Installing Oracle Revenue Management and Billing Version 2.7.0.0 Database

This section provides the instructions for installing the Oracle Revenue Management and Billing database. This section includes the following topics:

- [Installation Overview](#)
- [Creating the Database](#)
- [Oracle Database Installation](#)

2.1 Installation Overview

Note: Refer to the [Supported Database Platforms](#) section for information about the supported platforms on which Oracle Revenue Management and Billing is verified to operate.

The following types of installation are available for Oracle Revenue Management and Billing:

- Initial Install — a database without demo data
- Demo Install — a database with demo data

The database installation requires Java Development Kit Version 8.0 where the install package is staged and run from.

2.2 Creating the Database

For an initial install, you will create an empty database on a Linux or Windows database server on which you operate the production instance of Oracle Revenue Management and Billing.

To create the database:

1. Create the database using the Database Configuration Assistant (DBCA). Refer to the article [Master Note: Overview of Database Configuration Assistant \(DBCA\) \(Doc ID: 1488770.1\)](#) on My Oracle Support for more information. Ensure that you set the database character set to AL32UTF8.

Note: In the prior versions of the product, the cdxdba utility (cdxdba.plx for Linux and CDXDBA.exe for Windows) was included in the package. However, it is no longer supported from this release onwards. Instead of using the cdxdba utility, use the Database Configuration Assistant to create the database.

2. Enable the following mandatory software options:
 - Oracle Spatial OR Oracle Locator
 - Oracle Text
3. Execute the following SQL command to verify whether the above mandatory software options are enabled:

```
SELECT COMP_NAME, STATUS FROM DBA_REGISTRY WHERE COMP_NAME IN ('Spatial', 'Oracle Text');
```

4. Create default tablespace named CISTS_01 using the following command:

```
CREATE TABLESPACE CISTS_01 LOGGING DATAFILE
'<db_file_location>/oradata/<DB_NAME>/cists01.dbf' SIZE 1024M
REUSE AUTOEXTEND ON NEXT 8192K MAXSIZE UNLIMITED EXTENT
MANAGEMENT LOCAL UNIFORM SIZE 1M;
```

5. Create the CIS_USER and CIS_READ roles using the following commands:

```
CREATE ROLE CIS_USER;
CREATE ROLE CIS_READ;
```

6. Create the CISADM, CISUSER, CISOPR, and CISREAD users using the following commands:

```
CREATE USER CISADM IDENTIFIED BY CISADM DEFAULT TABLESPACE
CISTS_01 TEMPORARY TABLESPACE TEMP PROFILE DEFAULT;
GRANT UNLIMITED TABLESPACE TO CISADM WITH ADMIN OPTION; GRANT
SELECT ANY TABLE TO CISADM;
GRANT CREATE DATABASE LINK TO CISADM; GRANT CONNECT TO CISADM;
GRANT RESOURCE TO CISADM;
GRANT DBA TO CISADM WITH ADMIN OPTION; GRANT CREATE ANY SYNONYM
TO CISADM; GRANT SELECT ANY DICTIONARY TO CISADM;
CREATE USER CISUSER PROFILE DEFAULT IDENTIFIED BY CISUSER DEFAULT
TABLESPACE CISTS_01 TEMPORARY TABLESPACE TEMP;
GRANT SELECT ANY TABLE TO CISUSER; GRANT CIS_USER TO CISUSER;
GRANT CIS_READ TO CISUSER; GRANT CONNECT TO CISUSER;
CREATE USER CISOPR PROFILE DEFAULT IDENTIFIED BY OPRPLUS DEFAULT
TABLESPACE CISTS_01 TEMPORARY TABLESPACE TEMP;
GRANT CONNECT, RESOURCE, EXP_FULL_DATABASE TO CISOPR;
CREATE USER CISREAD IDENTIFIED BY CISREAD DEFAULT TABLESPACE
CISTS_01 TEMPORARY TABLESPACE TEMP;
GRANT SELECT ANY TABLE TO CISREAD; GRANT CIS_READ TO CISREAD;
GRANT CONNECT TO CISREAD;
```

7. Review the Storage.xml file under the FW\FW43040\Install-Upgrade folder prior to initial install. This file allocates all base tables and indexes to the default tablespace (CISTS_01) and the required users and roles. Information in this file is used by oradbi.jar while installing the Oracle Revenue Management and Billing database objects. Refer to the [Updating Storage.xml](#) section for more information on how to update the Storage.xml file.

Note: You will need to review the Storage.xml file, prior to an initial install, to update the default values to custom values (for example, TableSpace Name). oradbi.jar can be executed by a non-schema owner in order to upgrade the database. The Initial Install still needs to be done by the schema owner.

If you decide to allocate some tables or indexes outside of the default tablespace, change the tablespace name from the default value to a custom value in the Storage.xml file.

For instance, if you decide to allocate table CI_ACCT in a tablespace MyTablespace, change Storage.xml as shown:

```
<CI_ACCT>
<TABLESPACE>MyTablespace</TABLESPACE>
</CI_ACCT>
```

For optimum storage allocation, database administrators should create multiple tablespaces with extents sized to store different types of tables/indexes. They can then edit the storage.xml file before install process, to spread tables and indexes across these tablespaces. Tables and indexes can be created in parallel by editing degree of parallelism. Tablespace, storage options, secure file options, Advanced Compression, and parallel information are used only for new objects. Therefore, for initial installs, information for each object should be reviewed. Be careful while editing this file. Make sure that tablespace names being used exist in the database. Do not change the basic format of this file.

Note: Prior to the installation of the database schema for the product, please ensure that the Database Management System software is installed according to your site standards and the installation guide provided by the database vendor. Also please make sure that you have necessary licenses to use some of the advanced database features, such as Advanced Compression.

2.3 Oracle Database Installation

This section describes how to install Oracle Database for Oracle Revenue Management and Billing Version 2.7.0.0.0. It contains the following topics:

- [Initial Install, or Installing Version 2.7.0.0.0 for the First Time](#)
- [Demo Install](#)
- [Populating Language Data](#)
- [Installing Service Packs and Patches](#)

Note: The installation tools outlined in this guide run on Windows and Linux only. Please refer to the [Supported Database Platforms](#) section for more information on supported platforms.

2.3.1 Initial Install, or Installing Version 2.7.0.0.0 for the First Time

This section describes how to install the database components of Oracle Revenue Management and Billing. It includes the following topics:

- [Copying and Decompressing Install Media](#)
- [Creating the Database](#)
- [Setting the MAX_STRING_SIZE Parameter to EXTENDED](#)
- [Installing Oracle Utilities Application Framework](#)
- [Installing Oracle Revenue Management and Billing](#)
- [Post Installation Tasks](#)

Note: You must have a supported version of the Java Development Kit installed on the Windows and Linux desktop where you stage and run the database installation package. Refer to the *Oracle Revenue Management and Billing Installation Guide* for more information.

Before you begin with the installation, ensure that you have Oracle Database Client installed on the Windows desktop.

2.3.1.1 Copying and Decompressing Install Media

To download and decompress the ORMB Database package:

1. Download the Oracle Revenue Management and Billing V2.7.0.0.0 Oracle Database package from the Oracle Revenue Management and Billing V2.7.0.0.0 media pack which is available on [Oracle Software Delivery Cloud](#). A zip file is downloaded.
2. Create a temporary directory named TEMPDIR on your local machine.
3. Unzip the downloaded file in the TEMPDIR directory. The contents include the following sub-folders:
 - FW
 - RMB

2.3.1.2 Creating the Database

Note: You must have Oracle Database Server 12.1.0.2 or 12.2.0.1 installed on your machine in order to create the database.

The Linux and Windows database creation utilities create an empty database with AL32UTF8 character set and at least one tablespace for storing the application objects before running the installation. The default name of the application tablespace is CISTS_01.

Creating the Database on Linux

Create the database using the Database Configuration Assistant (DBCA). Refer to the article *Master Note: Overview of Database Configuration Assistant (DBCA)* (Doc ID: 1488770.1) on [My Oracle Support](#) for more information. Ensure that you set the database character set to AL32UTF8.

For more information on how to create the database, refer to the [Creating the Database](#) section.

Creating the Database on Windows

The files for creating the database are located in the DatabaseCreation/Windows directory in directory.

You should be logged in as a user who is a member of the local ORA_DBA group on that server. The ORA_DBA group should have “administrator” privileges assigned to it.

Create the database using the Database Configuration Assistant (DBCA). Refer to the article *Master Note: Overview of Database Configuration Assistant (DBCA)* (Doc ID: 1488770.1) on [My Oracle Support](#) for more information. Ensure that you set the database character set to AL32UTF8.

For more information on how to create the database, refer to the [Creating the Database](#) section.

2.3.1.3 Setting the MAX_STRING_SIZE Parameter to EXTENDED

If you have created a non-container database, you need to perform the following steps to set the MAX_STRING_SIZE parameter to EXTENDED:

1. Set the ORACLE_HOME and ORACLE_SID environment variables.
2. Shutdown the target database using the following command:

```
shutdown immediate
```
3. Start the database in the Upgrade mode using the following command:

```
startup upgrade
```
4. Set the MAX_STRING_SIZE parameter to EXTENDED using the following command:

```
alter system set max_string_size=extended scope=both;
```
5. Execute the utl32k.sql file using the following command:

```
@?/rdbms/admin/utl32k.sql;
```
6. Restart the database in the Normal mode using the following commands:

```
shutdown immediate
```



```
startup
```

However, if you have created a container database, you need to perform the following steps to set the MAX_STRING_SIZE parameter to EXTENDED:

1. Set the ORACLE_HOME and ORACLE_SID environment variables.

Note: You need to connect as system administrator while executing the below steps.

2. Set the MAX_STRING_SIZE parameter to EXTENDED using the following command:

```
alter system set max_string_size=extended scope=spfile;
```
3. Start all pluggable databases in the Upgrade mode using the following command:

```
shutdown immediate
```



```
startup upgrade
```



```
alter pluggable database all open upgrade;
```



```
exit
```
4. Create the utl32k_cdb_pdbs_output folder to store the log files using the following command:

```
mkdir /scratch/mydir/utl32k_cdb_pdbs_output
```
5. Execute the utl32k.sql from the catcon.pl file for all pluggable databases using the following command:

```
cd $ORACLE_HOME/rdbms/admin
```



```
$ORACLE_HOME/perl/bin/perl $ORACLE_HOME/rdbms/admin/catcon.pl -u
```



```
SYS -d $ORACLE_HOME/rdbms/admin
```



```
l '/scratch/mydir/utl32k_cdb_pdbs_output' -b
```



```
utl32k_cdb_pdbs_output utl32k.sql
```

6. Restart the database in the Normal mode using the following commands:

```
shutdown immediate
startup
alter pluggable database all open read write;
```

2.3.1.4 Installing Oracle Utilities Application Framework

Please note that before this step the database creation should have been completed. Also the storage.xml file is reviewed and edited as per requirements. You need to install Oracle Utilities Application Framework Version 4.3.0.4.0 prior to Oracle Revenue Management and Billing Version 2.7.0.0.0. The files for Oracle Utilities Application Framework installation are located in the FW\FW43040 folder. The installation process will prompt you to provide the following information:

- The target database name in which the product is to be installed.
- A database user that will own the application schema (for example, CISADM).
- A database user that has read-write (select, update, insert, and delete) privileges to the objects in the application schema (for example, CISUSER). The application will access the database as this user.
- A database user with read-only privileges to the objects in the application schema. (For example, CISREAD).
- A database role that has read-write (select, update, insert, and delete) privileges to the objects in the application schema. The application will access the database as this user. (For example, CIS_USER).
- A database role with read-only privileges to the objects in the application schema (for example, CIS_READ).
- Location of the jar files. (The Jar files are bundled with the database package.)
- Java Home (for example, C:\Java\jdk1.8.0_121)

Note: Make sure to use either oradbi.jar FW 4.3 SP3 onwards only OraDBI.jar is delivered in directory jarfiles. OraDBI.exe does not support latest functionality / features introduced in OraDBI.jar such as function based index for columns, exclusion for index during upgrade etc.

To install Oracle Utilities Application Framework (OUAF), you need to install the following in the specified order:

1. [Install Oracle Utilities Application Framework Version 4.3.0.4.0](#)
2. [Install Rollup Pack for Oracle Utilities Application Framework Version 4.3.0.4.0](#)

Installing Oracle Utilities Application Framework Version 4.3.0.4.0

The oradbi.jar is the new tool to install and upgrade Oracle Utilities Application Framework and Oracle Revenue Management and Billing.

To install the schema for Oracle Utilities Application Framework Version 4.3.0.4.0, you should have the following:

- Java Development Kit 1.8
- Oracle Database

- Schema such as CISADM should exit in the database

You can execute the oradbi.jar utility in the following two modes:

- Interactive
- Command Line

To install Oracle Utilities Application Framework (OUAF) Version 4.3.0.4.0 using the Interactive mode of the utility:

1. Set the JAVA_HOME environment variable using the following command:

Windows:

```
SET JAVA_HOME=<JAVA_HOME_PATH>
```

AIX, Linux:

```
export JAVA_HOME=<JAVA_HOME_PATH>
```

Note: The <JAVA_HOME_PATH> is the location where Java Development Kit Version 8.0 is installed.

2. Set the JAR_PATH environment variable using the following command:

AIX, Linux:

```
export JAR_PATH=TEMPDIR/fw/fw43040/jarfiles
```

Note:

The above command is applicable only for AIX and Linux platforms.

The TEMPDIR folder is the location where you have extracted the contents of the Oracle Revenue Management and Billing V2.7.0.0.0 Oracle Database package.

3. Set the CLASS_PATH environment variable using the following command:

Windows:

```
SET CLASS_PATH=TEMPDIR\fw\fw43040\jarfiles\*
```

AIX, Linux:

```
export CLASS_PATH=${JAR_PATH}/ojdbc7-12.1.0.2.jar:${JAR_PATH}/log4j-api-2.6.2.jar:${JAR_PATH}/log4j-core-2.6.2.jar:${JAR_PATH}/commons-cli-1.3.1.jar:${JAR_PATH}/commons-codec-1.9.jar:${JAR_PATH}/oradbi.jar:${JAR_PATH}/commons-collections-3.2.2.jar:${JAR_PATH}/spl-shared-4.3.0.4.0.jar
```

OR

```
export CLASS_PATH=${JAR_PATH}/ojdbc7-12.2.0.1.jar:${JAR_PATH}/log4j-api-2.6.2.jar:${JAR_PATH}/log4j-core-2.6.2.jar:${JAR_PATH}/commons-cli-1.3.1.jar:${JAR_PATH}/commons-codec-1.9.jar:${JAR_PATH}/oradbi.jar:${JAR_PATH}/commons-collections-3.2.2.jar:${JAR_PATH}/spl-shared-4.3.0.4.0.jar
```

4. Change to the Install-Upgrade directory using the following command:

Windows:

```
cd TEMPDIR\FW\FW43040\Install-Upgrade
```

AIX, Linux:

```
cd TEMPDIR/FW/FW43040/Install-Upgrade
```

5. Execute the OraDBI (Java) utility using the following command:

Windows:

```
<Java_Home>\bin\java -Xmx1500M -cp TEMPDIR\FW\FW43040\jarfiles\* com.oracle.ouaf.oem.install.OraDBI
```

AIX, Linux:

```
 ${JAVA_HOME}/bin/java -Xmx1500M -cp ${CLASS_PATH} com.oracle.ouaf.oem.install.OraDBI
```

This utility prompts you to enter values for the following parameters:

Parameter	Value
Enter the database server hostname	<DB_SERVER>
Enter the database port number(e.g. 1521)	<DB_PORT>
Enter the database name/SID	<DB_NAME>
Enter your database username	<DB_USER> Example: CISADM
Enter your password for username <DB_USER>	<DB_USER_PASSWORD>
Enter the location for Java Home(e.g. C:\Java\jdk1.6.0_18)	..\jdk1.8.0_121
Enter the Oracle user with read-write privileges to Database Schema(e.g. CISUSER)	<DB_USER> Example: CISUSER
Enter the Oracle user with read-only privileges to Database Schema(e.g. CISREAD)	<DB_USER> Example: CISREAD
Enter the database role with read-write privileges to Database Schema(e.g. CIS_USER)	<DB_USER_ROLE> Example: CIS_USER
Enter the database role with read-only privileges to Database Schema(e.g. CIS_READ)	<DB_USER_ROLE> Example: CIS_READ
Enter the name of the target Schema where you want to install or upgrade	<Schema_Name>

6. Enter the required parameter values. The following message appears in the command line:

```
Ready to perform initial install of Database Rel .V4.3.0.4.0 do you want to continue?
```

7. Type **Y** and then press **Enter**. A message appears indicating that the process is completed successfully.

To install Oracle Utilities Application Framework (OUAF) Version 4.3.0.4.0 using the Command Line mode of the utility:

1. Set the `JAVA_HOME` environment variable using the following command:

Windows:

```
SET JAVA_HOME=<JAVA_HOME_PATH>
```

AIX, Linux:

```
export JAVA_HOME=<JAVA_HOME_PATH>
```

Note: The <JAVA_HOME_PATH> is the location where Java Development Kit Version 8.0 is installed.

2. Set the `JAR_PATH` environment variable using the following command:

AIX, Linux:

```
export JAR_PATH=TEMPDIR/fw/fw43040/jarfiles
```

Note:

The above command is applicable only for AIX and Linux platforms.

The TEMPDIR folder is the location where you have extracted the contents of the Oracle Revenue Management and Billing V2.7.0.0.0 Oracle Database package.

3. Set the `CLASS_PATH` environment variable using the following command:

Windows:

```
SET CLASS_PATH=TEMPDIR\fw\fw43040\jarfiles\*
```

AIX, Linux:

```
export CLASS_PATH=${JAR_PATH}/ojdbc7-12.1.0.2.jar:${JAR_PATH}/log4j-api-2.6.2.jar:${JAR_PATH}/log4j-core-2.6.2.jar:${JAR_PATH}/commons-cli-1.3.1.jar:${JAR_PATH}/commons-codec-1.9.jar:${JAR_PATH}/oradbi.jar:${JAR_PATH}/commons-collections-3.2.2.jar:${JAR_PATH}/spl-shared-4.3.0.4.0.jar
```

OR

```
export CLASS_PATH=${JAR_PATH}/ojdbc7-12.2.0.1.jar:${JAR_PATH}/log4j-api-2.6.2.jar:${JAR_PATH}/log4j-core-2.6.2.jar:${JAR_PATH}/commons-cli-1.3.1.jar:${JAR_PATH}/commons-codec-1.9.jar:${JAR_PATH}/oradbi.jar:${JAR_PATH}/commons-collections-3.2.2.jar:${JAR_PATH}/spl-shared-4.3.0.4.0.jar
```

4. Create the `detail.txt` file with the following details:

```
-d      jdbc:oracle:thin:@<Database-host>:<port>/<DB-SID>,<schema-user>,<schema-password>,<read-write-user>,<read-user>,<read-write-role>,<read-role>,<schema-user> -l 1,2 -j <JAVA_HOME> -q true
```

5. Change to the Install-Upgrade directory using the following command:

Windows:

```
cd TEMPDIR\FW\FW43040\Install-Upgrade
```

AIX, Linux:

```
cd TEMPDIR/FW/FW43040/Install-Upgrade
```

6. Execute the OraDBI (Java) utility using the following command:

Windows:

```
<Java_Home>\bin\java -Xmx1500M -cp TEMPDIR\FW\FW43040\jarfiles\* com.oracle.ouaf.oem.install.OraDBI -f detail.txt
```

AIX, Linux:

```
 ${JAVA_HOME}/bin/java -Xmx1500M -cp ${CLASS_PATH} com.oracle.ouaf.oem.install.OraDBI -f detail.txt
```

A message appears indicating that the process is completed successfully.

On installing Oracle Utilities Application Framework Version 4.3.0.4.0, various objects are created in the database under CISADM schema. The following table lists the number of objects that are created when you install framework:

Object Type	Count
INDEX	762
SEQUENCE	4
TABLE	536
TRIGGER	1
VIEW	8

Note: You should use the above object count for verification only when you are doing fresh installation on the database server and not when you are upgrading the database.

Ideally, the Oracle Utilities Application Framework Version 4.3.0.4.0 installation should approximately finish in 5 minutes. The execution time can vary to great extent depending on network speed between local machine and server location.

After setting up roles and users, the utility continues upgrading schema and system data definitions. If an error occurs while executing an SQL or another utility, it logs and displays the error message and allows you to re-execute the current step.

Note:

OraDBI performs the following tasks:

→ Interacts with the user to collect information about the name of Oracle account that will own the application schema (for example, CISADM), password of this account, and the name of the Oracle account that the application user will use (for example, CISUSER), and the name of the Oracle account that will be assigned read-only privileges to the application schema (for example, CISREAD).

- Verifies whether tablespace names already exist in the Storage.xml file (if not, the process will abort).
- Installs the schema, installs the system data, and configures security.
- Maintains upgrade log tables in the database.
- Updates release ID when the upgrade is completed successfully.
- If an error occurs while executing a SQL script or another utility, it logs and displays the error message and allows you to re-execute the current step. Log files OraDBI##.log are created in the same folder as OraDBI and contains all the SQL commands executed against the database along with the results. The log files are incremental so that the results are never overwritten. If warning messages are generated during the upgrade, OraDBI prompts the user at the end of the process. Users should check the log files to verify the warning messages.
- Warning messages are only alerts and do not necessarily mean a problem exists.
- Stores the Schema owner and password in the feature configuration table. The password is stored in encrypted format.
- OraDBI can be executed by a non-schema owner.

Installing Rollup Pack for Oracle Utilities Application Framework Version 4.3.0.4.0

You can install the rollup pack for Oracle Utilities Application Framework Version 4.3.0.4.0 from a Windows machine and Linux Standalone server. To install the rollup pack for Oracle Utilities Application Framework Version 4.3.0.4.0:

1. Download the Oracle Utilities Application Framework V4.3.0.4.0 Single Fix Prerequisite Rollup for RMB V2.7.0.0.0 package from the Oracle Revenue Management and Billing V2.7.0.0.0 media pack which is available on [Oracle Software Delivery Cloud](#). A zip file is downloaded.

2. Unzip the downloaded file in the TEMPDIR directory. The contents include the _ORMB-V27000-FW-PREREQ-MultiPlatform.jar file.

3. Decompress the JAR file using the following command:

```
cd TEMPDIR
jar -xvf ORMB-V27000-FW-PREREQ-MultiPlatform.jar
```

A sub-directory named FW-V4.3.0.4.0-Rollup is extracted. It contains the following two sub-folders:

- Application
- Database

4. Create a directory named dbpatch_tools in the TEMPDIR directory.
5. Create the db_patch_standalone.jar file on the application server. For more information, refer to the Database Patching section in *Oracle Revenue Management and Billing Installation Guide*.
6. Copy the db_patch_standalone.jar file to the dbpatch_tools directory.

7. Decompress the JAR file using the following command:

Windows:

```
cd TEMPDIR\dbpatch_tools  
jar -xvf db_patch_standalone.jar
```

AIX, Linux:

```
cd /TEMPDIR/dbpatch_tools  
jar -xvf db_patch_standalone.jar
```

The contents are extracted in the `dbpatch_tools` folder. The contents include the following three sub-folders:

- bin
- config
- lib

8. Set the `TOOLSBIN` environment variable using the following command:

Windows:

```
SET TOOLSBIN=TEMPDIR\dbpatch_tools\bin
```

AIX, Linux:

```
export TOOLSBIN=/TEMPDIR/dbpatch_tools/bin
```

9. Change to the Database directory using the following command:

Windows:

```
cd TEMPDIR\FW-V4.3.0.4.0-Rollup\Database
```

AIX, Linux:

```
cd /TEMPDIR/FW-V4.3.0.4.0-Rollup/Database
```

10. Execute the `ouafDatabasePatch` utility using the following command:

Windows:

```
ouafDatabasePatch.cmd
```

AIX, Linux:

```
ouafDatabasePatch.sh
```

Note:

In the previous versions of Oracle Revenue Management and Billing, you used to execute the `cdxpatch` utility while installing the rollup pack for Oracle Utilities Application Framework. Henceforth, the `cdxpatch` utility is no longer supported and you need to use the `ouafDatabasePatch` utility.

This utility prompts you to enter values for the following parameters:

Parameter	Value
Enter the target database type (O/M/D) [O]	<input type="radio"/> O (if you have Oracle database) OR <input type="radio"/> M (if you have MySQL database)
Enter the username that owns the schema	<DB_USER> Example: CISADM
Enter the password for the <DB_USER> user	<DB_USER_PASSWORD>
Enter the name of the Oracle Database Connection String	<DB_Server:DBPORT:ORACLE_SID>

Note: If you have changed the database user password, you will not be able to install the rollup pack for Oracle Utilities Application Framework Version 4.3.0.4.0. You will have to first change the database user password. For more information on how to change the database user password, refer to [Appendix C: Changing the DB User Password](#).

11. Enter the required parameter value. The following message appears in the command line:

Ready to process patches, Do you want to continue? (Y/N)

12. Type **Y** and then press **Enter**. A message appears indicating that the patches are applied successfully.

On installing the rollup pack for Oracle Utilities Application Framework Version 4.3.0.4.0, various objects are created in the database under CISADM schema. The following table lists the number of objects that are created when you install the framework rollup pack:

Object Type	Count
INDEX	764
SEQUENCE	4
TABLE	537
TRIGGER	1
VIEW	8

Note: You should use the above object count for verification only when you are doing fresh installation on the database server and not when you are upgrading the database.

Ideally, the framework rollup pack installation should approximately finish in 5 minutes. The execution time can vary to great extent depending on network speed between local machine and server location.

2.3.1.5 Installing Oracle Revenue Management and Billing

To install Oracle Revenue Management and Billing (ORMB) Version 2.7.0.0.0 using the Interactive mode of the utility:

1. Set the `JAVA_HOME` environment variable using the following command:

Windows:

```
SET JAVA_HOME=<JAVA_HOME_PATH>
```

AIX, Linux:

```
export JAVA_HOME=<JAVA_HOME_PATH>
```

Note: The `<JAVA_HOME_PATH>` is the location where Java Development Kit Version 8.0 is installed.

2. Set the `JAR_PATH` environment variable using the following command:

AIX, Linux:

```
export JAR_PATH=TEMPDIR/RMB/jarfiles
```

Note:

The above command is applicable only for AIX and Linux platforms.

The `TEMPDIR` folder is the location where you have extracted the contents of the Oracle Revenue Management and Billing V2.6.0.0.0 Oracle Database package.

3. Set the `CLASS_PATH` environment variable using the following command:

Windows:

```
SET CLASS_PATH=TEMPDIR\RMB\jarfiles\*
```

AIX, Linux:

```
export CLASS_PATH=${JAR_PATH}/ojdbc7-12.1.0.2.jar:${JAR_PATH}/log4j-api-2.6.2.jar:${JAR_PATH}/log4j-core-2.6.2.jar:${JAR_PATH}/commons-cli-1.3.1.jar:${JAR_PATH}/commons-codec-1.9.jar:${JAR_PATH}/oradbi.jar:${JAR_PATH}/commons-collections-3.2.2.jar:${JAR_PATH}/spl-shared-4.3.0.4.0.jar
```

OR

```
export CLASS_PATH=${JAR_PATH}/ojdbc7-12.2.0.1.jar:${JAR_PATH}/log4j-api-2.6.2.jar:${JAR_PATH}/log4j-core-2.6.2.jar:${JAR_PATH}/commons-cli-1.3.1.jar:${JAR_PATH}/commons-codec-1.9.jar:${JAR_PATH}/oradbi.jar:${JAR_PATH}/commons-collections-3.2.2.jar:${JAR_PATH}/spl-shared-4.3.0.4.0.jar
```

4. Change to the `Install-Upgrade` directory using the following command:

Windows:

```
cd TEMPDIR\RMB\Upgrade\Oracle\Install-Upgrade
```

AIX, Linux:

```
cd TEMPDIR/RMB/Upgrade/Oracle/Install-Upgrade
```

5. Execute the OraDBI (Java) utility using the following command:

Windows:

```
<Java_Home>\bin\java -Xmx1500M -cp TEMPDIR\RMB\jarfiles\* com.oracle.ouaf.oem.install.OraDBI
```

AIX, Linux:

```
${JAVA_HOME}/bin/java -Xmx1500M -cp ${CLASS_PATH} com.oracle.ouaf.oem.install.OraDBI
```

This utility prompts you to enter values for the following parameters:

Parameter	Value
Enter the database server hostname	<DB_SERVER>
Enter the database port number(e.g. 1521)	<DB_PORT>
Enter the database name/SID	<DB_NAME>
Enter your database username	<DB_USER> Example: CISADM
Enter your password for username <DB_USER>	<DB_USER_PASSWORD>
Enter the location for Java Home(e.g. C:\Java\jdk1.6.0_18)	..\jdk1.8.0_121
Enter the Oracle user with read-write privileges to Database Schema(e.g. CISUSER)	<DB_USER> Example: CISUSER
Enter the Oracle user with read-only privileges to Database Schema(e.g. CISREAD)	<DB_USER> Example: CISREAD
Enter the database role with read-write privileges to Database Schema(e.g. CIS_USER)	<DB_USER_ROLE> Example: CIS_USER
Enter the database role with read-only privileges to Database Schema(e.g. CIS_READ)	<DB_USER_ROLE> Example: CIS_READ
Enter the name of the target Schema where you want to install or upgrade	<Schema_Name>

6. Enter the required parameter values. The following message appears in the command line:

Ready to perform initial install of Database Rel .V2.7.0.0.0 do you want to continue?

7. Type **Y** and then press **Enter**. A message appears indicating that the process is completed successfully.

To install Oracle Revenue Management and Billing (ORMB) Version 2.7.0.0.0 using the Command Line mode of the utility:

1. Set the `JAVA_HOME` environment variable using the following command:

Windows:

```
SET JAVA_HOME=<JAVA_HOME_PATH>
```

AIX, Linux:

```
export JAVA_HOME=<JAVA_HOME_PATH>
```

Note: The `<JAVA_HOME_PATH>` is the location where Java Development Kit Version 8.0 is installed.

2. Set the `JAR_PATH` environment variable using the following command:

AIX, Linux:

```
export JAR_PATH=TEMPDIR/RMB/jarfiles
```

Note:

The above command is applicable only for AIX and Linux platforms.

The `TEMPDIR` folder is the location where you have extracted the contents of the Oracle Revenue Management and Billing V2.6.0.0 Oracle Database package.

3. Set the `CLASS_PATH` environment variable using the following command:

Windows:

```
SET CLASS_PATH=TEMPDIR\RMB\jarfiles\*
```

AIX, Linux:

```
export CLASS_PATH=${JAR_PATH}/ojdbc7-12.1.0.2.jar:${JAR_PATH}/log4j-api-2.6.2.jar:${JAR_PATH}/log4j-core-2.6.2.jar:${JAR_PATH}/commons-cli-1.3.1.jar:${JAR_PATH}/commons-codec-1.9.jar:${JAR_PATH}/oradbi.jar:${JAR_PATH}/commons-collections-3.2.2.jar:${JAR_PATH}/spl-shared-4.3.0.4.0.jar
```

OR

```
export CLASS_PATH=${JAR_PATH}/ojdbc7-12.2.0.1.jar:${JAR_PATH}/log4j-api-2.6.2.jar:${JAR_PATH}/log4j-core-2.6.2.jar:${JAR_PATH}/commons-cli-1.3.1.jar:${JAR_PATH}/commons-codec-1.9.jar:${JAR_PATH}/oradbi.jar:${JAR_PATH}/commons-collections-3.2.2.jar:${JAR_PATH}/spl-shared-4.3.0.4.0.jar
```

4. Create the `detail.txt` file with the following details:

```
-d      jdbc:oracle:thin:@<Database-host>:<port>/<DB-SID>,<schema-user>,<schema-password>,<read-write-user>,<read-user>,<read-write-role>,<read-role>,<schema-user> -l 1,2 -j <JAVA_HOME> -q true
```

5. Change to the `Install-Upgrade` directory using the following command:

Windows:

```
cd TEMPDIR\RMB\Upgrade\Oracle\Install-Upgrade
```

AIX, Linux:

```
cd TEMPDIR/RMB/Upgrade/Oracle/Install-Upgrade
```

6. Execute the OraDBI (Java) utility using the following command:

Windows:

```
<Java_Home>\bin\java -Xmx1500M -cp TEMPDIR\RMB\jarfiles\* com.oracle.ouaf.oem.install.OraDBI -f detail.txt
```

AIX, Linux:

```
 ${JAVA_HOME}/bin/java -Xmx1500M -cp ${CLASS_PATH} com.oracle.ouaf.oem.install.OraDBI -f detail.txt
```

A message appears indicating that the process is completed successfully.

On installing Oracle Revenue Management and Billing Version 2.7.0.0.0, various objects are created in the database under CISADM schema. The following table lists the number of objects that are created when you install ORMB:

Object Type	Count
FUNCTION	27
INDEX	3364
PACKAGE	4
PACKAGE BODY	4
PROCEDURE	1
SEQUENCE	29
TABLE	2131
TRIGGER	1
TYPE	10
TYPE BODY	1
VIEW	160

Note: You should use the above object count for verification only when you are doing fresh installation on the database server and not when you are upgrading the database.

Ideally, the Oracle Revenue Management and Billing Version 2.7.0.0.0 installation should approximately finish in 15 minutes. The execution time can vary to great extent depending on network speed between local machine and server location.

2.3.1.6 Post Installation Tasks

Once you install the Oracle Revenue Management and Billing Version 2.7.0.0.0 database, you need to do the following:

If you...	Then
Want to use the Transaction Feed Management feature...	<ol style="list-style-type: none"> 1. Apply the 28053738 Patch 2. Apply the 28105411 Patch 3. Enable USER_LOCK Package 4. Grant Permissions to the DBMS_LOCK Package and Recompile Database Objects 5. Generate Database Statistics
Do not want to use the Transaction Feed Management feature...	<ol style="list-style-type: none"> 1. Apply the 28053738 Patch 2. Apply the 28105411 Patch 3. Enable USER_LOCK Package 4. Increase INITRANS Values 5. Grant Permissions to the DBMS_LOCK Package and Recompile Database Objects 6. Generate Database Statistics

Apply the 28053738 Patch

Once you install Oracle Revenue Management and Billing Version 2.7.0.0.0, you need to apply the MANDATORY PATCH 1 FOR ORMB VERSION 2.7.0.0.0 patch (Patch Number: 28053738). You can apply this patch from a Windows machine and UNIX Standalone server.

To apply the MANDATORY PATCH 1 FOR ORMB VERSION 2.7.0.0.0 patch:

1. Download the MANDATORY PATCH 1 FOR ORMB VERSION 2.7.0.0.0 patch (Patch Number: 28053738) from [My Oracle Support](#). A zip file is downloaded.
2. Unzip the downloaded file in your local folder. The contents include three files - README.txt, MultiPlatform.zip, and Bug_28053738_Product_Fix_Design.pdf.
3. Unzip the MultiPlatform.zip file in your local folder. The contents include the V2.7.0.0.0-28053738_MultiPlatform folder.
4. Change to the V2.7.0.0.0-28053738_MultiPlatform folder using the following command:

AIX, Linux:

```
cd <DESTINATION_FOLDER>/V2.7.0.0.0-28053738_MultiPlatform
```

Windows:

```
cd <DESTINATION_FOLDER>\V2.7.0.0.0-28053738_MultiPlatform
```

Note: The <DESTINATION_FOLDER> folder is the location where you have extracted the contents of the MultiPlatform.zip file.

The contents include a file named CCB.V2.7.0.0.0-28053738.jar and a folder named database.

5. Change to the ORACLE folder using the following command:

AIX, Linux:

```
cd database/ORACLE
```

Windows:

```
cd database\ORACLE
```

The contents include a zip file named CDXPatch.

6. Unzip the CDXPatch file using the following command:

AIX, Linux:

```
unzip CDXPatch.zip -d <PATH>/<DESTINATION_FOLDER_1>
```

Windows:

```
unzip CDXPatch.zip -d <PATH>\<DESTINATION_FOLDER_1>
```

The contents of the zip file are extracted in the <DESTINATION_FOLDER_1> folder. The contents include utility files and a folder named 28053738.

7. Execute the ouafDatabasePatch utility using the following command:

Windows:

```
ouafDatabasePatch.cmd
```

AIX, Linux:

```
ouafDatabasePatch.sh
```

Apply the 28105411 Patch

Once you apply the MANDATORY PATCH 1 FOR ORMB VERSION 2.7.0.0.0 patch, you need to apply the MANDATORY PATCH 2 FOR ORMB VERSION 2.7.0.0.0 patch (Patch Number: 28105411). You can apply this patch from a Windows machine and UNIX Standalone server.

To apply the MANDATORY PATCH 2 FOR ORMB VERSION 2.7.0.0.0 patch:

1. Download the MANDATORY PATCH 2 FOR ORMB VERSION 2.7.0.0.0 patch (Patch Number: 28105411) from [My Oracle Support](#). A zip file is downloaded.
2. Unzip the downloaded file in your local folder. The contents include three files - README.txt, MultiPlatform.zip, and Bug_28105411_Product_Fix_Design.pdf.
3. Unzip the MultiPlatform.zip file in your local folder. The contents include the V2.7.0.0.0-28105411_MultiPlatform folder.
4. Change to the V2.7.0.0.0-28105411_MultiPlatform folder using the following command:

AIX, Linux:

```
cd <DESTINATION_FOLDER_2>/V2.7.0.0.0-28105411_MultiPlatform
```

Windows:

```
cd <DESTINATION_FOLDER_2>\V2.7.0.0.0-28105411_MultiPlatform
```

Note: The <DESTINATION_FOLDER_2> folder is the location where you have extracted the contents of the MultiPlatform.zip file.

The contents include a file named CCB.V2.7.0.0.0-28105411.jar and a folder named database.

5. Change to the ORACLE folder using the following command:

AIX, Linux:

```
cd database/ORACLE
```

Windows:

```
cd database\ORACLE
```

The contents include a zip file named CDXPatch.

6. Unzip the CDXPatch file using the following command:

AIX, Linux:

```
unzip CDXPatch.zip -d <PATH>/<DESTINATION_FOLDER_3>
```

Windows:

```
unzip CDXPatch.zip -d <PATH>\<DESTINATION_FOLDER_3>
```

The contents of the zip file are extracted in the <DESTINATION_FOLDER_3> folder. The contents include utility files and a folder named 28105411.

7. Execute the ouafDatabasePatch utility using the following command:

Windows:

```
ouafDatabasePatch.cmd
```

AIX, Linux:

```
ouafDatabasePatch.sh
```

Enable USER_LOCK Package

To enable inbound web services, you must grant permissions to the USER_LOCK package. This is a one-time activity. To grant permissions to the USER_LOCK package:

1. Login as SYS user.
 2. On SQL prompt, execute the following SQL:
- ```
@?/rdbms/admin/userlock.sql
```
3. Grant permission using the following SQL command:
- ```
grant execute on USER_LOCK to public;
```

Note: You can also grant permission to a specific database user (for example, CISADM or CISUSER) instead of granting permissions to all database users.

Increase INITRANS Values

To increase the INITRANS values of some indexes and tables:

1. Connect to the ORMB database using any SQL client (such as Oracle SQL Developer or PL/SQL Developer) and the `cisadm` credentials.
2. Execute the following statements:

```
ALTER TABLE CISADM.CI_BCHG_SQ INITRANS 20;
ALTER INDEX CISADM.XT081P0 INITRANS 40;
ALTER INDEX CISADM.IDX_SQ INITRANS 40;
ALTER TABLE CISADM.CI_BILL_CHG INITRANS 20;
ALTER INDEX CISADM.XT035P0 INITRANS 40;
ALTER INDEX CISADM.XT035S1 INITRANS 40;
ALTER INDEX CISADM.XT035S2 INITRANS 40;
ALTER INDEX CISADM.XT035S3 INITRANS 40;
ALTER INDEX CISADM.XT035S4 INITRANS 40;
```

Note: The INITRANS values can be set as per the client's data volume.

Grant Permissions to the DBMS_LOCK Package and Recompile Database Objects

To grant permissions to the DBMS_LOCK package, execute the following commands:

AIX, Linux:

```
export ORACLE_SID=[DB_NAME]
sqlplus /nolog
conn sys as sysdba
```

Note: On executing the above command, you will be prompted to enter the SYS user password.

```
grant EXECUTE, DEBUG on DBMS_LOCK to <DB_USER/ [CISADM]>;
```

Note:

These commands should be executed using Oracle SQL Developer.

If you have created the database using any user other than CISADM, you need to specify the respective user name in the above grant statement.

After executing the above grant statement, recompile the invalid objects, if any, in the database. You can recompile all invalid objects at once using the following commands:

```
export ORACLE_SID=[DB_NAME]
sqlplus /nolog
conn sys as sysdba
SQL> @?/rdbms/admin/utlrp.sql;
```

Windows:

```
set ORACLE_SID=[DB_NAME]
sqlplus /nolog
conn sys as sysdba
```

Note: On executing the above command, you will be prompted to enter the SYS user password.

```
grant EXECUTE, DEBUG on DBMS_LOCK to <DB_USER/ [CISADM]>;
```

Note:

These commands should be executed using Oracle SQL Developer.

If you have created the database using any user other than CISADM, you need to specify the respective user name in the above alter and grant statements.

After executing the above grant statement, recompile the invalid objects, if any, in the database. You can recompile all invalid objects at once using the following commands:

```
export ORACLE_SID=[DB_NAME]
sqlplus /nolog
conn sys as sysdba
SQL> @?/rdbms/admin/utlrp.sql;
```

Generate Database Statistics

During the installation process, new database objects may be added to the target database. Before you use the target database, we recommend you to gather statistics for the database objects. You can gather schema level statistics using the following statement:

```
BEGIN
DBMS_STATS.GATHER_SCHEMA_STATS(OWNNAME=>'CISADM', METHOD_OPT=>'FOR ALL
COLUMNS SIZE AUTO', GRANULARITY=>'ALL', CASCADE=>TRUE, DEGREE=>16);
END;
```

You can also gather the statistics for individual tables using the following statement:

```
BEGIN
DBMS_STATS.GATHER_TABLE_STATS(OWNNAME=>'CISADM',
TABNAME=>'<Table_Name>', GRANULARITY=>'ALL', CASCADE=>TRUE,
METHOD_OPT=> 'FOR ALL COLUMNS SIZE AUTO', DEGREE=>32);
END;
```

We strongly recommend you to schedule batch jobs to gather the schema level statistics on the daily basis in the non peak hours. Please note that the statistics should not be gathered while the application batches are running because this will degrade the application batch performance.

2.3.2 Demo Install

This section describes how to install the demo database components of Oracle Revenue Management and Billing. It includes the following topics:

- [Copying and Decompressing Demo Dump Patch](#)
- [Creating the Database](#)
- [Setting the MAX_STRING_SIZE Parameter to EXTENDED](#)
- [Importing the Demo Dump File](#)
- [Post Demo Database Creation Tasks](#)

2.3.2.1 Copying and Decompressing Demo Dump Patch

To download and decompress the Demo Dump patch:

1. Download the Demo Dump for ORMB Version 2.7.0.0.0 patch (Patch Number: 28184907) from [My Oracle Support](#). A zip file is downloaded.
2. Create a temporary directory named TEMPDIR on your local machine.
3. Unzip the downloaded file in the TEMPDIR directory. The contents include the Demo_dump folder. There are two DMP files in the Demo_dump folder – GTB27000_demodump.dmp and HC27000_demodump.dmp.

2.3.2.2 Creating the Database

Note: You must have Oracle Database Server 12.1.0.2 or 12.2.0.1 installed on your machine in order to create the database.

Creating the Database on UNIX

Create the database using the Database Configuration Assistant (DBCA). Refer to the article *Master Note: Overview of Database Configuration Assistant (DBCA)* (Doc ID 1488770.1) on [My Oracle Support](#) for more information. Ensure that you set the database character set to AL32UTF8.

For more information on how to create the database, refer to the [Creating the Database](#) section.

Creating the Database on Windows

The files for creating the database are located the DatabaseCreation/Windows directory in the media pack.

You should be logged in as a user who is a member of the local ORA_DBA group on that server. The ORA_DBA group should have “administrator” privileges assigned to it.

Create the database using the Database Configuration Assistant (DBCA). Refer to the article *Master Note: Overview of Database Configuration Assistant (DBCA)* (Doc ID 1488770.1) on [My Oracle Support](#) for more information. Ensure that you set the database character set to AL32UTF8.

For more information on how to create the database, refer to the [Creating the Database](#) section.

2.3.2.3 Setting the MAX_STRING_SIZE Parameter to EXTENDED

If you have created a non-container database, you need to perform the following steps to set the MAX_STRING_SIZE parameter to EXTENDED:

1. Set the ORACLE_HOME and ORACLE_SID environment variables.
2. Shutdown the target database using the following command:

```
shutdown immediate
```
3. Start the database in the Upgrade mode using the following command:

```
startup upgrade
```
4. Set the MAX_STRING_SIZE parameter to EXTENDED using the following command:

```
alter system set max_string_size=extended scope=both;
```
5. Execute the utl32k.sql file using the following command:

```
@?/rdbms/admin/utl32k.sql;
```
6. Restart the database in the Normal mode using the following commands:

```
shutdown immediate
```

```
startup
```

However, if you have created a container database, you need to perform the following steps to set the MAX_STRING_SIZE parameter to EXTENDED:

1. Set the ORACLE_HOME and ORACLE_SID environment variables.

Note: You need to connect as system administrator while executing the below steps.

2. Set the MAX_STRING_SIZE parameter to EXTENDED using the following command:

```
alter system set max_string_size=extended scope=spfile;
```
3. Start all pluggable databases in the Upgrade mode using the following command:

```
shutdown immediate
```

```
startup upgrade
```

```
alter pluggable database all open upgrade;
```

```
exit
```
4. Create the utl32k_cdb_pdbs_output folder to store the log files using the following command:

```
mkdir /scratch/mydir/utl32k_cdb_pdbs_output
```
5. Execute the utl32k.sql from the catcon.pl file for all pluggable databases using the following command:

```
cd $ORACLE_HOME/rdbms/admin
```

```
$ORACLE_HOME/perl/bin/perl $ORACLE_HOME/rdbms/admin/catcon.pl -u
```

```
SYS -d $ORACLE_HOME/rdbms/admin
```

```
l '/scratch/mydir/utl32k_cdb_pdbs_output' -b
```

```
utl32k_cdb_pdbs_output utl32k.sql
```

6. Restart the database in the Normal mode using the following commands:

```
shutdown immediate
startup
alter pluggable database all open read write;
```

2.3.2.4 Importing the Demo Dump File

Once you create the database, you can import the demo dump file. To import the demo dump file:

1. Create a database directory named `data_pump_dir` (if not available) and then copy the `GTB27000_demodump.dmp` or `HC27000_demodump.dmp` file from the `TEMPDIR\Demo_dump` folder to the `data_pump_dir` folder.

Note: If you belong from the financial services industry, use the `GTB27000_demodump.dmp` file. And, if you belong from the insurance industry, use the `HC27000_demodump.dmp` file.

2. Set the `ORACLE_SID` and `ORACLE_HOME` environment variables.
3. If the target schema is `CISADM`, then use the following command to import demo dump:

```
impdp system/<pwd>@<dbname> NOLOGFILE=N DIRECTORY=DATA_PUMP_DIR
DUMPFILE=<dumpfilename>.dmp SCHEMAS=CISADM
```

4. If the target schema is other than `CISADM` (for example, `TRGSCHEM`), then use the following command to import demo dump:

```
impdp system/<pwd>@<dbname> NOLOGFILE=N DIRECTORY=DATA_PUMP_DIR
DUMPFILE=<dumpfilename>.dmp REMAP_SCHEMA=CISADM:TRGSCHEMA
```

2.3.2.5 Post Demo Database Creation Tasks

Once you import the demo dump file, you need to do the following:

1. [Apply the 28053738 Patch](#)
2. [Apply the 28105411 Patch](#)
3. [Enable USER_LOCK Package](#)
4. [Grant Permissions to the DBMS_LOCK Package and Recompile Database Objects](#)
5. [Generate Database Statistics](#)

Apply the 28053738 Patch

Once you install Oracle Revenue Management and Billing Version 2.7.0.0.0, you need to apply the MANDATORY PATCH 1 FOR ORMB VERSION 2.7.0.0.0 patch (Patch Number: 28053738). You can apply this patch from a Windows machine and UNIX Standalone server.

To apply the MANDATORY PATCH 1 FOR ORMB VERSION 2.7.0.0.0 patch:

1. Download the MANDATORY PATCH 1 FOR ORMB VERSION 2.7.0.0.0 patch (Patch Number: 28053738) from [My Oracle Support](#). A zip file is downloaded.
2. Unzip the downloaded file in your local folder. The contents include three files - `README.txt`, `MultiPlatform.zip`, and `Bug_28053738_Product_Fix_Design.pdf`.
3. Unzip the `MultiPlatform.zip` file in your local folder. The contents include the `V2.7.0.0.0-28053738_MultiPlatform` folder.

4. Change to the V2.7.0.0.0-28053738_MultiPlatform folder using the following command:

AIX, Linux:

```
cd <DESTINATION_FOLDER>/V2.7.0.0.0-28053738_MultiPlatform
```

Windows:

```
cd <DESTINATION_FOLDER>\V2.7.0.0.0-28053738_MultiPlatform
```

Note: The <DESTINATION_FOLDER> folder is the location where you have extracted the contents of the MultiPlatform.zip file.

The contents include a file named CCB.V2.7.0.0.0-28053738.jar and a folder named database.

5. Change to the ORACLE folder using the following command:

AIX, Linux:

```
cd database/ORACLE
```

Windows:

```
cd database\ORACLE
```

The contents include a zip file named CDXPatch.

6. Unzip the CDXPatch file using the following command:

AIX, Linux:

```
unzip CDXPatch.zip -d <PATH>/<DESTINATION_FOLDER_1>
```

Windows:

```
unzip CDXPatch.zip -d <PATH>\<DESTINATION_FOLDER_1>
```

The contents of the zip file are extracted in the <DESTINATION_FOLDER_1> folder. The contents include utility files and a folder named 28053738.

7. Execute the ouafDatabasePatch utility using the following command:

Windows:

```
ouafDatabasePatch.cmd
```

AIX, Linux:

```
ouafDatabasePatch.sh
```

Apply the 28105411 Patch

Once you apply the MANDATORY PATCH 1 FOR ORMB VERSION 2.7.0.0.0 patch, you need to apply the MANDATORY PATCH 2 FOR ORMB VERSION 2.7.0.0.0 patch (Patch Number: 28105411). You can apply this patch from a Windows machine and UNIX Standalone server.

To apply the MANDATORY PATCH 2 FOR ORMB VERSION 2.7.0.0.0 patch:

1. Download the MANDATORY PATCH 2 FOR ORMB VERSION 2.7.0.0.0 patch (Patch Number: 28105411) from [My Oracle Support](#). A zip file is downloaded.

2. Unzip the downloaded file in your local folder. The contents include three files - README.txt, MultiPlatform.zip, and Bug_28105411_Product_Fix_Design.pdf.
3. Unzip the MultiPlatform.zip file in your local folder. The contents include the V2.7.0.0.0-28105411_MultiPlatform folder.
4. Change to the V2.7.0.0.0-28105411_MultiPlatform folder using the following command:

AIX, Linux:

```
cd <DESTINATION_FOLDER_2>/V2.7.0.0.0-28105411_MultiPlatform
```

Windows:

```
cd <DESTINATION_FOLDER_2>\V2.7.0.0.0-28105411_MultiPlatform
```

Note: The <DESTINATION_FOLDER_2> folder is the location where you have extracted the contents of the MultiPlatform.zip file.

The contents include a file named CCB.V2.7.0.0.0-28105411.jar and a folder named database.

5. Change to the ORACLE folder using the following command:

AIX, Linux:

```
cd database/ORACLE
```

Windows:

```
cd database\ORACLE
```

The contents include a zip file named CDXPatch.

6. Unzip the CDXPatch file using the following command:

AIX, Linux:

```
unzip CDXPatch.zip -d <PATH>/<DESTINATION_FOLDER_3>
```

Windows:

```
unzip CDXPatch.zip -d <PATH>\<DESTINATION_FOLDER_3>
```

The contents of the zip file are extracted in the <DESTINATION_FOLDER_3> folder. The contents include utility files and a folder named 28105411.

7. Execute the ouafDatabasePatch utility using the following command:

Windows:

```
ouafDatabasePatch.cmd
```

AIX, Linux:

```
ouafDatabasePatch.sh
```

Enable USER_LOCK Package

To enable inbound web services, you must grant permissions to the USER_LOCK package. This is a one-time activity. To grant permissions to the USER_LOCK package:

1. Login as SYS user.
2. On SQL prompt, execute the following SQL:

```
@?/rdbms/admin/userlock.sql
```
3. Grant permission using the following SQL command:

```
grant execute on USER_LOCK to public;
```

Note: You can also grant permission to a specific database user (for example, CISADM or CISUSER) instead of granting permissions to all database users.

Grant Permissions to the DBMS_LOCK Package and Recompile Database Objects

To grant permissions to the DBMS_LOCK package, execute the following commands:

UNIX:

```
export ORACLE_SID=[DB_NAME]
sqlplus /nolog
conn sys as sysdba
```

Note: On executing the above command, you will be prompted to enter the SYS user password.

```
grant EXECUTE, DEBUG on DBMS_LOCK to <DB_USER/ [CISADM]>;
```

Note:

These commands should be executed using Oracle SQL Developer.

If you have created the database using any user other than CISADM, you need to specify the respective user name in the above alter and grant statements.

After executing the above grant statement, recompile the invalid objects, if any, in the database. You can recompile all invalid objects at once using the following commands:

```
export ORACLE_SID=[DB_NAME]
sqlplus /nolog
conn sys as sysdba
SQL> @?/rdbms/admin/utlrp.sql;
```

Windows:

```
set ORACLE_SID=[DB_NAME]
sqlplus /nolog
conn sys as sysdba
```

Note: On executing the above command, you will be prompted to enter the SYS user password.

```
grant EXECUTE, DEBUG on DBMS_LOCK to <DB_USER/ [CISADM]>;
```

Note:

These commands should be executed using Oracle SQL Developer.

If you have created the database using any user other than CISADM, you need to specify the respective user name in the above alter and grant statements.

After executing the above grant statement, recompile the invalid objects, if any, in the database. You can recompile all invalid objects at once using the following commands:

```
export ORACLE_SID=[DB_NAME]
sqlplus /nolog
conn sys as sysdba
SQL> @?/rdbms/admin/utlrp.sql;
```

Generate Database Statistics

During the installation process, new database objects may be added to the target database. Before you use the target database, we recommend you to gather statistics for the database objects. You can gather schema level statistics using the following statement:

```
BEGIN
DBMS_STATS.GATHER_SCHEMA_STATS(OWNNAME=>'CISADM', METHOD_OPT=>'FOR ALL
COLUMNS SIZE AUTO', GRANULARITY=>'ALL', CASCADE=>TRUE, DEGREE=>16);
END;
```

You can also gather the statistics for individual tables using the following statement:

```
BEGIN
DBMS_STATS.GATHER_TABLE_STATS(OWNNAME=>'CISADM',
TABNAME=>'<Table_Name>', GRANULARITY=>'ALL', CASCADE=>TRUE,
METHOD_OPT=> 'FOR ALL COLUMNS SIZE AUTO', DEGREE=>32);
END;
```

We strongly recommend you to schedule batch jobs to gather the schema level statistics on the daily basis in the non peak hours. Please note that the statistics should not be gathered while the application batches are running because this will degrade the application batch performance.

2.3.3 Populating Language Data

Please note that this database contains data in the ENGLISH language only. If you use any other supported language, you can run the F1-LANG batch program to duplicate the entries for new language records. For more information on running this batch program, refer to the user documentation section "Defining Background Processes."

Please contact your Oracle representative to receive information on these packages.

2.3.4 Installing Service Packs and Patches

Periodically, Oracle Utilities releases a service pack of single fixes for its products. A service pack is an update to an existing release that includes solutions to known problems and other product enhancements. A service pack is not a replacement for an installation, but a pack consisting of a collection of changes and additions for it. The service pack may include changes to be applied to the application server, the database, or both. The service pack includes all files necessary for installing the collection of changes, including installation instructions. Please note that from FW 410 SP1 onwards a Service pack consists of a complete database install.

Between services packs, Oracle Utilities releases patches to fix individual bugs. For information on installing patches, see knowledge base article ID 974985.1 on [My Oracle Support](#).

Service packs and patches can be downloaded from [My Oracle Support](#).

3. Database Design

This section provides a standard for database objects such as tables, columns, and indexes, for products using Oracle Utilities Application Framework. This standard helps smooth integration and upgrade processes by ensuring clean database design, promoting communications, and reducing errors. Just as Oracle Utilities Application Framework goes through innovation in every release of the software, it is also inevitable that the product will take advantage of various database vendors' new features in each release. The recommendations in the database installation section include only the ones that have been proved by vigorous QA processes, field tests and benchmarks. This section includes:

- Database Object Standard
- Column Data Type and Constraints
- Standard Columns

3.1 Database Object Standard

This section discusses the rules applied to naming database objects and the attributes that are associated with these objects.

3.1.1 Categories of Data

A table can belong to one of the three categories:

- Control (admin)
- Master
- Transaction

For purposes of physical table space design, metadata and control tables can belong to the same category.

Example of tables in each category:

- Control: SC_USER, CI_ADJ_TYPE, F1_BUS_OBJ
- Master: CI_PER, CI_PREM
- Transaction: F1_FACT, CI_FT

All tables have the category information in their index name. The second letter of the index carries this information. See the [Indexes](#) section for more information.

3.1.2 Naming Standards

The following naming standards must be applied to database objects.

Table

Table names are prefixed with the owner flag value of the product. For customer modification CM must prefix the table name. The length of the table names must be less than or equal to 30 characters. A language table should be named by suffixing _L to the main table. The key table name should be named by suffixing _K to the main table.

It is recommended to start a table name with the 2-3 letter acronym of the subsystem name that the table belongs to. For example, MD stands for metadata subsystem and all metadata table names start with CI_MD.

Some examples are:

- CI_ADJ_TYPE
- CI_ADJ_TYPE_L

A language table stores language sensitive columns such as a description of a code. The primary key of a language table consists of the primary key of the code table plus language code (LANGUAGE_CD).

A key table accompanies a table with a surrogate key column. A key value is stored with the environment id that the key value resides in the key table.

The tables prior to V2.0.0 are prefixed with CI_ or SC_.

Columns

The length of a column name must be less than or equal to 30 characters. For customer modification, CM must be prefixed in the column name. The following conventions apply when you define special types of columns in the database.

- Use the suffix FLG to define a lookup table field. Flag columns must be CHAR(4). Choose lookup field names carefully as these column names are defined in the lookup table (CI_LOOKUP_FIELD) and must be prefixed by the product owner flag value.
- Use the suffix CD to define user-defined codes. User-defined codes are primarily found as the key column of the admin tables.
- Use the suffix ID to define system assigned key columns.
- Use the suffix SW to define Boolean columns. The valid values of the switches are 'Y' or 'N'. The switch columns must be CHAR(1)
- Use the suffix DT to define Date columns.
- Use the suffix DTTM to define Date Time columns.
- Use the suffix TM to define Time columns.

Some examples are:

- ADJ_STATUS_FLG
- CAN_RSN_CD

Indexes

Index names are composed of the following parts:

[OF][application specific prefix][C/M/T]NNN[P/S]

- OF- Owner Flag. The standard is to use the two characters of the product's owner flag. Note that there may be some older indexes that use only the first character of the owner flag. For client specific implementation of index, use CM for Owner Flag. If implementation creates a CM Index on table-columns for which the base product already provides an index, then the CM Index will be overridden by the base index.
- Application specific prefix could be C, F, T or another letter.

- C/M/T - The second character can be either C or M or T. C is used for control tables
- (Admin tables). M is for the master tables. T is reserved for the transaction tables.
- NNN - A three-digit number that uniquely identifies the table on which the index is defined.
- P/S - P indicates that this index is the primary key index. S is used for indexes other than primary keys.
- n is the index number, unique across all indexes on a given table (0 for primary and 1, 2, etc., for the secondary indexes).

Some examples are:

- F1C066P0
- F1C066S1
- CMT206S2

Warning: Do not use index names in the application as the names can change due to unforeseeable reasons.

Updating Storage.xml

The storage.xml file that comes with the product allocates all base tables and indexes to the default tablespace CISTS_01. If you decide to allocate some tables or indexes outside of the default tablespace, then this has to be reflected in the storage.xml file by changing the tablespace name from the default value to a custom value, according to the format shown below:

Format:

```
<Table_Name>
<TABLESPACE>CISTS_01</TABLESPACE>
<PARALLEL>1</PARALLEL>
- <LOB>
- <Column Name>
<TABLESPACE>CISTS_01</TABLESPACE>
<SECUREFILE>Y</SECUREFILE>
<CHUNK>8192</CHUNK>
<CACHE>N</CACHE>
<LOGGING>Y</LOGGING>
<INROW>Y</INROW>
<COMPRESS>N</COMPRESS>
</Column Name>
</LOB>
</Table_Name>
```

Where Parallel defines the number of threads, that Oracle DB Server will use to access a table or create an index.

We recommend you to create CLOBs and store them in SECUREFILE with medium compression and cache enabled. Note that, by default, medium compression is turned-off and must be enabled only if you have the Advanced Compression license.

For instance, if a DBA decided to allocate table CI_ACCT in a tablespace MyTablespace, then they would have to change the storage.xml as follows:

```
<CI_ACCT>
<TABLESPACE>MyTablespace</TABLESPACE>
</CI_ACCT>
```

The OraDBI process uses the storage.xml file to place the new database objects into defined tablespaces. A tablespace referenced in the storage.xml file must exist in the database.

The storage.xml file must be updated before each upgrade and/or new installation as required to allocate the tables and indexes across those tablespaces.

Table name is included as a comment for each of the indexes for clarity.

For an initial install, information for each object should be reviewed by a DBA. For each upgrade, only tablespace information for the objects added in the new release needs to be reviewed by a DBA.

Be careful while editing this file. Make sure that the tablespace names being used exist in the database. Do not change the basic format of this file.

Sequence

The base sequence name must be prefixed with the owner flag value of the product. For customer modification CM must prefix the sequence name. The sequence numbers should be named as below:

1. If the sequence is used for a specific table, then use the following sequence name:
[OF] [C/M/T] NNN_SEQ
 - OF stands for Owner Flag. For example, F1 stands for Framework. Other examples are M1, C1, D1, D2, etc.
 - C/M/T stands for Control (Admin)/Master/Transaction Tables.
 - NNN is a three digit unique Identifier for a table on which the sequence is defined.

For Example: F1T220_SEQ

2. If more than one sequence is used for a specific table then use the following sequence Name:
[OF] [C/M/T] NNN_Column_Name_SEQ
 - OF stands for Owner Flag. For example, F1 stands for framework. Other examples are M1, C1, D1, D2, etc.
 - C/M/T stands for Control (Admin)/Master/Transaction tables.
 - NNN is a three digit unique identifier for a table on which the sequence is defined.

For Example: F1T220_BO_STATUS_CD_SEQ and F1T220_BUS_OBJ_CD_SEQ.

3. If sequence is used for a generic requirement and not specific to a table, then use the following sequence name.

[OF]Column_Name_SEQ

- OF stands for Owner Flag. For example, F1 stands for framework. Other examples are M1, C1, D1, D2, etc. For Example: F1FKVALID_SEQ

Trigger

The base trigger name must be prefixed with the owner flag value of the product. When implementers add database objects, such as tables, triggers and sequences, the name of the objects should be prefixed by CM.

3.2 Column Data Type and Constraints

This section discusses the rules applied to column data type and constraints, and the attributes that are associated with these objects.

3.2.1 User Defined Code

User Defined Codes are defined as CHAR type. The length can vary by the business requirements but a minimum of eight characters is recommended. You will find columns defined in less than eight characters but with internationalization in mind, new columns should be defined as CHAR(10) or CHAR(12). Also note that when the code is referenced in the application the descriptions are shown to users in most cases.

3.2.2 System Assigned Identifier

System assigned random numbers are defined as CHAR type. The length of the column varies to meet the business requirements. Number type key columns are used when a sequential key assignment is allowed or number type is required to interface with external software. For example, Notification Upload Staging ID is a Number type because most EDI software uses a sequential key assignment mechanism. For sequential key assignment implementation, the DBMS sequence generator is used in conjunction with Number Type ID columns.

3.2.3 Date/Time/Timestamp

Date, Time and Timestamp columns are defined physically as DATE in Oracle.

3.2.4 Number

Numeric columns are implemented as NUMBER type in Oracle. The precision of the number should always be defined. The scale of the number might be defined. Non-null constraints are implemented for all number columns.

3.2.5 Fixed Length/Variable Length Character Columns

When a character column is a part of the primary key of a table define the column in CHAR type. For the non-key character columns, the length should be the defining factor. If the column length should be greater than 10, use VARCHAR2 type in Oracle.

3.2.6 Null Column Support

The product supports Nullable columns. This means that the application can write NULLs instead of a blank space or zero (for numeric columns) by using NULLABLE_SW on CI_MD_TBL_FLD. If REQUIRED_SW is set to 'N' and the NULLABLE_SW is set to 'Y', the application will write a NULL in that column. The artifact generator will create hibernate mapping files with appropriate parameters so that the framework hibernate mapping types will know if a given property supports a null value.

NULLABLE_SW is not new, but has previously been used for certain fields such as dates, and some string and number foreign-key columns. Because of this, there is the possibility that there is incorrect metadata for some columns, and that turning on this new feature could result in incorrect behaviour when using that metadata. The upgrade script released with the product fixes the metadata to make sure that the existing tables will not be affected.

This new feature only supports tables maintained by Java. Thus, enhancing any existing tables to use null columns must be done only after making sure that the tables are maintained by Java, and not COBOL.

3.2.7 XML Type Support

The product supports XML Type. XML Type provides following advantages.

1. The ability to use XQuery for querying nodes in the XML document stored within a column defined as XMLType.
2. The option to use the XML engine, which is built into the Oracle Database, to create indexes using nodes within the XML document stored in the XMLType column.

3.2.8 Cache and Key Validation Flags

By default, the Cache Flag is set to NONE. For most of the admin tables the CACHE Flag should be 'Cached for Batch'. This specifies that the table is cached as L2 cache to reduce database trips.

By default the Key Validation Flag is set to ALL. For tables which have the user defined keys, the KEY_VALIDATION_FLG should be set as 'ALL'. This checks the existence of the key before inserting a new one.

3.2.9 Table Classification and Table Volume Flags

There are multiple types of tables in the application, namely Admin system tables, Admin non- system tables, master tables and transaction tables. The Table Classification flag (TBL_CLASSIFICATION_FLG) sets the appropriate value for this lookup field to give a better view of the table classification.

Table Volume flag (TBL_VOLUME_FLG) is a customer modifiable field which is initially populated by product, but can be overridden by implementation. The field gives an idea of the relative data volume (categorized as highVolume, lowVolume and mediumVolume) of the table to make informed decisions.

3.2.10 Default Value Setting

The rules for setting the database default values are as follows:

- When a predefined default value is not available, set the default value of Non-null CHAR or VARCHAR columns to blank except the primary key columns.
- When a predefined default value is not available, set the default value Non-null Number columns to 0 (zero) except the primary key columns.

- No database default values should be assigned to the Non Null Date, Time, and Timestamp columns.

3.2.11 Foreign Key Constraints

Referential integrity is enforced by the application. In the database do not define FK constraints. Indexes are created on most of Foreign Key columns to increase performance.

3.3 Standard Columns

This section discusses the rules applied to standard columns and the attributes that are associated with these objects.

3.3.1 Owner Flag

Owner Flag (OWNER_FLG) columns exist on the system tables that are shared by multiple products. Oracle Utilities Application Framework limits the data modification of the tables that have owner flag to the data owned by the product.

3.3.2 Version

The Version column is used to for optimistic concurrency control in the application code. Add the Version column to all tables that are maintained by a Row Maintenance program.

4. Exadata Database Settings

If you are using the Oracle Exadata Database machine as the database server, ensure that you do the following:

- Use the Write-Back Flash Cache feature to leverage the Exadata Flash hardware
- Use the Exadata Smart Flash Logging feature

Note: By default, 512 MB of the Exadata flash is allocated to Smart Flash Logging. This is sufficient enough to handle the load of 300 million transactions daily in TFM.

- Set the temporary tablespace size to at least 600 GB
- Create CISTS_01 tablepsace to store the cisadm objects using the BIGFILE and EXTENT MANAGEMENT LOCAL AUTOALLOCATE clauses. For example:

```
CREATE BIGFILE TABLESPACE CISTS_01 DATAFILE  
'+DATAC1/DBNAME/datafile/cists01.dbf' SIZE 800G AUTOEXTEND ON  
EXTENT MANAGEMENT LOCAL AUTOALLOCATE;
```

Note: Exadata servers can have two types of disks – High Capacity and High Performance. The Exadata throughput may vary depending on the disk type.

5. Database Implementation Guidelines

The following section outlines the general implementation guidelines for the database components, including:

- Configuration Guidelines
- Oracle Database Implementation Guidelines

5.1 Configuration Guidelines

This section includes general recommendations for configuring various database objects and includes a brief syntax overview. It covers the general aspects of the database objects and does not cover any specific implementation requirements. This section includes the following topics:

- [Index](#)
- [Temporary and Undo Tablespace](#)
- [Transparent Data Encryption Recommendations](#)
- [Data Compression Recommendations](#)
- [Database Vault Recommendations](#)
- [Oracle Fuzzy Search Support](#)
- [Storage Recommendations](#)
- [Database Configuration Recommendations](#)
- [Database Syntax](#)
- [Database Initialization Parameters](#)
- [Shrink Tables](#)

5.1.1 Index

Index recommendations specify points that need to be considered when creating indexes on a table.

1. Indexes on a table should be created according to the functional requirements of the table and not in order to perform SQL tuning.
2. The foreign keys on a table should be indexes.

Note: If the implementation creates a CM index on table-columns for which the product already provides an index, then the CM index will be overridden by the base index.

5.1.2 Temporary and Undo Tablespace

To begin with, we recommend you to set the temporary tablespace to at least 100GB auto extendable till 200GB and the undo tablespace to at least 100GB auto extendable till 300GB. The upper limit of both the tablespaces will vary as per the volume of the data and preferred chunk size of the batch.

5.1.3 Transparent Data Encryption Recommendations

Oracle Utilities supports Oracle Transparent Data Encryption (TDE). Oracle 12c supports tablespace level encryption. The application supports tablespace level encryption for all application data. Make sure that the hardware resources are sufficiently sized for this as TDE uses additional hardware resources. The Oracle Advanced Security license is a prerequisite for using TDE.

Please consider the following when implementing TDE:

- Create a wallet folder to store the master key. By default, the wallet folder should be created under \$ORACLE_BASE/admin/<sid>.

- The wallet containing the master key can be created using the following command:

```
alter system set encryption key authenticated by "keypasswd"
```

- The wallet can be closed or opened using the following commands:

```
alter system set wallet open identified by "keypasswd";  
alter system set wallet close;
```

- Column level encryption can be achieved using the following commands:

```
create table <table_name>  
(name varchar2(200) default '' not null,  
bo_data_area CLOB encrypt using 'AES128',  
bo_status_cd char(12) encrypt using 'AES128')  
lob (bo_data_area) store as securefile (cache compress)  
tablespace <tablespace_name>;
```

- AES128 is the default encryption algorithm.

- Tablespace level encryption is also supported using the following command:

```
Create tablespace <tablespace_name> logging datafile '<datafile  
location>' size <initial size> reuse autoextend on next <next size>  
maxsize unlimited extent management local uniform size <uniform size>  
encryption using 'AES128' default storage(encrypt);
```

- Indexed columns can only be encrypted using the NO SALT Option. Salt is a way to strengthen the security of encrypted data. It is a random string added to the data before it is encrypted, causing repetition of text in the clear to appear different when encrypted.

5.1.4 Data Compression Recommendations

Oracle Utilities supports Advanced Data Compression, available with Oracle 11gR1 onwards, to reduce the database storage footprint. Make sure that your resources are sufficiently sized for this as it uses additional system resources. Compression can be enabled at the Tablespace level or at the Table level.

5.1.4.1 Exadata Hardware

For Exadata hardware, the compression recommendations are:

- For high volume tables, keep the current table partition uncompressed. All of the older partitions will be compressed based on QUERY HIGH compression.
- For high volume tables with CLOBs ensure to always keep CLOBs in securefile and medium compressed. Also keep the current table partition uncompressed. All of the older partitions will be compressed based on QUERY HIGH compression.
- Load data into the uncompressed table partitions using a conventional load and then, once data is loaded using a CTAS operation, load into a temporary heap table. Then truncate the original partition. Alter the original partition into HCC compressed and then partition exchange this with the temporary heap table.
- All multi column Indexes (primary as well as secondary) will be compressed using the default compression. HCC or OLTP compression is not applicable on the top of compressed Indexes.

5.1.4.2 Non-Exadata Hardware

For non-Exadata hardware the recommendations are the same as above, except that you cannot use HCC compression (it is only available in Exadata database machine). Instead of HCC, you can use any other compression tool available to you for non-Exadata hardware.

5.1.4.3 CLOB Fields

All CLOB fields should be stored as SecureFiles and Medium compressed. This requires a separate license for Advanced Data Compression. As a part of the schema, we create the product- owned tables with compression turned OFF at the LOB level. If you have the license for Advanced Data Compression, you can enable compression by updating the storage.xml.

Oracle 12c onwards:

- Admin and Master Data tables and their indexes will NOT be compressed.
- All Transactional Tables, including ILM enabled MOs shall be compressed.
- Compression will be done at the tablespace level.
- All multicolmum indexes on transactional/ILM tables will be compressed.

Use 'compress advanced low'

5.1.5 Database Vault Recommendations

The product supports Database Vault. All non-application User IDs can be prevented from using DDL or DML statements against the application schema. So SYS and SYSTEM cannot issue DDL or DML statements against CISADM schema. The application-specific administration account can issue DDL statements but should not be able to perform any DML or DCL statements. Application user must be given DML only permissions. Database Vault can be used to control access during patch process and Install/Upgrade process.

5.1.6 Oracle Fuzzy Search Support

The product supports Oracle Fuzzy searches. To use this feature, Oracle Text must be installed. After Oracle Text is installed, an index must be created on the table where the fuzzy search needs to be performed from the application. This is only an Oracle database option and is not supported by other databases. Additionally, not all languages are supported. Refer to the Oracle Database documentation for more information about fuzzy searching.

A typical syntax for implementation of fuzzy searching is as below. For the most updated syntax please refer to Oracle Fuzzy documentation.

```
GRANT CTXAPP TO <Application schema owner e.g. CISADM>;
GRANT EXECUTE ON CTX_DDL TO <Application schema owner e.g. CISADM>;
Create index <Application schema owner e.g. CISADM>.<Index_Name> on
<Application schema owner e.g. CISADM>.<Table_Name> (<column_name>)
indextype is ctxsys.context parameters ('sync (on commit)');
begin
ctx_ddl.sync_index('Application schema owner e.g.
CISADM>.<Index_Name>');
end
/
```

5.1.7 Storage Recommendations

This section specifies recommended options for storing the database objects.

5.1.7.1 SecureFile for Storing LOBs

Beginning with Oracle 11g, tables having fields with data type of CLOB or BLOBS should have the LOB Columns stored as SecureFiles.

- The storage options with SecureFiles for Heap Tables should be ENABLE STORAGE IN ROW, CACHE and COMPRESS.
- For the IOT Table the PCTTHRESHOLD 50 OVERFLOW clause should be specified and the storage options with SecureFiles should be ENABLE STORAGE IN ROW, CACHE and COMPRESS.
- The PCTTHRESHOLD should be specified as a percentage of the block size. This value defines the maximum size of the portion of the row that is stored in the Index block when an overflow segment is used.
- The CHUNK option for storage, which is the data size used when accessing or modifying LOB values, can be set to higher than one database block size if big LOBs are used in the IO Operation.
- For SecureFiles, make sure that the initialization parameter db_securefile is set to ALWAYS.
- The Tablespace where you are creating the SecureFiles should be enabled with Automatic Segment Space Management (ASSM). In Oracle Database 11g, the default mode of Tablespace creation is ASSM so it may already be set for the Tablespace. If it's not, then you have to create the SecureFiles on a new ASSM Tablespace.

Note:

To enable compression on SecureFiles, you must have an Oracle Advanced Compression license in addition to Oracle Database Enterprise Edition. This feature is not available for the standard edition of Oracle Database.

If you are using Oracle Database Enterprise Edition, you must ensure that the COMPRESS flag is set to Y in the Storage.xml file. See the [Database Syntax](#) section for more information on SecureFiles.

5.1.8 Database Configuration Recommendations

This section specifies the recommended methods for configuring the database with a focus on specific functional area.

5.1.8.1 Large Redo Log File Sizes

The Redo Log files are written by the Log Writer Background process. These log files are written in a serial manner. Once a log file is full, a log switch occurs and the next log file starts getting populated.

It is recommended that the size of the Redo Log files should be sufficiently high so that you do not see frequent Log Switches in the alert logs of the database. Frequent Log Switches impact the IO performance and can be avoided by having a larger Redo Log File size.

We recommend you to set the redo log file size to at least 4GB or more depending on the volume of transactions. This will help you to ensure that there are not more than 5 to 6 log switches per hour.

5.1.9 Database Syntax

5.1.9.1 SecureFile

```
CREATE TABLE <Table_Name>
(COLUMN1 ... , COLUMN2 (CLOB) )
LOB(COLUMN2) STORE AS SECUREFILE (CACHE COMPRESS);

CREATE TABLE <Table_Name>
(COLUMN1 ... , COLUMN2 (CLOB) CONSTRAINT <> PRIMARY KEY(...))
ORGANIZATION INDEX PCTTHRESHOLD 50 OVERFLOW
LOB(COLUMN2) STORE AS SECUREFILE (ENABLE STORAGE IN ROW CHUNK CACHE
COMPRESS);
```

5.1.10 Database Initialization Parameters

This section recommends value for each parameter in the init.ora file. These parameters are a starting point for database tuning. The actual or optimal value for a production environment may differ from one deployment to another.

The following recommendations must be treated as guidelines and not as the actual values:

Parameter	Recommended Value
MEMORY_MAX_TARGET	40-50% of total available RAM on the node
MEMORY_TARGET	Value should be less than or equal to the value set for the MEMORY_MAX_TARGET parameter and at the same time it should be greater than or equal to the sum of SGA_TARGET and PGA_AGGREGATE_TARGET
SGA_TARGET	50-70% of the value defined for the MEMORY_TARGET parameter
SGA_MAX_SIZE	70-80% of the value defined for the MEMORY_MAX_TARGET parameter
DB_CACHE_SIZE	4GB
PGA_AGGREGATE_TARGET	2GB
STATISTICS_LEVEL	TYPICAL or ALL <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> Note: This parameter is mandatory when you want to use automatic memory management. </div>
OPTIMIZER_INDEX_COST_ADJ	100 <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> Note: The value for this parameter should not be changed because it can drastically degrade the batch performance. </div>
OPTIMIZER_INDEX_CACHING	0 <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> Note: The value for this parameter should not be changed because it can drastically degrade the batch performance. </div>
DB_BLOCK_SIZE	8192
LOG_CHECKPOINT_INTERVAL	0
DB_FILE_MULTIBLOCK_READ_COUNT	8
TRANSACTIONS	3000
OPEN_CURSORS	30000
DB_WRITER_PROCESSES	10 <div style="border: 1px solid black; padding: 5px; margin-top: 5px;"> Note: The value for this parameter must be within the range of 1 to 20. Ideally, it must be set to 1 or CPU_COUNT/8, whichever is greater. </div>
DB_FILES	1024

Parameter	Recommended Value
DBWR_IO_SLAVES	10 Note: You must set this parameter to a nonzero value only when the system does not support asynchronous IO.
SESSIONS	4500
PROCESSES	3000
DML_LOCKS	48600
_B_TREE_BITMAP_PLANS	FALSE
SESSION_CACHED_CURSORS	500

For example, we recommend you to specify the following values when 100GB of RAM is available on the node:

MEMORY_MAX_TARGET = 50G

MEMORY_TARGET = 40G

SGA_TARGET = 30G

SGA_MAX_SIZE = 40G

DB_CACHE_SIZE = 4G

PGA_AGGREGATE_TARGET = 2G

STATISTICS_LEVEL=TYPICAL

5.1.11 Shrink Tables

A large number of rows are inserted and then deleted from the following three tables:

- CI_TXN_DTL_PRITM_SUMMARY
- CI_TXN_DETAIL_STG
- CI_ROLLBACK_TXN_DETAIL

Therefore, these tables need to be shrunk periodically. This activity should be carried out when no other transactions are active on the database.

1. Extract and keep the DDL scripts for all the existing indexes on the above tables from the data dictionary.
2. Drop all the indexes on the above tables.

3. Shrink the tables by executing following statements using SQL client:

```
ALTER TABLE CI_TXN_DTL_PRITM_SUMMARY ENABLE ROW MOVEMENT;
ALTER TABLE CI_TXN_DTL_PRITM_SUMMARY SHRINK SPACE CASCADE;
ALTER TABLE CI_TXN_DETAIL_STG ENABLE ROW MOVEMENT;
ALTER TABLE CI_TXN_DETAIL_STG SHRINK SPACE CASCADE;
ALTER TABLE CI_ROLLBACK_TXN_DETAIL ENABLE ROW MOVEMENT;
ALTER TABLE CI_ROLLBACK_TXN_DETAIL SHRINK SPACE CASCADE;
```

4. Recreate all the indexes using scripts generated in step 1 above.

You can execute these statements either manually or through a batch process which is configured to run at regular interval.

Note: Shrink operations can be performed only on segments in locally managed tablespaces with Automatic Segment Space Management (ASSM).

Once the above statements are executed, you must gather statistics using the following statements:

```
BEGIN
DBMS_STATS.GATHER_TABLE_STATS(OWNNAME=>'CISADM',
TABNAME=>'CI_TXN_DTL_PRITM_SUMMARY', GRANULARITY=>'ALL', CASCADE=>TRUE,
METHOD_OPT=>'FOR ALL COLUMNS SIZE AUTO', DEGREE=>32);

DBMS_STATS.GATHER_TABLE_STATS(OWNNAME=>'CISADM',
TABNAME=>'CI_TXN_DETAIL_STG', GRANULARITY=>'ALL', CASCADE=>TRUE,
METHOD_OPT=>'FOR ALL COLUMNS SIZE AUTO', DEGREE=>32);

DBMS_STATS.GATHER_TABLE_STATS(OWNNAME=>'CISADM',
TABNAME=>'CI_ROLLBACK_TXN_DETAIL', GRANULARITY=>'ALL', CASCADE=>TRUE,
METHOD_OPT=>'FOR ALL COLUMNS SIZE AUTO', DEGREE=>32);

END;
```

5.1.12 Oracle Database Implementation Guidelines

This section provides specific guidelines for implementing the Oracle database.

5.1.12.1 Oracle Partitioning

If you use a base index as the partitioning key, rename the index to CM**. If you use the primary key index of the table as the partitioning key:

- Make the index non-unique.
- Primary constraints should still exist.

The upgrade on the partitioned table works best if the partitioning key is not unique. This allows the upgrade tool to drop the PK constraints if the primary key columns are modified and recreate the PK constraints without dropping the index.

5.1.12.2 Database Statistics

During an install process, new database objects may be added to the target database. Before starting to use the database, generate the complete statistics for these new objects by using the DBMS_STATS package. You should gather statistics periodically for objects where the statistics become stale over time because of changing data volumes or changes in column values. New statistics should be gathered after a schema object's data or structure is modified in ways that make the previous statistics inaccurate. For example, after loading a significant number of rows into a table, collect new statistics on the number of rows. After updating data in a table, you do not need to collect new statistics on the number of rows, but you might need new statistics on the average row length.

A sample syntax that can be used is as follows:

```
BEGIN
  SYS.DBMS_STATS.GATHER_SCHEMA_STATS (OwnName => 'CISADM', Degree =>
  16, Cascade => TRUE, Method_opt => 'FOR ALL COLUMNS SIZE AUTO',
  Granularity => 'ALL');
END;
/
```

5.1.13 Materialized View

Oracle Database Enterprise Edition supports query rewrite using Materialized View. If you use Oracle Database Enterprise Edition, you can create the following Materialized Views to improve the performance of the Monitor batch jobs

Prerequisite:-

Please make sure the following:

1. Set parameter QUERY_REWRITE_ENABLED=TRUE at database level.
 SQL – ALTER SYSTEM SET QUERY_REWRITE_ENABLED=TRUE; OR
 ALTER SYSTEM SET QUERY_REWRITE_ENABLED=TRUE SCOPE=BOTH;
2. To create a materialized view in another user's schema: You must have the CREATE ANY MATERIALIZED VIEW system privilege. The owner of the materialized view must have the CREATE TABLE system privilege. The owner must also have access to any master tables of the materialized view that the schema owner does not own (for example, if the master tables are on a remote database) and to any materialized view logs defined on those master tables, either through a SELECT object privilege on each of the tables or through the SELECT ANY TABLE system privilege
3. To create a refresh-on-commit materialized view (ON COMMIT REFRESH clause), in addition to the preceding privileges, you must have the ON COMMIT REFRESH object privilege on any master tables that you do not own or you must have the ON COMMIT REFRESH system privilege. To create the materialized view with query rewrite enabled, in addition to the preceding privileges: If the schema owner does not own the master tables, then the schema owner must have the GLOBAL QUERY REWRITE privilege or the QUERY REWRITE object privilege on each table outside the schema.

Reference:-

Oracle 11g - https://docs.oracle.com/cd/B28359_01/server.111/b28313/qrbasic.htm

Oracle 12c - <https://docs.oracle.com/database/121/DWHSG/qrbasic.htm#DWHSG01813>

Troubleshoot Materialized View –

http://docs.oracle.com/database/121/ARPLS/d_mview.htm#ARPLS67193

```
CREATE MATERIALIZED VIEW F1_BO_LIFECYCLE_STATUS_MVW
(
BUS_OBJ_CD,
LIFE_CYCLE_BO_CD,
BO_STATUS_CD,
BATCH_CD
)
BUILD IMMEDIATE REFRESH ON COMMIT ENABLE QUERY REWRITE AS SELECT
BO2.BUS_OBJ_CD, BO.LIFE_CYCLE_BO_CD, BOSA.BO_STATUS_CD, LCBOS.BATCH_CD
as
LC_BATCH_CD
FROM
F1_BUS_OBJ BO2,
F1_BUS_OBJ BO,
F1_BUS_OBJ_STATUS LCBOS,
F1_BUS_OBJ_STATUS_ALG BOSA
WHERE
BO2.LIFE_CYCLE_BO_CD = BO.LIFE_CYCLE_BO_CD AND
BO.BUS_OBJ_CD = BOSA.BUS_OBJ_CD AND
BOSA.BO_STATUS_SEVT_FLG = 'F1AT' AND
LCBOS.BUS_OBJ_CD = BO.LIFE_CYCLE_BO_CD AND
LCBOS.BO_STATUS_CD = BOSA.BO_STATUS_CD
/
create synonym SPLUSR.F1_BO_LIFECYCLE_STATUS_MVW for
SPLADM.F1_BO_LIFECYCLE_STATUS_MVW;
grant select on F1_BO_LIFECYCLE_STATUS_MVW to FW_DEV;
grant select on F1_BO_LIFECYCLE_STATUS_MVW to SPL_USER;
grant select on F1_BO_LIFECYCLE_STATUS_MVW to SPL_READ;
```

Reference:-

Oracle 11g - https://docs.oracle.com/cd/B28359_01/server.111/b28313/qrbasic.htm

Oracle 12c - <https://docs.oracle.com/database/121/DWHSG/qrbasic.htm#DWHSG01813>

Troubleshoot Materialized View –

http://docs.oracle.com/database/121/ARPLS/d_mview.htm#ARPLS67193

Issues:-

Query Did Not Rewrite For A User Other Than The Owner Of the Materialized View (Doc ID: 1594725.1) -
A patch is available for bug report 14772096 for some platforms.

Query rewrite not working as expected with SELECT DISTINCT (Doc ID: 7661113.8) for Oracle version –
11.2.0.1 and 11.1.0.7 Fixed in version - 12.1.0.1 (Base Release), 11.2.0.2 (Server Patch Set)

Appendix A :New Objects in the Oracle Revenue Management and Billing V2.7.0.0.0 Database

This section lists the objects that are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database. These objects are classified under the following two sections:

- Schema Changes
- New System Data

A.1 Schema Changes

This section lists schema related changes made in the Oracle Revenue Management and Billing V2.7.0.0.0 database.

A.1.1 New Tables

The following tables are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Table	Description
C1_ACCT_SUBSCR	Account Subscription
C1_ACCT_SUBSCR_ACTION	Account Subscription Action
C1_ACCT_SUBSCR_CHAR	Account Subscription Characteristics
C1_ACCT_SUBSCR_K	Account Subscription Key
C1_ACCT_SUBSCR_LOG	Account Subscription Log
C1_ACCT_SUBSCR_LOG_PARM	Account Subscription Log Parameter
C1_ACCT_SUBSCR_MRR	Account Subscription MRR
C1_ACCT_SUBSCR_SRVC	Account Subscription Service
C1_ACCT_SUBSCR_SRVC_CHRG	Account Subscription Service Charge
C1_ACCT_SUBSCR_TRMN_CHRG	Account Subscription Termination Charge
C1_ACCUM_DISC_ARG_AMT	Accumulation Discount Arrangement Amount
C1_BANK_ACCOUNT_CHAR	Bank Characteristics
C1_BILL_LVL	Bill Level
C1_BILL_LVL_CHAR	Bill Level Characteristic
C1_BILL_LVL_K	Bill Level Key
C1_BILL_LVL_LOG	Bill Level Log

Table	Description
C1_BILL_LVL_LOG_PARM	Bill Level Log Parameter
C1_BILLING_GROUP_SORT	Billing Group Sort
C1_BILLING_GROUP_SORT_L	Billing Group Sort Language
C1_DRR_TMPLT_CHAR	Deferred Revenue Template Characteristics
C1_DRR_TMPLT_DIV	Deferred Revenue Template Division
C1_ENTITY_REPORT	Entity Report
C1_ENTITY_REPORT_CHAR	Entity Report Characteristics
C1_ENTITY_REPORT_FIELDS	Entity Report Fields
C1_ENTITY_REPORT_K	Entity Report Key
C1_ENTITY_REPORT_OUTPUT_FORMAT	Entity Report Output Format
C1_ACCUM_LF_AMT	Level Funded Accumulation Amount
C1_ACCUM_MIN_PREM_AMT	Minimum Premium Accumulation Amount
C1_PRICE_PARM_VAL_L	Predefined Parameter Value Language
C1_PRICEITEM_PARM_VAL	Predefined Price Item Parameter Values
C1_PRICING_GRP	Pricing Group
C1_PRICING_GRP_CHAR	Pricing Group Characteristics
C1_PRICING_GRP_K	Pricing Group Key
C1_PRICING_GRP_L	Pricing Group Language
C1_PRICING_GRP_LOG	Pricing Group Log
C1_PRICING_GRP_LOG_PARM	Pricing Group Log Parameter
C1_PRICING_GRP_RULE	Pricing Group Rule
C1_PRICING_GRP_RULE_BL	Pricing Group Rule Bill Level
C1_PRICING_GRP_RULE_L	Pricing Group Rule Language
C1_PRC_RULE	Pricing Rule
C1_PRC_RULE_CHAR	Pricing Rule Characteristic
C1_PRC_RULE_K	Pricing Rule Key
C1_PRC_RULE_LOG	Pricing Rule Log
C1_PRC_RULE_LOG_PARM	Pricing Rule Log Parameter
C1_PRC_RULE_TYPE	Pricing Rule Type
C1_PRC_RULE_TYPE_ALG	Pricing Rule Type Algorithm
C1_PRC_RULE_TYPE_CHAR	Pricing Rule Type Characteristics

Table	Description
C1_PRC_RULE_TYPE_L	Pricing Rule Type Language
C1_PRCRLTY_PARAMETER	Pricing Rule Type Parameter
C1_PRC_RULE_TYPE_PRICEITEM	Pricing Rule Type Priceitem
C1_PRCRLTY_ACCOUNT_PRIORITY	Pricing Rule Type Priceitem Acct Priority
C1_PRCRLTY_PRICEITEM_RATE_OPT	Pricing Rule Type Rate Option
C1_PRC_RULE_TYPE_REL	Related Pricing Rule Type
CI_RPT_AUDIT	Report Audit
CI_RPT_AUDIT_PARAM	Report Audit Param
CI_RPT_DTL	Report Details
CI_RPT_DTL_L	Report Details Language
CI_RPT_DTL_PARAM	Report Details Param
C1_REPORT_TEMPLATE	Report Template
C1_REPORT_TEMPLATE_ALG	Report Template Algorithm
C1_REPORT_TEMPLATE_CHAR	Report Template Characteristics
C1_REPORT_TEMPLATE_FIELDS	Report Template Fields
C1_REPORT_TEMPLATE_L	Report Template Language
C1_SUBSCR_TYPE	Subscription Type
C1_SUBSCR_TYPE_ALG	Subscription Type Algorithms
C1_SUBSCR_TYPE_CHAR	Subscription Type Characteristics
C1_SUBSCR_TYPE_L	Subscription Type Language
C1_SUBSCR_TYPE_SRVC_CHRG	Subscription Type Service Charges
C1_SUBSCR_TYPE_SRVC	Subscription Type Services
C1_TXN_DISAGG_REQ_CHAR	Transaction Disaggregation Request Char
C1_TXN_DISAGG_REQ_LOG	Transaction Disaggregation Request Log
C1_TXN_DISAGG_REQ_LOG_PARM	Transaction Disaggregation Request Log Parameter

A.1.2 Added Columns

The following columns are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Table	Column	Description	Required (Yes or No)
C1_ENRL_PROD	ENROLL_END_BY_SYS_SW	Distribution Code	No
C1_ENRL_PROD_REL	ENROLL_END_BY_SYS_SW	Enroll End Date By System	No
C1_ENRL_PROD_REL_SVC	ENROLL_END_BY_SYS_SW	Enroll End Date By System	No
C1_ENRL_PROD_SVC	ENROLL_END_BY_SYS_SW	Enroll End Date By System	No
C1_FEES	SEQ_NO	Enroll End Date By System	No
	TXN_DETAIL_ID	Exclude Disaggregation	No
C1_FT_EXT	VERSION_NUM	File Business Date	No
	CONSTRUCT_ID	Construct ID	No
CI_ACCUM_GRP	BO_DATA_AREA	Pricing Rule ID	No
	BUS_OBJ_CD	Pricing Rule Type	No
CI_ACCUM_GRP_SL_PRICEITEM	PRICEITEM_PARM_GRP_ID	Pricing Rule Type	No
CI_ADJ	SUBSCR_CHRG_ID	Pricing Rule Type	No
CI_BANK	BUS_OBJ_CD	Runout Administration Fees	Yes
CI_BILL_CHG	SUBSCR_CHRG_ID	Runout End Date	No
CI_CONSTRUCT_LOG	BO_STATUS_REASON_CD	Sequence	No
	LOG_ENTRY_TYPE_FLG	Sequence	Yes
	SEQNO	Sequence	Yes
CI_CONSTRUCT_LOG_PARM	SEQNO	Sequence	Yes
CI_FILE_REQUEST	FILE_BUSINESS_DT	Sequence	No
	FILE_FOOTER	Start Date	Yes
	FILE_HEADER	Status Reason	Yes
CI_FILE_REQUEST_TRANSFORML_DTL	REQUIRED_SW	Subscription Charge ID	No

Table	Column	Description	Required (Yes or No)
CI_FILE_REQUEST_TYPE	DISP_PROF_CD	Subscription Charge ID	No
CI_FILE_REQUEST_TYPE_SERVICE	POST_ALG_CD	Subscription Charge Type	No
CI_POLICY	RUNOUT_ADM_OPT_FLG	Subscription Service	No
	RUNOUT_END_DT	Subscription Service	No
CI_PRCE_CALC	SEQ_NO	Transaction Field	No
	TXN_DETAIL_ID	Transaction ID	No
CI_PRICEASGN	PRICING_RULE_TYPE_CD	Transaction ID	No
CI_TXN_CALC_ACCUM_GRP	ACCUM_AFTER_DT	Version	No
CI_TXN_DISAGG_REQ	PARENT_ACCUM_GRP_ID	Version	No
CI_TXN_DTL_PRITM	EXCLUDE_DISAGG	Version	No
	PRICING_RULE_ID	Version	No
CI_TXN_DTL_PRITM_STG	PRICING_RULE_ID	Version	No
CI_TXN_REC_TYPE	PRICING_RULE_TYPE_CD	Version Number	No

A.1.3 Dropped Tables

None

A.1.4 Dropped Columns

The following columns were removed from the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Table	Column	Description
CI_ACCUM_GRP_SL_PRICEITEM	HCC_CD	HCC Code
CI_FILE_REQUEST	NUM_ERROR_REC	Number error record
	NUM_PENDING_REC	Number pending record
	NUM_PROCESSED_REC	Number processed record
	NUM_RETRY_REC	Number retry record
	NUM_SKIPPED_REC	Number skipped record
	NUM_SKIP_DUPLICATE	Number Skip Duplicate
CI_TXN_DTL_PRITM	SUMM_HASHCODE	Priceltem Summary Hashcode

A.1.5 Added Views

None

A.1.6 Column Format Change

The format of the following columns is changed in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Table	Column	From	To
CI_CONSTRUCT_LOG	CHAR_VAL	CHAR(1)	CHAR(16)
	USER_ID	VARCHAR2(8)	CHAR(8)
CI_CONSTRUCT_LOG_PARM	MESSAGE_PARM	VARCHAR2(2000)	VARCHAR2(30)
CI_SQ_RULE	SQ_PARAM_01	CHAR(12)	VARCHAR2(254)
	SQ_PARAM_02	CHAR(12)	VARCHAR2(254)
	SQ_PARAM_03	CHAR(12)	VARCHAR2(254)
	SQ_PARAM_04	CHAR(12)	VARCHAR2(254)
	SQ_PARAM_05	CHAR(12)	VARCHAR2(254)
	SQ_PARAM_06	CHAR(12)	VARCHAR2(254)
	SQ_PARAM_07	CHAR(12)	VARCHAR2(254)
	SQ_PARAM_08	CHAR(12)	VARCHAR2(254)
	SQ_PARAM_09	CHAR(12)	VARCHAR2(254)
	SQ_PARAM_10	CHAR(12)	VARCHAR2(254)

A.2 New System Data

The system data is used to configure various features in Oracle Revenue Management and Billing. This section lists the system data that is newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database.

A.2.1 Algorithm Types

The following algorithm types are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Algorithm Type	Description
C1-ACCEXPENT	Account Subscription Expired enter status algorithm type
C1-ACCRSMENT	Account Subscription Resume enter status algorithm type
C1-ACCSBACTM	Account Subscription Active Monitor Status Algorithm Type
C1-ACCSUBENT	Account Subscription Submit enter status algorithm type
C1-ACCSUBVAL	Account Subscription Validate/Suspend Monitor Status Algorithm Type
C1-ACCSUENT	Account Subscription Suspension enter status algorithm type
C1-ACCTRMENT	Account Subscription Termination enter status algorithm type
C1-ACCTSBSIN	Account Subscription Information
C1-ACCTSVAL	Account Subscription BO Validation Algorithm Type
C1-ACCTSSBCH	Account Subscription Billable Charge Creation Algorithm Type
C1-APPALGPRO	Approval Workflow Product Approval Algorithm
C1-APPCLMPST	Approval Algorithm for Claims Pricing Rules
C1-APPTXNPRO	Approval Transaction Product and Version
C1-APPTXNSB	Approval Transaction Status Based
C1-ASLACPREP	ASL Accumulation Pre-Processing Algorithm
C1-ASLRTCALC	ASL Amounts Rate Calculation Algorithm Type
C1-ASLVAL	Aggregate Stop Loss Validation
C1-ASOCINPRC	ASO Customer Inbound Message - Processing
C1-ASOCINVAL	ASO Customer Inbound Message - Validation
C1-ASOCITPEP	ASO Customer Inbound Message Type- Pre-Processing
C1-ASOPCKTD	Verify TO DO notification when Policy status changes
C1-ASOPOLMOA	Verify TO DO notification for policy
C1-ASOPOLPOS	ASO Policy BO Post Processing
C1-ASOPOLREN	Stamp ASO Policy Renewal Date
C1-ASOPOLVAL	ASO Policy Business Object - Validation
C1-BLSRTDERV	Bill Group Sort Upload Request - Derivation
C1-BLSRTPROC	Bill Group Sort Upload Request - Create Bill Group Sort Records
C1-BLSRTUPLD	Bill Group Sort Upload Request - Insert Data Records

Algorithm Type	Description
C1-BLSRTVALD	Bill Group Sort Upload Request - Validation
C1-BLVLDERIV	Bill Group Derivation and Pricing Parameters Upload Request - Derivation
C1-BLVLVALID	Bill Group Derivation and Pricing Parameters Upload Request - Validation
C1-BLVLVLPRO	Bill Group Derivation and Pricing Parameters Upload Request - Create Records
C1-BLVUPLDTL	Bill Group Derivation and Pricing Parameters Upload Request - Insert Data Records
C1-CLAIMCALC	Claim Calculation Algorithm
C1-CLAIMVAL	Pricing Rule Claim - Validation
C1-DATRETPRO	Product Data Retrieval
C1-DRRTMPLPR	Deferred Revenue Recognition Template - Pre-Processing
C1-EXTCLMVA	Extendable Lookup Claim Template Validation
C1-FAWSU	File Request Approval Workflow Status Update
C1-FRPOSTPRC	File Upload Service Post-processing algorithm type
C1-PRCRETPOS	Retention Claim Based - Post Processing
C1-PRCRRLTY	Pricing Rule Type Validation Algorithm
C1-PROD-RETR	Generate Customer Contact When Product Bo Is Retired
C1-PROD-TDCC	Generate To Do & Customer Contact
C1-PRODENRMO	Product Enrollment monitor
C1-PRRTPREP	Pricing Rule Type - Pre-Processing
C1-PVER-PAPP	Product Version Pending Approval
C1-RETCLMVAL	Retention Claim Based - Validation
C1-RETENRPOS	Retention Enrollment Based - Pricing Information Creation
C1-RETENRVAL	Retention Enrollment Based - Validation
C1-RETFLAT	Retention Type Claim Based Flat Processing
C1-SSLACPOSP	SSL Accumulation Post Processing
C1-SSLRTCALC	SSL Amounts Rate Calculation Algorithm Type
C1-SSLVAL	Specific Stop Loss Validation
C1-SUBSRRENW	Renew Subscription
C1-SUBSRRESM	Resume Subscription
C1-SUBSRSUSP	Suspend Subscription
C1-SUBSRTERM	Terminate Subscription

Algorithm Type	Description
C1-SUBSTPVAL	Subscription Type Validation
C1-SUBSUPEXT	Account Subscription Suspend Exit Status Algorithm
C1-TRAN-PROD	Transition Product Enrollment on Start Date and End Date
C1_ACCPRIDRV	Account and Priceitem Derivation
C1_ACCPRISL	Account and Priceitem Derivation For Stop Loss
C1_BAFTDRV	Bill After Date Derivation
C1_SUBTP_INF	Subscription type Information
C1_TXNBDGRV	Bill Group Derivation
RC	Retention Type Claim Based - Percentage
SB	Bill Segments' Calculation Lines Summation
SQ	Billable Charges' Service Quantity Summation

A.2.2 Algorithms

The following algorithms are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Algorithm	Description
C1-ACCEXPENT	Account Subscription Expired enter status algorithm
C1-ACCRSMENT	Account Subscription Resume enter status algorithm type
C1-ACCSBACTM	Account Subscription Active Monitor Status Algorithm
C1-ACCSUBBCH	Account Subscription Billable Charge Creation Algorithm
C1-ACCSUBENT	Account Subscription Submit enter status algorithm
C1-ACCSUBVAL	Account Subscription Validate/Suspend Monitor Status Algorithm
C1-ACCSUSENT	Account Subscription Suspension enter status algorithm
C1-ACCTRMENT	Account Subscription Terminate Enter Status Algorithm
C1-ACCTSBSIN	Account Subscription Info Algorithm
C1-ACCTSINVAL	Account Subscription BO Validation
C1-APPALGPRO	Approval Workflow Product Approval Algorithm
C1-APPCLMPST	Approval Algorithm for Claims Pricing Rules
C1-APPTXNAS	Approval Algorithm for Account Subscription
C1-APPTXNP	Approval Transaction Product Enrollment
C1-APPTXNPRO	Approval Transaction for Product and Version

Algorithm	Description
C1-APPTXNPV	Product Version Audit Status Based
C1-APTXNPROE	Approval Transaction Audit For Product Edit
C1-ASLACPREP	ASL Accumulation Pre-Processing Algorithm
C1-ASLRTCALC	ASL Amounts Rate Calculation Algorithm
C1-ASLVAL	Aggregate Stop Loss Validation
C1-ASOBOPOSP	ASO Policy BO Post Processing
C1-ASOCINPRC	ASO Customer Inbound Message - Processing
C1-ASOCINVAL	ASO Customer Inbound Message - Validation
C1-ASOCITPEP	ASO Customer Inbound Message Type- Pre-Processing
C1-ASOPCKTD	Verify TO DO notification when Policy exit the current state.
C1-ASOPOLMOA	Verify TO DO notification for policy
C1-ASOPOLREN	ASO Policy Renewal Date Stamp
C1-ASOPOLVAL	ASO Policy Business Object - Validation
C1-BANK	Determine BO for bank
C1-BLSRTDERV	Bill Group Sort Upload - Derivation
C1-BLSRTPROC	Process Bill Group Sort Upload Request
C1-BLSRTUPLD	Bill Group Sort Upload Request - Insert Data Records
C1-BLSRTVALID	Bill Group Sort Upload Request - Validation
C1-BLVLDERIV	Bill Level Upload - Derivation
C1-BLVLVALID	Bill Level Upload Request - Validation
C1-BLVLVLPRO	Process Bill Level Upload Request
C1-BLVUPLDTL	Bill Level Upload Request - Insert Data Records
C1-CLAIMCALC	Claim Calculation Algorithm
C1-CLAIMVAL	Pricing Rule Claim - Validation
C1-DATRETPRO	Product Data Retrieval
C1-DRRTMPLPR	Deferred Revenue Recognition Template - Pre-Processing
C1-EXTCLMVA	Extendable Lookup Claim Template Validation
C1-FRAWSU	File Request Approval Workflow Status Update
C1-PRCRETPOS	Retention Claim Based - Pricing Information Creation
C1-PRCRRLTY	Pricing Rule Type Validation Algorithm
C1-PROD-ENRL	Transition Product - Enrolled

Algorithm	Description
C1-PROD-UENR	Transition Product - Unenrolled
C1-PROD-VALI	Transition Product - Validate
C1-PRRTPREP	Pricing Rule Type - Pre-Processing
C1-PVER-PAPP	Product Version Pending Approval
C1-RETCLMVAL	Retention Claim Based - Pricing Information Validation
C1-RETENRPOS	Retention Enrollment Based - Post Processing
C1-RETENRVAL	Retention Enrollment Based - Pricing Information Validation
C1-RETFLAT	Retention Type Claim Based Flat Processing
C1-RPADTRBO	Determine Report Audit BO
C1-RPTDTRBO	Determine Report Details BO
C1-SAMPLEALG	Sample file upload service post processing algorithm
C1-SSLACPOSP	SSL Accumulation Post Processing
C1-SSLRTCALC	SSL Amounts Rate Calculation Algorithm
C1-SSLVAL	Pricing Rule SSL- Validation
C1-SUBSRRENW	Renew Subscription
C1-SUBSRRESM	Resume Subscription
C1-SUBSRUSP	Suspend Subscription
C1-SUBSRTERM	Terminate Subscription
C1-SUBSTPALG	Subscription Type Validation
C1-SUBSUPEXT	Account Subscription Suspend Exit Status Algorithm
C1-TESTPOST	Automatic Contract Creation
C1-TRAN-ACTV	Transition Product - Active
C1-TRAN-ENR	Transition Product - Enrolled
C1-TRAN-RETR	Transition Product - Retired
C1_ACCPRIDRV	Account and Priceitem Derivation
C1_ACCPRISL	Account and Priceitem Derivation For Stop Loss
C1_BAFTDRV	Bill After Date Determination
C1_PRCBO	Pricing Rule Claim Determine BO
C1_SUBTP_INF	Subscription type Information
C1_TXNBDGRV	Derive Bill group

A.2.3 Business Services

The following business services are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Business Service	Description
C1-ACTSBSACVAL	Account Subscription Account Id Validation
C1-ACTSBSTYPEF	Fetch Account Subscription Type
C1-AccountSubChargesRetriwal	List of Service charges for the specific Account subscription
C1-AccountSubServiceEndDateRet	Retrieve Subscription Service End Date
C1-AccountSubServicesRetriwal	List of Services for the specific Account subscription type
C1-AccountSubscriptionTypeRetr	Retrieve subscription Type
C1-AcctSubSuspendService	Account Subscription Suspend Service
C1-AcctSubTerminationService	Account Subscription Termination Service
C1-AcctSubsButton	Retrieve Account Subscription Button
C1-AcctSubscriptionChargeRtrva	Retrieve subscription Charge
C1-AddConstructUserLog	Construct - Add User Log
C1-AddSubServAndCharges	Add Subscription Service and Charges from Zone
C1-AppTxnCreateProductEntity	Create Product Entity
C1-AppTxnGridPricingDisplay	Two Dimensional Pricing Display
C1-AppTxnGridPricingInput	Two Dimensional Pricing Input
C1-BankAccountService	Bank Account Details Retrieve
C1-BilSrtMaintServ	Call Bill Sort Page Service
C1-BillLevelAddEditAction	Add/Edit bill level details
C1-BillingGroupList	Billing Group List
C1-CHKTXNAPP	Check transaction for approval
C1-CheckPersonType	Retrieve Person Type of Parent Customer
C1-ChkPrcRuleUsedForPricing	Check weather pricing rule is use for Pricing
C1>EditSubServAndCharges	Edit Subscription Service and Charges from Zone
C1-ExternalChargeUpload	Service for uploading external charges
C1-FileHeaderFooterDtlService	File Header Footer Details service
C1-GetAcctSubscriptionService	List of Account Subscription Services
C1-GetAccumulationRecordCount	Get Accumulation Record Count

Business Service	Description
C1-GetBillingAccounts	Get Billing Accounts Service
C1-GetBusObjDescrForMaintObj	Get Business Object Descr For MO
C1-GetClaimLineRuleTypes	Get Claim Line Item Rule Types
C1-GetLookupDescription	Get Description for Lookup Value
C1-GetParentAccumGrpId	Get Parent Accumulation Group Id
C1-GetParentCustomerDates	Get Parent Customer Pricing Rule Dates
C1-GetPerPrcListMaxSeq	Get Person Price List Max Sequence Number
C1-GetPerType	Retrieve Person Type for Person
C1-GetPersonPricingGroups	Get Person Pricing Groups
C1-GetPersonPrimaryName	Retrieves the primary name of a person.
C1-GetPolicyStatus	Retrieve ASO Policy Status
C1-GetPolicyStatusDescripton	Get ASO Policy Status description
C1-GetPrGrpRulesByPriority	Get Pricing Group Pricing Rules by Priority
C1-GetPrcListAssgnFromPrcList	Get Pricelist Assignment Id From Price List
C1-GetPrcRuleGivenPrcGroup	Get Pricing Rule given the Pricing Group ID
C1-GetPrcRuleLineItems	Get Pricing Rule Line Items
C1-GetPrcRuleTypeProd	Get Pricing Rule Type- Price Items
C1-GetPrcRuleTypeRateOpt	Get Pricing Rule Type Rate Options
C1-GetPricingGroupRuleDescr	Get Pricing Group Rule Description
C1-GetPricingRuleTypes	Get All the pricing rule types
C1-GetProdDescrGivenPricingGrp	Get all Products' description given a Pricing Group
C1-GetSettlementDays	Retrieves the values of the Settlement Days Lookup
C1-GetSubscriptionType	Fetch Subscription Type
C1-GetTemplatePricingRule	Get Template Pricing Rule
C1-GetTerminationDetailService	Fetch Termination Date and reason
C1-GetValidSLProducts	Get Eligible Product for Stop Loss
C1-GridPricingDisplay	Two Dimensional Pricing Display
C1-GridPricingInput	Two Dimensional Pricing Input
C1-InvoiceConstructSvc	Invoice Construct Business Service
C1-PriceCalcSimulationService	Price Calculation Simulation Service

Business Service	Description
C1-PricingRqTyLi	Retrieve Pricing Rule Types
C1-PricingRuleDeleteService	Delete Pricing Rule Components Business Service
C1-PricingRuleTypeSearch	Pricing Rule Type Search
C1-RPTGEN	Report Generation Service
C1-RetrieveActiveandPendingDiv	Active and Pending list of Divisions
C1-RetrieveSubscriptionTypes	Fetch Active Subscription Types
C1-RetrivePerTyp	Retrieve Person Type for Account
C1-RetrivePolicy	Retrieve Policy for Parent/ Bill Group
C1-RevenueRecogAddService	Revenue Recognition Add Service
C1-SchNmeSearch	Business Service: For Program/Chain Search
C1-SchParmSearch	Business Service: For Parameter Search
C1-SettConstructSvc	Settlement Construct Business Service
C1>ShowSubscriptionServiceChrg	Subscription Service Charges
C1-SubServAndChargesDelete	Delete Subscription Service and Charges from Zone
C1-SubscrIdentifyChanges	Identify changes in Approval for Subscription
C1-TxnDetailsService	Transaction details business service
C1_ReportCodeSearch	Letter Template Search

A.2.4 Portals

The following portals are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Portal	Description
C1ACTSBS	Account Subscription
C1ASBSLOG	Account Subscription Log
C1ASBSVW	Account Subscription
C1BANK	Bank
C1BANKVW	Bank
C1CONSTLOG	Construct Log
C1H360PITB	Pricing Information
C1PROAPP	Approval Transaction Product

Portal	Description
C1PRTYP	Pricing Rule Type
C1RPTAUD	Report Generation
C1RPTDEF	Report Definition
C1SUBSTP	Subscription Type
C1SUBTVW	Subscription Type

A.2.5 Batch Controls

The following batch controls are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Batch Control	Description
C1-ASUBM	Account Subscription Monitor Batch
C1-FTCON	This Batch stamps Construct ID and Ver. No.
C1-GLDL	GL Download Extract
C1-GLS	GL Download Staging
C1-PRTRN	Product BO Monitor
C1-RRDIV	Revenue Recognition Division Upgrade Batch
C1-STAAD	Stamp Accumulate After Date Batch
C1_UPGRD	DRR Template Division-Upgradation Batch

A.2.6 Foreign Key References

The following foreign key references are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Foreign Key Reference	Description
BLVL_SCH	Parameter 1
C1-ASBS	Account Subscription FK
C1-BCHIN	Billable Charge Info
C1-BLGP	Billing Group
C1-INVTY	Invoice Account Type
C1-LHSPA	LHS Parameter
C1-PRCGR	Pricing Group
C1-PRMV	Parameter Value

Foreign Key Reference	Description
C1-PRTYP	Pricing Rule Type
C1-SUBTP	Subscription Type
C1-SUBTY	Subscription Type
C1-TIER	Tiering Criteria
C1PR-BO	Lookup Field
PERWOC	Person

A.2.7 Scripts

The following scripts are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Script	Description
C1-ACTSBSADD	Account Subscription Add
C1-APPCLMPST	Approval Algorithm for Claims Pricing Rules
C1-ASLAdd	Pricing Rule ASL - Add Pricing Rule
C1-ASLEdit	Pricing Rule ASL - Edit Pricing Rule
C1-ASLPopDt	Populate ASL Pricing Rule Dates
C1-ASLPost	Pricing Rule - ASL - Post-processing
C1-ASLPre	Pricing Rule - ASL - Pre-processing
C1-ASLReset	Is Excluded UI Map refresher for ASL
C1-ASOPLRENW	ASO Policy - Show/Hide Buttons
C1-AcctSubTn	This Service script is used to validate price parameter while approval during edit
C1-ActSbMain	Account Subscription Maintenance
C1-ActSubSer	Account Subscription Service Add
C1-AddConLog	Construct - Add User Log Entry
C1-ApTxPrcTD	Rejection for Maker Checker for Pricing
C1-BILSrtAct	Billing Group Sort Add/Edit Action
C1-BKEnrlPro	Enrolled Product price items
C1-BOProcPS	Business Object Processing Product Service
C1-BankAccCh	Bank Account and Characteristics page Actions
C1-BankMaint	Bank

Script	Description
C1-BankShwZn	Zone Visibility - Should Display Zone in Portal
C1-BilAcShow	Check if all Linked Accounts or only Billing account to show
C1-BILvlActn	Bill Level - Add/Edit Actions
C1-BnkAccVw	Bank Account
C1-ClaimAdd	Pricing Rule Claims - Add Pricing Rule
C1-ClaimEdit	Pricing Rule Claims - Edit Pricing Rule
C1-ClaimPos	Pricing Rule - Claims - Post-processing
C1-ClaimPre	Pricing Rule - Claims - Pre-processing
C1-ClmPGRule	Get Pricing Group Rules for Retention Type Claim Based
C1-DRRADD	Deferred Revenue Recognition Schedule Maint
C1-FileHdrFt	File Header Footer detail invoke BS
C1-GetClmItm	Get Claim Line Items and Mark up/Down default values.
C1-GetPrcRtO	Get Pricing Rule Type Rate Options
C1-GetProdPG	Gets all the Products linked to a Pricing Group
C1-GrdPrcEdt	Grid Pricing Edit BPA Script
C1-HCInNavSc	Customer 360- Set context and navigate to portal
C1-MainProPS	Main BO Maintenance Processing
C1-PoStatMis	Pricing Rule add validations
C1-PolMnPrc	Auto Pay Rule - Maintenance Processing
C1-PolcyDate	Policy Date Transition
C1-PrcGrpAdd	Pricing Group - Rules - Bill Levels - Add / Edit
C1-PrcGrpCpy	Pricing Group - Copy
C1-PrcGrpDel	Pricing Group - Rules - Bill Levels - Delete
C1-PrcGrpMnt	Pricing Group - Rules - Bill Levels Maintenance
C1-PrcGrpPre	Pricing Group - Rules - Bill Levels - Pre-processing
C1-PrcRITyM	Pricing Rule Type - Maintain
C1-PrcRqTyLi	Pricing Rule - Fetch Active Pricing Rules
C1-PrcRuTyLi	Pricing Rule - Fetch Active Pricing Rules
C1-PrcRulAdd	Pricing Rule - ADD
C1-PrcRulDel	Pricing Rule - Delete

Script	Description
C1-PrcRulHdr	Populate Pricing Rule Common Header Fields
C1-PrcRulTyV	Pricing Rule - Validate Pricing Rule Type
C1-PrcRule	Pricing Rule - maintenance
C1-PrdVrShwZ	Zone Visibility - Display Zone in Portal
C1-ProdVrErr	Display error if effective date is missing
C1-RASLFLD	Reset fields from Claim
C1-RPTDEF	Report Definition
C1-RPTGEN	Report Generation
C1-RSLFLD	Default Stop Loss values for Claims
C1-RetClmPre	Pricing Rule Retention Claims - Pre-processing
C1-RetEnPre	Pricing Rule Retention Enrollment - Pre-processing
C1-SCHMOVETB	Populate Batch Parameters
C1-SLBILLACT	Check SSL and ASL Billing Accounts
C1-SLPopDate	Populate SSL Pricing Rule Dates
C1-SSLAdd	Pricing Rule SSL- Add Pricing Rule
C1-SSLEdit	Pricing Rule SSL- Edit Pricing Rule
C1-SSLPost	Pricing Rule - SSL - Post-processing
C1-SSLPre	Pricing Rule - SSL - Pre-processing
C1-SSLReset	Is Excluded UI Map refresher for SSL
C1-STASVLDEF	Default ASL values for Claims
C1-STASVLDPG	Default ASL values for Claims with Pricing Group
C1-STLSVLDEF	Default SSL values for Claims
C1-STLSVLDPG	Default SSL values for Claims with Pricing Group
C1-STPLOSUPD	Stop Loss Dynamic Updater
C1-SUBTYPEVA	Account Subscription - Validate if Subscription Type is empty
C1-SbTpMaint	Subscription Type
C1-SbTypeSrc	Validation Script for Subscription Type Search
C1-SelPrcReq	Pricing Request - Select Pricing Request Type
C1-SelPrcRul	Select Pricing Rule Type
C1-SelSubsTy	Account Subscription- Select Subscription Type

Script	Description
C1-ShdShwGrd	Zone Visibility - Display Grid Zone in Portal
C1-ShdShwRC	Zone Visibility - Display Rate Component in Portal
C1-ShwBGBIH	Zone Visibility - Display Billing Group billing hierarchy customer 360
C1-ShwPGBIH	Zone Visibility - Display Parent Customer billing hierarchy customer 360
C1-ShwZnPgBg	Zone Visibility - Display Zone in Customer 360 Portal
C1-ShwZnPolc	Zone Visibility - Hide Zone in Customer 360 Portal
C1-SubAddEr	Account Subscription Add error
C1-SubSerDlt	Account Subscription Service - Delete Actions
C1-SubSerEdt	Account Subscription Service - Edit Actions
C1-SubTpInfo	Generate Subscription Type Information String
C1-SubsTypLi	Account Subscription - Fetch Active Subscription Types
C1-UPDASLACT	Update ASL Billing Account
C1-VALACCTS	Zone User Filter - Validation for Account Subscription
C1-sbsCharge	Zone Visibility - Display Zone in Portal
C1_AppTxnPS	Modify Product Service
C1_F_VAL_FLR	Service script for validating Financial history inputs
C1_GET_MPPEN	Get Multi Pricing parameter value from Feature Config
C1_ProdMainS	Product State Transition
C1_SUB_IMG	Return button with label
C1_SrvcAdd	Product Service
CM_TestVerM	Product Version Maintenance1

A.2.8 New Zones In Existing Portals

The following new zones in existing portals are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Portal	Zone	Description
C1BK360ACT	C1PROENRLACC	Enrolled Products
C1BK360PRO	C1-ENRLPRITM	Associated Price Items
	C1-PSTREE	Product
C1BKSINF	C1-DETACC	Linked Accounts

Portal	Zone	Description
	C1ENRLACCT	Product Enrollment Information
	C1PROENRL	Enrolled Products
C1FILERQ	C1-FILEFTRDT	File Footer Detail
	C1-FILEHDRDT	File Header Detail
C1HC360ACT	C1-BGRP360	Bill Group Accounts
C1HCSINF	C1-BLLGRPSRT	Bill Group Sorting
	C1-BLLVL	Bill Group Derivation and Pricing Parameters
	C1-HCBILHRCH	Person Billing Hierarchy
C1PI	C1-PIPARMVAL	Parameter Values
	C1-PRITMPARM	Parameters
C1PL	C1_PRODPL_MP	Price List Price Items
C1SRCHRL	C1-PRCBROAD	Pricing Rule Search
C1TXRTFM	C1-PRCBROAD	Pricing Rule Search
C1VIEPRI	C1-GRIDPRICE	Two-Dimensional Pricing
C1_PLAE	C1_PROTOCPY	Search Price Item or Price Item Pricing
C1_PMPRC	C1_PROTOCPY	Search Price Item or Price Item Pricing
C1_PRCPM	C1_PROTOCPY	Search Price Item or Price Item Pricing

A.2.9 Zones

The following zones are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Zone	Description
C1-ACCTSBSER	Subscription Services
C1-ACCTSBSUP	Account Subscription Suspension History
C1-ACCTSBSVW	Account Subscription
C1-ACCTSBRM	Account Subscription Termination Charges
C1-ACTPENDIV	Active and Pending division List drop-down.
C1-ACTSBSLOG	Account Subscription Log
C1-ACTSBSRCH	Search Account Subscription
C1-ACTSUBCHG	Retrieve Subscription charge

Zone	Description
C1-ACUSPER	Linked Accounts
C1-ASBSASR	SA Search for Account Subscription
C1-ASBSRCASB	Account Subscription Details
C1-ASBSRCHA	Account Details
C1-ASBSTSR	Account Subscription Type Search
C1-ASSUBTYPE	Retrieve Subscription Type
C1-ASUBCHGBS	Retrieve Account Subscription Charges
C1-ASUBSERBS	Retrieve Account Subscription Services
C1-BANKSRCH	Search Bank
C1-BANKVW	Bank
C1-BCHGLTSRC	Billable Charge Line Type Search
C1-BGLST	Fetch Bill Group details
C1-BGPOL	Bill Group Policy Information
C1-BGPOLRL	Bill Group Policy Pricing Rules
C1-BGPRCRULE	Bill Group Policy Pricing Rule Summary
C1-BGRP360	Bill Group Accounts
C1-BGSRT	Sort Search
C1-BILLACC	Billing Accounts
C1-BILLGPRCG	Bill Group Pricing Groups
C1-BKACTCHVW	Bank Account Characteristics
C1-BLLGRPSRT	Bill Group Sorting
C1-BLLVL	Bill Group Derivation and Pricing Parameters
C1-BLVL1SRCH	Parameter 1 List for Bill Group
C1-BNKACCTUI	Bank Account
C1-BNKACCTVW	Bank Accounts
C1-CHKTXNAPP	Check transaction for approval
C1-CLMLNRU	Get Claim Line Rule Types
C1-CONSTLOG	Construct Log
C1-DETACC	Linked Accounts
C1-DISPPRSRC	Display Profile Search

Zone	Description
C1-ENRLPRITM	Associated Price Items
C1-FILEFTRDT	File Footer Detail
C1-FILEHDRDT	File Header Detail
C1-FTCHPERTY	Fetch Person Type for Account
C1-FTCHPOLY	Fetch Policy ID
C1-FTDTLSRCH	Financial Transaction Details
C1-GETACTSRV	Get Account Subscription Service
C1-GETBILACT	Get Billing Account List
C1-GETBODESC	Get Business Object Descr. For MO
C1-GETPCDATE	Get Parent Customer SSL Dates
C1-GETPERTP	Retrieve Person Type of Parent Customer
C1-GETPERTYP	Fetch Person Type for Person
C1-GETPLID	Get Pricelist Assignment Id from Pricelist
C1-GETPOLSTA	Get policy status description
C1-GETPPTYPE	Get Price Parameter Type Flag Value
C1-GETPRACMI	Get Parent Accumulation Group Id
C1-GETPRCLTM	Get Pricing Rule Template
C1-GETPRCRUL	Get Pricing Rule given the Pricing Group ID
C1-GETPRDPG	Get all Product description given a Pricing Group
C1-GETPRGRDS	Get Pricing Group Rule Description
C1-GETSUBTYP	Get Subscription Type Code
C1-GETTRMN	Get Subscription Termination details
C1-GRIDPRICE	Two-Dimensional Pricing
C1-GTACUMCNT	Check Accumulation Id Record Count
C1-HCBILHRCH	Person Billing Hierarchy
C1-INVTPSRC	Invoice Type Search
C1-NVOPTSRH	Navigation Option Search
C1-PARMPRCRL	Parameter Search
C1-PARMSCHSL	Price Item Parameter Search
C1-PERNAME	Retrieves the primary name of a person

Zone	Description
C1-PERPRCGRP	Get Person Pricing Groups
C1-PGPRCRULE	Parent Person Pricing Rule Summary
C1-PIPARMVAL	Parameter Values
C1-POLDATES	Retrieve policy start and end date
C1-POLICYSTA	Get Policy Status
C1-PPARMSRCH	Price Item Parameter Search
C1-PPLMAXSQ	Get Person Price List Max Seq.
C1-PPRMSRCH	Price Item Parameter Search
C1-PRCBROAD	Pricing Rule Search
C1-PRCLINITM	Get Pricing Rule Line Items using Rule type category
C1-PRCRULETP	Active Pricing Rule Types
C1-PRCRULETY	Get the list of all the pricing rule types
C1-PRCRULUSD	Check Pricing Rule is used for Pricing
C1-PREVALSCH	Predefined Parameter Value Search
C1-PRGPPRL	Get Pricing Group Pricing Rules by Priority
C1-PRITMPARM	Parameters
C1-PRLSEARCH	Pricing Rule Type Search
C1-PRLTYPARM	Pricing Rule Type Parameter Search
C1-PRMVALSRC	Predefined Parameter Value Search
C1-PRPCRULE	Parent Customer Pricing Rules
C1-PRTCAT	Pricing Rule Type Category Search
C1-PRTYPDSP	Pricing Rule Type
C1-PRTYPLST	Pricing Rule Type List
C1-PRTYPROD	Get Pricing Rule Type Products
C1-PRTYRATEO	Get Pricing Rule Type Rate Options
C1-RETCURASB	Retrieve Currency of Account from Account Subscription
C1-RETCURR	Retrieve Account Currency
C1-RETSUBTYP	Active Hold Request Types
C1-RPTAUD	Report Generation
C1-RPTDEF	Report Definition Search Zone

Zone	Description
C1-SBRELCHRG	Subscription Service Charge Entities
C1-SBSCRTYPE	SUBSCR_TYPE_CD
C1-SBSTSRV	Subscription Service
C1-SDAYSLOOK	Settlement Days Lookup Retriever
C1-SERPARM	Search Batch Parameter
C1-SERPGMCHN	Program / Chain
C1-SQIPARAM	Parameter Search
C1-SUBALGSQ1	Algorithm Details
C1-SUBALGSRCC	Algorithm Search
C1-SUBSERCHG	Subscription Service Charges
C1-SUBSRVEND	Retrieve Subscription Service End Date
C1-SUBTPSRCH	Search Subscription Type
C1-SUBTVW	Subscription Type
C1-SUBTYPCHG	Subscription Type Service Charge
C1-TIERCRSCH	Tiering Criterion Search
C1-TXNDETAIL	Transaction Field Search
C1ENRLACCT	Product Enrollment Information
C1_FTSRCH	Financial Transaction Search
C1_GTVALPROD	Price Item Search
C1_PROTOCPY	Search Price Item or Price Item Pricing
C1_RPTCDSRH	Search Letter Template

A.2.10 UI Maps

The following UI maps are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

UI Map	Description
C1-ACCtSubBOJScriptFrag	Account Subscription -Show/Hide BO Status Action
C1-ASOPolicyBOJScriptFrag	ASO Policy Javascript Fragment
C1-AcctSubSuspensionTransition	Account Subscription Suspension
C1-AcctSubTerminatnTransition	Account Subscription Service Termination

UI Map	Description
C1-AcctSubscrSuspMainFrag	Account Subscription Suspension Maint Frag- input UI
C1-AcctSubscrptnCharDispFrag	Account Subscription Characteristics Display
C1-AcctSubscrptnCharMainFrag	Account Subscription Characteristics Input
C1-AcctSubscrptnDispFrag	Account Subscription Main Display
C1-AcctSubscrptnMainDispFrag	Account Subscription Main Display
C1-AcctSubscrptnMainFrag	Account Subscription Main Input
C1-AcctSubscrptnServicMainFrag	Account Subscription Service Maint Frag- input UI
C1-AddAcctSubServAndChrgs	Account Subscription Services and Charges
C1-AddConstructUserLog	Construct - Add User Log Entry
C1-AppTxnGridDisplayMap	Two-Dimensional Pricing Display
C1-AppTxnGridInputMap	Edit Two-Dimensional Pricing
C1-AppTxnPricRuleClaimDisplay	Display UI Map for Pricing Rule Claim
C1-AppTxnPricRuleRetClaimDisp	Display UI Map for Pricing Rule Retention Claim Based
C1-AppTxnPricRuleRetEnrollDisp	Display UI Map for Pricing Rule Retention Enrollment Based
C1-AppTxnPriceAssignTDDisplay	Display UI Map for Price Item Pricing
C1-AppTxnPriceAssignTDInput	Modify/Resolve Price Item Pricing
C1-BankAccountAndChar	Bank Account
C1-BankAccountAndCharEdit	Bank Account
C1-BankAccountCharsMaintFrag	Bank Account Characteristics - Input UI
C1-BankAccountDisplayUI	Bank Account
C1-BankSearch	Bank Search
C1-BillLevelMaint	Bill Group Derivation and Pricing Parameters
C1-BillLevelSrchFltr	Bill Group Derivation Search Filter UI map
C1-BillLvlUplReqMaint	Bill Group Derivation and Pricing Parameters Upload Request
C1-BillSortEditRecords	Bill Group Sorting
C1-BillSortSrchFltr	Bill Sort Search Filter UI map
C1-BillSrtUplReqMaint	Bill Group Sorting Upload Request
C1-BILvlUploadRequestMaint	Upload Request Maintenance UI
C1-CharValueMaintBank	Characteristic Value Maintenance
C1-ClaimExtRateOptDisplay	Display Pricing Rules Rate Option

UI Map	Description
C1-ClaimExtRateOptMaint	Pricing Rule Rate Option maintenance
C1-CompareUIPATD	Comparison: New versus Existing
C1-CompareUIZonePATD	Comparison UI for Price Asgn Maker Checker
C1-ConfirmCancelAcctSubscr	Confirm Cancel
C1-ConfirmResumeAcctSub	Resume Confirmation
C1-DRRTemplDivisionDispFrag	Deferred Revenue Template Division Disp Frag- Display UI
C1-DRRTemplDivisionMaintFrag	Deferred Revenue Template Division Maint Frag- Input UI
C1-DeferredRevenueRcAdd	Deferred Revenue Recognition
C1-DeleteBankAccount	Delete XHTML Fragment
C1-DetailedDescriptionFrag	Detailed Description
C1-DrrTemplateCharsDispFrag	Deferred Revenue Recognition template Char-View UI
C1-DrrTemplateCharsMaintFrag	Deferred Revenue Recognition Template Char - Input UI
C1>EditBankAccount	Edit Action XHTML Fragment
C1>EditDeleteBankAcc	Edit, delete, actions
C1-EdtAcctSubServAndChrgs	Account Subscription Service Charges
C1-FinancialTransactionDtls	Financial Transaction Details - Query Filter UI Map
C1-GridPricingDisplayMap	Grid Pricing Display
C1-GridPricingInputMap	Two-Dimensional Pricing
C1-InvoiceTypeSearch	Invoice Type Search Filter UI Map
C1-LinkBillAcc	Linked and Billing Account Details
C1-PRLSEARCH	Pricing Rule Type Search
C1-PRODUCTBOJScriptFragNew	Java Script fragment for new product BO
C1-PRODUCTSERVICEBOJScriptFrag	Java Script fragment for product service
C1-PRODUCTVERBOJScriptFrag	Java Script fragment for product version
C1-ParmMaintFrag	Product Parameter Frag - Input UI
C1-ParmSearch	Parameter Search
C1-PolCharacteristicsDisplay	Characteristic Grid-Display
C1-PrcGrpUiMap	Pricing Group
C1-PrcRITyParameter	Display Parameters in Pricing Rule Type
C1-PrcRITyParameterInput	Pricing Rule Type Parameters Maintenance

UI Map	Description
C1-PrcRITypeAccountPriority	Pricing Rule Type Bill Account Maintenance
C1-PrcRuleTypTransRelDataDisp	Display Transaction Field Mapping
C1-PrcRuleTypeClaimPRDataDisp	Show Claim Templates in Pricing Rule Type
C1-PrcRuleTypeClaimPRDataMaint	Pricing Rule Type Claim Template
C1-PrcRuleTypePriceitemDisp	Display Price Items in Pricing Rule Type
C1-PrcRuleTypePriceitemRelated	Pricing Rule Type Price Items Maintenance
C1-PrcRuleTypeTransRelData	Transaction Field Mapping Maintenance
C1-PrcngRuleTypeCharsDispFrag	Pricing Rule Type Chars - Display Fragment
C1-PrcngRuleTypeCharsMaintFrag	Pricing Rule Type Chars - Input UI
C1-PricingRuleASLMaint	Aggregate Stop-Loss (ASL) Pricing Rule
C1-PricingRuleCharMaintFrag	Pricing Rule Characteristics - Input UI
C1-PricingRuleClaimMaint	Claim Pricing Rule
C1-PricingRuleHeaderFrag	Pricing Rule Header
C1-PricingRulePriceltmParmFrag	Pricing Rule - Price Item Parameter
C1-PricingRuleRetEnrollBased	Retention Type Enrollment Based Pricing Rule
C1-PricingRuleRetTypeClaimBase	Retention Type Claim Based Pricing Rule
C1-PricingRuleSSLMaint	Specific Stop-Loss (SSL) Pricing Rule
C1-PricingRuleSearchFilter	Search Pricing Rules Filter UI
C1-ProductCharsMaintFragApp	Product Characteristics -Input UI
C1-ProductVersionCharAppMFrg	Product Version Characteristics - Input UI
C1-ProductVersionCharAppMFrgAp	Product Version Characteristics - Input UI
C1-RelatedPrcRuleType	Related Pricing Rule Types Maintenance
C1-ReportDtlsMap	Report Definition
C1-ReportGenMap	Report Generation
C1-RetTypeParmMaintFrag	Product Parameter Frag - Input UI
C1-RetireProduct	Retire Product
C1-SelectPricingRequestType	Pricing Req-Select Pricing Rule Type
C1-SelectPricingRuleType	Pricing Rule
C1-SelectSubscriptionType	Account Subscription - Select Subscription Type
C1-SrchAcctSubscrptnByAccount	Account Subscription - Account Search

UI Map	Description
C1-SrchAcctSubscrptnBySubsDtls	Account Subscription - Account Search
C1-SubcrTypeServiceMaintFrag	Subscription Type Service Maint Frag
C1-SubsTypeCharsDispFrag	Subscription Type Characteristics - View UI
C1-SubsTypeSearch	Subscription Type Search
C1-SubscrTerminationDetails	Detailed Description
C1-SubscrTypeAlgoMaintFrag	SubscriptionType Algo Maint Frag- Input UI
C1-SubscriptionAppTxnDisplay	Account Subscription - Display UI Map
C1-SubscriptionAppTxnInput	Modify/Resolve Account Subscription
C1-SubscriptionTypeCharsMaint	Subscription Type Characteristics -Input UI
C1-SubscriptionTypeSearch	Subscription Type Search
C1-SubscriptionTypeServiceSrch	Subscription Type Service Search
C1-SuspensionHistoryFilter	Account Subscription Suspension History Filter
C1-TXNDETAIL	Transaction Detail Search Zone
C1-UnenrollProductEnrollment	Unenroll Product Enrollment Pre Transition
C1_AppTxnProductDisplay	Display UI Map for Product
C1_AppTxnProductEditDisplay	Display UI Map for Product Edit
C1_AppTxnProductEditInput	Input UI Map for Product Edit
C1_AppTxnProductEnrollDisplay	Display UI Map for Product Enrollment
C1_AppTxnProductEnrollInput	Input UI Map for Product Enrollment
C1_AppTxnProductInput	Input UI Map for Product
C1_AppTxnProductServiceDisplay	Display UI Map for Product Service
C1_AppTxnProductServiceInput	Input UI Map for Product Service
C1_AppTxnProductVersionDisplay	Display UI Map for Product Version
C1_AppTxnProductVersionInput	Input UI Map for Product Version
C1_ENROLL_BOJScriptFrag	Java Script fragment for product enroll
C1_FTSRCH	Account Financial Transaction UI Map
C1_PRICEASSIGNView_Og	Pricing for the product View
C1_PricingRulTypeAlgoMaintFrag	Pricing Rule Type Algorithms Maintenance
C1_PricingRulTypeMain	Pricing Rule Type Input Main

A.2.11 Lookups

The following lookups are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Field	Field Value	Description
ACTION_TYPE_FLG	RENW	Renew
	SUSP	Suspend
	TRMN	Termination
APPLY_MARK_UP_DOWN_FLG	NONE	None
	MRUP	Markup
	MDWN	Markdown
ASL_LMT_OPT_FLG	ANPL	Policy Based Limit
	ENRP	Percentage of Enrollment Based Limit
	ENRL	Enrollment Based Limit
	ENMI	Enrollment Based or Minimum ASL Limit (Whichever is Greater)
ASL_LMT_OPT_SETT_FLG	ENRL	Enrollment Based Limit
	ANPL	Policy Based Limit
	ENMI	Enrollment Based or Minimum ASL Limit (Whichever is Greater)
ASO_OPT_TYP_FLG	ITCH	Invoice Type Characteristic Type
	PCPR	Parent Customer Policy Person Role
	PRGR	Pricing Group Rule Parameter
	BGPR	Bill Group Policy Person Role
	RLTP	Person Relationship Type
C1_SHOW_ALL_FLG	Y	Yes
C1-SCHNAME	PGM	Program
	CHN	Chain
CLAIM_DISPOSITION_MODE_FLG	ZERO	Zero Out
	ALGN	Align Signage
DURATION_FLG	YEAR	Year(s)
	DAY	Day(s)
	MNTH	Month(s)

Field	Field Value	Description
	WEEK	Week(s)
ELIG_FOR_BILLING_FLG	USEN	User Defined (Default No)
	ELIG	Eligible
	NELG	Not Eligible
	RULB	Rule Based
	USEY	User Defined (Default Yes)
ELIG_MARK_UP_DOWN_PCT_FLG	ELIG	Eligible
	NELG	Not Eligible
GHOST_SW	Y	Pricing
	N	Pricing and Billing
LAG_MONTH_FLG	NONE	None
	1	1
MARK_UP_DOWN_ARR_FLG	FLAT	Flat Amount
	PCT	Percentage
OVR_BILL_AFTER_FLG	BAOS	Yes, Using Override Bill After Service
	BCED	Yes, Using Billable Charge End Date
	RV	No
PG_STATUS_FLG	INAC	Inactive
	ACTV	Active
RENEWAL_TYPE_FLG	MANL	Manual
	AUTO	Auto
RPT_MODE	BTCH	Batch
	ONLN	Online
PROP_OPT_TYP_FLG	PCHT	Characteristic Type
PRC_RULE_TYPE_FLG	TDIM	Two-Dimensional
PRC_RULE_TYPE_CAT	ASL	Aggregate Stop-Loss
	SSL	Specific Stop-Loss
	RTEN	Retention Type Enrollment Based
	CLMN	Claim
	RTCL	Retention Type Claim Based

Field	Field Value	Description
PRC_RLTY_ALG_ENTITY_FLG	BGDR	Bill Group Derivation
	APRI	Account and Price Item Derivation
	POPR	Pricing Rule Post Processing
	BAFT	Bill After Date Determination
	PRVL	Transaction Validation
RPT_OUTPUT_FORMAT	WEB	WEB Report
	XML	XML Report
	CSV	CSV Report
	XLS	XLS Report
	JSON	JSON Report
	PDF	PDF Report
	DOCX	DOCX Report
RPT_TYP_FLG	CUST	Custom
	LTR	Letter
	BILL	Bill
SUBSCR_STATUS_FLG	SUSP	Suspended
	CNCL	Cancelled
	VALD	Validated
	ACTV	Active
	TRMN	Terminated
	EXPR	Expired
	DRFT	Draft
SUBSCR_ADJ_TYPE	SUSP	Suspension Adjustment
	TERM	Termination Adjustment
	GENR	Generic Adjustment
RUNOUT_ADMIN_OPT_FLG	ENGO	Enrollment Based - Last 3-6 months
	ENLA	Enrollment Based - Last Active Month
	PERC	Percentage of Claim
	NROA	None
SETTLEMENT_DAYS_FLG	180	180 Days

Field	Field Value	Description
	90	90 Days
	30	30 Days
	150	150 Days
	60	60 Days
	120	120 Days
SUBSCRTYPE_ALG_ENTITY_FLG	RESU	Subscription Resume
	TRMN	Subscription Termination
	SUSP	Subscription Suspension
TYPE_FLG_CONSTRUCT	NA	NA
	INVO	Invoice
	SETT	Settlement
	INSE	Invoice and Settlement
SUSP_COND_FLG	NORF	Normal Fee
	NOFE	No Fee

A.2.12 Characteristic Types

Characteristic Type	Description
C1-APSCR	Adhoc Characteristic For ASO Policy Status
C1-TXNCA	Transaction Calculation Id
C1INV_TYP	Invoice Type

A.2.13 Feature Configurations

The following feature configurations are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Feature Configuration	Description
C1-ASOBLLNG	ASO - Administrative Services Only Configurations
C1-PRODCH	Product Characteristic

A.2.14 Option Types in Feature Configurations

The following options have been added in feature configurations in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Feature Configuration	Description
C1-ASOBLNG	BGPR
C1-ASOBLNG	ITCH
C1-ASOBLNG	PCPR
C1-ASOBLNG	PRGR
C1-ASOBLNG	RLTP
C1-PRODCH	PCHT
SYSDT	F1SD

A.2.15 Zone Types

The following zone types are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

None.

A.2.16 Business Objects

The following business objects are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Business Object	Description
C1-ASOCustomerInboundMessage	ASO Customer Inbound Message
C1-ASOCustomerInboundMsgType	ASO Customer Inbound Message Type
C1-ASOPolicy	ASO Policy
C1-BillGrpSortUploadRequest	Bill Group Sorting Upload Request
C1-BillLevel	Bill Group Derivation
C1-BillLevelUploadRequest	Bill Group Derivation and Pricing Parameters Upload Request
C1-BillingGroupSortId	Billing Group Sort ID
C1-EntityReport	Entity Report BO
C1-ExtLookClaimTemplate	Claim Template
C1-ExtLookPricingRuleLineItem	Line Item
C1-ExtLookRetTypeRateOpt	Rate Option

Business Object	Description
C1-PrcRuleTypRetClaimBase	Retention Type Claim Based Pricing Rule Type
C1-PrcRuleTypRetEnrollBased	Retention Type Enrollment Based Pricing Rule Type
C1-PricingGroup	Pricing Group
C1-PricingRule	Pricing Rule
C1-PricingRuleASL	Aggregate Stop-Loss (ASL) Pricing Rule
C1-PricingRuleClaim	Claim Pricing Rule
C1-PricingRuleRetTypeClaim	Retention Type Claim Based Pricing Rule
C1-PricingRuleRetTypeEnroll	Retention Type Enrollment Based Pricing Rule
C1-PricingRuleSSL	Specific Stop-Loss (SSL) Pricing Rule
C1-PricingRuleType	Pricing Rule Type
C1-PricingRuleTypeASL	Aggregate Stop-Loss (ASL) Pricing Rule Type
C1-PricingRuleTypeClaim	Claim Pricing Rule Type
C1-PricingRuleTypeSSL	Specific Stop-Loss (SSL) Pricing Rule Type
C1-REPORTTMP	Report Template BO
C1-RPTADTBO	Report Audit BO
C1-RPTTLSBO	Report Details BO
C1-SubscriptionType	Subscription Type
C1_ACCTSUSR	Account Subscription

A.2.17 Maintenance Objects

The following maintenance objects are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Maintenance Object	Description
C1-BILLGRSRT	Billing Group Sort
C1-BILLLVL	Bill Group Derivation
C1-ENTITYREP	Entity Report MO
C1-PRCGROUP	Pricing Group
C1-PRCRLTYPE	Pricing Rule Type
C1-PRCRULE	Pricing Rule
C1-REPORTTMP	Report Template MO

Maintenance Object	Description
C1-RPTADT	Report Audit
C1-RPTDTLS	Report Details
C1-SUBSCRTP	Subscription Type
C1_ACCTSUSR	Account Subscription

A.2.18 To Do Types

The following to do types are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

To Do Type	Description
C1-APAR	Policy status moving from Active to Runout
C1-APPA	Policy status from Pending to Active
C1-APRPR	Policy status from Run Out to Post Run Out
C1-DRRTD	Generate Schedule Creation errors To Do
C1-FTRTD	FTRAN Batch Error

A.2.19 Application Services

The following application services are newly added in the Oracle Revenue Management and Billing V2.7.0.0.0 database:

Application Service	Description
ACCT_SUBSCRPTN_SERV	Account Subscription
C1-PRCRULE	Pricing Rule
C1-PRC_CALC_SM	Price Calculation Simulation App Service
C1-PRRLTYP	Pricing Rule Type
C1-SUBSCRTYPE	Subscription Type
C1ACTSBS	Account Subscription Portal
C1ASBSVW	Account Subscription Portal
C1BANK	Bank
C1BANKVW	Bank
C1BILLVL	Bill Level
C1BILLSORT	Bill Group Sort
C1BLLVLUPLREQ	Bill Level Upload Request

Application Service	Description
C1BLLSRTUPLREQ	Bill Group Sort Upload Request
C1ENTITYREPORT	Entity Report
C1PRICINGGROUP	Pricing Group
C1PROAPP	Approval Transaction Product
C1PRTYP	Pricing Rule Type
C1REPORTTMP	Report Template Service
C1RPTAUD	Report Generation
C1RPTDEF	Report Definition
C1SUBSTP	Subscription Type Portal
C1SUBTVW	Subscription Type Portal

Appendix B :Application Services Configured for Default User Group

This section lists the application services configured for the default user groups shipped with Oracle Revenue Management and Billing Version 2.7.0.0.0.

B.1.1 ALL_SERVICES

The following table lists all application services configured for the ALL_SERVICES user group:

Application Service	Application Service	Application Service
AFHZONE	C1-CHGTYPSA	C1-EXTSTMLOGZ
APPTXADM	C1-CNTRTPPTZ	C1-EXTSTMAD
AUTODIAL	C1-CONTRACTCHARSVALI	C1-EXTSTMCHAR
BILLGCONS	C1-CONTRACTTYPECHARS	C1-EXTSTMTEDE
BILLGRAPH	C1-CTCGSRV	C1-EXTSTMITEM
C1-ACCBALCNT	C1-CTRLC	C1-EXTSTMITEMCHR
C1-ACCCRCHM	C1-DEFAULTPP	C1-EXTSTMTRC
C1-ACCCURDET	C1-DELPPTMP	C1-EXTSTMTSRZ
C1-ACCDETAILZ	C1-DFLTPPTMP	C1-EXTSTMTZ
C1-ACCDISCREZ	C1-DRRDTLSZ	C1-GETADJ
C1-ACCNBRTYPAS	C1-DUPBTN	C1-GETEFFECTVPRICING
C1-ACCOUNTCURRENT	C1-EDITPPTMP	C1-GETPPTMPL
C1-ACCQUICED	C1-EQUITYDT	C1-GETPRICING
C1-ACCREDIT	C1-EXITEMDEL	C1-INS-POLICY
C1-ACCRLOGZ	C1-EXITEMED	C1-INSDETBK
C1-ACCSELECT	C1-EXTSTMVBNF	C1-ISSUEDATEPOLICYCH
C1-ACCURERR	C1-EXTACQRYZ	C1-LINKPPTMP
C1-ACCURTEXT	C1-EXTAUTREC	C1-LINKPPTMP2
C1-ACNPOLSUMZ	C1-EXTERNALSTATEMENT	C1-MAINPINFR
C1-ACPOLSUMMZ	C1-EXTITEMAD	C1-MAINPPLAN
C1-ACTCATSRV	C1-EXTPENDG	C1-MAINPPTMP
C1-ACTPPTMPL	C1-EXTREOPN	C1-MEMBSP
C1-ACURITEMD	C1-EXTSTCHM	C1-MOVEPPT

Application Service	Application Service	Application Service
C1-ADJAPPRVLREQBOAS	C1-EXTSTIMP	C1-MSGTYPBASISBOAS
C1-APAYEXPCRREQBOAS	C1-EXTSTITCH	C1-NAVACTCUR
C1-APAYEXPCRTYPEBOAS	C1-EXTSTLDB	C1-NAVTOEXST
C1-APPTXN	C1-EXTSTM BN F	C1-OUTAGE
C1-APPTXNLOG	C1-EXTSTM CAN	C1-PAY-REQ
C1-ASGNPL	C1-EXTSTM CLD	C1-PAYMENT
C1-BILLCHARGE	C1-EXTSTM CLS	C1-PAYPLAN
C1-BRD	C1-EXTSTM DTLZ	C1-PAYPLAND
C1-CASEGRPSRV	C1-EXTSTM DZ	C1-PAYPLANTMPLCOMPL
C1-PAYPLANZ	C1-PPDUP	C1-UNLINKPP
C1-PAYTEMPLATEBOAS	C1-PPEDIT	C1-UPLOADCSV
C1-PERBALCNT	C1-PPEDTTASK	C1-WRITEOFFREQ
C1-PIFVIS	C1-PPLANDET	C1ACCPOR
C1-PINFRDISP	C1-PPP PROC	C1ACC RATE
C1-PINVPOST	C1-PPSACCSRC	C1ACMACR
C1-POINFRDET	C1-PPTCNTDET Z	C1ACMACT
C1-POLCANCE	C1-PPTERROR	C1ACMARQ
C1-POLCANZ	C1-PPTMPDISP	C1ACTPER
C1-POLICY	C1-PPTMPDUP	C1ACTREE
C1-POLICYBPA	C1-PPTMPL	C1ADJSTP
C1-POLICYCANRSNSERV	C1-PPTMPLD	C1ADJUPL
C1-POLICYCHAR	C1-PPTMPLDET	C1AGING
C1-POLICYDESC	C1-PPTMPLDET Z	C1APPBOCHNZN
C1-POLICYINVOICEFREQ	C1-PPTMPLVIS	C1APPCHN
C1-POLICYPLAN	C1-PPTMPLZ	C1APPCRT
C1-POLYSUM	C1-PPTMPPOST	C1APPTXNBOCHN
C1-POLINVDET Z	C1-PRISIM	C1APPTXNBOCHNZN
C1-POLINVEDI	C1-PSTAKEHLD	C1APPTXNGRP
C1-POLINVFRE	C1-REFWOREQ	C1APROF
C1-POLINVFREZ	C1-REQUEST	C1BILLTD
C1-POLINVFRQ	C1-REQUEST-TYPE	C1BNKREC

Application Service	Application Service	Application Service
C1-POLI_FHZ	C1-RETURNDUP	C1BOCHN
C1-POLNOMINEZ	C1-REVRECSCHZ	C1CNTCR
C1-POLPERORLEAS	C1-RULEBOAS	C1COLDTL
C1-POLSUMZ	C1-SHDETAILSZ	C1COLTYP
C1-PPACCTSRC	C1-SRCHSCPT	C1CONSTRUCT
C1-PPACTV	C1-TXNAGG	C1CSEPOR
C1-PPBTNS	C1-TXNDTL	C1CTRLC
C1-PPDET	C1-TXNREC	C1DISAGR
C1-PPDETZ	C1-TXNSRC	C1EXCHRT
C1-PPDISP	C1-UNLINK	C1FAAUD
C1FLGRP	C1POLSRCH	C1TXNAGGRUL
C1FLRQTY	C1POLSRH	C1TXNDTL
C1FLSRCH	C1POLTYP	C1TXNREC
C1FOAUD	C1PPCARS	C1TXNSRC
C1HDRSR	C1PPLAN	C1TXRTFM
C1INSPAY	C1PPTMPL	C1VAR
C1MANAPP	C1PPTMPO	C1VARIANCE
C1MANLOG	C1PPVERSCHZ	C1VIEWRL
C1MANMOD	C1PRICEL	C1WODET
C1MANRES	C1PRISIM	C1_ACCNBRALG
C1MEMBRS	C1PRODUCT	C1_ACCTCHAR
C1MEMBSP	C1PROFILESRVC	C1_ACCUR
C1MMTYPE	C1PSNAPP	C1_ACDTLSRCH
C1MTRADM	C1PSNMOD	C1_ACMM
C1NCISPY	C1PSNRES	C1_ACMS
C1NCPTMP	C1PTNDRH	C1_ADDEXH
C1ODBUPR	C1PTPLP	C1_ADDPL
C1PAYPLAN	C1PYRQTY	C1_ADDPROD
C1PAYPTL	C1RECONDTL	C1_ADD_RTCMP
C1PAYREQ	C1REFSTP	C1_ADD_TIER
C1PAYRQ	C1REFUND	C1_ADMINPI

Application Service	Application Service	Application Service
C1PAYSRC	C1REQSTP	C1_ANSPLCUS
C1PAYUPL	C1REQSTS	C1_APPAD
C1PERRL	C1REQTYP	C1_APPTXN_PRICEASGN
C1PLCYPL	C1RFWORT	C1_APPWF
C1PLCYPN	C1RLCHK	C1_APUR
C1PLCYTY	C1SAPPTM	C1_APVIG
C1POINFR	C1SATYPELISTZ	C1 ASNPL
C1POLCYN	C1SCHEDU	C1_AUDIT
C1POLCYP	C1SETTHR	C1_BACCGRVAL
C1POLICYCANRSN	C1SRCHRL	C1_BACCTDETL
C1POLSCCH	C1TXNAGG	C1_BACCVALID
C1_BACTSRCHM	C1_CHKBIL_PA	C1_EXCHRT
C1_BAFHZ	C1_CHKTRDFLG	C1_EXHRT
C1_BCCSH	C1_CIAM	C1_EXPPITM
C1_BCONT	C1_CIGAS	C1_EXSTD
C1_BCON_INFO	C1_CIMAPZ	C1_EXSTL
C1_BCON_SRH	C1_CLACTSRCH	C1_EXSTM
C1_BCUSACCDT	C1_CLCSESRCH	C1_EXSTS
C1_BCUSACCSR	C1_CLCTRCNTR	C1_FEED
C1_BCUSGRVAL	C1_COLLN	C1_FILEHDRSR
C1_BCUSSRCHM	C1_COM_VALID	C1_FTRS
C1_BCUSTACDT	C1_COPYBND	C1_F_ACTSRCH
C1_BCUSVALID	C1_COPYPL	C1_F_ADDBNDT
C1_BFHIS	C1_CPBUNDL	C1_F_ADDCHLD
C1_BFH_SRH	C1_CPYBD	C1_F_ADDEXCH
C1_BNDMN	C1_CPYPL	C1_F_ADDMM
C1_BNDPRD	C1_CUSTINFO	C1_F_ADDMMSS
C1_BNDPRS	C1_CUST_HR	C1_F_ADDPL
C1_BO_OPT	C1_DEL_PRD	C1_F_ADDPRBD
C1_BPAYHSRCH	C1_DEL_PROD	C1_F_ADDPRD
C1_BPH_INFO	C1_DISPUND	C1_F_ADDPRPL

Application Service	Application Service	Application Service
C1_BPYHS	C1_DIVPERREL	C1_F_ADDPRSS
C1_BRD_P	C1_DRRSR	C1_F_ADDRATE
C1_BSRCHOVRD	C1_DSPLY_RT	C1_F_ADMPROD
C1_BSRPT	C1_EDIT	C1_F_APDPROM
C1_BTOWGLECA	C1_EDTBUND	C1_F_ADVAL
C1_BTREESRCH	C1_EDTER	C1_F_APVDTVL
C1_BTST	C1_EDTPL	C1_F_APVNFLT
C1_BUNDLE	C1_EDTPROD	C1_F_APVRJS
C1_BUNDVAL	C1_EDT_PRITM	C1_F_ASGNCUS
C1_BVCAC	C1_EFF_PRC	C1_F_ASGNPTP
C1_CASE_USR	C1_EFF_PRICE	C1_F_CHHSRCH
C1_CCC	C1_EFPRODSRC	C1_F_CIGG3V
C1_F_CLSRCH	C1_F_IGG1MM	C1_INF_PARTY
C1_F_CNCLMM	C1_F_IGG1MS	C1_INVCN
C1_F_CNCLMR	C1_F_IGG2MM	C1_INVSR
C1_F_CONTR	C1_F_IGG2MS	C1_LIST_TIER
C1_F_CON_VAL	C1_F_IGG3MM	C1_MEMBERS
C1_F_COPYPL	C1_F_IGG3MS	C1_MIG
C1_F_COPYSS	C1_F_PLCRT	C1_MIGAS
C1_F_CPYBNDL	C1_F_PLEDT	C1_MNG
C1_F_CPYPL	C1_F_PLVAL	C1_MNGRT
C1_F_CPYPLVL	C1_F_POPITEM	C1_MNGTR
C1_F_CUSSRCH	C1_F_PRCHAR	C1_MOD
C1_F_DELEXCH	C1_F_PRCHARS	C1_MPPA
C1_F_DELSCS	C1_F_PRDVL	C1_NAVIGATE
C1_F_DTVL	C1_F_PRODVAL	C1_NAVUGATE
C1_F_EDTBNDT	C1_F_PRODVL1	C1_NEXT_ACTION
C1_F_EDTEXHR	C1_F_RSCDVAL	C1_OVR_PRITM
C1_F_EDTMA	C1_F_RTDESC	C1_PAYUP
C1_F_EDTMMBS	C1_F_SAVESCS	C1_PERRL
C1_F_EDTMMMP	C1_F_SRPLVAL	C1_PLADPR

Application Service	Application Service	Application Service
C1_F_EDTMMSS	C1_F_VAL_ACT	C1_PLAE
C1_F_EDTPL	C1_F_VAL_ACTDTL	C1_PLASNADD
C1_F_EDTPR	C1_F_VAL_CHH	C1_PLASNEDIT
C1_F_EDTPROD	C1_F_VAL_CLDTL	C1_PLASN_ADD
C1_F_EDTPRPL	C1_F_VAL_CSTDTL	C1_PLASN_EDI
C1_F_EDTPRSS	C1_F_VAL_CUS	C1_PLASSIGN
C1_F_EXCDVAL	C1_GENERICSA	C1_PLASSIGNE
C1_F_EXCHVAL	C1_GENRCMP	C1_PLCLASSIGN
C1_F_EXHVAL	C1_GETTIER	C1_PLDISEDIT
C1_F_FH_VAL	C1_GRP	C1_PLEDIT
C1_F_FINHIS	C1_IGAI	C1_PLISTSRCH
C1_F_FINHIS1	C1_IGIMM	C1_PLMNG
C1_F_GENACBO	C1_IGMMB	C1_PLPTYAINF
C1_PLPTYINFO	C1_PROD_ADD	C1_TXNAR
C1_PLSRCH	C1_PROD_EDIT	C1_VWPRD
C1_PLSTOGGLE	C1_PROD_SAVE	CHGTYPE
C1_PLVAL	C1_PROD_SRCH	CHGTYPECD
C1_PLVALIDAT	C1_PROVR_EDT	CIACNBTY
C1_PLVIEW	C1_PRZCR	CIAPAYSTGUPL
C1_PL_ADD	C1_PRZTR	CIAPPACCTYPE
C1_PL_EDIT	C1_PRZ_CR	CIAPPCRIT
C1_PL_PI	C1_PRZ_TR	CIAPPTXNRSN
C1_PMPRC	C1_PTPLA	CICHGTYPE
C1_POLICYTYPE	C1_RATE_DEF	CICPAYPLAN
C1_PPEDT	C1_RECTIFYSRCH	CIDIVPERREL
C1_PPOVR	C1_RLTPM	CFILEGRP
C1_PPOVRSRCH	C1_RLTWV	CIGETPRICING
C1_PP_DSPINF	C1_RSLV	CILAADUP
C1_PP_PLVAL	C1_RSN	CILAASCP
C1_PRCAD	C1_RTCOM_ADD	CILAAUSP
C1_PRCE_VALD	C1_RTC_VAL	CILACCDEL

Application Service	Application Service	Application Service
C1_PRCPM	C1_RTOPT	CILACCUR
C1_PRC_EDIT	C1_SAVE_TIER	CILAACLCP
C1_PRC_OVRD	C1_SHOW_IMG	CILACTCT
C1_PRC_TR	C1_SRCH	CILBBICP
C1_PRC_VALID	C1_SRCHPL	CILBBLLP
C1_PRDPERREL	C1_SRCHPLVAL	CILBMCRP
C1_PRDREL	C1_SRCHPPL	CILBSBHP
C1_PRICE	C1_SRCHPRD	CILBSCCP
C1_PRICEPARAM	C1_SRCH_PROF	CILBSEGP
C1_PRIPARMREFENT	C1_SRPROD	CILBSTMPP
C1_PRITSRCH	C1_STRTOLIST	CILCAAHP
C1_PROD	C1_TEMPLATE	CILCAASP
C1_PRODPL	C1_TIER_INP	CILCACCP
C1_PRODVAL	C1_TRLBL	CILCACMP
CILCACRP	CILCSCVP	CILIBDQP
CILCALZP	CILCSCZP	CILIBTVP
CILCAMRP	CILCSPZP	CILICOEP
CILCBCUP	CILCSSQP	CILINDDP
CILCBPGP	CILCSVAP	CILINPPF
CILCBRWP	CILCWOPP	CILINVVP
CILCCIP	CILDATA	CILIPDQP
CILCCZP	CILDIVET	CILIPRDP
CILCCIZP	CILDIVEXT	CILIRDQP
CILCCNSP	CILDRVWP	CILIRDSP
CILCCNXP	CILECBLP	CILISATP
CILCCSCP	CILEFKRP	CILITDDP
CILCCSHP	CILEFLDP	CILITDQP
CILCCTXP	CILEMNUP	CILITMPP
CILCDCRP	CILEMOBP	CILITPDP
CILCENRP	CILENAVP	CILKTOSP
CILCFIZP	CILENVOP	CILLCARP

Application Service	Application Service	Application Service
CILCLOAP	CILERPTP	CILLCAZP
CILCNBBP	CILESVCP	CILLCLPP
CILCPABP	CILETBLP	CILLODPP
CILCPASP	CILEUIZP	CILLWOPP
CILCPERP	CILFAFHP	CILMITMP
CILCPIZP	CILFBLCP	CILMITRP
CILCPLAS	CILFBPHP	CILMMRSP
CILCPMPP	CILFDRR	CILMMSUP
CILCPPPLP	CILFFNTP	CILMRBHP
CILCPPTMPL	CILFFTBP	CILMRTXP
CILCPREP	CILFFTTP	CILMSIHP
CILCPRMP	CILFMVTP	CILMSLIP
CILCQTEP	CILFSCAP	CILMSLOP
CILCSALP	CILFSFHP	CILMSMHP
CILCSCMP	CILGENACUR	CILMTRDP
CILOAPTP	CILQCASP	CILTASGP
CILODFAP	CILQTDCP	CILTATCP
CILOFACP	CILQTDDEP	CILTATPP
CILOFAZP	CILQTDLP	CILTATYP
CILOFORP	CILQTDQP	CILTBCRP
CILOFOSP	CILQTDSP	CILTBCTP
CILOFSUP	CILQTDTP	CILTBFFP
CILOOTGP	CILQTDZP	CILTBFP
CIOSFAP	CILQTSSP	CILTBIMP
CILPAPHP	CILQTSUP	CILTBLCP
CILPAPSP	CILRCMAP	CILTBLPP
CILPARTY	CILRENGP	CILTBKNP
CILPDCNP	CILRRSMP	CILTBRTP
CILPDCSP	CILRRTCP	CILTBSTP
CILPEPLP	CILRRTSP	CILTBTCP
CILPEQAP	CILRRTVP	CILTBTRP

Application Service	Application Service	Application Service
CILPEVTP	CILRRVMP	CILTBUDP
CILPIREL	CILRULE	CILTBXTP
CILPITXNREL	CILRULTP	CILTCAGP
CILPPAYP	CILSTEXT	CILTCAMP
CILPPCAN	CILSTEXTITEM	CILTCATP
CILPPTSP	CILTACRP	CILTCCCP
CILPQADP	CILTALGP	CILTCCNP
CILPRCITMREL	CILTALTP	CILTCCTP
CILPRICEASGN	CILTAMGP	CILTCETP
CILPRICECOMP	CILTAMTP	CILTCHTP
CILPRICMPTIER	CILTAPAP	CILTCIDP
CILPRIITEM	CILTAPFP	CILTCLGP
CILPRLIST	CILTAPRP	CILTCLRP
CILPRLISTASGN	CILTAPSP	CILTCLWP
CILPTCNP	CILTAROP	CILTCNTP
CILQATDP	CILTARTP	CILTCOCP
CILTCPTP	CILTMHTP	CILTSCLP
CILTCQTP	CILTMIMTP	CILTSCYP
CILTCRUP	CILTMSGP	CILTSEVP
CILTCURP	CILTNBRP	CILTSICP
CILTCUSP	CILTNCDP	CILTSMIP
CILTDARP	CILNUXP	CILTSMTP
CILTDASP	CILTOCRP	CILTSOMP
CILDCAP	CILTOETP	CILTSOPP
CILDCLP	CILTOOPTP	CILTSPPR
CILDIRP	CILTORAP	CILTSPTP
CILDPRP	CILTPCRP	CILTSQIP
CILDRTP	CILTPCTP	CILTSQRP
CILDSTP	CILTPDRP	CILTSTMP
CILDWPP	CILTPHTP	CILTSTSP
CILDWTP	CILTIFFP	CILTSVTP

Application Service	Application Service	Application Service
CILTEBRP	CILTPKGP	CILTSWLP
CILTECRP	CILTPPTP	CILTTACP
CILTEFTP	CILTPROP	CILTTAXP
CILTFNDP	CILTPRTP	CILTTGRP
CILTFREP	CILTPSDP	CILTTMRP
CILTFRQP	CILPSTP	CILTTMTP
CILTGLDP	CILPTRP	CILTTNSP
CILTGOTP	CILPYTP	CILTTNTP
CILTIDTP	CILTQRTP	CILTTOUP
CILTINCP	CILTREGP	CILTTSCP
CILTINSP	CILTRREPP	CILTTTMP
CILТИSP	CILTRGLP	CILTTZNP
CILTLDIP	CILTRLEP	CILTUOMP
CILTLETP	CILTRSCP	CILTURPP
CILTLKFP	CILTRRTYP	CILTUSCP
CILTLNGP	CILTSARP	CILTUSEP
CILTMCRP	CILTSATP	CILTUSGP
CILTWCCTP	CILZFNCP	CTXZONE
CILTWDCCP	CILZPORP	DEMO
CILTWEETP	CILZRBPP	DISAGGP
CILTWFPP	CILZRPHP	DIV_PRICEITEMS
CILTWPPTP	CILZRPOP	DIV_PRICELISTS
CILTWSCP	CILZRPTP	F1-APAYEXPCRTYPEBOAS
CILTWSDP	CILZSCMP	F1-ATTACHMENTBOAS
CILTXNCD	CILZSCRP	F1-BKTCONFIG
CILTXNCDL	CILZSCZP	F1-BOOKMARKS
CILTXNSRC	CILZTLZP	F1-DECRPTBOAS
CILTXNSRCL	CILZZOHP	F1-DFLTAPS
CILUPFTS	CILZZONP	F1-DFLTS
CILVFVDP	CIL_FAVORITES	F1-EXPUSERSREQBOAS
CILVFVSP	CIPOLICY	F1-GENPROC

Application Service	Application Service	Application Service
CILVVLEP	CIPOLPERRL	F1-MIGROBJIMP
CILVVLSP	CIPOLPERROLE	F1-OBJREVBOAS
CILWDWNP	CIPRICEACCOUNT	F1-STASKTYPE
CILWJSDP	CIPRICEPARM	F1-SVCTASK
CILWJSSP	CIPYSRCH	F1-SYNCREQ
CILWNUPP	CIRATEUPLD	F1-SYNCREQIN
CILWNUSP	CIRECON	F1-SYNCREQUESTBOAS
CILWPROP	CIRECONDTL	F1-WEBSVCBOAS
CILXNDNP	CIS_DIV_ALGS	F1ADMIN
CILXOPTP	CIS_DIV_BICIES	F1ANN
CILXSENP	CIS_DIV_CST_LNGS	F1ANNTPM
CILYASTP	CIS_DIV_ID_TYPES	F1ANNTPS
CILYDBPP	CIS_DIV_INV_CURS	F1ANNTYP
CILYDFQP	CIS_DIV_TXN_SRCS	F1APPSEC
CILYDPIP	CIS_DIV_VLD_CTIES	F1ATTACH
CILYROBP	CIVARIANCE	F1ATTACHMENT
CILZAFQP	CMAGING	F1BKTCFG
CILZAUQP	CNCLRSN	F1BKTCFQ
F1BNDLEM	F1MIGRDIMP	FWLBNDLP
F1BNDLES	F1MIGRDS	FWLCTDEP
F1BNDLIM	F1MIGROBJ	FWLFACTP
F1BNDLIS	F1MIGRPLAN	FWLSTRJP
F1BUNEXP	F1MIGRREQ	FWLTBELP
F1BUNIMP	F1MIGRTIMP	FWLTBOJP
F1CATTCH	F1MIGRTX	FWLTBSVP
F1CONFIGLOG	F1MSTCFG	FWLTDARP
F1DEBUG	F1MTXIMP	FWLTEXSP
F1EXLKP	F1OBJREV	FWLTMGCT
F1EXLKPS	F1OBJREVCTL	FWLTOMTP
F1HEALTH	F1OBJRVH	FWLTSCHP
F1HGMAPPING	F1REQ	FWLTUIMP

Application Service	Application Service	Application Service
F1IWSANM	F1REQTYP	FWLXOUTP
F1IWSDPL	F1REVHST	FWLZDEXP
F1IWSSVC	F1STRDIS	FWLZWLP
F1IWSVCP	F1STREAS	GOTOREC
F1IWSVCS	F1SUBRQQ	PERTREE
F1LCAMRP	F1SYNCRM	POLICYCANRSN
F1LEXTLKUP	F1SYNCRQ	RECDTSTA
F1LTAMTP	F1TBLEXC	RECON
F1MESSAGE	F1UIZONE	RECONDTL
F1MGDEXP	F1USERLOG	SACHGLNK
F1MGDEXS	F1USRCHKOUT	SATYPCHG
F1MGDIMP	F1USRPTL	SATYPES
F1MGDIMS	F1WBSVCM	F1_USRSCR
F1MGOIMP	F1WBSVCS	FILETYPE
F1MGPLNM	F1WEBSVC	F1MGREQS
F1MGPLNS	F1_BTST	F1MIGRDEXP
F1MGREQM	F1_USRFAVSCH	C1PLASGNM
C1-USRLOGINDTLS	C1FLRQDT	C1REFUPLREQ
C1BCHGUPLREQ	C1GETELIGPT	C1UPLDRQ
C1BILLCYCLEUPDTUPL	C1GLAT	C1UPLREQ
C1CONTRIDERUPDTUPL	C1GLATEMP	C1WOUPLREQ
C1DCDTLC	C1GLATRQ	C1_STDTL
C1DELCTL	C1HOLDUPLREQ	C1_STRTE
C1ELGPA	C1LASGN	C1_STRTY
C1FILERQ	C1PIASGN	CISTMEXCP_SERV
REQ_TYP	ACRLSRCH	C1-ACCTECR
C1-CUSTINMSG	C1ADDRS	C1HCAPPSE
C1-DEALPRICING	C1ADDRSBO	C1HCBLDT
C1-FTDIST	C1ADDRSDP	C1HCSINF
C1-FTDISTRULE	C1ADDRSRC	C1INMSGP
C1-FTDISTTTY	C1BK360	C1INMSRH

Application Service	Application Service	Application Service
C1-GENRQ	C1BKAPPSER	C1INMSTY
C1-INMSG	C1BKBLDT	C1PAREQ
C1-INMSGTYPE	C1BKSINF	C1PARQMN
C1-MEMBERINMSG	C1CUS360	C1PARQTY
C1-PROSPECTCRET	C1DSPT	C1PAYMAN
C1ACCECR	C1DSPTRQ	C1PI
C1ACRLCL	C1DSPTRT	C1PL
C1ACRLTP	C1DSPTTY	C1POLPEL
C1ACRMVW	C1FTDIST	C1REINUPLREQ
C1ADDRDP	C1FTDSRL	C1_ACCRTYPE
C1ADDRDTL	C1FTDSTT	C1_ACCRUAL_SERV
C1ADDRESS	C1FTDSTY	C1_ACTVW
C1_ACTYP	C1_DSPT_REQ	ILM_ARC
C1_ACYVW	C1_TRLIN	ACCTVIEW
C1-ACCTAPAY_SERV	C1-DISC-REPT	C1-DRRTMPLT
C1-MBR-DR-TY	C1-PRC_CALC_SM	C1-PTD-CAL
C1-RETRIEVPROSRV	C1-REVRECPLCY	C1-RN-TY
C1-SCHEDULERMONITOR	C1-SCHPGMQZ	C1-SCHSCHQZ
C1ACCTAPAY	C1APAYRT	C1APAYVW
C1APYINS	C1AWFCHN	C1AWFCRT
C1AWFGRP	C1AWFRSN	C1AWFSET
C1CONADD	C1DISREP	C1DRDIS
C1DSRTY	C1MBRRCN	C1PARAM
C1PDSRCH	C1PERS	C1PERSDP
C1PERSON	C1PRDSVC	C1PRODDP
C1PRODUCTSERVICE	C1PVERDP	C1RCONTY
C1RECOLN	C1RECONCIL	C1RECONTYP
C1REPORT	C1RPTTMP	C1SCHCHN
C1SCHJOB	C1SCHPGM	C1SCHSCH
C1SCJMON	C1SRCAPP	C1SVCDSP

Application Service	Application Service	Application Service
C1VIEPRI	PRICECOMPPRE	C1_BOCHN
C1_CONSTRUCT	C1_DRRSP	C1_DRRTM
C1_DRRTP	C1_ENLOG	C1_ENROL
C1_ENROLLMENT	C1_ENSCH	C1_PAYIN
C1_PRODUCT	C1_PRODUCT_SERVICE	C1_PRODVER
C1_SRCBUSSPRD	C1_SRCTECHPRD	CIAPPCHELGBL
CICONACT	CONRULE	CONSTRUCT
DDPRCSM	ACCT_SUBSCRPTN_SERV	C1-PRCRULE
C1-PRC_CALC_SM	C1-PRRLTYP	C1-SUBSCRTYPE
C1BILLSORT	C1BLLVLUPLREQ	C1BLLSRTUPLREQ
C1ENTITYREPORT	C1FILERQ	C1FLRQDT
C1PRICINGGROUP	C1PROAPP	C1PRTYP
C1REPORTTTMP	C1RPTAUD	C1RPTDEF
C1SUBSTP	C1SUBTVW	REQ_TYP

B.1.2 C1_BSERVICES

The following table lists all application services configured for the C1_BSERVICES user group:

Application Service	Application Service	Application Service
AFHZONE	C1-PIFVIS	C1AGING
APPTXADM	C1-PINFRDISP	C1APPBOCHNZN
ARUNTEST	C1-PINVPOST	C1APPCHN
BILLGCONS	C1-POINFRDET	C1APPCRT
BILLGRAPH	C1-POLICY	C1APPRESP
C1-ACCBALCNT	C1-POLICYINVOICEFREQ	C1APPTXNBOCHN
C1-ACCNBRTYPAS	C1-POLINVDETZ	C1APPTXNBOCHNZN
C1-ADJAPPRVLREQBOAS	C1-POLINVFRE	C1APPTXNCHAIN
C1-APAYEXPCRREQBOAS	C1-POLINVFREZ	C1APPTXNCRI
C1-APAYEXPCRTYPEBOAS	C1-POLINVFRQ	C1APPTXNCRT
C1-APAY_STG_UP	C1-PRISIM	C1APPTXNGRP
C1-APRSN	C1-REFWOREQ	C1APROF

Application Service	Application Service	Application Service
C1-APPTXN	C1-REGENUI	C1BILLTD
C1-APPTXNLOG	C1-REQUEST	C1BNKREC
C1-ASAPU	C1-REQUEST-TYPE	C1BOCHN
C1-ASGNPL	C1-RULEBOAS	C1CASEG
C1-BRD	C1-SRCHSCPT	C1CASETYPEMP
C1-CASEASGNSRV	C1-TXNAGG	C1CHECKFT
C1-CASEGRPSRV	C1-TXNDTL	C1COLDTL
C1-CONSVPROGBOAS	C1-TXNREC	C1COLLTYP
C1-CONTRACTTYPECHARS	C1-TXNSRC	C1COLLTYP
C1-CTCGSRV	C1-WRITEOFFREQ	C1CPROG
C1-GETEFFECTVPRICING	C1ACC RATE	C1CSTYSR
C1-GETPRICING	C1ACMACT	C1DISAGR
C1-MAINPINFR	C1ACTCAT	C1EXCHRT
C1-OUTAGE	C1ACTPER	C1FLGRP
C1-PAY-REQ	C1ACTREE	C1FLRQTY
C1-PAYTEMPLATEBOAS	C1ACTYRSTY	C1FLSRCH
C1-PERBALCNT	C1ADJSTP	C1IRSPP
C1-PERIDSER	C1ADJUPL	C1MANAPP
C1MANLOG	C1REQTYP	C1_ANSPLTCUS
C1MANMOD	C1RFWORT	C1_APACS
C1MANRES	C1RLCHK	C1_APPAD
C1NCISPY	C1RSTCAT	C1_APPTXN_PRICEASGN
C1NCPTMP	C1SACOLLECT	F1-BOOKMARKS
C1ODBUPR	C1SACTHI	C1_APUR
C1PASGAPPROVE	C1SCHEDU	C1_APVIG
C1PASGREADMODIFY	C1SCHTMP	C1 ASNPL
C1PASGREADRESOLVE	C1SETTHR	C1_AUDIT
C1PAYMAN	C1SRCHRL	C1_BACCGRVAL
C1PAYPTL	C1TXNAGG	C1_BACCTDETL
C1PAYREQ	C1TXNAGGRUL	C1_BACCVALID
C1PAYRQ	C1TXNDTL	C1_BACTSRCHM

Application Service	Application Service	Application Service
C1PAYSRC	C1TXNFD	C1_BAFH
C1PAYUPL	C1TXNSRC	C1_BAFHZ
C1POINFR	C1TXRTFM	C1_BCCSH
C1PPCARS	C1UNAPPR	C1_BCONT
C1PRESTGDTLS	C1VAR	C1_BCON_INFO
C1PRISIM	C1VIEWRL	C1_BCON_SRH
C1PRODUCT	C1WODET	C1_BCUSACCDT
C1PROFILESRVC	C1_ACCNBRALG	C1_BCUSACCSR
C1PSNAPP	C1_ACCNBRTYP	C1_BCUSGRVAL
C1PSNMOD	C1_ACCTCHAR	C1_BCUSSRCHM
C1PSNRES	C1_ACDTLSRCH	C1_BCUSTACDT
C1PTNDRH	C1_ACMM	C1_BCUSVALID
C1PTPLP	C1_ACMS	C1_BDTLSRCHM
C1PYRQTY	C1_ADDEXH	C1_BFHIS
C1REFSTP	C1_ADDPL	C1_BFH_SRH
C1REFUND	C1_ADDPROD	C1_BNDMN
C1REQSTP	C1_ADD_RTCMP	C1_BNDPRD
C1REQSTS	C1_ADD_TIER	C1_BNDPRS
C1REQTYP	C1_ADMPI	C1_F_ADVAL
C1_BO_OPT	C1_DIVPERREL	C1_F_APVDTVL
C1_BPAYHSRCH	C1_DSPLY_RT	C1_F_APVNFLT
C1_BPH_INFO	C1_EDIT	C1_F_APVRJS
C1_BPYHS	C1_EDTBDB	C1_F_ASGNCUS
C1_BRD_P	C1_EDTBUND	C1_F_ASGNPTP
C1_BSRCHOVRD	C1_EDTER	C1_F_CHHSRCH
C1_BSRPT	C1_EDTPL	C1_F_CIGG3V
C1_BTOGLECA	C1_EDTPROD	C1_F_CNCLMM
C1_BTREESRCH	C1_EDT_PRITM	C1_F_CNCLMR
C1_BTST	C1_EFF_PRC	C1_F_CONTR
C1_BUNDLE	C1_EFF_PRICE	C1_F_CON_VAL
C1_BUNDVAL	C1_EFPRODSRC	C1_F_COPYPL

Application Service	Application Service	Application Service
C1_BVCAC	C1_EXCHRT	C1_F_COPYSS
C1_CHKBL_PA	C1_EXHRT	C1_F_CPYBNDL
C1_CHKTRDFLG	C1_EXPPITM	C1_F_CPYPL
C1_CIAM	C1_FEED	C1_F_CPYPLVL
C1_CIGAS	C1_FTRS	C1_F_CUSSRCH
C1_COLLN	C1_F_ACTSRCH	C1_F_DELEXCH
C1_COLL_NZN	C1_F_ADDBNDT	C1_F_DELSCS
C1_COM_VALID	C1_F_ADDCHLD	C1_F_DVAL
C1_COPYBND	C1_F_ADDEXCH	C1_F_EDTBNDT
C1_COPYPL	C1_F_ADDMM	C1_F_EDTEXHR
C1_CPBUNDL	C1_F_ADDMMSS	C1_F_EDTMA
C1_CPYBD	C1_F_ADDPL	C1_F_EDTMMBS
C1_CPYPL	C1_F_ADDPRBD	C1_F_EDTMMMP
C1_CUSTINFO	C1_F_ADDPRD	C1_F_EDTMMSS
C1_CUST_HR	C1_F_ADDPRPL	C1_F_EDTPL
C1_DEGREE	C1_F_ADDPRSS	C1_F_EDTPR
C1_DEL_PRD	C1_F_ADDRATE	C1_F_EDTPROD
C1_DEL_PROD	C1_F_ADMPROD	C1_F_EDTPRPL
C1_DISPBUND	C1_F_ADPROD	C1_PLASSIGNE
C1_F_EDTPRSS	C1_GENRCMP	C1_PLCLASSIGN
C1_F_EXCDVAL	C1_GETTIER	C1_PLDISEDIT
C1_F_EXCHVAL	C1_GRP	C1_PLEDIT
C1_F_EXHVAL	C1_IGAI	C1_PLISTSRCH
C1_F_FH_VAL	C1_IGIMM	C1_PLMNG
C1_F_FINHIS	C1_IGMMB	C1_PLPTYAINF
C1_F_FINHIS1	C1_INF_PARTY	C1_PLPTYINFO
C1_F_GENACBO	C1_INVCN	C1_PLSRCH
C1_F_IGG1MM	C1_INVSR	C1_PLSTOGGLE
C1_F_IGG1MS	C1_LIST_TIER	C1_PLVAL
C1_F_IGG2MM	C1_MEMBERS	C1_PLVALIDAT
C1_F_IGG2MS	C1_MIG	C1_PLVIEW

Application Service	Application Service	Application Service
C1_F_IGG3MM	C1_MIGAS	C1_PL_ADD
C1_F_IGG3MS	C1_MNG	C1_PL_EDIT
C1_F_PLCRT	C1_MNGRT	C1_PL_PI
C1_F_PLEDT	C1_MNGTR	C1_PMPRC
C1_F_PLVAL	C1_MOD	C1_PPEDT
C1_F_POPITEM	C1_MPPA	C1_PPOVR
C1_F_PRCHAR	C1_NAVIGATE	C1_PPOVRSRCH
C1_F_PRCHARS	C1_NAVUGATE	C1_PP_DSPINF
C1_F_PRDVL	C1_OVR_PRITM	C1_PP_PLVAL
C1_F_PRODVAL	C1_PAYUP	C1_PRCAD
C1_F_PRODVL1	C1_PAY_BTN	C1_PRCE_VALD
C1_F_RSCDVAL	C1_PERRL	C1_PRCPM
C1_F_RTDESC	C1_PLADPR	C1_PRC_EDIT
C1_F_SAVESCS	C1_PLAE	C1_PRC_OVRD
C1_F_SRPLVAL	C1_PLASNADD	C1_PRC_TR
C1_F_VAL_ACT	C1_PLASNEDIT	C1_PRC_VALID
C1_F_VAL_ACTDTL	C1_PLASN_ADD	C1_PRDPERREL
C1_F_VAL_CHH	C1_PLASN_EDI	C1_PRDREL
C1_F_VAL_CUS	C1_PLASSIGN	CILACTTY
C1_PRICE	C1_SRCHPLVAL	CILBBICP
C1_PRICEPARM	C1_SRCHPPL	CILBBLLP
C1_PRITSRCH	C1_SRCHPRD	CILBSBHP
C1_PROD	C1_SRCH_PROF	CILBSCCP
C1_PRODPL	C1_SRCH_TEMP	CILBSEGP
C1_PRODVAL	C1_SRPROD	CILBSTM
C1_PROD_ADD	C1_STRTOLIST	CILCAASP
C1_PROD_EDIT	C1_TEMPLATE	CILCACCP
C1_PROD_SAVE	C1_TIER_INP	CILCACMP
C1_PROD_SRCH	C1_TRLBL	CILCALZP
C1_PROVREDT	C1_TXNAR	CILCAMRP
C1_PRZCR	C1_VWPRD	CILCASEEXTN

Application Service	Application Service	Application Service
C1_PRZTR	CIACNBTY	CILCBCUP
C1_PRZ_CR	CIACTTYP	CILCBRWP
C1_PRZ_TR	CIAPAYSTGUBL	CILCCCIP
C1_PTPLA	CIAPPACCTYPE	CILCCCP
C1_PYHST	CIAPPACTTYPE	CILCCIZP
C1_RATE_DEF	CIAPPCHELGBL	CILCCNSP
C1_RECTIFYSRCH	CIAPPCRIT	CILCCNXP
C1_RLTPM	CIAPPTXNCHAIN	CILCCSCP
C1_RLTVW	CIAPPTXNRSN	CILCCSHP
C1_RSLV	CIDIVPERREL	CILCCTXP
C1_RSN	CIDIVPRITMPERREL	CILCENRP
C1_RTCOM_ADD	CFILEGRP	CILCFIZP
C1_RTC_VAL	CIGETPRICING	CILCONPREF
C1_RTOPT	CILAADUP	CILCPERP
C1_RTSC	CILAASCP	CILCPLAS
C1_SAVE_TIER	CILAUSP	CILCPPLP
C1_SHOW_IMG	CILAACLCP	CILCPRMP
C1_SRCH	CILACTCT	CILCQTEP
C1_SRCHPL	CILACTHI	CILQATDP
CILCSALP	CILICOEP	CILQCASP
CILCSESA	CILITDDP	CILQTDEP
CILCSSEP	CILITDQP	CILQTDLP
CILCSVAP	CILITPDP	CILQTDQP
CILDATA	CILLCAZP	CILQTDSP
CILDIVET	CILLODPP	CILQTDTP
CILDIVEXT	CILMRBHP	CILQTDZP
CILDRVWP	CILPAPHP	CILQTSSP
CILECBLP	CILPAPSP	CILQTSUP
CILEFKRP	CILPARTY	CILRCMAP
CILEFLDP	CILPDCNP	CILRENGP
CILEMNUP	CILPDCSP	CILRRSMP

Application Service	Application Service	Application Service
CILEMOBP	CILPEPLP	CILRRTCP
CILEMPDTLS	CILPEQAP	CILRRTSP
CILENAVP	CILPEVTP	CILRRTVP
CILENVOP	CILPICCHAR	CILRRVMP
CILERPTP	CILPIDIV	CILRSCAT
CILESVCP	CILPILANG	CILRSTTY
CILETBLP	CILPIREL	CILRULE
CILEUIZP	CILPITXNREL	CILRULTP
CILEXCHRATE	CILPPAYP	CILSCHEDULE
CILFAFHP	CILPPCAN	CILTACRP
CILFBLCP	CILPPTSP	CILTAGP
CILFFEXP	CILPQADP	CILTALTP
CILFFNTP	CILPRCITMREL	CILTAMGP
CILFFTBP	CILPRICELISTCHAR	CILTAMTP
CILFFTTP	CILPRITEM	CILTAPAP
CILFLGRP	CILPRLIST	CILTAPFP
CILFMVTP	CILPRLISTDIV	CILTAPRP
CILFSFHP	CILPRLISTL	CILTAPSP
CILIBTVP	CILPTCNP	CILTLNGP
CILTAROP	CILTCPRP	CILTMCRP
CILTARTP	CILTCQTP	CILTMHTP
CILTASGP	CILTCRUP	CILTMSGP
CILTATCP	CILTCURP	CILTNBRP
CILTATPP	CILTCUSP	CILTNCDP
CILTATYP	CILTCVTP	CILNUXP
CILTBCRP	CILTDARP	CILTOCRP
CILTBCTP	CILTDASP	CILTOETP
CILTBFFP	CILDCAP	CILTOOPTP
CILTBFVP	CILDCLP	CILTORAP
CILTBIMP	CILDIRP	CILTPCRP
CILTBLCP	CILDLOP	CILPCTP

Application Service	Application Service	Application Service
CILTBBLPP	CILTDPRP	CILTPDRP
CILTBKNKP	CILTDSTP	CILTPHTP
CILTBRTP	CILTDWPP	CILTPKGP
CILTBSTP	CILTDWTP	CILTPMDP
CILTBTCP	CILTEBRP	CILTPPTP
CILTBTRP	CILTECRP	CILTPROP
CILTBUDP	CILTEFTP	CILTPRTP
CILTBXTP	CILTFAAP	CILTPSDP
CILTCAMP	CILTFNDP	CILTPSTP
CILTCATP	CILTFRQP	CILTPTRP
CILTC CCP	CILTFWLP	CILTPYTP
CILTCCTP	CILTGLDP	CILTQ RTP
CILTCHTP	CILTI DTP	CILTRGLP
CILTCIDP	CILTI NCP	CILTRLEP
CILTCCLGP	CILTI NSP	CILTRSCP
CILTC LWP	CILTI TTP	CILTRTYP
CILTCNTP	CILTI DIP	CILTSATP
CILTCOCP	CILTI ETP	CILTSCLP
CILTCOTP	CILTLKFP	CILXJSVP
CILTSCYP	CILTWSDP	CILXNDNP
CILTSICP	CILTXNDETAIL	CILXOPTP
CILTSOMP	CILTXNDISAGGEXC	CILXRCVP
CILTSOPP	CILTXNDISAGGREQ	CILXRTTP
CILTSQIP	CILTXNHEADER	CILXSENP
CILTSQRP	CILTXNRECTYPE	CILXSVXP
CILTSVTP	CILTXNSOURCE	CILXTPCP
CILTSWLP	CILTXNSRC	CILXXSCP
CILTTACP	CILTXNSRCD	CILXXU PP
CILTTAXP	CILTXNSRCL	CILYASTP
CILTTGRP	CILUPFTS	CILYDBPP
CILTTMRP	CILVFVDP	CILYDFQP

Application Service	Application Service	Application Service
CILTTMTP	CILVFVSP	CILYDPIP
CILTNNSP	CILVVLEP	CILYENRP
CILTTNTP	CILVVLSP	CILYROBP
CILTTOUP	CILWDWNP	CILZAFQP
CILTTRAP	CILWJSDP	CILZAUQP
CILTRTCP	CILWJSSP	CILZFNCP
CILTTTMP	CILWNUPP	CILZPORP
CILTZNP	CILWNUSP	CILZRBP
CILTUOMP	CILWPROP	CILZRPHP
CILTRPP	CILXADPP	CILZRPOP
CILTUSCP	CILXAIEP	CILZSCMP
CILTUSEP	CILXAIIP	CILZSCR
CILTUSGP	CILXCLSP	CILZSCZP
CILTWCTP	CILXCONP	CILZTLZP
CILTWDCP	CILXENHP	CILZZOHP
CILTWETP	CILXFRMP	CILZZONP
CILTWFPP	CILXGRPP	CIL_FAVORITES
CILTWPTP	CILXJDBP	CIMOAPPCHAIN
CILTWSCP	CILXJMSP	F1MIGRTIMP
CIPCHT3L	F1-WEBSVCBOAS	F1MIGRTX
CIPFAFHP	F1ADMIN	F1MTXIMP
CIPOLICY	F1APPSEC	F1OBJREVCTL
CIPRICEACCOUNT	F1ATTACH	F1OBJRVH
CIPRICEPARM	F1ATTACHMENT	F1REQ
CIPYSRCH	F1BUNEXP	F1REVHST
CIRECON	F1BUNIMP	F1STRDIS
CIRECONSEG	F1CATTCH	F1STREAS
CIRSTTYP	F1CONFIGLOG	F1SUBRQQ
CIS_DIV_ALGS	F1DEBUG	F1SYNCRM
CIS_DIV_BICIES	F1EXLK	F1SYNCRQ
CIS_DIV_CST_LNGS	F1EXLKPS	F1TBLEXC

Application Service	Application Service	Application Service
CIS_DIV_ID_TYPES	F1LCAMRP	F1UIZONE
CIS_DIV_INV_CURS	F1LEXTLKUP	F1USERLOG
CIS_DIV_TXN_SRCS	F1LTAMTP	F1USRCHKOUT
CIS_DIV_VLD_CTIES	F1MESSAGE	F1WBSVCM
CTXTZONE	F1MGDEXP	F1WBSVCS
DIVS	F1MGDEXS	F1WEBSVC
DIV_PRICEITEMS	F1MGDIMP	F1_BTST
DIV_PRICELISTS	F1MGDIMS	F1_USRFAVSCH
F1-APAYEXPCRTYPEBOAS	F1MGOIMP	FILETYPE
F1-ATTACHMENTBOAS	F1MGPLNM	FWLBNDLP
F1-DFLTAPS	F1MGPLNS	FWLCTDEP
F1-DFLTS	F1MGREQM	FWLFACTP
F1-GENPROC	F1MREQS	FWLSTRJP
F1-MIGROBJIMP	F1MIGRDEXP	FWLTBELP
F1-STASKTYPE	F1MIGRDIMP	FWLTBOJP
F1-SVCTASK	F1MIGRDS	FWLTBSVP
F1-SYNCREQ	F1MIGROBJ	FWLTDARP
F1-SYNCREQIN	F1MIGRPLAN	GOTOREC
F1-SYNCREQUESTBOAS	F1MIGRREQ	PERTREE
FWLTEXSP	FWLXOUTP	VALIDCHARS
FWLTMGCT	FWLZDEXP	C1LASGN
FWLTOMTP	FWLZWLP	C1PIASGN
FWLTSCHP	FWLTUIMP	C1PLASGNM
C1-BILLCHARGE	C1ELGPA	C1REFUPLREQ
C1BCHGUPLREQ	C1GETELIGPT	C1UPLDRQ
C1BILLCYCLEUPDTUPL	C1GLAT	C1UPLREQ
C1CONTRIDERUPDTUPL	C1GLATEMP	C1WOUPLREQ
C1DCDTLC	C1GLATRQ	C1_STRTE
C1DELCTL	C1HOLDUPLREQ	CILCPASP
ACRLSRCH	C1ADDRESS	C1DSPT
C1-ACCTECR	C1ADDRS	C1DSPTRQ

Application Service	Application Service	Application Service
C1-FTDIST	C1ADDRSBO	C1DSPTRT
C1-FTDISTRULE	C1ADDRSDP	C1DSPTTY
C1-FTDISTTY	C1ADDRSRC	C1FTDIST
C1-PROSPECTCRET	C1BK360	C1FTDSRL
C1ACCECR	C1BKAPPSER	C1FTDSTT
C1ACRLCL	C1BKBLDT	C1FTDSTY
C1ACRLTP	C1BKSINF	C1HCSINF
C1ACRMVW	C1PL	C1_ACTVW
C1ADDRDP	C1SAPPTM	C1_ACTYP
C1ADDRDTL	C1_ACCRUAL_SERV	C1_TRLIN
C1_ACYVW	C1_DSPT_REQ	F1-ARQPR
F1-AVALG	F1-LKPIL	F1-SICRL
F1-AVBT	F1-MGDIM	F1-SRCRL
F1-AVMO	F1-MGDPR	F1-SRLRQ
F1-AVTBL	F1-MGOAP	F1-STATSM
F1-AVTD	F1-MGOPR	F1-STCRL
F1-BFCRL	F1-MGTAP	F1-STKDF
F1-BSFLG	F1-MGTPR	F1-STKTR
F1-BUNPR	F1-NDPUR	F1-SUBRQ
F1-DTDOM	F1-ORCRL	F1-SYNEF
F1-FCTRN	F1-OUCRL	F1-SYNIL
F1-FKVB	F1-PDBEX	F1-SYNRQ
F1-FLUSH	F1-PDBG	F1-SYSRQ
F1-ILMIN	F1-REQTY	F1-TDCRL
F1-LANG	F1-REVPR	F1-TDEER
F1-LDAP	F1-SAKRQ	F1-TDPG
F1-XMLPG	ACCTVIEW	C1-ACCTAPAY_SERV
C1-DISC-REPT	C1-DRRTMPLT	C1-PRC_CALC_SM
C1-REVRECSCHZ	C1-SCHEDULERMONITOR	C1-SCHPGMQZ
C1-SCHSCHQZ	C1APAYRT	C1APAYVW
C1APYINS	C1AWFCHN	C1AWFCRT

Application Service	Application Service	Application Service
C1AWFGRP	C1AWFRSN	C1AWFSET
C1CONADD	C1FILERQ	C1FLRQDT
C1PARAM	C1PDSRCH	C1PERS
C1PERSDP	C1PERSON	C1PRDSVC
C1PRODDP	C1PRODUCTSERVICE	C1PVERDP
C1REPORT	C1RPTTMRP	C1SCHCHN
C1SCHJOB	C1SCHPGM	C1SCHSCH
C1SCJMON	C1SRCAPP	C1SVCDSP
C1VIEPRI	REQ_TYP	C1_BOCHN
C1_CONSTRUCT	C1_DRRSP	C1_DRSSR
C1_DRRTM	C1_DRRTP	C1_ENLOG
C1_ENROL	C1_ENROLLMENT	C1_ENSCH
C1_PRODUCT	C1_PRODUCT_SERVICE	C1_PRODVER
CICONACT	CILFDRR	CONRULE
CONSTRUCT	DDPRCSM	PRICECOMPPRE
ACCT_SUBSCRPTN_SERV	C1-PRC_CALC_SM	C1-PRLTYP
C1-SUBSCRTYPE	C1ACTSBS	C1ASBSVW
C1BANK	C1BANKVW	C1ENTITYREPORT
C1PRICINGGROUP	C1PROAPP	C1PRTYP
C1RPTAUD	C1RPTDEF	C1SUBSTP
C1SUBTVW	C1_SRCBUSSPRD	C1_SRCTECHPRD

B.1.3 HCADMIN

The following table lists all application services configured for the HCADMIN user group:

Application Service	Application Service	Application Service
AFHZONE	C1-INS-POLICY	C1-SRCHSCPT
APPTXADM	C1-INSDETBAK	C1-UNLINK
BILLGCONS	C1-MAINPINFR	C1-UNLINKPP
BILLGRAPH	C1-MEMBSP	C1-UPLOADCSV
C1-ACCBALCNT	C1-NAVACTCUR	C1-WRITEOFFREQ

Application Service	Application Service	Application Service
C1-ACCCURDET	C1-NAVTOEXST	C1ACC RATE
C1-ACCDISCREZ	C1-PAY-REQ	C1ACINSP
C1-ACCURTEXT	C1-PAYMENT	C1ACTPER
C1-ACNPOLSUMZ	C1-PAYTEMPLATEBOAS	C1ACTREE
C1-ACPOLSUMMZ	C1-PERBALCNT	C1ADJSTP
C1-ADJAPPRVLREQBOAS	C1-PIFVIS	C1ADJUPL
C1-APAYEXPCRREQBOAS	C1-PINFRDISP	C1APPBOCHNZN
C1-APAYEXPCRTYPEBOAS	C1-PINVPOST	C1APPCHN
C1-APPRSN	C1-POINFRDET	C1APPCRT
C1-APPTXN	C1-POLICYINVOICEFREQ	C1APPRESP
C1-APPTXNLOG	C1-POLICYPLAN	C1APPTXNBOCHN
C1-ASAPU	C1-POLINVDETZ	C1APPTXNBOCHNZN
C1-ASGNPL	C1-POLINVEDI	C1APPTXNCHAIN
C1-BILLCHARGE	C1-POLINVFRE	C1APPTXNCRI
C1-BRD	C1-POLINVFREZ	C1APPTXNCRT
C1-CNTRTPPTZ	C1-POLINVFRQ	C1APPTXNGRP
C1-CONTRACTCHARSVALI	C1-PPACCTSRC	C1BOCHN
C1-CONTRACTTYPECHARS	C1-PPP PROC	C1FLRQTY
C1-DEFAULTPP	C1-PPTERROR	C1FLSRCH
C1-DFLTPPTMP	C1-QUICKPAGINATION	C1INSPAY
C1-DRRDTLSZ	C1-REFWOREQ	C1MANAPP
C1-DUPBTN	C1-REQUEST-TYPE	C1MANLOG
C1-GETADJ	C1-RETURNDUP	C1MANMOD
C1-GETEFFECTVPRICING	C1-REVRECSCHZ	C1MANRES
C1-GETPPTMPL	C1-SHDETAILSZ	C1MEMBRS
C1MEMBSP	C1PTPLP	C1_BRD_P
C1NCISPY	C1PYRQTY	C1_BUNDLE
C1NCPTMP	C1REFSTP	C1_CHKBL_PA
C1ODBUPR	C1REFUND	C1_CHKTRDFLG
C1PASGAPPROVE	C1REQSTS	C1_CIGAS
C1PASGREADMODIFY	C1REQTYP	C1_CIMAPZ

Application Service	Application Service	Application Service
C1PASGREADRESOLVE	C1RFWORT	C1_COM_VALID
C1PAYMAN	C1SAPPTM	C1_COPYPL
C1PAYPTL	C1SATYPELISTZ	C1_CPBUNDL
C1PAYREQ	C1SCHEDU	C1_CPYPL
C1PAYRQ	C1VAR	C1_CUSTINFO
C1PAYSRC	C1WODET	C1_DEL_PRD
C1PAYUPL	C1_ADDEXH	C1_DEL_PROD
C1PERRL	C1_ADDPL	C1_DISPBU ND
C1PLCYPL	C1_ADDPROD	C1_DR RSSR
C1PLCYPN	C1_ADD_RTCMP	C1_DSPLY_RT
C1PLCYTY	C1_ADD_TIER	C1_EDTBUND
C1POINFR	C1_ADMPI	C1_EDTER
C1POLACL	C1_ANSP LTCUS	C1_EDTPL
C1POLCYN	C1_AP CS	C1_EDTPROD
C1POLCYP	C1_APPAD	C1_EDT_PRITM
C1POLPEL	C1_AP TXN_PRICEASGN	C1_EFF_PRC
C1POL SCH	C1_APPWF	C1_EFF_PRICE
C1POLSRCH	C1_APUR	C1_EF PRODSRC
C1POLTYP	C1_APVIG	C1_EXCHRT
C1PPCARS	C1 ASNPL	C1_EXHRT
C1PPDUP	C1_BACCGRVAL	C1_EXPPITM
C1PRISIM	C1_BAFHZ	C1_FTRS
C1PRODUCT	C1_BFHIS	C1_F_ADDCHLD
C1PSNAPP	C1_BNDMN	C1_F_ADDEXCH
C1PSNMOD	C1_BNDPRD	C1_F_ADDPL
C1PSNRES	C1_BNDPRS	C1_F_ADDPRD
C1PTNDRH	C1_BO_OPT	C1_F_ADDPRPL
C1_F_ADDPRSS	C1_F_IGG2MS	C1_OVR_PRITM
C1_F_ADDRATE	C1_F_IGG3MM	C1_PAYUP
C1_F_ADMPROD	C1_F_IGG3MS	C1_PC USSRCH
C1_F_AP DPROD	C1_F_PERSRCH	C1_PLADPR
C1_F_APVDTVL	C1_F_PLCRT	C1_PLAE
C1_F_APVNFLT	C1_F_PLEDT	C1_PLASNADD

Application Service	Application Service	Application Service
C1_F_ASNCUS	C1_F_PLVAL	C1_PLASNEDIT
C1_F_ASGNPTP	C1_F_POPITEM	C1_PLASN_ADD
C1_F_CIGG3V	C1_F_PRCHAR	C1_PLASN_EDI
C1_F_COPYPL	C1_F_PRCHARS	C1_PLASSIGN
C1_F_CPYBNDL	C1_F_PRDVL	C1_PLASSIGNE
C1_F_CPYPL	C1_F_PRODVAL	C1_PLCLASSIGN
C1_F_CPYPLVL	C1_F_PRODVL1	C1_PLEDIT
C1_F_CUSSRCH	C1_F_RSCDVAL	C1_PLISTSRCH
C1_F_DELEXCH	C1_F_RTDESC	C1_PLMNG
C1_F_DELSCS	C1_F_SAVESCS	C1_PLPTYAINF
C1_F_DVAL	C1_F_SRPLVAL	C1_PLPTYINFO
C1_F_EDTEXHR	C1_F_VAL_CUS	C1_PLSRCH
C1_F_EDTMMP	C1_GENERICSA	C1_PLSTOGGLE
C1_F_EDTPL	C1_GENRCMP	C1_PLVAL
C1_F_EDTPR	C1_GETTIER	C1_PLVALIDAT
C1_F_EDTPROD	C1_GRP	C1_PLVIEW
C1_F_EDTPRPL	C1_IGMMB	C1_PL_ADD
C1_F_EDTPRSS	C1_INF_PARTY	C1_PL_EDIT
C1_F_EXCDVAL	C1_INVC	C1_PL_PI
C1_F_EXCHVAL	C1_LIST_TIER	C1_PMPRC
C1_F_EXHVAL	C1_MIG	C1_POLICYTYPE
C1_F_GENACBO	C1_MIGAS	C1_PPEDT
C1_F_IGG1MM	C1_MNGRT	C1_PPOVR
C1_F_IGG1MS	C1_MNGTR	C1_PPOVRSRCH
C1_F_IGG2MM	C1_MPPA	C1_PP_DSPINF
C1_PP_PLVAL	C1_SRCHPL	CILBSBHP
C1_PRCAD	C1_SRCHPLVAL	CILBSCCP
C1_PRCE_VALID	C1_SRCHPPL	CILBSEGP
C1_PRCPM	C1_SRCHPRD	CILBSTM
C1_PRC_EDIT	C1_SRCH_PROF	CILCAAHP
C1_PRC_OVRD	C1_SRPROD	CILCAASP

Application Service	Application Service	Application Service
C1_PRC_TR	C1_STRTOLIST	CILCACCP
C1_PRC_VALID	C1_TEMPLATE	CILCALZP
C1_PRDREL	C1_TIER_INP	CILCAMRP
C1_PRICEPARAM	C1_VWPRD	CILCBCUP
C1_PRITSRCH	CHGTYPE	CILCCCIP
C1_PROD	CHGTYPECD	CILCCCZP
C1_PRODPL	CIACNBTY	CILCCIZP
C1_PROD_ADD	CIAPAYSTGUPL	CILCCNSP
C1_PROD_EDIT	CIAPPACCTYPE	CILCCNXP
C1_PROD_SRCH	CIAPPHELGBL	CILCCSCP
C1_PROVR_EDT	CIAPPCRIT	CILCCSHP
C1_PRZCR	CIAPPTXNCHAIN	CILCCTXP
C1_PRZTR	CIAPPTXNRSN	CILCFIZP
C1_PRZ_CR	CICASE	CILCPERP
C1_PRZ_TR	CICASECREATE	CILCPLAS
C1_PTPLA	CICHGTYPE	CILCPPLP
C1_RATE_DEF	CICREATEPAYMENTS	CILCPRMP
C1_RECTIFYSRCH	CIGETPRICING	CILCSALP
C1_RSN	CILAADUP	CILCSSEP
C1_RTCOM_ADD	CILAASCP	CILCSVAP
C1_RTC_VAL	CILAAUSP	CILDATA
C1_RTOPT	CILACCDEL	CILDIVET
C1_SAVE_TIER	CILAACLCP	CILDIVEXT
C1_SHOW_IMG	CILBBICP	CILECBLP
C1_SRCH	CILBBLPP	CILEFKRP
CILEFLDP	CILPILANG	CILRRVMP
CILEMNUP	CILPIREL	CILSACHG
CILEMOBP	CILPITXNREL	CILTACRP
CILENAVVP	CILPOLMO	CILTALGP
CILENVOP	CILPPAYP	CILTALTP
CILERPTP	CILPPCAN	CILTAMGP

Application Service	Application Service	Application Service
CILESVCP	CILPPTSP	CILTAMTP
CILETBLP	CILPQADP	CILTAPAP
CILEUIZP	CILPRCITMREL	CILTAPFP
CILEXCHRATE	CILPRICELISTCHAR	CILTAPSP
CILFAFHP	CILPRIITEM	CILTAROP
CILFBLCP	CILPRLIST	CILTARTP
CILFBPHP	CILPRLISTDIV	CILTASGP
CILFDRR	CILPRLISTL	CILTATCP
CILFFNTP	CILPTCNP	CILTATPP
CILFFTBP	CILQATDP	CILTATYP
CILFFTPP	CILQCASP	CILTBCRP
CILFLGRP	CILQTDEP	CILTBCTP
CILFMVTP	CILQTDLP	CILTBFFP
CILFSFHP	CILQTDQP	CILTBFVP
CILITPDP	CILQTDSP	CILTBIMP
CILLODPP	CILQTDTP	CILTBLCP
CILPAPHP	CILQTDZP	CILTBLLP
CILPAPSP	CILQTSSP	CILTBKNP
CILPDCNP	CILQTSUP	CILTBRTP
CILPDCSP	CILRCMAP	CILTBSTP
CILPEPLP	CILRENGP	CILTBTCP
CILPEQAP	CILRRSMP	CILTBTRP
CILPEVTP	CILRRTCP	CILTBXTP
CILPICCHAR	CILRRTSP	CILTCAMP
CILPIDIV	CILRRTVP	CILTCATP
CILTCCCP	CILTIITP	CILTSARP
CILTCCTP	CILTLDIP	CILTSATP
CILTCHTP	CILTLETP	CILTSCLP
CILTCIDP	CILTLKFP	CILTSCYP
CILTCLGP	CILTLNGP	CILTSICP
CILTCLRP	CILTMCRP	CILTSOMP

Application Service	Application Service	Application Service
CILTCLWP	CILTMHTP	CILTSOPP
CILTCNTP	CILTMSGP	CILTSQIP
CILTCOCP	CILNUXP	CILTSQRP
CILTCQTP	CILTOCRP	CILTSTMP
CILTCURP	CILTOETP	CILTSVTP
CILTCUSP	CILTOPTP	CILTSWLP
CILTDARP	CILTORAP	CILTTACP
CILTDASP	CILTPCRP	CILTTAXP
CILTDCAP	CILTPCTP	CILTTGRP
CILTDCLP	CILTPDRP	CILTTMRP
CILTDIRP	CILTPHTP	CILTTMTP
CILTDPRP	CILTPIFP	CILTTNSP
CILTDSTP	CILTPKGP	CILTTNTP
CILTDWPP	CILTPMDP	CILTTOUP
CILTDWTP	CILTPPTP	CILTRRAP
CILTEBRP	CILTPRTP	CILTTTMP
CILTECRP	CILTPSDP	CILTTZNP
CILTEETP	CILTPSTP	CILTUOMP
CILTFNDP	CILTPTRP	CILTURPP
CILTFRQP	CILTPYTP	CILTUSCP
CILTFWLP	CILTQRTP	CILTUSEP
CILTGLDP	CILTRGLP	CILTUSGP
CILTIIDTP	CILTRLEP	CILTWCTP
CILTINCP	CILTRSCP	CILTWDCP
CILTINSP	CILTRRTYP	CILTWETP
CILTWFPP	CILXOPTP	CISATYCHG
CILTWPTP	CILXRCVP	CTXZONE
CILTWSCP	CILXRTTP	DIVS
CILTWSDP	CILXSENP	DIV_PRICEITEMS
CILTXNDETAIL	CILXSVXP	DIV_PRICELISTS
CILTXNSRC	CILXTPCP	F1-APAYEXPCRTYPEBOAS

Application Service	Application Service	Application Service
CILTXNSRCD	CILXXSCP	F1-ATTACHMENTBOAS
CILTXNSRCL	CILXXUPP	F1-DECRPTBOAS
CILUPFTS	CILYASTP	F1-DFLTAPS
CILVFVDP	CILYDBPP	F1-DFLTS
CILVFVSP	CILYDFQP	F1-EXPUSERSREQBOAS
CILVVLEP	CILYDPIP	F1-GENPROC
CILVVLSP	CILYENRP	F1-MIGROBJIMP
CILWDWNP	CILYROBP	F1-STASKTYPE
CILWJSDP	CILZAFQP	F1-SVCTASK
CILWJSSP	CILZAUQP	F1-SYNCREQ
CILWNUPP	CILZFNCP	F1-SYNCREQIN
CILWNUSP	CILZPORP	F1-SYNCREQUESTBOAS
CILWPROP	CILZRBPP	F1-WEBSVCBOAS
CILXADPP	CILZRPHP	F1ADMIN
CILXAIEP	CILZRPOP	F1ATTACH
CILXAIIP	CILZRPTP	F1ATTACHMENT
CILXCLSP	CILZSCRP	F1CATTCH
CILXCONP	CILZSCZP	F1CONFIGLOG
CILXENHP	CILZTLZP	F1DEBUG
CILXFRMP	CILZZOHP	F1EXLK
CILXGRPP	CILZZONP	F1EXLKPS
CILXJDBP	CIL_FAVORITES	F1LCAMRP
CILXJMSP	CIPRICEACCOUNT	F1LEXTLKUP
CILXJSVP	CISACHG	F1LTAMTP
CILXNDNP	CISACHGTYPE	F1MGDEXP
F1MGDEXS	F1_USRFAVSCH	F1SUBRQQ
F1MGDIMP	FILETYPE	F1SYNCRM
F1MGDIMS	FWLCTDEP	F1SYNCRQ
F1MGOIMP	FWLFACTP	F1TBLEXC
F1MGPLNM	FWLSTRJP	F1UIZONE
F1MGPLNS	FWLTBELP	F1USERLOG

Application Service	Application Service	Application Service
F1MGREQM	FWLTBOJP	F1WBSVCM
F1MGREQS	FWLTBSVP	F1WBSVCS
F1MIGRDEXP	FWLTDARP	F1WEBSVC
F1MIGRDIMP	FWLTEXSP	F1_BTST
F1MIGRDS	FWLTMGCT	F1REQTYP
F1MIGROBJ	FWLTOMTP	F1STRDIS
F1MIGRPLAN	FWLTSCHP	F1STREAS
F1MIGRREQ	FWLTUIMP	PERTREE
F1MIGRTIMP	FWLXOUTP	SACHGLNK
F1MIGRTX	FWLZDEXP	SATYPCHG
F1MTXIMP	FWLZWLP	C1LASGN
F1REQ	GOTOREC	C1PIASGN
C1BCHGUPLREQ	C1DELCTL	C1PLASGNM
C1BILLCYCLEUPDTUPL	C1ELGPA	C1REFUPLREQ
C1CONTRIDERUPDTUPL	C1GETELIGPT	C1UPLDRQ
C1DCDTLC	C1HOLDUPLREQ	C1UPLREQ
C1WOUPLREQ	CILCPASP	C1HCSINF
C1-ACCNBRTYPAS	C1ADDRESS	C1INMSGP
C1-CUSTINMSG	C1ADDRS	C1INMSRH
C1-GENRQ	C1ADDRSBO	C1INMSTY
C1-INMSG	C1ADDRSRC	C1PAREQ
C1-INMSGTYPE	C1CUS360	C1PARQMN
C1-MEMBERINMSG	C1DSPT	C1PARQTY
C1-POLPERORLEAS	C1DSPTRQ	C1PI
C1-PROSPECTCRET	C1DSPTRT	C1PL
C1-REQUEST	C1DSPTTY	C1PRICEASGN
C1ADDRDP	C1HCAPPSER	C1REINUPLREQ
C1ADDRDTL	C1HCBLDT	CILTTHDP
C1_DSPT_REQ	CIOPOLPERROLE	F1-ARQPR
F1-AVALG	F1-LKPIL	F1-SICRL
F1-AVBT	F1-MGDIM	F1-SRCRL

Application Service	Application Service	Application Service
F1-AVMO	F1-MGDPR	F1-SRLRQ
F1-AVTBL	F1-MGOAP	F1-STATSM
F1-AVTD	F1-MGOPR	F1-STCRL
F1-BFCRL	F1-MGTAP	F1-STKDF
F1-BSFLG	F1-MGTPR	F1-STKTR
F1-BUNPR	F1-NDPUR	F1-SUBRQ
F1-DTDOM	F1-ORCRL	F1-SYNEF
F1-FCTRN	F1-OUCRL	F1-SYNIL
F1-FKVBP	F1-PDBEX	F1-SYNRQ
F1-FLUSH	F1-PDBG	F1-SYSRQ
F1-ILMIN	F1-REQTY	F1-TDCRL
F1-LANG	F1-REVPR	F1-TDEER
F1-LDAP	F1-SAKRQ	F1-TDPG
F1-XMLPG	ACCTVIEW	C1-ACCTAPAY_SERV
C1-DISC-REPT	C1-DRRTMPLT	C1-MBR-DR-TY
C1-REVRECPLCY	C1ACCTAPAY	C1APAYRT
C1APAYVW	C1APYINS	C1DISREP
C1DRDIS	C1DSRTY	C1FILERQ
C1FLRQDT	C1MBRRCN	C1PARAM
C1PERS	C1PERSDP	C1PERSON
C1RCONTY	C1RECOLN	C1RECONCIL
C1RECONTYP	C1SRCAPP	C1VIEWRL
C1_BPYHS	C1_DRSP	C1_DRRTM
C1_DR RTP	C1_INVCN	C1_PAYIN
C1_PRODUCT	C1_RLTPM	C1_RLTVW
CILRULTP	CONRULE	PRICECOMPPRE
REQ_TYP	C1_PRRLTYP	C1-RULEBOAS
C1-TXNAGG	C1-TXNDTL	C1-TXNREC
C1-TXNSRC	C1BILLVL	C1BILLSORT
C1BILLTD	C1BLLVLUPLREQ	C1BLLSRTUPLREQ

Application Service	Application Service	Application Service
C1DISAGR	C1ENTITYREPORT	C1PRICINGGROUP
C1PROAPP	C1PRTYP	C1SRCHRL
C1TXNAGG	C1TXNAGGRUL	C1TXNDTL
C1TXNFD	C1TXNSRC	C1TXRTFM
C1_BUNDVAL	C1_COPYBND	C1_CPYBD
C1_FEED	C1_PRICE	C1_TXNAR
CILTXNSOURCE	CIPRICEPARM	F1APPLYBNDL
F1BNDLEM	F1BNDLES	F1BNDLIM
F1BNDLIS	F1BUNEXP	F1BUNIMP
F1IWSDPL	F1IWSSVC	F1IWSVCP
F1IWSVCS	FWLBNDLP	

B.1.4 INADMIN

The following table lists all application services configured for the INADMIN user group:

Application Service	Application Service	Application Service
AFHZONE	C1-CNTRTPPTZ	C1-EXTSTMICHZ
APPTXADM	C1-CONTRACTCHARSVALI	C1-EXTSTMLOGZ
BILLGCONS	C1-CONTRACTTYPECHARS	C1-EXTSTMTAD
BILLGRAPH	C1-CTRLC	C1-EXTSTMTCHAR
C1-ACCBALCNT	C1-DEFAULTPP	C1-EXTSTMTED
C1-ACCCRCHM	C1-DELPPTMP	C1-EXTSTMTITEM
C1-ACCCURDET	C1-DFLPPPTMP	C1-EXTSTMTITMCHR
C1-ACCDETAILZ	C1-DRRDTLSZ	C1-EXTSTMTRC
C1-ACCDISCREZ	C1-DUPBTN	C1-EXTSTMTSRZ
C1-ACCOUNTCURRENT	C1-EDITPPTMP	C1-EXTSTMTZ
C1-ACCQUICED	C1-EQUITYDT	C1-GETADJ
C1-ACCREDIT	C1-EXITEMDEL	C1-GETEFFECTVPRICING
C1-ACCRLOGZ	C1-EXITEMED	C1-GETPPTMPL
C1-ACCSELECT	C1-EXSTMVBNF	C1-INSDETBAK
C1-ACCURERR	C1-EXTACQRYZ	C1-ISSUEDATEPOLICYCH
C1-ACCURTEXT	C1-EXTAUTREC	C1-LINKPPTMP

Application Service	Application Service	Application Service
C1-ACNPOLSUMZ	C1-EXTERNALSTATEMENT	C1-LINKPPTMP2
C1-ACPOLSUMMZ	C1-EXTITEMAD	C1-MAINPINFR
C1-ACTPPTMPL	C1-EXTPENDG	C1-MAINPPLAN
C1-ACURITEMD	C1-EXTREOPN	C1-MAINPPTMP
C1-ADJAPPRVLREQBOAS	C1-EXTSTCHM	C1-MOVEPPT
C1-APAYEXPCRREQBOAS	C1-EXTSTIMP	C1-NAVACTCUR
C1-APAYEXPCRTYPEBOAS	C1-EXTSTITCH	C1-NAVTOEXST
C1-APPRSN	C1-EXTSTLDB	C1-PAY-REQ
C1-APPTXN	C1-EXTSTMBNF	C1-PAYMENT
C1-APPTXNLOG	C1-EXTSTMCAN	C1-PAYPLAN
C1-ASAPU	C1-EXTSTMCLD	C1-PAYPLAND
C1-ASGNPL	C1-EXTSTMCLS	C1-PAYPLANTMPLCOMPL
C1-BILLCHARGE	C1-EXTSTMDTLZ	C1-PAYPLANZ
C1-BRD	C1-EXTSTMDZ	C1-PAYPLNBPA
C1-PAYTEMPLATEBOAS	C1-PPDUP	C1ACINSP
C1-PERBALCNT	C1-PPEDIT	C1ACTPER
C1-PIFVIS	C1-PPEDTTASK	C1ACTREE
C1-PINFRDISP	C1-PPLANDET	C1ADJSTP
C1-PINVPOST	C1-PPPROC	C1ADJUPL
C1-POINFRDET	C1-PPSACCSRC	C1APPBOCHNZN
C1-POLCANCE	C1-PPTCNTDETZ	C1APPCHN
C1-POLCANZ	C1-PPTERROR	C1APPCRT
C1-POLICY	C1-PPTMPDISP	C1APPRESP
C1-POLICYBPA	C1-PPTMPDUP	C1APPTXNBOCHN
C1-POLICYCANRSNSERV	C1-PPTMPL	C1APPTXNBOCHNZN
C1-POLICYCHAR	C1-PPTMPLD	C1APPTXNCHAIN
C1-POLICYDESC	C1-PPTMPLDET	C1APPTXNCRI
C1-POLICYINVOICEFREQ	C1-PPTMPLDETZ	C1APPTXNCRT
C1-POLICYSUM	C1-PPTMPLVIS	C1APPTXNGRP
C1-POLINVDETZ	C1-PPTMPLZ	C1BOCHN
C1-POLINVEDI	C1-PPTMPPOST	C1CCACCT

Application Service	Application Service	Application Service
C1-POLINVFRE	C1-PSTAKEHLD	C1CCPORT
C1-POLINVFRZ	C1-QUICKPAGINATION	C1CNTCR
C1-POLINVFRQ	C1-RECVAL	C1CTRLC
C1-POLI_FHZ	C1-REFWOREQ	C1FLRQTY
C1-POLNOMINEZ	C1-REQUEST-TYPE	C1FLSRCH
C1-POLPERORLEAS	C1-RETURNDUP	C1INSPAY
C1-POLREINSTSR	REQ_TYP	C1LISTBL
C1-POLSUMZ	C1-SHDETAILSZ	C1MANAPP
C1-PPACCTSRC	C1-SRCHSCPT	C1MANLOG
C1-PPACTV	C1-UNLINK	C1MANMOD
C1-PPBTNS	C1-UNLINKPP	C1MANRES
C1-PPDET	C1-UPLOADCSV	C1NCISPY
C1-PPDETZ	C1-WRITEOFFREQ	C1NCPTMP
C1-PPDISP	C1ACC RATE	C1ODBUPR
C1PASGAPPROVE	C1PTPLP	C1_BACCGRVAL
C1PASGREADMODIFY	C1PYRQTY	C1_BAFHZ
C1PASGREADRESOLVE	C1RECDTLSTAT	C1_BFHIS
C1PAYMAN	C1RECONDTL	C1_BNDMN
C1PAYPLAN	C1REFSTP	C1_BNDPRD
C1PAYPTL	C1REFUND	C1_BNDPRS
C1PAYREQ	C1REQSTS	C1_BO_OPT
C1PAYRQ	C1REQTYP	C1_BRD_P
C1PAYSRC	C1RFWORT	C1_BUNDLE
C1PAYUPL	C1SAPPTM	C1_CHKBI L_PA
C1PERRL	C1SATYPELISTZ	C1_CHKTRDFLG
C1POINFR	C1SCHEDU	C1_CIGAS
C1POLACL	C1VAR	C1_CIMAPZ
C1POLICYCANRSN	C1VARIANCE	C1_COM_VALID
C1POLPEL	C1WODET	C1_COPYPL
C1POLSRH	C1_ACCUR	C1_CPBUNDL
C1POLTYP	C1_ACUNV	C1_CPYPL

Application Service	Application Service	Application Service
C1PPCARS	C1_ADDEXH	C1_CUSTINFO
C1PPDUP	C1_ADDPL	C1_DEL_PRD
C1PPLAN	C1_ADDPROD	C1_DEL_PROD
C1PPSRH	C1_ADD_RTCMP	C1_DISPBU ND
C1PPSRS	C1_ADD_TIER	PRICECOMPPRE
C1PPTMPL	C1_ADMPI	C1_DSPLY_RT
C1PPTMPO	C1_ANSP LTCUS	C1_EDTBUND
C1PPVERSCHZ	C1_APACS	C1_EDTER
C1PRISIM	C1_APPAD	C1_EDTPL
C1PRODUCT	C1_APPTXN_PRICEASGN	C1_EDTPROD
C1PSNAPP	C1_APPWF	C1_EDT_PRITM
C1PSNMOD	C1_APUR	C1_EFF_PRC
C1PSNRES	C1_APVIG	C1_EFF_PRICE
C1PTNDRH	C1 ASNPL	C1_EFPRODSRC
C1_EXCHRT	C1_F_EDTMMP	C1_F_VAL_CUS
C1_EXHRT	C1_F_EDTPL	C1_GENERICSA
C1_EXPPITM	C1_F_EDTPR	C1_GENRCMP
C1_EXSTD	C1_F_EDTPROD	C1_GETTIER
C1_EXSTL	C1_F_EDTPRPL	C1_GRP
C1_EXSTM	C1_F_EDTPRSS	C1_IGMMB
C1_EXSTS	C1_F_EXCDVAL	C1_INF_PARTY
C1_FTRS	C1_F_EXCHVAL	C1_INS_SRCH
C1_F_ADDCHLD	C1_F_EXHVAL	C1_INVC
C1_F_ADDEXCH	C1_F_GENACBO	C1_LIST_TIER
C1_F_ADDPL	C1_F_IGG1MM	C1_MIG
C1_F_ADDPRD	C1_F_IGG1MS	C1_MIGAS
C1_F_ADDPRPL	C1_F_IGG2MM	C1_MNGRT
C1_F_ADDPRSS	C1_F_IGG2MS	C1_MNGTR
C1_F_ADDRESS	C1_F_IGG3MM	C1_MPPA
C1_F ADMPROD	C1_F_IGG3MS	C1_OVR_PRITM
C1_F_ADPROD	C1_F_PERSRCH	C1_PAYUP

Application Service	Application Service	Application Service
C1_F_APVDTVL	C1_F_PLCRT	C1_PCUSSRCH
C1_F_APVNFLT	C1_F_PLEDT	C1_PLADPR
C1_F_ASNCUS	C1_F_PLVAL	C1_PLAE
C1_F_ASGNPTP	C1_F_POLSRCH	C1_PLASNADD
C1_F_CIGG3V	C1_F_POPITEM	C1_PLASNEDIT
C1_F_COPYPL	C1_F_PRCHAR	C1_PLASN_ADD
C1_F_CPYBNDL	C1_F_PRCHARS	C1_PLASN_EDI
C1_F_CPYPL	C1_F_PRDVL	C1_PLASSIGN
C1_F_CPYPLVL	C1_F_PRODVAL	C1_PLASSIGNE
C1_F_CUSSRCH	C1_F_PRODVL1	C1_PLCLASSIGN
C1_F_DELEXCH	C1_F_RSCDVAL	C1_PLEDIT
C1_F_DELSCS	C1_F_RTDESC	C1_PLISTSRCH
C1_F_DTVL	C1_F_SAVESCS	C1_PLMNG
C1_F_EDTEXHR	C1_F_SRPLVAL	C1_PLPTYAINF
C1_PLPTYINFO	C1_PRZCR	CIAPPHELGBL
C1_PLSRCH	C1_PRZTR	CIAPPCRIT
C1_PLSTOGGLE	C1_PRZ_CR	CIAPPTXNCHAIN
C1_PLVAL	C1_PRZ_TR	CIAPPTXNRSN
C1_PLVALIDAT	C1_PTPLA	CICASE
C1_PLVIEW	C1_RATE_DEF	CICASECREATE
C1_PL_ADD	C1_RECON	CICHGTYPE
C1_PL_EDIT	C1_RECTIFYSRCH	CICPAYPLAN
C1_PL_PI	C1_RSN	CICREATEPAYMENTS
C1_PMPRC	C1_RTCOM_ADD	CIGETPRICING
C1_PPEDT	C1_RTC_VAL	CILAADUP
C1_PPOVR	C1_RTOPT	CILAASCP
C1_PPOVRSRCH	C1_SAVE_TIER	CILAAUSP
C1_PP_DSPINF	C1_SHOW_IMG	CILACCDEL
C1_PP_PLVAL	C1_SRCH	CILAACLCP
C1_PRCAD	C1_SRCHPL	CILBBICP
C1_PRCE_VALD	C1_SRCHPLVAL	CILBBLLP

Application Service	Application Service	Application Service
C1_PRCPM	C1_SRCHPPL	CILBMCRP
C1_PRC_EDIT	C1_SRCHPRD	CILBSBHP
C1_PRC_OVRD	C1_SRCH_PROF	CILBSCCP
C1_PRC_TR	C1_SRPROD	CILBSEGP
C1_PRC_VALID	C1_STRTOLIST	CILBSTM
C1_PRDREL	C1_TEMPLATE	CILCAAHP
C1_PRICEPARAM	C1_TIER_INP	CILCAASP
C1_PRITSRCH	C1_VIEW	CILCACCP
C1_PROD	C1_VWPRD	CILCALZP
C1_PRODPL	CHGTYPE	CILCAMRP
C1_PROD_ADD	CHGTYPECD	CILCBCUP
C1_PROD_EDIT	CIACNBTY	CILCCIP
C1_PROD_SRCH	CIAPAYSTGUPL	CILCCZP
C1_PROVR_EDT	CIAPPACCTYPE	CILCCIZP
CILCCNSP	CILFBLCP	CILPRLIST
CILCCNXP	CILFBPHP	CILPRLISTDIV
CILCCSCP	CONRULE	CILPRLISTL
CILCCSHP	CILFFNTP	CILPTCNP
CILCCTXP	CILFFTBP	CILQATDP
CILCFIZP	CILFFTTP	CILQCASP
CILCLOAP	CILFLGRP	CILQTDEP
CILCPERP	CILFMVTP	CILQTDLP
CILCPLAS	CILFSFHP	CILQTDQP
CILCPPPL	CILITPDP	CILQTDSP
CILCPPTMPL	CILLODPP	CILQTDTP
CILCPRMP	CILPAPHP	CILQTDZP
CILCSALP	CILPAPSP	CILQTSSP
CILCSSEP	CILPDCNP	CILQTSUP
CILCSVAP	CILPDCSP	CILRCMAP
CILDATA	CILPEPLP	CILRENGP
CILDIVET	CILPEQAP	CILRRSMP

Application Service	Application Service	Application Service
CILDIVEXT	CILPEVTP	CILRRTCP
CILECBLP	CILPICCHAR	CILRRTSP
CILEFKRP	CILPIDIV	CILRRTVP
CILEFLDP	CILPILANG	CILRRVMP
CILEMNUP	CILPIREL	CILSACHG
CILEMOBP	CILPITXNREL	CILSTEXTITEM
CILENAVVP	CILPOLMO	CILTACRP
CILENVOP	CILPPAYP	CILTALGP
CILERPTP	CILPPCAN	CILTALTP
CILESVCVP	CILPPTSP	CILTAMGP
CILETBLP	CILPQADP	CILTAMTP
CILEUIZP	CILPRCITMREL	CILTAPAP
CILEXCHRATE	CILPRICELISTCHAR	CILTAPFP
CILFAFHP	CILPRITEM	CILTAPRP
CILTAPSP	CILTCQTP	CILTOETP
CILTAROP	CILTCURP	CILTOOPTP
CILTARTP	CILTCUSP	CILTORAP
CILTASGP	CILTDARP	CILTPCRP
CILTATCP	CILTDASP	CILTPDRP
CILTATPP	CILDCAP	CILTPHTP
CILTATYP	CILTDCLP	CILTPIFF
CILTBCRP	CILDIRP	CILTPKGP
CILTBCTP	CILDPRP	CILTPMDP
CILTBFFP	CILDSTP	CILPPPTP
CILTBFVP	CILDWPP	CILPR RTP
CILTBIMP	CILDWTP	CILPSDP
CILTBLCP	CILTEBRP	CILPSTP
CILTBLPP	CILTECRP	CILPTRP
CILTBKNP	CILTFNDP	CILPYTP
CILTBRTP	CILTFRQP	CILTQRTP
CILTBSTP	CILTFWLP	CILTRGLP

Application Service	Application Service	Application Service
CILTBTCP	CILTGLDP	CILTRLEP
CILTBTRP	CILTIIDTP	CILTRSCP
CILTBXTP	CILTIINCP	CILTRTYP
CILTCAMP	CILTIINSP	CILTSATP
CILTCATP	CILTIITP	CILTSCLP
CILTCCCP	CILTLIDIP	CILTSCYP
CILTCCTP	CILTLETP	CILTSICP
CILTCHTP	CILTLKFP	CILTSOMP
CILTCIDP	CILTLNGP	CILTSOPP
CILTCCLGP	CILTMCRP	CILTSQIP
CILTCCLRP	CILTMHTP	CILTSQRP
CILTCCLWP	CILTMSGP	CILTSTMP
CILTCNTP	CILTNUXP	CILTSVTP
CILTCOCP	CILTOCRP	CILTSWLP
CILTTACP	CILWDWNP	CILYROBP
CILTTAXP	CILWJSDP	CILZAFQP
CILTTGRP	CILWJSSP	CILZAUQP
CILTTMRP	CILWNUPP	CILZFNCP
CILTTMTP	CILWNUSP	CILZPORP
CILTTNSP	CILWPROP	CILZRBPP
CILTTNTP	CILXADPP	CILZRPHP
CILTTOUP	CILXAIEP	CILZRPOP
CILTTRAP	CILXAIIP	CILZRPTP
CILTTTMP	CILXCLSP	CILZSCRP
CILTTZNP	CILXCONP	CILZSCZP
CILTUOMP	CILXENHP	CILZTLZP
CILTURPP	CILXFRMP	CILZZOHP
CILTUSCP	CILXGRPP	CILZZONP
CILTUSEP	CILXJDBP	CIL_FAVORITES
CILTUSGP	CILXJMSP	CIPOLICY
CILTWCTP	CILXJSVP	CIPOLPERRL

Application Service	Application Service	Application Service
CILTWDCP	CILXNDNP	CIPOLPERROLE
CILTWETP	CILXOPTP	CIPOLREINSTRSN
CILTWPTP	CILXRCVP	CIPRICEACCOUNT
CILTWSCP	CILXRTTP	CIREC
CILTWSDP	CILXSENP	CIRECCUSTSUB
CILTXNDETAIL	CILXSVXP	CIRECON
CILTXNSRC	CILXTPCP	CIRECONDTL
CILTXNSRCD	CILXXSCP	CIRECONSEG
CILTXNSRCL	CILXXUPP	CIRECPRTL
CILUPFTS	CILYASTP	CISACHG
CILVFVDP	CILYDBPP	CISACHGTYPE
CILVFVSP	CILYDFQP	CISATYCHG
CILVVLEP	CILYDPIP	CIVARIANCE
CILVVLSP	CILYENRP	CNCLRSN
CTXTZONE	F1MGDIMP	FILETYPE
DIVS	F1MGDIMS	FWLCTDEP
DIV_PRICEITEMS	F1MGOIMP	FWLFACTP
DIV_PRICELISTS	F1MGPLNM	FWLSTRJP
F1-APAYEXPCRTYPEBOAS	F1MGPLNS	FWLTBELP
F1-ATTACHMENTBOAS	F1MGREQM	FWLTBOJP
F1-DECRPTBOAS	F1MGREQS	FWLTBSVP
F1-DFLTAPS	F1MIGRDEXP	FWLTDARP
F1-DFLTS	F1MIGRDIMP	FWLTEXSP
F1-EXPUSERSREQBOAS	F1MIGRDS	FWLTMGCT
F1-GENPROC	F1MIGROBJ	FWLTOMTP
F1-MIGROBJIMP	F1MIGRPLAN	FWLTSCHP
F1-STASKTYPE	F1MIGRREQ	FWLTUIMP
F1-SVCTASK	F1MIGRTIMP	FWLXOUTP
F1-SYNCREQ	F1MIGRTX	FWLZDEXP
F1-SYNCREQIN	F1MTXIMP	FWLZWLP
F1-SYNCREQUESTBOAS	F1REQ	GOTOREC

Application Service	Application Service	Application Service
F1-WEBSVCBOAS	F1REQTYP	LISTBILLVIEW
F1ADMIN	F1STRDIS	PERTREE
F1ATTACH	F1STREAS	POLICYCANRSN
F1ATTACHMENT	F1SUBRQQ	RECDTSTA
F1CATTCH	F1SYNCRM	RECON
F1CONFIGLOG	F1SYNCRQ	RECONDTL
F1DEBUG	F1TBLEXC	RSTRSN
F1EXLKP	F1UIZONE	SACHGLNK
F1EXLKPS	F1USERLOG	SATYPCHG
F1LCAMRP	F1WBSVCM	SATYPES
F1LEXTLKUP	F1WBSVCS	F1_BTST
F1LTAMTP	F1WEBSVC	F1_USRFAVSCH
F1MGDEXP	F1MGDEXS	C1LASGN
C1BCHGUPLREQ	C1DELCTL	C1PIASGN
C1BILLCYCLEUPDTUPL	C1ELGPA	C1PLASGNM
C1CONTRIDERUPDTUPL	C1GETELIGPT	C1REFUPLREQ
C1DCDTLC	C1HOLDUPLREQ	C1UPLDRQ
C1UPLREQ	C1WOUPLREQ	CILCPASP
C1-PROSPECTCRET	C1ADDRS	C1DSPTTY
C1ACRLCL	C1ADDRSBO	C1PAREQ
C1ACRLTP	C1ADDRSRC	C1PARQMN
C1ADDRDP	C1DSPT	C1PARQTY
C1ADDRDTL	C1DSPTRQ	C1PI
C1ADDRESS	C1DSPTRT	C1PL
C1PRICEASGN	C1_DSPT_REQ	F1-ARQPR
F1-AVALG	F1-LKPIL	F1-SICRL
F1-AVBT	F1-MGDIM	F1-SRCRL
F1-AVMO	F1-MGDPR	F1-SRLRQ
F1-AVTBL	F1-MGOAP	F1-STATSM
F1-AVTD	F1-MGOPR	F1-STCTRL
F1-BFCRL	F1-MGTAP	F1-STKDF

Application Service	Application Service	Application Service
F1-BSFLG	F1-MGTPR	F1-STKTR
F1-BUNPR	F1-NDPUR	F1-SUBRQ
F1-DTDOM	F1-ORCRL	F1-SYNEF
F1-FCTRN	F1-OUCRL	F1-SYNIL
F1-FKVPB	F1-PDBEX	F1-SYNRQ
F1-FLUSH	F1-PDBG	F1-SYSRQ
F1-ILMIN	F1-REQTY	F1-TDCRL
F1-LANG	F1-REVPR	F1-TDEER
F1-LDAP	F1-SAKRQ	F1-XMLPG
C1-DISC-REPT	C1-PTD-CAL	C1APAYRT
C1FILERQ	C1FLRQDT	C1PARAM
C1PERS	C1PERSDP	C1PERSON
C1SRCAPP	C1VIEWRDL	C1_INVCN
C1_PRODUCT	C1_RLTPM	C1_RLTWV
CILRULTP	C1-PRRLTYP	C1ENTITYREPORT
C1PROAPP	C1PRTYP	C1_PRICE
CIPRICEPARM	-	-

Appendix C :Changing the DB User Password

If you have changed the database user password, you need to execute the following steps before installing the rollup pack for Oracle Utilities Application Framework Version 4.3.0.4.0:

1. Download and apply the single fix available for Bug 22505470 - PATCHES APPEND EXTRA SPACE TO STRINGS AND ADD DB SERVICE CONNECTION SUPPORT on the application and database environments.
2. Perform the following steps on the application environment:
 - a. Change the DB Name using the `configureEnv` command.
 - b. Execute the `initialSetup` utility using the following command:

AIX, Linux:

```
$SPLEBASE/bin/initialSetup.sh
```

Windows:

```
%SPLEBASE%\bin\initialSetup.cmd
```

- c. Execute the `invokeDBUpdatePatch` utility to change the database user name and password using the following command:

AIX, Linux:

```
$SPLEBASE/bin/invokeDBUpdatePatch.sh -b
```

Windows:

```
%SPLEBASE%\bin\invokeDBUpdatePatch.cmd -b
```

Appendix D : New Objects in the Oracle Utilities Application Framework V4.3.0.4.0 Database

This section lists the objects that are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database. These objects are classified under the following two sections:

- Schema Changes
- New System Data

D.1 Schema Changes

This section lists schema related changes made in the Oracle Utilities Application Framework V4.3.0.4.0 database.

D.1.1 New Tables

The following tables are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Table	Description
F1_MIGR_REQ_INCL_REQ	Migration Request Grouping

D.1.2 Added Views

None

D.1.3 Dropped Tables

None

D.1.4 Unsupported Tables

None

D.1.5 Added Columns

The following columns are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Table	Column	Required (Yes or No)
F1_OUTMSG	BO_XML_DATA_AREA	No
F1_MIGR_REQ_INSTR_ENTITY	EXT_REFERENCE_ID	No

Table	Column	Required (Yes or No)
F1_MIGR_REQ_INSTR_ENTITY	COMMENT_LONG	No
F1_MIGR_REQ	MIGR_REQ_CAT_XFLG	No
F1_MIGR_REQ	MIGR_REQ_CLASS_FLG	Yes
F1_IWS_SVC_ANN	SEQ_NUM	Yes
CI_XAI_SNDR_CTX	SEQNO	Yes
CI_XAI_RCVR_CTX	SEQNO	Yes
CI_BATCH_CTRL	APP_SVC_ID	Yes

D.1.6 Dropped Columns

None

D.1.7 Column Format Change

The format of the following columns is changed in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Table	Column	From	To
F1_EXT_LOOKUP_VAL_CHAR	F1_EXT_LOOKUP_VALUE	VARCHAR2(30)	VARCHAR2(254)

D.2 New System Data

The system data is used to configure various features in Oracle Utilities Application Framework. This section lists the system data that is newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database.

D.2.1 Algorithms

The following algorithms are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Algorithm	Description
F1-ETLMCINFO	ETL Mapping Control Information
F1-INSTLINFO	Installation Options Information
F1-INSTLPREC	Installation Options - Precompare
F1-LANGINFO	Language - Information
F1-LKPVALINF	Lookup Value Information
F1-MGDIMPINF	Migration Data Set Import Information
F1-MIGREQELV	Entity List Migration Request Validation

Algorithm	Description
F1-MIGREQGNV	Criteria-based Migration Request Validation
F1-MIGREQGRV	Group Migration Request Validation
F1-MIGREQINF	Migration Request Information
F1-MSGOPTINF	Message Option Information

D.2.2 Algorithm Types

The following algorithm types are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Algorithm Type	Description
F1-ETLMCINFO	ETL Mapping Control Information
F1-INSTLINFO	Installation Options Information
F1-INSTLPREC	Installation Options - Precompare
F1-LANGINFO	Language - Information
F1-LKPVALINF	Lookup Value Information
F1-MGDIMPINF	Migration Data Set Import Information
F1-MIGREQELV	Entity List Migration Request Validation
F1-MIGREQGNV	Criteria-based Migration Request Validation
F1-MIGREQGRV	Group Migration Request Validation
F1-MIGREQINF	Migration Request Information
F1-MSGOPTINF	Message Option Information

D.2.3 Zones

The following zones are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Zone	Description
F1-LKPVALDSC	Lookup Field Value and Description
F1-MIGRREQ2	Migration Plan
F1-MIGRREQ3	Included Migration Request
F1-MIGRREQ4	Entity
F1-MIGRREQAE	Add Entities
F1-MIGRREQEL	Migration Request Entities
F1-MIGRREQEV	Migration Request Entities Exist

Zone	Description
F1-MIGRREQR	Referencing Migration Requests
F1-MIGRREQRV	Referencing Migration Requests Exist
F1-PLCYOVR	Policy's Configurable Overrides
F1-TDTYPEQ1	To Do Type / Description
F1-TDTYPESRC	To Do Type Search
F1GETMGELOMOS	Entity List Migration Request Eligible MOs

D.2.4 UI Maps

The following UI maps are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

UI Map	Description
F1-GetMigrReqRefComments	Add Migration Request Entities
F1-MigrReqEntityAddSrchFltr	Search for Entities to Add by MO and PKs
F1-MigrReqEntityListSrchFltr	Migration Request - Entity List Filter
F1-MigrReqEntitySearchFilter	Migration Request - Filter by Entity
F1-MigrReqExportAction	Migration Request Export Action
F1-MigrReqPlanSearchFilter	Migration Request - Query by Plan Filters
F1-MigrReqReqSearchFilter	Migration Request - Query by Request
F1-SQLWLViewer	SQL Functions White Viewer

D.2.5 Maintenance Objects

The following maintenance objects are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Maintenance Object	Description
F1-LOOKUPVAL	Lookup Value
F1-USRGROUP-SC	User Group (Without Users)

D.2.6 Business Services

The following business services are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Business Service	Description
F1-AddToDoEntryWithChars	Add Manual To Do Entry

Business Service	Description
F1-CheckWarning	Determine if Warnings have accumulated
F1-DBMSCancelJob	DBMS Scheduler - Cancel Job
F1-DBMSChain	DBMS Scheduler Chain Maintenance
F1-DBMSGetJobDetails	DBMS Scheduler Job Details
F1-DBMSGetJobs	DBMS Scheduler Job List
F1-DBMSJob	DBMS Scheduler Job Maintenance
F1-DBMSList	DBMS Scheduler Object List
F1-DBMSProgram	DBMS Scheduler Program Maintenance
F1-DBMSRestartChain	DBMS Scheduler - Restart Failed Chain
F1-DBMSRestartThread	DBMS Scheduler - Restart Thread
F1-DBMSSchedule	DBMS Scheduler Schedule Maintenance
F1-DBMSSubmitJob	DBMS Scheduler Job Submission
F1-GenericRetrieveRowCount	Invoke Zone to Retrieve Row Count
F1-LKPVALDSC	Get Lookup Field and Value Descriptions
F1-PLCYOVR	Policy's Configurable Overrides
F1-RetrieveCMASettings	Retrieve CMA Configuration
F1GETMGELMOS	Entity List Migration Request Eligible MOs

D.2.7 Portals

The following portal is newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Portal	Description
F1NAVEMP	Launching Application

D.2.8 Business Objects

The following business objects are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Business Object	Description
F1-EntityListMigrationRequest	Entity List Migration Request
F1-InstallationPhysicalBO	Physical BO for Installation Options
F1-JMSQueuePhysicalBO	Physical BO for JMS Queue
F1-JMSTopicPhysicalBO	Physical BO for JMS Topic

Business Object	Description
F1-JNDIServerPhysicalBO	Physical BO for JNDI Server
F1-LookupValuePhysicalBO	Physical BO for Lookup Value
F1-MessageOptionPhysicalBO	Physical BO for Message Option
F1-MigrRequestLite	Migration Request - Basic Details
F1-MigrationRequestCategory	Migration Request Category
F1-MigrationRequestGroup	Group Migration Request
F1-SetOfPolicies	Set of Policies
F1-UserGroupNoUsersPhysicalBO	Physical BO for User Group Without Users
F1-ValidPolicies	Valid Policies

D.2.9 Portal Zone

None

D.2.10 Lookups

The following lookups are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Field	Field Value	Description
DBMS_ACTION_FLG	CHNG	Change
	READ	Read
	DEL	Delete
	ADD	Add
DBMS_JOB_STAT_SRCH_FLG	COMP	Completed
	RUN	In Progress
DBMS_OBJ_TYPE_FLG	SCHD	DBMS Schedule
	JOB	DBMS Job
	PROG	DBMS Program
	CHAN	DBMS Chain
MIGR_REQ_CLASS_FLG	F1EL	Entity List
	F1AL	Criteria-based
	F1GR	Group

D.2.11 Foreign Key References

The following foreign key references are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Foreign Key Reference	Description
F1-LKPVL	Lookup Value
F1-USRGP	User Group
F1DM-MO	MO Option - Default Migration Plan
F1ETLMPC	ETL Mapping Control
F1INSTL	Installation Options
F1JMSQ	JMS Queue
F1JMSTPC	JMS Topic
F1JNDISV	JNDI Server
F1MSGOPT	Message Option

D.2.12 Batch Controls

None

D.2.13 Application Services

The following application services are newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Application Service	Description
F1-ARQPR	Request Monitor
F1-AVALG	Application Viewer - Extract Algorithms
F1-AVBT	Application Viewer - Extract Batch Control
F1-AVMO	Application Viewer - Extract MOs
F1-AVTBL	Application Viewer - Extract Table data
F1-AVTD	Application Viewer - Extract To Do Types
F1-BFCRL	ILM Crawler - Business Flag
F1-BSFLG	Business Flag Monitor
F1-BUNPR	Bundle Monitor
F1-DTDOM	Outbound Message Error To Do Entry Cleanup
F1-PDBG	Plug-in Driven Generic Template

Application Service	Description
F1-REQTY	Request Type Monitor
F1-RETRCMASETTINGSSC	Retrieve CMA Configuration BS
F1-REVPR	Object Revision Monitor
F1-SAKRQ	Sync Request Allocate Keys Monitor
F1-SICRL	ILM Crawler - Inbound Sync Request
F1-SRCRL	ILM Crawler - Sync Request
F1-SRLRQ	Sync Request Load Records Monitor
F1-STATSM	Statistics Control Monitor
F1-STCRL	ILM Crawler - Service Task
F1-STKDF	Service Task Monitor (Deferred)
F1-STKTR	Service Task Monitor
F1-SUBRQ	Request Monitor (Deferred)
F1-SYNEF	Sync Request Extract
F1-SYNIL	Sync Request Initial Load
F1-SYNRQ	Sync Request Monitor
F1-SYSRQ	Sync Request Monitor (Deferred)
F1-TDCRL	ILM Crawler - To Do Entry
F1-TDEER	To Do Entry External Routing
F1-TDPG	Purge Completed To Do Entries
F1-XMLPG	XAI Upload Staging Records Cleanup
F1NAVEMP	Launching Application

D.2.14 Characteristic Types

The following characteristic type is newly added in the Oracle Utilities Application Framework V4.3.0.4.0 database:

Characteristic Type	Description
F1-PLOVR	Policy Configuration Overrides

Appendix E : Oracle Utilities Application Framework System Table Guide

This section lists the system tables owned by Oracle Utilities Application Framework V4.3.0.4.0 and explains the data standards of the system tables. The data standards are required for the installation of Oracle Utilities Application Framework, development within Oracle Utilities Application Framework, and for the configuration and customization of Oracle Utilities products. Adhering to the data standards is a prerequisite for seamless upgrade to future releases.

This section includes:

- About System Tables
- System Table Standards
- Guidelines for System Table Updates
- System Table List

E.1 About System Tables

System tables are a subset of the tables that must be populated at the time of installation of the product is installed. They include metadata and configuration tables. The data stored in the system tables are the information that Oracle Utilities Application Framework product operations are based on.

As the product adds more functionality, the list of system tables can grow. The complete list of the system tables can be found in the System Table List section.

E.2 System Table Standards

System table standards must be observed for the following reasons:

- The product installation and upgrade process and customer modification data extract processes depend on the data prefix and owner flag values to determine the system data owned by each product.
- The standards ensure that there will be no data conflict in the product being developed and the future Oracle Utilities Application Framework release.
- The standards ensure that there will be no data conflict between customer modifications and future Oracle Utilities product releases.
- The data prefix is used to prevent test data from being released to production.

Developer's Note: All test data added to the system data tables must be prefixed by ZZ (all upper case) in order for the installation and upgrade utility to recognize them as test data.

E.3 Guidelines for System Table Updates

This section describes guidelines regarding the updating of the system table properties.

E.3.1 Business Configuration Tables

The majority of data in the tables in this group belongs to the customer. But these tables are shipped with some initial data in order for the customer to login to the system and begin configuring the product. Unless specified otherwise, the initial data is maintained by Oracle Utilities Application Framework and subject to subsequent upgrade.

E.3.1.1 Application Security and User Profile

These tables define the access rights of a User Group to Application Services and Application Users.

Properties	Description
Tables	SC_ACCESS_CNTL, SC_USER, SC_USR_GRP_PROF, SC_USR_GRP_USR, SC_USER_GROUP, SC_USER_GROUP_L
Initial Data	User Group ALL_SERVICES and default system user SYSUSER. Upon installation the system default User Group ALL_SERVICES is given unrestricted accesses to all services defined in Oracle Utilities Application Framework.

Developer's Note: When a new service is added to the system, all actions defined for the service must be made available to the User Group ALL_SERVICES.

E.3.1.2 Currency Code

The ISO 4217 three-letter codes are taken as the standard code for the representation of the currency.

Properties	Description
Tables	CI_CURRENCY_CD, CI_CURRENCY_CD_L
Initial Data	United States Dollar (USD).

E.3.1.3 Display Profile

The Display Profile Code is referenced in the User (SC_USER) table.

Properties	Description
Tables	CI_DISP_PROF, CI_DISP_PROF_L
Initial Data	North America (NORTHAM), HIJRI Format (HIJRI) and Europe (EURO).

Configuration Note: In order to use HIJRI Format display profile, additional configuration is needed to define the mappings between Hijri and Gregorian dates. Refer to the Display Profile documentation for more information.

E.3.1.4 Installation Options

Installation option has only one row that is shipped with the initial installation of Oracle Utilities Application Framework. The updatable columns in these tables are customer data and will not be overridden by the upgrade process unless a special script is written and included in the upgrade process.

Properties	Description
Tables	F1_INSTALLATION, CI_INSTALL_ALG, CI_INSTALL_MSG, CI_INSTALL_MSG_L, CI_INSTALL_PROD
Initial Data	Option 11111.

Developer's Note: The system data owner of an environment is defined in the Installation Option. This Owner Flag value is stamped on all system data that is added to this environment. The installation default value is Customer Modification (CM). This value must be changed in the base product development environments.

E.3.1.5 Language Code

Language code must be a valid code defined in ISO 639-2 Alpha-3. Adding a new language code to the table without translating all language dependent objects in the system can cause errors when a user chooses the language.

Properties	Description
Tables	CI_LANGUAGE
Initial Data	English (ENG).

E.3.1.6 To Do Priority and Role

New To Do Types released will be linked to the default To Do Role and set to the product assigned priority value initially. These initial settings can be overridden by the implementation.

Properties	Description
Tables	CI_ROLE(L), CI_TD_VAL_ROLE
Initial Data	F1_DFLT

E.3.1.7 Development and Implementation System Tables

This section defines the standards for the system tables that contain data for application development. The data in these tables implement business logic and UI functions shared by various products and product extensions in the same database.

E.3.1.8 Standards

When adding new data, the owner flag value of the environment must prefix certain fields of these tables. For example, when a developer adds a new algorithm type to an Oracle Revenue Management and Billing environment, C1 should prefix the new Algorithm Type code. The fields that are subject to this rule are listed in Standard Data Fields property.

The data that is already in these tables cannot be modified if the data owner is different than the environment owner. This prevents the developers from accidentally modifying system data that belongs to Oracle Utilities Application Framework or the base products. However, some fields are exempt from this rule and can be modified by Customer Modification. These fields are listed in the Customer Modification Fields property.

Note that the system supports a system upgrade rule called Override Owner flag. If duplicate data rows (data row with same primary key values) are found at the time of upgrade, the owner flag values will get overridden. The lower level application system data will override the upper level system data. For example, F1 overrides C1, F1&C1 override CM, and so on. This rule will be applied to the following tables: CI_CHAR_ENTITY, CI_MD_MO_ALG, C1_PORTAL_OPT, F1_BUS_OBJ_ALG, F1_BUS_OBJ_STATUS_ALG, CI_MD_MO_OPT, F1_BUS_OBJ_OPT, F1_BUS_OBJ_STATUS_OPT, F1_BUS_OBJ_STATUS, and F1_BUS_OBJ_STATUS_L.

E.3.1.9 Algorithm Type

Properties	Description
Tables	CI_ALG_TYPE, CI_ALG_TYPE_L, CI_ALG_TYPE_PRM, CI_ALG_TYPE_PRM_L
Standard Data Fields	Algorithm Type (ALG_TYPE_CD)
Customer Modification	None

E.3.1.10 Algorithm

Properties	Description
Tables	CI_ALG, CI_ALG_L, CI_ALG_PARM, CI_ALG_VER
Standard Data Fields	Algorithm (ALG_CD)
Customer Modification	None

E.3.1.11 Application Security

Properties	Description
Tables	SC_APP_SERVICE, SC_APP_SERVICE_L, CI_APP_SVC_ACC

Properties	Description
Standard Data Fields	<p>Application Service ID (APP_SVC_ID).</p> <p>Note: Oracle Revenue Management and Billing prior to version 2.0 will continue to use CI as a prefix for the application service.</p>
Customer Modification	None

E.3.1.12 Batch Control

Properties	Description
Tables	CI_BATCH_CTRL, CI_BATCH_CTRL_L, CI_BATCH_CTRL_P, CI_BATCH_CTRL_P_L
Standard Data Fields	Batch Process (BATCH_CD), Program Name (PROGRAM_NAME)
Customer Modification	Next Batch Number (NEXT_BATCH_NBR), Last Update Instance (LAST_UPDATE_INST), Last Update Date time (LAST_UPDATE_DTTM) and the batch process update these columns. Time Interval (TIMER_INTERVAL), Thread Count (BATCH_THREAD_CNT), Maximum Commit Records (MAX_COMMIT_RECS), User (USER_ID), Language (LANGUAGE_CD), Email Address (EMAILID), Start program debug tracing (TRC_PGM_STRT_SW), End Program Debug trace (TRC_PGM_END_SW), SQL debug tracing (TRC_SQL_SW) and Standard debug tracing (TRC_STD_SW) on CI_BATCH_CTRL Table. Batch Parameter Value (BATCH_PARM_VAL) and Security flag (TEXT_SECURITY_FLG) on Batch Control Parameters Table (CI_BATCH_CTRL_P)

E.3.1.13 Business Object

Properties	Description
Tables	F1_BUS_OBJ, F1_BUS_OBJ_L, F1_BUS_OBJ_ALG, F1_BUS_OBJ_OPT, F1_BUS_OBJ_STATUS, F1_BUS_OBJ_STATUS_L, F1_BUS_OBJ_STATUS_ALG, F1_BUS_OBJ_STATUS_OPT, F1_BUS_OBJ_STATUS_RSN, F1_BUS_OBJ_STATUS_RSN_L, F1_BUS_OBJ_STATUS_RSN_CHAR F1_BUS_OBJ_TR_RULE, F1_BUS_OBJ_TR_RULE_L

Properties	Description
Standard Data Fields	Business Object (BUS_OBJ_CD), Status Reason (BO_STATUS_REASON_CD)
Customer Modification	Batch Control (BATCH_CD), Alert (BO_ALERT_FLG), Sequence (SORT_SEQ5), Status Reason (STATUS_REASON_FLG) fields on Business Object Status Table (F1_BUS_OBJ_STATUS). Instance Control (INSTANCE_CTRL_FLG), Application Service (APP_SVC_ID) on Business Object Table (F1_BUS_OBJ). Status Reason Selection (STATUS_REASON_SELECT_FLG) on Status Reason Table (F1_BUS_OBJ_STATUS_RSN).

E.3.1.14 Business Service

Properties	Description
Tables	F1_BUS_SVC, F1_BUS_SVC_L
Standard Data Fields	Business Service (BUS_SVC_CD)
Customer Modification	Application Service (APP_SVC_ID)

E.3.1.15 Characteristics

Properties	Description
Tables	CI_CHAR_TYPE, CI_CHAR_TYPE_L, CI_CHAR_ENTITY, CI_CHAR_VAL, CI_CHAR_VAL_L
Standard Data Fields	Characteristic Type (CHAR_TYPE_CD), Characteristic Value (CHAR_VAL) on CI_CHAR_VAL Note: If the characteristic type is customizable, the customer can insert a new characteristic value. CM must be prefixed when the implementation team introduces a new characteristic value.
Customer Modification	Adhoc Characteristic Value Validation Rule (ADHOC_VAL_ALG_CD), Allow Search by Characteristic Value (SEARCH_FLG)

E.3.1.16 Configuration Migration Assistant

Properties	Description
Tables	F1_MIGR_PLAN, F1_MIGR_PLAN_L, F1_MIGR_PLAN_INSTR, F1_MIGR_PLAN_INSTR_L, F1_MIGR_PLAN_INSTR_ALG, F1_MIGR_REQ, F1_MIGR_REQ_L, F1_MIGR_REQ_INSTR, F1_MIGR_REQ_INST_R_L, F1_MIGR_REQ_INSTR_ENTITY, F1_MIGR_REQ_INCL_REQ

Properties	Description
Standard Data Fields	Migration Plan Code (MIGR_PLAN_CD), Migration Request Code (MIGR_REQ_CD)
Customer Modification	None

E.3.1.17 Data Area

Properties	Description
Tables	F1_DATA_AREA, F1_DATA_AREA_L
Standard Data Fields	Data Area Code (DATA_AREA_CD)
Customer Modification	None

E.3.1.18 Display Icon

Properties	Description
Tables	CI_DISP_ICON, CI_DISP_ICON_L
Standard Data Fields	Display Icon Code (DISP_ICON_CD)
Customer Modification	None

E.3.1.19 Extendable Lookup

Properties	Description
Tables	F1_EXT_LOOKUP_VAL, F1_EXT_LOOKUP_VAL_L, F1_EXT_LOOKUP_VAL_CHAR
Standard Data Fields	Business Object (BUS_OBJ_CD), Extendable Lookup Value (F1_EXT_LOOKUP_VALUE)
Customer Modification	Business Object Data Area (BO_DATA_AREA) Override Description (DESCR_OVRD) on Extendable Lookup Field Value Language Table (F1_EXT_LOOKUP_VAL_L)

Note: When the product releases base owned records in Extendable Lookup, if there are additional elements the business object will map the element to the BO_DATA_AREA if the value is allowed to be modified by the implementation team.

E.3.1.20 Foreign Key Reference

Properties	Description
Tables	CI_FK_REF, CI_FK_REF_L
Standard Data Fields	FK reference code (FK_REF_CD)
Customer Modification	Info Program Name (INFO_PRG), Zone (ZONE_CD)

E.3.1.21 Inbound Web Service

Properties	Description
Tables	F1_IWS_SVC_L, F1_IWS_SVC, F1_IWS_SVC_OPER_L, F1_IWS_SVC_OPER, F1_IWS_ANN_L, F1_IWS_ANN_PARM, F1_IWS_ANN, F1_IWS_ANN_TYPE_L, F1_IWS_ANN_TYPE, F1_IWS_ANN_TYPE_PARM, F1_IWS_ANN_TYPE_PARM_L
Standard Data Fields	Webservice Name (IN_SVC_NAME), Annotation (ANN_CD), Annotation Type (ANN_TYPE_CD)
Customer Modification	Debug (DEBUG_SW), Active (ACTIVE_SW), Trace (TRACE_SW), Request XSL (REQUEST_XSL), Response XSL (RESPONSE_XSL)

E.3.1.22 Legacy Object

Properties	Description
Tables	F1_LGCY_OBJ
Standard Data Fields	Legacy Object ID (LGCY_OBJ_ID)
Customer Modification	None

E.3.1.23 Lookup

Properties	Description
Tables	CI_LOOKUP_FIELD, CI_LOOKUP_VAL, CI_LOOKUP_VAL_L
Standard Data Fields	<p>Field Name (FIELD_NAME)</p> <ul style="list-style-type: none"> A lookup field name must have corresponding field metadata. The name of the lookup field column must be assigned to avoid conflicts among different products. If you follow the standards for database field names, a Customer Modification lookup field name will be automatically Customer Modification prefixed. <p>Field Value (FIELD_VALUE)</p> <ul style="list-style-type: none"> If a lookup field is customizable, Customer Modification can insert new lookup values. X or Y must prefix when implementers introduce a new lookup value. Product development may add lookup values to Oracle Utilities Application Framework owned lookup field's value. When extended new value is added, the Owner Flag is used to prefix the value. For example, when the Oracle Revenue Management and Billing product adds a new value to the algorithm entity flag (ALG_ENTITY_FLG), it is prefixed with C1.
Customer Modification	Override Description (DESCR_OVRD) on Lookup Field Value Language Table (CI_LOOKUP_VAL_L)

E.3.1.24 Map

Properties	Description
Tables	F1_MAP, F1_MAP_L
Standard Data Fields	UI Map (MAP_CD)
Customer Modification	None

E.3.1.25 Managed Content

Properties	Description
Tables	F1_MANAG_CONTENT, F1_MANAG_CONTENT_L
Standard Data Fields	Managed Content (MANAG_CONTENT_CD)
Customer Modification	None

E.3.1.26 Messages

Properties	Description
Tables	CI_MSG_CATEGORY, CI_MSG_CATEGORY_L, CI_MSG, CI_MSG_L
Standard Data Fields	<p>Message Category (MESSAGE_CAT_NBR)</p> <ul style="list-style-type: none"> • Messages are grouped in categories and each category has message numbers between 1 and 99999. A range of message categories is assigned to a product. An implementation may only use categories assigned for customization use. • Implementer Message Categories are 80000 and 90000 • Reserved for Tests – 99999 <p>Message Number (MESSAGE_NBR) for message categories</p> <ul style="list-style-type: none"> • Message numbers below 1000 are reserved for common messages. Implementers must not use message numbers below 1000. <p>Message Number (MESSAGE_NBR) for Java message categories</p> <ul style="list-style-type: none"> • Subsystem Standard Messages - 00001 thru 02000 • Reserved - 02001 thru 09999 • Published Messages - 10001 thru 11000 • Package Messages - 10001 thru 90000 • Reserved - 90001 thru 99999 • Each package is allocated 100 message numbers, each starting from 101. • Published Messages are messages that are special-interest messages that implementations need to know about and are therefore published in the user docs. Examples of these include messages that are highly likely to be changed for an implementation or messages that are embedded into other texts/messages and therefore the message number is never shown. • Reserved message number ranges are for future use and therefore must not be used by all products.
Customer Modification	Override Description (DESCRLONG_OVRD), Message Text Override (MESSAGE_TEXT_OVRD)

E.3.1.27 Meta Data - Table and Field

Properties	Description
Tables	CI_MD_TBL, CI_MD_TBL_FLD, CI_MD_TBL_L, CI_MD_TBL_FLD_L, CI_MD_FLD, CI_MD_FLD_L, F1_DB_OBJECTS_REPO
Standard Data Fields	Table Name (TBL_NAME) <ul style="list-style-type: none"> Table names must match with the physical table name or view name in the database. Field Name (FLD_NAME) Field name must match with the physical column name in the database unless the field is a work field. Field name does not have to follow the prefixing standard unless the field is a work field or customer modification field. F1_DB_OBJECTS_REPO Table stores information about Indexes, Sequences, Triggers and other database objects excluding Tables and Fields (as they are already stored in the other Metadata tables)
Customer Modification	Audit Switches (AUDIT_INSERT_SW, AUDIT_UPDATE_SW, AUDIT_DELETE_SW), Override label (OVRD_LABEL) on MD Table Field Table (CI_MD_TBL_FLD). Audit Program Name (AUDIT_PGM_NAME), Audit Table Name (AUDIT_TBL_NAME), Audit Program Type (AUDIT_PGM_TYPE_FLG), Key Validation (KEY_VALIDATION_FLG) and Caching strategy (CACHE_FLG) on MD Table (CI_MD_TBL). Override Label (OVRD_LABEL) and Customer Specific Description (DESCRLONG_OVRD) on Field Table.

E.3.1.28 Meta Data – Constraints

Properties	Description
Tables	CI_MD_CONST, CI_MD_CONST_FLD
Standard Data Fields	Constraint Id (CONST_ID) <ul style="list-style-type: none"> Index Name for Primary Constraints <Index Name>Rnn for Foreign Key Constraints Where nn: integer, 01 through 99
Customer Modification	None

E.3.1.29 Meta Data - Menu

Menus can be extended to support multiple products by adding a new menu line to an existing menu. The sequence number on the menu line language table (CI_MD_MENU_LINE_L) determines the order the menu lines appear. Within the same sequence, alphabetic sorting is used.

Properties	Description
Tables	CI_MD_MENU, CI_MD_MENU_L, CI_MD_MENU_ITEM, CI_MD_MENU_ITEM_L, CI_MD_MENU_LINE, CI_MD_MENU_LINE_L
Standard Data Fields	Menu Name (MENU_NAME), Menu Item Id (MENU_ITEM_ID), Menu Line Id (MENU_LINE_ID)
Customer Modification	Override Label (OVRD_LABEL) on Menu Line Language Table (CI_MD_MENU_LINE_L)

E.3.1.30 Meta Data - Program, Location and Services

Properties	Description
Tables	CI_MD_PRG_COM, CI_MD_PRG_LOC, CI_MD_SVC, CI_MD_SVC_L, CI_MD_SVC_PRG, CI_MD_PRG_MOD, CI_MD_PRG_EL_AT, CI_MD_PRG_ELEM, CI_MD_PRG_SEC, CI_MD_PRG_SQL, CI_MD_PRG_VAR, CI_MD_PRG_TAB
Standard Data Fields	Program Component Id (PROG_COM_ID), Location Id (LOC_ID), Program Component Name (PROG_COM_NAME), Service Name (SVC_NAME), Navigation Key (NAVIGATION_KEY)
Customer Modification	User Exit Program Name (USER_EXIT_PGM_NAME) on Program Components Table (CI_MD_PRG_COM),

E.3.1.31 Meta Data - Maintenance Object

Properties	Description
Tables	CI_MD_MO, CI_MD_MO_L, CI_MD_MO_TBL, CI_MD_MO_OPT, CI_MD_MO_ALG
Standard Data Fields	Maintenance Object (MAINT_OBJ_CD)
Customer Modification	None

E.3.1.32 Meta Data - Work Tables

Properties	Description
Tables	CI_MD_WRK_TBL, CI_MD_WRK_TBL_L, CI_MD_WRK_TBLFLD, CI_MD_MO_WRK
Standard Data Fields	Work Table Name (WRK_TBL_NAME)
Customer Modification	None

E.3.1.33 Meta Data - Search Object

Properties	Description
Tables	CI_MD_SO, CI_MD_SO_L, CI_MD_SO_RSFLD, CI_MD_SO_RSFLDAT, CI_MD_SOCG, CI_MD_SOCG_FLD, CI_MD_SOCG_FLDAT, CI_MD_SOCG_L, CI_MD_SOCG_SORT
Standard Data Fields	Search Object (SO_CD)
Customer Modification	None

E.3.1.34 Navigation Option

Properties	Description
Tables	CI_NAV_OPT, CI_NAV_OPT_L, CI_NAV_OPT_CTXT, CI_NAV_OPT_USG, CI_MD_NAV
Standard Data Fields	Navigation Option Code (NAV_OPT_CD), Navigation Key (NAVIGATION_KEY)
Customer Modification	None

E.3.1.35 Portal and Zone

Properties	Description
Tables	CI_PORTAL, CI_PORTAL_L, CI_PORTAL_ZONE, CI_ZONE, C1_PORTAL_OPT, CI_ZONE_L, CI_ZONE_PRM, CI_ZONE_HDL, CI_ZONE_HDL_L, CI_ZONE_HDL_PRM, CI_ZONE_HDL_PRM_L, CI_UI_ZONE, CI_PORTAL_OPT
Standard Data Fields	Portal Code (PORTAL_CD), Zone Code (ZONE_CD), Zone Type Code (ZONE_HDL_CD) <ul style="list-style-type: none"> • A new Zone can be added to the Product owned Portal Pages. • The existing Zones cannot be removed from the Product owned Portal Pages.
Customer Modification	Sort Sequence (SORT_SEQ) on Context Sensitive Zone Table (CI_UI_ZONE). Show on Portal Preferences (USER_CONFIG_FLG) on Portal Table (CI_PORTAL). Override Sequence (SORT_SEQ_OVRD) on Portal Zone Table (CI_PORTAL_ZONE). Customer Specific Description (DESCRLONG_OVRD) on Zone Language Table (CI_ZONE_L). Override Parameter Value (ZONE_HDL_PARM_OVRD) on Zone Type Parameters Table (CI_ZONE_HDL_PRM). Override Parameter Value (ZONE_PARM_VAL_OVRD) on Zone Parameters Table (CI_ZONE_PRM).

E.3.1.36 Sequence

Properties	Description
Tables	CI_SEQ
Standard Data Fields	Sequence Name (SEQ_NAME)
Customer Modification	Sequence Number (SEQ_NBR) This field is updated by the application process and must be set to 1 initially.

E.3.1.37 Schema

Properties	Description
Tables	F1_SCHEMA
Standard Data Fields	Schema Name (SCHEMA_NAME)
Customer Modification	None

E.3.1.38 Script

Properties	Description
Tables	CI_SCR, CI_SCR_L, CI_SCR_CRT, CI_SCR_CRT_GRP, CI_SCR_CRT_GRP_L, CI_SCR_DA, CI_SCR_FLD_MAP, CI_SCR_PRMPT, CI_SCR_PRMPT_L, CI_SCR_STEP, CI_SCR_STEP_L
Standard Data Fields	Script (SCR_CD)
Customer Modification	None

E.3.1.39 To Do Type

Properties	Description
Tables	CI_TD_TYPE, CI_TD_TYPE_L, CI_TD_SRTKEY_TY, CI_TD_DRLKEY_TY, CI_TD_SRTKEY_TY_L
Standard Data Fields	To Do Type (TD_TYPE_CD)
Customer Modification	Creation Batch Code (CRE_BATCH_CD), Route Batch Code (RTE_BATCH_CD), Priority Flag (TD_PRIORITY_FLG) on To Do Type Table (CI_TD_TYPE)

E.3.1.40 XAI Configuration

Properties	Description
Tables	CI_XAI_ADAPTER, CI_XAI_ADAPTER_L, CI_XAI_CLASS, CI_XAI_CLASS_L, CI_XAI_ENV_HNDL, CI_XAI_ENV_HNDL_L, CI_XAI_FORMAT, CI_XAI_FORMAT_L, CI_XAI_RCVR, CI_XAI_RCVR_L, CI_XAI_RCVR_CTX, CI_XAI_RCVR_RSP, CI_XAI_RCVR_RGRP, CI_XAI_SENDER, CI_XAI_SERNDER_L, CI_XAI_SNDR_CTX, CI_XAI_OPTION
Standard Data Fields	Adapter Id (XAI_ADAPTER_ID), Class Id (XAI_CLASS_ID), Envelope Handler Id (XAI_ENV_HNDL_ID), XAI Format Id (XAI_FORMAT_ID), Receiver Id (XAI_RCVR_ID), Sender Id (XAI_SENDER_ID)
Customer Modification	Option Value (OPTION_VALUE) on Message Option Table (CI_XAI_OPTION)

E.3.1.41 XAI Services

Properties	Description
Tables	CI_XAI_IN_SVC, CI_XAI_IN_SVC_L, CI_XAI_SVC_PARM
Standard Data Fields	XAI Inbound Service Id (XAI_IN_SVC_ID), XAI Inbound Service Name (XAI_IN_SVC_NAME)
Customer Modification	XAI Version (XAI_VERSION_ID), Trace (TRACE_SW), Debug (DEBUG_SW), Request XSL (INPUT_XSL), Response XSL (RESPONSE_XSL), Record XSL (RECORD_XSL) and Post Error (POST_ERROR_SW) on XAI Inbound Service Table (CI_XAI_IN_SVC)

E.3.2 Oracle Utilities Application Framework only Tables

All data of the tables in this group belong to Oracle Utilities Application Framework. No data modification or addition is allowed for these tables by base product development and customer modification. When an environment is upgraded to the next release of Oracle Utilities Application Framework, the upgrade process will refresh the data in these tables.

- CI_MD_AT_DTL / CI_MD_AT_DTL_L
- CI_MD_ATT_TY
- CI_MD_CTL / CI_MD_CTL_L
- CI_MD_CTL_TMPL
- CI_MD_ELTY / CI_MD_ELTY_L
- CI_MD_ELTY_AT
- CI_MD_LOOKUP_F
- CI_MD_PDF / CI_MD_PDF_VAL
- CI_MD_MSG / CI_MD_MSG_L
- CI_MD_SRC_TYPE / CI_MD_SRC_TYPE_L
- CI_MD_TMPL / CI_MD_TMPL_L
- CI_MD_TMPL_ELTY
- CI_MD_TMPL_VAR / CI_MD_TMPL_VAR_L
- CI_MD_VAR / CI_MD_VAR_DTL / CI_MD_VAR_DTL_L
- CI_XAI_EXECUTER / CI_XAI_EXECUTER_L

E.4 System Table List

This section contains the names of system tables, upgrade actions, and a brief description of the tables. The upgrade actions are explained below.

Keep (KP): The data of the table in the customer's database is kept untouched. No insert or delete is performed to this table by the upgrade process. The initial installation will add necessary data for the system.

Merge (MG): The non-base product data of the table in the database is kept untouched. If the data belongs to the base product, any changes pertaining to the new version of the software are performed.

Refresh (RF): The existing data in the table is replaced with the data from the base product table.

Note: New product data is also inserted into tables marked as 'Merge'. If implementers add rows for a customer specific enhancement, it can cause duplication when the system data gets upgraded to the next version. We strongly recommend following the guidelines on how to use designated range of values or prefixes to segregate the implementation data from the base product data.

Table Name	Upgrade Action	Description
CI_ALG	MG	Algorithm
CI_ALG_L	MG	Algorithm Language
CI_ALG_PARM	MG	Algorithm Parameters
CI_ALG_TYPE	MG	Algorithm Type
CI_ALG_TYPE_L	MG	Algorithm Type Language
CI_ALG_TYPE_PRM	MG	Algorithm Type Parameter
CI_ALG_TYPE_PRM_L	MG	Algorithm Type Parameter Language
CI_ALG_VER	MG	Algorithm Version
CI_APP_SVC_ACC	MG	Application Service Access Mode
CI_BATCH_CTRL	MG	Batch Control
CI_BATCH_CTRL_ALG	MG	Batch Control Algorithm
CI_BATCH_CTRL_L	MG	Batch Control Language
CI_BATCH_CTRL_P	MG	Batch Control Parameters
CI_BATCH_CTRL_P_L	MG	Batch Control Parameters Language
CI_CHAR_ENTITY	MG	Characteristic Type Entity
CI_CHAR_TYPE	MG	Characteristic Type
CI_CHAR_TYPE_L	MG	Characteristic Type Language
CI_CHAR_VAL	MG	Characteristic Type Value
CI_CHAR_VAL_L	MG	Characteristic Type Value Language
CI_DISP_ICON	MG	Display Icon
CI_DISP_ICON_L	MG	Display Icon Language
CI_FK_REF	MG	Foreign Key Reference
CI_FK_REF_L	MG	Foreign Key Reference Language

Table Name	Upgrade Action	Description
CI_LANGUAGE	MG	Language Code
CI_LOOKUP_FIELD	MG	Lookup Field
CI_LOOKUP_VAL	MG	Lookup Field Value
CI_LOOKUP_VAL_L	MG	Lookup Field Value Language
CI_MD_CONST	MG	Constraints
CI_MD_CONST_FLD	MG	Constraint Fields
CI_MD_FLD	MG	Field
CI_MD_FLD_L	MG	Field Language
CI_MD_MENU	MG	Menu Information
CI_MD_MENU_IMOD	MG	Menu Item Module Maint
CI_MD_MENU_ITEM	MG	Menu Item
CI_MD_MENU_ITEM_L	MG	Menu Item Language
CI_MD_MENU_L	MG	Menu Language
CI_MD_MENU_LINE	MG	Menu Line
CI_MD_MENU_LINE_L	MG	Menu Line Language
CI_MD_MENU_MOD	MG	Menu Product Components
CI_MD_MO	MG	Maintenance Object
CI_MD_MO_ALG	MG	Maintenance Object Algorithm
CI_MD_MO_L	MG	Maintenance Object Language
CI_MD_MO_OPT	MG	Maintenance Object Option
CI_MD_MO_TBL	MG	Maintenance Object Table
CI_MD_MO_WRK	MG	Maintenance Object Work Tables
CI_MD_NAV	MG	Navigation Key
CI_MD_PRG_COM	MG	Program Components
CI_MD_PRG_ELEM	MG	UI Page Elements
CI_MD_PRG_EL_AT	MG	UI Page Element Attributes
CI_MD_PRG_LOC	MG	Program Location
CI_MD_PRG_MOD	MG	Program Module
CI_MD_PRG_SEC	MG	UI Page Sections
CI_MD_PRG_SQL	MG	MD SQL Meta Data
CI_MD_PRG_TAB	MG	UI Tab Meta Data

Table Name	Upgrade Action	Description
CI_MD_PRG_VAR	MG	Program Variable
CI_MD_SO	MG	Search Object
CI_MD_SOCG	MG	Search Object Criteria Group
CI_MD_SOCG_FLD	MG	Search Object Criteria Group Field
CI_MD_SOCG_FLDAT	MG	Search Criteria Group Field Attribute
CI_MD_SOCG_L	MG	Search Object Criteria Group Language
CI_MD_SOCG_SORT	MG	Search Criteria Group Result Sort Order
CI_MD_SO_L	MG	Search Object Language
CI_MD_SO_RSFLD	MG	Search Object Result Field
CI_MD_SO_RSFLDAT	MG	Search Object Result Field Attribute
CI_MD_SVC	MG	MD Service
CI_MD_SVC_L	MG	MD Service Language
CI_MD_SVC_PRG	MG	MD Service Program
CI_MD_TAB_MOD	MG	UI Tab Module
CI_MD_TBL	MG	MD Table
CI_MD_TBL_FLD	MG	MD Table Field
CI_MD_TBL_FLD_L	MG	MD Table Field Language
CI_MD_TBL_L	MG	MD Table Language
CI_MD_WRK_TBL	MG	Work Table
CI_MD_WRK_TBLFLD	MG	Work Table Field
CI_MD_WRK_TBL_L	MG	Work Table Language
CI_MSG	MG	Message
CI_MSG_CATEGORY	MG	Message Category
CI_MSG_CATEGORY_L	MG	Message Category Language
CI_MSG_L	MG	Message Language
CI_NAV_OPT	MG	Navigation Option
CI_NAV_OPT_CTXT	MG	Navigation Option Context
CI_NAV_OPT_L	MG	Navigation Option Language
CI_NAV_OPT_USG	MG	Navigation Option Usage
CI_PORTAL	MG	Portal
CI_PORTAL_L	MG	Portal Language

Table Name	Upgrade Action	Description
CI_PORTAL_OPT	MG	Portal Option
CI_PORTAL_ZONE	MG	Portal Zone
CI_SCR	MG	Script
CI_SCR_CRT	MG	Script Criteria
CI_SCR_CRT_GRP	MG	Script Criteria Group
CI_SCR_CRT_GRP_L	MG	Script Criteria Group Language
CI_SCR_DA	MG	Script Data Area
CI_SCR_FLD_MAP	MG	Script Field Mapping
CI_SCR_L	MG	Script Language
CI_SCR_PRMPT	MG	Script Prompt
CI_SCR_PRMPT_L	MG	Script Prompt Language
CI_SCR_STEP	MG	Script Step
CI_SCR_STEP_L	MG	Script Step Language
CI_SEQ	MG	Sequence
CI_TD_DRLKEY_TY	MG	To Do Type Drill Key
CI_TD_SRTKEY_TY	MG	To Do Type Sort Key
CI_TD_SRTKEY_TY_L	MG	To Do Type Sort Key Language
CI_TD_TYPE	MG	To Do Type
CI_TD_TYPE_L	MG	To Do Type Language
CI_UI_ZONE	MG	Context Sensitive Zone
CI_USR_NAV_LINK	MG	User Favorite Links
CI_XAI_ADAPTER	MG	XAI Adapter
CI_XAI_ADAPTER_L	MG	XAI Adapter Lang
CI_XAI_CLASS	MG	Message Class
CI_XAI_CLASS_L	MG	Message Class Language
CI_XAI_ENV_HNDL	MG	XAI Envelope Handler
CI_XAI_ENV_HNDL_L	MG	XAI Envelope Handler Language
CI_XAI_IN_SVC	MG	XAI Inbound Service
CI_XAI_IN_SVC_L	MG	XAI Inbound Service Language
CI_XAI_SVC_PARM	MG	XAI Inbound Service Parameters
CI_ZONE	MG	Zone

Table Name	Upgrade Action	Description
CI_ZONE_HDL	MG	Zone Type
CI_ZONE_HDL_L	MG	Zone Type Language
CI_ZONE_HDL_PRM	MG	Zone Type Parameters
CI_ZONE_HDL_PRM_L	MG	Zone Type Parameters Language
CI_ZONE_L	MG	Zone Language
CI_ZONE_PRM	MG	Zone Parameters
F1_BUS_OBJ	MG	Business Object
F1_BUS_OBJ_ALG	MG	Business Object Algorithm
F1_BUS_OBJ_L	MG	Business Object Language
F1_BUS_OBJ_OPT	MG	Business Object Option
F1_BUS_OBJ_STATUS	MG	Business Object Status
F1_BUS_OBJ_STATUS_ALG	MG	Business Object Status Algorithm
F1_BUS_OBJ_STATUS_L	MG	Business Object Status Language
F1_BUS_OBJ_STATUS_OPT	MG	Business Object Status Option
F1_BUS_OBJ_STATUS_RSN	MG	Status Reason
F1_BUS_OBJ_STATUS_RSN_L	MG	Status Reason Language
F1_BUS_OBJ_TR_RULE	MG	Business Object Transition Rule
F1_BUS_OBJ_TR_RULE_L	MG	Business Object Transition Rule Language
F1_BUS_SVC	MG	Business Service
F1_BUS_SVC_L	MG	Business Service Language
F1_DATA_AREA	MG	Data Area
F1_DATA_AREA_L	MG	Data Area Language
F1_DB_OBJECTS_REPO	MG	Database Objects Repository
F1_EXT_LOOKUP_VAL	MG	Extendable Lookup
F1_EXT_LOOKUP_VAL_L	MG	Extendable Lookup Language
F1_EXT_LOOKUP_VAL_CHAR	MG	Extendable Lookup Characteristics
F1_IWS_ANN	MG	Web Service Annotation
F1_IWS_ANN_L	MG	Web Service Annotation Language
F1_IWS_ANN_PARM	MG	Web Service Annotation Parameter
F1_IWS_ANN_TYPE	MG	Web Service Annotation Type
F1_IWS_ANN_TYPE_L	MG	Web Service Annotation Type Language

Table Name	Upgrade Action	Description
F1_IWS_ANN_TYPE_PARM	MG	Web Service Annotation Type Parm
F1_IWS_ANN_TYPE_PARM_L	MG	Web Service Annotation Type Parameter Language
F1_IWS_SVC	MG	Inbound Web Service
F1_IWS_SVC_L	MG	Inbound Web Service Language
F1_IWS_SVC_OPER	MG	Inbound Web Service Operations
F1_IWS_SVC_OPER_L	MG	Inbound Web Service Operations Language
F1_MANAG_CONTENT	MG	Managed Content
F1_MANAG_CONTENT_L	MG	Managed Content Language
F1_MAP	MG	UI Map
F1_MAP_L	MG	UI Map Language
F1_MIGR_PLAN	MG	Migration Plan
F1_MIGR_PLAN_INSTR	MG	Migration Plan Instruction
F1_MIGR_PLAN_INSTR_ALG	MG	Migration Plan Instruction Algorithm
F1_MIGR_PLAN_INSTR_L	MG	Migration Plan Instruction Language
F1_MIGR_PLAN_L	MG	Migration Plan Language
F1_MIGR_REQ	MG	Migration Request
F1_MIGR_REQ_INSTR	MG	Migration Request Instruction
F1_MIGR_REQ_INSTR_ENTITY	MG	Migration Request Instruction Entity
F1_MIGR_REQ_INSTR_L	MG	Migration Request Instruction Language
F1_MIGR_REQ_L	MG	Migration Request Language
F1_MIGR_REQ_INCL_REQ	MG	Migration Request Grouping
F1_SCHEMA	MG	Schema
SC_ACCESS_CNTL	MG	User Group Access Control
SC_APP_SERVICE	MG	Application Service
SC_APP_SERVICE_L	MG	Application Service Language
SC_USR_GRP_PROF	MG	User Group Profile
CI_ACC_GRP	KP	Access Group
CI_ACC_GRP_DAR	KP	Access Group / Data Access Group
CI_ACC_GRP_L	KP	Access Group Language
CI_APP_SVC_SCTY	KP	Security Type Application Service

Table Name	Upgrade Action	Description
CI_CAL_HOL	KP	Work Calendar Holidays
CI_CAL HOL_L	KP	Work Calendar Holidays Language
CI_CAL_WORK	KP	Work Calendar
CI_CAL_WORK_L	KP	Work Calendar Language
CI_CHTY_TDTY	KP	To Do Type Template Characteristics
CI_COUNTRY	KP	Country
CI_COUNTRY_L	KP	Country Language
CI_CURRENCY_CD	KP	Currency Code
CI_CURRENCY_CD_L	KP	Currency Code Language
CI_DAR	KP	Data Access Role
CI_DAR_L	KP	Data Access Language
CI_DAR_USR	KP	Data Access User
CI_DISP_PROF	KP	Display Profile
CI_DISP_PROF_L	KP	Display Profile Language
CI_FUNC	KP	Function
CI_FUNC_FLD	KP	Function Field
CI_FUNC_FLD_L	KP	Function Field Language
CI_FUNC_L	KP	Function Language
CI_GEO_TYPE	KP	Geographic Type
CI_GEO_TYPE_L	KP	Geographic Type Language
CI_INSTALL_ALG	KP	Installation Algorithm
CI_INSTALL_MSG	KP	Installation Message
CI_INSTALL_MSG_L	KP	Installation Message Language
CI_INSTALL_PROD	KP	Installation Product
CI_MD_RPT	KP	Report Definition
CI_MD_RPT_L	KP	Report Language
CI_MD_RPT_LBL	KP	Report Labels
CI_MD_RPT_PARM	KP	Report Parameters
CI_MD_RPT_PARM_L	KP	Report Parameters Language
CI_MD_TOOLREP_XML	KP	MD Tool Reference XML
CI_MD_TOOL REP	KP	MD Tool Reference

Table Name	Upgrade Action	Description
CI_NT_DNTY_CTXT	KP	Notification Download Type Context
CI_NT_DWN_FORM	KP	Notification Download Format
CI_NT_DWN_FORM_L	KP	Notification Download Format Language
CI_NT_DWN_PROF	KP	Notification Download Profile
CI_NT_DWN_PROF_L	KP	Notification Download Profile Language
CI_NT_DWN_TYPE	KP	Notification Download Type
CI_NT_DWN_TYPE_L	KP	Notification Download Type Language
CI_NT_UP_XTYPE	KP	Notification Upload Type
CI_NT_UP_XTYPE_L	KP	Notification Upload Type Language
CI_NT_XID	KP	External System
CI_NT_XID_L	KP	External System Language
CI_PHONE_TYPE	KP	Phone Type
CI_PHONE_TYPE_L	KP	Phone Type Language
CI_ROLE	KP	Role
CI_ROLE_L	KP	Role Language
CI_ROLE_USER	KP	Role User
CI_RPT_OPTION	KP	Report Options
CI_SC_AUTH_LVL	KP	Security Type Auth Level
CI_SC_AUTH_LVL_L	KP	Security Type Auth Level Language
CI_SC_TYPE	KP	Security Type
CI_SC_TYPE_L	KP	Security Type Language
CI_SEAS_SHIFT	KP	Seasonal Time Shift Schedule
CI_SEAS_TM_SHIFT	KP	Seasonal Time Shift
CI_SEAS_TM_SHIFT_L	KP	Seasonal Shift Language
CI_STATE	KP	State
CI_STATE_L	KP	State Language
CI_TD_EX_LIST	KP	To Do Type Message Overrides
CI_TD_TYPE_ALG	KP	To Do Type Algorithms
CI_TD_TYPE_CHAR	KP	To Do Type Characteristic
CI_TD_VAL_ROLE	KP	To Do Type Role
CI_TIME_ZONE	KP	Time Zone

Table Name	Upgrade Action	Description
CI_TIME_ZONE_L	KP	Time Zone Language
CI_USR_GRP_SC	KP	User Group Security Type
CI_USR_BOOKMARK	KP	User Bookmarks
CI_USR_PORTAL	KP	User Portal
CI_USR_SCR	KP	User Scripts
CI_USR_ZONE	KP	User Zone
CI_USR_ZONE_SAVE	KP	User Zone Save
CI_WFM	KP	Feature Configuration
CI_WFM_L	KP	Feature Configuration Language
CI_WFM_MSG	KP	Feature Configuration Message
CI_WFM_OPT	KP	Feature Configuration Options
CI_WF_EVT_TYPE	KP	WF Event Type
CI_WF_EVT_TYPE_L	KP	WF Event Type Language
CI_WF_PP	KP	WF Process Profile
CI_WF_PP_L	KP	WF Process Profile Language
CI_WF_PP_NT	KP	WF Process Notification
CI_WF_PP_NT_CRT	KP	WF Process Notification Criteria
CI_WF_PROC_SCHED	KP	WF Process Creation Schedule
CI_WF_PROC_SCHED_K	KP	WF Process Creation Schedule Key
CI_WF_PROC_TMPL	KP	WF Process Template
CI_WF_PROC_TMPL_L	KP	WF Process Template Language
CI_WF_RESP	KP	WF Response
CI_WF_RESP_DEP	KP	WF Response Dependency
CI_XAI_JDBC_CON	KP	XAI JDBC Connection
CI_XAI_JDBC_CON_L	KP	XAI JDBC Connection Language
CI_XAI_JMS_CON	KP	XAI JMS Connection
CI_XAI_JMS_CON_L	KP	XAI JMS Connection Language
CI_XAI_JMS_Q	KP	XAI JMS Queue
CI_XAI_JMS_Q_L	KP	XAI JMS Queue Language
CI_XAI_JMS_TPC	KP	XAI JMS Topic
CI_XAI_JMS_TPC_L	KP	XAI JMS Topic Language

Table Name	Upgrade Action	Description
CI_XAI_JNDI_SVR	KP	XAI JNDI Server
CI_XAI_JNDI_SVR_L	KP	XAI JNDI Server Language
CI_XAI_OPTION	KP	Message Option
CI_XAI_RCVR	KP	XAI Receiver
CI_XAI_RCVR_CTX	KP	XAI Receiver Context
CI_XAI_RCVR_L	KP	XAI Receiver Language
CI_XAI_RCVR_RGRP	KP	XAI Receiver Rule Group
CI_XAI_RCVR_RSP	KP	XAI Receiver Response
CI_XAI_RGRP	KP	XAI Rule Group
CI_XAI_RGRP_ATT	KP	XAI Rule Group Attachment
CI_XAI_RGRP_L	KP	XAI Rule Group Language
CI_XAI_ROUTING	KP	XAI Routing
CI_XAI_RT_TYPE	KP	XAI Route Type
CI_XAI_RT_TYPE_L	KP	XAI Route Type Language
CI_XAI_RULE	KP	XAI Rule
CI_XAI_SENDER	KP	Message Sender
CI_XAI_SENDER_L	KP	Message Sender Language
CI_XAI_SNDR_CTX	KP	Message Sender Context
F1_BKT_CONFIG	KP	Bucket Configuration
F1_BKT_CONFIG_L	KP	Bucket Configuration Language
F1_BKT_CONFIG_REL_OBJ	KP	Bucket Configuration Related Object
F1_BKT_CONFIG_VAL	KP	Bucket Configuration Value
F1_BKT_CONFIG_VAL_L	KP	Bucket Configuration Value Language
F1_BUS_OBJ_STATUS_RSN_CHAR	KP	Status Reason Characteristic
F1_EXTSYS_OUTMSG_PROF	KP	External System Outbound Message Type
F1_INSTALLATION	KP	Installation Option - Framework
F1_IWS_ANN_CHAR	KP	Web Service Annotation Characteristics
F1_IWS_ANN_TYPE_CHAR	KP	Web Service Annotation Type Characteristics
F1_IWS_SVC_ANN	KP	Inbound Web Service Link to Annotation
F1_IWS_SVC_CHAR	KP	Inbound Web Service Characteristics

Table Name	Upgrade Action	Description
F1_IWS_SVC_LOG	KP	Inbound Web Service Log
F1_IWS_SVC_LOG_PARM	KP	Inbound Web Service Log Parameter
F1_MAP_OVRD	KP	UI Map Override
F1_MD_DB_OBJ	KP	MD Database Object
F1_MST_CONFIG	KP	Master Configuration
F1_OUTMSG_TYPE	KP	Outbound Message Type
F1_OUTMSG_TYPE_L	KP	Outbound Message Type Language
F1_REQ_TYPE	KP	Request Type
F1_REQ_TYPE_L	KP	Request Type Language
F1_REQ_TYPE_LOG	KP	Request Type Log
F1_REQ_TYPE_LOG_PARM	KP	Request Type Log Parameters
F1_SVC_TASK_TYPE	KP	Service Task Type
F1_SVC_TASK_TYPE_CHAR	KP	Service Task Type Characteristics
F1_SVC_TASK_TYPE_L	KP	Service Task Type Language
F1_WEB_SVC	KP	Web Service Adapter
F1_WEB_SVC_CHAR	KP	Web Service Adapter Characteristics
F1_WEB_SVC_L	KP	Web Service Adapter Language
F1_WEB_SVC_LOG	KP	Web Service Adapter Log
F1_WEB_SVC_LOG_PARM	KP	Web Service Adapter Log Parameter
F1_WEB_SVC_OPERATIONS	KP	Web Service Adapter Operations
SC_USER	KP	User
SC_USER_CHAR	KP	User Characteristic
SC_USER_GROUP	KP	User Group
SC_USER_GROUP_L	KP	User Group Language
SC_USR_GRP_USR	KP	User Group User
CI_MD_ATT_TY	RF	MD Element Attribute Type
CI_MD_AT_DTL	RF	MD Element Attribute Type Detail
CI_MD_AT_DTL_L	RF	MD Element Attribute Type Detail Language
CI_MD_CTL	RF	Generator Control
CI_MD_CTL_L	RF	Generator Control Language

Table Name	Upgrade Action	Description
CI_MD_CTL_TMPL	RF	Generator Control Template
CI_MD_ELTY	RF	MD Element Type
CI_MD_ELTY_AT	RF	Element Type Attributes
CI_MD_ELTY_L	RF	Element Type Language
CI_MD_LOOKUP_F	RF	MD Lookup Field
CI_MD_MSG	RF	MD Message
CI_MD_MSG_L	RF	MD Message Language
CI_MD_PDF	RF	Predefined Fields
CI_MD_PDF_VAL	RF	Predefined Values
CI_MD_SRC_TYPE	RF	Source Type
CI_MD_SRC_TYPE_L	RF	Source Type Language
CI_MD_TMPL	RF	Template
CI_MD_TMPL_ELTY	RF	Template Element Types
CI_MD_TMPL_L	RF	Template Language
CI_MD_TMPL_VAR	RF	Template Variable
CI_MD_TMPL_VAR_L	RF	Template Variable Language
CI_MD_VAR	RF	Variable
CI_MD_VAR_DTL	RF	Variable Detail
CI_MD_VAR_DTL_L	RF	Variable Detail Language
CI_XAI_EXECUTER	RF	XAI Executer
CI_XAI_EXECUTER_L	RF	XAI Executer Language

Appendix F : License and Copyright Notices

This section provides license and copyright information for the associated products. It includes the following notices:

- Notice Concerning Usage of ANTLR
- Notice Concerning Usage of Apache Software
- Notice Concerning Usage of ASM
- Notice Concerning Usage of Concurrent
- Notice Concerning Usage of DOM4J
- Notice Concerning Usage of International Components for Unicode (ICU4J)
- Notice Concerning Usage of Jaxen
- Notice Concerning Usage of JQuery
- Notice Concerning Usage of SLF4J
- Notice Concerning Usage of Staxmate
- Notice Concerning Usage of XMLPULL
- Notice Concerning Usage of XStream
- Notice Concerning Usage of YUI

F.1 Third-Party Products

The following sections provide notices and information about the third party products indicated.

F.1.1 Notice Concerning Usage of ANTLR

[The BSD License]

Copyright (c) 2012 Terence Parr and Sam Harwell

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the author nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

F.1.2 Notice Concerning Usage of Apache Software

The following files are covered under the Apache 2.0 license:

- ant-1.9.7.jar
- apache-xmlbeans-2.6.0.jar
- bsf-2.4.0.jar
- castor-1.3.2-core.jar
- castor-1.3.2-xml-schema.jar
- castor-1.3.2-xml.jar
- cglib-3.2.4.jar
- commons-logging-1.2.jar
- ehcache-core-2.5.2.jar
- commons-beanutils-1.9.3.jar
- commons-cli-1.3.1.jar
- commons-codec-1.9.jar
- commons-collections-3.2.2.jar
- commons-fileupload-1.3.2.jar
- commons-io-1.3.2.jar
- commons-lang-2.2.jar
- fop.jar
- groovy-2.4.5.jar
- groovy-xml-2.4.5.jar
- httpclient-4.5.1.jar
- httpcore-4.4.3.jar
- jackson-core-asl-1.9.2.jar
- jackson-jaxrs-1.9.2.jar
- jackson-mapper-asl-1.9.2.jar
- jackson-xc-1.9.2.jar
- jettison-1.3.8.jar
- joda-time-2.9.6.jar

- log4j-core-2.8.2.jar
- log4j-slf4j-impl-2.8.2.jar
- log4j-api-2.8.2.jar
- poi-3.16.jar
- serializer-2.7.2.jar
- velocity-1.7.jar
- xalan-2.7.2.jar

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

“License” shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

“Licensor” shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

“Legal Entity” shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, “control” means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

“You” (or “Your”) shall mean an individual or Legal Entity exercising permissions granted by this License.

“Source” form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

“Object” form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

“Work” shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

“Derivative Works” shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License.

Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution.

You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that you meet the following conditions:

- You must give any other recipients of the Work or Derivative Works a copy of this License; and
- You must cause any modified files to carry prominent notices stating that You changed the files; and
- You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- If the Work includes a “NOTICE” text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add your own attribution notices within Derivative Works that you distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License. You may add your own copyright statement to your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of your modifications, or for any such Derivative Works as a whole, provided your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions.

Unless you explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by you to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks.

This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty.

Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an “AS IS” BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with your exercise of permissions under this License.

8. Limitation of Liability.

In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability.

While redistributing the Work or Derivative Works thereof, you may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

F.1.3 Notice Concerning Usage of ASM

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

F.1.4 Notice Concerning Usage of Concurrent

All classes are released to the public domain and may be used for any purpose whatsoever without permission or acknowledgment.

<http://g.oswego.edu/dl/classes/EDU/oswego/cs/dl/util/concurrent/intro.html>

F.1.5 Notice Concerning Usage of DOM4J

Copyright 2001-2010 (C) MetaStuff, Ltd.

All Rights Reserved.

Redistribution and use of this software and associated documentation ("Software"), with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain copyright statements and notices. Redistributions must also contain a copy of this document.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name "DOM4J" must not be used to endorse or promote products derived from this Software without prior written permission of MetaStuff, Ltd. For written permission, please contact dom4j-info@metastuff.com.
4. Products derived from this Software may not be called "DOM4J" nor may "DOM4J" appear in their names without prior written permission of MetaStuff, Ltd. DOM4J is a registered trademark of MetaStuff, Ltd.
5. Due credit should be given to the DOM4J Project - <http://dom4j.sourceforge.net>.

THIS SOFTWARE IS PROVIDED BY METASTUFF, LTD. AND CONTRIBUTORS "AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL METASTUFF, LTD. OR ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

F.1.6 Notice Concerning Usage of International Components for Unicode (ICU4J)

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2012 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

F.1.7 Notice Concerning Usage of Jaxen

Copyright 2003-2006 The Werken Company.

All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Jaxen Project nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

F.1.8 Notice Concerning Usage of JQuery

JQuery Foundation projects are released under the terms of the license specified in the project's repo or if not specified, under the MIT license.

<https://tldrlegal.com/license/mit-license>

The MIT License is simple and easy to understand and it places almost no restrictions on what you can do with a JQuery Foundation project.

You are free to use any JQuery Foundation project in any other project (even commercial projects) as long as the copyright header is left intact.

F.1.9 Notice Concerning Usage of SLF4J

SLF4J source code and binaries are distributed under the MIT license.

Copyright (c) 2004-2013 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

F.1.10 Notice Concerning Usage of Staxmate

Copyright (c) 2007, Tatu Saloranta

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the <organization> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY <copyright holder> "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL <copyright holder> BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

F.1.11 Notice Concerning Usage of XMLPULL

XMLPULL API IS FREE

All of the XMLPULL API source code, compiled code, and documentation contained in this distribution *except* for tests (see separate LICENSE_TESTS.txt) are in the Public Domain.

XMLPULL API comes with NO WARRANTY or guarantee of fitness for any purpose.

Initial authors: Stefan Haustein and Aleksander Slominski

2001-12-12

F.1.12 Notice Concerning Usage of XStream

XStream is open source software, made available under BSD license.

Copyright (c) 2003-2006, Joe Walnes

Copyright (c) 2006-2009, 2011, XStream Committers

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of XStream nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

F.1.13 Notice Concerning Usage of YUI

Copyright © 2013 Yahoo! Inc. All rights reserved.

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of Yahoo! Inc. nor the names of YUI's contributors may be used to endorse or promote products derived from this software without specific prior written permission of Yahoo! Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.