

Oracle Banking Digital Experience

OBP US LZN Setup and Configuration Guide

Release 18.2.0.0.0

Part No. E97823-01

ORACLE®

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2018, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Table of Contents

1. Preface.....	4
1.1 Intended Audience	4
1.2 Documentation Accessibility	4
1.3 Access to Oracle Support	4
1.4 Structure	4
1.5 Related Information Sources.....	4
2. Introduction.....	5
2.1 Purpose of the Document	5
3. Prerequisites.....	6
4. Installation.....	7
4.1 Pre Installation.....	7
4.2 Steps of installation	7
4.2.1 Application deployment	7
4.2.2 Database scripts deployment.....	15
4.2.3 UI deployment	15
5. Post Installation.....	16
5.1 Additional Configuration	16
5.2 OBP Application Configurations.....	17
5.2.1 Funding table template maintenance	17
5.2.2 Application level fees	17
5.2.3 Financial template maintenance	17
5.3 OUD configuration in OBP:	17
6. Product configuration	18
7. Credential mapping for anonymous access.....	19
8. DB Authenticator Configuration	20

1. Preface

1.1 Intended Audience

This document is intended for the following audience:

- Customers
- Partners

1.2 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

1.3 Access to Oracle Support

Oracle customers have access to electronic support through My Oracle Support. For information, visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit

<http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

1.4 Structure

Preface gives information on the intended audience. It also describes the overall structure of the User Manual.

The subsequent chapters cover following

- Introduction
- Prerequisites
- Installation
- Post Installation Steps

1.5 Related Information Sources

For more information on Oracle Banking Digital Experience Release 18.2.0.0.0, refer to the following documents:

- User Manual Oracle Banking Digital Experience Installer Pre-Requisite Setup
- User Manual Oracle Banking Digital Experience Installation Guide

2. Introduction

2.1 Purpose of the Document

The purpose of the OBDX US LZN Installation Guide is to provide a step by step overview on the installation process of the solution.

It includes:

- Installation of OBDX 18.2.0.0.0 US LZN with Oracle's own Core Banking and Origination Products.
- Advanced Configurations (Post installation)

[Home](#)

3. Prerequisites

OBDX 18.2.0.0.0 Base with OBP flavor should be installed through OBDX Installer. This installation will be henceforth referred to in this manual as 'OBDX18.2 Base'.

For OBDX 18.2 Base installation, refer documents mentioned in *section 1.5 Related Information Sources*.

[Home](#)

4. Installation

4.1 Pre Installation

OBDX18.2.0.0.0 Base with OBP flavor should be installed through installer.

4.2 Steps of installation

Download and extract. Post extraction '**OBDX_LZNInstaller**' folder would be available.

Ensure before installation following sub-directories are available:

- app
- db
- ui

4.2.1 Application deployment



The '**app**' directory will have 3 artifacts to be deployed on the OBDX 18.2.0.0.0 Application server. Depending upon the user authenticator i.e., OUD or DB Authenticator either "obdx.app.rest.ear" or "obdx.app.rest.idm.ear" must be deployed.

- i. obdx.app.rest.ear
 - **Un-deploy 'obdx.app.rest.ear' Enterprise Application** from OBDX 18.2 Application Server. This artifact had been deployed as a part of OBDX 18.2 Base Installation.
 - Deploy '**obdx.app.rest.ear**' artifact as an Enterprise Application.
- ii. obdx.lz.us.app.domain.ear
 - Deploy this artifact as a **library**.
- iii. obdx.lz.us.extsystem.domain.ear
 - Deploy this artifact as a **library**.


Note: Login to Weblogic Server. **First shut down the application server.** Go to Deployments, Un-deploy the REST application project of the OBDX 18.2.0.0.0 Base and deploy REST application project of the OBDX 18.2.0.0.0 US LZN and other two libraries (ii & iii) mentioned above. **All other libraries of OBDX 18.2.0.0.0. Base are required for OBDX 18.2.0.0.0 US LZN. Do not remove them. Start the application server.**

Steps to Un-deploy library/application –


Login into Weblogic Server. Go to Deployments. Select the library/application and click on delete.



Confirm delete.




Success message will be displayed.





Steps to Deploy library/application -

Click on install to deploy library/application. Click on Upload Button.




Click on 'Choose File' to select the library/application to upload.







Click on NEXT button.




Again click on NEXT button.




Select 'Install as library/application', as per the deployment.



Select the managed server/cluster to deploy on. Click on Next.



Click on Finish.



Confirmation of installation will be displayed.

ORACLE WebLogic Server Administration Console 12c

Home Log Out Preferences Record Help

Welcome, weblogic Connected to: LZN172

Summary of Deployments > Summary of Environment > Summary of Servers > Summary of Deployments

Messages

- The deployment has been successfully installed.
- You must also activate the pending changes to commit this, and other updates, to the active system.

Summary of Deployments

Configuration Control Monitoring

This page displays the list of Java EE applications and standalone application modules installed to this domain.

You can update (redeploy) or delete installed applications and modules from the domain by selecting the checkbox next to the application name and then using the controls on this page.

To install a new application or module for deployment to targets in this domain, click **Install**.

[Customize this table](#)

Deployments

Install Update Delete

Showing 1 to 67 of 67 Previous Next

Name	State	Health	Type	Targets	Scope	Domain Partitions	Deployment Order
adf.oracle.businesseditor(1.0,12.2.1.1.0)	Active		Library	AdminServer, InstallerTest	Global		100
adf.oracle.domain(1.0,12.2.1.1.0)	Active		Library	AdminServer, InstallerTest	Global		100
adf.oracle.domain.webapp(1.0,12.2.1.1.0)	Active		Library	AdminServer, InstallerTest	Global		100
AudMDEAR	New		Enterprise Application	InstallerTest	Global		100
BatchResourceAdapter	New		Enterprise Application	InstallerTest	Global		100

obdx.app.core.domain(18.1.0.0.0.201712171135)	Active	Library	obdx_server	Global
obdx.app.core.patch(18.1.0.0.0.201712171135)	Active	Library	obdx_server	Global
obdx.app.domain(18.1.0.0.0.201712171135)	Active	Library	obdx_server	Global
obdx.app.rest	Active	Enterprise Application	obdx_server	Global
obdx.app.security(18.1.0.0.0.201712171135)	Active	Library	obdx_server	Global
obdx.extsystem.domain(18.1.0.0.0.201712171135)	Active	Library	obdx_server	Global
obdx.thirdparty.app.domain(18.1.0.0.0.201712171135)	Active	Library	obdx_server	Global

Figure 1 : Deployments after OBDX18.2.0.0.0 Base Installation

obdx.app.core.domain(18.1.0.0.0.201712181210)	Active	Library	obdx_server	Global
obdx.app.core.patch(18.1.0.0.0.201712181210)	Admin	Library	obdx_server	Global
obdx.app.domain(18.1.0.0.0.201712181210)	Active	Library	obdx_server	Global
obdx.app.rest	Active	Enterprise Application	obdx_server	Global
obdx.app.security(18.1.0.0.0.201712181210)	Active	Library	obdx_server	Global
obdx.extsystem.domain(18.1.0.0.0.201712181210)	Active	Library	obdx_server	Global
obdx.lz.us.app.domain(18.1.0.0.0.201712181227)	Active	Library	obdx_server	Global
obdx.lz.us.extsystem.domain(18.1.0.0.0.201712181227)	Active	Library	obdx_server	Global
obdx.thirdparty.app.domain(18.1.0.0.0.201712181210)	Active	Library	obdx_server	Global

Figure 2: Deployments after OBDX 18.2.0.0.0 US LZN Installation

4.2.2 Database scripts deployment

The '**db**' directory will have two sub-directories: dml and ddl. Executes all scripts present in the dml folder.

Note: There are no ddl scripts to execute.

4.2.3 UI deployment

The 'ui' directory contains all the UI related files. The UI deployed by OBDX 18.2.0.0.0 Base installation should be replaced by the UI contents of this directory.

Note: No change required in OHS.

[Home](#)

5. Post Installation

Refer 'User Manual Oracle Banking Digital Experience System Configuration.docx' document to perform Day1 configurations for OBDX18.2.0.0.0 US LZN setup.

5.1 Additional Configuration

Apart from the configuration given in section 5 of 'User Manual Oracle Banking Digital Experience OBP US LZN Setup and Configuration' document, below table consists additional non-mandatory configuration for OBDX18.2.0.0.0 US LZN

- 'OriginationConfig' category id in DIGX_FW_CONFIG_ALL_B

Property Id	Description	Default Value
MARTICULAR_CONSULAR_CARD_EXPIRY_DURATION	This property contains maximum allowed expiry duration (in years) for Mexican CID card.	15
MARTICULAR_CONSULAR_CARD_MAX_LENGTH	This property contains maximum length allowed for Mexican CID card ID.	30
RESIDENT_STABILITY_MONTH_DURATION	This property contains minimum duration (in months) of Residence needs to be captured during the origination process.	12
SSN_MAX_LENGTH	This property contains maximum length allowed for the SSN.	10
STATE_ID_EXPIRY_DURATION	This property contains maximum allowed expiry duration(in years) for state ID card	15
STATE_ID_MAX_LENGTH	This property contains maximum length allowed for the State ID.	30

5.2 OBP Application Configurations.

Following maintenance/configurations should be done in OBP application.

5.2.1 Funding table template maintenance

This maintenance decides which all sections like LMI, Fees should be part of funding table.

5.2.2 Application level fees

This maintenance decides which all fees like 'Title Search fee', 'Registration fee' should be shown on application tracker and funding table.

5.2.3 Financial template maintenance

This maintenance decides which all income, expense, liability and asset should be visible as part of financial template. It is also used to decide the mandatory and non-mandatory options for income, expense, liability and asset.

5.3 OUD configuration in OBP:

Refer to section 4.2 of 'User Manual Oracle Banking Digital Experience OBP Base Setup and Configuration.docx'.

[Home](#)

6. Product configuration

To enable the products execute the following script.

```
Update DIGX_OR_PRODUCT_TYPE set STATUS = 'ACTIVE' where ID IN  
( 'SAVINGSH1', 'CHECKINGH1', 'TERMDEPOSITH1', 'CREDITCARDH1',  
'AUTOLOANH1', 'PERSONALLOANH1') and DETERMINANT_VALUE='OBDX_BU';
```

Where 'OBDX_BU' is the entity id for which the system is configured.

This will enable the savings, checking, term deposits, credit cards, auto loans and personal loans products.

[Home](#)

7. Credential mapping for anonymous access

Please refer to the document [Oracle Banking Digital Experience Origination Web service Username Token Configuration.docx](#) for “***Anonymous user configuration***”.

This will add the security policy, policy key and credentials for anonymous user.

[Home](#)

8. DB Authenticator Configuration

If OBDX has DB Authenticator as user authenticator then, for logged-in flow (application tracking flow and existing user flow) following changes must be done in OBDX. This will change the saml token policy for logged-in user to user token policy.

Please refer to the document [Oracle Banking Digital Experience Origination Web service Username Token Configuration.docx](#) for ***“Logged-In user configuration”***.

This will change the security policy for logged-in user.