

Oracle® Database Appliance

Release Notes



Release 12.2.1.3.0 for Linux x86-64

E93442-01

May 2018

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Oracle Database Appliance Release Notes, Release 12.2.1.3.0 for Linux x86-64

E93442-01

Copyright © 2013, 2018, Oracle and/or its affiliates. All rights reserved.

Primary Authors: Aparna Kamath, Laura Hartman

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Audience	vii
Documentation Accessibility	vii
Related Documents	vii
Conventions	ix

1 What's New

2 Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA

2.1	What's New for Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA	2-1
2.2	Component Versions for Oracle Database Appliance X7-2 Models	2-3
2.3	Issues Deploying Oracle Database Appliance X7-2 Models	2-4
2.4	Issues Updating Oracle Database Appliance X7-2 Models	2-5
2.5	Issues Managing Oracle Database Appliance X7-2 Models	2-5

3 Oracle Database Appliance X6-2S, X6-2M, and X6-2L

3.1	What's New for Oracle Database Appliance X6-2S, X6-2M, and X6-2L	3-1
3.2	Component Versions for X6-2S, X6-2M, and X6-2L Models	3-2
3.3	Issues Deploying Oracle Database Appliance X6-2S, X6-2M, or X6-2L	3-3
3.4	Issues Updating Oracle Database Appliance X6-2S, X6-2M, and X6-2L	3-3
3.5	Issues Managing Oracle Database Appliance X6-2S, X6-2M, and X6-2L	3-3

4 Oracle Database Appliance X6-2-HA

4.1	What's New in Oracle Database Appliance X6-2-HA	4-1
4.2	Component Versions for Oracle Database Appliance X6-2-HA	4-2
4.3	Issues Deploying Oracle Database Appliance X6-2-HA	4-2
4.4	Issues Updating Oracle Database Appliance X6-2-HA	4-2
4.5	Issues Managing Oracle Database Appliance X6-2-HA	4-3

5	Oracle Database Appliance X5-2	
5.1	What's New for Oracle Database Appliance X5-2	5-1
5.2	Component Versions for Oracle Database Appliance X5-2	5-2
5.3	Issues Deploying Oracle Database Appliance X5-2	5-2
5.4	Issues Updating Oracle Database Appliance X5-2	5-2
5.5	Issues Managing Oracle Database Appliance X5-2	5-3
6	Oracle Database Appliance X4-2	
6.1	What's New in Oracle Database Appliance X4-2	6-1
6.2	Component Versions for Oracle Database Appliance X4-2	6-2
6.3	Issues Deploying Oracle Database Appliance X4-2	6-2
6.4	Issues Updating Oracle Database Appliance X4-2	6-3
6.5	Issues Managing Oracle Database Appliance X4-2	6-3
7	Oracle Database Appliance X3-2	
7.1	What's New for Oracle Database Appliance X3-2	7-1
7.2	Component Versions for Oracle Database Appliance X3-2	7-2
7.3	Issues Deploying Oracle Database Appliance X3-2	7-2
7.4	Issues Updating Oracle Database Appliance X3-2	7-2
7.5	Issues Managing Oracle Database Appliance X3-2	7-3
8	Oracle Database Appliance V1	
8.1	What's New for Oracle Database Appliance V1	8-1
8.2	Component Versions for Oracle Database Appliance V1	8-2
8.3	Issues Deploying Oracle Database Appliance V1	8-2
8.4	Issues Updating Oracle Database Appliance V1	8-2
8.5	Issues Managing Oracle Database Appliance V1	8-3
A	Oracle Database Appliance Patches	
A.1	Patching from Previous Releases	A-1
A.2	Minimum Software Version Requirements	A-2
A.3	Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA Patches	A-2
A.4	Oracle Database Appliance X7-2-HA Virtualized Platform Patches	A-4
A.5	Oracle Database Appliance X6-2-HA Patches	A-6
A.6	Oracle Database Appliance X6-2S, X6-2M, and X6-2L Patches	A-9
A.7	Oracle Database Appliance X5-2, X4-2, X3-2, and V1 Patches	A-12

B Issues with Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA

B.1	Unable to use the Web Console on Microsoft web browsers	B-1
B.2	Unable to use the backup report saved from the Web Console in command line	B-1
B.3	Error in patching 12.2.0.1 Oracle Database homes to the latest patchset	B-2
B.4	Repository in offline or unknown status after patching	B-2
B.5	Errors after restarting CRS	B-2
B.6	Old configuration details persisting in custom environment	B-3
B.7	ASR Manager does not run after patching the dcsagent	B-3
B.8	Upgrade fails if database is not running	B-4
B.9	Incorrect SGA and PGA values displayed	B-4
B.10	Error: patch zip does not exist	B-5
B.11	Unable to patch dbhome	B-5
B.12	ODACLI does not work	B-6
B.13	Error CRS-01019: The OCR Service Exited	B-6
B.14	Creation of database on Oracle ACFS fails when the flash disk group is not specified	B-7
B.15	Do not use the local patching option on a virtualized platform	B-7
B.16	The command oakcli validate returns errors on a virtualized platform	B-8
B.17	Error after running the cleanup script	B-8
B.18	The DB Console option is disabled when creating an 11.2.0.4 database	B-9

C Issues with Oracle Database Appliance X6-2S, X6-2M, and X6-2L

C.1	Cannot use the -local option to upgrade GI	C-1
C.2	Unable to patch an empty Oracle Database 12.1 dbhome	C-1
C.3	Patch zip files require concatenation	C-2
C.4	Upgrading an SE database results in an error: Failed to run datapatch	C-3
C.5	After replacing a disk, the disk is not added to Oracle ASM	C-4
C.6	Unable to create an Oracle ASM Database for Release 12.1	C-4

D Issues with Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1

D.1	FLASH disk group is not mounted when patching or provisioning the server	D-1
D.2	Do not use the local patching option on a virtualized platform	D-2
D.3	Unable to upgrade an Oracle Database from version 11.2 to 12.1 or 12.2	D-3
D.4	Error CRS-01019: The OCR Service Exited	D-3
D.5	CRSD is unresponsive when patching Oracle Database 12.1 ASM	D-3
D.6	Errors when upgrading a database from 11.2.0.4 dbhome to 12.2.0.1	D-4

D.7	Unable to create an Oracle ASM Database for Release 12.1	D-4
D.8	Unable to patch an empty Oracle Database 12.1 dbhome	D-5
D.9	Unable to patch dbhome from 12.1.0.2.170814 to 12.2.0.1.171017	D-5
D.10	The DB Console option is disabled when creating an 11.2.0.4 database	D-6
D.11	ODA_BASE is in read-only mode or cannot start	D-7
D.12	OAKERR:7007 Error encountered while starting VM	D-8
D.13	Server patch does not update the kernel version	D-9
D.14	Unrecognized Token Messages Appear in /var/log/messages	D-10
D.15	Virtual machine task blocked	D-11
D.16	High Availability IP (HAIP) addresses are not supported	D-12
D.17	Error in node number information when running network CLI commands	D-13
D.18	Database creation fails for odb-01s DSS databases	D-13

Index

Preface

Oracle Database Appliance is an optimized, prebuilt database system that is easy to deploy, operate, and manage. By integrating hardware and software, Oracle Database Appliance eliminates the complexities of nonintegrated, manually assembled solutions. Oracle Database Appliance reduces the installation and software deployment times from weeks or months to just a few hours while preventing configuration and setup errors that often result in suboptimal, hard-to-manage database environments.

Audience

This guide is intended for anyone who configures, maintains, or uses Oracle Database Appliance:

- System administrators
- Network administrators
- Database administrators
- Application administrators and users

This book does not include information about Oracle Database architecture, tools, management, or application development that is covered in the main body of Oracle Documentation, unless the information provided is specific to Oracle Database Appliance. Users of Oracle Database Appliance software are expected to have the same skills as users of any other Linux-based Oracle Database installations.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Related Documents

For more information about Oracle Database Appliance, go to <http://www.oracle.com/goto/oda/docs> and click the appropriate release. The following documents are published in the Oracle Database Appliance online documentation library:

- *Oracle Database Appliance Release Notes*

- *Oracle Database Appliance Licensing Information User Manual*
- *Oracle Database Appliance Security Guide*
- *Oracle Database Appliance Accessibility Guide*
- *Oracle Database Appliance X7-2 Deployment and User's Guide*
- *Oracle Database Appliance X6-2-HA Deployment and User's Guide*
- *Oracle Database Appliance X6-2S/M/L Deployment and User's Guide*
- *Oracle Database Appliance Getting Started Guide*
- *Oracle Database Appliance Administration and Reference Guide*
- Oracle Database Appliance Setup Posters and Booklets (a full-size printed copy ships with Oracle Database Appliance)
- *Oracle Database Appliance Owner's Guide*
- *Oracle Database Appliance Service Manual*
- *Oracle Database Appliance Series Safety and Compliance Guide*

The following My Oracle Support Notes contain additional information:

- <https://support.oracle.com/CSP/main/article?cmd=show&type=NOT&id=888888.1>
- <https://support.oracle.com/CSP/main/article?cmd=show&type=NOT&id=2144642.1>

The following documents are published in the Oracle Database Appliance Plug-ins for Oracle Enterprise Manager online documentation library at http://docs.oracle.com/cd/E70264_01/index.htm:

- *Oracle Database Appliance Plug-in for Oracle Enterprise Manager 13c User's Guide*
- *Oracle Database Appliance Plug-in for Oracle Enterprise Manager 12c User's Guide*

For more information about using Oracle Database, go to <http://docs.oracle.com/en/database/> and select the database release from the menu. See the following documents in the Oracle Database online documentation library:

- *Oracle Database Security Guide*
- *Oracle Database Administrator's Guide*
- *Oracle Database SQL Language Quick Reference*
- *Oracle Database Backup and Recovery User's Guide*
- *Oracle Database Backup and Recovery Reference*
- *Oracle Database Utilities*
- *Oracle Automatic Storage Management Administrator's Guide*

For more information about Oracle Integrated Lights Out Manager 3.2, see https://docs.oracle.com/cd/E37444_01/.

For more details about other Oracle products that are mentioned in Oracle Database Appliance documentation, see the Oracle Documentation home page at <http://docs.oracle.com>.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action or terms defined in the text.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.
# prompt	The pound (#) prompt indicates a command that is run as the root user.

1

What's New

Oracle Database Appliance 12.2.1.3.0 contains several new features and enhancements. To see what's new for your hardware model, go to the chapter for your model.

- [What's New for Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA](#) (page 2-1)
- [What's New for Oracle Database Appliance X6-2S, X6-2M, and X6-2L](#) (page 3-1)
- [What's New in Oracle Database Appliance X6-2-HA](#) (page 4-1)
- [What's New for Oracle Database Appliance X5-2](#) (page 5-1)
- [What's New in Oracle Database Appliance X4-2](#) (page 6-1)
- [What's New for Oracle Database Appliance X3-2](#) (page 7-1)
- [What's New for Oracle Database Appliance V1](#) (page 8-1)

2

Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA

Learn what's new and known issues with Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA.

2.1 What's New for Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA

Release 12.2.1.3.0 includes new features, the latest Oracle Database release updates, and Oracle Linux security updates for Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA systems.

The following new features are available for Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA:

- Enforce strong password rules for the Database Administrator Password for new databases and the System Password for all operating system users (root, grid, and oracle).

Strong passwords should contain at least 9 characters, not exceed 30 characters, and start with an alpha character. All passwords must meet the following requirements:
 - at least two uppercase letters
 - at least two lowercase letters
 - at least two numbers
 - at least two special characters. valid characters are pound (#), underscore (_), and dash (-).
- Require creating a new password upon first log in with the default password. Strong password rules apply.
- Ability to use the Web Console to change the ILOM and System passwords.
- Support for two separate physical network interfaces. Oracle Database Appliance X7-2 has two dual-port public network interfaces, which are bonded. You can only enable one of the interfaces in a bonded network. To support two separate physical network interfaces in your data center, you can break the bond when you plumb the network and create a non-bonded network configuration.
- Integrated Backup and Recovery through the Web Console
- Patching pre-checks for the DCS stack including checks for server update, Oracle Grid Infrastructure, and Oracle Database
- Security updates
- After you upgrade the DCS Server (GI) to Oracle Database Appliance 12.2.1.2, you no longer need to copy a patch to both nodes in future releases. When the

DCS Server version is 12.2.1.2, you only needed to run the command `odacli update-repository` from the first node. The patch bundle files are copied from one node to another and updates the repository on all nodes.

- Oracle Database 12.2.0.1.180116 Release Update (RU)
- Oracle Database 12.1.0.2.180116 Bundle Patch (BP)
- Oracle Database 11.2.0.4.180116 Patch Set Update (PSU)

GI Clone, Database RDBMS Clone, and ISO Image Patches

Oracle Database Appliance patches are available in My Oracle Support. When selecting a patch, ensure that you select the 12.2.1.3.0 release from the drop down box.

- **Oracle Database Appliance 12.2.1.1.0 GI Clone for ODACLI/DCS stack:** Use to perform an initial deployment of Oracle Database Appliance. The bundle contains the latest Grid Infrastructure components for deployment on an Oracle Database Appliance in the "shipped from factory" state, or an Oracle Database Appliance that has been re-imaged using the OS ISO Image. This patch is for Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA Bare Metal platforms.
- **12.2.0.1 Database:** Use the Oracle 12.2.0.1.180116 RDBMS Software Clone file to create new 12.2.0.1 database homes.
- **12.1.0.2 Database:** Use the Oracle 12.2.0.1.180116 RDBMS Software Clone file to create new 12.1.0.2 database homes.
- **11.2.0.4 Database:** Use the Oracle 11.2.0.4.180116 RDBMS Software Clone file to create new 11.2.0.4 database homes.
- **(Optional) ISO Image:** Use to perform a bare metal restore (re-image) of the operating system. Bare metal is a non-virtualized Oracle Database Appliance configuration. Use only when you must re-image the operating system.

Note:

Re-imaging a server using the Oracle Database Appliance ISO image installs the new OS on the local disks on that server. After re-imaging, use the Oracle Database Appliance GI Clone for ODACLI/DCS stack to deploy Oracle Database Appliance (bare metal platform.) The bundle contains the latest Grid Infrastructure components (ILOM, BIOS, Controller, Expander, disk firmware, and other components.)

GI Clone, Database RDBMS Clone, and ISO Image Patches for a Virtualized Platform

To deploy a virtualized platform on Oracle Database Appliance X7-2-HA, use the VM ISO Image (DOM0) patch to re-image the server with an OS that includes virtualization capabilities. After re-imaging, use the VM Template (ODA_BASE) to deploy ODA_Base for the virtualized platform.

 **Note:**

When you re-image using the VM ISO Image, the system uses the oakcli stack, including the Configurator to deploy the appliance and the command-line interface to manage the appliance.

Oracle Database Appliance patches are available in My Oracle Support. When selecting a patch, ensure that you select the 12.2.1.3.0 release from the drop down box.

- **VM ISO Image (DOM0):** Use to reimage Oracle Database Appliance as a Virtualized Platform.
- **VM Template (ODA_BASE):** Use to deploy ODA_Base for the virtualized platform. The bundle contains the latest Grid Infrastructure components for deployment.
- **12.2.0.1 Database:** Use the Oracle 12.2.0.1.180116 RDBMS Software Clone file to create new 12.2.0.1 database homes.
- **12.1.0.2 Database:** Use the Oracle 12.2.0.1.180116 RDBMS Software Clone file to create new 12.1.0.2 database homes.
- **11.2.0.4 Database:** Use the Oracle 11.2.0.4.180116 RDBMS Software Clone file to create new 11.2.0.4 database homes.

Related Topics

- [Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA Patches](#) (page A-2)
Download the patches available for Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA in My Oracle Support, get information on the prerequisites, and how to apply the patches.
- [Oracle Database Appliance X7-2-HA Virtualized Platform Patches](#) (page A-4)
Download the patches available for a virtualized Oracle Database Appliance X7-2-HA platform in My Oracle Support, get information on the prerequisites, and how to apply the patches.

2.2 Component Versions for Oracle Database Appliance X7-2 Models

The matrix displays the component versions available for Oracle Database Appliance for X7-2S, X7-2M, and X7-2-HA in release 12.2.1.3.0.

Table 2-1 Component Versions for X7-2-HA, X7-2M, and X7-2S in 12.2.1.3.0

Component Name	X7-2-HA	X7-2S and X7-2M	X7-2-HA Virtualized Platform
Controller	13.00.00.00	QDV1RE14	13.00.00.00
Expander	306	Not applicable	306
SSD	A122	A122	A122 For the HDD/SSD option: A374/A122

Table 2-1 (Cont.) Component Versions for X7-2-HA, X7-2M, and X7-2S in 12.2.1.3.0

Component Name	X7-2-HA	X7-2S and X7-2M	X7-2-HA Virtualized Platform
NVMe (firmware version)	Not applicable	QDV1RE14	Not applicable
OS Disk (SSD firmware version)	0112	0112	0112
ILOM (Oracle Integrated Lights Out Manager)	3.2.9.23 r116695	3.2.9.23 r116695	3.2.9.23 r116695
BIOS	38070200	38070200	38070200
IPMI (Intelligent Platform Management Interface)	1.8.12.4	1.8.12.4	1.8.12.4
HMP (Oracle Hardware Management Pack)	2.4.1.0.9	2.4.1.0.9	2.4.1.0.9
OAK	12.2.1.3.0	12.2.1.3.0	12.2.1.3.0
Oracle Linux	6.9	6.9	6.9
Kernel	4.1.12-94.4.1.el6uek.x86_64	4.1.12-94.4.1.el6uek.x86_64	4.1.12-94.4.1.el6uek.x86_64
OVM (Oracle VM Server)	Not applicable	Not applicable	3.4.4
GI_HOME	12.2.0.1.180116	12.2.0.1.180116	12.2.0.1.180116
DB_HOME	12.2.0.1.180116	12.2.0.1.180116	12.2.0.1.180116
Oracle Auto Service Request (Oracle ASR)	5.7.7	5.7.7	5.7.7
Java Development Kit (JDK)	1.8.0_161	1.8.0_161	1.8.0_161

2.3 Issues Deploying Oracle Database Appliance X7-2 Models

Review the following known issues before deploying Oracle Database Appliance 7-2S, X7-2M, and X7-2-HA bare metal platforms:

- [ASR Manager does not run after patching the dcsagent](#) (page B-3)
- [Error after running the cleanup script](#) (page B-8)

Note:

An Oracle Database Appliance X7-2-HA Virtualized Platform uses the oakcli stack. See [Issues with Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1](#) (page D-1) for other issues deploying, updating, and managing a virtualized platform.

2.4 Issues Updating Oracle Database Appliance X7-2 Models

The following are known issues updating Oracle Database Appliance 7-2S, X7-2M, and X7-2-HA bare metal platforms:

- [Upgrade fails if database is not running](#) (page B-4)
- [Repository in offline or unknown status after patching](#) (page B-2)
- [Errors after restarting CRS](#) (page B-2)
- [Error: patch zip does not exist](#) (page B-5)
- [Do not use the local patching option on a virtualized platform](#) (page B-7)

 **Note:**

An Oracle Database Appliance X7-2-HA Virtualized Platform uses the oakcli stack. See [Issues with Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1](#) (page D-1) for issues updating a virtualized platform.

2.5 Issues Managing Oracle Database Appliance X7-2 Models

The following are known issues managing Oracle Database Appliance 7-2S, X7-2M, and X7-2-HA bare metal platforms:

- [Old configuration details persisting in custom environment](#) (page B-3)
- [Incorrect SGA and PGA values displayed](#) (page B-4)
- [Unable to use the Web Console on Microsoft web browsers](#) (page B-1)
- [Unable to use the backup report saved from the Web Console in command line](#) (page B-1)
- [Unable to create an Oracle ASM Database for Release 12.1](#) (page C-4)
- [Unable to patch an empty Oracle Database 12.1 dbhome](#) (page C-1)
- [ODACLI does not work](#) (page B-6)
- [Unable to patch dbhome](#) (page B-5)
- [Error CRS-01019: The OCR Service Exited](#) (page B-6)
- [CRSD is unresponsive when patching Oracle Database 12.1 ASM](#) (page D-3)
- [Upgrading an SE database results in an error: Fail to run datapatch](#) (page C-3)
- [The DB Console option is disabled when creating an 11.2.0.4 database](#) (page B-9)

 **Note:**

An Oracle Database Appliance X7-2-HA Virtualized Platform uses the oakcli stack. See [Issues with Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1](#) (page D-1) for issues that impact a virtualized platform.

3

Oracle Database Appliance X6-2S, X6-2M, and X6-2L

Learn more about what's new and known issues with Oracle Database Appliance X6-2S, X6-2M, and X6-2L.

3.1 What's New for Oracle Database Appliance X6-2S, X6-2M, and X6-2L

Release 12.2.1.3.0 includes new features, the latest Oracle Database release updates, and Oracle Linux security updates for Oracle Database Appliance X6-2S, X6-2M, and X6-2L.

The following new features are available for Oracle Database Appliance X6-2S, X6-2M, and X6-2L:

- Enforce strong password rules for the Database Administrator Password for new databases and the System Password for all operating system users (root, grid, and oracle).

Strong passwords should contain at least 9 characters, not exceed 30 characters, and start with an alpha character. All passwords must meet the following requirements:
 - at least two uppercase letters
 - at least two lowercase letters
 - at least two numbers
 - at least two special characters. valid characters are pound (#), underscore (_), and dash (-).
- Require creating a new password upon first log in with the default password. Strong password rules apply.
- Ability to use the Web Console to change the ILOM and System passwords.
- Integrated VLAN capability
- Support storage expansion for X6-2S, X6-2M, and X6-2L
- Support for two separate physical network interfaces. Oracle Database Appliance X7-2 has two dual-port public network interfaces, which are bonded. You can only enable one of the interfaces in a bonded network. To support two separate physical network interfaces in your data center, you can break the bond when you configure the initial network connection and create a non-bonded network configuration.
- Integrated Backup and Recovery through the Web Console
- Patching pre-checks for the DCS stack including checks for server update, Oracle Grid Infrastructure, and Oracle Database

- Security updates
- Oracle Database 12.2.0.1.180116 Release Update (RU)
- Oracle Database 12.1.0.2.180116 Bundle Patch (BP)
- Oracle Database 11.2.0.4.180116 Patch Set Update (PSU)

Oracle Database Appliance X6-2S, X6-2M, and X6-2L Patch Bundle

Use patch 26433721 to update Oracle Database Appliance to release 12.2.1.3.0. The patch is available in My Oracle Support and consists of two zip files. You must concatenate the two zip files before updating the repository.

Related Topics

- [Oracle Database Appliance X6-2S/M/L Patches](#) (page A-9)
Download the patches available for Oracle Database Appliance X6-2S, X6-2M, and X6-2L in My Oracle Support, get information on the prerequisites, and how to apply the patches.
- Updating Oracle Database Appliance Software

3.2 Component Versions for X6-2S, X6-2M, and X6-2L Models

The matrix display the component versions available for Oracle Database Appliance for X6-2S, X6-2M, and X6-2L.

Table 3-1 Component Versions for Oracle Database Appliance X6-2S, X6-2M, and X6-2L in 12.2.1.3.0

Component Name	Version
Controller	4.650.00-7176
NVMe (firmware version)	KPYA7R3Q
OS Disk	0112
ILOM (Oracle Integrated Lights Out Manager)	3.2.9.23 r116695
BIOS	X6-2S, X6-2M: 38070200 X6-2L: 38070200
IPMI (Intelligent Platform Management Interface)	1.8.12.4
HMP (Oracle Hardware Management Pack)	2.4.1.0.9
OAK	12.2.1.3.0
Oracle Linux	6.9
Kernel	4.1.12-94.4.1.el6uek.x86_64
GI_HOME	12.2.0.1.180116
DB_HOME	12.2.0.1.180116
Oracle Auto Service Request (Oracle ASR)	5.7.7

3.3 Issues Deploying Oracle Database Appliance X6-2S, X6-2M, or X6-2L

Review known issues before deploying Oracle Database Appliance X6-2S, X6-2M, or X6-2L.

- [Database creation fails for odb-01s DSS databases](#) (page D-13)

3.4 Issues Updating Oracle Database Appliance X6-2S, X6-2M, and X6-2L

The following are issues updating Oracle Database Appliance X6-2S, X6-2M or X6-2L:

- [Cannot use the -local option to upgrade GI](#) (page C-1)
- [Error: patch zip does not exist](#) (page B-5)
- [Patch zip files require concatenation](#) (page C-2)

3.5 Issues Managing Oracle Database Appliance X6-2S, X6-2M, and X6-2L

The following are known issues managing Oracle Database Appliance X6-2S, X6-2M, and X6-2L:

- [Error in node number information when running network CLI commands](#) (page D-13)
- [Unable to create an Oracle ASM Database for Release 12.1](#) (page C-4)
- [Unable to patch an empty Oracle Database 12.1 dbhome](#) (page C-1)
- [Unable to patch dbhome](#) (page B-5)
- [Upgrading an SE database results in an error: Fail to run datapatch](#) (page C-3)
- [After replacing a disk, the disk is not added to Oracle ASM](#) (page C-4)
- [Error CRS-01019: The OCR Service Exited](#) (page B-6)
- [The DB Console option is disabled when creating an 11.2.0.4 database](#) (page B-9)

4

Oracle Database Appliance X6-2-HA

Learn what's new and known issues with Oracle Database Appliance X6-2-HA.

4.1 What's New in Oracle Database Appliance X6-2-HA

Release 12.2.1.3.0 includes support for Oracle Database 12.2.0.1, and Oracle Database Appliance RDBMS clone files for Oracle Database Appliance X6-2-HA.

- Oracle Database 12.2.0.1.180116 Release Update (RU)
- Oracle Database 12.1.0.2.180116 Bundle Patch (BP)
- Oracle Database 11.2.0.4.180116 Patch Set Update (PSU)
- Security updates
- Strong password rules are enforced for the dbAdminPassword for new databases.

Passwords should contain at least 9 characters, not exceed 30 characters, and start with an alpha character. All passwords must meet the following requirements:

- at least two uppercase letters
- at least two lowercase letters
- at least two numbers
- at least two special characters. valid characters are pound (#), underscore (_), and dash (-).

Oracle Database Appliance Patch Bundle

Release 12.2.1.3.0 does not include a patch bundle for Oracle Database Appliance X6-2-HA.

Related Topics

- [Oracle Database Appliance X6-2-HA Patches](#) (page A-6)
Download the patches available for Oracle Database Appliance X6-2-HA in My Oracle Support, get information on the prerequisites, and how to apply the patches.

4.2 Component Versions for Oracle Database Appliance X6-2-HA

The matrix displays the component versions available for Oracle Database Appliance X6-2-HA.

Table 4-1 Component Versions for Oracle Database Appliance X6-2-HA in 12.2.1.3.0

Component Name	Version
Controller_INT	4.650.00-7176
Controller_Ext	13.00.00.00
Expander	0291
SSD_LOCAL	A29A
SSD_SHARED	A29A
ILOM (Oracle Integrated Lights Out Manager)	3.2.9.23 r116695
BIOS	38070200
IPMI (Intelligent Platform Management Interface)	1.8.12.4
HMP (Oracle Hardware Management Pack)	2.4.1.0.9
OAK	12.2.1.3.0
Oracle Linux	6.9
Kernel	4.1.12-112.14.1.el6uek.x86_64
OVM (Oracle VM Server)	3.4.4
Dom0 Kernel	4.1.12-14.13.el6uek.x86_64
GI_HOME	12.2.0.1.180116
DB_HOME	12.2.0.1.180116
Oracle Auto Service Request (Oracle ASR)	5.7.7

4.3 Issues Deploying Oracle Database Appliance X6-2-HA

There are no known issues deploying Oracle Database Appliance X6-2-HA.

4.4 Issues Updating Oracle Database Appliance X6-2-HA

The following are known issues updating Oracle Database Appliance X6-2-HA:

- [Server patch does not update the kernel version](#) (page D-9)
- [Do not use the local patching option on a virtualized platform](#) (page D-2)
- [Virtual Machine Task Blocked](#) (page D-11)
- [Unrecognized token messages appear in /var/log/messages](#) (page D-10)

4.5 Issues Managing Oracle Database Appliance X6-2-HA

The following are known issues managing Oracle Database Appliance X6-2-HA:

- [Unable to create an Oracle ASM Database for Release 12.1](#) (page D-4)
- [Errors when upgrading a database from 11.2.0.4 dbhome to 12.2.0.2](#) (page D-4)
- [Unable to patch an empty Oracle Database 12.1 dbhome](#) (page D-5)
- [Unable to patch dbhome from 12.1.0.2.170814 to 12.2.0.1.171017](#) (page D-5)
- [Error CRS-01019: The OCR Service Exited](#) (page D-3)
- [CRSD is unresponsive when patching Oracle Database 12.1 ASM](#) (page D-3)
- [ODA_BASE is in read-only mode or cannot start](#) (page D-7)
- [OAKERR:7007 Error encountered while starting VM](#) (page D-8)
- [The DB Console option is disabled when creating an 11.2.0.4 database](#) (page D-6)

5

Oracle Database Appliance X5-2

Learn what's new and known issues with Oracle Database Appliance X5-2.

5.1 What's New for Oracle Database Appliance X5-2

Release 12.2.1.3.0 includes support for Oracle Database 12.2.0.1, and Oracle Database Appliance RDBMS clone files for Oracle Database Appliance X5-2.

- Oracle Database 12.2.0.1.180116 Release Update (RU)
- Oracle Database 12.1.0.2.180116 Bundle Patch (BP)
- Oracle Database 11.2.0.4.180116 Patch Set Update (PSU)
- Security updates
- Strong password rules are enforced for the dbAdminPassword for new databases.

Passwords should contain at least 9 characters, not exceed 30 characters, and start with an alpha character. All passwords must meet the following requirements:

- at least two uppercase letters
- at least two lowercase letters
- at least two numbers
- at least two special characters. valid characters are pound (#), underscore (_), and dash (-).

Oracle Database Appliance Bundle Patch

Use patch 27648022 to update Oracle Database Appliance to release 12.2.1.3.0. The patch is available in My Oracle Support.

Related Topics

- [Oracle Database Appliance X5-2, X4-2, X3-2, and V1 Patches](#) (page A-12)
Download the patches available for Oracle Database Appliance X5-2, X4-2, X3-2, and V1 in My Oracle Support, get information on the prerequisites, and how to apply the patches.

5.2 Component Versions for Oracle Database Appliance X5-2

The matrix displays the component versions available for Oracle Database Appliance X5-2.

Table 5-1 Component Versions for Oracle Database Appliance X5-2 for 12.2.1.3.0

Component Name	Version
Controller_INT	4.650.00-7176
Controller_Ext	13.00.00.00
Expander	0018
SSD_LOCAL	n/a
SSD_SHARED	A29A
HDD_LOCAL	A7EO
HDD_SHARED	A3A0, PAG1
ILOM (Oracle Integrated Lights Out Manager)	3.2.9.23 r116695
BIOS	30110000
IPMI (Intelligent Platform Management Interface)	1.8.12.4
HMP (Oracle Hardware Management Pack)	2.4.1.0.9
OAK	12.2.1.3.0
Oracle Linux	6.9
Kernel	4.1.12-112.14.1.el6uek.x86_64
OVM (Oracle VM Server)	3.4.4
Dom0 Kernel	4.1.12-14.13.el6uek.x86_64
GI_HOME	12.2.0.1.180116
DB_HOME	12.2.0.1.180116
Oracle Auto Service Request (Oracle ASR)	5.7.7

5.3 Issues Deploying Oracle Database Appliance X5-2

Review known issues before deploying Oracle Database Appliance X5-2.

- [FLASH disk group is not mounted when patching or provisioning the server](#) (page D-1)

5.4 Issues Updating Oracle Database Appliance X5-2

The following are known issues after updating Oracle Database Appliance X5-2:

- [Server patch does not update the kernel version](#) (page D-9)
- [FLASH disk group is not mounted when patching or provisioning the server](#) (page D-1)

- [Do not use the local patching option on a virtualized platform](#) (page D-2)
- [Virtual Machine Task Blocked](#) (page D-11)
- [Unrecognized token messages appear in /var/log/messages](#) (page D-10)

5.5 Issues Managing Oracle Database Appliance X5-2

The following are known issues managing Oracle Database Appliance X5-2:

- [Unable to create an Oracle ASM Database for Release 12.1](#) (page D-4)
- [Unable to patch an empty Oracle Database 12.1 dbhome](#) (page D-5)
- [Unable to patch dbhome from 12.1.0.2.170814 to 12.2.0.1.171017](#) (page D-5)
- [Error CRS-01019: The OCR Service Exited](#) (page D-3)
- [CRSD is unresponsive when patching Oracle Database 12.1 ASM](#) (page D-3)
- [Errors when upgrading a database from 11.2.0.4 dbhome to 12.2.0.2](#) (page D-4)
- [ODA_BASE is in read-only mode or cannot start](#) (page D-7)
- [OAKERR:7007 error encountered while starting VM](#) (page D-8)
- [The DB Console option is disabled when creating an 11.2.0.4 database](#) (page D-6)

6

Oracle Database Appliance X4-2

Learn what's new and known issues with Oracle Database Appliance X4-2.

6.1 What's New in Oracle Database Appliance X4-2

Release 12.2.1.3.0 includes support for Oracle Database 12.2.0.1, and Oracle Database Appliance RDBMS clone files for Oracle Database Appliance X4-2.

- Oracle Database 12.2.0.1.180116 Release Update (RU)
- Oracle Database 12.1.0.2.180116 Bundle Patch (BP)
- Oracle Database 11.2.0.4.180116 Patch Set Update (PSU)
- Security updates
- Strong password rules are enforced for the dbAdminPassword for new databases.

Passwords should contain at least 9 characters, not exceed 30 characters, and start with an alpha character. All passwords must meet the following requirements:

- at least two uppercase letters
- at least two lowercase letters
- at least two numbers
- at least two special characters. valid characters are pound (#), underscore (_), and dash (-).

Oracle Database Appliance Patch Bundle

Use patch 27648022 to update Oracle Database Appliance to release 12.2.1.3.0. The patch is available in My Oracle Support.

Related Topics

- [Oracle Database Appliance X5-2, X4-2, X3-2, and V1 Patches](#) (page A-12)
Download the patches available for Oracle Database Appliance X5-2, X4-2, X3-2, and V1 in My Oracle Support, get information on the prerequisites, and how to apply the patches.

6.2 Component Versions for Oracle Database Appliance X4-2

The matrix displays the component versions available for Oracle Database Appliance X4-2.

Table 6-1 Component Versions for Oracle Database Appliance X4-2 in 12.2.1.3.0

Component Name	Version
Controller_INT	11.05.03.00
Controller_Ext	11.05.03.00
Expander	0018
SSD_LOCAL	n/a
SSD_SHARED	944A
HDD_LOCAL	A7EO
HDD_SHARED	A7EO
ILOM (Oracle Integrated Lights Out Manager)	3.2.9.22 es r115963
BIOS	25040100
IPMI (Intelligent Platform Management Interface)	1.8.12.4
HMP (Oracle Hardware Management Pack)	2.4.1.0.9
OAK	12.2.1.3.0
Oracle Linux	6.9
Kernel	4.1.12-112.14.1.el6uek.x86_64
OVM (Oracle VM Server)	3.4.4
Dom0 Kernel	4.1.12-14.13.el6uek.x86_64
GI_HOME	12.2.0.1.180116
DB_HOME	12.2.0.1.180116
Oracle Auto Service Request (Oracle ASR)	5.7.7

6.3 Issues Deploying Oracle Database Appliance X4-2

There are no known issues deploying Oracle Database Appliance X4-2.

6.4 Issues Updating Oracle Database Appliance X4-2

The following are known issues after updating Oracle Database Appliance X4-2.

- [Server patch does not update the kernel version](#) (page D-9)
- [Do not use the local patching option on a virtualized platform](#) (page D-2)
- [Virtual Machine Task Blocked](#) (page D-11)

6.5 Issues Managing Oracle Database Appliance X4-2

The following are known issues managing Oracle Database Appliance X4-2:

- [Unable to create an Oracle ASM Database for Release 12.1](#) (page D-4)
- [Unable to patch an empty Oracle Database 12.1 dbhome](#) (page D-5)
- [Unable to patch dbhome from 12.1.0.2.170814 to 12.2.0.1.171017](#) (page D-5)
- [CRSD is unresponsive when patching Oracle Database 12.1 ASM](#) (page D-3)
- [Errors when upgrading a database from 11.2.0.4 dbhome to 12.2.0.2](#) (page D-4)
- [ODA_BASE is in read-only mode or cannot start](#) (page D-7)
- [OAKERR:7007 error encountered while starting VM](#) (page D-8)
- [The DB Console option is disabled when creating an 11.2.0.4 database](#) (page D-6)

7

Oracle Database Appliance X3-2

Learn what's new and known issues for Oracle Database Appliance X3-2.

7.1 What's New for Oracle Database Appliance X3-2

Release 12.2.1.3.0 includes support for Oracle Database 12.2.0.1, and Oracle Database Appliance RDBMS clone files for Oracle Database Appliance X3-2.

- Oracle Database 12.2.0.1.180116 Release Update (RU)
- Oracle Database 12.1.0.2.180116 Bundle Patch (BP)
- Oracle Database 11.2.0.4.180116 Patch Set Update (PSU)
- Security updates
- Strong password rules are enforced for the dbAdminPassword for new databases.

Passwords should contain at least 9 characters, not exceed 30 characters, and start with an alpha character. All passwords must meet the following requirements:

- at least two uppercase letters
- at least two lowercase letters
- at least two numbers
- at least two special characters. valid characters are pound (#), underscore (_), and dash (-).

Oracle Database Appliance Patch Bundle

Use patch 27648022 to update Oracle Database Appliance to release 12.2.1.3.0. The patch is available in My Oracle Support.

Related Topics

- [Oracle Database Appliance X5-2, X4-2, X3-2, and V1 Patches](#) (page A-12)
Download the patches available for Oracle Database Appliance X5-2, X4-2, X3-2, and V1 in My Oracle Support, get information on the prerequisites, and how to apply the patches.

7.2 Component Versions for Oracle Database Appliance X3-2

The matrix displays the component versions available for Oracle Database Appliance X3-2.

Table 7-1 Component Versions for Oracle Database Appliance X3-2 in 12.2.1.3.0

Component Name	Version
Controller_INT	11.05.03.00
Controller_Ext	11.05.03.00
Expander	0018
SSD_LOCAL	n/a
SSD_SHARED	944A
HDD_LOCAL	A4C0
HDD_SHARED	A7E0
ILOM (Oracle Integrated Lights Out Manager)	3.2.9.22 es r115963
BIOS	17120100
IPMI (Intelligent Platform Management Interface)	1.8.12.4
HMP (Oracle Hardware Management Pack)	2.4.1.0.9
OAK	12.2.1.3.0
Oracle Linux	6.9
Kernel	4.1.12-112.14.1.el6uek.x86_64
OVM (Oracle VM Server)	3.4.4
Dom0 Kernel	4.1.12-14.13.el6uek.x86_64
GI_HOME	12.2.0.1.180116
DB_HOME	12.2.0.1.180116
Oracle Auto Service Request (Oracle ASR)	5.7.7

7.3 Issues Deploying Oracle Database Appliance X3-2

There are no known issues deploying Oracle Database Appliance X3-2.

7.4 Issues Updating Oracle Database Appliance X3-2

The following are known issues after updating Oracle Database Appliance X3-2.

- [Server patch does not update the kernel version](#) (page D-9)
- [Do not use the local patching option on a virtualized platform](#) (page D-2)
- [Virtual Machine Task Blocked](#) (page D-11)

7.5 Issues Managing Oracle Database Appliance X3-2

The following are known issues managing Oracle Database Appliance X3-2:

- [Unable to create an Oracle ASM Database for Release 12.1](#) (page D-4)
- [Unable to patch an empty Oracle Database 12.1 dbhome](#) (page D-5)
- [Unable to patch dbhome from 12.1.0.2.170814 to 12.2.0.1.171017](#) (page D-5)
- [CRSD is unresponsive when patching Oracle Database 12.1 ASM](#) (page D-3)
- [Errors when upgrading a database from 11.2.0.4 dbhome to 12.2.0.2](#) (page D-4)
- [ORA-28000 error when creating a database with the DB Console](#) (page D-6)
- [ODA_BASE is in read-only mode or cannot start](#) (page D-7)
- [OAKERR:7007 error encountered while starting VM](#) (page D-8)
- [The DB Console option is disabled when creating an 11.2.0.4 database](#) (page D-6)

8

Oracle Database Appliance V1

Learn what's new and known issues for Oracle Database Appliance V1.

8.1 What's New for Oracle Database Appliance V1

Release 12.2.1.3.0 includes support for Oracle Database 12.2.0.1, and Oracle Database Appliance RDBMS clone files for Oracle Database Appliance V1.

- Oracle Database 12.2.0.1.180116 Release Update (RU)
- Oracle Database 12.1.0.2.180116 Bundle Patch (BP)
- Oracle Database 11.2.0.4.180116 Patch Set Update (PSU)
- Security updates
- Strong password rules are enforced for the dbAdminPassword for new databases.

Passwords should contain at least 9 characters, not exceed 30 characters, and start with an alpha character. All passwords must meet the following requirements:

- at least two uppercase letters
- at least two lowercase letters
- at least two numbers
- at least two special characters. valid characters are pound (#), underscore (_), and dash (-).

Oracle Database Appliance Patch Bundle

Use patch 27648022 to update Oracle Database Appliance to release 12.2.1.3.0. The patch is available in My Oracle Support.

Note:

Oracle Database Appliance 12.2.1.3 is the last software support (patch) release for Oracle Database Appliance V1. For more information, see <https://blogs.oracle.com/oda/oda-v1-eol-software-support>

8.2 Component Versions for Oracle Database Appliance V1

The matrix displays the component versions available for Oracle Database Appliance V1 in the 12.2.1.3.0 release.

Table 8-1 Component Versions for Oracle Database Appliance V1 in 12.2.1.3.0

Component Name	Version
Controller_INT	11.05.03.00
Controller_Ext	n/a
Expander	0342
SSD_LOCAL	n/a
SSD_SHARED	E12B
HDD_LOCAL	SF04, SA03
HDD_SHARED	0B25, A880
ILOM (Oracle Integrated Lights Out Manager)	3.0.16.22.f r110119
BIOS	12010311
IPMI (Intelligent Platform Management Interface)	1.8.12.4
HMP (Oracle Hardware Management Pack)	2.4.1.0.9
OAK	12.2.1.3.0
Oracle Linux	6.9
Kernel	4.1.12-112.14.1.el6uek.x86_64
OVM (Oracle VM Server)	3.4.4
Dom0 Kernel	4.1.12-14.13.el6uek.x86_64
GI_HOME	12.2.0.1.180116
DB_HOME	12.2.0.1.180116
Oracle Auto Service Request (Oracle ASR)	5.7.7

8.3 Issues Deploying Oracle Database Appliance V1

There are no known issues deploying Oracle Database Appliance.

8.4 Issues Updating Oracle Database Appliance V1

The following are known issues after updating Oracle Database Appliance V1.

- [Server patch does not update the kernel version](#) (page D-9)
- [Do not use the local patching option on a virtualized platform](#) (page D-2)
- [Virtual machine task blocked](#) (page D-11)

8.5 Issues Managing Oracle Database Appliance V1

The following are known issues managing Oracle Database Appliance V1:

- [Unable to create an Oracle ASM Database for Release 12.1](#) (page D-4)
- [Unable to patch an empty Oracle Database 12.1 dbhome](#) (page D-5)
- [Unable to patch dbhome from 12.1.0.2.170814 to 12.2.0.1.171017](#) (page D-5)
- [Error CRS-01019: The OCR Service Exited](#) (page D-3)
- [CRSD is unresponsive when patching Oracle Database 12.1 ASM](#) (page D-3)
- [Errors when upgrading a database from 11.2.0.4 dbhome to 12.2.0.2](#) (page D-4)
- [ODA_BASE is in read-only mode or cannot start](#) (page D-7)
- [OAKERR:7007 error encountered while starting VM](#) (page D-8)
- [The DB Console option is disabled when creating an 11.2.0.4 database](#) (page D-6)

A

Oracle Database Appliance Patches

Get information about Oracle Database Appliance patches, the download locations, and how to apply the patches.

A.1 Patching from Previous Releases

Understand the minimum versions for patching Oracle Database Appliance to later releases.

Patching Oracle Database Appliance Release 12.1.2.6 or Later

Oracle recommends that you patch your Oracle Database Appliance deployment to within the previous four releases. There may be a minimum patch-level requirement for upgrades to certain releases. Use the following table as an indicator for minimum requirements for patching to a release.

Table A-1 Minimum Patch Requirements for Oracle Database Appliance Releases

Supported Oracle Database Appliance Release	Minimum Release Requirement for Patching
12.2.1.3	<ul style="list-style-type: none">12.2.1.212.1.2.12
12.2.1.2	<ul style="list-style-type: none">12.1.2.12 <p>Note: 12.2.1.2 is not supported on virtualized platform.</p>
12.1.2.12	<ul style="list-style-type: none">12.1.2.1112.1.2.1012.1.2.912.1.2.8
12.1.2.11	<ul style="list-style-type: none">12.1.2.1012.1.2.912.1.2.812.1.2.7
12.1.2.10	<ul style="list-style-type: none">12.1.2.912.1.2.812.1.2.712.1.2.6
12.1.2.9	<ul style="list-style-type: none">12.1.2.812.1.2.712.1.2.6
12.1.2.8	<ul style="list-style-type: none">12.1.2.712.1.2.6
12.1.2.7	<ul style="list-style-type: none">12.1.2.6
12.1.2.6	<ul style="list-style-type: none">12.1.2.5

Release 12.2.1.1 is only supported on X7–2 models and hence is not listed in the table.

Patching Oracle Database Appliance Release 12.1.2.5 or Earlier

The following table lists the upgrade paths for Oracle Database Appliance Release 12.1.2.5 or earlier.

Table A-2 Minimum Patch Requirements for Releases Earlier than Release 12.1.2.5

Oracle Database Appliance Release	Minimum Release Requirement for Patching
12.1.2.5	12.1.2.0 to 12.1.2.4
12.1.2.0.0	2.2.0.0.0 to 2.10.0.0.0
2.2.0.0.0	2.1.0.3.1 or earlier

Patching Oracle Database Appliance Release 12.1.2.1.0 to Release 12.1.2.5.0 or Later

Consider the following when patching Oracle Database Appliance Release 12.1.2.1.0:

- Patch Oracle Database Appliance Release 12.1.2.1.0 to Release 12.1.2.5.0 and then apply the patches for 12.1.2.6.0.
- If the file `/opt/oracle/oak/pkgrepos/orapks/DB/12.1.0.2.1/Patches/19303936/p19392646_121020_Linux-x86-64.zip` does not exist, then download and unpack `p21086542_121230_Linux-x86-64.zip` together with two files `p21645601_121250_Linux-x86-64_of2.zip`. On both nodes, ensure that you unpack `*21086542*` first and then `two*p21645601*.zip`.
- Follow the 12.1.2.5.0 patch 21645601 README to complete the 12.1.2.5.0 patching. Then download two `p22328442_121260_Linux-x86-64_of2.zip`. On both nodes, ensure that you unpack two `p22328442*.zip`.

A.2 Minimum Software Version Requirements

Review the minimum software version requirements for upgrading to this release of Oracle Database Appliance.

To upgrade to Oracle Database Appliance Release 12.2.1.3, your deployment must be on Release 12.1.2.12 or later.

A.3 Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA Patches

Download the patches available for Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA in My Oracle Support, get information on the prerequisites, and how to apply the patches.

When downloading a patch from My Oracle Support, select 12.2.1.3.0 from the release list.

Table A-3 Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA Patches for Release 12.2.1.3.0

Patch Type	Patch Number	Description	Resources
Oracle Database Appliance Server Patch for X7 ODACLI/DCS stack	27648057	Use this patch bundle to update the server before deploying Oracle Database Appliance. The patch updates the Oracle Database Appliance server and DCS agent. You can use the patch with the initial deployment and update to the latest release. This patch is used on Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA Bare Metal models.	<ul style="list-style-type: none"> Updating Oracle Database Appliance Software Downloading Oracle Database Appliance Software
Oracle Database Appliance GI Clone for ODACLI/DCS stack	27119393	Use to perform an initial deployment of Oracle Database Appliance. The bundle contains the latest Grid Infrastructure (GI) database components for deployment on an Oracle Database Appliance in the "shipped from factory" state, or an Oracle Database Appliance that has been re-imaged using the OS ISO Image. This patch is for Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA Bare Metal.	<ul style="list-style-type: none"> Updating the Patch Repository Copying the Oracle Database Appliance GI and DB Software Deploying a Single Node Bare Metal Platform Deploying a Multi-Node Bare Metal Platform
Oracle Database Appliance RDBMS Clone 12.2.0.1.180116 for ODACLI/DCS stack	27119402	Use to create 12.2.0.1.180116 database homes for the ODACLI/DCS stack.	<ul style="list-style-type: none"> Updating the Patch Repository Creating a Database Home
Oracle Database Appliance RDBMS Clone 12.1.0.2.180116 for ODACLI/DCS stack	23494992 Select release 12.2.1.3.0	Use to create new 12.1.0.2.180116 database homes for the ODACLI/DCS stack.	<ul style="list-style-type: none"> Updating the Patch Repository Creating a Database Home

Table A-3 (Cont.) Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA Patches for Release 12.2.1.3.0

Patch Type	Patch Number	Description	Resources
Oracle Database Appliance RDBMS Clone 11.2.0.4.180116 for ODACLI/DCS stack	23494997 Select release 12.2.1.3.0	Use to create new 11.2.0.4.180116 database homes for the ODACLI/DCS stack.	<ul style="list-style-type: none"> Updating the Patch Repository Creating a Database Home
(Optional) Oracle Database Appliance ISO Image for X7-2S, X7-2M	23530609 From the drop-down list, select 12.2.1.3.0	Use the ISO image only when you must re-image the operating system to perform a bare metal restore (re-image) of the operating system. Re-imaging a server installs the new OS on the local disks on that server. Bare metal is a non-virtualized Oracle Database Appliance configuration. This patch is for Oracle Database Appliance X7-2S and X7-2M.	<ul style="list-style-type: none"> Performing a Bare Metal Restore
(Optional) Oracle Database Appliance ISO Image for X7-2-HA	12999313 From the drop-down list, select 12.2.1.3.0	Use the ISO image only when you must re-image the operating system to perform a bare metal restore (re-image) of the operating system. Re-imaging a server installs the new OS on the local disks on that server. Bare metal is a non-virtualized Oracle Database Appliance configuration. This patch is for Oracle Database Appliance X7-2-HA Bare Metal.	<ul style="list-style-type: none"> Performing a Bare Metal Restore

A.4 Oracle Database Appliance X7-2-HA Virtualized Platform Patches

Download the patches available for a virtualized Oracle Database Appliance X7-2-HA platform in My Oracle Support, get information on the prerequisites, and how to apply the patches.

When downloading a patch from My Oracle Support, select 12.2.1.3.0 from the release list.

 **Note:**

The patches in the table are only applicable to an Oracle Database Appliance X7-2-HA Virtualized Platform.

Table A-4 Oracle Database Appliance X7-2-HA Patches

Patch Type	Patch Number	Description	Resources
VM ISO Image (DOM0)	16186163 From the drop-down list, select 12.2.1.3.0	Use to reimage Oracle Database Appliance as a Virtualized Platform.	<ul style="list-style-type: none"> Creating an Oracle Database Appliance Virtualized Platform Installing a Virtualized OS ISO Image
VM Template (ODA_BASE)	16186172 From the drop-down list, select 12.2.1.3.0	Use to deploy ODA_Base for the virtualized platform. Includes the GI + Database clone files for deployment. Before deploying the VM Template, reimage the system with the Oracle Database Appliance Virtualized Platform ISO (patch 16186163.)	<ul style="list-style-type: none"> Creating an Oracle Database Appliance Virtualized Platform Installing the Virtualized Platform Template and Deploying the Appliance
RDBMS Clone file for 12.2.0.1.180116 Release Update (RU)	27449599	Use to create new 12.2.0.1.180116 database homes.	<ul style="list-style-type: none"> Downloading an RDBMS Clone File
RDBMS Clone file for 12.1.0.2.180116 Bundle Patch (BP)	19520042	Use to create new 12.1.0.2.180116 database homes.	<ul style="list-style-type: none"> Downloading an RDBMS Clone File
RDBMS Clone file for 11.2.0.4.180116 Patch Set Update (PSU)	17770873	Use to create new 11.2.0.4.180116 database homes.	<ul style="list-style-type: none"> Downloading an RDBMS Clone File

Related Topics

- <https://support.oracle.com/rs?type=doc&id=888888.1>

A.5 Oracle Database Appliance X6-2-HA Patches

Download the patches available for Oracle Database Appliance X6-2-HA in My Oracle Support, get information on the prerequisites, and how to apply the patches.

When downloading a patch from My Oracle Support, select 12.2.1.3.0 from the release list.

 **Note:**

If you have Oracle Database Appliance 12.1.2.11, 12.1.2.10, 12.1.2.9, or 12.1.2.8 with Oracle Database 12.1, review the following before updating:

- If the database uses Oracle Automatic Storage Management (Oracle ASM), then you must upgrade Oracle Database Appliance to version 12.1.2.12 and upgrade your databases to 12.1.0.2.170814 before upgrading to Oracle Database Appliance 12.2.1.1 or 12.2.1.2.
- If the database uses Oracle Automatic Storage Management Cluster File System (Oracle ACFS), then you can skip upgrading to version 12.1.2.12 and upgrade to Oracle Database Appliance 12.2.1.1 or 12.2.1.2.

Table A-5 Oracle Database Appliance X6-2-HA Patches

Patch Type	Patch Number	Description	Resources
Oracle Database Appliance Patch Bundle for 12.2.1.3.0	27648022	Use to patch, or update, the Oracle Database Appliance server, storage, and database components.	<ul style="list-style-type: none"> • Installing the Oracle Database Appliance Patch Bundle

Table A-5 (Cont.) Oracle Database Appliance X6-2-HA Patches

Patch Type	Patch Number	Description	Resources
Oracle Database Appliance End-User Bundle with GI+Database Clone	12978712 From the drop-down list, select 12.2.1.3.0	Use to perform an initial deployment of the Oracle Database Appliance. The bundle contains the latest Grid Infrastructure and RDBMS components for deployment on an Oracle Database Appliance in the "shipped from factory" state, or an Oracle Database Appliance that has been reimaged using the OS ISO Image. If Oracle Database Appliance is already deployed, use the Oracle Database Appliance patch bundle to update to the latest release.	<ul style="list-style-type: none"> Deploying Oracle Software on Oracle Database Appliance Deploying Bare Metal Platforms on Oracle Database Appliance
VM ISO Image (DOM0)	16186163 From the drop-down list, select 12.2.1.3.0	Use to reimage Oracle Database Appliance as a Virtualized Platform.	<ul style="list-style-type: none"> Deploying Oracle Software on Oracle Database Appliance Deploying Virtualized Platform Software Installing a Virtualized OS ISO Image
VM Template (ODA_BASE)	16186172 From the drop-down list, select 12.2.1.3.0	Use to deploy ODA_Base for the virtualized platform. Includes the GI + Database clone files for deployment. Before deploying the VM Template, reimage the system with the Oracle Database Appliance Virtualized Platform ISO (patch 16186163.)	<ul style="list-style-type: none"> Deploying Oracle Software on Oracle Database Appliance Deploying Virtualized Platform Software Installing the Virtualized Platform Template

Table A-5 (Cont.) Oracle Database Appliance X6-2-HA Patches

Patch Type	Patch Number	Description	Resources
RDBMS Clone file for 12.2.0.1.180116 Release Update (RU)	27449599	Use to create a 12.1.0.2.180116 database home.	<ul style="list-style-type: none"> • Downloading an RDBMS Clone File • Creating a Database Home
RDBMS Clone file for 12.1.0.2.180116 Bundle Patch (BP)	19520042	Use to create a 12.1.0.2.180116 database home.	<ul style="list-style-type: none"> • Downloading an RDBMS Clone File
RDBMS Clone file for 11.2.0.4.180116 Patch Set Update (PSU)	17770873	Use to create a 11.2.0.4.180116 database home.	<ul style="list-style-type: none"> • Downloading an RDBMS Clone File
ISO Image	12999313 From the drop-down list, select 12.2.1.3.0	<p>Re-imaging a server installs the new OS on the local disks on that server. Use only when you must reimage the operating system to perform a bare metal restore (reimage) of the operating system. Bare metal is a non-virtualized Oracle Database Appliance configuration.</p> <p>You must apply the GI Clone patch using the <code>--server</code> option to update ILOM, BIOS, Controller, Expander, disk firmware, and other components after reimaging.</p>	<ul style="list-style-type: none"> • Re-imaging Oracle Database Appliance

A.6 Oracle Database Appliance X6-2S, X6-2M, and X6-2L Patches

Download the patches available for Oracle Database Appliance X6-2S, X6-2M, and X6-2L in My Oracle Support, get information on the prerequisites, and how to apply the patches.

When downloading a patch from My Oracle Support, select 12.2.1.3.0 from the release list.

 **Note:**

If you have Oracle Database X6-2S or X6-2M on version 12.1.2.7, you must apply patch [24391174](#) before applying patch 27141226.

 **Note:**

If you have Oracle Database Appliance 12.1.2.11, 12.1.2.10, 12.1.2.9, or 12.1.2.8 with Oracle Database 12.1, review the following before updating:

- If the database uses Oracle Automatic Storage Management (Oracle ASM), then you must upgrade Oracle Database Appliance to version 12.1.2.12 and upgrade your databases to 12.1.0.2.170814 before upgrading to Oracle Database Appliance 12.2.1.1 or 12.2.1.2.
- If the database uses Oracle Automatic Storage Management Cluster File System (Oracle ACFS), then you can skip upgrading to version 12.1.2.12 and upgrade to Oracle Database Appliance 12.2.1.1 or 12.2.1.2.

Table A-6 Oracle Database Appliance X6-2S, X6-2M, and X6-2L Patches

Patch Type	Patch Number	Description	Resources
Oracle Database Appliance Server Patch for X6 ODACLI/DCS stack	27648057	<p>Use this patch bundle to update to the latest release. The patch updates the Oracle Database Appliance server and DCS agent.</p> <p>Use this patch before deploying Oracle Database Appliance to update to the latest version.</p> <p>The patch includes the following Oracle Database updates and patches:</p> <ul style="list-style-type: none"> 12.2.0.1.180116 Release Update (RU) 12.1.0.2.180116 Bundle Patch (BP) 11.2.0.4.180116 Patch Set Update (PSU) <p>This patch is used on Oracle Database Appliance X6-2S, X6-2M, and X6-2-HA Bare Metal models.</p>	<ul style="list-style-type: none"> Updating Oracle Database Appliance Software Updating the Patch Repository
Oracle Database Appliance X6-2 S and X6-2 M 12.1.2.8 DCSIMAGE	24391174	<p>If you have Oracle Database X6-2S or X6-2M on release 12.1.2.7, then you must apply this patch before updating to a higher version.</p> <p>To check the version, use the command</p> <pre># rpm -qa grep dcs-agent</pre>	Updating Oracle Database Appliance Software
Oracle Database Appliance patch bundle for 12.2.1.3.0	26433721	<p>Use this patch bundle to update to the latest release after Oracle Database Appliance is deployed.</p> <p>The patch updates the Oracle Database Appliance server, storage, and database components.</p>	Updating Oracle Database Appliance Software

Table A-6 (Cont.) Oracle Database Appliance X6-2S, X6-2M, and X6-2L Patches

Patch Type	Patch Number	Description	Resources
GI Clone	27119393 From the list, select 12.2.1.3.0	Use to perform an initial deployment of Oracle Database Appliance. The bundle contains the latest Grid Infrastructure and RDBMS components for deployment on an Oracle Database Appliance in the "shipped from factory" state, or an Oracle Database Appliance that has been re-imaged using the OS ISO Image. If Oracle Database Appliance is already deployed, use the Oracle Database Appliance patch bundle to update to the latest release.	Deploying Oracle Database Appliance
RDBMS Clone 12.2.0.1 for ODACLI/DCS stack	27119402	Use to create 12.2.0.1.180116 database homes for the ODACLI/DCS stack.	Downloading an RDBMS Clone File
RDBMS Clone files for Oracle Database 12.1.0.2 for ODACLI/DCS stack	23494992	Use to create new 12.1.0.2.180116 database homes for the ODACLI/DCS stack.	Downloading an RDBMS Clone File
RDBMS Clone files for Oracle Database 11.2.0.4 for ODACLI/DCS stack	23494997	Use to create new 11.2.0.4.180116 database homes for the ODACLI/DCS stack.	Downloading an RDBMS Clone File
(Optional) ISO Image	23530609 From the drop-down list, select 12.2.1.3.0	Use the ISO image only when you must re-image the operating system to perform a bare metal restore (re-image) of the operating system. Re-imaging a server installs the new OS on the local disks on that server. Bare metal is a non-virtualized Oracle Database Appliance configuration.	Performing a Bare Metal Restore

Related Topics

- [Issues Updating Oracle Database Appliance X6-2S, X6-2M, and X6-2L](#) (page 3-3)
The following are issues updating Oracle Database Appliance X6-2S, X6-2M or X6-2L:

A.7 Oracle Database Appliance X5-2, X4-2, X3-2, and V1 Patches

Download the patches available for Oracle Database Appliance X5-2, X4-2, X3-2, and V1 in My Oracle Support, get information on the prerequisites, and how to apply the patches.



Note:

Oracle Database Appliance 12.2.1.3 is the last software support (patch) release for Oracle Database Appliance V1. For more information, see <https://blogs.oracle.com/oda/oda-v1-eol-software-support>

When downloading a patch from My Oracle Support, select 12.2.1.3.0 from the release list.



Note:

If you have Oracle Database Appliance 12.1.2.11 or earlier with Oracle Database 12.1, review the following before updating:

- If the database uses Oracle Automatic Storage Management (Oracle ASM), then you must upgrade Oracle Database Appliance to version 12.1.2.12 and upgrade your databases to 12.1.0.2.170814 before upgrading to Oracle Database Appliance 12.2.1.1 or 12.2.1.2.
- If the database uses Oracle Automatic Storage Management Cluster File System (Oracle ACFS), then you can skip upgrading to version 12.1.2.12 and upgrade to Oracle Database Appliance 12.2.1.1 or 12.2.1.2.

Table A-7 Oracle Database Appliance X5-2, X4-2, X3-2, and V1 Patches

Patch Type	Patch Number	Description	Resources
Oracle Database Appliance patch bundle for 12.2.1.3.0	27648022	Use to patch, or update, the Oracle Database Appliance server, storage, and database components.	Installing the Oracle Database Appliance Patch Bundle

Table A-7 (Cont.) Oracle Database Appliance X5-2, X4-2, X3-2, and V1 Patches

Patch Type	Patch Number	Description	Resources
Oracle Database Appliance End User Bundle with GI +Database Clone	12978712	Use to perform an initial deployment of the Oracle Database Appliance. The bundle contains the latest Grid Infrastructure and RDBMS components for deployment on an Oracle Database Appliance in the "shipped from factory" state, or an Oracle Database Appliance that has been re-imaged using the OS ISO Image. If Oracle Database Appliance is already deployed, use the Oracle Database Appliance patch bundle to update to the latest release.	Deploying Bare Metal Platforms on Oracle Database Appliance
VM ISO Image (DOM0)	16186163 From the drop-down list, select 12.2.1.3.0	Re-images Oracle Database Appliance as a Virtualized Platform.	Deploying Virtualized Platforms on Oracle Database Appliance
VM Template (ODA_BASE)	16186172 From the drop-down list, select 12.2.1.3.0	Use to deploy ODA_Base for the virtualized platform. Includes the GI + Database clone files for deployment.	Deploying Virtualized Platforms on Oracle Database Appliance
RDBMS Clone file for 12.2.0.1.180116 Release Update (RU)	27449599	Use to create 12.2.0.1.180116 database homes.	How to Upgrade and Update the Oracle Database on Oracle Database Appliance
RDBMS Clone file for 12.1.0.2.180116 Bundle Patch (BP)	19520042	Use to create new 12.1.0.2.180116 database homes.	How to Upgrade and Update the Oracle Database on Oracle Database Appliance
RDBMS Clone file for 11.2.0.4.180116 Patch Set Update (PSU)	17770873	Use to create new 11.2.0.4.180116 database homes.	How to Upgrade and Update the Oracle Database on Oracle Database Appliance

Table A-7 (Cont.) Oracle Database Appliance X5-2, X4-2, X3-2, and V1 Patches

Patch Type	Patch Number	Description	Resources
RDBMS Clone file for 11.2.0.3.15	14777276	Use to create new 11.2.0.3.15 database homes. The End User RDBMS Clone file for 11.2.0.3.15 is supported for X5-2, X4-2, X3-2, and V1 running Appliance Manager releases greater than 12.1.2.4.	How to Upgrade and Update the Oracle Database on Oracle Database Appliance
RDBMS Clone files for Oracle Database 11.2.0.2.12	14349293	Use to create new 11.2.0.2.12 database homes. The End User RDBMS Clone file for 11.2.0.2.12 is supported for X4-2, X3-2, and V1 running Appliance Manager releases greater than 12.1.2.4. Oracle Database 11.2.0.2 is not supported for Oracle Database Appliance X5-2.	How to Upgrade and Update the Oracle Database on Oracle Database Appliance
(Optional) ISO Image	12999313 From the drop-down list, select 12.2.1.3.0	Re-imaging a server installs the new OS on the local disks on that server. Use only when you must re-image the operating system to perform a bare metal restore (re-image) of the operating system. Bare metal is a non-virtualized Oracle Database Appliance configuration. You must apply the GI Clone patch using the <code>--server</code> option to update ILOM, BIOS, Controller, Expander, disk firmware, and other components after re-imaging.	Performing a Bare Metal Restore

 **Caution:**

Use of any 11.2 database on Oracle ASM with Oracle Database Appliance X5-2 is subject to data corruption. If you used OAK 12.1.2.2 to create any 11.2.0.2.x or 11.2.0.3.x databases on Oracle Database Appliance X5-2, you must immediately migrate to 11.2.0.4.x or 12.1.0.2.x on ACFS.

B

Issues with Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA

The following are known issues deploying, updating, and managing Oracle Database Appliance X7-2S, X7-2M, and X7-2-HA:

B.1 Unable to use the Web Console on Microsoft web browsers

Oracle Appliance Manager Web Console does not display correctly on Microsoft Edge and Microsoft Internet Explorer web browsers.

Models

Oracle Database Appliance X7-2-HA, X7-2S, X7-2M, X6-2S, X6-2M, X6-2L

Workaround

To access the Web Console, use either Google Chrome or Firefox.

This issue is tracked with Oracle bug 27028446.

B.2 Unable to use the backup report saved from the Web Console in command line

You cannot use `odacli` to recover the database from a database backup report saved from Oracle Appliance Manager Web Console.

Models

Oracle Database Appliance X7-2-HA, X7-2S, X7-2M, X6-2S, X6-2M, X6-2L

Workaround

Recover the database with the `odacli recover-database` command, using the Backup Report saved with `odacli`, and not the Web Console.

This issue is tracked with Oracle bug 27742604.

B.3 Error in patching 12.2.0.1 Oracle Database homes to the latest patchset

Error in patching 12.2.0.1 Oracle Database homes to the latest patchset

There may be an upgrade error when trying to patch 12.2.0.1 Oracle Database homes to the latest patch, if you are upgrading an existing 12.1.0.2 database to the patched Oracle Database home.

Models

Oracle Database Appliance X7-2-HA, X7-2S, X7-2M, X6-2S, X6-2M, X6-2L, X5-2, X4-2, X3-2, V1

Workaround

Create a new 12.2 Oracle Database home using the 12.2 January 18 clones or manually apply patch for bug 24923080 to the patched 12.2.0.1 Oracle Database homes, and then attempt the upgrade.

This issue is tracked with Oracle bug 27983436.

B.4 Repository in offline or unknown status after patching

After rolling or local patching of both nodes to 12.2.1.3, repositories are in offline or unknown state on node 0 or 1.

The command `oakcli start repo <reponame>` fails with the error:

```
OAKERR8038 The filesystem could not be exported as a crs resource
OAKERR:5015 Start repo operation has been disabled by flag
```

Models

Oracle Database Appliance X7-2-HA, X6-2-HA, X5-2, X4-2, X3-2, and V1.

Workaround

Log in to `oda_base` of any node and run the following two commands:

```
oakcli enable startrepo -node 0
oakcli enable startrepo -node 1
```

The commands start the repositories and enable them to be available online.

This issue is tracked with Oracle bug 27539157.

B.5 Errors after restarting CRS

If the Cluster Ready Services (CRS) are stopped or restarted, before stopping the repository and virtual machines, then this may cause errors.

Repository status is unknown and High Availability Virtual IP is offline if the Cluster Ready Services (CRS) are stopped or restarted before stopping the repository and virtual machines.

Hardware Models

Oracle Database Appliance HA models X7-2-HA, X6-2-HA, X5-2, X4-2, X3-2, V1

Workaround

Follow these steps:

1. Start the High Availability Virtual IP on node1.

```
# /u01/app/GI_version/grid/bin/srvctl start havip -id havip_0
```

2. Stop the `oakVmAgent.py` process on dom0.

3. Run the lazy unmount option on the dom0 repository mounts:

```
umount -l mount_points
```

This issue is tracked with Oracle bug 20461930.

B.6 Old configuration details persisting in custom environment

The configuration file `/etc/security/limits.conf` contains default entries even in the case of custom environments.

On custom environments, when a single user is configured for both grid and oracle, the default grid user entries for the image are not removed from the `/etc/security/limits.conf` file.

Models

Oracle Database Appliance X7-2-HA, X7-2S, and X7-2M

Workaround

This issue does not affect the functionality. Manually edit the `/etc/security/limits.conf` file and remove invalid entries.

This issue is tracked with Oracle bug 27036374.

B.7 ASR Manager does not run after patching the dcsagent

Oracle ASR Manager does not run after patching the `dcsagent`.

During `dcsagent` patching, the `dcsagent` starts the Oracle ASR Manager process. The `asrmanager` and `dcsagent` share the same session ID. The `dcsagent` process is the group leader for that session. If the `dcsagent` process is stopped, then all other processes that share the same session ID as the `dcsagent`, are stopped.

Hardware Models

Oracle Database Appliance X7-2-HA, X7-2S, X7-2M, X6-2S, X6-2M, X6-2L

Workaround

Restart Oracle ASR manager manually:

```
/opt/asrmanager/bin/asr restart
```

This issue is tracked with Oracle bug 27057927.

B.8 Upgrade fails if database is not running

Upgrade from Oracle Database 12.1 to 12.2 fails, if the database is not running.

Models

Oracle Database Appliance X7-2-HA, X7-2S, and X7-2M

Workaround

Start the database manually before performing the upgrade.

This issue is tracked with Oracle bug 27054542.

B.9 Incorrect SGA and PGA values displayed

For online transaction processing (OLTP), In-Memory (IMDB), and decision support services (DSS) databases created with odb36 database shape, the PGA and SGA values are displayed incorrectly.

For OLTP databases created with odb36 shape, following are the issues:

- `sga_target` is set as 128 GB instead of 144 GB
- `pga_aggregate_target` is set as 64 GB instead of 72 GB

For DSS databases created with with odb36 shape, following are the issues:

- `sga_target` is set as 64 GB instead of 72 GB
- `pga_aggregate_target` is set as 128 GB instead of 144 GB

For IMDB databases created with Odb36 shape, following are the issues:

- `sga_target` is set as 128 GB instead of 144 GB
- `pga_aggregate_target` is set as 64 GB instead of 72 GB
- `inmmory_size` is set as 64 GB instead of 72 GB

Models

Oracle Database Appliance X7-2-HA, X7-2S, and X7-2M

Workaround

Reset the PGA and SGA sizes manually

This issue is tracked with Oracle bug 27036374.

B.10 Error: patch zip does not exist

The `odacli update-repository` job fails with `patch-name.zip` file does not exist in the `/tmp` directory.

When updating the repository, the update is not able to validate the copied file and the job fails. An error similar to the following appears:

```
CS-10001:Internal error encountered: /tmp/oda-sm-12.2.1.2.0-171124-GI-12.2.0.1.zip does not exist in the /tmp directory.
```

Hardware Models

Oracle Database Appliance X7-2S, X7-2M, X7-2-HA, X6-2S, X6-2M, and X6-2L.

Workaround

An invalid `null_null` auth-key is in ZooKeeper. Remove the invalid key, restart the `dcsagent` on each node, then execute the command `odacli update-repository`.

1. Navigate to the `/bin` directory in ZooKeeper.

```
# cd /opt/zookeeper/bin
```

2. Connect with zookeeper.

```
# ./zkCli.sh
```

3. List all of the auth-keys.

```
# ls /ssh-auth-keys
```

4. Delete the invalid key.

```
# rmr /ssh-auth-keys/null_null
```

5. Quit from zookeeper.

```
quit
```

6. Restart the `dcsagent` on each node.

```
/opt/oracle/dcs/bin/restartagent.sh
```

7. Execute the command `odacli update-repository`.

B.11 Unable to patch dbhome

In some cases, the `dbhome` patch update fails due to a timezone issue in `opatch`.

An error similar to the following appears in the job details:

```
DCS-10001:Internal error encountered: run datapatch after bundlePatch application on the database home dbhomeID
```

Hardware Models

Oracle Database Appliance X7-2S, X7-2M, X7-2-HA, X6-2S, X6-2M, and X6-2L.

Workaround

1. Open the `/u01/app/oracle/product/*/*/inventory/ContentsXML/comps.xml` file.

2. Search for four (4) character timezone (TZ) information.
For example, HADT and HAST.
3. Take a backup of those files.
4. Convert the 4-character timezone to a 3-character timezone.
For example, convert HADT and HAST to HST.
5. Patch dbhome.

B.12 ODACLI does not work

ODACLI does not work because of two `dcsccli.jar` files in the directory `/opt/oracle/dcs/bin/` with different versions.

ODA CLI commands do not work.

For example:

```
odacli: '/opt/oracle/dcs/bin/dcscli-2.4.*-SNAPSHOT.jar' is not an odacli command.
```

Hardware Models

Oracle Database Appliance X7-2-HA, X7-2S, X7-2M, X6-2S, X6-2M, and X6-2L

Workaround

1. Navigate to the `/opt/oracle/dcs/bin` directory.

```
ls dcsccli-*
```
2. Verify whether there are two CLI jar files.
3. Delete the older CLI jar file.

This issue is tracked with Oracle bug 27807116.

B.13 Error CRS-01019: The OCR Service Exited

An issue with Oracle Database 12.2.1.2 might cause an internal error CRS-01019: THE OCR SERVICE EXITED. If this occurs, the Cluster Ready Services daemon (`crsd`) is down.

Hardware Models

Oracle Database Appliance X7-2-HA, X7-2S, X7-2M, X6-2S, X6-2M, and X6-2L

Workaround

Restart the CRS daemon.

1. Stop crs.

```
# crsctl stop crs -f
```
2. Start crs.

```
# crsctl start crs -wait
```

This issue is tracked with Oracle bug 27060167.

B.14 Creation of database on Oracle ACFS fails when the flash disk group is not specified

During provisioning, if certain options are set that cause the DATA volume to be unavailable on the FLASH disk group, then the volume creation fails.

In Oracle Database Appliance X7-2 high capacity environments, the disk groups allowed are DATA, REDO, RECO, and FLASH. During provisioning, if the FLASH disk group is not specified in the provisioning request, and if the database is created on Oracle Automatic Storage Management Cluster File System (Oracle ACFS) with the option DATA on FLASH `dbOnFlashStorage` set to `false`, then the accelerator volume is enabled for DATA disk group. In this case, there is an attempt to create the accelerator volume on FLASH disk group which fails, because the FLASH disk group is not created.

The following error is observed:

```
DCS-10001:Internal error encountered: Volume creation invoked on a non existing Diskgroup.
```

Hardware Models

Oracle Database Appliance X7-2 platforms with both HDD and SSD

Workaround

Provide information for DATA, REDO, RECO, and FLASH disk groups at the time of provisioning. If you have provisioned your environment without creating the FLASH disk group, then create the FLASH disk group manually.

This issue is tracked with Oracle bug 27721310.

B.15 Do not use the local patching option on a virtualized platform

When patching a virtualized platform, the `--local` option is not supported.

When you patch Oracle Database Appliance from Release 12.1.2.x to Release 12.2.1.x, on a virtualized platform, attempting to use the `--local` option to patch a single node will result in an error.

When you use the `--local` option, the patch server fails with following error:

```
# oakcli update -patch 12.2.1.2.0 --server --local  
ERROR: -local is not supported for server patching, on VM systems.
```

Hardware Models

Oracle Database Appliance X7-2-HA

Workaround

Use the following to update the software on Oracle Database Appliance, which applies the patch to both nodes.


```
# oakcli update -patch 12.2.1.3.0 --server
```

B.16 The command `oakcli validate` returns errors on a virtualized platform

The commands `oakcli validate -a` and `oakcli validate -c` return some errors on a virtualized platform.

With one exception, the options in the command `validate` are not supported in Oracle Database Appliance 12.2.1.1.0 release.



Note:

The command `oakcli validate -c storagetopology` is supported.

Hardware Models

Oracle Database Appliance X7-2-HA virtualized platform.

Workaround

A workaround is not available.

This issue is tracked with Oracle bug 27022056 and 27021403.

B.17 Error after running the cleanup script

After running the `cleanup.pl` script, the following error message appears:

```
DCS-10001:Internal error encountered: Fail to start hand shake.
```

The following are the steps to reproduce the issue:

1. Run `cleanup.pl` on the first node (Node0). Wait until the cleanup script finishes, then reboot the node.
2. Run `cleanup.pl` on the second node (Node1). Wait until the cleanup script finishes, then reboot the node.
3. After both nodes are started, use the command-line interface to list the jobs on Node0. An internal error appears.

```
# odacli list-jobs
DCS-10001:Internal error encountered: Fail to start hand shake to localhost:7070
```

Hardware Models

Oracle Database Appliance X7-2-HA

Workaround

1. Verify the zookeeper status on the both nodes before starting `dcsagent`:

```
/opt/zookeeper/bin/zkServer.sh status
```

For a single-node environment, the status should be: leader, or follower, or standalone.

- Restart the `dcagent` on Node0 after running the `cleanup.pl` script.

```
# initctl stop initdcagent
# initctl start initdcagent
```

B.18 The DB Console option is disabled when creating an 11.2.0.4 database

When using Oracle Database 12.2.0.1 grid infrastructure (GI) to create an 11.2.0.4 database, the option to configure Oracle Enterprise Manager DB Console is disabled.

An issue with the Enterprise Manager Control (`emctl`) command line utility and Enterprise Manager Configuration Assistant (`emca`) occurs when using the 12.2.0.1 GI to create an 11.2.0.4 database.

Hardware Models

Oracle Database Appliance X7-2-HA, X7-2S, X7-2M, X6-2S, X6-2M, and X6-2L that are using the 12.2.0.1 GI.

Workaround

Manually configure Oracle Enterprise Manager DB Console after creating the database.

If the appliance is a multi-node system, perform the steps on both nodes. The example assumes a multi-node system:

- Create a `dbconsole.rsp` response file, as follows, based on your environment.

To obtain the cluster name for your environment, run the command `$GI_HOME/bin/cemutlo -n`

```
DB_UNIQUE_NAME=db_unique_name
SERVICE_NAME=db_unique_name.db_domain
PORT=scan listener port
LISTENER_OH=$GI_HOME
SYS_PWD=admin password
DBSNMP_PWD=admin password
SYSMAN_PWD=admin password
CLUSTER_NAME=cluster name
ASM_OH=$GI_HOME
ASM_SID=+ASM1
ASM_PORT=asm listener port
ASM_USER_NAME=ASMSNMP
ASM_USER_PWD=admin password
```

- Run the command to configure the `dbcontrol` using the response file. The command will fail with an error. You will use the steps in the output in Step 4.

```
$ORACLE_HOME/bin/emca -config dbcontrol db -repos create -cluster -silent -
respfile dbconsole.rsp
```

```
Error securing Database Control. Database Control has not been brought-up on
nodes node1 node2
```

```
Execute the following command(s) on nodes: node1 node2
```

1. Set the environment variable ORACLE_UNQNAME to the Database unique name.
2. `/u01/app/oracle/product/11.2.0.4/dbhome_1/bin/emctl config emkey -repos -sysman_pwd Password for SYSMAN user -host node -sid Database unique name`
3. `/u01/app/oracle/product/11.2.0.4/dbhome_1/bin/emctl secure dbconsole -sysman_pwd Password for SYSMAN user -host node -sid Database unique name`
4. `/u01/app/oracle/product/11.2.0.4/dbhome_1/bin/emctl start dbconsole`

To secure Em Key, run `/u01/app/oracle/product/11.2.0.4/dbhome_1/bin/emctl config emkey -remove_from_repos -sysman_pwd Password for SYSMAN user`

3. Use vi editor to open `$(ORACLE_HOME)/bin/emctl`, then change the setting `CRS_HOME=` to `CRS_HOME=/u01/app/12.2.0.1/grid`
4. Run the steps reported by `emca` in Step 2 with the proper values.
5. Configure `dbconsole` in Node1, so that agent in Node0 reports to the `dbconsole` in Node0, and the agent in Node1 reports to the `dbconsole` in Node1:

```
$(ORACLE_HOME)/bin/emca -reconfig dbcontrol -silent -cluster -EM_NODE node0
host -EM_NODE_LIST node1 host -DB_UNIQUE_NAME db_unique_name
-SERVICE_NAME db_unique_name.db_domain
```

6. If the appliance is multiple nodes, then configure the `dbconsole` for the second node. Configure `dbconsole` in Node0, so that agent in Node1 reports to the `dbconsole` in Node1, and the agent in Node0 reports to the `dbconsole` in Node0:

```
$(ORACLE_HOME)/bin/emca -reconfig dbcontrol -silent -cluster -EM_NODE node1
host -EM_NODE_LIST node1 host -DB_UNIQUE_NAME db_unique_name
-SERVICE_NAME db_unique_name.db_domain
```

7. Use vi editor to open `$(ORACLE_HOME)/bin/emctl`, then change the setting `CRS_HOME=` to `CRS_HOME=/u01/app/12.2.0.1/grid`
8. Check the db console configuration status.

```
# /u01/app/oracle/product/11.2.0.4/dbhome_1/bin/emctl status agent
- https://public IP for Node0:1158/em
- https://public IP for Node1:1158/em
```

C

Issues with Oracle Database Appliance X6-2S, X6-2M, and X6-2L

The following are known issues deploying, updating, and managing Oracle Database Appliance X6-2S, X6-2M, and X6-2L:

C.1 Cannot use the `-local` option to upgrade GI

Upgrade of Oracle Grid Infrastructure from 12.1.0.2 to 12.2.0.1 does not work, if you specify the `-local` option for upgrade.

A warning message is displayed, if you specify the `-local` option in the upgrade command when upgrading Oracle Grid Infrastructure from 12.1.0.2 to 12.2.0.1. Specifying the `-local` option in the upgrade command upgrades all components other than the grid infrastructure.

```
WARNING: Current GI version is 12.1.0.2.170418
INFO: Cannot upgrade grid with local patching.
INFO: Do not specify -local to upgrade grid.
Do you want to continue: [Y/N]?: N
```

Hardware Models

Oracle Database Appliance X6-2, X5-2, X4-2, X3-2, and V1 bare metal systems

Workaround

Do not use the `-local` option to upgrade Oracle Grid Infrastructure from 12.1.0.2 to 12.2.0.1.

This issue is tracked with Oracle bug 27937143.

C.2 Unable to patch an empty Oracle Database 12.1 dbhome

Cannot patch an empty Oracle Database Home (dbhome) due to an issue with Oracle Database auto patch.

When attempting to patch an empty dbhome, an error message similar to the following appears:

```
ERROR: 2017-12-19 18:48:02: Unable to apply db patch on the following
Homes : /u01/app/oracle/product/12.1.0.2/dbhome_name
```

The following is an example excerpt from the `dbupdate` log:

```
OPATCHAUTO-68036: Topology empty.
OPATCHAUTO-68036: The topology was empty, unable to proceed.
OPATCHAUTO-68036: Check the log for more information.
```

```
OPatchAuto failed.
opatchauto failed with error code 42
```

Models

Oracle Database Appliance X7-2-HA, X7-2S, X7-2M, X6-2S, X6-2M, and X6-2L.

Workaround

The issue occurs when the dbhome does not have any databases. The workaround is to create a database for the dbhome before patching.

C.3 Patch zip files require concatenation

The patch to update Oracle Database Appliance to release 12.1.2.12.0 consists of two zip files. You must concatenate the two zip files before updating the repository.

Hardware Models

Oracle Database Appliance X6-2S, X6-2M, and X6-2L

Workaround

Perform the following to concatenate the files before updating the repository:

1. Download both zip files for patch 26433721 from My Oracle Support.

```
p26433721_1212120_Linux-x86-64_1of2.zip and p26433721_1212120_Linux-x86-64_2of2.zip
```

2. Upload the files to a temporary location in the /u01 directory in Oracle Database Appliance, then unzip the files.

When inflated, the files are named `oda-sm-12.1.2.12.0-170920-server_1of2.zippart` and `oda-sm-12.1.2.12.0-170920-server_2of2.zippart`

3. Concatenate the two zip files into a single zip file. For example, a file named `p26433721_1212120_Linux-x86-64.zip`.

```
# cat oda-sm-12.1.2.12.0-170920-server_1of2.zippart oda-sm-12.1.2.12.0-170920-server_2of2.zippart > p26433721_1212120_Linux-x86-64.zip
```

The file is named `p26433721_1212120_Linux-x86-64.zip`

Update the repository.

```
# /opt/oracle/dcs/bin/odacli update-repository -f /u01/tmpdir
p26433721_1212120_Linux-x86-64.zip
```

```
{
"jobId" : "c5288c4f-4a0e-4977-9aa4-4acb81b65a1",
"status" : "Created",
"message" : "/u01/tmpdir/p26433721_1212120_Linux-x86-64.zip",
"reports" : [ ],
"createTimestamp" : "October 7, 2017 06:52:01 AM WSDT",
"resourceList" : [ ],
"description" : "Repository Update",
"updatedAt" : "October 7, 2017 06:52:01 AM WSDT"
}
```

4. Verify that the job completed successfully.

```
# odacli describe-job -i c5288c4f-4a0e-4977-9aa4-4acbf81b65a1
Job details
-----

ID: c5288c4f-4a0e-4977-9aa4-4acbf81b65a1
Description: Repository Update
Status: Success
Created: October 7, 2017 6:52:01 AM WSDT
Message: /u01/tmpdir/121212_patch.zip
Task Name                               Start Time                               Status
End Time                                -----

-----
Unzip patch bundle      October 7, 2017 6:52:01 AM WSDT      October 7, 2017
6:52:31 AM WSDT        Success
```

5. Update the agent, server, and database, as described in “Updating Oracle Database Appliance Software”.

See Also:

For more information about updating to release 12.1.2.12.0, including how to update the agent, server, and database, see *Updating Oracle Database Appliance Software in the Oracle Database Appliance X6-2S/X6-2M/X6-2L Deployment and User's Guide*.

C.4 Upgrading an SE database results in an error: Failed to run datapatch

After successfully upgrading an Oracle Database Standard Edition (SE) to 12.1.0.2, the following error appears in the log file: Failed to run datapatch

Datapatch is a tool that enables automation of post-patch SQL actions for RDBMS patches. The error impacts all Standard Edition databases upgrading to release 12.1.0.2.

The following is an excerpt of the log:

```
...
The following patches will be applied: 25397136
(DATABASE BUNDLE PATCH 12.1.0.2.170418)

Installing patches...
Patch installation complete. Total patches installed: 1

Validating logfiles...
Patch 26609798 apply: WITH ERRORS
logfile:
/u01/app/oracle/cfgtoollogs/sqlpatch/26609798/21481992/26609798_apply_XT_2017S
ep28_06_58_16.log (errors)
Error at line 1310: Warning: Package altered with compilation errors.

Please refer to MOS Note 1609718.1 and/or the invocation log
/u01/app/oracle/cfgtoollogs/sqlpatch/sqlpatch_95130_2017_09_28_06_57_51/sqlpat
```

```
ch_invocation.log
for information on how to resolve the above errors.
```

```
SQL Patching tool complete on Thu Sep 28 06:58:51 2017
2017-09-28 06:58:51,867 ERROR [Running DataPatch] []
c.o.d.a.r.s.d.DbOperations: run datapatch
2017-09-28 06:58:51,867 WARN [Running DataPatch] [] c.o.d.a.r.s.d.DbActions:
Failed to run datapatch.
```

Hardware Models

Oracle Database Appliance X7-2S, X7-2M, X7-2-HA, X6-2S, X6-2M, X6-2L

Workaround

See My Oracle Support (MOS) Note: Datapatch Known Issues, Doc ID 1609718.1.

C.5 After replacing a disk, the disk is not added to Oracle ASM

When replacing or adding disks to Oracle Database Appliance X6-2S, X6-2M, or X6-2L, the disk is recognized as good, but it is not added to Oracle Automatic Storage Management (ASM).

Use the procedure to add or expand storage and wait the recommended time between tasks, but the new disks are not added to Oracle ASM.

Hardware Models

Oracle Database Appliance X6-2S, X6-2M, and X6-2L

Workaround

After expanding, adding, or replacing disks, restart `oakd`.

This issue is tracked with Oracle bug 26283996.

C.6 Unable to create an Oracle ASM Database for Release 12.1

Known issues with Oracle Automatic Storage Management (Oracle ASM) are preventing the REDO diskgroup from mounting for Oracle Database Release 12.1.

Unable to create an Oracle ASM database lower than 12.1.0.2.170117 BP (12.1.2.10).

Hardware Models

Oracle Database Appliance X7-2-HA, X7-2S, X7-2M, X6-2S, X6-2M, and X6-2L

Workaround

There is not a workaround. If you have Oracle Database 11.2 or 12.1 that is using Oracle Automatic Storage Management (Oracle ASM) and you want to upgrade to a higher release of Oracle Database, then you must be on at least Oracle Database Appliance 12.1.2.12.0 and Database Home 12.1.0.2.170814.

This issue is tracked with Oracle bug 21626377 and 21780146. The issues are fixed in Oracle Database 12.1.0.2.170814.

D

Issues with Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1

The following are known issues deploying, updating, and managing Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1:

D.1 FLASH disk group is not mounted when patching or provisioning the server

The FLASH disk group is not mounted after a reboot, including after provisioning, reimaging, or patching the server with Oracle Database Appliance 12.2.1.2.

This issue occurs when the node reboots and then you attempt to create an Oracle Automatic Storage Management Cluster File System (Oracle ACFS) database. When patching or provisioning a server with Oracle Database Appliance 12.2.1.2, you will encounter an SSH disconnect issue and an error.

```
# oakcli update -patch 12.2.1.2 --server

*****
*****  For all X5-2 customers with 8TB disks, please make sure to      *****
*****  run storage patch ASAP to update the disk firmware to "PAG1".  *****
*****

INFO: DB, ASM, Clusterware may be stopped during the patch if required
INFO: Both Nodes may get rebooted automatically during the patch if required
Do you want to continue: [Y/N]? : y
INFO: User has confirmed for the reboot
INFO: Patch bundle must be unpacked on the second Node also before applying the
patch
Did you unpack the patch bundle on the second Node? : [Y/N]? : y
Please enter the 'root' password :
Please re-enter the 'root' password:
INFO: Setting up the SSH
.....Completed .....
... ..
INFO: 2017-12-26 00:31:22: -----Patching ILOM & BIOS-----
INFO: 2017-12-26 00:31:22: ILOM is already running with version 3.2.9.23r116695
INFO: 2017-12-26 00:31:22: BIOS is already running with version 30110000
INFO: 2017-12-26 00:31:22: ILOM and BIOS will not be updated
INFO: 2017-12-26 00:31:22: Getting the SP Interconnect state...
INFO: 2017-12-26 00:31:44: Clusterware is running on local node
INFO: 2017-12-26 00:31:44: Attempting to stop clusterware and its resources locally
Killed
# Connection to server.example.com closed.
```

The Oracle High Availability Services, Cluster Ready Services, Cluster Synchronization Services, and Event Manager are online. However, when you attempt to create an Oracle Automatic Storage Management Cluster File System (Oracle ACFS) database, you receive an error: flash space is 0.

Hardware Models

Oracle Database Appliance X5-2, X6-2-HA, and X7-2 HA SSD systems.

Workaround

Manually mount FLASH disk group before creating an Oracle ACFS database.

Perform the following steps as the GRID owner:

1. Set the environment variables as grid OS user:

```
on node0
export ORACLE_SID=+ASM1
export ORACLE_HOME= /u01/app/12.2.0.1/grid
```

2. Log on to the ASM instance as sysasm

```
$_ORACLE_HOME/bin/sqlplus / as sysasm
```

3. Execute the following SQL command:

```
SQL> ALTER DISKGROUP FLASH MOUNT
```

This issue is tracked with Oracle bug 27322213.

D.2 Do not use the local patching option on a virtualized platform

When patching a virtualized platform, the `--local` option is not supported.

On a virtualized platform, attempting to use the `--local` option to patch a single node will result in an error.

When you use the `--local` option, the patch server fails with following error:

```
# oakcli update -patch 12.2.1.2.0 --server --local
ERROR: -local is not supported for server patching, on VM systems.
```

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1

Workaround

Use the following to update the software on Oracle Database Appliance, which applies the patch to both nodes.

```
# oakcli update -patch 12.2.1.3.0 --server
```

D.3 Unable to upgrade an Oracle Database from version 11.2 to 12.1 or 12.2

When attempting to upgrade an Oracle Database from version 11.2 to 12.1 or 12.2, the upgrade pre-check fails and the database is not upgraded.

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1.

Workaround

A workaround is not available.

This issue is tracked with Oracle bug 27332396.

D.4 Error CRS-01019: The OCR Service Exited

An issue with Oracle Database 12.2.1.2 might cause an internal error CRS-01019: THE OCR SERVICE EXITED. If this occurs, the Cluster Ready Services daemon (crsd) is down.

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1

Oracle Database Appliance X7-2-HA virtualized platform

Workaround

Restart the CRS daemon.

1. Stop crs.

```
# crsctl stop crs -f
```

2. Start crs.

```
# crsctl start crs -wait
```

This issue is tracked with Oracle bug 27060167.

D.5 CRSD is unresponsive when patching Oracle Database 12.1 ASM

Run the database patch, after it finishes patching Node 0, the Clusterware does not run and patching on Node 1 hangs.

The Cluster Ready Services daemon (crsd) process becomes unresponsive and the Oracle High Availability Services daemon (OHASD) cannot clean the resource. The server becomes unresponsive when other process cannot complete on the CPU and the load on the server increases. This issue is related to bug 27060167.

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1

Oracle Database Appliance X7-2-HA

Workaround

Kill the `crsd` processes running on both nodes, then restart the cluster.

This issue is tracked with Oracle bug 27366345.

D.6 Errors when upgrading a database from 11.2.0.4 dbhome to 12.2.0.1

When upgrading a database from 11.2.0.4 dbhome to 12.2.0.1, receive `Error: No protocol specified OR Exit Code 6`.

Oracle Database Appliance performs pre-checks before applying the upgrade. If one or more of the pre-upgrade checks on the database results in warning conditions that required manual intervention, you should address the warnings as suggested before proceeding with the upgrade. If you receive the `No protocol specified OR Exit Code 6` errors, then the warnings were not addressed before the upgrade.

Exit code 6 indicates successful execution with warnings.

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1

Oracle Database Appliance X7-2-HA virtualized platform

Workaround

None.

This issue is tracked with Oracle bug 27381804 and 27074202.

D.7 Unable to create an Oracle ASM Database for Release 12.1

Known issues with Oracle Automatic Storage Management (Oracle ASM) are preventing the REDO diskgroup from mounting for Oracle Database Release 12.1.

Unable to create an Oracle ASM database lower than 12.1.0.2.17814 PSU (12.1.2.12).

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1.

Workaround

There is not a workaround. If you have Oracle Database 11.2 or 12.1 that is using Oracle Automatic Storage Management (Oracle ASM) and you want to upgrade to a

higher release of Oracle Database, then you must be on at least Oracle Database Appliance 12.1.2.12.0 and Database Home 12.1.0.2.170814.

The upgrade path for Oracle Database 11.2 or 12.1 Oracle ASM is as follows:

- If you are on Oracle Database Appliance version 12.1.2.6.0 or later, then upgrade to 12.1.2.12 or higher before upgrading your database.
- If you are on Oracle Database Appliance version 12.1.2.5 or earlier, then upgrade to 12.1.2.6.0, and then upgrade again to 12.1.2.12 or higher before upgrading your database.

This issue is tracked with Oracle bug 21626377, 27682997, and 21780146. The issues are fixed in Oracle Database 12.1.0.2.170814.

D.8 Unable to patch an empty Oracle Database 12.1 dbhome

Cannot patch an empty Oracle Database Home (dbhome) due to an issue with Oracle Database auto patch.

When attempting to patch an empty dbhome, an error message similar to the following appears:

```
ERROR: 2017-12-19 18:48:02: Unable to apply db patch on the following  
Homes : /u01/app/oracle/product/12.1.0.2/dbhome_name
```

The following is an example excerpt from the `dbupdate` log:

```
OPATCHAUTO-68036: Topology empty.  
OPATCHAUTO-68036: The topology was empty, unable to proceed.  
OPATCHAUTO-68036: Check the log for more information.  
OPatchAuto failed.  
opatchauto failed with error code 42
```

Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1.

Workaround

The issue occurs when the dbhome does not have any databases. The workaround is to create a database before patching.

This issue is tracked with Oracle bug 27292674 and 27126871.

D.9 Unable to patch dbhome from 12.1.0.2.170814 to 12.2.0.1.171017

In some cases, the dbhome patch update fails due to a timezone issue in `opatch`.

An error similar to the following appears in the job details:

```
DCS-10001:Internal error encountered: run datapatch after bundlePatch application  
on the database home dbhomeID
```

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1

Workaround

1. Open the `/u01/app/oracle/product/**/inventory/ContentsXML/comps.xml` file.
2. Search for four (4) character timezone (TZ) information.
For example, HADT and HAST.
3. Take a backup of those files.
4. Convert the 4-character timezone to a 3-character timezone.
For example, convert HADT and HAST to HST.
5. Patch dbhome.

This issue is tracked with Oracle bug 27313653 and 27331844.

D.10 The DB Console option is disabled when creating an 11.2.0.4 database

When using Oracle Database 12.2.0.1 grid infrastructure (GI) to create an 11.2.0.4 database, the option to configure Oracle Enterprise Manager DB Console is disabled.

An issue with the Enterprise Manager Control (emctl) command line utility and Enterprise Manager Configuration Assistant (emca) occurs when using the 12.2.0.1 GI to create an 11.2.0.4 database.

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1 that are using the 12.2.0.1 GI.

Oracle Database Appliance X7-2-HA Virtualized Platform that is using the 12.2.0.1 GI.

Workaround

Manually configure Oracle Enterprise Manager DB Console after creating the database.

If the appliance is a multi-node system, perform the steps on both nodes. The example assumes a multi-node system:

1. Create a `dbconsole.rsp` response file, as follows, based on your environment.

To obtain the cluster name for your environment, run the command `$GI_HOME/bin/cemutlo -n`

```
DB_UNIQUE_NAME=pdb_unique_name
SERVICE_NAME=db_unique_name.db_domain
PORT=scan listener port
LISTENER_OH=$GI_HOME
SYS_PWD=admin password
DBSNMP_PWD=admin password
SYSMAN_PWD=admin password
CLUSTER_NAME=cluster name
```

```

ASM_OH=$GI_HOME
ASM_SID=+ASM1
ASM_PORT=asm listener port
ASM_USER_NAME=ASMSNMP
ASM_USER_PWD=admin password

```

2. Run the command to configure the dbcontrol using the response file. The command will fail with an error. You will use the steps in the output in Step 4.

```

$ORACLE_HOME/bin/emca -config dbcontrol db -repos create -cluster -silent -
respFile dbconsole.rsp

```

```

Error securing Database Control. Database Control has not been brought-up on
nodes node1 node2

```

```

Execute the following command(s) on nodes: node1 node2

```

1. Set the environment variable ORACLE_UNQNAME to the Database unique name.
2. /u01/app/oracle/product/11.2.0.4/dbhome_1/bin/emctl config emkey -repos -sysman_pwd Password for SYSMAN user -host node -sid Database unique name
3. /u01/app/oracle/product/11.2.0.4/dbhome_1/bin/emctl secure dbconsole -sysman_pwd Password for SYSMAN user -host node -sid Database unique name
4. /u01/app/oracle/product/11.2.0.4/dbhome_1/bin/emctl start dbconsole

```

To secure Em Key, run /u01/app/oracle/product/11.2.0.4/dbhome_1/bin/emctl
config emkey -remove_from_repos -sysman_pwd Password for SYSMAN user

```

3. Use vi editor to open \$ORACLE_HOME/bin/emctl, then change the setting CRS_HOME= to CRS_HOME=/u01/app/12.2.0.1/grid
4. Run the steps reported by emca in Step 2 with the proper values.
5. Configure dbconsole in Node1, so that agent in Node0 reports to the dbconsole in Node0, and the agent in Node1 reports to the dbconsole in Node1:

```

$ORACLE_HOME/bin/emca -reconfig dbcontrol -silent -cluster -EM_NODE node0
host -EM_NODE_LIST node1 host -DB_UNIQUE_NAME db_unique_name
-SERVICE_NAME db_unique_name.db_domain

```

6. Use vi editor to open \$ORACLE_HOME/bin/emctl, then change the setting CRS_HOME= to CRS_HOME=/u01/app/12.2.0.1/grid
7. Check the db console configuration status.

```

# /u01/app/oracle/product/11.2.0.4/dbhome_1/bin/emctl status agent
- https://public IP for Node0:1158/em
- https://public IP for Node1:1158/em

```

This issue is tracked with Oracle bug 27071994.

D.11 ODA_BASE is in read-only mode or cannot start

The /ovs directory is full and ODA_BASE is in read-only mode.

The vmcore file in the /OVS/ var directory can cause the /ovs directory (Dom 0) to become 100% used. When Dom 0 is full, ODA_BASE is in read-only mode or cannot start.

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1.

Oracle Database Appliance X7-2-HA Virtualized Platform.

Workaround

Perform the following to correct or prevent this issue:

- Periodically check the file usage on Dom 0 and clean up the `vmcore` file, as needed.
- Edit the `oda_base vm.cfg` file and change the `on_crash = 'coredump-restart'` parameter to `on_crash = 'restart'`. Especially when ODA_BASE is using more than 200 GB (gigabytes) of memory.

This issue is tracked with Oracle bug 26121450.

D.12 OAKERR:7007 Error encountered while starting VM

When starting a virtual machine (VM), an error message appears that the domain does not exist.

If a VM was cloned in Oracle Database Appliance 12.1.2.10 or earlier, you cannot start the HVM domain VMs in Oracle Database Appliance 12.1.2.11.

This issue does not impact newly cloned VMs in Oracle Database Appliance 12.1.2.11 or any other type of VM cloned on older versions. The vm templates were fixed in 12.1.2.11.0.

When trying to start the VM (`vm4` in this example), the output is similar to the following:

```
# oakcli start vm vm4 -d
.
Start VM : test on Node Number : 0 failed.
DETAILS:
    Attempting to start vm on node:0=>FAILED.
<OAKERR:7007 Error encountered while starting VM - Error: Domain 'vm4' does not
exist.>
```

The following is an example of the `vm.cfg` file for `vm4`:

```
vif = []
name = 'vm4'
extra = 'NODENAME=vm4'
builder = 'hvm'
cpus = '0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23'
vcpus = 2
memory = 2048
cpu_cap = 0
vnc = 1
serial = 'pty'
disk =
[u'file:/OVS/Repositories/odarepol/VirtualMachines/vm4/68c32afe2ba8493e89f018a
970c644ea.img,xvda,w']
maxvcpus = 2
maxmem = 2048
```

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1

Oracle Database Appliance X7-2-HA Virtualized Platform.

Workaround

Delete the `extra = 'NODENAME=vm_name'` line from the `vm.cfg` file for the VM that failed to start.

1. Open the `vm.cfg` file for the virtual machine (vm) that failed to start.
 - `Dom0 : /Repositories/ vm_repo_name /.ACFS/snaps/ vm_name / VirtualMachines/ vm_name`
 - `ODA_BASE : /app/sharedrepo/ vm_repo_name /.ACFS/snaps/ vm_name / VirtualMachines/ vm_name`
2. Delete the following line: `extra='NODENAME=vmname'`. For example, if virtual machine `vm4` failed to start, delete the line `extra = 'NODENAME=vm4'`.

```
vif = []
name = 'vm4'
extra = 'NODENAME=vm4'
builder = 'hvm'
cpus = '0,1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23'
vcpus = 2
memory = 2048
cpu_cap = 0
vnc = 1
serial = 'pty'
disk =
[u'file:/OVS/Repositories/odarepo1/VirtualMachines/vm4/68c32afe2ba8493e89f018a
970c644ea.img,xvda,w']
maxvcpus = 2
maxmem = 2048
```

3. Start the virtual machine on Oracle Database Appliance 12.1.2.11.0.

```
# oakcli start vm vm4
```

This issue is tracked with Oracle bug 25943318.

D.13 Server patch does not update the kernel version

After applying the server patch and rebooting the node, the kernel version is not updated.

This issue occurs with Oracle Database Appliance 12.1.2.11 and 12.1.2.12.

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1

Workaround

1. Update to release 12.2.1.3.0


```
# oakcli update -patch 12.2.1.3.0 --server --local
```
2. Remove the kernel rpm.


```
# rpm -e kernel-uek-4.1.12-103.3.8.1.el6uek.x86_64
```
3. Manually install the kernel rpm using `rpm -ivh`.

```
kernel-uek-4.1.12-103.3.8.1.el6uek.x86_64
```

4. **Modify** /boot/grub/grub.conf to boot from the new kernel. Change default=1 to default=0

```
# cat /boot/grub/grub.conf
timeout=5
splashimage=(hd0,0)/grub/splash.xpm.gz
#hiddenmenu
serial --unit=0 --speed=115200 --word=8 --parity=no --stop=1
terminal --timeout=5 serial console
default=0
title Oracle Linux Server Unbreakable Enterprise Kernel
(4.1.12-103.3.8.1.el6uek.x86_64)
    root (hd0,0)
    kernel /vmlinuz-4.1.12-103.3.8.1.el6uek.x86_64 ro root=LABEL=rootfs
tsc=reliable nohpet nopmtimer hda=noprobe hdb=noprobe ide0=noprobe numa=off
console=tty0 console=ttyS0,115200n8 selinux=0 nohz=off crashkernel=256M@64M
loglevel=3 panic=60 ipv6.disable=1 transparent_hugepage=never NODENUM=0
PRODUCT=SUN_SERVER_X4-2 TYPE=V3 pci=noaer
    initrd /initramfs-4.1.12-103.3.8.1.el6uek.x86_64.img
title Oracle Linux Server (4.1.12-61.44.1.el6uek.x86_64)
    root (hd0,0)
    kernel /vmlinuz-4.1.12-61.44.1.el6uek.x86_64 ro root=LABEL=rootfs
tsc=reliable nohpet nopmtimer hda=noprobe hdb=noprobe ide0=noprobe numa=off
console=tty0 console=ttyS0,115200n8 selinux=0 nohz=off crashkernel=256M@64M
loglevel=3 panic=60 ipv6.disable=1 transparent_hugepage=never NODENUM=0
PRODUCT=SUN_SERVER_X4-2 TYPE=V3 pci=noaer
    initrd /initramfs-4.1.12-61.44.1.el6uek.x86_64.img
```

5. Reboot the node.
6. Confirm the new kernel is running on the system.

```
# uname -r 4.1.12-103.3.8.1.el6uek.x86_64
```

7. Repeat for Node 1.

This issue is tracked with Oracle bug 26887116.

D.14 Unrecognized Token Messages Appear in /var/log/messages

After updating Oracle Database Appliance, unrecognized token messages appear in /var/log/messages.

Updating to Oracle Database Appliance 12.1.2.11.0 updates the Oracle VM Server version to 3.4.3. After updating, the following messages appear in /var/log/messages:

```
Unrecognized token: "max_seq_redisc"
Unrecognized token: "rereg_on_guid_migr"
Unrecognized token: "aguid_inout_notice"
Unrecognized token: "sm_assign_guid_func"
Unrecognized token: "reports"
Unrecognized token: "per_module_logging"
Unrecognized token: "consolidate_ipv4_mask"
```

You can ignore the messages for these parameters, they do not impact the InfiniBand compliant Subnet Manager and Administration (opensm) functionality. However, Oracle recommends removing the parameters to avoid flooding /var/log/messages.

Hardware Models

Oracle Database Appliance X6-2-HA and X5-2 with InfiniBand

Workaround

Perform the following to remove the parameters:

1. After patching, update the `/etc/opensm/opensm.conf` file in bare metal deployments and in Dom0 in virtualized platform environment to remove the parameters.

```
cat /etc/opensm/opensm.conf | egrep -w
'max_seq_redisc|rereg_on_guid_migr|aguid_inout_notice|sm_assign_guid_func|repo
rts|per_module_logging|consolidate_ipv4_mask' | grep -v ^#
max_seq_redisc 0
rereg_on_guid_migr FALSE
aguid_inout_notice FALSE
sm_assign_guid_func uniq_count
reports 2
per_module_logging FALSE
consolidate_ipv4_mask 0xFFFFFFFF
```

2. Reboot. The messages will not appear after rebooting the node.

This issue is tracked with Oracle bug 25985258.

D.15 Virtual machine task blocked

After updating to Oracle Database Appliance 12.1.2.11.0, the IOs to local disks can get stuck and block tasks.

The issue is caused by an Oracle Linux bug when using Oracle VM 3.4.3. All Oracle Database Appliance guest virtual machines that use multiple VLANS and have VDISKS might encounter this bug, causing the IO to hang. The problem can manifest itself in different ways, depending on which process gets stuck. For example, after deploying ODA_BASE, the `untar` command cannot proceed or virtual machines can hang.

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1 with guest virtual machines that use multiple VLANS and VDISKS.

Workaround

Oracle Database Appliance X6-2-HA and X5-2 Dom0 use `grub2`. For these models, perform the following to set the `gnttab_max_frames` to 256 on `dom0` of both nodes:

1. Increase the `gnttab_max_frames` in the update `/etc/default/grub` file by changing the following line:

```
GRUB_CMDLINE_XEN="dom0_mem=max:4096MM allowsuperpage crashkernel=256M@64M extra_
guest_irqs=256,2048 nr_irqs=2048 dom0_vcpus_pin dom0_max_vcpus=20"
```

to

```
GRUB_CMDLINE_XEN="dom0_mem=max:4096MM allowsuperpage crashkernel=256M@64M extra_
guest_irqs=256,2048 nr_irqs=2048 dom0_vcpus_pin dom0_max_vcpus=20
gnttab_max_frames=256"
```

2. Create a new configuration file based on the changes.

```
grub2-mkconfig -o /boot/grub2/grub.cfg
```

3. Reboot.
4. Repeat the process on Dom0 of the second node.

Oracle Database Appliance X4-2, X3-2, and V1 Dom0 uses grub1. For these models, perform the following to set the `gnttab_max_frames` to 256 in the xen hypervisor on Dom0 of both nodes:

1. Open the `/boot/grub/grub.conf` file in Dom0.
2. Add the line `gnttab_max_frames=256` at the `xen.gz` command line.

For example, change the following line:

```
kernel /xen.gz dom0_mem=4096M crashkernel=256M@64M
```

to

```
kernel /xen.gz dom0_mem=4096M crashkernel=256M@64M gnttab_max_frames=256
```

3. Reboot.
4. Repeat the process on Dom0 of the second node.

This issue is tracked with Oracle bug 26731461.

D.16 High Availability IP (HAIP) addresses are not supported

High Availability IP (HAIP) addresses are not supported on Oracle engineered systems.

If you use an HAIP address, then an error message will appear in your operating system log indicating that the address is not supported.

The following error messages might appear in system logs during boot of Oracle Database Appliance systems:

```
Aug 11 15:31:11 odac1n1 kernel: [ 9932.651622] ** WARNING WARNING WARNING
WARNING WARNING          **
Aug 11 15:31:11 odac1n1 kernel: [ 9932.651624] **
**
Aug 11 15:31:11 odac1n1 kernel: [ 9932.651627] ** RDS/IB: Link local address
169.254.165.15 NOT SUPPORTED **
Aug 11 15:31:11 odac1n1 kernel: [ 9932.651629] **
**
Aug 11 15:31:11 odac1n1 kernel: [ 9932.651631] ** HAIP IP addresses should
not be used on ORACLE **
Aug 11 15:31:11 odac1n1 kernel: [ 9932.651632] ** engineered systems
**
Aug 11 15:31:11 odac1n1 kernel: [ 9932.651634] **
**
Aug 11 15:31:11 odac1n1 kernel: [ 9932.651636] ** If you see this message,
Please refer to          **
Aug 11 15:31:11 odac1n1 kernel: [ 9932.651638] ** cluster_interconnects in
MOS note #1274318.1     **
Aug 11 15:31:11 odac1n1 kernel: [ 9932.651639]
```

You can ignore these messages. Functionality is not impacted.

Hardware Models

Oracle Database Appliance X6-2S, X6-2M, X6-2L, X6-2-HA, X5-2, X4-2, X3-2, and V1

This issue is tracked with Oracle bug 26623697.

D.17 Error in node number information when running network CLI commands

Network information for node0 is always displayed for some `odacli` commands, when the `-u` option is not specified.

If the `-u` option is not provided, then the `describe-networkinterface`, `list-networks` and the `describe-network odacli` commands always display the results for node0 (the default node), irrespective of whether the command is run from node0 or node1.

Hardware Models

Oracle Database Appliance X7-2-HA, X6-2-HA, X5-2, X4-2, X3-2, and V1

Workaround

Specify the `-u` option in the `odacli` command, for details about the current node.

This issue is tracked with Oracle bug 27251239.

D.18 Database creation fails for odb-01s DSS databases

When attempting to create an DSS database with shape odb-01s, the job may fail with the following error:

```
CRS-2674: Start of 'ora.test.db' on 'rwsoda609c1n1' failed
CRS-5017: The resource action "ora.test.db start" encountered the following
error:
ORA-03113: end-of-file on communication channel
Process ID: 0
Session ID: 0 Serial number: 0
. For details refer to "(:CLSN00107:)" in
"/u01/app/grid/diag/crs/rwsoda609c1n2/crs/trace/crsd_oraagent_oracle.trc".
```

Hardware Models

Oracle Database Appliance X6-2-HA, X5-2, X4-2, X3-2, and V1

Workaround

There is no workaround. Select an alternate shape to create the database.

This issue is tracked with Oracle bug 27768012.

Index

C

component versions, [2-3](#)