

CLPKS_PAYMENT Package
Extensible Hook Details
14.2

November 2018

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

| | |
|--------------------------------------|----|
| 1. FN_AUTHORIZE/3/1 | 1 |
| 2. FN_AUTHORIZE/3/1 | 2 |
| 3. FN_AUTHORIZE/3/1 | 2 |
| 4. FN_DELETE_PAYMENT_RECORDS/5/1 | 3 |
| 5. FN_DO_ACCRUAL/9/1 | 3 |
| 6. FN_DO_ACCRUAL/9/1 | 4 |
| 7. FN_DO_MLIQ_FOR_AN_ACC/4/1 | 4 |
| 8. FN_DO_MLIQ_FOR_AN_ACC/4/1 | 5 |
| 9. FN_DO_MLIQ_FOR_AN_ACC/4/1 | 5 |
| 10. FN_DO_MLIQ_FOR_AN_ACC/4/1 | 6 |
| 11. FN_DO_MLIQ_FOR_AN_ACC/4/1 | 6 |
| 12. FN_DO_MLIQ_FOR_AN_ACC/4/2 | 7 |
| 13. FN_DO_MLIQ_FOR_AN_ACC/4/2 | 7 |
| 14. FN_DO_MLIQ_FOR_AN_ACC/4/2 | 8 |
| 15. FN_DO_MLIQ_FOR_AN_ACC/0/1 | 8 |
| 16. FN_GEN_ALLOCATE/4/1 | 9 |
| 17. FN_GEN_ALLOCATE/0/4 | 9 |
| 18. FN_GEN_AUTHORIZE/3/1 | 10 |
| 19. FN_GEN_DUMP/3/1 | 10 |
| 20. FN_GEN_POPULATE_DUE/3/1 | 11 |
| 21. FN_GEN_POPULATE_DUE/0/1 | 11 |
| 22. FN_GEN_POPULATE_DUE/0/0 | 12 |
| 23. FN_GEN_PREPARE_EVENT_ENTRIES/6/4 | 12 |
| 24. FN_GEN_PREPARE_EVENT_ENTRIES/6/5 | 13 |
| 25. FN_POPULATE_READ_ENTRIES/0/1 | 13 |
| 26. FN_POPULATE_READ_ENTRIES/0/2 | 14 |
| 27. FN_UPD_ALIQ_TRACK_RECV/4/1 | 14 |
| 28. PR_POP_COMPWISE_SCHEDULES/1/1 | 15 |
| 29. PR_POP_COMPWISE_SCHEDULES/6/3 | 15 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_AUTHORIZE |
| No of Parameters | 3 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_PRE_UDE_BATCH_HDBC |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Pre Hook is placed in clpks_payment.Fn_Authorize(), to have Stamp Duty Component charges at end of Month and MLIQ, ALIQ stages based on Monthly, Quarterly, Half yearly, Yearly basis with respect to Value date and Maturity date of accounts. |
| Description | Pre Hook is placed in clpks_payment.Fn_Authorize(), to have Stamp Duty Component charges at end of Month and MLIQ, ALIQ stages based on Monthly, Quarterly, Half yearly, Yearly basis with respect to Value date and Maturity date of accounts. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 24702528 |
| | |
| Parameter | Description |
| Function | FN_AUTHORIZE |
| No of Parameters | 3 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_POST_UDE_BATCH_HDBC |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Post Hook is placed in clpks_payment.Fn_Authorize(), to have Stamp Duty Component charges at end of Month and MLIQ, ALIQ stages based on Monthly, Quarterly, Half yearly, Yearly basis with respect to Value date and Maturity date of accounts. |

| | |
|-------------|---|
| Description | <p>Post Hook is placed in clpks_payment.Fn_Authorize(), to have Stamp Duty Component charges at end of Month and MLIQ, ALIQ stages based on Monthly, Quarterly, Half yearly, Yearly basis with respect to Value date and Maturity date of accounts.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 24702528 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_AUTHORIZE |
| No of Parameters | 3 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_POST_AUTHORIZE |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Post Hook is placed in clpks_payment.Fn_Authorize(), to check the normal Principal payment in between due date and grace due date during MLIQ. |
| Description | <p>Post Hook is placed in clpks_payment.Fn_Authorize(), to check the normal Principal payment in between due date and grace due date during MLIQ.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 19217457 |

| Parameter | Description |
|--------------------------------|------------------------------------|
| Function | FN_DELETE_PAYMENT_RECORDS |
| No of Parameters | 5 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_DELETE_PAYMENT_RECORDS |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |

| | |
|------------------|--|
| Hook Description | Hook is placed in clpks_payment.Fn_Delete_Payment_Records(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned. |
| Description | <p>Hook is placed in clpks_payment.Fn_Delete_Payment_Records(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 23652533 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_DO_ACCRUAL |
| No of Parameters | 9 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_PRE_DO_ACCRUAL |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Pre Hook is placed in clpks_payment.Fn_Do_Accrual(), to handle the restructuring functionality and to skip RACR processing for a special interest component. |
| Description | <p>Pre Hook is placed in clpks_payment.Fn_Do_Accrual(), to handle the restructuring functionality and to skip RACR processing for a special interest component.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 24702528 |

| Parameter | Description |
|--------------------------------|------------------------------------|
| Function | FN_DO_ACCRUAL |
| No of Parameters | 9 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_POST_DO_ACCRUAL |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |

| | |
|------------------|---|
| Hook Description | Post Hook is placed in clpks_payment.Fn_Do_Accrual(), to handle the restructuring functionality and to skip RACR processing for a special interest component. |
| Description | Post Hook is placed in clpks_payment.Fn_Do_Accrual(), to handle the restructuring functionality and to skip RACR processing for a special interest component. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 24702528 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_DO_MLIQ_FOR_AN_ACC |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_PRE_DO_MLIQ_FOR_AN_ACC |
| Additional parameters | I_fn_call_id, I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Pre Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to call custom pre handler for deletion of reversal of STSH entries similar to accrual entries for Late fifth batch payments. |
| Description | Pre Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to call custom pre handler for deletion of reversal of STSH entries similar to accrual entries for Late fifth batch payments. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 24702528 |

| Parameter | Description |
|--------------------------------|------------------------------------|
| Function | FN_DO_MLIQ_FOR_AN_ACC |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_PRE_MLIQ_FOR_AN_ACC |
| Additional parameters | I_fn_call_id, I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |

| | |
|------------------|---|
| Hook Description | Pre Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to avoid the prepaid amount settlement after save of a CL prepayment. |
| Description | Pre Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to avoid the prepaid amount settlement after save of a CL prepayment. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 24702528 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_DO_MLIQ_FOR_AN_ACC |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_PRE_UTILIZATION |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Pre Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to avoid the decrease of utilization in the facility on doing the payment. |
| Description | Pre Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to avoid the decrease of utilization in the facility on doing the payment. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 19929865 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_DO_MLIQ_FOR_AN_ACC |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_POST_UTILIZATION |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Post Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to avoid the decrease of utilization in the facility on doing the payment. |

| | |
|-------------|---|
| Description | <p>Post Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to avoid the decrease of utilization in the facility on doing the payment.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 19929865 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_DO_MLIQ_FOR_AN_ACC |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_POST_MLIQ_FOR_AN_ACC |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Post Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc() to avoid the prepaid amount settlement after save of a CL prepayment. |
| Description | <p>Post Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc() to avoid the prepaid amount settlement after save of a CL prepayment.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 24702528 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_DO_MLIQ_FOR_AN_ACC |
| No of Parameters | 4 |
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_PRE_DO_MLIQ_FOR_AN_ACC |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Pre Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to allow the system to post ADCH for EXCESS_PFT even when the loan is not fully liquidated. |

| | |
|-------------|---|
| Description | <p>Pre Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to allow the system to post ADCH for EXCESS_PFT even when the loan is not fully liquidated.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 24702528 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_DO_MLIQ_FOR_AN_ACC |
| No of Parameters | 4 |
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_POST_DO_MLIQ_FOR_AN_ACC |
| Additional parameters | pkg_tb_amount_recd_his, pkg_tb_backup_amt_recd_his, l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | <p>Post Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to allow the system to post ADCH for EXCESS_PFT even when the loan is not fully liquidated.</p> |
| Description | <p>Post Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to allow the system to post ADCH for EXCESS_PFT even when the loan is not fully liquidated.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 24702528 |

| Parameter | Description |
|------------------------------|--|
| Function | FN_DO_MLIQ_FOR_AN_ACC |
| No of Parameters | 4 |
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_ADJUST_EVENT_ENTRIES |
| Additional parameters | l_Rec_Event_Entries, l_Tot_Amount_Paid, ldxcomp, l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |

| Received from Extensible layer | None |
|--------------------------------|--|
| Hook Description | Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned. |
| Description | <p>Hook is placed in clpks_payment.Fn_Do_Mliq_For_An_Acc(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 21223530 |
| | |
| Parameter | Description |
| Function | FN_DO_MLIQ_FOR_AN_ACC |
| No of Parameters | 0 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_DO_MLIQ_FOR_AN_ACC |
| Additional parameters | |
| Sent to Extensible layer | l_tb_cluster_data('idxcomp') := idxcomp; |
| Received from Extensible layer | |
| Hook Description | Hook has been provided in function Fn_Do_Mliq_For_An_Acc in package clpks_payment. |
| Description | <p>Hook has been provided in function Fn_Do_Mliq_For_An_Acc in package clpks_payment.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 28118145 |

| Parameter | Description |
|--------------------------------|------------------------------------|
| Function | FN_GEN_ALLOCATE |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_GEN_POST_ALLOCATE |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |

| | |
|------------------|--|
| Hook Description | Hook is placed in clpks_payment.Fn_Gen_Allocate(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned. |
| Description | Hook is placed in clpks_payment.Fn_Gen_Allocate(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 19619243 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_GEN_ALLOCATE |
| No of Parameters | 0 |
| Function Call Id | 4 |
| Cluster/Custom Function Name | FN_GEN_ALLOCATE |
| Additional parameters | |
| Sent to Extensible layer | l_tb_cluster_data('component_name') := l_tb_schedules(i).component_name; l_tb_cluster_data('accrued_amount') := l_tb_schedules(i).accrued_amount; l_tb_cluster_data('amount_waived') := l_tb_schedules(i).amount_waived; l_tb_cluster_data('amount_due') := l_tb_schedules(i).amount_due; l_tb_cluster_data('amount_settled') := l_tb_schedules(i).amount_settled; l_tb_cluster_data('schedule_st_date') := l_tb_schedules(i).schedule_st_date; l_tb_cluster_data('schedule_due_date') := l_tb_schedules(i).schedule_due_date; |
| Received from Extensible layer | |
| Hook Description | Hook has been provided in function fn_gen_allocate in package clpks_payment. |
| Description | Hook has been provided in function fn_gen_allocate in package clpks_payment. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 28118145 |

| Parameter | Description |
|------------------------------|-----------------------|
| Function | FN_GEN_AUTHORIZE |
| No of Parameters | 3 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_POST_GEN_AUTHORIZE |

| | |
|--------------------------------|--|
| Additional parameters | I_fn_call_id, I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Post Hook is placed in clpks_payment.Fn_Gen_Authorize(), to check the normal Principal payment in between due date and grace due date during MLIQ. |
| Description | Post Hook is placed in clpks_payment.Fn_Gen_Authorize(), to check the normal Principal payment in between due date and grace due date during MLIQ. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 19217457 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_GEN_DUMP |
| No of Parameters | 3 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_POST_GEN_DUMP |
| Additional parameters | pkg_tb_accdiarystatus, pkg_tb_brndiarystatus, I_fn_call_id, I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Post Hook is placed in clpks_payment.Fn_Gen_Dump(), to deactivate the tracking of block amount for the liquidated account during batch LIQD(ALIQ). |
| Description | Post Hook is placed in clpks_payment.Fn_Gen_Dump(), to deactivate the tracking of block amount for the liquidated account during batch LIQD(ALIQ). All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 19235740 |

| Parameter | Description |
|------------------|---------------------|
| Function | FN_GEN_POPULATE_DUE |
| No of Parameters | 3 |
| Function Call Id | 1 |

| | |
|--------------------------------|--|
| Cluster/Custom Function Name | FN_GEN_POST_POPULATE_DUE |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Hook is placed in clpks_payment.Fn_Gen_Populate_Due(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned. |
| Description | Hook is placed in clpks_payment.Fn_Gen_Populate_Due(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 19619243 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_GEN_POPULATE_DUE |
| No of Parameters | 0 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_GEN_POPULATE_DUE |
| Additional parameters | |
| Sent to Extensible layer | l_tb_cluster_data('idxcomp') := idxcomp; |
| Received from Extensible layer | |
| Hook Description | Inline Hook has been provided in function Fn_Gen_Populate_Due in package clpks_payment. |
| Description | Inline Hook has been provided in function Fn_Gen_Populate_Due in package clpks_payment. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 28118145 |

| Parameter | Description |
|------------------------------|-------------------------|
| Function | FN_GEN_POPULATE_DUE |
| No of Parameters | 0 |
| Function Call Id | 0 |
| Cluster/Custom Function Name | FN_IS_PENL_ON_SAME_DATE |
| Additional parameters | l_penl_process |

| | |
|--------------------------------|--|
| Sent to Extensible layer | |
| Received from Extensible layer | |
| Hook Description | Hook has been provided in function Fn_Gen_Populate_Due in package Clpks_Payment.Call has been given to function fn_is_penl_on_same_date of package clpks_payment. |
| Description | <p>Hook has been provided in function Fn_Gen_Populate_Due in package Clpks_Payment.Call has been given to function fn_is_penl_on_same_date of package clpks_payment.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 28118145 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_GEN_PREPARE_EVENT_ENTRIES |
| No of Parameters | 6 |
| Function Call Id | 4 |
| Cluster/Custom Function Name | FN_ADJUST_EVENT_ENTRIES |
| Additional parameters | l_Rec_Event_Entries, l_Tot_Amount_Paid, ldxcomp, l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Hook is placed in clpks_payment.Fn_Gen_Prepere_Event_Entries(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned. |
| Description | <p>Hook is placed in clpks_payment.Fn_Gen_Prepere_Event_Entries(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 21223530 |

| Parameter | Description |
|------------------------------|------------------------------|
| Function | FN_GEN_PREPARE_EVENT_ENTRIES |
| No of Parameters | 6 |
| Function Call Id | 5 |
| Cluster/Custom Function Name | FN_ADJUST_EVENT_ENTRIES |

| | |
|--------------------------------|--|
| Additional parameters | I_Rec_Event_Entries, I_Tot_Amount_Paid, Idxcomp, I_fn_call_id, I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Hook is placed in clpks_payment.Fn_Gen_Prepare_Event_Entries(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned. |
| Description | Hook is placed in clpks_payment.Fn_Gen_Prepare_Event_Entries(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 21223530 |

| Parameter | Description |
|--------------------------------|---|
| Function | FN_POPULATE_READ_ENTRIES |
| No of Parameters | 0 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_PRE_POPULATE_READ_ENTRIES |
| Additional parameters | |
| Sent to Extensible layer | |
| Received from Extensible layer | |
| Hook Description | Pre and Post Hook has been provided for function Fn_Populate_Read_Entries in package clpks_payment. |
| Description | Pre and Post Hook has been provided for function Fn_Populate_Read_Entries in package clpks_payment. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 28118145 |

| Parameter | Description |
|------------------------------|-------------------------------|
| Function | FN_POPULATE_READ_ENTRIES |
| No of Parameters | 0 |
| Function Call Id | 2 |
| Cluster/Custom Function Name | FN_POST_POPULATE_READ_ENTRIES |
| Additional parameters | |
| Sent to Extensible layer | |

| | |
|--------------------------------|---|
| Received from Extensible layer | |
| Hook Description | Pre and Post Hook has been provided for function Fn_Populate_Read_Entries in package clpks_payment. |
| Description | Pre and Post Hook has been provided for function Fn_Populate_Read_Entries in package clpks_payment. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 28118145 |

| Parameter | Description |
|--------------------------------|--|
| Function | FN_UPD_ALIQ_TRACK_RECV |
| No of Parameters | 4 |
| Function Call Id | 1 |
| Cluster/Custom Function Name | FN_TRACK_RECEIVABLE |
| Additional parameters | I_Account_Master.Product_Code, I_Account_Master.Customer_Id, Eachrec, I_Comp_Dtl.Component_Ccy, I_Comp_Dtl.Exchange_Rate, I_Comp_Dtl.Org_Exch_Rate, I_Amt_Settled, I_fn_call_id, I_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Hook is placed in clpks_payment.Fn_Upd_Aliq_Track_Recv(), to maintain multiple recovery accounts for each component and due amounts should be settled with proportionate recovery percentage specified. |
| Description | Hook is placed in clpks_payment.Fn_Upd_Aliq_Track_Recv(), to maintain multiple recovery accounts for each component and due amounts should be settled with proportionate recovery percentage specified. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel. |
| Bug No | 24702528 |

| Parameter | Description |
|------------------|---------------------------|
| Function | PR_POP_COMPWISE_SCHEDULES |
| No of Parameters | 1 |
| Function Call Id | 1 |

| | |
|--------------------------------|---|
| Cluster/Custom Function Name | FN_POST_POP_COMPWISE_SCH |
| Additional parameters | l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Post Hook is placed in clpks_payment.Pr_Pop_Compwise_Schedules(), so that the overdue will be repaid first and then the due amount for all components. |
| Description | <p>Post Hook is placed in clpks_payment.Pr_Pop_Compwise_Schedules(), so that the overdue will be repaid first and then the due amount for all components.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 19225938 |

| Parameter | Description |
|--------------------------------|---|
| Function | PR_POP_COMPWISE_SCHEDULES |
| No of Parameters | 6 |
| Function Call Id | 3 |
| Cluster/Custom Function Name | FN_POST_POP_COMPWISE_SCH |
| Additional parameters | l_Rec_Event_Entries, l_Tot_Amount_Paid, Idxcomp, l_fn_call_id, l_tb_cluster_data |
| Sent to Extensible layer | None |
| Received from Extensible layer | None |
| Hook Description | Hook is placed in clpks_payment.Fn_Gen_Prepare_Event_Entries(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned. |
| Description | <p>Hook is placed in clpks_payment.Fn_Gen_Prepare_Event_Entries(), to capture the provision amount for interest and commitment fees at the time of account opening and track the utilization of the amount provisioned.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p> |
| Bug No | 21223530 |