

ICPKS_FCJ_ICDREDMN Package

Extensible Hook Details

14.2

November 2018

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_DEFAULT_PAYOUTDETAILS/5/1	1
2. FN_INT_ADJ/10/3	1
3. FN_IS_REDM_INT_PAYOUT/15/1	2
4. FN_IS_REDM_INT_PAYOUT/0/1	2
5. FN_MAIN/15/3	3
6. FN_MAIN/15/4	3
7. FN_MAIN/15/5	4
8. FN_MAIN/15/6	4
9. FN_MATURITY_AMOUNT_CALC/15/1	5
10. FN_MATURITY_AMOUNT_CALC/15/2	5
11. FN_MATURITY_AMOUNT_CALC/15/2	6
12. FN_MATURITY_AMOUNT_CALC/15/3	6
13. FN_MATURITY_AMOUNT_CALC/15/4	7
14. FN_MATURITY_AMOUNT_CALC/15/6	7
15. FN_MATURITY_AMOUNT_CALC/15/7	8
16. FN_MATURITY_AMOUNT_CALC/15/11	8
17. FN_REDBY_CASH/6/3	9
18. FN_REDBY_CASH/6/4	9
19. FN_REDBY_SAVINGS/4/1	10
20. FN_REDBY_SAVINGS/4/2	10
21. FN_REDBY_SAVINGS/6/3	11
22. FN_UPLOAD_PAYOUTDETS/10/1	11
23. FN_UPLOAD_PAYOUTDETS/10/2	12
24. FN_UPLOAD_PAYOUTDETS/10/3	12
25. FN_UPLOAD_PAYOUTDETS/10/4	13
26. FN_VALIDATE_REDEMPTION/4/1	13

Parameter	Description
Function	FN_DEFAULT_PAYOUTDETAILS
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_DEFAULT_PAYOUTDETAILS
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_default_payoutdetails(), to liquidate the FX contract along with TD redemption.
Description	Hook is placed in icpks_fcj_icdredmn.fn_default_payoutdetails(), to liquidate the FX contract along with TD redemption. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19051783
Parameter	Description
Function	FN_INT_ADJ
No of Parameters	10
Function Call Id	3
Cluster/Custom Function Name	FN_INT_ADJ
Additional parameters	l_Fn_Call_Id, l_Tb_Cluster_Data
Sent to Extensible layer	l_tb_cluster_data(l_tenor) := l_tenor, l_tb_cluster_data(l_maturity_date) := l_maturity_date, l_tb_cluster_data(l_int_start_date) := l_int_start_date
Received from Extensible layer	l_tenor := l_tb_cluster_data(l_tenor)
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_int_adj(), to calculate the tenor based on maturity date - interest start date for newly/rolled over TD and maturity date - migration date for the migrated discounted TD.
Description	Hook is placed in icpks_fcj_icdredmn.fn_int_adj(), to calculate the tenor based on maturity date - interest start date for newly/rolled over TD and maturity date - migration date for the migrated discounted TD. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19831075

Parameter	Description
Function	FN_IS_REDM_INT_PAYOUT
No of Parameters	15
Function Call Id	1
Cluster/Custom Function Name	FN_IS_REDM_INT_PAYOUT
Additional parameters	l_Fn_Call_Id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	l_prod := l_tb_cluster_data(l_prod)
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to validate the product code with additional conditions.
Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to validate the product code with additional conditions. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18999518

Parameter	Description
Function	FN_IS_REDM_INT_PAYOUT
No of Parameters	0
Function Call Id	1
Cluster/Custom Function Name	FN_IS_REDM_INT_PAYOUT
Additional parameters	
Sent to Extensible layer	
Received from Extensible layer	
Hook Description	Hooks provided in FN_IS_REDM_INT_PAYOUT function of package icpks_fcj_icdredmn.
Description	Hooks provided in FN_IS_REDM_INT_PAYOUT function of package icpks_fcj_icdredmn. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	28385517

Parameter	Description
Function	FN_MAIN
No of Parameters	15
Function Call Id	3
Cluster/Custom Function Name	FN_MAIN

Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_main(),to insert a row in ictb_udefs with the new interest rate. This will enable back dated calculation.
Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_main(),to insert a row in ictb_udefs with the new interest rate. This will enable back dated calculation.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17780412

Parameter	Description
Function	FN_MAIN
No of Parameters	15
Function Call Id	4
Cluster/Custom Function Name	FN_MAIN
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_main(),to calculate withholding tax based on the customer category, product reference and withholding percentage.
Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_main(),to calculate withholding tax based on the customer category, product reference and withholding percentage.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17908802

Parameter	Description
Function	FN_MAIN
No of Parameters	15
Function Call Id	5
Cluster/Custom Function Name	FN_MAIN

Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	I_prod := I_tb_cluster_data(I_prod)
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_main(),to validate the product code with additional conditions.
Description	Hook is placed in icpks_fcj_icdredmn.fn_main(),to validate the product code with additional conditions. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	18999518

Parameter	Description
Function	FN_MAIN
No of Parameters	15
Function Call Id	6
Cluster/Custom Function Name	FN_MAIN
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_main(),to facilitate amendment of Maturity date of TDA within the Grace period for an auto rollover TDA.
Description	Hook is placed in icpks_fcj_icdredmn.fn_main(),to facilitate amendment of Maturity date of TDA within the Grace period for an auto rollover TDA. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24470840

Parameter	Description
Function	FN_MATURITY_AMOUNT_CALC
No of Parameters	15
Function Call Id	1
Cluster/Custom Function Name	FN_MAIN
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(pkg_penalty_apply):= pkg_penalty_apply

Received from Extensible layer	pkg_penalty_apply := l_tb_cluster_data(pkg_penalty_apply)
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), for Status change requirement for GIB customizations.
Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), for Status change requirement for GIB customizations. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17388070

Parameter	Description
Function	FN_MATURITY_AMOUNT_CALC
No of Parameters	15
Function Call Id	2
Cluster/Custom Function Name	FN_MATURITY_AMOUNT_CALC
Additional parameters	l_Fn_Call_Id, l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data(Pkg_Rate_Chart):= Pkg_Rate_Chart, l_tb_cluster_data(j) := j, l_tb_cluster_data(g_calc_from) := g_calc_from
Received from Extensible layer	Pkg_Rate_Chart := l_tb_cluster_data(Pkg_Rate_Chart), g_calc_from := l_tb_cluster_data(g_calc_from)
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to handle the recovery amount from payout account.
Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to handle the recovery amount from payout account. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24482717

Parameter	Description
Function	FN_MATURITY_AMOUNT_CALC
No of Parameters	15
Function Call Id	2
Cluster/Custom Function Name	FN_MAIN
Additional parameters	l_Fn_Call_Id, l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data(pkg_penalty_apply):= pkg_penalty_apply
Received from Extensible layer	pkg_penalty_apply := l_tb_cluster_data(pkg_penalty_apply)

Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), for Status change requirement for GIB customizations.
Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), for Status change requirement for GIB customizations. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	17388070

Parameter	Description
Function	FN_MATURITY_AMOUNT_CALC
No of Parameters	15
Function Call Id	3
Cluster/Custom Function Name	FN_MATURITY_AMOUNT_CALC
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(Pkg_Rate_Chart):= Pkg_Rate_Chart
Received from Extensible layer	Pkg_Rate_Chart := I_tb_cluster_data(Pkg_Rate_Chart)
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to handle the recovery amount from payout account.
Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to handle the recovery amount from payout account. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24482717

Parameter	Description
Function	FN_MATURITY_AMOUNT_CALC
No of Parameters	15
Function Call Id	4
Cluster/Custom Function Name	FN_MATURITY_AMOUNT_CALC
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(Pkg_Rate_Chart):= Pkg_Rate_Chart
Received from Extensible layer	Pkg_Rate_Chart := I_tb_cluster_data(Pkg_Rate_Chart)
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to handle the recovery amount from payout account.

Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to handle the recovery amount from payout account.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24482717

Parameter	Description
Function	FN_MATURITY_AMOUNT_CALC
No of Parameters	15
Function Call Id	6
Cluster/Custom Function Name	FN_MATURITY_AMOUNT_CALC
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(I_adj_amount1):= I_adj_amount1; I_tb_cluster_data(I_remain_td_amount):= I_remain_td_amount
Received from Extensible layer	I_adj_amount1 := I_tb_cluster_data(I_adj_amount1), I_remain_td_amount := I_tb_cluster_data(I_remain_td_amount)
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to compute the maturity amount calculation after the redemption for the remaining amount.
Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to compute the maturity amount calculation after the redemption for the remaining amount.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20051088

Parameter	Description
Function	FN_MATURITY_AMOUNT_CALC
No of Parameters	15
Function Call Id	7
Cluster/Custom Function Name	FN_MATURITY_AMOUNT_CALC
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(I_remain_td_amount):= I_remain_td_amount; I_tb_cluster_data(L_INT_AMT):= L_INT_AMT
Received from Extensible layer	I_remain_td_amount := I_tb_cluster_data(I_remain_td_amount), L_INT_AMT := I_tb_cluster_data(L_INT_AMT)

Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to compute the maturity amount calculation after the redemption for the remaining amount.
Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to compute the maturity amount calculation after the redemption for the remaining amount.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20051088

Parameter	Description
Function	FN_MATURITY_AMOUNT_CALC
No of Parameters	15
Function Call Id	11
Cluster/Custom Function Name	FN_MATURITY_AMOUNT_CALC
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(I_next_liq_dt) := I_next_liq_dt
Received from Extensible layer	I_next_liq_dt := I_tb_cluster_data(I_next_liq_dt)
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to calculate and post tax on the TDs which earn interest based on specific conditions which are monitored based on a number of SDEs and UDEs.
Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_maturity_amount_calc(), to calculate and post tax on the TDs which earn interest based on specific conditions which are monitored based on a number of SDEs and UDEs.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23658332

Parameter	Description
Function	FN_REDBY_CASH
No of Parameters	6
Function Call Id	3
Cluster/Custom Function Name	FN_REDBY_CASH
Additional parameters	I_fn_call_id , I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data('I_offset_details')
Received from Extensible layer	I_tb_cluster_data('I_offset_details')
Hook Description	Hook is provided to perform redemption (full and partial) by Cash payout option and by changing the exchange rate.

Description	<p>Hook is provided to perform redemption (full and partial) by Cash payout option and by changing the exchange rate.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	28310172

Parameter	Description
Function	FN_REDBY_CASH
No of Parameters	6
Function Call Id	4
Cluster/Custom Function Name	FN_REDBY_CASH
Additional parameters	l_fn_call_id , l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data('l_exch_rate') l_tb_cluster_data('l_offset_ccy') l_tb_cluster_data('l_out_amt')
Received from Extensible layer	l_tb_cluster_data('l_exch_rate') l_tb_cluster_data('l_offset_ccy') l_tb_cluster_data('l_out_amt')
Hook Description	Hook is provided in the package icpks_fcj_icdredmn in the function fn_redby_cash().
Description	<p>Hook is provided in the package icpks_fcj_icdredmn in the function fn_redby_cash().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	27342870

Parameter	Description
Function	FN_REDBY_SAVINGS
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_REDBY_SAVINGS
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data (l_ref_no) := l_ref_no
Received from Extensible layer	None
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_redby_savings(), to support both SWIFT transfers as well as local payments.

Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_redby_savings(), to support both SWIFT transfers as well as local payments.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18999768

Parameter	Description
Function	FN_REDBY_SAVINGS
No of Parameters	4
Function Call Id	2
Cluster/Custom Function Name	FN_REDBY_SAVINGS
Additional parameters	L_FN_CALL_ID, L_TB_CLUSTER_DATA
Sent to Extensible layer	L_TB_CLUSTER_DATA(l_exch_rate) := NULL
Received from Extensible layer	L_RATE := L_TB_CLUSTER_DATA(l_exch_rate)
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_redby_savings(), to give custom exchange rate for Payout cross currency accounts for which currency is different than TD currency.
Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_redby_savings(), to give custom exchange rate for Payout cross currency accounts for which currency is different than TD currency.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24706958

Parameter	Description
Function	FN_REDBY_SAVINGS
No of Parameters	6
Function Call Id	3
Cluster/Custom Function Name	FN_REDBY_SAVINGS
Additional parameters	l_fn_call_id , l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in the package icpks_fcj_icdredmn in the function fn_redby_savings() for Partial Redmption.

Description	<p>Hook is provided in the package icpks_fcj_icdredmn in the function fn_redby_savings() for Partial Redmption.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	28665042

Parameter	Description
Function	FN_UPLOAD_PAYOUTDETS
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_UPLOAD_PAYOUTDETS
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_upload_payoutdets(), to handle the recovery amount from payout account.
Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_upload_payoutdets(), to handle the recovery amount from payout account.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24482717

Parameter	Description
Function	FN_UPLOAD_PAYOUTDETS
No of Parameters	10
Function Call Id	2
Cluster/Custom Function Name	FN_UPLOAD_PAYOUTDETS
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_upload_payoutdets(), to bypass the ILIQ during partial redemption for migrated account.

Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_upload_payoutdets(), to bypass the ILIQ during partial redemption for migrated account.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	20024498

Parameter	Description
Function	FN_UPLOAD_PAYOUTDETS
No of Parameters	10
Function Call Id	3
Cluster/Custom Function Name	FN_UPLOAD_PAYOUTDETS
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_upload_payoutdets(), to handle the recovery amount from payout account.
Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_upload_payoutdets(), to handle the recovery amount from payout account.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24482717

Parameter	Description
Function	FN_UPLOAD_PAYOUTDETS
No of Parameters	10
Function Call Id	4
Cluster/Custom Function Name	FN_UPLOAD_PAYOUTDETS
Additional parameters	I_Fn_Call_Id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_upload_payoutdets(), so that when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.

Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_upload_payoutdets(), so that when a cross currency transaction is done in CASA/TD using an automated approach, the system should use the appropriate Buy/Sell rates for the rate type applicable.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19020658

Parameter	Description
Function	FN_VALIDATE_REDEMPTION
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_REDEMPTION
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in icpks_fcj_icdredmn.fn_validate_redemption(), to skip the validation for TD redemption.
Description	<p>Hook is placed in icpks_fcj_icdredmn.fn_validate_redemption(), to skip the validation for TD redemption.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17626044