

FTPKS\_SWIFT\_UPLOAD Package

**Extensible Hook Details**

14.2

November 2018

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway  
Goregaon (East)  
Mumbai, Maharashtra 400 063  
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

[www.oracle.com/financialservices/](http://www.oracle.com/financialservices/)

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

---

## Contents

1. FN_ACCOUNT_PRESENT/4/1	1
2. FN_ACCOUNT_PRESENT/4/2	1
3. FN_CHECK_SENDER_AUTH_BIC/7/1	2
4. FN_GET_ACC_FOR_56_57_58/7/1	2
5. FN_GET_ACC_FROM_SWIFT_CODE/12/1	3
6. FN_GET_BENE_BR_ACC/7/1	3
7. FN_GET_BENE_BR_ACC/7/3	4
8. FN_GET_BENE_BR_ACC/7/4	4
9. FN_GET_BIC_ACC/10/1	5
10. FN_GET_XFER_CCY/5/1	5
11. FN_MT019_MT012/5/1	6
12. FN_MT298/5/1	6
13. FN_PC_MSGS/9/1	7
14. FN_PC_MSGS/9/2	7
15. FN_PROCESS_MSG_FOR_UPLOAD/10/1	8
16. FN_PROCESS_MSG_FOR_UPLOAD/10/2	8
17. FN_PROCESS_MSG_FOR_UPLOAD/12/1	9
18. FN_PROCESS_MSG_FOR_UPLOAD/12/7	9
19. FN_PROCESS_MSG_FOR_UPLOAD/12/8	10
20. FN_PROCESS_MSG_FOR_UPLOAD/12/9	10
21. FN_PROCESS_MSG_FOR_UPLOAD/12/10	11
22. FN_PROCESS_MSG_FOR_UPLOAD/12/11	11
23. FN_PROCESS_MSG_FOR_UPLOAD/12/12	12
24. FN_PROCESS_MSG_FOR_UPLOAD/12/13	12
25. FN_PROCESS_MSG_FOR_UPLOAD/12/14	13
26. FN_PROCESS_MSG_FOR_UPLOAD/12/17	13
27. FN_PROCESS_MSG_FOR_UPLOAD/12/21	14
28. FN_PROCESS_OPTION_A/13/1	14
29. FN_PROCESS_OPTION_A/13/2	14
30. FN_SET_LO_DATA_TABLE/3/1	15
31. FN_SET_LO_DATA_TABLE/3/2	15
32. FN_SPLIT_102_TO_103S/15/1	16

Parameter	Description
Function	FN_ACCOUNT_PRESENT
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_ACCOUNT_PRESENT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Standard hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_account_present(),to relax the validation on field :57A In MT 742 incoming message for BC upload.
Description	Standard hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_account_present(),to relax the validation on field :57A In MT 742 incoming message for BC upload. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23657353
Parameter	Description
Function	FN_ACCOUNT_PRESENT
No of Parameters	4
Function Call Id	2
Cluster/Custom Function Name	FN_POST_ACCOUNT_PRESENT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Standard hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_account_present(),to relax the validation on field :57A in MT 742 incoming message for BC upload.
Description	Standard hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_account_present(),to relax the validation on field :57A in MT 742 incoming message for BC upload. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23657353

Parameter	Description
Function	FN_CHECK_SENDER_AUTH_BIC
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_CHECK_SENDER_AUTH_BIC
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_check_sender_auth_bic(), to skip the code in FTP_KS_SWIFT_UPLOAD where Incoming STP for debit account as Nostro is getting marked as Cover.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_check_sender_auth_bic(), to skip the code in FTP_KS_SWIFT_UPLOAD where Incoming STP for debit account as Nostro is getting marked as Cover.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23655609

Parameter	Description
Function	FN_GET_ACC_FOR_56_57_58
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_GET_ACC_FOR_56_57_58
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data(L_CUST_NO)
Received from Extensible layer	l_tb_cluster_data(L_CUST_NO)
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_acc_for_56_57_58(), for system to not fail during STP upload.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_acc_for_56_57_58(), for system to not fail during STP upload.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23654341

Parameter	Description
Function	FN_GET_ACC_FROM_SWIFT_CODE
No of Parameters	12

Function Call Id	1
Cluster/Custom Function Name	FN_GET_ACC_FROM_SWIFT_CODE
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(I_default_nostro_acc), I_tb_cluster_data(I_default_nostro_branch)
Received from Extensible layer	I_tb_cluster_data(I_default_nostro_acc), I_tb_cluster_data(I_default_nostro_branch)
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_acc_from_swift_code(), to pick up the nostro based on settlement route and not on basis of SK arrangement while doing STP.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_acc_from_swift_code(), to pick up the nostro based on settlement route and not on basis of SK arrangement while doing STP.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18684599

Parameter	Description
Function	FN_GET_BENE_BR_ACC
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_GET_BENE_BR_ACC
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(L_BEN_ACC)
Received from Extensible layer	I_tb_cluster_data(L_BEN_ACC)
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_bene_br_acc(), to handle Incoming browser level for messages lying in Repair.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_bene_br_acc(), to handle Incoming browser level for messages lying in Repair.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18732099

Parameter	Description
Function	FN_GET_BENE_BR_ACC
No of Parameters	7
Function Call Id	3

Cluster/Custom Function Name	FN_GET_BENE_BR_ACC
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(LACCOUNT), I_tb_cluster_data(LBRANCH), I_tb_cluster_data(L_COUNT)
Received from Extensible layer	I_tb_cluster_data(L_COUNT)
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_bene_br_acc(), to handle mismatch of credit account.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_bene_br_acc(), to handle mismatch of credit account.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656303

Parameter	Description
Function	FN_GET_BENE_BR_ACC
No of Parameters	7
Function Call Id	4
Cluster/Custom Function Name	FN_GET_BENE_BR_ACC
Additional parameters	I_fn_call_id , I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in the package ftpks_swift_upload in the function fn_Get_Bene_Br_Acc() to introduce new tag "Product" and to save new columns during the Common Payment messages process.
Description	<p>Hook is provided in the package ftpks_swift_upload in the function fn_Get_Bene_Br_Acc() to introduce new tag "Product" and to save new columns during the Common Payment messages process.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	28591517

Parameter	Description
Function	FN_GET_BIC_ACC
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_GET_BIC_ACC
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(L_TAG_ROW), I_tb_cluster_data(VARIABLE_LO_DATA_TABLE(L_TAG_ROW).VALUE)
Received from Extensible layer	I_tb_cluster_data(VARIABLE_LO_DATA_TABLE(L_TAG_ROW).VALUE)

Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_bic_acc(), to allow to pass our BIC as a Value of field :53A for 202 and 103 Incoming Message instead of Correspondent BIC.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_bic_acc(), to allow to pass our BIC as a Value of field :53A for 202 and 103 Incoming Message instead of Correspondent BIC.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656727

Parameter	Description
Function	FN_GET_XFER_CCY
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_GET_XFER_CCY
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_xfer_ccy(), to handle Albanian currency ALL in Flexcube.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_get_xfer_ccy(), to handle Albanian currency ALL in Flexcube.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18731593

Parameter	Description
Function	FN_MT019_MT012
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_MT019_MT012
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None



Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_mt019_mt012(), to generate a new reference number (auto generated) and to populated into user reference number during new/copy action for FTDTRONL.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_mt019_mt012(), to generate a new reference number (auto generated) and to populated into user reference number during new/copy action for FTDTRONL.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19928402

Parameter	Description
Function	FN_MT298
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_MT298
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_mt298(), for SARIE requiremnets for GIB customizations.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_mt298(), for SARIE requiremnets for GIB customizations.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17472969

Parameter	Description
Function	FN_PC_MSGS
No of Parameters	9
Function Call Id	1
Cluster/Custom Function Name	FN_PC_MSGS
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_Tb_Cluster_Data(p_value), l_Tb_Cluster_Data(p_key)
Received from Extensible layer	l_Tb_Cluster_Data(p_value), l_Tb_Cluster_Data(p_key)

Hook Description	Hooks provided in package FTPKS_SWIFT_UPLOAD in function fn_pc_msgs(), for Local payment support customization.
Description	<p>Hooks provided in package FTPKS_SWIFT_UPLOAD in function fn_pc_msgs(), for Local payment support customization.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17413869

Parameter	Description
Function	FN_PC_MSGS
No of Parameters	9
Function Call Id	2
Cluster/Custom Function Name	FN_PC_MSGS
Additional parameters	l_fn_call_id, l_tb_custom_data
Sent to Extensible layer	l_tbl_custom_data(c_stp.pc_fields_names), l_tbl_custom_data(l fldvalue)
Received from Extensible layer	l_tbl_custom_data(l fldvalue)
Hook Description	Hooks provided in package FTPKS_SWIFT_UPLOAD in function fn_pc_msgs(), as bic code needed to be uploaded.
Description	<p>Hooks provided in package FTPKS_SWIFT_UPLOAD in function fn_pc_msgs(), as bic code needed to be uploaded.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17811299

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_PROCESS_MSG_FOR_UPLOAD
Additional parameters	
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package FTPKS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to call the newly created function.

Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to call the newly created function.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23651212

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	10
Function Call Id	2
Cluster/Custom Function Name	FN_POST_PROCESS_MSG_FOR_UPLOAD
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to call the newly created function.</p>
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to call the newly created function.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23651212

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	1
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to handle ALL &amp; LEK currency for incoming FT and NR related messages.</p>

Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to handle ALL &amp; LEK currency for incoming FT and NR related messages.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24489391

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	7
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to handle Internal products.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to handle Internal products.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18682639

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	8
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), for IBAN implementation.

Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), for IBAN implementation.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18682548

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	9
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data(l_queue_name), l_tb_cluster_data(g_present_57), l_tb_cluster_data(g_acc_with_inst), L_TB_CLUSTER_DATA(g_in_out), L_TB_CLUSTER_DATA(g_cover)
Received from Extensible layer	l_tb_cluster_data(l_queue_name), l_tb_cluster_data(g_present_57), l_tb_cluster_data(g_acc_with_inst), L_TB_CLUSTER_DATA(g_in_out), L_TB_CLUSTER_DATA(g_cover)
Hook Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), as account with institution should always be the bank swift, if incoming swift message has tag 57 present in the message.</p>
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), as account with institution should always be the bank swift, if incoming swift message has tag 57 present in the message.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18683170

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	10
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data(dcn)
Received from Extensible layer	l_tb_cluster_data(dcn)

Hook Description	Hooks provided in package FTPFS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), Blocked debit and credit transactions on a GBA should post once an authorized user has approved the transaction.
Description	<p>Hooks provided in package FTPFS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), Blocked debit and credit transactions on a GBA should post once an authorized user has approved the transaction.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18732191

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	11
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(PPROCESS), I_Tb_Cluster_Data(DCN)
Received from Extensible layer	None
Hook Description	Hooks provided in package FTPFS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to Assign pre-defined error queue which will enable the user to identify that these messages are in repair since they failed in FT upload.
Description	<p>Hooks provided in package FTPFS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to Assign pre-defined error queue which will enable the user to identify that these messages are in repair since they failed in FT upload.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	18724842

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	12
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(PPROCESS), I_Tb_Cluster_Data(DCN), I_Tb_Cluster_Data(GENERATED_REF_NO)
Received from Extensible layer	None

Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to generate a notification and send the projected balance for Nostro accounts for all FT transactions.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to generate a notification and send the projected balance for Nostro accounts for all FT transactions.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19331622

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	13
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to load the future dated messages in CPG perform basic validations and then warehouse the same till value date.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), to load the future dated messages in CPG perform basic validations and then warehouse the same till value date.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24471194

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	14
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_Tb_Cluster_Data(PPROCESS), l_Tb_Cluster_Data(DCN)
Received from Extensible layer	None

Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload() in the exception block for the queue to be updated to Q_IMB_RPR when the MT101 fails.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload() in the exception block for the queue to be updated to Q_IMB_RPR when the MT101 fails.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24471420

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	17
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), not to execute kernel code for MT101 messages.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_process_msg_for_upload(), not to execute kernel code for MT101 messages.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23652041

Parameter	Description
Function	FN_PROCESS_MSG_FOR_UPLOAD
No of Parameters	12
Function Call Id	21
Cluster/Custom Function Name	FN_PROCESS_MSG_FOR_UPLOAD
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data('ft_type') := fttbs_record.ft_type
Received from Extensible layer	l_tb_cluster_data('ft_type') := fttbs_record.ft_type
Hook Description	Hook is provided in the package ftpks_swift_upload in the function fn_process_msg_for_upload() for Incoming RTSX Bank Transfers(MT202).



Description	<p>Hook is provided in the package ftpfs_swift_upload in the function fn_process_msg_for_upload() for Incoming RTSX Bank Transfers(MT202).</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	28591646
Parameter	Description
Function	FN_PROCESS_OPTION_A
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_PROCESS_OPTION_A
Additional parameters	l_fn_call_id, l_tb_custom_data
Sent to Extensible layer	l_tb_custom_data(p_bic)
Received from Extensible layer	None
Hook Description	Hook is provided in FN_PROCESS_OPTION_A().
Description	<p>Hook is provided in FN_PROCESS_OPTION_A().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17485949

Parameter	Description
Function	FN_PROCESS_OPTION_A
No of Parameters	13
Function Call Id	2
Cluster/Custom Function Name	FN_PROCESS_OPTION_A
Additional parameters	l_fn_call_id, l_tb_custom_data
Sent to Extensible layer	l_tb_custom_data(l_swift_code_line)
Received from Extensible layer	None
Hook Description	Hook is provided in FN_PROCESS_OPTION_A().
Description	<p>Hook is provided in FN_PROCESS_OPTION_A().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17485949

Parameter	Description
Function	FN_SET_LO_DATA_TABLE

No of Parameters	3
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_SET_LO_DATA_TABLE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Standard hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_set_lo_data_table(), to validate the customer details coming in mt103 message.
Description	Standard hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_set_lo_data_table(), to validate the customer details coming in mt103 message.  All parameters received by kernel function are passed to the cluster hook.  Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".  The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.  The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24706985

Parameter	Description
Function	FN_SET_LO_DATA_TABLE
No of Parameters	3
Function Call Id	2
Cluster/Custom Function Name	FN_POST_SET_LO_DATA_TABLE
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Standard hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_set_lo_data_table(), to validate the customer details coming in mt103 message.
Description	Standard hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_set_lo_data_table(), to validate the customer details coming in mt103 message.  All parameters received by kernel function are passed to the cluster hook.  Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".  The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.  The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24706985

Parameter	Description
Function	FN_SPLIT_102_TO_103S
No of Parameters	15
Function Call Id	1

Cluster/Custom Function Name	FN_SPLIT_102_TO_103S
Additional parameters	I_fn_call_id, I_tb_custom_data
Sent to Extensible layer	I_tb_custom_data(I_account), I_tb_custom_data(I_branch)
Received from Extensible layer	I_tb_custom_data(I_account), I_tb_custom_data(I_branch)
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_split_102_to_103s(), for Local payment support customization.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_split_102_to_103s(), for Local payment support customization.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17347265

Parameter	Description
Function	FN_TAG_VALUE
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_TAG_VALUE
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	I_Tb_Cluster_Data(PRODUCT), I_Tb_Cluster_Data(TAGS), I_Tb_Cluster_Data(VALUE)
Received from Extensible layer	I_Tb_Cluster_Data(VALUE)
Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_tag_value(), for system to read the field with BIC and account number.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_tag_value(), for system to read the field with BIC and account number.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19257544

Parameter	Description
Function	FN_UPD_LO_DATA_TABLE
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_UPD_LO_DATA_TABLE
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	I_tb_cluster_data(NTNRB), I_tb_cluster_data(NTNRC)

Hook Description	Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_upd_lo_data_table(), to assign sender and receiver info based on the variables set.
Description	<p>Hooks provided in package FTP_KS_SWIFT_UPLOAD in function fn_upd_lo_data_table(), to assign sender and receiver info based on the variables set.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24923754

Parameter	Description
Function	FN_UPD_PROD
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_UPD_PROD
Additional parameters	l_fn_call_id , l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data('g_in_out') := g_in_out l_tb_cluster_data('g_cover') := g_cover l_tb_cluster_data('ft_type') := FTTBS_RECORD.FT_TYPE
Received from Extensible layer	FTTBS_RECORD.PRODUCT_CODE := l_tb_cluster_data('product') FTTBS_RECORD.FT_TYPE := l_tb_cluster_data('ft_type')
Hook Description	Hook is provided in the package ftpks_swift_upload in the function fn_upd_prod() for Incoming RTSX Bank Transfers(MT 202).
Description	<p>Hook is provided in the package ftpks_swift_upload in the function fn_upd_prod() for Incoming RTSX Bank Transfers(MT 202).</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	26658861

Parameter	Description
Function	FN_VALIDATE_SENDER
No of Parameters	4
Function Call Id	1
Cluster/Custom Function Name	FN_VALIDATE_SENDER
Additional parameters	l_fn_call_id, l_tb_custom_data
Sent to Extensible layer	l_tb_custom_data(g_sender)
Received from Extensible layer	None
Hook Description	Hook is provided in FN_VALIDATE_SENDER().

Description	<p>Hook is provided in FN_VALIDATE_SENDER().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17485949