

PCPKS_FILE_DISPATCH Package

Extensible Hook Details

14.2

November 2018

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_DISPATCH/8/1	1
2. FN_DISPATCH/8/2	1
3. FN_GEN_BULKMSG_HDR_004/10/1	2
4. FN_GEN_BULKMSG_HDR_004/10/2	2
5. FN_GEN_BULKMSG_HDR_008/10/1	3
6. FN_GEN_BULKMSG_HDR_008/10/2	3
7. FN_GEN_BULKMSG_HDR_SDD/13/1	3
8. FN_GEN_BULKMSG_HDR_SDD/13/2	4
9. FN_GEN_FILE_HEADER_SCT/10/1	4
10. FN_GEN_FILE_HEADER_SCT/10/2	5
11. FN_GEN_FILE_HEADER_SDD/11/1	5
12. FN_GEN_FILE_HEADER_SDD/11/2	6
13. FN_GEN_XML002/8/1	6
14. FN_GEN_XML002/8/2	6
15. FN_GEN_XML002/8/3	7
16. FN_GEN_XML002SCT/8/1	7
17. FN_GEN_XML003/8/1	8
18. FN_GEN_XML003/8/2	8
19. FN_GEN_XML004/8/1	9
20. FN_GEN_XML004/8/2	9
21. FN_GEN_XML004/8/3	10
22. FN_GEN_XML004/8/4	10
23. FN_GEN_XML004/8/5	10
24. FN_GEN_XML004_SDD/8/1	11
25. FN_GEN_XML004_SDD/8/2	11
26. FN_GEN_XML004_SDD/8/3	12
27. FN_GEN_XML004_SDD/8/4	12
28. FN_GEN_XML004_SDD/8/5	13
29. FN_GEN_XML007/8/1	13
30. FN_GEN_XML007/8/2	13
31. FN_GEN_XML008/7/1	14
32. FN_GEN_XML008/7/2	14

Parameter	Description
Function	FN_DISPATCH
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_DISPATCH_CLUSTER
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook for parsing related changes across PC packages
Description	<p>Hook for parsing related changes across PC packages</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656494

Parameter	Description
Function	FN_DISPATCH
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_POST_DISPATCH_CLUSTER
Additional parameters	NONE
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook for parsing related changes across PC packages
Description	<p>Hook for parsing related changes across PC packages</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656494

Parameter	Description
Function	FN_GEN_BULKMSG_HDR_004
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_BULKMSG_HDR_004
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE

Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_BULKMSG_HDR_004
No of Parameters	10
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_BULKMSG_HDR_004
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_BULKMSG_HDR_008
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_BULKMSG_HDR_008
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency

Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_BULKMSG_HDR_008
No of Parameters	10
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_BULKMSG_HDR_008
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_BULKMSG_HDR_SDD
No of Parameters	13
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_BULKMSG_HDR_SDD
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_BULKMSG_HDR_SDD
No of Parameters	13
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_BULKMSG_HDR_SDD
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	Hook to generate the SEPA Message Format in Local currency All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656108

Parameter	Description
Function	FN_GEN_FILE_HEADER_SCT
No of Parameters	10
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_FILE_HEADER_SCT
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	HOOK PROVIDED IN PC MODULE
Description	HOOK PROVIDED IN PC MODULE All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23657139

Parameter	Description
Function	FN_GEN_FILE_HEADER_SCT
No of Parameters	10
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_FILE_HEADER_SCT

Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	HOOK PROVIDED IN PC MODULE
Description	HOOK PROVIDED IN PC MODULE All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23657139

Parameter	Description
Function	FN_GEN_FILE_HEADER_SDD
No of Parameters	11
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_FILE_HEADER_SDD
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	HOOK PROVIDED IN PC MODULE
Description	HOOK PROVIDED IN PC MODULE All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23657139

Parameter	Description
Function	FN_GEN_FILE_HEADER_SDD
No of Parameters	11
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_FILE_HEADER_SDD
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	HOOK PROVIDED IN PC MODULE

Description	<p>HOOK PROVIDED IN PC MODULE</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23657139

Parameter	Description
Function	FN_GEN_XML002
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_XML002
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML002
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_XML002
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(COMPCCY) := I_Comp_Ccy;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Comp_Ccy;
Received from Extensible layer	I_Comp_Ccy := I_Tb_Cluster_Data(COMPCCY);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML002
No of Parameters	8
Function Call Id	3
Cluster/Custom Function Name	FN_GEN_XML002
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(TXN_STRING) := I_Txn_String;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;
Received from Extensible layer	I_Txn_String := I_Tb_Cluster_Data(TXN_STRING);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	Hook to generate the SEPA Message Format in Local currency All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML002SCT
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_XML002SCT
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(TXN_STRING) := I_Txn_String;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;
Received from Extensible layer	I_Txn_String := I_Tb_Cluster_Data(TXN_STRING);
Hook Description	ACH TAGS AND TAGS VALUES NEED TO BE MODIFIED BASED ON CUSTOMER RE
Description	ACH TAGS AND TAGS VALUES NEED TO BE MODIFIED BASED ON CUSTOMER RE All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23658466

Parameter	Description
Function	FN_GEN_XML003
No of Parameters	8
Function Call Id	1

Cluster/Custom Function Name	FN_GEN_XML003
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	Hook to generate the SEPA Message Format in Local currency All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML003
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_XML003
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(TXN_STRING) := I_Txn_String;
Received from Extensible layer	I_Txn_String := I_Tb_Cluster_Data(TXN_STRING);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	Hook to generate the SEPA Message Format in Local currency All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML004
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_XML004
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE

Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML004
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_XML004
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(RTRDINSTDAMT) := I_Rtrdinstdamt;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;
Received from Extensible layer	I_Rtrdinstdamt := I_Tb_Cluster_Data(RTRDINSTDAMT);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML004
No of Parameters	8
Function Call Id	3
Cluster/Custom Function Name	FN_GEN_XML004
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(COMPCCY) := I_Comp_Ccy;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Comp_Ccy;
Received from Extensible layer	I_Comp_Ccy := I_Tb_Cluster_Data(COMPCCY);
Hook Description	Hook to generate the SEPA Message Format in Local currency

Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML004
No of Parameters	8
Function Call Id	4
Cluster/Custom Function Name	FN_GEN_XML004
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;I_Tb_Cluster_Data(CHARGE_TAG) := I_Charge_Tag;
Received from Extensible layer	I_Charge_Tag := I_Tb_Cluster_Data(CHARGE_TAG);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML004
No of Parameters	8
Function Call Id	5
Cluster/Custom Function Name	FN_GEN_XML004
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(TXN_STRING) := I_Txnstring;
Received from Extensible layer	I_Txnstring := I_Tb_Cluster_Data(TXN_STRING);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML004_SDD
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_XML004_SDD
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	Hook to generate the SEPA Message Format in Local currency All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML004_SDD
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_XML004_SDD
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(COMPCCY) := I_Comp_Ccy;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Comp_Ccy;
Received from Extensible layer	I_Comp_Ccy := I_Tb_Cluster_Data(COMPCCY);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	Hook to generate the SEPA Message Format in Local currency All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML004_SDD
No of Parameters	8
Function Call Id	3
Cluster/Custom Function Name	FN_GEN_XML004_SDD

Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;I_Tb_Cluster_Data(CHARGE_TAG) := I_Charge_Tag;
Received from Extensible layer	I_Charge_Tag := I_Tb_Cluster_Data(CHARGE_TAG);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	Hook to generate the SEPA Message Format in Local currency All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML004_SDD
No of Parameters	8
Function Call Id	4
Cluster/Custom Function Name	FN_GEN_XML004_SDD
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;I_Tb_Cluster_Data(COMPENSATION_TAG) := I_Compensation_Tag;
Received from Extensible layer	I_Compensation_Tag := I_Tb_Cluster_Data(COMPENSATION_TAG);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	Hook to generate the SEPA Message Format in Local currency All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML004_SDD
No of Parameters	8
Function Call Id	5
Cluster/Custom Function Name	FN_GEN_XML004_SDD
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;I_Tb_Cluster_Data(TXN_STRING) := I_Txnstring;
Received from Extensible layer	I_Txnstring := I_Tb_Cluster_Data(TXN_STRING);

Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML007
No of Parameters	8
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_XML007
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML007
No of Parameters	8
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_XML007
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(TXN_STRING) := I_Txnstring;I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;
Received from Extensible layer	I_Txnstring := I_Tb_Cluster_Data(TXN_STRING);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	<p>Hook to generate the SEPA Message Format in Local currency</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML008
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_XML008
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	NONE
Received from Extensible layer	NONE
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	Hook to generate the SEPA Message Format in Local currency All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML008
No of Parameters	7
Function Call Id	2
Cluster/Custom Function Name	FN_GEN_XML008
Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(TXN_STRING) := I_Txnstring;
Received from Extensible layer	I_Txnstring := I_Tb_Cluster_Data(TXN_STRING);
Hook Description	Hook to generate the SEPA Message Format in Local currency
Description	Hook to generate the SEPA Message Format in Local currency All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	23656108

Parameter	Description
Function	FN_GEN_XML008
No of Parameters	7
Function Call Id	6
Cluster/Custom Function Name	FN_GEN_XML008

Additional parameters	I_Fn_Call_Id, I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data(CCY) := I_Txn_Rec.Txn_Ccy;I_Tb_Cluster_Data(CONTRACT_REF_NO) := I_Txn_Rec.Contract_Ref_No;I_Tb_Cluster_Data(TXN_STRING) := I_Txnstring;
Received from Extensible layer	I_Txnstring := I_Tb_Cluster_Data(TXN_STRING);
Hook Description	Hooks in PC module as ACH tags and tags values need to be modified based on the customer specific requirement
Description	<p>Hooks in PC module as ACH tags and tags values need to be modified based on the customer specific requirement</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23658340