

PCPKS_SAVE Package
Extensible Hook Details
14.2

November 2018

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_CONTRACT_HANDOFF/7/1	1
2. FN_INIT/6/1	2
3. FN_INIT/6/2	2
4. FN_INIT/6/3	3
5. FN_INIT/6/7	3
6. FN_INIT/6/8	4
7. FN_INIT/6/9	4

Parameter	Description
Function	FN_CONTRACT_HANDOFF
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_CONTRACT_HANDOFF
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data('contract_ref_no')
Received from Extensible layer	None
Hook Description	This hook is provided in the end of function Fn_Contract_Handoff, to support customisation while contract hand off process.
Description	<p>This hook is provided in the end of function Fn_Contract_Handoff, to support customisation while contract hand off process.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	17413869
Parameter	Description
Function	FN_INIT
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_INIT
Additional parameters	None
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	<p>This hook is provided with Skip handler.</p> <p>Current Kernel code , the Direct participant and Cover Required are defaulted based on Bank code and Network id (from table Pctms_Bank_Clg_Network).</p> <p>Custom call is given to handle, avoid defaulting and allow input while contract creation.</p>

Description	<p>This hook is provided with Skip handler.</p> <p>Current Kernel code , the Direct participant and Cover Required are defaulted based on Bank code and Network id (from table Pctms_Bank_Clg_Network).</p> <p>Custom call is given to handle, avoid defaulting and allow input while contract creation.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19940130

Parameter	Description
Function	FN_INIT
No of Parameters	6
Function Call Id	2
Cluster/Custom Function Name	FN_INIT
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data('contract_ref_no') I_Tb_Cluster_Data('l_cust_ac_valid') I_tb_cluster_data('l_is_linked') I_tb_cluster_data('l_flag')
Received from Extensible layer	I_Tb_Cluster_Data('l_cust_ac_valid') I_tb_cluster_data('l_flag')
Hook Description	<p>This hook is provided to set the I_Cust_Ac_Valid flag based on custom validations. Additional validations can be handled in custom layer and the flag can be set as Y or N for further processing in Kernel code.</p>
Description	<p>This hook is provided to set the I_Cust_Ac_Valid flag based on custom validations. Additional validations can be handled in custom layer and the flag can be set as Y or N for further processing in Kernel code.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24487203

Parameter	Description
Function	FN_INIT
No of Parameters	6
Function Call Id	3
Cluster/Custom Function Name	FN_INIT
Additional parameters	I_Tb_Cluster_Data
Sent to Extensible layer	I_Tb_Cluster_Data('contract_ref_no')

Received from Extensible layer	None
Hook Description	This hook is provided for additional processing on contract, Product default will default values which are null, based on Product/Bank level Params. This can be skipped , by setting the values at custom layer. for eg activation date can be modified at custom layer to facilitate the SYSTEM to process back dated files.
Description	<p>This hook is provided for additional processing on contract, Product default will default values which are null, based on Product/Bank level Params. This can be skipped , by setting the values at custom layer. for eg activation date can be modified at custom layer to facilitate the SYSTEM to process back dated files.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	23658420

Parameter	Description
Function	FN_INIT
No of Parameters	6
Function Call Id	7
Cluster/Custom Function Name	FN_INIT
Additional parameters	I_Fn_Call_Id , I_Tb_Cluster_Data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is provided in the package pcpsks_save in the function Fn_Init() enable pickup of new exchnage rate during save.
Description	<p>Hook is provided in the package pcpsks_save in the function Fn_Init() enable pickup of new exchnage rate during save.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	28591221

Parameter	Description
Function	FN_INIT
No of Parameters	6
Function Call Id	8
Cluster/Custom Function Name	FN_INIT
Additional parameters	I_Fn_Call_Id , I_Tb_Cluster_Data
Sent to Extensible layer	None

Received from Extensible layer	None
Hook Description	Hook is provided in the package pcpsks_save in the function Fn_Init() to enable pickup of new exchange rate during save.
Description	<p>Hook is provided in the package pcpsks_save in the function Fn_Init() to enable pickup of new exchange rate during save.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	28591221

Parameter	Description
Function	FN_INIT
No of Parameters	6
Function Call Id	9
Cluster/Custom Function Name	FN_INIT
Additional parameters	L_FN_CALL_ID , L_TB_CLUSTER_DATA
Sent to Extensible layer	L_TB_CLUSTER_DATA('l_country_code') L_TB_CLUSTER_DATA('l_bnk_code')
Received from Extensible layer	L_TB_CLUSTER_DATA('l_country_code') L_TB_CLUSTER_DATA('l_bnk_code')
Hook Description	Hook is provided in the package pcpsks_save in the function Fn_Init().
Description	<p>Hook is provided in the package pcpsks_save in the function Fn_Init().</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	28591748