

**Oracle® Retail Merchandising Foundation Cloud
Service**

Do the Basics User Guide

Release 16.0.030

F11688-01

June 2019

F11688-01

Copyright © 2019, Oracle and/or its affiliates. All rights reserved.

Primary Author:

Contributing Author:

Contributor:

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information on content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

- (i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.
- (ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.
- (iii) the software component known as **Access Via**[™] licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.
- (iv) the software component known as **Adobe Flex**[™] licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR

Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.

Contents

Send Us Your Comments	vii
Preface	ix
Audience	ix
Documentation Accessibility	ix
Customer Support	ix
Review Patch Documentation	x
Improved Process for Oracle Retail Documentation Corrections	x
Oracle Retail Documentation on the Oracle Technology Network	x
Conventions	x
1 Do the Basics	
Log In and Out	1-1
Logging In to the Application	1-1
Logging Out of the Application	1-2
Using the Help	1-2
2 Common Actions and Items	
Task Bar Options	2-1
Application Navigator	2-2
Favorites	2-2
Tasks	2-2
Notifications	2-4
Managing Notifications	2-8
Reassign a Notification	2-8
Reports	2-9
Page Level	2-9
Table Level	2-11
Action Menu and Icons	2-12
View Menu	2-12
Search Screens	2-13
Search Using Basic Criteria	2-13
Search Using Advanced Criteria	2-14
Create a Saved Search	2-17
Manage Saved Searches	2-18

3 Set User Preferences

Regional Options.....	3-1
Language Options	3-2
Accessibility Options	3-2
Use a Screen Reader.....	3-2
Set Contrast and Font Size	3-3

4 Translate Data

Translate Multiple Entities.....	4-1
Translations.....	4-2
Translate a Single Entity	4-2
Add a Translation	4-2
Edit a Translation	4-3

5 Download/Upload Data from Spreadsheets

Download Data.....	5-1
Upload Data.....	5-1

6 View Data Loading Status

7 Download Blank Templates

8 Attachments

Attach a File or URL.....	8-1
Edit an Attachment.....	8-3
Delete an Attachment	8-3

9 Conversations

Log into Conversations	9-1
Create a Conversation.....	9-2
Add Members to a Conversation.....	9-2
Comment on a Conversation.....	9-2

Send Us Your Comments

Merchandising Foundation Cloud Service Do the Basics User Guide, Release 16.0.030

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

Note: Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the Online Documentation available on the Oracle Technology Network Web site. It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: retail-doc_us@oracle.com

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at <http://www.oracle.com>.

Preface

This document describes the Merchandising Foundation Cloud Service user interface. It provides step-by-step instructions to complete most tasks that can be performed through the user interface.

Audience

This document is for users and administrators of Oracle Retail Merchandising Foundation Cloud Service. This includes merchandisers, buyers, business analysts, and administrative personnel.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

<https://support.oracle.com>

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Review Patch Documentation

When you install the application for the first time, you install either a base release (for example, 16.0) or a later patch release (for example, 16.0.028). If you are installing the base release, additional patch, and bundled hot fix releases, read the documentation for all releases that have occurred since the base release before you begin installation. Documentation for patch and bundled hot fix releases can contain critical information related to the base release, as well as information about code changes since the base release.

Improved Process for Oracle Retail Documentation Corrections

To more quickly address critical corrections to Oracle Retail documentation content, Oracle Retail documentation may be republished whenever a critical correction is needed. For critical corrections, the republication of an Oracle Retail document may at times not be attached to a numbered software release; instead, the Oracle Retail document will simply be replaced on the Oracle Technology Network Web site, or, in the case of Data Models, to the applicable My Oracle Support Documentation container where they reside.

This process will prevent delays in making critical corrections available to customers. For the customer, it means that before you begin installation, you must verify that you have the most recent version of the Oracle Retail documentation set. Oracle Retail documentation is available on the Oracle Technology Network at the following URL:

<http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html>

An updated version of the applicable Oracle Retail document is indicated by Oracle part number, as well as print date (month and year). An updated version uses the same part number, with a higher-numbered suffix. For example, part number E123456-02 is an updated version of a document with part number E123456-01.

If a more recent version of a document is available, that version supersedes all previous versions.

Oracle Retail Documentation on the Oracle Technology Network

Oracle Retail product documentation is available on the following Web site:

<http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html>

(Data Model documents are not available through Oracle Technology Network. You can obtain them through My Oracle Support.)

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.

Convention	Meaning
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Do the Basics

The Oracle Retail Merchandising Suite of solutions include some common interface options and controls that you can use throughout the applications and are common across solutions. The following sections describe these user interface controls in more detail.

You can quickly access the tasks of current applications and switch to other applications from the Navigation bar. For more information on the Navigation bar, see the [Task Bar Options](#) section.

The following topics are covered in this chapter:

- [Logging In to the Application](#)
- [Logging Out of the Application](#)

Log In and Out

Logging In to the Application

To log on to the application:

1. Click the **User** list which is to the top right of the Oracle Merchandising application.

Figure 1–1 User Menu



2. Click **Login**. The Welcome screen appears.

Figure 1–2 Welcome Screen

A screenshot of the 'Welcome' screen. It features a light blue header with the word 'Welcome'. Below the header are two input fields: 'Username' and 'Password', each with a small blue asterisk icon to its left. At the bottom right of the form is a 'Login' button.

3. Provide the following login information:
 - a. Enter your user name in the **Username** field.
 - b. Enter your password in the **Password** field.
4. Click **Login**.

Logging Out of the Application

Use the **User** list menu, which is to the top right of the Oracle Merchandising application, to log out of the application.

Figure 1–3 Logging Out of the Application



Using the Help

This application contains an online HTML help that can guide you through the user interface. User information is included to describe high-level processes and procedures, as well as provide step-by-step instructions for completing a task.

You can access online help for a particular page by clicking on the Help link at the top of the application home page or by clicking the Help icon  available on every page of some of the applications. Once in the help, you can access additional information through the table of contents or by using the index.


Common Actions and Items

This section describes some of the common actions, menus, and icons that you see throughout Merchandising to help familiarize you with how to navigate through the solution.

Task Bar Options

You can quickly access the tasks for Merchandising and switch to other Merchandising Suite solutions from the Navigation bar.

Figure 2-1 Sidebar Menu



The following navigation bar options are common across all the Merchandising Suite solutions:

- Application Navigator
- Favorites
- Tasks
- Notifications
- Reports
- Settings

Note: Your view may vary, depending upon the features selected during the setup process.


Application Navigator

The Application Navigator is optional for the application and provides the ability to switch between applications.

To switch between applications:

1. At the top left of the application, click the Application Navigator  icon to open the list of available applications.

Figure 2–2 Application Navigator




2. Select from the listed applications. The application will open in a new tab.

Favorites

You can select your favorite tasks without accessing the Task Bar menu. It helps you quickly get into your frequently used tasks.

You can click the Favorites icon in the Tasks menu to access tasks designated as favorites. You can also select the cog icon from the Favorites menu to edit the Favorites list. Tasks can be selected or deselected as favorites in the Tasks menu by clicking on the star icon next to the task item.

Figure 2–3 Favorites Area



Tasks

A task is a link to a task flow to accomplish a business process or procedure. For example, a task may be creating a purchase order or editing a previously created item.

Your Tasks list appears in the Task Bar. You can either click on the specific task name to open, or use the Task Search component to search for a Task that you want to open.

Note: Your task menu may appear slightly different, depending on which tasks you have privilege to access. By default the tasks are organized into folders in the Grouped View, clicking the List View button toggles to a fully expanded list of all the tasks which allows you to scroll more quickly to the desired task.

Figure 2-4 *Tasks Menu – Grouped View*





Figure 2-5 Tasks Menu – List View


Notifications

The Notifications functionality is a component built into Merchandising to support raising events to a user's attention. For example, this could be used to alert you to the completion of a background process or the rejection of a transaction you submitted for approval.

If a notification has been raised, you will see the number on the notification icon on the task bar go up, similar to receiving a new email.

Figure 2–6 Notifications Icon

Clicking on this icon will show you a quick view of your most recent unread notifications, including a short description of what triggered the notification, its severity, when it was raised, and the user ID indicating whose action triggered it be raised. There will also be a hyperlink available for the notification. Clicking on this hyperlink will take you to the page where you can take action or view the details related to that specific notification. For example, if you are being notified that a purchase order that you submitted for approval was rejected, clicking on the hyperlink would take you to the purchase order so that you can review the comments from the approver and make the appropriate adjustments.

Figure 2–7 Notifications List

The following notifications are included in Merchandising:

Cost Change Induction

One of the following notifications is raised for cost change downloads and uploads based on the action you've taken and whether it was successful or resulted in errors. Clicking on the hyperlink for this notification will take you to the Data Loading Status screen to review the details of the specific process that resulted in the notification.

- Download Complete (note: only raised when download occurs in the background based on large files size)
- Download Failed
- Upload Complete
- Upload Failed

Foundation Data

One of the following notifications is raised if the download or upload of any of the data entities managed via the Foundation Data Loading process fails. Clicking on the hyperlink in the notification will take you to the Data Loading Status screen to review the details of the process that failed. Notifications are not raised if these actions are successful.

- Download Failed
- Upload Failed

Item Induction

One of the following notifications is raised for item downloads and uploads based on the action you've taken and whether it was successful or resulted in errors. Clicking on the hyperlink for this notification will take you to the Data Loading Status screen to review the details of the specific process that resulted in the notification.

- Download Complete (note: only raised when download occurs in the background based on large files size)
- Download Failed
- Upload Complete
- Upload Failed

New Item Location

One of the following notifications is raised for the item/location ranging process when it is executed in the background. Clicking on the hyperlink for this notification will take you to the Item Location screen for the item that resulted in the notification being raised.

- Processing Complete
- Processing Failed

PO Induction

One of the following notifications is raised for PO downloads and uploads based on the action you've taken and whether it was successful or resulted in errors. Clicking on the hyperlink for this notification will take you to the Data Loading Status screen to review the details of the specific process that resulted in the notification.

- Upload Complete
- Upload Failed
- Download Complete (note: only raised when download occurs in the background based on large files size)
- Download Failed

Purchase Order Rejected

This is raised if you previously submitted a purchase order for approval and the approver has rejected it back to a worksheet status, rather than approving the order. Clicking on the hyperlink for this notification will take you to the purchase order in order to take action.

GL Mapping Failure

This notification is raised if any unmapped transactions are found when posting transactions to the General Ledger. Clicking on the hyperlink for this notification will take you to the Download Foundation Data screen where you can download the GL cross reference information to define mappings for those unmapped transactions.

Replenishment Attribute Induction

One of the following notifications is raised for replenishment attribute downloads and uploads based on the action you've taken and whether it was successful or resulted in errors. Clicking on the hyperlink for this notification will take you to the Data Loading Status screen to review the details of the specific process that resulted in the notification.

- Download Complete (note: only raised when download occurs in the background based on large files size)
- Download Failed
- Upload Complete
- Upload Failed


Transfer Rejected

This is raised if you previously submitted a transfer for approval and the approver has rejected it back to a worksheet status, rather than approving the transfer. Clicking on the hyperlink for this notification will take you to the transfer in order to take action.

Managing Notifications


Clicking the See All option at the bottom of the notification pane will take you to a page where you can manage all your notifications, including those you previously reviewed. The actions that can be taken in this page include marking notifications read or unread, deleting old notifications, and reassigning notifications to another user. You can also use the hyperlinked description in this screen to access the page where action can be taken based on this notification.

Figure 2–8 Notifications Page



Reassign a Notification

To re-assign a notification, highlight the appropriate notification and select Reassign Notification from the Actions menu. This will display the Reassign Notification popup. Choose one or more recipients that should receive the re-assigned notification and then click OK when all have been added. As part of the reassignment, you can also change the severity of the notification that will be sent to the recipients and the type and description that will be shown to the new recipients.


Figure 2–9 Reassign Notification Dialog


The image shows a dialog box titled "Reassign Notification". It has a close button (X) in the top right corner. The dialog is divided into several sections:

- Severity:** A dropdown menu with "Normal" selected.
- Type:** A dropdown menu with "Reassigned" selected.
- Description:** A text area containing the message: "The item/location ranging process for item 520-STAPLE.1 has completed with errors."
- Choose Recipients:** A search box with the placeholder text "Search for recipient" and a magnifying glass icon.
- Selected:** An empty list area for displaying selected recipients.
- Buttons:** "OK" and "Cancel" buttons at the bottom right.

Reports

The Reports option in the Task Bar shows you a list of the reports or dashboards to which you have access. Clicking on the link for a report will open the page for that report, similar to clicking on tasks in the Tasks menu.

Figure 2–10 Reports Menu

Page Level

The page level actions display the icons and buttons applicable for a particular task flow's page. This section lists the common page level actions that are used throughout Merchandising.


Figure 2–11 Page Level Action - Icons and Buttons**Table 2–1 Screen Level Action - Icons/Buttons and Descriptions**

Icon/Buttons	Description
Help icon 	You can access online help for a particular page by clicking the Help icon.
Expand and Collapse icon 	You can view all and collapse all the sections in the application page by clicking the Expand and Collapse icon.
Delete icon 	You can delete an entity by selecting the Delete icon.
Status Action Button	Depending on the status of an entity, this button will be available to change the status of an entity. The status will be changed to the label specified on the button, when the button is clicked. If there is more than one status to which the entity can be changed, clicking the arrow on the right side of the button will display the additional status options.
Revert 	Click the Revert iconic button to reject any changes made in the page and reset it to create or edit another entity.
More Actions	The More Actions button will have any additional actions and options for navigating to other pages.
Save	Click Save to save any changes made in the page.
Save and Close	Click Save and Close to save any changes and exit the page.
Save and Edit Another	Click Save and Edit Another to save any changes and edit another entity.
Cancel	Click Cancel to reject any changes and exit the page.

Other Attributes

In some pages, under the More Actions menu, there may be an additional menu option titled "Other Attributes". This indicates that custom flex attributes have been enabled for that functional area, such as the example below in the Order page. The sub-menus that are available under the Other Attributes option will vary by functional area, as configured for your business. Depending on how these attributes have been configured, they may be required to be entered in order to save or approve the entity where they exist.

Figure 2–12 Other Attributes Menu



When one of these sub-menu options are selected, a page will open, titled Other Attributes, which will show one or more groupings of attributes associated with the entity, as defined for your business. Below is an example of what the Other Attributes page might look like for attributes associated with a Purchase Order.

Figure 2–13 Other Attributes Page




Table Level

Note: Figure 2–14, Figure 2–15, Figure 2–16 are representations and may differ slightly depending on the page, table, or pop up you are viewing.

At the table level, there are two menus - Action and View - and several icons used for quick actions on the table. For more information on these options, see the sections [Action Menu and Icons](#) and [View Menu](#).

Action Menu and Icons

The Actions menu provides the option to take different actions related to entries in the table. Depending on the nature of the table, these actions can be add, view, delete or edit table rows, or export the table contents to the spreadsheet.

The actions and icons described here are those used commonly throughout the solution. Some pages may provide additional options, based on the functionality of the page. The details on those more unique options can be found in the documentation for that particular page.

Figure 2–14 Actions Menu and Icons




Table 2–2 Actions Menu/Icons and Descriptions of Components Section

Actions Menu/Icon	Description
Add and Add icon +	You can add a record to the table by clicking Add from the Actions menu or by clicking the Add icon +.
Create and Create icon 📄	You can create a record in the table by clicking Create from the Actions menu or by clicking the Create icon 📄.
Create from Existing icon 🔄	You can create from an existing record by clicking Create from Existing from the Actions menu or by clicking the Create from Existing icon 🔄.
Edit and Edit icon ✎	You can edit a record in the table by clicking Edit from the Actions menu or by clicking the Edit icon ✎.
Delete and Delete icon ✖	You can delete a record in the table, by clicking Delete from the Actions menu or by clicking the Delete icon ✖.
Export to Excel icon 📄	You can copy the contents of the table to a Microsoft Excel spreadsheet by clicking the Export to Excel option from the Actions menu or by clicking the Export to Excel icon 📄.
Move Up and Down icon ⬆ ⬇	You can move the selected row up or down in the table by clicking the Move Up and Down icons ⬆ ⬇.
Wrap icon ↻	You can wrap the values in the table column by using the Wrap icon ↻ option.

View Menu

The View menu provides the options for managing the table columns and sorting and filtering the table data.

In some tables you have the option to choose a saved custom view, which is an arrangement of columns different from the default view of the table.

Figure 2–15 View Menu




Table 2–3 View Menu and Descriptions

View Menu List	Description
Columns	You can manage which of the columns will be shown in the table by clicking the Show All and Manage Columns options.
Detach	You can view the tables in the application in a separate page by clicking Detach or by clicking the Detach icon  .
Sort	You can sort columns by the following options: <ul style="list-style-type: none"> ■ Ascending ■ Descending ■ Advanced
Reorder Columns	You can reorder columns by clicking the Reorder Columns option.
Query by Example	You can filter the deal components by one of multiple column values by clicking the Query by Example option or by clicking the query by example icon  .

Search Screens

You can search for a particular entity by entering or selecting criteria using the search screens. Searches can be done using basic criteria, or can be done in advanced mode, which allows additional criteria to be added, as well as the use of operators (e.g. greater than, less than) in searches. Searches are generally accessed for most entities under the "Manage" actions in the task list.

Search Using Basic Criteria

The default view when you open a search page will be for a basic search. The criteria available will differ slightly depending on the entity you are searching in.


1. Enter or select one or all of the following basic search criteria.

Figure 2–16 Search Section in Basic Search Mode



2. Click **Search**. The entities that match the search criteria are displayed in the Results section.

Figure 2–17 Search Results



3. From the Search Results, you can manipulate the data using the selections from the Actions menu or selecting one of the table level buttons.

Note: If there is no saved search selected in the dropdown, Reset clears the Search section, or resets to a saved search, if applicable.

4. Click **Done** to close the page.

Search Using Advanced Criteria

The Advanced Search feature allows you to add new criteria that are not part of basic search, define operators to use in the search, or add multiples of a specific criterion. For example, if searching for an item, using advanced criteria allows you to search on items that are in worksheet or submitted status, by adding the status criterion a second time in the search. Perform the following procedure to define a search using the advanced search criteria:

1. From a Basic Search page, click the Advanced button in the upper right corner of the screen. This will change the label on the button to Basic, which will allow you to revert back to Basic mode, if needed.
2. From the Advanced Search page, you can define the variables around how each search is performed.

Figure 2–18 Advanced Search Page




- The All or Any radio buttons allow you to define what items are returned in the search. Select All to return only those results that meet all the search criteria. Select Any to return those results that meet any of the search criteria.
- The search field operators allow you to define how each field searches for results.

Note: The options available for the operators will differ based on the type of attribute and in some cases may not be available.


Table 2–4 Search Field Operators

Operator	Description
Starts with	The search results start with the specified character(s).
Ends with	The search results end with the specified character(s).
Equals	The search results match the specified characters exactly.
Does not equal	The search results do not match the specified characters.
Less than	The search results returned are less than the search amount.
Less than or equal to	The search results returned are less than or equal to the search amount.
Greater than	The search results returned are greater than the search amount.
Greater than or equal to	The search results returned are greater than or equal to the search amount.
Between	The search results returned are between the two specified criteria.
Not between	The search results returned are not between the two specified criteria.
Contains	The search results contain the specified character(s).
Does not contain	The search results do not contain the specified character(s).
Is blank	The search results are blank.
Is not blank	The search results are not blank.

3. Many of the Advanced Search pages allow you to add additional fields from which to search. This is also the method by which a second instance of a particular criterion can be added. Alternately, some search pages will automatically display all additional criteria that can be used in advanced search.
 - a. From the Advanced Search page, click the **Add Fields** button.

Figure 2–19 Add Fields List


- b. From the Add Fields list, click the field that you want to include.
 - c. Repeat these steps for each additional field you want to add. Only one additional field can be added at a time.
4. Use the Reorder button to customize the order in which the search criteria appear.
 - a. From the Advanced Search page, click the Reorder button. The Reorder Search Fields pop-up appears.

Figure 2–20 Reorder Search Fields Pop-up

- b. Select the search criteria you want to reorder and use the arrow buttons to move the field up or down the list.
 - c. Click **OK** to save your changes and return to the Advanced Search page.

- Click **Search**. The entities that match the search criteria are displayed in the Results section.

Figure 2–21 Search Results



- From the Search Results, you can manipulate the data using the selections from the Actions menu or selecting one of the table level buttons.

Note: If there is no saved search selected in the dropdown, Reset clears the Search section, or resets to a saved search, if applicable.

- Click **Done** to close the page.


Create a Saved Search

You can create a Saved Search by selecting the **Save** button in the Search Criteria panel after you have entered the criteria for your search. The **Save** button will call up the Create Saved Search pop-up where the search is given a name and the user determines whether it should be the default search, which indicates it should be the one displayed when the page is initially opened, as well as whether it should be run automatically.

To view the created saved search, first enter your desired criteria in either basic or advanced mode. Then, follow these steps:

- Click the **Save...** button. The Create Saved Search pop-up appears.

Figure 2–22 Create Saved Search




- Enter the name of the search.

3. You can also choose to save the combination of the search criteria by selecting the following check boxes:
 - Set as default
 - Run automatically
4. Click **OK** to save your search. Click **Cancel** to close the pop-up without saving.

Manage Saved Searches

Select Personalize from the **Saved Search** list to view your saved searches. The Personalize Saved Searches pop up allows you to edit, copy, or delete Saved Searches.

Figure 2–23 *Personalize Saved Searches*




Set User Preferences

The Preferences pages are where you specify the default regional, language, and accessibility settings that you want to use.

To set your preferences, select Preferences from the user menu at the top of the Merchandising home page. The Preferences page appears.

Figure 3–1 Logged-in User Menu



The standard preference options available are as follows:

- Regional
- Language
- Accessibility

To return to the Merchandising home page, click **Back to Home** at the top of the page.

Regional Options

Use the following options to specify the default formats for territory, date, time, number, and time zone you want to use.

Table 3–1 Regional Options

Value	Description
Territory	Specify the country details.
Date Format	Select the date format that you want to use.
Time Format	Select the time format that you want to use.
Number Format	Select the number format that you want to use.
Time Zone	Select the time zone you want to use.

After applying changes, click **Save** to retain your updates or **Revert** to revert back to the system defaults.

Language Options

Use the following options to specify the default language you want to use.

Table 3–2 *Language Options*


Value	Description
Default	Specify the default language you want to use.
Current Session	Specify the language you want to use for the current session.

After applying changes, click **Save** to retain your updates or **Revert** to revert back to the system defaults.

Accessibility Options

Merchandising provides the ability for users to switch between accessibility support levels in the application, if required. This is done in the Accessibility Option page, where preferences for using a screen reader, as well as desired contrast and font size, can be configured.

Figure 3–2 *Accessibility Tab*



Merchandising Foundation Cloud Service/Sales Audit Cloud Service provides the ability to switch between the above accessibility support levels in the application, so that users can choose their desired type of accessibility support, if required. It exposes a user preferences screen in which the user can specify the accessibility preferences which will allow the user to operate in that mode.

After applying changes, click **Save** to retain your updates or **Revert** to revert back to the system defaults.

Use a Screen Reader

The first two options on the page allow you to configure whether or not a screen reader will be used. The two options are:

- **Default Mode:** this is the setting that should be selected if you are not using a screen reader. By default, Merchandising has a rich user interface interaction, and is also accessible through the keyboard. However, for visually impaired users, it is recommended to use Screen Reader mode.
- **Screen Reader:** this mode facilitates the display for visually impaired users, but will degrade the display for sighted users without visual impairment.

Set Contrast and Font Size

Additional configurations can be made for contrast and font size in the remaining groups of settings on this page:

- **Contrast:** Merchandising can display content in **standard** or **high-contrast** mode. By default, standard mode is selected. High-contrast mode is intended to make the solutions compatible with operating systems or browsers that have high-contrast features enabled. For example, the use of background images and background colors is changed in high-contrast mode to prevent the loss of visual information. Note that the Merchandising high-contrast mode is more beneficial if used in conjunction with your browser's or operating system's high-contrast mode.
- **Font Size:** the font size displayed in Merchandising is also configurable by choosing either **large** or **medium** modes. Medium mode is the default. In medium mode, most text and many containers have a fixed font size to provide a consistent and defined look. In large-font mode, text and containers have a scalable font size. This allows the solutions both to be compatible with browsers that are set to larger font sizes and to work with browser-zoom capabilities. Note that if you are not using large-font mode or browser-zoom capabilities, it is recommended that you disable large-font mode.

Translate Data

You can create, modify and delete translations of data in Merchandising. This can be done in two different ways.

- for a single entity at a time
- by viewing all entities that have translatable values and translate them in a centralized page.


Translate Multiple Entities

The Translations page is a centralized page where you can see all entities that have translatable values in Merchandising.

Perform the following procedure to translate an entity:

1. From the Tasks menu, select Application Administration > Translations. The Translations page appears.

Figure 4–1 Translations Page



Depending on the entity to translate you have selected in the header, the title of the search results section varies.

For example, if you select an Entity to Translate of 'Warehouse', the title of this section will be 'Warehouse' and a list of all existing warehouses in the system will display in the table. You can select the row containing the desired warehouse to see any existing translations in the Translations table below.

Translations

The Translations section contains all available translations of the selected entity to translate. Existing translations can be modified directly in the table.


Use the Actions Menu and icons to apply actions to the table. In addition to editing existing translations, you can add new translations or delete existing translations. For more information about how to add translations, see the Add a Translation section.

Translate a Single Entity

The Translate page for a single entry displays the primary language and the current language in the top right corner. The table of the Translate page displays the language and the corresponding description for the entry. Existing translations can be modified directly in the table.

There are two scenarios you may encounter when translating a single entity:

Figure 4–2 Translate page - Single Entity




Add a Translation

To add a translation, follow the steps below.

1. Select **Actions > Translate** or use the Translate icon , if available. The Translate page appears.

Figure 4–3 Translate Page - Single Entity



- In the table, select **Actions > Add**, or use the Add icon **+**. The Add Translation pop-up appears.

Figure 4–4 Add Translation


- In the **Language** field, select the desired language from the list. This field is a required field.
- In the **Description** field, enter the desired translation. This field is a required field. Depending on the entity being translated, there may be more than one translation field that is required to be entered. For example, item descriptions have up to three descriptions that can be translated - the long description, the secondary description, and the short description.
- Then choose one of the following options.
 - Click **OK** to add the translation to the table and close the page.
 - Click **OK and Add Another** to add additional translations.
 - Click **Cancel** to reject all entries and close the page.

Edit a Translation

To edit a translation, follow the steps below.

- Select **Actions > Translate** or use the Translate icon **🌐**, if available. The Translate page appears.

Figure 4-5 Edit a Translation



2. Edit the description directly in the table (the fields are in-line editable).

Note: The Language field cannot be edited. If a desired language is no longer wanted, the row should be deleted and a new row added for the desired language.

3. Click **OK** to update the translation and close the page.

Download/Upload Data from Spreadsheets

Several data entities in the Oracle Retail Merchandising Suite allow for management of data via spreadsheets. This section describes how to download data for editing and how to upload the changes you've made. Specifics on the entities that can be edited using this functionality can be found in other Use sections by functional area.

Download Data

The Download Data page allows you to download certain data entities into a spreadsheet for viewing or editing.

1. You can access the Download Data page from the Task menu, select **Foundation Data > Download Foundation Data**. The Download Data page appears.

Figure 5–1 Download Data page




2. In the **Template Type** field, select the template type from the list.
3. In the **Template** field, enter, select or search for the template you want to download.
4. Then choose one of the following options:
 - Click **Download** to download the file. When you click Download, you are prompted to either open or save the file.
 - Click **Revert** to clear out the screen inputs.
5. Click **Done** to close the Download Data page.

Upload Data

The Upload Data page allows you to upload a spreadsheet of data that you previously downloaded and apply the updates or additions made in the file.

1. You can access the Upload Data page from the Task menu, select **Foundation Data > Upload Foundation Data**. The Upload Data page appears.

Figure 5–2 Upload Data pageThe screenshot shows a web interface titled "Upload Data". It features several input fields: "Template Type" with a dropdown arrow, "Template" with a search bar and dropdown arrow, "Process Description" with a text input field, and "Source File" with a "Choose File" button and the text "No file chosen". At the bottom right, there are three buttons: a help icon (question mark), a trash icon, and "Upload" and "Done" buttons.

2. In the **Template Type** field, select the template type from the list.
3. In the **Template** field, enter, select or search for the template you want to upload.
4. The **Process Description** field displays the default process name with the date and timestamp. You can edit the name of the upload process in this field.
5. In the **Source File** field, click the **Choose File** button to select the file.

Note: The file uploaded must end in .ods and must be in the same format as that which is downloaded in the Download Data page. It is recommended you always start with downloading the data first and then make changes in that file to ensure you have the correct format. If any columns or tabs in the spreadsheet template are removed, errors will occur on uploading.

6. Then choose one of the following options:
 - Click **Upload** to upload the file. The upload processing will occur in the background. If an error occurs during the processing, a notification will be displayed with a link to view the details. Alternatively, you can access the Data Loading Status page to check the status of the upload.
 - Click **Revert** to clear out the screen inputs.
7. Click **Done** to close the Upload Data page.

View Data Loading Status

The Data Loading Status page allows you to view the status of the upload and download processes, so that you can rectify any issues associated with the upload/download process.

The page allows you to drill down to the errors or warnings associated with a selected upload/download request.

You can access the Data Loading Status page from the Task menu, select **Foundation Data > Review Status**. The Data Loading Status page appears.

Figure 6–1 Data Loading Status Page

Process	Process Description	File Name	Template Category	Template Type	Status	Process Destination	Action Date/Time	Created By
6010027	Purchase Order - 05/03/2019 05:09	test ods	Purchase Orders	Purchase Orders	Processed with warnings	RMS Tables	5/3/2019 5:09 AM	RMS_ACMN
6005008	AP Items - Table 2 - 05/10/2019 08:25	ap Item test ods	Items	Items	Processed with errors	RMS Tables	5/10/2019 8:25 AM	RMS_ACMN
5985004	Company - 4/23/2019 11:55 AM	company_upms4_x1 ods	Foundation	Foundation	Processed with errors	RMS Tables	4/23/2019 11:55 AM	RMS_ACMN
5975005	Purchase Order - 04/12/2019 01:12	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with warnings	RMS Tables	4/12/2019 1:13 AM	RMS_ACMN
5970009	AAAD	Item Master - 4 11 2019 12:23 AM ods	Items	Items	Processed Successfully	RMS Tables	4/11/2019 12:25 AM	RMS_ACMN
5970007	AAAC	Item Master - 4 11 2019 12:37 AM ods	Items	Items	Processed Successfully	RMS Tables	4/11/2019 12:15 AM	RMS_ACMN
5970005	AAAAAB	Item Master - 4 11 2019 12:37 AM ods	Items	Items	Processed Successfully	RMS Tables	4/11/2019 12:38 AM	RMS_ACMN
5970005	AAAA	Item Master - 4 10 2019 11:56 PM ods	Items	Items	Processed Successfully	RMS Tables	4/10/2019 11:57 PM	RMS_ACMN
5970004	AAAA Item Master - 04/10/2019 23:35	aaaa ods	Items	Items	Processed with errors	RMS Tables	4/10/2019 11:36 PM	RMS_ACMN
5955004	Item Master - 04/03/2019 04:24	Q4H4 Core Item ods	Items	Items	Processed Successfully	RMS Tables	4/3/2019 4:24 AM	RMS_ACMN
5955003	Item Master - 04/02/2019 23:07	Q4H4 Item ods	Items	Items	Processed Successfully	RMS Tables	4/2/2019 11:08 PM	RMS_ACMN
5950007	Foundation_ACCELERATOR BANNERS: Create Banners	ACCELERATOR_BANNERS_Create_Banners ods	Foundation	Foundation	Processed Successfully	RMS Tables	4/2/2019 5:32 AM	RMS_ACMN
5930003	Item Master - 03/29/2019 04:43	ACCELERATOR_INDUCT_REC_ITEM_CONDURODY_FINALS ods	Items	Items	Processed Successfully	RMS Tables	3/29/2019 4:44 AM	RMS_ACMN
5815005	Purchase Order - 03/07/2019 22:10	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with errors	RMS Tables	3/7/2019 10:11 PM	RMS_ACMN
5815004	Purchase Order - 03/07/2019 22:09	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with errors	RMS Tables	3/7/2019 10:09 PM	RMS_ACMN
5815003	Purchase Order - 03/07/2019 22:02	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with errors	RMS Tables	3/7/2019 10:02 PM	RMS_ACMN
5810024	Purchase Order - 03/07/2019 10:40	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with errors	RMS Tables	3/7/2019 10:40 AM	RMS_ACMN
5810023	Purchase Order - 03/07/2019 09:04	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with errors	RMS Tables	3/7/2019 9:04 AM	RMS_ACMN
5810022	Purchase Order - 03/07/2019 08:55	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with errors	RMS Tables	3/7/2019 8:55 AM	RMS_ACMN
5810021	Purchase Order - 03/07/2019 08:52	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with errors	RMS Tables	3/7/2019 8:53 AM	RMS_ACMN
5810020	Purchase Order - 03/07/2019 08:26	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with warnings	RMS Tables	3/7/2019 8:26 AM	RMS_ACMN
5810019	Purchase Order - 03/07/2019 08:16	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with warnings	RMS Tables	3/7/2019 8:16 AM	RMS_ACMN
5810018	Purchase Order - 03/07/2019 08:11	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with warnings	RMS Tables	3/7/2019 8:12 AM	RMS_ACMN
5810017	Purchase Order - 03/07/2019 08:10	PO_313m_141550022 ods	Purchase Orders	Purchase Orders	Processed with errors	RMS Tables	3/7/2019 8:10 AM	RMS_ACMN

The table displays the process, process description, file name, template category and type, destination, action date and time, status and the user, who initiated the process.

Table - Actions Menu and Icons

Use the Actions Menu and icons to apply actions to the table. You can perform the actions listed below.

Table 6–1 Data Loading Status Table - Actions Menu/Icons and Description

Actions Menu/Icons	Description
Delete and Delete icon ✕	<p>If no errors occurred with the process and data was fully loaded into Merchandising, or if you wish to re-try the load again after errors have been correct, the process can be deleted in the table.</p> <p>You can delete a process by using the following steps:</p> <ul style="list-style-type: none">■ Select a record in the table.■ Select Actions > Delete or use the Delete icon ✕.■ You are prompted, if you want to delete the record. Select Yes to confirm the prompt.■ The record is deleted from the table.
View Issues and View Issues button	<p>To view the warnings and errors associated with a selected upload/download request:</p> <ul style="list-style-type: none">■ Select a record in the table.■ Select Actions > View Issues or use the View Issues button. The Issues page appears.■ Click Done to close the page.
Upload to RMS	<p>With this option you can upload the selected process from Staging to the Merchandising tables.</p> <p>This option is only enabled for items, cost changes, and purchase orders which were loaded with a destination of Staging Tables and do not hold the status "Processed with Errors".</p>
Download Staged	<p>This option allows you to download the staged records of a process to a spreadsheet.</p> <ul style="list-style-type: none">■ Select a record in the table.■ Select Actions > Download Staged. The staged record are downloaded to your desktop. <p>This option is only enabled for Item induction, Cost Change induction and Order induction records.</p>

Download Blank Templates


The Download Blank Template page allows you to download blank templates for certain entities which support spreadsheet upload, such as items and purchase orders.

1. You can access the Download Blank Template page from the Task menu, select **Foundation Data > Data Loading > Download Blank Template**. The Download Blank Template page appears.
2. In the **Type** field, select the template type from the list.
3. In the **Template** field, enter, select or search for the template you want to download.
4. Then choose one of the following options:
 - Click **Download** to download the file. When you click Download, you are prompted to either open or save the .ods file.
 - Click **Revert** to undo any changes.
5. Click **Done** to close the Download Blank Template Data page.

Attachments

In certain functional areas in the Merchandising Suite, such as Items, there is the ability to associate attachments with the entity. Examples of how this could be used include attaching fabric sample files or other item specifications with an item, or import related documentation with a purchase order. Attachments can be either an actual file or a URL. For the file-based attachments, both images files and documents file types are supported. The functional areas where this is enabled will have an option in the contextual panel that can be displayed by clicking on the paperclip icon (📎).

Figure 8–1 Add Attachment Pop-up



Attach a File or URL

To add an attachment, click on the Add icon on the Attachments panel (+) and the Add Attachment pop-up appears.

Figure 8–2 Add Attachment Pop-up

The screenshot shows a dialog box titled "Add Attachment" with a close button (X) in the top right corner. The dialog contains the following fields and controls:

- Name:** A text input field.
- Description:** A text input field.
- Type:** A dropdown menu.
- Upload Type:** Two radio buttons, "URL" (selected) and "File".
- External URL:** A text input field.
- Buttons:** "OK" and "Cancel" buttons at the bottom right.


Figure 8–3 Add Attachment Pop-up – Example

The screenshot shows the same "Add Attachment" dialog box, but with example data entered:

- Name:** "Product Specifications"
- Description:** "Vendor specifications for product"
- Type:** "Document" (selected in the dropdown)
- Upload Type:** "File" (selected)
- Upload File:** A "Browse..." button is visible next to the text "No file selected."
- Buttons:** "OK" and "Cancel" buttons at the bottom right.

1. Enter the name, description and the type of file being attached (Image, Document or Other).
2. Choose the source of the attachment by choosing either "URL" or "File" for the Upload Type.
 - a. If you've chosen URL, then a field will be displayed to allow you to paste in the URL string.
 - b. If you choose File as upload type, then a button will appear allowing you to select the file location and file to attach.
3. Click **OK** to save the attachment and close the pop-up or **Cancel** to close the pop-up without saving the changes.

After adding the attachment, it will be shown in a list in the contextual panel for the entity where it was added. For images, it will include a thumbnail of the image as well.

Figure 8–4 Contextual Panel – Attachment Added

Edit an Attachment

To edit an attachment, highlight the attachment from the list that requires editing and click on the Edit icon on the Attachments panel (✎) and the Edit Attachment pop-up appears.

1. Update the name, description, type, file or URL details.
2. Click **OK** to save the changes and close the pop-up or **Cancel** to close the pop-up without saving the changes.

Delete an Attachment


To delete an attachment, highlight the attachment from the list that requires deleting and click the Delete icon on the Attachments panel (✕). Confirm deletion when prompted and then the attachment is removed from the entity.

Conversations

In certain functional areas in the Merchandising Suite, such as items and purchase orders, there is the ability to collaborate with co-workers within the entity. The functional areas where this is enabled will have an option in the contextual panel that can be displayed by clicking on the conversation icon ().

This collaboration framework is configured to use an external collaboration tool such as the Oracle Social Network, or Slack. For entities where this has been enabled, you can create a new conversation, or view existing messages that were previously posted. For example, this could be used for an inventory analyst and a buyer to work out the details of a purchase order so that it can be approved in a timely manner.

Figure 9–1 Conversations Panel



Log into Conversations

To begin using this functionality, you will first need to log into your social network that has been configured in the solution. To do this, enter your username and password in the provided fields in the contextual pane and click Login.

Figure 9–2 Social Media Login

Login to your social network to view conversations.

Username
RMS_ADMIN


Password

Login

Create a Conversation

If no conversations yet exist for the entity you are viewing, then you will be able to create a new conversation by entering a title for the conversation and then clicking the Create Conversation button. This will allow the conversation to be monitored and updated by the users associated to it in Merchandising, as well as the mobile applications and other portals for those tools.

Figure 9–3 Create a Conversation



Note: Only one conversation can be created per transaction or entity. For example, an item or a PO can have only one conversation.

Add Members to a Conversation

To add members to a conversation, click on the Edit (✎) icon and select users from the list to add. Once added, these users will be able to add comments in the conversation when they view the entity.


Figure 9–4 Conversation Member



Comment on a Conversation

To add comments in a conversation, enter your comments in the provided text box at the bottom of the pane and click Post. To see the latest comments posted, click on the refresh icon (🔄).

Figure 9–5 Conversation Text Box



To reply to a comment previously posted, click on the Reply hyperlink below the comment you are replying to, as shown below. A similar text box will be shown that allows you to type your reply.

Figure 9-6 Conversation Reply

