

# **Oracle Utilities Meter Data Management**

Quick Install Guide

Release 2.3.0.0

**F12108-01**

December 2018  
(Revised January 2019)

## Oracle Utilities Meter Data Management Quick Install Guide

Copyright © 2000, 2018 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

---

---

# Contents

<b>Preface</b> .....	<b>i-i</b>
Related Documents .....	i-ii
Updates to Documentation.....	i-iii
Conventions.....	i-iii
Acronyms .....	i-iii
Additional Resources .....	i-iv
<b>Chapter 1</b>	
<b>Supported Platforms and Hardware Requirements</b> .....	<b>1-1</b>
Hardware and Web Browser Requirements .....	1-4
Application Server Memory Requirements.....	1-4
Support for Software Patches and Upgrades .....	1-5
<b>Chapter 2</b>	
<b>Introduction</b> .....	<b>2-1</b>
Installation Components .....	2-4
Installation Types.....	2-4
Initial Installation.....	2-4
Demo Installation.....	2-5
Upgrade Installation.....	2-5
Recommendations for Creating a Production Environment .....	2-5
Media Pack Components.....	2-6
Documentation Packages.....	2-6
Installation Packages.....	2-6
<b>Chapter 3</b>	
<b>Planning the Installation</b> .....	<b>3-1</b>
WebLogic Native Installation.....	3-2
Application Server Clustering.....	3-2
Directory Names .....	3-2
Prerequisite Software List.....	3-2
Prerequisite Software for Database Server.....	3-2
Prerequisite Software for Application Server.....	3-3
Web Browser Requirements .....	3-3
Installing Prerequisite Software .....	3-3
Readiness Checklist .....	3-3

---

## Chapter 4

<b>Installing Oracle Utilities Meter Data Management - Initial Installation .....</b>	<b>4-1</b>
Initial Installation Procedure.....	4-2
Installing the Database Component.....	4-2
Installing the Application Components.....	4-2

## Chapter 5

<b>Installing Oracle Utilities Meter Data Management - Demo Installation.....</b>	<b>5-1</b>
Demo Installation Procedure.....	5-2
Database Component Installation .....	5-2
Application Components Installation .....	5-2

## Chapter 6

<b>Upgrading Oracle Utilities Meter Data Management .....</b>	<b>6-1</b>
Upgrade Procedure.....	6-2
Upgrading the Database Component .....	6-2
Upgrading the Application Components .....	6-2

---

---

# Preface

Welcome to the Oracle Utilities Meter Data Management Quick Install Guide.

The preface includes:

- [Audience](#)
- [Related Documents](#)
- [Updates to Documentation](#)
- [Conventions](#)
- [Acronyms](#)
- [Additional Resources](#)

---

# Audience

This guide is intended for system administrators installing Oracle Utilities Meter Data Management.

To complete the installation you should have:

- Administrative privileges on the host where you are installing the software.
- Experience installing and configuring application servers and other software.

## Related Documents

For more information, see these Oracle documents.

### **Installation, Configuration, and Release Notes**

- *Oracle Utilities Meter Data Management Release Notes*
- *Oracle Utilities Meter Data Management Quick Install Guide*
- *Oracle Utilities Meter Data Management Installation Guide*
- *Oracle Utilities Meter Data Management Database Administrator's Guide*
- *Oracle Utilities Meter Data Management Licensing Information User Manual*

### **User Guides**

- *Oracle Utilities Meter Data Management Business User Guide*
- *Oracle Utilities Meter Data Management Administrative User Guide*

### **Supplemental Documents**

- *Oracle Utilities Meter Data Management Security Guide*
- *Oracle Utilities Meter Data Management Server Administration Guide*

# Updates to Documentation

Additional and updated information about the product is available from the **Knowledge Base** section of **My Oracle Support** (<http://support.oracle.com>). Please refer to **My Oracle Support** for more information. Documentation updates are also posted on the Oracle Technology Network documentation page as they become available ([http://docs.oracle.com/cd/E72219\\_01/documentation.html](http://docs.oracle.com/cd/E72219_01/documentation.html)).

## Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

## Acronyms

The following acronyms and terms are used in this document:

Acronym	Definition
ADF	Oracle Application Development Framework
EAR	Enterprise Archive
EJB	Enterprise JavaBeans
HTML	HyperText Markup Language
JAR	Java Archive
JDBC	Java database connectivity
JMX	Java Management Extensions
JNDI	Java Naming and Directory Interface
JSP	JavaServer Pages
JVM	Java Virtual Machine.
MPL	Multi Purpose Listener
OAAF	Oracle Utilities Application Framework
OAM	Oracle Access Manager
OIM	Oracle Identity Management

---

<b>Acronym</b>	<b>Definition</b>
ONS	Oracle Notification Service
Oracle RAC FCF	Oracle Real Application Clusters Fast Connection Failover
RMI	Remote Method Invocation
SOAP	Simple Object Access Protocol
SOA	Service-oriented architecture
SPLBASE	The location where the application will be installed.
SPLOUTPUT	This location is used for storing batch log files and output from batch jobs
WAR	Web application Archive
WLS	WebLogic
XAIApp	XML Application Integration

## Additional Resources

For more information and support, visit the Oracle Support Web site at:  
<http://www.oracle.com/support/index.html>



# Chapter 1

---

## Supported Platforms and Hardware Requirements

This chapter provides information on the supported platforms and requirements, including:

- [Operating Systems and Application Servers](#)
- [Hardware and Web Browser Requirements](#)
- [Application Server Memory Requirements](#)
- [Support for Software Patches and Upgrades](#)

---

# Operating Systems and Application Servers

This section details the operating system and application server combinations on which this version of Oracle Utilities Meter Data Management is supported.

## Application Server Operating Systems

- Oracle Linux 6.5+ for x86\_64
- Oracle Linux 7.x for x86\_64
- Oracle Solaris 11.x for SPARC (64-bit)
- IBM AIX 7.1/7.2 TLx for POWER (64-bit)

## Prerequisite Application Server Software

- Oracle Database Client 12.1.0.2+, 12.2.0.x
- Oracle Java SE Development Kit 1.8.0\_x (Oracle platforms only)
- IBM 64-bit SDK for AIX 8.0.0.x (IBM platforms only)
- Hibernate ORM 4.1.0 and Hibernate 5.2.3 jars
- Oracle WebLogic Server 12c Release 2 (12.2.1.3+) 64-bit

## Notes

- Oracle Linux is 100% user space-compatible with Red Hat Enterprise Linux, therefore, OUAF is also supported on Red Hat Enterprise Linux.
- Refer to the *Oracle Utilities Application Framework Database Administrator's Guide* for the Oracle Database Server Requirements.

Refer to the *Product Support Matrix (Document ID 1454143.1)* on My Oracle Support to determine if support for newer versions of the listed products have been added.

Please note the following:

- Version numbers marked with a "+" are the MINIMUM version supported. That version and all future 4th digit updates will be supported.

**Example:** Oracle 12.2.0.1+ means that 12.2.0.1 and any higher 12.2.0.x versions of Oracle are supported.

\* An "x" indicates that any version of the digit designed by the "x" is supported.

**Example:** Linux 7.x indicates that any version of Linux 7 (7.0, 7.1, 7.2 etc) will be supported.

## Windows Server

- Windows Server is **not** supported for Production environments. Wherever Windows Server is referenced within this guide, it is supported for Test or Development environments **only**.

## WebLogic Server

- Oracle WebLogic Server (Fusion Middleware Infrastructure) Release 2 (12.2.1.3+) and any higher versions of Oracle are supported.

- Customers must download Oracle WebLogic Server from the Oracle Software Delivery Cloud.

**Oracle Database Server**

Prerequisite Database Server Software (on any vendor supported platform where x is vendor supported version):

- Oracle Database Server Enterprise Edition 12.1.0.x
- Oracle Database Server Standard Edition 2 12.1.0.x
- Oracle Database Server Enterprise Edition 12.2.0.x
- Oracle Database Server Standard Edition 2 12.2.0.x

**Note:** Oracle Database Enterprise Edition and the Partitioning and Advanced Compression options are strongly recommended in all situations.

**Oracle VM Support**

This version of Oracle Utilities Meter Data Management is supported on Oracle VM Server for x86 for supported releases of Oracle Linux and Microsoft Windows operating systems.

Refer to My Oracle Support knowledge base article 249212.1 for Oracle's support policy on VMWare.

## Hardware and Web Browser Requirements

The following section outlines client side hardware requirements for Oracle Utilities Meter Data Management.

### Client Side Hardware Requirements

Configuration	Processor	Memory (RAM)	Monitor (Display)
Minimum	1 GHz or faster 64-bit (x64) processor	2 GB	1280x1024
Recommended*	3 GHz or faster 64-bit (x64) processor	4 GB	1280X1024

\* The Recommended configuration supports better performance of the client.

### Web Browser Requirements

The web browsers listed below are supported when used on each of the operating systems indicated:

Browser	Windows Operating System
Internet Explorer 11	Microsoft Windows 7, 8.1, 10 (64-bit)
Firefox ESR 60	Microsoft Windows 7, 8.1, 10 (64-bit)
Google Chrome	Microsoft Windows 7, 8.1, 10 (64-bit)
Apple Mobile Safari an Apple iPad	iOS 10.x, 11, 12 (selected flows only)

## Application Server Memory Requirements

For each application server environment a minimum of 4 GB of real memory is required, plus 6 GB of swap space. The approximate disk space requirements in a standard

installation are as follows (the size represents the MINIMUM required):

Location	Size	Usage
Install Dir ("\$SPLEBASE") Location	10 GB recommended 5 GB minimum	This is the location where the application and Framework get installed. Startup, shutdown and other online log files are stored here. The size and space that is used should be monitored because various debugging options can significantly affect the size of log files.  <b>Note:</b> This does not include the size of the edge product.
Log Dir ("\$SPLOUTPUT") Location	10 GB recommended 2 GB minimum	This location is used for storing batch log files and output from batch jobs. The size of this space should be influenced by which batches are run and how often, and the amount of debugging information that is collected.
Location of the application web work files on the web servers	5 GB recommended 2 GB minimum	This location is used by various web server vendors to expand the application. It should be considered when installing these products. Refer to the individual web server documentation to determine the location of the temporary files.
Installation Temporary Area	10 GB minimum	The application gets installed from this location. You need enough space to uncompress the files and install the application.
Oracle Data Area	10 GB minimum	This location is where the Oracle database data files are stored. The size of this space should be based on the requirements of the production environment. For an initial or demo database install 4 GB should be sufficient.

## Support for Software Patches and Upgrades

Due to the ongoing nature of software improvement, vendors will periodically issue patches and service packs for the operating systems, application servers and database servers on top of specific versions that Oracle products have already been tested against.

If it is necessary to apply an upgrade, please do so in a test environment that is running on the same platform as your production environment prior to updating the production environment itself. The exception to this is Hibernate software 4.1.0 which should not be upgraded.

Always contact Oracle Support prior to applying vendor updates that do not guarantee backward compatibility.



# Chapter 2

---

## Introduction

This chapter provides an overview of the Oracle Utilities Meter Data Management product and installation process. It contains the following sections:

- [Installation Overview](#)
- [Installation Components](#)
- [Installation Types](#)
- [Media Pack Components](#)

# Installation Overview


This section provides a high-level overview of the installation steps for Oracle Utilities Meter Data Management (MDM) and selected additional software. For more information, refer to the *Oracle Utilities Meter Data Management Installation Guide*.

Installing Oracle Utilities Meter Data Management involves the following steps:

1. Review the different tiers of the application architecture as described in the [Application Architecture](#) section of the *Oracle Utilities Meter Data Management Installation Guide*.
2. Understand the hardware requirements for installing the application and the supported platforms as described in the [Supported Platforms and Hardware Requirements](#) section of the *Oracle Utilities Meter Data Management Installation Guide*.
3. Plan your installation as described in the [Planning the Installation](#) section of the *Oracle Utilities Meter Data Management Installation Guide*.
4. Install all required third-party software as described in the [Installing Prerequisite Software](#) section of the *Oracle Utilities Meter Data Management Installation Guide*.
5. Install the database as described in the *Oracle Utilities Meter Data Management Database Administrator's Guide*.
6. Install the framework for the application.
7. Install the Oracle Utilities Service and Measurement Data Foundation for the application.
8. Install Oracle Utilities Meter Data Management.
9. Complete post installation tasks as described in the [Additional Tasks](#) section of the *Oracle Utilities Meter Data Management Installation Guide*.



The following diagram provides an overview of the steps that need to be taken to install and configure Oracle Utilities Meter Data Management:



Refer to My Oracle Support for up-to-date additional information on Oracle Utilities Meter Data Management installation.

# Installation Components

The Oracle Utilities Meter Data Management product installation consists of the following components:

- Database Components
  - Oracle Utilities Application Framework database
  - Oracle Utilities Meter Data Management database
- Application Components
  - Oracle Utilities Application Framework application
  - Oracle Utilities Meter Data Management application

For a successful installation, you must install ALL of the above components.

## Installation Types

The first step in the installation procedure is to determine the installation type that meets your business requirements. The following are the possible installation types:

- [Initial Installation](#) - A base installation, typically used for a production environment
- [Demo Installation](#) - A base installation with pre-populated demo data, typically used for demonstration or training purposes
- [Upgrade Installation](#) - An upgrade installation from version 2.1.0.3.0 or 2.2.0.2.0 to version 2.3.0.0.0.

The following sections describe these installation types in detail.

### Initial Installation

This installation type is applicable when installing Oracle Utilities Meter Data Management for the first time or from scratch. For an initial install, you must install all of the following components:

- Database components  
Refer to the “Initial Install” section of the *Oracle Utilities Meter Data Management Database Administrator’s Guide* for more information.
- Application components
  - Oracle Utilities Application Framework application
  - Oracle Utilities Meter Data Management application

Refer to the **Installing Oracle Utilities Meter Data Management - Initial Installation** chapter in the *Oracle Utilities Meter Data Management Installation Guide* for steps involved in installing each of the above components.

## Demo Installation

This installation type is applicable when installing a demo application of Oracle Utilities Meter Data Management for demonstration or training purposes. For a demo install, you must install all of the following components:

- Demo Database components  
Refer to the **Demo Install** section in the Oracle Utilities Meter Data Management *Database Administrator's Guide* for more information.
- Application components
  - Oracle Utilities Application Framework application
  - Oracle Utilities Meter Data Management application

Refer to the **Installing Oracle Utilities Meter Data Management - Demo Installation** chapter in the *Oracle Utilities Meter Data Management Installation Guide* for the steps involved in installing each of the above components.

## Upgrade Installation

This installation type is applicable when upgrading Oracle Utilities Meter Data Management from versions 2.1.0.3.0 or 2.2.0.2.0 to version 2.3.0.0.

**Note:** If you have a version prior to 2.1.0.3.0, you must install 2.1.0.3.0 before upgrading to 2.3.0.0.

- Database components  
Refer to the **Upgrade Install** section in the *Oracle Utilities Meter Data Management Database Administrator's Guide* for more information.
- Application components
  - Oracle Utilities Application Framework application
  - Oracle Utilities Meter Data Management application

Refer to the **Upgrading Oracle Utilities Meter Data Management** chapter in the *Oracle Utilities Meter Data Management Installation Guide* for steps involved in upgrading each of the above components.

## Recommendations for Creating a Production Environment

For a production environment, Oracle recommends that you complete the Initial Installation installation type. If there is any custom configuration that needs to be migrated from a development or “gold” environment into production, the migration can be done by using the Configuration Migration Assistant (CMA). Please refer to the appendix “Configuration Migration Assistant” in the *Oracle Utilities Meter Data Management Configuration Guide* for more details about CMA.

Oracle does not recommend creating a production environment by using the Demo Installation installation type, or by cloning an existing Demo installation.

# Media Pack Components

The Oracle Utilities Meter Data Management Media Pack consists of the following packages:

## Documentation Packages

- Oracle Utilities Meter Data Management V2.3.0.0 Quick Install Guide
- Oracle Utilities Meter Data Management V2.3.0.0 Release Notes
- Oracle Utilities Meter Data Management V2.3.0.0 Supplemental Documentation
- Oracle Utilities Meter Data Management V2.3.0.0 User Documentation
- Oracle Utilities Meter Data Management V2.3.0.0 Install Documentation

## Installation Packages

- Oracle Utilities Meter Data Management V2.3.0.0 Reports
- Oracle Utilities Meter Data Management V2.3.0.0 Demo
- Oracle Utilities Meter Data Management V2.3.0.0 Multiplatform
- Oracle Fusion Middleware 12c (12.2.1.3) Web Logic Server and Coherence

# Chapter 3

---

## Planning the Installation

This chapter provides information for planning an Oracle Utilities Meter Data Management installation, including:

- [Before You Install](#)
- [Prerequisite Software List](#)
- [Installing Prerequisite Software](#)
- [Readiness Checklist](#)

---

## Before You Install

Refer to My Oracle Support for up-to-date additional information about installing Oracle Utilities Meter Data Management.

### WebLogic Native Installation

With Oracle Utilities Application Framework 4.3.0.6.0, a WebLogic native installation is required. Refer to the *Oracle WebLogic 12.2.1.x Configuration Guide for Oracle Utilities Framework (Doc ID 2413918.1)* whitepaper on My Oracle Support.

### Application Server Clustering

If you are considering application server clustering, refer to the *Oracle WebLogic 12.2.1.x Configuration Guide for Oracle Utilities Framework (Doc ID 2413918.1)* whitepaper on My Oracle Support for additional information.

Additional information about WebLogic clustering can be found at [http://docs.oracle.com/cd/E17904\\_01/web.1111/e13709/toc.htm](http://docs.oracle.com/cd/E17904_01/web.1111/e13709/toc.htm).

### Directory Names

Directory cannot contain whitespace characters.

## Prerequisite Software List

Before you install Oracle Utilities Meter Data Management, you must install prerequisite software.

Refer to the respective installation documentation of the software for instructions on downloading and installing.

### Prerequisite Software for Database Server

The prerequisite software for the database component of Oracle Utilities Meter Data Management is as follows:

- **Oracle Database Server 12.1.0.1+** - This is required for installing the database component of the Oracle Utilities Meter Data Management product. The following version of the database server is supported:
  - Oracle Database Enterprise Edition

**Note:** Oracle Database Enterprise Edition and the Partitioning and Advanced Compression options are strongly recommended in all situations.

## Prerequisite Software for Application Server

The prerequisite software for the application component of Oracle Utilities Meter Data Management is as follows:

- Oracle Database 12c Client
- JDK 1.8.0\_131+ (64-bit)
- Oracle WebLogic 12c (12.2.1.3+)
- Hibernate 4.1.0 Final, Hibernate 5.5.4 Final

## Web Browser Requirements

The web browsers listed below are supported when used on each of the operating systems indicated:

Browser	Windows Operating System
Internet Explorer 11	Microsoft Windows 7, 8.1, 10 (64-bit)
Firefox ESR 52	Microsoft Windows 7, 8.1, 10 (64-bit)
Google Chrome	Microsoft Windows 7, 8.1, 10 (64-bit)

## Installing Prerequisite Software

Refer to the section “**Installing Prerequisite Software**” in the *Oracle Utilities Meter Data Management Installation Guide* for detailed instructions on installing the prerequisite software.

## Readiness Checklist

The following checklist will guide you through the installation process of Oracle Utilities Meter Data Management. The details for each step are presented in the *Oracle Utilities Meter Data Management Installation Guide*.

1. Confirm recommended hardware is ready. Refer to **Supported Platforms and Hardware Requirements** for more details.
2. Install prerequisite software, refer to **Prerequisite Software List** for more details.
3. Ensure that you have downloaded Oracle Utilities Meter Data Management components.
4. Go through the installation and configuration worksheets to understand the configuration menu.
5. Determine type of the installation:
  - **Initial Installation** - For initial installation follow the instructions mentioned in *Oracle Utilities Meter Data Management Installation Guide*.

- **Demo Installation** - For demo installation follow the instructions mentioned in *Oracle Utilities Meter Data Management Installation Guide*.
  - **Upgrade Installation** - For upgrade installation follow the instructions mentioned in *Oracle Utilities Meter Data Management Installation Guide*.
6. Perform post-installation tasks.



# Chapter 4

---

## Installing Oracle Utilities Meter Data Management - Initial Installation

This chapter provides an overview of installing Oracle Utilities Meter Data Management from scratch. It includes the following sections:

- [Before You Install](#)
- [Initial Installation Procedure](#)

## Before You Install

Refer to My Oracle Support for up-to-date additional information on Oracle Utilities Meter Data Management.

## Initial Installation Procedure

The initial installation procedure consists of:

- [Installing the Database Component](#)
- [Installing the Application Components](#)

### Installing the Database Component

Installation of the database component of Oracle Utilities Meter Data Management must be complete before you can proceed with the following sections. Refer to the **Initial Install** section in the *Oracle Utilities Meter Data Management Database Administrator's Guide*, which provides instructions on installing the database component.

### Installing the Application Components

Refer to the **Installing Oracle Utilities Meter Data Management - Initial Installation** section in the *Oracle Utilities Meter Data Management Installation Guide*, which provides instructions on installing the application components.

# Chapter 5

---

## Installing Oracle Utilities Meter Data Management - Demo Installation

This chapter provides an overview of the instructions for setting up a demo application of Oracle Utilities Meter Data Management useful for demonstration or training purposes. It includes the following sections:

- [Before You Install](#)
- [Demo Installation Procedure](#)

## Before You Install

Refer to My Oracle Support for up-to-date additional information on Oracle Utilities Meter Data Management.

## Demo Installation Procedure

The demo installation procedure consists of:

- [Database Component Installation](#)
- [Application Components Installation](#)

### Database Component Installation

Installation of the database component of Oracle Utilities Meter Data Management must be complete before you can proceed with the following sections. Refer to the **Demo Install** section in the *Oracle Utilities Meter Data Management Database Administrator's Guide*, which provides instructions on installing the database component with pre-populated demo data.

### Application Components Installation

Refer to the **Installing Oracle Utilities Meter Data Management - Demo Installation** chapter in the *Oracle Utilities Meter Data Management Installation Guide*, which provides instructions on installing the application components.

# Chapter 6

---

## Upgrading Oracle Utilities Meter Data Management

This chapter provides an overview of upgrading Oracle Utilities Meter Data Management from V2.1.0.3.0 or V2.2.0.2.0 to V2.3.0.0.0. It includes:

- [Before You Upgrade](#)
- [Upgrade Procedure](#)

## Before You Upgrade

Review the list of operating system, application server and database server combinations that Oracle Utilities Meter Data Management is certified to operate on, in the [Supported Platforms and Hardware Requirements](#) chapter.

For further assistance, contact My Oracle Support before you upgrade.

## Upgrade Procedure

The initial installation procedure consists of:

- [Upgrading the Database Component](#)
- [Upgrading the Application Components](#)

### Upgrading the Database Component

Upgrade of the database component of Oracle Utilities Meter Data Management must be complete before you can proceed with the following sections. Refer to the **Upgrade Install** chapter in the *Oracle Utilities Meter Data Management Database Administrator's Guide*, which provides instructions on upgrading the database component.

### Upgrading the Application Components

Refer to the **Upgrading** Oracle Utilities Meter Data Management chapter in the *Oracle Utilities Meter Data Management Installation Guide*, which provides instructions on installing the application components.