

Gateway Documentation - Fund Price
Oracle FLEXCUBE Universal Banking
Release FCIS_12.0.4.0.0
[September] [2014]



Table Of Contents

1. BACKGROUND	1
2. FCISFundPrice	2
2.1. QueryFundPrice	2
2.1.1. <i>UT-QueryFundPrice-Req-IO-MSG.xsd</i>	2
2.1.2. <i>UT-QueryFundPrice-Res-Full-MSG.xsd</i>	8

1.BACKGROUND

Integration of different applications and solutions is a key area in today's systems. A variety of specialized applications deployed on disparate platforms and using different infrastructure need to be able to communicate and integrate seamlessly with FLEXCUBE UBS in order to exchange data. The FLEXCUBE UBS Integration Gateway (referred to as Gateway) will cater to these integration needs.

The integration needs supported by the Gateway can be broadly categorized from the perspective of the Gateway as follows:

1. Inbound application integration – used when any external system needs to add, modify or query information within FLEXCUBE UBS

2. Outbound application integration– used when any external system needs to be notified of the various events that occur within FLEXCUBE UBS

The following sections provide detailed XSD documentation of all operations available in FCISFundPrice of UT-Module

2.FCISFundPrice

Fund PriceFund Price

2.1.QueryFundPrice

Query Fund Price

2.1.1.UT-QueryFundPrice-Req-IO-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

Fund-Price-IO

FUNDID

EFFECTIVEDATE

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description
Name	SOURCE
Datatype	String
Description	

Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION
Datatype	String
Description	

Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z 0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z 0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

Fund-Price-IO

Attribute	Description
Name	Fund-Price-IO
Datatype	
Description	

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates FUnd Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

EFFECTIVEDATE

Attribute	Description	
Name	EFFECTIVEDATE	
Datatype	Date	
Description	Indicates Effective date	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

2.1.2.UT-QueryFundPrice-Res-Full-MSG.xsd

FCUBS_HEADER

SOURCE

UBSCOMP

MSGID

CORRELID

USERID

BRANCH

MODULEID

SERVICE

OPERATION

SOURCE_OPERATION

SOURCE_USERID

DESTINATION

MULTITRIPID

FUNCTIONID

ACTION

MSGSTAT

ADDL

PARAM

NAME

VALUE

FCUBS_BODY

CHOICE

Fund-Price-IO

FUNDID

EFFECTIVEDATE

Fund-Price-Full

FUNDID

REALNAVPERUNIT

DECLAREDNAV

TOTALNETASSET

OUTSTANDINGUNITS

FIOUTSTANDINGUNITS

NOOFUNITHOLDERS

FLOORPRICE

CEILINGPRICE

EFFECTIVEDATE

HURDLERATE

HWMPLUSHURDLE

AMENDTXNFLG

FUNDIDENTIFICATIONNUMBER

REFLECTINTRADING

NETASSETVALUE
 TOTALASSETS
 FORMULABUILDER
 FUNDBASECURRENCY
 NAVLOT
 HWM
 SWINGPRICEBASIS
 SWINGINGPRICE
 MAKER
 MAKERSTAMP
 CHECKER
 CHECKERSTAMP
 MODNO
 TXNSTAT
 AUTHSTAT
 Fund-Price-Details
 EFFECTIVEDATE
 TRANSACTIONBASEPRICE
 BASEPRICECONSTANT
 ALLOCATIONPERVSREGCAPITAL1
 TRANSACTIONTYPE
 Fund-Price-Component
 COMPONENTVALUE
 COMPONENTDESC
 Fund-Addinfo
 ADDINFOLABEL
 FCUBS_ERROR_RESP
 ERROR
 ECODE
 EDESC
 FCUBS_WARNING_RESP
 WARNING
 WCODE
 WDESC

FCUBS_HEADER

Attribute	Description
Name	FCUBS_HEADER
Datatype	
Description	

[TOP](#)

SOURCE

Attribute	Description
Name	SOURCE

Datatype	String	
Description		
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

UBSCOMP

Attribute	Description	
Name	UBSCOMP	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	enumeration	FCUBS,FCIS

[TOP](#)

MSGID

Attribute	Description	
Name	MSGID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

CORRELID

Attribute	Description	
Name	CORRELID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

USERID

Attribute	Description	
Name	USERID	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	maxLength	12
	pattern	[A-Z_0-9]*

[TOP](#)

BRANCH

Attribute	Description	
Name	BRANCH	
Datatype	String	
Description		
Restrictions	Restrictions	Description
	length	3
	pattern	[a-zA-Z_0-9]{3}

[TOP](#)

MODULEID

Attribute	Description	
Name	MODULEID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

SERVICE

Attribute	Description	
Name	SERVICE	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

OPERATION

Attribute	Description	
Name	OPERATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_OPERATION

Attribute	Description
Name	SOURCE_OPERATION

Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

SOURCE_USERID

Attribute	Description	
Name	SOURCE_USERID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
	nillable	true

[TOP](#)

DESTINATION

Attribute	Description	
Name	DESTINATION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

MULTITRIPID

Attribute	Description	
Name	MULTITRIPID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z_0-9]*

[TOP](#)

FUNCTIONID

Attribute	Description	
Name	FUNCTIONID	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	8
	pattern	[A-Z 0-9]*

[TOP](#)

ACTION

Attribute	Description	
Name	ACTION	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	pattern	[a-zA-Z 0-9]*

[TOP](#)

MSGSTAT

Attribute	Description	
Name	MSGSTAT	
Datatype	String	
Description		
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	SUCCESS,WARNING,FAILURE

[TOP](#)

ADDL

Attribute	Description	
Name	ADDL	
Datatype		
Description		
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

PARAM

Attribute	Description	
Name	PARAM	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

NAME

Attribute	Description
Name	NAME
Datatype	String
Description	

[TOP](#)

VALUE

Attribute	Description
Name	VALUE
Datatype	String
Description	

[TOP](#)

FCUBS_BODY

Attribute	Description
Name	FCUBS_BODY
Datatype	
Description	

[TOP](#)

CHOICE

Attribute	Description
Name	CHOICE
Datatype	
Description	

[TOP](#)

Fund-Price-IO

Attribute	Description
Name	Fund-Price-IO
Datatype	
Description	

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates FUnD Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

EFFECTIVEDATE

Attribute	Description	
Name	EFFECTIVEDATE	
Datatype	Date	
Description	Indicates Effective date	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

Fund-Price-Full

Attribute	Description	
Name	Fund-Price-Full	
Datatype		
Description		

[TOP](#)

FUNDID

Attribute	Description	
Name	FUNDID	
Datatype	String	
Description	Indicates FUnd Id	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	6

[TOP](#)

REALNAVPERUNIT

Attribute	Description	
Name	REALNAVPERUNIT	
Datatype	Number	
Description	Indicates Real NAV Per Unit	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

DECLAREDNAV

Attribute	Description	
Name	DECLAREDNAV	
Datatype	Number	
Description	Indicates Declare NAV	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

TOTALNETASSET

Attribute	Description
-----------	-------------

Name	TOTALNETASSET	
Datatype	Number	
Description	Indicates Total Net Asset	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

OUTSTANDINGUNITS

Attribute	Description	
Name	OUTSTANDINGUNITS	
Datatype	Number	
Description	Indicates Outstanding Units	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FIOUTSTANDINGUNITS

Attribute	Description	
Name	FIOUTSTANDINGUNITS	
Datatype	Number	
Description	Indicates FI Outstanding Units	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

NOOFUNITHOLDERS

Attribute	Description	
Name	NOOFUNITHOLDERS	
Datatype	Number	
Description	Indicates Number of unitholders	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

FLOORPRICE

Attribute	Description	
Name	FLOORPRICE	
Datatype	Number	
Description	Indicates Floor Price	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

CEILINGPRICE

Attribute	Description	
Name	CEILINGPRICE	
Datatype	Number	
Description	Indicates Ceiling Price	

Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

EFFECTIVEDATE

Attribute	Description	
Name	EFFECTIVEDATE	
Datatype	Date	
Description	Indicates Effective date	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

HURDLERATE

Attribute	Description	
Name	HURDLERATE	
Datatype	Number	
Description	Indicates Hurdle Rate	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

HWMPUSHURDLE

Attribute	Description	
Name	HWMPUSHURDLE	
Datatype	Number	
Description	Indicates HWM Plus the Hurdle	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

AMENDTXNFLG

Attribute	Description	
Name	AMENDTXNFLG	
Datatype	Number	
Description	Indicates Amend Transaction Flag	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

FUNDIDENTIFICATIONNUMBER

Attribute	Description	
Name	FUNDIDENTIFICATIONNUMBER	
Datatype	String	
Description	Indicates Fund Identification Number	
Attributes	Attribute	Description
	minOccurs	0

Restrictions	Restrictions	Description
	maxLength	25

[TOP](#)

REFLECTINTRADING

Attribute	Description	
Name	REFLECTINTRADING	
Datatype	Number	
Description	Indicates Reflect in Trading	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

NETASSETVALUE

Attribute	Description	
Name	NETASSETVALUE	
Datatype	String	
Description	Indicates Net Assest Value	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

TOTALASSETS

Attribute	Description	
Name	TOTALASSETS	
Datatype	String	
Description	Indicates Total Assets	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

FORMULABUILDER

Attribute	Description	
Name	FORMULABUILDER	
Datatype	String	
Description	Indicates Formula Builder	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	enumeration	Y,N

[TOP](#)

FUNDBASECURRENCY

Attribute	Description	
Name	FUNDBASECURRENCY	
Datatype	String	
Description	Indicates Fund Based Currency	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	3

[TOP](#)

NAVLOT

Attribute	Description	
Name	NAVLOT	
Datatype	Number	
Description	Indicates Real NAV Lot	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

HWM

Attribute	Description	
Name	HWM	
Datatype	Number	
Description	Indicates HMW	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

SWINGPRICEBASIS

Attribute	Description	
Name	SWINGPRICEBASIS	
Datatype	String	
Description	Swinging Price Basis	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

SWINGINGPRICE

Attribute	Description	
Name	SWINGINGPRICE	
Datatype	Number	
Description	Swinging Price	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

MAKER

Attribute	Description	
Name	MAKER	
Datatype	String	
Description	Indicates Maker Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

MAKERSTAMP

Attribute	Description	
Name	MAKERSTAMP	
Datatype	String	
Description	Indicates Maker Date Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

CHECKER

Attribute	Description	
Name	CHECKER	
Datatype	String	
Description	Indicates Checker Id	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	12

[TOP](#)

CHECKERSTAMP

Attribute	Description	
Name	CHECKERSTAMP	
Datatype	String	
Description	Indicates Checker Date Time Stamp	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	35

[TOP](#)

MODNO

Attribute	Description	
Name	MODNO	
Datatype	Number	
Description	Indicates Modification Number	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TXNSTAT

Attribute	Description	
Name	TXNSTAT	
Datatype	String	
Description	Indicates Transaction or record Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

AUTHSTAT

Attribute	Description	
Name	AUTHSTAT	
Datatype	String	
Description	Indicates Authorization Status	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	1

[TOP](#)

Fund-Price-Details

Attribute	Description	
Name	Fund-Price-Details	
Datatype		
Description	Indicates Fund Price Details	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

EFFECTIVEDATE

Attribute	Description
Name	EFFECTIVEDATE
Datatype	Date
Description	Indicates Effective date

Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

TRANSACTIONBASEPRICE

Attribute	Description	
Name	TRANSACTIONBASEPRICE	
Datatype	Number	
Description	Indicates Transaction Base Price	
Attributes	Attribute	Description
	minOccurs	1

[TOP](#)

BASEPRICECONSTANT

Attribute	Description	
Name	BASEPRICECONSTANT	
Datatype	Number	
Description	Indicates Base Price Constant	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

ALLOCATIONPERVSREGCAPITAL1

Attribute	Description	
Name	ALLOCATIONPERVSREGCAPITAL1	
Datatype	Number	
Description	Indicates Allocation Per VS Register Capital	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

TRANSACTIONTYPE

Attribute	Description	
Name	TRANSACTIONTYPE	
Datatype	String	
Description	Indicates Transaction Type	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	2

[TOP](#)

Fund-Price-Component

Attribute	Description	
Name	Fund-Price-Component	
Datatype		
Description	Indicates Fund Pirce Component	

Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

COMPONENTVALUE

Attribute	Description	
Name	COMPONENTVALUE	
Datatype	Number	
Description	Indicates Component Value	
Attributes	Attribute	Description
	minOccurs	0

[TOP](#)

COMPONENTDESC

Attribute	Description	
Name	COMPONENTDESC	
Datatype	String	
Description	Indicates Component Description	
Attributes	Attribute	Description
	minOccurs	1
Restrictions	Restrictions	Description
	maxLength	50

[TOP](#)

Fund-Addinfo

Attribute	Description	
Name	Fund-Addinfo	
Datatype		
Description	Indicates Fund Additional Info	
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ADDINFOLABEL

Attribute	Description	
Name	ADDINFOLABEL	
Datatype	String	
Description	Indicates Additional Info Label	
Attributes	Attribute	Description
	minOccurs	0
Restrictions	Restrictions	Description
	maxLength	30

[TOP](#)

FCUBS_ERROR_RESP

Attribute	Description	
Name	FCUBS_ERROR_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

ERROR

Attribute	Description	
Name	ERROR	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

ECODE

Attribute	Description
Name	ECODE
Datatype	String
Description	

[TOP](#)

EDESC

Attribute	Description
Name	EDESC
Datatype	String
Description	

[TOP](#)

FCUBS_WARNING_RESP

Attribute	Description	
Name	FCUBS_WARNING_RESP	
Datatype		
Description		
Attributes	Attribute	Description
	maxOccurs	unbounded
	minOccurs	0

[TOP](#)

WARNING

Attribute	Description
Name	WARNING
Datatype	
Description	

Attributes	Attribute	Description
	maxOccurs	unbounded

[TOP](#)

WCODE

Attribute	Description
Name	WCODE
Datatype	String
Description	

[TOP](#)

WDESC

Attribute	Description
Name	WDESC
Datatype	String
Description	

[TOP](#)



Fund Price
[September] [2014]

Oracle Financial Services software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
www.oracle.com/financialservices/

Copyright © [2007], [2014], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are commercial computer software pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any

kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.