

Release Notes for Oracle WebCenter Portal

Learn about the issues you may encounter when using Oracle WebCenter Portal and how to work around them.

Topics:

- [New Features](#)
- [Certification Information](#)
- [Product Documentation](#)
- [Oracle Support](#)
- [Deprecated Features](#)
- [Issues Related to Installing and Configuring Oracle WebCenter Portal](#)
- [Issues Related to Patching and Upgrading Oracle WebCenter Portal](#)
- [Issues Related to Mobile Applications](#)
- [General Issues and Workarounds](#)

New Features

For an overview of the new features and enhancements for Oracle WebCenter Portal, see *What's New for Oracle WebCenter Portal*.

Certification Information

To see versions of platforms, supported browser and related software for which Oracle WebCenter Portal is certified and supported, go to <http://www.oracle.com/technetwork/middleware/ias/downloads/fusion-certification-100350.html>.

Product Documentation

For complete documentation on Oracle WebCenter Portal go to <http://docs.oracle.com/en/middleware/>

Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support at <https://support.oracle.com>.

Deprecated Features

The following features are deprecated in WebCenter Portal 12c (12.2.1.4):

Deprecated Features	Notes
Document Task Flows	<p>List of the Document Task Flows that are deprecated:</p> <ul style="list-style-type: none">• Document Explorer task flow - Replaced by Content Manager task flow, which is based on WebCenter Content ADF UI.• Document List Viewer task flow - Replaced by Content Presenter task flow.• Document Manager task flow - Replaced by Content Manager task flow, which is based on WebCenter Content ADF UI.• Document Navigator task flow - Deprecated. No replacement.• Folder Viewer task flow - Replaced by Content Manager task flow, which is based on WebCenter Content ADF UI.• Recent Documents task flow - Deprecated. No replacement.• Document Viewer task flow - Replaced by Content Viewer task flow, which is based on WebCenter Content ADF UI.• Document Mini Properties task flow - Deprecated. No replacement.• Document Properties task flow - Deprecated. No replacement.• Document Version History task flow - Deprecated. No replacement.

Deprecated Features	Notes
The Document Manager task flow has few settings that are not available in the Content Manager task flow.	<p>The Document Manager task flow has the following settings that are not available in the Content Manager task flow:</p> <ul style="list-style-type: none"> • Connection Name: In 11g, we were able to select different content repositories to show information in the task flow. This option is not available in the Content Manager task flow. In 12c, we can only have one Content server connection. • Features Off - In 11g, we were able to specify a list of disabled features for the task flow. For example, search, advanced search, clipboard, rename, newfolder, upload, checkin, checkout, editoffice, edithtml, delete, sidebars, and history. None of these options (enable/disable) are available in the Content Manager task flow in 12c. • Layout - In 11g, we were able to specify some available layouts for the Content Manager task flow. For example, Explorer, Table, Tree table. None of these options are available in the Content Manager task flow in 12c. • Page Size - In 11g, we were able to specify how many rows to show in the task flow. In the Content Manager task flow, in 12c, you can only select 10, 25, or 50 items per page. • Read Only - In 11g, we were able to disable and hide content management operations. None of these options are available in the Content Manager task flow in 12c.
Announcements and Discussions	Oracle WebCenter Portal has deprecated the support for Jive features (announcements and discussions). If you have upgraded from a prior release to Release 12c (12.2.1.4.0), Jive features remain available in your upgraded instance but Oracle support is not provided for these features. In the next release, Jive features will not be available even in the upgraded instances
Mosaic and Unicorn built-in page templates	Beginning with Release 12c (12.2.1.4.0), Oracle WebCenter Portal has deprecated the support for the built-in page templates Mosaic and Unicorn. However, if you have upgraded from a prior release, these page templates remain available in your upgraded instance.
Oracle Secure Enterprise Search (Oracle SES)	Beginning with Release 12c (12.2.1.4.0), Oracle WebCenter Portal has deprecated the support for Oracle SES. If you have upgraded from a prior release, your upgraded instance might be configured to use Oracle SES. In this case, you must configure WebCenter Portal to use Elasticsearch to index and search objects.
Pagelet Producers	Beginning with Release 12c (12.2.1.4.0), Oracle WebCenter Portal has deprecated the support for Pagelet producers.
OmniPortlet	Oracle WebCenter Portal has deprecated the support for OmniPortlet feature.

The following features are deprecated in WebCenter Portal 12c (12.2.1.3):

Deprecated Features	Notes
Announcements and Discussions	Oracle WebCenter Portal has deprecated support for Jive features (announcements and discussions). If you are upgrading from a prior release, these features remain available in your existing installations that are being upgraded.

The following features are deprecated in WebCenter Portal 12c (12.2.1):

Deprecated Features	Notes
E2.0 Producer	Use ADF task flows, including WebCenter Portal task flows.
Folders_g as WebCenter Content Foldering Service	Migrate to Framework Folders.
Support for IBM DB2 Database	Support for IBM DB2 Database is deprecated.
Support for IBM WebSphere	Support for IBM WebSphere is deprecated.
Support for Microsoft Desktop Integration	Migrate to Framework Folders and leverage the WebCenter Content Desktop Integration feature.
Support for Microsoft Exchange Server 2003 and 2007	Oracle recommends that you upgrade to Microsoft Exchange Server 2010 and higher versions.
Support for Microsoft Office Communicator R1	Oracle recommends that you upgrade to Microsoft Lync 2010.
Support for OES 10g Dynamic Role	Support for OES 10g Dynamic Role is deprecated.
Support for Oracle Portal Adapter	Support for Oracle Portal Adapter is deprecated.
Support for Personalization Server	Support for Personalization Server is deprecated.
Support for Trinidad Render	Use default ADF renderer instead.
WebCenter Portal Activity Graph	Activity Graph feature is deprecated.
WebCenter Portal Live Search	Enable Oracle Secure Enterprise Search to search portal objects in WebCenter Portal.
WebCenter Portal Page templates prior to 11g PS3 Release (11.1.1.4.0)	After you upgrade to 12c, update your portal to use the new built-in page templates.
WebCenter Portal Polls and Surveys	Polls and Surveys tools are deprecated (available from 12.2.1.4.0).
WebCenter Portal Recent Activities task flow	Use the Activity Stream task flow.
WebCenter Portal Rich Text Portlet	Use ADF rich text editor instead.
WebCenter Portal Worklist task flows	Worklist task flow is deprecated.
Web Clipping Portlet	Use WebCenter Pagelet Producer instead.

Issues Related to Installing and Configuring Oracle WebCenter Portal

Irregular Translation When IE 10 or 11 Browser Is Set to Some Chinese Language Locales

Bug: 19566825

Platform: All

This note refers to more recent versions of the Internet Explorer browser 10+. These browsers support BCP47 style language tags, such as the Chinese locales zh-Hans-SG, zh-Hans-CN, zh-Hant-HK, zh-Hant-MO, and zh-Hant-TW.

If you set your browser language to zh-Hans-SG, zh-Hant-HK, or zh-Hant-MO, and the same language is not set in WebCenter Portal, you will likely see translation inconsistencies on a page. For example, some WebCenter Portal user interface elements may default to the locale selected for the server; some content may default to Traditional or Simplified Chinese.

Workaround: Set your IE 10+ browser locale to zh-Hans-CN or zh-Hant-TW, or select a language preference through the WebCenter Portal UI under user preferences. You can also select your preferred language from the WebCenter Portal login UI.

Issues Related to Patching and Upgrading Oracle WebCenter Portal

Top Banner Not Rendering Correctly

Bug: 16786746

Platform: All

In Oracle WebCenter Portal, when you open a portal that was upgraded from a previous installation, the top banner of the portal does not render correctly. This happens when the portal has a page template set to a specific value and the skin is left as [System Default].

Workaround: Choose a skin to match the page template. Configure the upgraded portal to use the Spaces FX or Fusion FX skin, depending on the page template.

Issues Related to Mobile Applications

Unable to View Entire Content on iPad Because Scrollbars Not Shown

Bug: 14488651

Platform: iOS (mobile)

The Apple iOS platform does not use scrollbars. When you view a page on an iPad, content may appear truncated because scrollbars are not shown. Also, iFrame components ignore dimensions on an iPad.

Workaround: To view the entire content area, use the two-finger scroll gesture on your iPad.

RSS Links Not Working Properly on iPad

Bug: 14487974

Platform: iOS (mobile)

The Apple iOS platform renders RSS links by loading them through the site reader.mac.com. If the WebCenter Portal instance is not accessible outside of your firewall, RSS links cannot be viewed.

Cannot Upload Content Using iPad

Bugs: 14488559 and 14487904

Platform: iOS (mobile)

The Apple iOS platform does not support a native file system browser; therefore, you cannot upload content from an iPad. All upload actions, such as publish, upload, and share, are disabled or hidden when you access WebCenter Portal from an iPad.

Cannot Copy Text on a Page Using iPad

Bug: 14488336

Platform: iOS (mobile)

When you access a page through an iPad, you cannot copy the text that is shown on the page. This is a limitation from the Apple iOS platform.

Mobile Page Variants Not Displayed Correctly on Nexus 4 Devices

Bug: 16954597

Platform: Mobile

Mobile page variants are not displayed on the Nexus 4 devices.

Workaround: To resolve this issue, create a new device with the following user agent string:

```
Mozilla/5.0 \ (Linux; Android.+4.2.+Nexus 4.+Chrome.*Mobile Safari.*
```

General Issues and Workarounds

SQL Query with NCHAR Data Type Throws Exception

Bug: 12956478

Platform: All

When using a SQL data control, you may encounter an error if the query contains a column with the NCHAR data type.

Workaround: You can workaroud this issue by using the `to_char (NCHAR_COLUMN NAME)` function.

Cannot Customize or Personalize a JSF Portlet

Bug: 13331428

Platform: All

When you click **OK** after customizing or personalizing a JSF portlet (that is, a portlet created using the Oracle JSF Portlet Bridge), the portlet produces a time-out message and ceases to respond. This occurs when performing two actions in single operation (editing and then changing the portlet mode).

Workaround: First perform the edit action and click **Apply** (instead of **OK**), and then click **Return** to change the portlet mode back to View mode. Portlet developers can avoid the issue entirely by editing the code for the generated Edit Defaults mode in the `edit_defaults.jspx` file and the Edit mode in the `edit.jspx` file: Remove the code for the **OK** button so users must use **Apply**.

Embedded Images Not Rendered in the Mail Task Flow

Bug: 14407330 (Enhancement Request: 14552633)

Platform: All

The Mail task flow does not render embedded images. Emails that contain inline images show them as attachments rather than render them within the message body.

Error When Page Name Includes a Space

Bug: 16977809

Platform: All

When accessing a portal page on a device, such as a tablet or iPhone, an issue arises when all of the following conditions are true:

- The page name has a space
- The page does not have a page variant defined

- The **Page Fallback** setting for the page or the portal is Display No Page

In this case, the expected behavior is to see Page Not Available on the device. However, when all of the listed conditions are true, the content of the page appears (without the page title) on the device in lieu of the Page Not Available message.

For more information, see the Setting Page Behavior for a Portal When No Page Variant Exists and Setting Page Behavior for a Specific Page When No Page Variant Exists sections in *Building Portals with Oracle WebCenter Portal*.

Unable to Edit Box Properties

Bug: 20356197

Platform: All

Building Portals with Oracle WebCenter Portal discusses Working with Web Development Components on a Page. Note that Box components cannot be modified or deleted since the View Actions menu is not rendered.

Error While Re-running Portlet Application on IntegratedWebLogicServer

Bug: 21876587

Platform: All

When you attempt to run a portlet application (such as a JSR 286 Portlet or Portlet Bridge application) on the IntegratedWebLogicServer more than one time, you get the following deployment error:

There is more than one webservice with the name of
"{urn:oasis:names:tc:wsrp:v1:wSDL}WSRP_v1_Service".

Resolve this issue by not running the portlet application again. Instead, deploy the application's EAR deployment profile to the IntegratedWebLogicServer by creating an Application Server Connection to the IntegratedWebLogicServer.

Administrator Console Skin Does Not Load Properly

Bug: 21933886

Platform: All

The Administration Console Skin does not load correctly after updating the Default Page Template and Application Skin to a custom page template and custom skin. This issue appears when attempting to restart the portal server, and may create difficulties when attempting to perform administrative operations such as clicking on a portal template, or when creating a new portal.

To resolve this issue, create a new skin at the shared asset level and then log in. The new skin is simply used for a one-time triggering of skin registration, and can be deleted afterwards.

Connection Timeout Occurs when a WebCenter Portal Server Connection is Created in a Production Environment

Bug: 21982436

Platform: All

When creating a WebCenter Portal Server connection, you enter the host name and port number for the Portal Server you are connecting to. For the host, you can enter either the fully qualified domain name, localhost, or the server name. When the Portal Server is a cluster in an enterprise deployment topology, use the host name and port of the individual server node and not that of the load balancer.

Secured Portlets Return the Remote Portlet Communication Error

Bug: 21943690

Platform: All

When you try to access a secured portlet, it returns the remote portlet communication error. To work around this issue:

1. Log on to Enterprise Manager Fusion Middleware Control.
2. From the Weblogic Domain menu, select **Security**, then **Credentials**.
3. Expand the **webcenter-1111** folder.
4. Select the key for the WSRP portlet producer connection. For example, if WSRP connection name is `wsrp1`, the credential key is `anonymous#wsrp1-wsconn`.
5. Click **Edit**.
6. For the `keystore.type` property, specify the value `KSS`.
7. Click **OK**.
8. Restart the `WC_Portal` and `WC_Portlets` managed servers.

WebCenter Portal JDeveloper Extension Names Modified

Bug: 23637247

Platform: All

JDeveloper Extension names/IDs in Oracle WebCenter Portal are updated:

- WebCenter Core Design Time (`oracle.webcenter.core`) is changed to WebCenter Core Design Time (`oracle.webcenter.common`).
- WebCenter Framework and Services Design Time (`oracle.webcenter.app`) is changed to WebCenter Portal Design Time (`oracle.asset-publishing-ext`).

 **Note:**

This change is applicable only if you are upgrading from Oracle WebCenter Portal 11g installation and not for a fresh installation.

Warning Displayed When Installing the WebCenter Core Design Time Extension for JDeveloper

Bug: 21968195

Platform: All

When restarting JDeveloper after installing the WebCenter Core Design Time extension, you can ignore the following warning message:

```
Installing updates...
oracle.ideimpl.deferredupdate.task.InstallExtensionTask perform
WARNING: No Extensions In Bundle: .../
oracle.webcenter.wccore_bundle.zip
```

Installing WebCenter Portal JDeveloper Extensions from Local File

Bug: 21968195

Platform: All

When installing the WebCenter Portal extensions for Oracle JDeveloper by using the **Install From Local File** option, you must install the WebCenter Core Design Time extension first and restart JDeveloper before installing the WebCenter Portal Design Time extension.

Analytics Collector Not Accessible on the Second Node

Bug: 21463877

Platform: All

When starting servers in a cluster topology, you must allow one server to completely start and be in the Running mode before attempting to start other servers. You can then start all the other servers simultaneously. This is required only when you start the servers for the first time after a fresh WebCenter Portal installation. If you start all the servers simultaneously, Analytics Collector might not be accessible on the other nodes in the cluster.

Document Service Operations Fail When Using JAX-WS Connections to Content Server

Bug: 21929314

Platform: All

If WebCenter Portal uses the JAX-WS connection to Content Server, certain document service operations, such as service provisioning, might fail if the WebCenter Portal instance is not used for some time. To work around this issue, restart the `WC_Portal` managed server and perform the operation again.

Use `createContentServerConnection` to Create a JAX-WS Connection to Content Server

Bug: 21929314

Platform: All

If you create a JAX-WS connection to Content Server using Enterprise Manager Fusion Middleware Control, logging into WebCenter Portal returns an internal server error. To work around this issue, instead of Fusion Middleware Control use the `createContentServerConnection` WLST command to create the JAX-WS connection to Content Server.

Unable to Delete Pages With SubPages in WebCenter Portal Installed with SQL Server

Bug 21835983/Support Note 2061433.1

Platform: All

In a WebCenter Portal instance using SQL Server, when you try to delete a page with subpages, the page will still exist in the UI but the following error is shown in the managed server logs:

```
oracle.webcenter.portal.transaction.TransactionException: An error
occurred executing a transactional method.
at
oracle.webcenter.portal.persistence.transaction.TransactionManagerImpl.
execute (TransactionManagerImpl.java:295)
...
```

```
Caused by: java.sql.SQLIntegrityConstraintViolationException: [FMWGEN]
[SQLServer JDBC Driver][SQLServer] The DELETE statement conflicted
with the SAME TABLE REFERENCE constraint
"WC_PORTAL_ENTITY_SEC_ENTITY". The conflict occurred in database
"certdb", table "MSSQLCERT_WEBCENTER.WC_PORTAL_ENTITY", column
'SECURITY_ENTITY_ID'.
```

To work around this issue:

1. Connect to the SQL Server using the WebCenter schema.
2. Drop the trigger WC_PORTAL_ENTITY_SEC_ENTITY_TRIGGER.
3. Recreate the trigger as follows:

```
CREATE TRIGGER WC_PORTAL_ENTITY_SEC_ENTITY_TRIGGER ON
WC_PORTAL_ENTITY
  INSTEAD OF DELETE AS
  UPDATE WC_PORTAL_ENTITY SET SECURITY_ENTITY_ID = NULL WHERE
SECURITY_ENTITY_ID IN (SELECT ID FROM DELETED)
  DELETE FROM WC_PORTAL_ENTITY WHERE ID IN (SELECT ID FROM
DELETED);
```

4. Delete the page again in WebCenter Portal.

Unable to Modify displayName for Resources Using REST APIs

Bug 18631878

Platform: All

The displayName parameter is a derived parameter and cannot be modified directly for any resources by using REST APIs.

Workaround: You need to modify the name parameter.

Unable to Create a Navigation Node Using POST in REST API

Bug 23328326

Platform: All

When you try to create a navigation node using the POST method in REST API, the create operation fails with a 403 Forbidden error message. This is a known issue.

EL Expressions are Not Supported in REST APIs

Bug: 23751693

Platform: All

Webcenter objects having EL expressions cannot be accessed using REST APIs as EL expressions are not supported with REST.

Content Manager Taskflow Does Not show Directory Filters When Parameters are Passed

Bug: 26356483

Platform: All

Content Manager taskflow may not show directory path filters when the taskflow display is triggered through input parameters. You can still navigate to your required directory structure using bread crumbs that show up the current directory path.

Page Navigation Fails if the First Navigation Item is a Link

Bug: 22607786

Platform: All

If a link is specified as the first navigation item in the navigation model of a portal, page navigation fails. This is a known issue.

Analytics, Against Oracle Database May Not Work After Throwing Exceptions

Bug: 26413941

Platform: All

Analytics, against Oracle Database may stop working with exceptions like:

```
Caused By:
com.plumtree.analytics.core.persist.exception.EventLoaderException:
Exception
while loading namespaces! com.plumtree.analytics.core.dao.DAOException:
java.sql.SQLException: Invalid argument(s) in call
    at
com.plumtree.analytics.core.persist.EventLoader.loadNamespaces (EventLoa
der.java:168)
    at
com.plumtree.analytics.core.persist.EventLoader.loadFromStream (EventLoa
der.java:90)
```

Workaround: Apply Oracle Database 12.2.0.1.0 patch: http://aru.us.oracle.com:8080/ARU/ViewPatchRequest/process_form?aru=21455037.

Oracle Fusion Middleware Release Notes for Oracle WebCenter Portal, 12c (12.2.1.4.0)
E95670-02

Copyright © 2013, 2023, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.