

CLPKS_LIQD Package
Extensible Hook Details
14.3

May 2019

Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:

Phone: +91 22 6718 3000

Fax: +91 22 6718 3001

www.oracle.com/financialservices/

Copyright © 2007, 2016, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1. FN_ALIQ_FOR_AN_ACCOUNT/5/2	1
2. FN_ALIQ_FOR_AN_ACCOUNT/5/2	2
3. FN_ALIQ_FOR_A_BULK/0/2	2
4. FN_ALLOCATE_BULK/6/1	3
5. FN_DO_ALIQ_FOR_AN_ACC/7/1	3
6. FN_DO_ALIQ_FOR_AN_ACC/7/1	4
7. FN_DO_ALIQ_FOR_AN_ACC/7/1	4
8. FN_DO_ALIQ_FOR_AN_ACC/7/1	5
9. FN_DO_ALIQ_FOR_AN_ACC/7/1	5
10. FN_DO_ALIQ_FOR_AN_ACC/7/1	6
11. FN_DO_ALIQ_FOR_AN_ACC/7/2	7
12. FN_DO_ALIQ_FOR_AN_ACC/7/0	7
13. FN_DO_ALIQ_FOR_AN_ACC/0/4	8
14. FN_DO_GLIQ_FOR_AN_ACC/7/1	8
15. FN_DO_GLIQ_FOR_AN_ACC/7/2	9
16. FN_DO_GLIQ_FOR_AN_ACC/7/0	9
17. FN_GEN_ALIQ_FOR_A_DAY/5/1	10
18. FN_GEN_ALIQ_FOR_A_DAY/5/1	10
19. FN_GEN_ALIQ_FOR_A_DAY/7/1	11
20. FN_GEN_BLIQ_FOR_A_DAY/5/3	11
21. FN_PROCESS_CLOS/5/1	12
22. FN_PROCESS_CLOS/5/1	12

Parameter	Description
Function	FN_ALIQ_FOR_AN_ACCOUNT
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_POST_ALIQ_FOR_A_BULK
Additional parameters	l_Tb_Aliq_Diary, p_process_no, l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post Hook is placed in clpks_liqd.Fn_Aliq_For_An_Account(). This is called after Fn_Aliq_For_a_Bulk() to delete all the account records, so that ALIQ_ON GRACE_PERIOD_DUE is checked at the product level.
Description	Post Hook is placed in clpks_liqd.Fn_Aliq_For_An_Account(). This is called after Fn_Aliq_For_a_Bulk() to delete all the account records, so that ALIQ_ON GRACE_PERIOD_DUE is checked at the product level. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19133390
Parameter	Description
Function	FN_ALIQ_FOR_AN_ACCOUNT
No of Parameters	5
Function Call Id	2
Cluster/Custom Function Name	FN_PRE_ALIQ_FOR_A_BULK
Additional parameters	l_Tb_Aliq_Diary, p_process_no, l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hook is placed in clpks_liqd.Fn_Aliq_For_An_Account(). This is called before before Fn_Aliq_For_a_Bulk(), to delete all the account records so that ALIQ_ON GRACE_PERIOD_DUE is checked at the product level.

Description	<p>Pre Hook is placed in clpks_liqd.Fn_Aliq_For_An_Account().</p> <p>This is called before before Fn_Aliq_For_a_Bulk(), to delete all the account records so that ALIQ_ON GRACE_PERIOD_DUE is checked at the product level.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19133390

Parameter	Description
Function	FN_ALIQ_FOR_A_BULK
No of Parameters	0
Function Call Id	2
Cluster/Custom Function Name	FN_ALIQ_FOR_A_BULK
Additional parameters	
Sent to Extensible layer	l_tb_cluster_data('Account_Number') := l_Account_Obj.Account_Det.Account_Number; l_tb_cluster_data('Branch_Code') := l_Account_Obj.Account_Det.Branch_Code;
Received from Extensible layer	
Hook Description	Hook has been provided in function Fn_Aliq_For_a_Bulk in package clpks_liqd.
Description	<p>Hook has been provided in function Fn_Aliq_For_a_Bulk in package clpks_liqd.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	29374866

Parameter	Description
Function	FN_ALLOCATE_BULK
No of Parameters	6
Function Call Id	1
Cluster/Custom Function Name	FN_GEN_ALLOCATE_BULK
Additional parameters	l_fn_call_id, l_tb_cluster_data_empty
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	<p>Hook is placed in clpks_liqd.fn_allocate_bulk(), to liquidate the overdue amount first and then liquidate the due part for all components based on the order.</p>

Description	<p>Hook is placed in clpks_liqd.fn_allocate_bulk(), to liquidate the overdue amount first and then liquidate the due part for all components based on the order.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19225938

Parameter	Description
Function	FN_DO_ALIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_POST_DO_ALIQ_FOR_AN_ACC
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to stop the liquidation of the account if the consolidated liquidation batch fails to allocate the amounts to customer.
Description	<p>Post Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to stop the liquidation of the account if the consolidated liquidation batch fails to allocate the amounts to customer.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19122580

Parameter	Description
Function	FN_DO_ALIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_POST_GETAVLBAL
Additional parameters	l_sttm_account_balance.Acy_Withdrawable_Bal,l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data(SETTLE_BRN), l_tb_cluster_data(SETTLE_ACC)
Received from Extensible layer	None

Hook Description	Standard Post Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), after Acpkss_Misc.Fn_Getavlbal() so that, cl_block_amount can be subtracted and used for arriving at the settlement amount.
Description	<p>Standard Post Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), after Acpkss_Misc.Fn_Getavlbal() so that, cl_block_amount can be subtracted and used for arriving at the settlement amount.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19445668

Parameter	Description
Function	FN_DO_ALIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_ALIQ_VERIFY_FUNDS
Additional parameters	l_account_comp_details, l_account_rec, l_verify_funds, l_sttl_account_ccy, l_custaccrec, l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to check the FCR account balance and perform partial liquidation or stop liquidation if the verify funds flag is checked for the component.
Description	<p>Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to check the FCR account balance and perform partial liquidation or stop liquidation if the verify funds flag is checked for the component.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24702528

Parameter	Description
Function	FN_DO_ALIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_CHANGE_AMT_TO_PAID

Additional parameters	I_Tb_Schedules(i), I_Tot_Amt_To_Be_Paid, I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to update the amount to be paid variable with the amount allocated to be liquidated.
Description	Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to update the amount to be paid variable with the amount allocated to be liquidated. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19122580

Parameter	Description
Function	FN_DO_ALIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_DO_MRLQ_FOR_A_SCH
Additional parameters	I_Tb_Schedules(i), I_Comp_Needs_Aliq, I_Tb_Adj_Settled, I_aliq_esn_incremented, I_liq_esn, I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to maintain multiple recovery accounts for each component and due amounts should be settled with proportionate recovery percentage specified.
Description	Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to maintain multiple recovery accounts for each component and due amounts should be settled with proportionate recovery percentage specified. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24702528

Parameter	Description
Function	FN_DO_ALIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_DO_ALIQ_FOR_AN_ACC
Additional parameters	l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to stop the liquidation of the account if the consolidated liquidation batch fails to allocate the amounts to customer.
Description	Pre Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to stop the liquidation of the account if the consolidated liquidation batch fails to allocate the amounts to customer. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19122580

Parameter	Description
Function	FN_DO_ALIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	2
Cluster/Custom Function Name	FN_CHANGE_AMT_TO_PAID
Additional parameters	l_Tb_Schedules(i), l_Tot_Amt_To_Be_Paid, l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to update the amount to be paid variable with the amount allocated to be liquidated.

Description	<p>Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to update the amount to be paid variable with the amount allocated to be liquidated.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19122580

Parameter	Description
Function	FN_DO_ALIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	0
Cluster/Custom Function Name	FN_PRE_DO_ALIQ_FOR_AN_ACC
Additional parameters	l_Tb_Schedules, l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to liquidate the overdue amount first and then liquidate the due part for all components based on the order.
Description	<p>Pre Hook is placed in clpks_liqd.Fn_Do_Aliq_For_An_Acc(), to liquidate the overdue amount first and then liquidate the due part for all components based on the order.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19225938

Parameter	Description
Function	FN_DO_ALIQ_FOR_AN_ACC
No of Parameters	0
Function Call Id	4
Cluster/Custom Function Name	FN_CHANGE_AMT_TO_PAID
Additional parameters	
Sent to Extensible layer	l_tb_cluster_data('L_RETURN_VALUE') := L_RETURN_VALUE; l_tb_cluster_data('L_SETTLEMENT_ACCOUNT') := L_SETTLEMENT_ACCOUNT; l_tb_cluster_data('L_SETTLEMENT_BRANCH') := L_SETTLEMENT_BRANCH; l_tb_cluster_data('L_AMOUNT_DUE') := L_TB_SCHEDULES(I).AMOUNT_DUE; l_tb_cluster_data('L_COMPONENT') := L_TB_SCHEDULES(I).COMPONENT_NAME;

Received from Extensible layer	
Hook Description	Inline Hook has been provided in function Fn_Do_Aliq_For_An_Acc in package clpks_liqd.
Description	<p>Inline Hook has been provided in function Fn_Do_Aliq_For_An_Acc in package clpks_liqd.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	28385309

Parameter	Description
Function	FN_DO_GLIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_DO_GLIQ_FOR_AN_ACC
Additional parameters	l_Tb_Schedules, l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hook is placed in clpks_liqd.Fn_Do_Gliq_For_An_Acc(), to change the Grace period Due date for current and future schedules.
Description	<p>Pre Hook is placed in clpks_liqd.Fn_Do_Gliq_For_An_Acc(), to change the Grace period Due date for current and future schedules.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19465964

Parameter	Description
Function	FN_DO_GLIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	2
Cluster/Custom Function Name	FN_ALIQ_VERIFY_FUNDS
Additional parameters	l_account_comp_details,l_account_rec,l_verify_funds,l_sttl_account_ccy,l_custaccrec,l_fn_call_id,l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Hook is placed in clpks_liqd.Fn_Do_Gliq_For_An_Acc(), to check the FCR account balance and perform partial liquidation or stop liquidation if the verify funds flag is checked for the component.

Description	<p>Hook is placed in clpks_liqd.Fn_Do_Gliq_For_An_Acc(), to check the FCR account balance and perform partial liquidation or stop liquidation if the verify funds flag is checked for the component.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	24702528

Parameter	Description
Function	FN_DO_GLIQ_FOR_AN_ACC
No of Parameters	7
Function Call Id	0
Cluster/Custom Function Name	FN_POST_GETAVLBAL
Additional parameters	l_sttm_account_balance.Acy_Withdrawable_Bal,l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	l_tb_cluster_data(SETTLE_BRN) l_tb_cluster_data(SETTLE_ACC)
Received from Extensible layer	None
Hook Description	Post Hook is placed in clpks_liqd.Fn_Do_Gliq_For_An_Acc(), after Acpkss_Misc.Fn_Getavlb(), so that cl_block_amount can be subtracted and used for arriving at the settlement amount.
Description	<p>Post Hook is placed in clpks_liqd.Fn_Do_Gliq_For_An_Acc(), after Acpkss_Misc.Fn_Getavlb(), so that cl_block_amount can be subtracted and used for arriving at the settlement amount.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19445668

Parameter	Description
Function	FN_GEN_ALIQ_FOR_A_DAY
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_POST_ALIQ_FOR_A_BULK
Additional parameters	l_Tb_Aliq_Diary, l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None

Hook Description	Standard Post Hook is placed in clpks_liqd.Fn_Gen_Aliq_For_a_Day(). This is called after Fn_Aliq_For_a_Bulk() to delete all the account records so that ALIQ_ON GRACE_PERIOD_DUE is checked at the product level.
Description	Standard Post Hook is placed in clpks_liqd.Fn_Gen_Aliq_For_a_Day(). This is called after Fn_Aliq_For_a_Bulk() to delete all the account records so that ALIQ_ON GRACE_PERIOD_DUE is checked at the product level. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19133390

Parameter	Description
Function	FN_GEN_ALIQ_FOR_A_DAY
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_ALIQ_FOR_A_BULK
Additional parameters	I_Tb_Aliq_Diary, I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Standard Pre Hook is placed in clpks_liqd.Fn_Gen_Aliq_For_a_Day(). This is called before before Fn_Aliq_For_a_Bulk(), to delete all the account records so that ALIQ_ON GRACE_PERIOD_DUE is checked at the product level.
Description	Standard Pre Hook is placed in clpks_liqd.Fn_Gen_Aliq_For_a_Day(). This is called before before Fn_Aliq_For_a_Bulk(), to delete all the account records so that ALIQ_ON GRACE_PERIOD_DUE is checked at the product level. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	19133390

Parameter	Description
Function	FN_GEN_ALIQ_FOR_A_DAY
No of Parameters	7
Function Call Id	1
Cluster/Custom Function Name	FN_POST_GETAVLBAL
Additional parameters	I_sttm_account_balance.Acy_Withdrawable_Bal,I_fn_call_id,I_tb_cluster_data
Sent to Extensible layer	I_tb_cluster_data(SETTLE_BRN), I_tb_cluster_data(SETTLE_ACC)

Received from Extensible layer	None
Hook Description	Post Hook is placed in clpks_liqd.Fn_Do_Gliq_For_An_Acc(), after Acpkss_Misc.Fn_Getavlbal(), so that cl_block_amount can be subtracted and used for arriving at the settlement amount.
Description	<p>Post Hook is placed in clpks_liqd.Fn_Do_Gliq_For_An_Acc(), after Acpkss_Misc.Fn_Getavlbal(), so that cl_block_amount can be subtracted and used for arriving at the settlement amount.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19445668

Parameter	Description
Function	FN_GEN_BLIQ_FOR_A_DAY
No of Parameters	5
Function Call Id	3
Cluster/Custom Function Name	FN_PRE_ALIQ_FOR_A_BULK
Additional parameters	l_tb_final_diary, l_fn_call_id, l_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hook is placed in clpks_liqd.fn_gen_bliq_for_a_day(), so that ALIQ will be attempted from Grace Period due date for the components for which Grace period is defined, else Schedule due date will be attempted.
Description	<p>Pre Hook is placed in clpks_liqd.fn_gen_bliq_for_a_day(), so that ALIQ will be attempted from Grace Period due date for the components for which Grace period is defined, else Schedule due date will be attempted.</p> <p>All parameters received by kernel function are passed to the cluster hook.</p> <p>Additional parameters passed to cluster hook are mentioned in field "Additional Parameters".</p> <p>The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook.</p> <p>The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.</p>
Bug No	19215932

Parameter	Description
Function	FN_PROCESS_CLOS
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_POST_PROCESS_CLOS

Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Post Hook is placed in clpks_liqd.Fn_Process_Clos(), just before the end of the function.If the disbursement mode is manual for the product then the principal amount which has not been disbursed can be used for handling the status change entries and CLOS event entries.
Description	Post Hook is placed in clpks_liqd.Fn_Process_Clos(), just before the end of the function.If the disbursement mode is manual for the product then the principal amount which has not been disbursed can be used for handling the status change entries and CLOS event entries. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24613322

Parameter	Description
Function	FN_PROCESS_CLOS
No of Parameters	5
Function Call Id	1
Cluster/Custom Function Name	FN_PRE_PROCESS_CLOS
Additional parameters	I_fn_call_id, I_tb_cluster_data
Sent to Extensible layer	None
Received from Extensible layer	None
Hook Description	Pre Hook is placed in clpks_liqd.Fn_Process_Clos(), to have Stamp Duty Component charges at end of Month and MLIQ, ALIQ stages based on Monthly, Quarterly, Half yearly, Yearly basis with respect to Value date and Maturity date of accounts.
Description	Pre Hook is placed in clpks_liqd.Fn_Process_Clos(), to have Stamp Duty Component charges at end of Month and MLIQ, ALIQ stages based on Monthly, Quarterly, Half yearly, Yearly basis with respect to Value date and Maturity date of accounts. All parameters received by kernel function are passed to the cluster hook. Additional parameters passed to cluster hook are mentioned in field "Additional Parameters". The variables mentioned in "Sent to Extensible Layer" field are passed to cluster hook. The variables mentioned in "Received from Extensible Layer" field are reassigned to kernel.
Bug No	24702528