

Oracle Financial Services Investigation Hub

User Guide

Release 8.0.8.3.0

June 2021

F28095-01

ORACLE
Financial Services

OFS Product Name Guide Type

Copyright © 2021 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or de-compilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are “commercial computer software” pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

For information on third party licenses, click [here](#).

Document Control

Version Number	Revision Date	Change Log
8.0.8.3.0	Created: June 2021	<ul style="list-style-type: none">The following chapters are updated with new images and respective parameters:<ul style="list-style-type: none">Investigating Business EntityInvestigating ECM Cases Using OFS IHThe following sections are added:<ul style="list-style-type: none">Starting the InvestigationViewing the All Transactions in Visible GraphQuantifind Risk ReportData VisualizationHiding an Edge
8.0.8.0.0	Created: September 2020	Quantifind Risk Reports for your Investigation, For more information, see Quantifind Risk Report
8.0.7.4.0	Created: April 2020	Updated to investigate ECM cases using OFS IH. For more information, see Investigating ECM Cases Using OFS IH
8.0.7.3.0	Created: March 2020	Created the first version of the OFS IH User Guide for 8.0.7.3.0 Release

This table records the number of revisions or changes done to this document as part of a release.

Table of Contents

1	Preface.....	7
1.1	Summary.....	7
1.2	Documentation Accessibility.....	7
1.3	Audience	7
1.4	Related Documents	7
1.5	Conventions	8
1.6	Abbreviations	8
2	About Oracle Financial Services Investigation Hub	9
2.1	Introduction	9
2.1.1	Key Features	9
3	Investigating Business Entity	10
3.1	OFS IH Application Access.....	10
3.2	Investigation Hub folder.....	11
3.3	Special Investigation Notebook.....	12
3.4	Cloning of a Notebook	12
3.5	Starting the Investigation.....	13
3.6	Searching for a Business Entity	13
3.7	Viewing the Initial Screening Results	15
3.8	Viewing the Entity Summary Historical Report	15
3.9	Viewing the Transactions Analysis	16
3.10	Viewing the Graph Result of the Entity Search.....	17
3.11	Viewing the Reference Data Sources	18
3.12	Viewing the Countries.....	19
3.13	Viewing the Risk Factors	20
3.14	Viewing the Red Flags.....	20
3.15	Viewing the All Transactions in Visible Graph	21
3.16	Viewing the Quantifind Risk Report	21
3.17	Viewing the Network Disposition Score	21
3.18	Viewing the Network Disposition Score Breakdown	22
3.19	Viewing the Investigation Recommendation	22
3.20	Exporting Investigation Detail to PDF format	23

4	Investigating ECM Cases Using OFS IH	24
4.1	Accessing OFS IH from ECM	24
4.2	Elements of the ECM Integration for Level1/Level2	25
4.2.1	<i>Starting the Investigation</i>	<i>25</i>
4.2.2	<i>Viewing Case Details</i>	<i>26</i>
4.2.3	<i>Searching for Non-Case Entities</i>	<i>26</i>
4.2.4	<i>Viewing the Initial Screening Results.....</i>	<i>27</i>
4.2.5	<i>Viewing the Entity Summary Historical Report.....</i>	<i>28</i>
4.2.6	<i>Viewing the All Transactions for Focal Entities</i>	<i>29</i>
4.2.7	<i>Viewing the Graph Result of the Entity Search</i>	<i>29</i>
4.2.8	<i>Viewing the Reference Data Sources</i>	<i>30</i>
4.2.9	<i>Viewing the Countries</i>	<i>31</i>
4.2.10	<i>Viewing the Risk Factors</i>	<i>31</i>
4.2.11	<i>Viewing the Red Flags.....</i>	<i>31</i>
4.2.12	<i>Viewing the Quantifind Risk Report.....</i>	<i>31</i>
4.2.13	<i>Viewing the Network Disposition Score.....</i>	<i>31</i>
4.2.14	<i>Viewing the Network Disposition Score Breakdown.....</i>	<i>32</i>
4.2.15	<i>Exporting Investigation Detail to PDF format</i>	<i>33</i>
4.3	Updating a Case with Entities in a Graph	33
5	Common Features.....	34
5.1	Managing the Notebooks.....	34
5.1.1	<i>Common Screen Elements in Notebooks</i>	<i>34</i>
5.1.2	<i>Exporting a Notebook.....</i>	<i>36</i>
5.1.3	<i>Refreshing Session</i>	<i>36</i>
5.1.4	<i>Deleting a Notebook</i>	<i>37</i>
5.2	Managing the Paragraphs	37
5.2.1	<i>Common Screen Elements in Paragraph.....</i>	<i>37</i>
5.2.2	<i>Paragraph Dependencies.....</i>	<i>38</i>
5.2.3	<i>Run All Notebook Paragraphs</i>	<i>38</i>
5.3	Managing the Results	39
5.3.1	<i>Results Search Filter</i>	<i>40</i>
5.3.2	<i>Data Visualization</i>	<i>41</i>

- 5.3.3 Customizing Result Settings.....46
- 5.4 All Transactions in Visible Graph.....46
- 5.5 Quantifind Risk Report.....46
- 5.6 Graph Details.....47
 - 5.6.1 Graph Types.....47
 - 5.6.2 Graph Highlights.....47
 - 5.6.3 Working with Graph Nodes.....48

1 Preface

This section provides the functional and navigational information about the Oracle Financial Services Investigation Hub (OFS IH) application.

- [Summary](#)
- [Documentation Accessibility](#)
- [Audience](#)
- [Related Documents](#)
- [Conventions](#)
- [Abbreviations](#)

1.1 Summary

You can find the latest copy of this document in the Oracle Help Center (OHC) Documentation Library which includes all the recent additions/revisions (if any) done to date.

1.2 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the [Oracle Accessibility Program website](#).

1.3 Audience

The Oracle Financial Services Investigation Hub User Guide is intended for end-users such as Data Analysts and Data Scientists.

1.4 Related Documents

This section identifies additional documents related to the OFS IH application. Oracle Financial Services Analytical Applications Infrastructure Related Documents

The following document is available in Oracle Help Center Documentation Library. [Oracle Financial Services Analytical Applications Infrastructure User Guide](#). OFS IH Application Related Documents

The following OFS IH documents are available in Oracle Help Center Documentation Library:

- Oracle Financial Services Investigation Hub Installation Guide
- Oracle Financial Services Investigation Hub Admin Guide
- Oracle Financial Services Investigation Hub Release Notes

1.5 Conventions

The following table lists the conventions used in this document.

Table 1: Conventions Used in This Guide

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
<code>monospace</code>	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1.6 Abbreviations

The following table lists the abbreviations used in this document.

Table 2: Abbreviations Used in This Guide

Abbreviation	Meaning
OFS	Oracle Financial Services
FCC Studio	Financial Crime and Compliance Studio
OFSCC	Oracle Financial Services Crime and Compliance
OFSAA	Oracle Financial Services Analytical Applications
FCGM	Financial Crime Graph Model
FCDM	Financial Crime Data Model
SQL	Structured Query Language
IH	Investigation Hub
ECM	Enterprise Case Management
PGX	Parallel Graph Analytics
AML	Anti-money Laundering
BD	Behavior Detection
OOB	Out-of-the-Box

2 About Oracle Financial Services Investigation Hub

This chapter provides a brief overview of the OFS IH application.

- [Introduction](#)

2.1 Introduction

OFS IH is an application built on FCC Studio which allows investigators to rapidly view the case and adhoc information within the FCGM. The in-built scoring, matching, and correlation engines create meaningful units of investigation, and pre-configured red flags and risk factors target investigative effort effectively. The FCGM on which it is built accelerates investigations by bringing relevant information sources together, preventing the need for the manual collation of information from disparate sources for adhoc investigations. OFS IH automatically generate case narratives and insights, highlights risk factors, and red flags which are meaningful to the investigation and recommend actions based on graph scoring algorithms.

2.1.1 Key Features

- Pre-built user interfaces for case investigation and special investigation
- Configurable red flags and risk factors to highlight key areas for investigation
- Case summary in narrative format and case recommendation
- In-built correlation and scoring algorithms. It is applicable only for non-ECM customers
- Exploration of the financial crimes global-graph using an interactive and visual Graph Explorer tool.
- Integrates fully with FCDM (data can be loaded directly from Behavior Detection (AML) or ECM instance) and ICIJ data sources. It can be enhanced to support other data sources such as watchlist and company hierarchy data
- It is built on FCC Studio, which includes a highly scalable in-memory Oracle Graph Analytics Engine (PGX), AI, and machine learning.
- Utilizes the proven FCGM, which accelerates Financial Crime Investigation use cases

3 Investigating Business Entity

You can search the graph nodes with attributes (Name, TaxID, Address, and Date) that include business entities (customers, address, and so on), events, and external entities. After searching the graph node, you can investigate the network of that node. The business entity network shows the connection of an entity with other entities based on correlation.

For more information, see **Appendix A** section in the [Oracle Financial Services Investigation Hub Administration and Configuration Guide](#).


The paragraphs in the Special Investigation are as follows

- [OFS IH Application Access](#)
- [Investigation Hub Folder](#)
- [Special Investigation Notebook](#)
- [Cloning of a Notebook](#)
- [Starting the Investigation](#)
- [Searching for a Business Entity](#)
- [Viewing the Initial Screening Results](#)
- [Viewing the Entity Summary Historical Report](#)
- [Viewing the Transactions Analysis](#)
- [Viewing the Graph Result of the Entity Search](#)
- [Viewing the Reference Data Sources](#)
- [Viewing the Countries](#)
- [Viewing the Risk Factors Details](#)
- [Viewing the Red Flag Details](#)
- [Viewing the Network Disposition Score](#)
- [Viewing the Network Disposition Score Breakdown](#)
- [Viewing the Investigation Recommendation](#)
- [Exporting Investigation Detail to PDF format](#)

3.1 OFS IH Application Access

To access the OFS IH application, follow these steps:

1. Enter the Studio application URL in your browser in the following format:
2. `http://<HOST_NAME>:7008`
3. The Studio Login page is displayed as shown in Figure 1.

Figure 1: FCC Studio Login Page


Crime & Compliance Studio

ORACLE
Financial Services
Crime and Compliance Studio

Username

Password

Login


4. Enter the Username and Password.
5. Click Login.





The Notebook workspace is displayed. Click the Investigation Hub folder. For more information, see the Investigation Hub Folder.

3.2 Investigation Hub folder

The Investigation Hub folder displays the Special Investigation Notebook that are mapped to the role of the logged-in user and also displays the details of each Notebook, such as Notebook name, Notebook details, date when the Notebook is published, and related tags. The Detailed Information section includes the date and time of Notebook creation, the number of compilations performed using different interpreters in a

Notebook, and the username of the Notebook creator. The Special Investigation in Investigation Hub folder is as shown in Figure 2.

Figure 2: Special Investigation in Investigation Hub folder


Notebooks				
Type to search		Home > Investigation Hub		
investigation hub ecm_integration special investigations				
Name	Author	Tags	Published	
<div>  Special Investigation Enables the investigator to search for one or multiple names and/or addresses in order to examine their network, red flags, and risk factors. </div>	FCCMDSADMIN	investigation hub special investigations		
<div>  (15)  (1)  (1) </div>				

3.3 Special Investigation Notebook

A Notebook is a collection of paragraphs and acts as a container to hold one or more paragraphs. A Paragraph is a piece of code that can be executed to obtain a result. The following seeded notebooks of the OFS IH application are provided for Investigators:



Special Investigation notebook enables the investigator to search for one or multiple names and/or addresses to examine the network, red flags, and risk factors.

NOTE An Administrator can configure the parameters for Investigation using the Special Investigation notebook.

3.4 Cloning of a Notebook

The OFS IH application is packaged with seeded notebooks. An administrator shares the Notebook with the users (investigators), and users must make a copy of the Notebook using the Cloning option and start using that Notebook for investigation.

The Clone option is used to create a copy of a Notebook. All paragraphs in the current Notebook are replicated in the new Notebook. The cloned Notebook is created with the default name, Copy of <Current Notebook Name>.

- NOTE**
- The default notebooks will be provided, and you can clone them as required.
 - Users cannot edit cloned notebooks or run them directly.

To clone a notebook, follow these steps:


1. Navigate to the OFS IH application page.
2. Navigate to the Special Investigation notebook.
3. Click **Clone** from the toolbar on the top of the notebook.

Figure 1: Clone Notebook Icon



4. Enter the name of the new notebook and click Create. A confirmation message is displayed.

Figure 2: Clone Notebook Window



3.5 Starting the Investigation


You can directly start the investigation by executing this paragraph. By default, it executes the relevant customer (business entity) paragraph and displays the Initialization successful message in the subsequent paragraph.

To execute the paragraph, follow these steps:

1. Navigate to the Special Investigation notebook that is assigned for a particular user role.
2. Execute **Click to Start Investigation** paragraph. It executes the **Click to Start Investigation** paragraph and also the initialization paragraph automatically.

The successful initialization message is displayed.

Figure 3: Start Investigation Paragraph




3.6 Searching for a Business Entity

You can search for an FCDM/ICIJ entity (customer, account), derived entity, address, event, or external entity in the graph to find a similar match.

To search for an entity, follow these steps:

1. Navigate to the Input Search Results paragraph.

Figure 4: Input Search Results Paragraph



2. Enter the search criteria in the Input Search Results paragraph as described in the following table.

Table 1: Input Search Results

Field	Description
Tax ID	Tax ID of the entity (for example, customer tax ID). You must enter the complete Tax ID to get the exact search result.
Name	Name of the entity (for example, customer name). This filters the names by the title of the business entity that matches the search criteria.
Address	Address of the customer.
Date	Date when a business entity (for example, customer name) added to the system. You must enter the complete date to get the exact match during the search result. The date format must be in DD/MM/YYYY.
Use Date	Allows you to enable or disable the Date field.
Empty the Existing Entities List	<ul style="list-style-type: none"> Yes: It continues with the existing Search list. The searched items are added to the existing Search list. No: It displays view the search results in the New search list/Clears the search list. <p>The individual or combination of the following field values are inputs for the search:</p> <ul style="list-style-type: none"> Name Address Date <p>By default, this field value is set as Yes.</p>
Minimum Match Score Cutoff in %	<p>You can set the cutoff value to define the matching criteria.</p> <p>The records that match (equivalent or more than) the configured cutoff value will be displayed in the search results with the score.</p>

3. To reset the searched entities list, use the Empty the Existing Entities List drop-down.
4. Execute the Input Search Results paragraph.

The matched results will display in the Input Search Results paragraph.

Figure 5: Input Search Results Paragraph

Tax ID	Name	Address	Date
Jennifer name			
Page: 1 of 1 (1 of 1 items) < 1 >			

3.7 Viewing the Initial Screening Results

The Initial Screening Results paragraph allows you to define the conditions based on which the initial screening results are filtered and fetched.

The following table describes the conditions to be defined based on which the initial screening results are displayed.

Table 2: Initial Screening Results

Field	Description
Top Critical Matches	The value to decide how many matches you want to view in the search result output.
Sources	The following are sources are available for search: <ul style="list-style-type: none"> • Internal-Only: It display the search result only for internal FCDM data. • All: It displays the search result for internal data along with the external data.
Number of Hops to Pre-Fetch	The number of hops that the search result graph can be expanded up to.
Number of Hops to Display	The number to decide how many hops must be displayed in the search result graph.

Figure 6: Initial Screening Results

Initial Screening Results

Top Critical Matches: 300

Sources: All

Number of Hops to Pre-Fetch: 6

Number of Hops to Display: 2

Type to search

Match_Name	Match_Address	Match_TaxId	Match_Date	Match_Source	Customer_ID	Match_Score	Matchin
NULL	NULL	NULL	NULL	FCDM	CA117	100%	match c

You can view these transactions in various formats. For more information on formats, see [Data Visualization](#) section.

3.8 Viewing the Entity Summary Historical Report

Enter the entity ID in the Entity ID field of the Entity Summary Historical Report paragraph after searching for similar names and execute the paragraph. You can get the entity ID from the Initial Screening Results or Input Search Results paragraph.

NOTE You can search with multiple entity IDs for Entity Summary Historical Report. The entity IDs should be comma separated.

The Entity Summary Historical Report paragraph allows you to view the historical summary (in text format) of the searched entity ID.

This information includes the following parameters:

- Customer details
- Account Summary
- Compliance Summary
- Risk Factor & Red Flags

To view the historical summary of an entity, navigate to Entity Summary Historical Report paragraph. Figure 7 shows a sample of the historical summary of an entity.

Figure 7: Entity Summary Historical Report

Entity Summary Historical Report

Entity ID

The Customer **HARI3 PRSAD CHAURASIA** is in our internal records and Status of Customer is **Active**

Entity Type : IND
 Date of Birth : 1975-04-07
 Tax ID : TXCUTRSTFTNCU-103
 Address : 1963HOLIDAYINTOWERS SUITE 987 APT 139 SECTION 139 AREA 139 GRID 139
 City : ALEXANDRIA
 State : VA
 Country : US
 Email :
 Phone No :
 Risk Score : 8
 Added to the Bank on: 1975-04-08

Account Summary

The Customer has 3 Account(s) with the Bank:
 -> ACEMPJOURNLSEE-001 of type INV opened on 2014-12-31
 -> ACTRMISMTHH-007 of type INV opened on 2014-12-31
 -> ACTRSTFTNCU-24 of type SAV opened on 2015-10-30

Total Transactions : 12
 Cash Transaction : 6
 MI Transaction : 3
 Wire Transaction : 3

12 High Risk Transactions were identified on the entity. (Criteria for High Risk Transaction : Transaction Risk > 7 ; Party Risk > 7)

Compliance Summary

2 AML Events were generated for the Customer:
 -> Event - 100 with Status - SAR. Created on 2018-03-02 against Scenario - (ML/CU) Structuring: Potential Structuring in Cash and Equivalents
 -> Event - 999100 with Status - CLS. Created on 2018-03-02 against Scenario - (ML/CU) Structuring: Potential Structuring in Cash and Equivalents

Risk Factors & Red Flags

After analysis, we have identified 1 entity(s) shares a common link(s) to the searched entity.
 -> Shares Account- RAX ROCKER with ID - ACTRSTFTNCU-24 with Customer called GRADY MOHANTY BOOCH with ID - CUORT0103

3.9 Viewing the Transactions Analysis

This paragraph shows all transactions related to the search entity from the FCDM. In addition, you can filter the transaction details based on the transaction amount specified in the following fields:

- **Min Transaction Amount:** You enter the minimum transaction amount.
- **Max Transaction Amount:** You enter the maximum transaction amount.

To view the transaction details, navigate to the Transaction Analysis paragraph.

Figure 12: Transaction Analysis Paragraph Details

Transaction Analysis

Min Transaction Amount

0

Max Transaction Amount

100000000

<

You can view these transactions in various formats. For more information on formats, see [Data Visualization](#) section.

3.10 Viewing the Graph Result of the Entity Search


This paragraph allows you to view the network graphical representation of the searched entity that was displayed in the Entity Search paragraph.


A typical network graph shows nodes and links. Nodes are entities such as a customer or account. Each node can join to zero, one or many other nodes via a link. Each type of node is associated with a specific icon on the graph. Table 4 Describes the icon displayed on the graph for each type of node. For example, for a customer entity, the links of the customer are displayed with other customers, accounts, and so on.

To view the graph result of the entity search, navigate to Graph Result of Entity Search paragraph. The graphical view is displayed in the Graph Result of Entity Search paragraph.


Figure 8 shows the sample graph.

Figure 8: Graph Result of the Entity Search Paragraph



**NOTE**

- You must re-execute the paragraph after any modification to view the results in the subsequent paragraphs.
- This graph will provide the end-to-end transactions (account to derived entity and account to account vice versa) and transactions via correspondent banks. And also, users can switch between them by hiding/showing the transactions.




You can perform many actions on a graph. For more information, see the Graph Details.

3.11 Viewing the Reference Data Sources

This paragraph shows the reference data of the searched entity from the **All Transactions in Visible Graph** paragraph along with other associated entities.

To view the reference data sources, navigate to the Reference Data Sources paragraph. Figure 9 shows the sample reference data source details.

Figure 9: Reference Data Source Details Paragraph




You can view these transactions in various formats. For more information on formats, see [Data Visualization](#) section.

3.12 Viewing the Countries

This paragraph shows the countries of the searched entity from the **All Transactions in Visible Graph** paragraph along with other associated entities.

To view the countries, navigate to the Countries paragraph. Figure 10 shows the sample reference data source details.

Figure 10: Countries Details Paragraph



You can view these transactions in various formats. For more information on formats, see [Data Visualization](#) section.

3.13 Viewing the Risk Factors

This paragraph shows the risk factor details of the searched entity with other associated entities. You can also search for a specific risk factor. For more information, see the **Configuring Risk Factors** section in the [Oracle Financial Services Investigation Hub Administration and Configuration Guide](#).

To view the risk factor details, navigate to the Risk Factor paragraph. Figure 10 shows the sample risk factor details.

- **Hits (Initial):** It fetches the information from **Result Graph** for each item in the Risk Factors.
- **Hits (Investigator):** It fetches the information from the **Visible Graph** for each item in the Risk Factors.

For more information on Result Graph and Visible Graph, see [Graph Types](#).

Figure 10: Risk Factor Details



Risk Factors	Hits (Initial)	Hits (Investigator)
Country/Region Hits	0	0
Prohibited Business List Match	0	0
High Risk Transaction Present	9	9

3.14 Viewing the Red Flags

This paragraph shows the red flag details of the searched entity with associated entities. You can search for a specific risk factor. For more information, see the **Configuring Red Flags** section in the [Oracle Financial Services Investigation Hub Administration and Configuration Guide](#).

To view the red flag details, navigate to the Red Flags paragraph. Figure 11 shows the sample red flag details.

- **Hits (Initial):** It fetches the information from **Result Graph** for each item in the Red Flags.
- **Hits (Investigator):** It fetches the information from **Visible Graph** paragraph for each item in the Red Flags.

For more information on Initial Graph and Visible Graph, see [Graph Types](#).

Figure 11: Red Flag Details



Red Flags	Hits (Initial)	Hits (Investigator)
Entities with SARs filed	1	1
Transactions with payer in risky country and beneficiary in tax haven	101	6
Accounts interacting with sanctioned entities	3	3

3.15 Viewing the All Transactions in Visible Graph

This paragraph displays information of transactions that are available in **Visible Graph**. For more information, see [All Transactions in Visible Graph](#) section.

For more information on Visible Graph, see [Graph Types](#).

3.16 Viewing the Quantifind Risk Report

This paragraph displays information of customers/derived entities that are available in the **Visible Graph**. The results are displayed as a card, which displays the risk status of the identified node details.

The minimum criteria for displaying the Quantifind report is that the customers should have first and last names, and the name must have two characters.

For more details, see the [Quantifind Risk Report](#) section.

For more information on Visible Graph, see [Graph Types](#).

3.17 Viewing the Network Disposition Score


This paragraph shows the network disposition score based on the nodes' risk on the **Visible Graph**.

The formula to calculate the network score is "(Total risk of nodes in Visible Graph/Number of nodes in the Visible Graph) * 10."

You can divide the total risk of nodes by the number of nodes in the Visible Graph and multiply the output by 10.

For more information on Visible Graph, see [Graph Types](#).

Figure 14: Network Disposition Score Details



For more information, see the **Configuring Network Disposition** section in the [Oracle Financial Services Investigation Hub Administration and Configuration Guide](#).

To view the network disposition score, navigate to the Network Disposition Score paragraph.

3.18 Viewing the Network Disposition Score Breakdown

This paragraph shows the details of the network disposition score breakdown based on the visible graph.

To view the network disposition score breakdown, navigate to the Network Disposition Score Breakdown paragraph.

Figure 15: Network Disposition Score Breakdown Details

Network Disposition Score Breakdown		
<div> <div>Type to search</div> </div>		
Score	Type	Name
0.0	CASE	
0.0	CASE	
0.0	Event	RICKY NAME GIBSON
0.0	Event	440~ACESCINACTAC-001~FOTRXNESCLINACTAC0001~HHESCINACTAC-001~RICKY
0.0	BlackList	HARI3 PRSAD CHAURASIA
6.0	Account	MICHEL SECOND
6.0	Account	MNOHAR LAL

For more information, see the **Configuring Network Disposition** section in the [Oracle Financial Services Investigation Hub Administration and Configuration Guide](#).

You can view these transactions in various formats. For more information on formats, see [Data Visualization](#) section.

3.19 Viewing the Investigation Recommendation

After the case investigation is performed and based on the scores, the recommendation for the case is displayed in the Recommendation paragraph.

The Investigator can investigate the case details and take further action.

For more information, see the **Configuring Investigation Recommendation Score** section in the [Oracle Financial Services Investigation Hub Administration and Configuration Guide](#).

To view the investigation recommendation, navigate to the Recommendation paragraph.

Figure 16: Viewing the Investigation Recommendation



Following is the criteria for recommendation:

- If the investigation score is in between 25 to 51, the case status is displayed as **Low Risk Network**.
- If the investigation score is in between 50 to 76, the case status is displayed as **Medium Risk Network**.
- If the investigation score is greater than 76, the case status is displayed as **High Risk Network**.

An Investigator can print or save the notebook after viewing the investigation recommendation.

3.20 Exporting Investigation Detail to PDF format

Use the **Export to PDF** option to save the notebook. For more information, see [Exporting a Notebook to PDF](#).

4 Investigating ECM Cases Using OFS IH

OFS IH is integrated with ECM to enable Case Investigators to access additional rich information about a case such as, case summary, a detailed narrative about case entities, graph view of a case, and so on, which is otherwise not available in ECM.

Investigators can expand the graph view to view the relationship between case entities and search for additional entities within a graph. Investigators can also update a case with any customers, account, derived entities, or transactions that are part of the graph view.

NOTE All the additional information, which is not part of the case in a graph, will be added to the case.

By default, two different sets of information are displayed in the **Investigation Hub** tab that are targeted at Level 1 and Level 2 Case Investigators. Depending on a user role, a user is displayed with Level 1 or Level 2 information.

- **ECM Integration_L1:** Enable Level 1 case Investigators to access additional rich information about a case such as, case summary, a detailed narrative about case entities, graph view of a case, and so on, which is otherwise not available in ECM. Allows the investigator to explore a case - including graph, risk factors, and red flags.
- **ECM Integration_L2:** Enable Level 2 case Investigators to access additional rich information about a case such as, case summary, a detailed narrative about case entities, graph view of a case, and so on, which is otherwise not available in ECM. Allows the investigator to explore a case - including graph, risk factors, and red flags.

The paragraphs in the Investigation Hub tab are as follows:

- [Accessing OFS IH from ECM](#)
- [Elements of the Investigation Hub Tab](#)
- [Updating a Case with Entities in a Graph](#)

4.1 Accessing OFS IH from ECM

You can access the Investigation Hub tab from ECM to perform graph-based investigation for cases in ECM.


To access the Investigation Hub tab from ECM, follow these steps:

1. Login to the OFS ECM application. For more information, see Accessing OFSECM Application section in the [Oracle Financial Services Enterprise Case Management User Guide](#).
2. Search for a case that has the Investigation Hub tab enabled.

NOTE To access the Investigation Hub tab, the Case Type must have the required mapping in the Case Designer in ECM. For more information, see [Oracle Financial Services Investigation Hub Administration Guide](#).

3. Click the desired Event ID.

Figure 1: Investigation Hub Tab in ECM



4. Click the Investigation Hub tab.

The ECM_Integration_L1/L2 are cloned and displayed in the Investigation Hub tab. All the paragraphs of the notebooks will be pre-executed whenever the user opens a case for the first time.

4.2 Elements of the ECM Integration for Level1/Level2

The paragraphs in the ECM_Integration_L1/L2 are as follows:

- [Starting the Investigation](#)
- [Viewing Case Details](#)
- [Searching for Non-Case Entities](#)
- [Viewing the Initial Screening Results](#)
- [Viewing the Entity Summary Historical Report](#)
- [Viewing the All Transactions for Focal Entities](#)
- [Viewing the Graph Result of the Entity Search](#)
- [Viewing the Reference Data Sources](#)
- [Viewing the Countries](#)
- [Viewing the Risk Factors Details](#)
- [Viewing the Red Flag Details](#)
- [Viewing the Quantifind Risk Report](#)
- [Viewing the Network Disposition Score](#)
- [Viewing the Network Disposition Score Breakdown](#)
- [Exporting Investigation Detail to PDF format](#)

4.2.1 Starting the Investigation

You can directly start the investigation by executing this paragraph. For more details, see [Starting the Investigation](#) section.

4.2.2 Viewing Case Details

The Case Details paragraph will take the case ID automatically whenever user opens the case from ECM for the first time.

Figure 2: Case Details Paragraph



4.2.3 Searching for Non-Case Entities

Follow these steps to search for an FCDM entity (customer, account), derived entity, address, event, or external entity in the graph to find a similar match.

NOTE It is an optional step if additional entities that are not part of the case are investigated alongside the case.

1. Navigate to the Search for Non-Case Entities paragraph.

Figure 3: Search for Non-Case Entities Paragraph

2. Enter the search criteria in the Search for Non-Case Entities paragraph as described in the following table.

Table 1: Search for Non-Case Entities Paragraph Details

Field	Description
Tax ID	Tax ID of the entity (for example, customer tax ID). You must enter the complete Tax ID to get the exact search result.
Name	Name of the entity (for example, customer name). This filters the names by the title of the business entity that matches the search criteria.
Address	Address of the customer.
Date	Date when a business entity (for example, customer name) performed a transaction. You must enter the complete date to get the exact match during the search result. The date format must be in DD/ MM/YYYY.

Use Date	Allows you to enable or disable the Date field.
Empty the Existing Entities List	<ul style="list-style-type: none"> • Yes: It continues with the existing Search list. The searched items are added to the existing Search list. • No: It displays view the search results in the New search list/Clears the search list. <p>The individual or combination of the following field values are inputs for the search:</p> <ul style="list-style-type: none"> • Name • Address • Date <p>By default, this field value is set as Yes.</p>
Minimum Match Score Cutoff in %	<p>You can set the cutoff value to define the matching criteria.</p> <p>The records that match (equivalent or more than) the configured cutoff value will be displayed in the search results with the score.</p>

3. To reset the searched entities list, use the Empty the Existing Entities List drop-down.

4. Execute the Search for Non-Case Entities paragraph.

The matched results will display in the Search for Non-Case Entities paragraph.

Tax Id	Case Id	Name	Address	Date
	CA117			

You can view these transactions in various formats. For more information on formats, see [Data Visualization](#) section.

4.2.4 Viewing the Initial Screening Results

The Initial Screening Results paragraph allows you to define the conditions based on which the initial screening results are filtered and fetched.

The following table describes the conditions to be defined based on which initial screening results are displayed.

Table 2: Initial Screening Results

Field	Description
Top Critical Matches	The value to decide how many matches you want to view in the search result output.
Sources	The source can be Internal-Only or All. If Internal-Only is selected, then the search result displays only the internal FCDM data. All option displays search result for the internal data along with the external data.
Number of Hops to Pre-Fetch	The number of hops that the search result graph can be expanded up to.
Number of Hops to Display	The number to decide how many hops must be displayed in the search result graph.

Figure 4: Initial Screening Results Paragraph

Initial Screening Results

Top Critical Matches:

Number of Hops to Display:

Sources:

Number of Hops to Pre-Fetch:

4.2.5 Viewing the Entity Summary Historical Report

Enter the entity ID in the Entity ID field of the Entity Summary Historical Report paragraph and execute the paragraph. You can get the entity ID from the Initial Screening Results or Input Search Results paragraph.

In addition, this paragraph displays the details of focal entities associated to the case ID.

NOTE You can search with multiple entity IDs for Entity Summary Historical Report.

The Entity Summary Historical Report paragraph allows you to view the historical summary (in text format) of the searched entity ID. This information includes the following parameters: Customer Summary, Account Summary, Compliance Summary, Risk Factor & Red Flags,

To view the historical summary of an entity, navigate to Entity Summary Historical Report paragraph. Figure 7 shows a sample of the historical summary of an entity.

Figure 7: Entity Summary Historical Report

Entity Summary Historical Report

Entity ID:

The Customer **HARI3 PRSAD CHAURASIA** is in our internal records and Status of Customer is **Active**

Entity Type : IND
 Date of Birth : 1975-04-07
 Tax ID : TXCUTRSTFTNCU-103
 Address : 1963HOLIDAYINNTOWERS SUITE 987 APT 139 SECTION 139 AREA 139 GRID 139
 City : ALEXANDRIA
 State : VA
 Country : US
 Email :
 Phone No :
 Risk Score : 8
 Added to the Bank on: 1975-04-08

Account Summary

The Customer has 3 Account(s) with the Bank:
 -> ACEMPJOURNLSEE-001 of type INV opened on 2014-12-31
 -> ACTRMISMTHH-007 of type INV opened on 2014-12-31
 -> ACTRSTFTNCU-24 of type SAV opened on 2015-10-30

Total Transactions : 12
 Cash Transaction : 6
 MI Transaction : 3
 Wire Transaction : 3

12 High Risk Transactions were identified on the entity. (Criteria for High Risk Transaction : Transaction Risk > 7 ; Party Risk > 7)

Compliance Summary

2 AML Events were generated for the Customer:
 -> Event - 100 with Status - SAR. Created on 2018-03-02 against Scenario - (ML/CU) Structuring: Potential Structuring in Cash and Equivalents
 -> Event - 999100 with Status - CLS. Created on 2018-03-02 against Scenario - (ML/CU) Structuring: Potential Structuring in Cash and Equivalents

Risk Factors & Red Flags

After analysis, we have identified 1 entity(s) shares a common link(s) to the searched entity.
 -> Shares Account- RAX ROCKER with ID - ACTRSTFTNCU-24 with Customer called GRADY MOHANTY BOOCH with ID - CUORT0103


4.2.6 Viewing the All Transactions for Focal Entities

This paragraph shows all transactions related to the searched entity and focal entities of a case from **Result Graph**. In addition, you can filter the transaction details based on transaction amount specified in the following fields:

- **Min Transaction Amount:** You enter the minimum transaction amount.
- **Max Transaction Amount:** You enter the maximum transaction amount.

To view the transaction details, navigate to the Transaction Analysis paragraph.

Figure 8: All Transactions for Focal Entities Paragraph Details



Entity_A	ID_A	Risk_A	Transaction_Type	Transaction_Amount	Transaction_Currency	Transaction_Date	Transaction_Risk
CHINNAPPA K GNANASELVI	ACTRUSTEDPAIR-014	9	end to end wire txn	100000	USD	2023-09-09	9
CHINNAPPA K GNANASELVI	ACTRUSTEDPAIR-014	9	end to end wire txn	100000	USD	2015-11-30	9
CHINNAPPA K GNANASELVI	ACTRUSTEDPAIR-014	9	end to end wire txn	100000	USD	2022-09-09	9

You can view these transactions in various formats. For more information on formats, see [Data Visualization](#) section.

4.2.7 Viewing the Graph Result of the Entity Search

The Graph Result of the Entity Search paragraph allows you to view the network graphical representation of the case and its associated entities. This paragraph also displays the case graph along with the graph for the non case entities searched in the Input Search Results paragraph.

A typical network graph shows nodes and links. Nodes are entities such as a customer or account. Each node can join to zero, one or many other nodes via a link called an edge. Each type of node is associated with a specific icon on the graph. Table 4 describes the icon displayed on the graph for each type of node. For example, for a customer entity, the links of the customer are displayed with other customers, accounts, and so on.

When the Investigation Hub tab is opened for the first time, it displays the following details:

The case node and four hops from the case node to include all the events, customers, derived entities, accounts, and transactions that are the focal entities and impact the case.

Additional nodes and edges that provide case context such as relationship and similarity edges to include external data sources.


If the analyst searches for additional entities, all the search nodes and their surrounding nodes and edges are displayed as part of the graph visualization.

The analyst can then be able to manipulate the graph by expanding any high risk entities or parties on unusual transactions to obtain better understanding of the context and risk associated with the case. The analyst can also remove entities and transactions which are not pertinent to the case to provide a snapshot of only the pertinent information.

When a graph shows the relevant information, the case narrative and other paragraphs can be re-run to provide updated summary information. Figure 9 shows the sample graph.

The default template is FCGM template. For more information, see the Managing Template section in the [Oracle Financial Services Crime and Compliance Studio User Guide](#).

Figure 9: Graph Result of Entity Search



You can perform many actions on a graph. For more information, see the Graph Details.

NOTE You must re-execute the paragraph after any modification to view the results in the subsequent paragraphs.

4.2.8 Viewing the Reference Data Sources

This paragraph shows the reference data of the searched entity from the **Visible Graph** paragraph along with other associated entities.

For more information, see [Viewing the Reference Data Sources](#) section in SI Notebook.

For more information on Visible Graph, see [Graph Types](#).

4.2.9 Viewing the Countries

This paragraph shows the countries of the searched entity from the **Visible Graph** paragraph along with other associated entities.

For more information, see [Viewing the Countries](#) section in the SI Notebook.

For more information on Visible Graph, see [Graph Types](#).

4.2.10 Viewing the Risk Factors

This paragraph shows the risk factor details of the searched entity with other associated entities. You can also search for a specific risk factor.

For more information, see [Viewing the Risk Factors Details](#) section in the SI Notebook.

For more information on Visible Graph, see [Graph Types](#).

4.2.11 Viewing the Red Flags

This paragraph shows the red flag details of the searched entity with associated entities. You can search for a specific risk factor.

For more information, see [Viewing the Red Flag Details](#) section in the SI Notebook.

4.2.12 Viewing the Quantifind Risk Report

This paragraph displays information of customers/derived entities that are available in the **Visible Graph**. The results are displayed as a card, which displays the risk status of the identified node details.

The minimum criteria for displaying the Quantifind report is that the customers should have first and last names, and the name must have two characters.

For more details, see the [Quantifind Risk Report](#) section.


For more information on Visible Graph, see [Graph Types](#).

4.2.13 Viewing the Network Disposition Score

The Network Disposition Score paragraph shows the network disposition score of the searched entity.

The formula to calculate the network score is "**(Total risk of nodes in Visible Graph/Number of nodes in the Visible Graph) * 10.**"

For more information on Visible Graph, see [Graph Types](#).

Figure 10: Network Disposition Score Paragraph Details

For more information, see the **Configuring Network Disposition** section in the [Oracle Financial Services Investigation Hub Administration and Configuration Guide](#).

To view the network disposition score, navigate to the Network Disposition Score paragraph.

4.2.14 Viewing the Network Disposition Score Breakdown

The Network Disposition Score Breakdown paragraph shows the details of the network disposition score of the searched entity.

Figure 11: Network Disposition Score Breakdown Paragraph Details

<div> <div>Type to search</div> <div> <div>Score</div> <div>Type</div> <div>Name</div> </div> </div>		
0.0	CASE	
0.0	CASE	
0.0	Event	RICKY NAME GIBSON
0.0	Event	440~ACESCINACTAC-001~FOTRXNESCLINACTAC0001~HHESCINACTAC-001~RICKY I
0.0	BlackList	HARI3 PRSAD CHAURASIA
6.0	Account	MICHEL SECOND
6.0	Account	MNOHAR LAL

For more information, see the **Configuring Network Disposition** section in the [Oracle Financial Services Investigation Hub Administration and Configuration Guide](#).

To view the network disposition score breakdown, navigate to Network Disposition Score Breakdown paragraph.

You can view these transactions in various formats. For more information on formats, see [Data Visualization](#) section.

4.2.15 Exporting Investigation Detail to PDF format


Use the **Export to PDF** option to save the notebook. For more information, see [Exporting a Notebook to PDF](#).

4.3 Updating a Case with Entities in a Graph

Updating a case enables investigators to add additional entities to the case from the graph. To update a case, follow these steps:

1. Navigate to the Investigation Hub tab in a case.
2. Click Update Case to add the account, customer, transaction, and external entities.

Figure 12: Updating a Case



NOTE

- Both Level 1 and Level 2 Investigators can expand the case graph to update a case, to add or remove edges and nodes. For more information, see [Working with Graph Nodes](#).
- On updating a case, all the customers, accounts, derived entities, and transactions that are part of the visible graph and are not already part of the case are added to the case.
- Level 1 and Level 2 Investigators are displayed with different information on the Investigation Hub tab depending on the configuration for that user.
- Level 1 or Level 2 Investigators can continue to work as each other with same privileges but a Level 1 user must update a case before the information can be viewed by a Level 2 user.

5 Common Features

Topics:

- Managing the Notebooks
- Managing the Paragraphs
- Managing the Results
- Quantifind Risk Report

5.1 Managing the Notebooks

A notebook acts as a frame for Paragraphs.






Topics:









- Common Screen Elements in Notebooks
- Exporting a Notebook
- Refreshing Session
- Deleting a Notebook






5.1.1 Common Screen Elements in Notebooks

The following table describes the common screen elements in a notebook that can be used to perform various actions on a notebook.

Table 1: Common Screen Elements in Notebooks

Button	Icon	Action/Description
Modify Notebook		Click this button to modify the details of a notebook such as name, description, and/or tags.
Hide Code		Click this button to hide or show the Code Section in all the paragraphs in a notebook.
Hide Result		Click this button to hide or show the Results Section in all the paragraphs in a Notebook.
Read Only		Click this button to set the notebook to Read-only mode. Note: The notebook is protected from edit, clear result, delete, reset session, run paragraphs, and share in Read-only mode.
Write		Click this button to set the notebook to Write mode.

Run Paragraphs		Click this button to execute all the paragraphs in a notebook in sequential order. For more information, see Run All Notebook Paragraphs . You can view the results in various formats. For more information, see Managing the Results .
Reset Session		Click this button to reset any connection or code executed in a notebook.
Delete Notebook		Click this button to delete a notebook.
Clear Result		Click this button to clear results for all the paragraphs in a notebook. Warning: This action clears all the results. You must run the paragraphs again to view the results.
Clear Paragraph Dependencies		Click this button to remove all defined paragraph dependencies.
Open as Iframe		Click this button to open a notebook in iFrame. This allows a notebook to be embedded inside another webpage.
Share Notebook		Click this button to share a notebook with another user, user group, or role.
Clone Notebook		Click this button to create a copy of a notebook. All paragraphs in the current notebook are replicated in the new notebook. The cloned notebook is created with the default name, Copy of <Current Notebook Name>.

Export Notebook		Click this button to export a notebook to your computer as a DNSB file.
Layout		Click this button to set the preferred layout, Zeppelin, or Jupyter.
Default Template		Click this button to apply the overall look and feel of the notebook using the default template.
Default View		Click this button to switch between Default, Simple, and Report views.
Show Panel		Click this button to show or hide the Paragraph Settings Bar Commands, Results Toolbar, and Settings Dialog for a selected paragraph in a panel to the right of the notebook.

5.1.2 Exporting a Notebook

The Export notebook feature enables you to export notebooks available in the OFS IH to your local machine. Notebooks are exported in the OFS IH Notebook (*.pdf) file format, which can be saved, shared, or printed.

5.1.2.1.1 Exporting a Notebook to PDF

The Export individual notebooks option enables you to export selected notebooks in OFS IH to your local machine.

To export individual Notebooks, follow these steps:

1. Click the Notebook that you want to export. The selected Notebook is opened.
2. Click **Export to PDF**. The Notebook is downloaded to your local machine in.pdf format.

5.1.3 Refreshing Session

The Reset button allows you to refresh any connection or code executed in a notebook. Follow these steps:

1. Navigate to the OFS IH application home page.
2. Navigate to any notebook of the application.
3. Click Refresh. If the refresh is successful, then a confirmation message is displayed.

5.1.4 Deleting a Notebook

1. Navigate to the OFS IH application home page.
2. Click Select Notebooks.
The check boxes are displayed for notebooks.
3. Select the required notebooks, and click Delete. The selected notebooks are deleted.

5.2 Managing the Paragraphs

Topics:




- Common Screen Elements in Paragraph
- Paragraph Dependencies
- Run All Notebook Paragraphs





5.2.1 Common Screen Elements in Paragraph

A paragraph is a piece of code that can be executed to obtain the result. In OFS IH, paragraph offers a workbench to author code or a query using various interpreter friendly scripting languages supported in OFS IH.

The following table describes the elements in the Paragraph Settings Bar that can be used to perform various actions on individual paragraphs in a notebook.

Table 2: Elements in Paragraph Settings Bar

Button/Icon	Action/Description
Execute Paragraph 	Click this button to execute the code or query in a paragraph. After execution, you can view the result in various formats. For more information, see Managing the Results.
Enter Dependency Mode 	Click this button to add or remove dependent paragraphs. Paragraphs with dependent paragraphs are executed in the dependency order. For more information, see Paragraph Dependencies.
Comments 	Click this button to add comments to a paragraph.

Expand 	Click this button to expand a paragraph and view the paragraph in full-screen mode.
Show/Hide Line Numbers 	Click this button to show or hide line numbers in the code in a paragraph. Note: This button is applicable only to the code section.
Visibility 	Click this button to manage the visibility settings in a paragraph. It controls how a paragraph may be viewed by the author and other users who have access to the notebook.
Settings 	Click this button to perform the following actions: Resize the width of a paragraph. Change the order of placement of the paragraphs by moving them up or down. Clear the paragraph result. Delete a paragraph.

5.2.2 Paragraph Dependencies

The Paragraph Dependencies feature allows you to add dependencies between paragraphs. The dependents of a paragraph are automatically executed after the original paragraph itself or any graph manipulation on the original paragraph is executed.

To create paragraph dependencies, follow these steps:

1. Click the Dependency icon in the Paragraph Settings Bar of a paragraph. The Dependency Mode window is displayed.
2. Select or deselect paragraphs to add or remove them as dependents.
The order in which the paragraphs are selected appears as a number over the selected paragraphs. The number indicates the order in which the dependent paragraphs will be executed.
3. Click Save.

The changes are saved. Every time a paragraph is executed or graph actions are applied, its dependent paragraphs will be executed automatically.

5.2.3 Run All Notebook Paragraphs

A paragraph is a piece of code that can be executed to obtain the result. Notebook execution includes the execution of all paragraphs.

To run all the paragraphs in a notebook, follow these steps:

1. Click Run Paragraphs in the Notebook Toolbar.




All the paragraphs will execute in order from top to bottom. If a paragraph was deleted during the Run Paragraphs job execution, it is ignored and paragraph execution continues for the rest of the paragraphs.

5.3 Managing the Results

After executing a paragraph, the result is displayed in the Results section.

Figure 1: Paragraph Results Section

















Topics:

- Result Toolbar
- Results Search Filter
- Customizing Result Settings
- Result Toolbar

The following table describes the various result formats supported in OFS IH.

Table 3: Result Formats in Studio

Chart	Button/Icon	Action/Description
Table Chart		Click this button to view results in tabular format.
Area Chart		Click this button to view results in the area chart format.

Bar Chart		Click this button to view the results in bar chart format.
Funnel Chart		Click this button to view the results in the funnel chart format.
Line Chart		Click this button to view the results in line chart format.
Pie Chart		Click this button to view the results in pie chart format.
Pyramid Chart		Click this button to view the results in pyramid chart format.
TreeMap Chart		Click this button to view the results in tree map format.
Sunburst Chart		Click this button to view the results in sunburst chart format.
Tag Cloud Chart		Click this button to view the results in tag cloud chart format.
Box Plot Chart		Click this button to view the results in the plot chart format.
Text		Click this button to view the results in text format.
Settings		Click this button to customize the results based on the selected format. Enter the required values for the General, Visualization, and Text settings.
Download As		Click this button to download the result in the following format: Raw: Available for all formats. SVG Format: Available for Graph and Visualization formats.

5.3.1 Results Search Filter

The Results Search Filter is available only in Table Format. This feature instantly searches for an entered value in the results.


5.3.2 Data Visualization

You can view the transactions in the following formats:

- Table
- Area Chart
- Bar Chart
- Funnel Chart
- Line Chart
- Pie Chart
- Pyramid Chart
- Treemap Diagram
- Sunburst Diagram
- Tag Cloud
- Box Plot
- Scatter Plot
- Map Visualizer
- Text

5.3.2.1 Table


The Investigation Data Hub allows you to visualize your data in the form of a Table Diagram. The table can be sorted by column in ascending or descending order. Additionally, the table can be filtered for a specific search term. Rows that do not contain this term are hidden from view and the remaining rows highlight the location of the search term within the row.



Account_A	ID_A	Risk_A	Transaction_Type	Transaction_Amount	Transaction_Currency	Transaction_Date
AJIN JOE	ACTRUSTEDPAIR-018X	0	EFT-SWIFT	100000	USD	2015-11-30
AJITH VINCENT	ACTRUSTEDPAIR-017X	0	EFT-SWIFT	100000	USD	2015-11-30
AMBIKA K CHRISTALIN	ACTRUSTEDPAIR-039	9	EFT-SWIFT	100000	USD	2015-11-30
AMIT THUKRAL	ACHRGBENETRXNEAC-001XXA	10	CASH-EQ-TRVLR5-CHK	100000	USD	2015-11-30


5.3.2.2 Area Chart

The OFS IH allows you to visualize your data in the form of an Area Chart.




5.3.2.3 Bar Chart

The OFS IH allows you to visualize your data in the form of a Bar Chart.




5.3.2.4 Funnel Chart

The OFS IH allows you to visualize your data in the form of a Funnel Chart.




5.3.2.5 Line Chart

The OFS IH allows you to visualize your data in the form of a Line Chart.




5.3.2.6 Pie Chart

The OFS IH allows you to visualize your data in the form of a Pie Chart.



5.3.2.7 Pyramid Chart

The OFS IH allows you to visualize your data in the form of a Pyramid Chart.



Trxns by Entity & Type

Entity	Transaction Type	Value
EFT-SWIFT	OTHER-NON-...	...
	CHECK	...
EFT-FEDW...	EST	...
	O...	...
EST	CHECK	...
	EST	...
EFT-FED...	EST	...
	EST	...
EST	EST	...
	EST	...

5.3.2.9 Sunburst Diagram

Risky Transactions by Currency


Size Transaction_Risk (Count) **Color** Account_A

5.3.2.10 Tag Cloud

The image is a screenshot of a web application interface. On the left, there is a sidebar with a 'Transactions by Beneficiary' section. The main content area has a 'Transaction Analysis' header. Below the header, there are two input fields: 'Min Transaction Amount' with a value of '0' and 'Max Transaction Amount' with a value of '1000000000'. Below these fields, there is a large text display showing 'SAGAYA LENI' and 'TOM RIDDLE' in a large, bold, sans-serif font. The interface also includes a top navigation bar with various icons and a bottom status bar.


5.3.2.11 Box Plot

ORACLE FINANCIAL SERVICES INVESTIGATION HUB USER GUIDE | 44




5.3.2.12 Scatter Plot

The OFS IH allows you to visualize your data in the form of a Scatter Plot.



5.3.2.13 Map Visualizer

The OFS IH allows you to visualize your data on top of a Map.



5.3.3 Customizing Result Settings

To customize the result format, follow these steps:

1. Navigate to the Notebooks page.
2. Click the required result format for a paragraph in the Result section and then click Settings. The Settings window is displayed and contains the following category:
 - General
 - Visualization
 - Text
3. Select a category and enter the required values for that category. The result is customized as per the entered values.

5.4 All Transactions in Visible Graph


This paragraph shows all the transactions from the **Visible Graph**. In addition, you can filter the transaction details based on transaction amount specified in the following fields:

- **Min Transaction Amount:** You enter the minimum transaction amount.
- **Max Transaction Amount:** You enter the maximum transaction amount.

For more information on Visible Graph, see [Graph Types](#).

To view the transaction details, navigate to the All Transaction in Visible Graph paragraph.

Figure 12: All Transactions in Visible Graph Details



Entity_A	ID_A	Risk_A	Transaction_Type	Transaction_Amount	Transaction_Currency	Transaction_Date	Transaction
HARI3 PRSAD CHAURASIA	CUTRUSTFTNCU-103	8	cash txn	75007	USD	2021-10-11	8
HARI3 PRSAD CHAURASIA	CUTRUSTFTNCU-103	8	cash txn	75006	USD	2021-10-11	7
HARI3 PRSAD CHAURASIA	CUTRUSTFTNCU-103	8	cash txn	75005	USD	2021-10-11	6
HARI3 PRSAD CHAURASIA	CUTRUSTFTNCU-103	8	cash txn	75003	USD	2021-10-10	9

You can view these transactions in various formats. For more information on formats, see [Data Visualization](#) section.

NOTE Ensure that **Graph Result of the Entity Search** paragraph is re-execute after modification to view the correct results in this paragraph.


5.5 Quantifind Risk Report


Quantifind integration for real-time risk reports in OFS IH enables the Financial institutions to discover signals of revenue drivers and risk, including fraud and money.

NOTE

- These **reports are only available for OFS IH integration with ECM.**
- Ensure that **Graph Result of the Entity Search** paragraph is re-execute after modification to view the correct results in this paragraph.
- If node ID has invalid data for Quantifind details then it displays an error message.

The results are displayed as a card, which displays the risk status of the identified node details of customers or derived entities in the **Graph Result of the Entity Search** paragraph.



Based on the risk you can perform the required measures for the risk analysis. You can click on  in respective card to know more details. It redirects to Quantifind [website](#).

5.6 Graph Details



This chapter provides information on the graph details such as the action that be performed on a graph, nodes in a graph, and so on.






5.6.1 Graph Types

- **Result Graph:** This graph is created with the result of the Initial Screening Result paragraph.
- **Visible Graph:** This graph state that this is for the end graph after user actions ns (depending on nodes/edges are expanded/dropped)

5.6.2 Graph Highlights

Table 4: Graph Highlights

Button/Icon	Action/Description
	Click this icon to search entity.
	Click this button to view customers.

	Click this icon to view closed events.
	Click this icon to view open events.
	Click this icon to view accounts.
	Click this icon to view open cases.
	Click this icon to view institutions.

5.6.3 Working with Graph Nodes

- Repositioning Nodes
- Collapsing and Expanding Nodes
- Viewing the Node Details
- Deleting a Node
- Removing an Edge

5.6.3.1 Repositioning Nodes

The Network Graph page allows you to move nodes around the screen, using the drag and drop feature, to reposition them.

To reposition nodes, follow these steps:

1. Navigate to the Network Graph in a notebook.
2. Select a node to reposition and click it.
3. Drag and Drop the node to the required position.

NOTE The graph only uses a specific portion of the browser window to display the graph. Dragging a node beyond a certain point towards the right side of the browser hides the portion of the graph dragged beyond that point. However, you can use the Zoom Out feature on the Graph Toolbar to view the hidden portion again.

5.6.3.2 Collapsing and Expanding Nodes

This option allows you to hide all outgoing links and nodes to which these outgoing links are connected from the node being collapsed. The collapsed node remains on the graph and the node icon changes to indicate that the node is in a collapsed state. To collapse nodes, follow these steps.

1. Navigate to the Network Graph in a notebook.
2. Select a node to collapse and right-click the node. An option menu is displayed.
3. Select the Collapse option from the menu. The outgoing links are hidden on the page.

NOTE

- If any child node has at least one incoming link from any other node, the child node and its child network are not collapsed. But the link from the collapsed node to the child node is hidden and the icon of the collapsed node changes to indicate that the node is in a collapsed state.
- On the Node menu of a collapsed node, the Collapse option changes to Expand. If the user collapses a node but there is no impact on the graph (that is, if no part of the graph is hidden), the Node menu remains unchanged. There is no restriction on how many nodes can be collapsed on a graph.

To expand the node, select Expand from the menu. The outgoing links are then restored on the page.

NOTE

The Collapse option does not appear for outer nodes. Outer nodes are nodes that do not have any outgoing links

5.6.3.3 Viewing the Node Details

This section allows you to view the current information associated with the selected node. This is the same information that is displayed on the Entity Summary Historical Report paragraph for this entity.


To view the node details, follow these steps:

1. Navigate to the Network Graph in a notebook.
2. Select a node and right-click. An option menu is displayed. The Node Details window is displayed with the current information associated with the selected node. This includes the Properties and Risk details of the node.

5.6.3.4 Deleting a Node

You can drop a node to from a network graph view the result on On-screen data. To delete a node, follow these steps:


1. Navigate to the Network Graph in a notebook.
2. Right- click on any node as shown in the following figure and click Drop.

Figure 1: Deleting a Node

5.6.3.5 Removing an Edge

You can remove an edge from a network graph to view the result on On-screen data. To remove an edge, follow these steps:

1. Navigate to the Network Graph in a notebook.
2. Right-click on any edge and click Drop - Delete selected vertices.

Figure 2: Removing an Edge


5.6.3.6 Hiding an Edge

You can hide an edge from a network graph to view the result on On-screen data. To hide an edge, follow these steps:


1. Navigate to the Network Graph in a notebook.
2. Click on any edge. The edge highlights is enable. Click on the same edge to disable.

For example,

- Enabled




- Disabled




In addition, you can perform **Show/Hide** for the Transactions in the same way.

- Show



- Hide



OFSAA Support

Raise a Service Request (SR) in [My Oracle Support \(MOS\)](#) for queries related to the OFSAA applications.

Send Us Your Comments

Oracle welcomes your comments and suggestions on the quality and usefulness of this publication. Your input is an important part of the information used for revision.

- Did you find any errors?
- Is the information clearly presented?
- Do you need more information? If so, where?
- Are the examples correct? Do you need more examples?
- What features did you like most about this manual?

If you find any errors or have any other suggestions for improvement, indicate the title and part number of the documentation along with the chapter/section/page number (if available) and contact the Oracle Support.

Before sending us your comments, you might like to ensure that you have the latest version of the document wherein any of your concerns have already been addressed. You can access My Oracle Support site that has all the revised/recently released documents.

