FCUBS-OBPM Integration Setup Guide Oracle FLEXCUBE Universal Banking

Release 14.4.0.0.0

Part No. F20443-01

May 2020



Oracle Banking Payments FCUBS-OBPM Integration Setup Guide Oracle Financial Services Software Limited

Oracle Park

Off Western Express Highway Goregaon (East) Mumbai, Maharashtra 400 063 India Worldwide Inquiries: Phone: +91 22 6718 3000 Fax: +91 22 6718 3001 www.oracle.com/financialservices/

Copyright © 2017, 2020, Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

1.	Introdu	ction	. 1
	1.1	About This Manual	. 1
	1.2	Audience	. 1
	1.3	Documentation Accessibility	1
	1.4	Organization	1
	1.5	Glossary	1
2.	Integra	tion Guide	2
	2.1	Introduction	2
	2.2	Installation guide	2
	2.3	Maintenances to be done in FCUBS	4
	2.3.1 B	ranch Maintenance	4
	2.3.2	2 External Payments System Maintenance	5
	2.3.3	B External System Functions Maintenance	6
	2.3.4	Upload Source Preference Maintenance	7
	2.3.5	BIC Maintenance	8
	2.3.6	Other Common Maintenances	8
	2.4	Maintenances to be done in OBPM	8
	2.4.1	Source Maintenance	8
	2.4.2	Source Network Preference Maintenance	9
	2.4.3	Network Rule maintenance	9
	2.4.4	Notification maintenance	10
	2.4.5	External System Functions Maintenance	10
		5 ECA System Maintenance	
	2.4.7	Accounting System Maintenance	13
	2.4.8 C	ustomer Maintenance	14
	2.4.9	Account Maintenance	14
		0 General Ledger Maintenance	
		1 Transaction code Maintenance	
		2OBPM to use FCUBS Dates	
		3 Other Payments Maintenances	
	2.5	FAQ's	

1. Introduction

1.1 About This Manual

This manual is designed to help with Integration for a Co-deployed Set-up of Oracle Banking Payments with Oracle FLEXCUBE Universal Banking.

1.2 Audience

This manual is intended for the following User/User Roles:

Role	Function
Implementation & IT Staff	Implementation & Maintenance of the Software

1.3 Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <u>http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc</u>.

1.4 Organization

This manual is organized into the following chapters:

Chapter	Description
Chapter 1	Information about this Manual is specified in this section
Chapter 2	This chapter helps you co-deploy Oracle FLEXCUBE Universal Banking & Oracle Banking Payments product in a single instance.

1.5 Glossary

This User Manual may refer to the following terms:

Abbreviation	Description				
FCUBS	Oracle FLEXCUBE Universal Banking				
ОВРМ	Oracle Banking Payments				



2. Integration Guide

2.1 Introduction

You can integrate Oracle Banking Payments product (OBPM) with Oracle FLEXCUBE Universal Banking product (FCUBS). The specific steps needed on the co-deployed installation of these two products and specific maintenances needed are briefed on this document.

2.2 Installation guide

Refer to Installation guide for understanding the property file and installation bat files used for integration between FCUBS and OBPM.

Web-logic set-up

Deployments:

Following ears to be deployed for the FCUBS Gateway support through JMS:

- GW EJB
- GWMDB

Queue Maintenance:

- MDB_QUEUE
- MDB_QUEUE_RESPONSE with Expiry Policy as Redirect and error destination as jms/ACC_ENTRY_RES_BKP_IN in Delivery Failure. Keep Redelivery Limit as zero and "Time-to-Live Override" value as 2000.

To set the "Time-to-Live Override" property, navigate to MDB_QUEUE_RESPONSE -> Configuration-> Overrides Tab

igure such overndes for this queve.
The priority assigned to all messages that arrive at this destination, regardless of the Priority specified by the message producer. The default value (-1) specifies that the destination will not coveride the Priority set by th message producer. More Info
The time to live assigned to all messages that arrive at this destination, repardless of the TimeToLive value specified by the message producer. The default value [-1] specifies that this setting will not overnde the TimeToLive setting specified by the message producer. More Info
The default delay, either in millueconds or as a subshile, between when a message is produced and when it made viable on its target destination, regardless of the delivery time specified by the producer and/or connection factory. The default viale (-1) genefits that the destination will not override the Time (3Deliver setting specified by the producer and/or connection factory. The TimeToDeliver override can be specified eith as a long or as a schedule. More Info
The delivery mode assigned to all messages that arrive at the destination regardless of the DeliveryMode



To set the "Error Destination", "Expiration Policy" and "Redelivery Limit" properties, navigate to MDB_QUEUE_RESPONSE Configuration Delivery Failure tab.

hange Center	🕜 Home Log Out Preferences 🔤 Record Help							Welcome, weblogic Connected to: PM14	
/iew changes and restarts	Home >Summary of JMS Modules >PMJMSMODULES >MDB_QUEUE_RESPONSE								
Pending changes exist. They must be activated o take effect.	Settings for	MDB_QUEUE_RES	PONSE						
Activate Changes	Configurati	ion Monitoring	Control	Securi	ty Sub	deployment	Notes		
Undo All Changes	General	Thresholds and Quo	tas Ov	errides	Logging	Delivery	Failure		
omain Structure	Save								
114APP Domain Partitions Environment Deployments	Use this pa messages.		ge deliver	y failure (paramete	rs, like speci	ying redelivery limits, sele	cting a message expiration policy, and specifying an error destination for undeliverable or expired	
-Services -Security Realms P-Interoperability B-Diagnostics	Redelivery	Delay Override:		-1				The delay, in milliseconds, before rolled back or recovered messages are redelivered, regardless of the RedeliveryDelay specified by the consumer and/or connection factory. Redelivered queue messages are put back into their originality destination; redelivered topic messages are put back into their originality subscription. The default value (-1) specifies that the destination will not override the RedeliveryDelay setting specifies that the destination connection factory. More Info	
ow do I 🖂	Redelivery	Limit:		0				The number of redelivery tries a message can have before it is moved to the error destination. This setting overrides any redelivery limit set by the message sender. If the redelivery limit is configured, but no error destination is configured, then persistent and non-persistent messages are simply dropped (deleted) when they reach their redelivery limit. More Info	
Configure queue message delivery failure options Configure JMS templates	Expiration	Policy:		Redi	rect 🗸)		The message Expiration Policy to use when an expired message is encountered on a destination. The valid expiration policies are: More Info	
ystem Status	Expiration	Logging Format:				~		The policy that defines what information about the message is logged when the Expiration Policy is set to Log. The valid logging policy values are: More Info	
tealth of Running Servers as of 3:24 PM Failed (0) Critical (0) Overloaded (0) Warning (0)	Error Desti	ination:		jms//	ACC_EM	NTRY_RE	S_BKP_IN	The name of the target error destination for messages that have expired or reached their redelivery limit. If no error destination is configured, then such messages are simply dropped. If a message has expired or reached its redelivery limit, and the Expiration Policy is set to Redirect, then the message is moved to the specified Error Destination. More Info	
ОК (2)	Save								

Copyright (C) 1996,2016, Oracle and/or its aminates. All rights reserved. Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective ow

Maintenance for Gateway:

GWDETFUN - Gateway External system function maintenance



Ensure the Gateway setup for following services are maintained in FCUBS for external source system as FCUBS:

Service Name	Operation Code(s)
FCUBSAccService	QueryCustAccVal
FCUBSCAService	CreateEcablk
	CloseEcablk
FCUBSIFService	CreateExtAccEcaEntries

Source: FCUBS and User: SYSTEM

CODUPLDM - Upload Source Preferences maintenance

Ensure Upload Source preference setup for following modules are maintained in FCUBS for external source system as FCUBS:

Module	Post Upload Status				
IF	Authorized				
CA	Authorized				



2.3 Maintenances to be done in FCUBS

This section describes the specific maintenances, needed in Oracle FLEXCUBE Universal Banking (FCUBS) to install & integrate the same with Oracle Banking Payments (OBPM).

2.3.1 Branch Maintenance

Create branch in STDCRBRN screen in FCUBS.

Specify a host for every branch created. (To maintain Host time zone, refer OPBM Payments Core User Manual).

A pair of branches which could transact inter-branch payments, should be maintained under the same host.

Branch Core Parameters Maintenance						- x
New Copy Close Unlock Print	Enter Query					
Host Code	HOST1					
Branch Code 1	• 002					
Country Code 1	' GB					
Branch Name	International Operations					
Source Branch Code						
Branch Address Line 1	Threadneedle Street,					
Branch Address Line 2	London					
Branch Address Line 3	Great Britain					
Local Currency	GBP					
Walk In Customer	000196					
Weekly Holiday 1	Saturday •					
Weekly Holiday 2	Sunday *					
Host Name	 Auto Authorization HOST1 					
Report DSN	BIP_DSN					
Source System						
SWIFT Address						
Maker FAISAL7	Date Time: 2014	01-13	Mod No	3	Record Status Open	Exit
Checker FAISAL7	Date Time: 2014	-01-13			Authorization Status Authorized	LAR

In addition, map the branch code created above, in STDBRANC screen, and maintain the branch parameters.

Branch Parameters Maintenance					
New Copy Close Unlock P	rint Enter Query				
Branch Code	* 002	Branch Name *	International Operations		
Alternate Branch Code			Branch Available Status		
eneral Details Account Financial [Details Duplication Check Detail	Is International Bank Account Number Details			
Parent Branch	000	Description		Time Zone Offset	
Regional office			FLEXCUBE UNIVERSAL BAN	Hours	0
Country Code			BREAT BRITAIN	Minutes	0
Customer Identity		Description			Ahead
Local Currency			GREAT BRITAIN POUND	Time Level	0 Fund Branch
Branch Group		Description			Allow Corporate Access
GL Class	* ALL			EOC Status	
Report DSN	BIP_DSN			External Value	
				GMT Time Zone	
				Hours	
				Minutes	
					GMT Ahead
ATM Details		Cutoff Offset Time		Local Payments	
ATM Branch	2	Hours	D	Clearing Branch	000
Institution Id		Minutes	0	File Consol Transaction Code	
Inter Branch Transaction Code					
	Customer Transfer				
Address					APACGB61XXX
Branch Address Line 1	* Threadneedle Street,				AMEKD
Branch Address Line 2	London			Host Name	
Preferences SWIFT Address		Global Interdict Functions Tax Branch Currency	Fields	- HUSE HAINE	10011
Maker FAISALAUT	тн	Date Time: 2014-01-01 19:08:37	Mod No 4	Record Status	Dpen Exit
Checker FAISALAUT	TH	Date Time: 2014-01-01 19:08:37		Authorization Status	uthorized



2.3.2 External Payments System Maintenance

Maintain an active record in External System Maintenance screen (IFDEPSMT) with field external system type as "Payments" for different service codes with all required fields in the detailed section of this screen

- For MT110 Advice of Cheque(s), maintain the service code as 'GenInstrIssue' with OBPM Instrument Issuance Service details as below:
 - Service Name PMInstrumentIssueService
 - Operation Code CreateInstrumentIssue
 - Rest/Web Service User Option Choose the preferred option
 - Rest/Web Service User Provide the User to be used in Gateway request.
 - Rest/Web Service URL Provide the WDSL URL of OBPM Instrument Issuance Service.
- For MT111 Request for Stop Payment of a Cheque, maintain the service code as 'GenInstrStop' with OBPM Instrument stop Service details as below:
 - Service Name PMInsStopPayService
 - Operation Code CreateInsStopPay
 - Rest/Web Service User Option Choose the preferred option
 - Rest/Web Service User Provide the User to be used in Gateway request
 - Rest/Web Service URL Provide the WDSL URL of OBPM Instrument Stop Service
- For Outgoing Collections Request for DD Creation, maintain the service code as 'CreateDDOutService' as below:
 - Service Name PMDDOutService
 - Operation Code CreateDDOutService
 - Rest/Web Service User Option Choose the preferred option
 - Rest/Web Service User Provide the User to be used in Gateway request
 - Rest/Web Service URL Provide the WDSL URL of OBPM
- For CoverMatching, maintain the service code as "GenStmtMessage" with OBPM statement browser Service details as below:
 - Service Name StatementBrowserService
 - Operation Code CreateStatementBrowse
 - Rest/Web Service User Option Choose the preferred option
 - Rest/Web Service User Provide the User to be used in the Rest request
 - Rest/Web Service URL Service Provide the WEB Service URL of OBPM Statement Browser Service



	nal System Maintenance					
Vew	Copy Close Unlock	Enter Query				
	External System	* EXTSYS	Externa	I System Type * Payme	ents ~	
	Description	External Payment System	Read Time Ou	it (In Seconds)	70	
	Inter System Bridge GL	* 261100005	Connection Time Ou	it (In Seconds)	50	
	Source System	* FCUBS		Archival Days	3	
	Entity ID	* ENTITY_ID1		Retry Count	3	
	1 Of 1 🕨 🕅 🛛 🖓	0			+ -	:=
	Service Code	Service Name	Operation Code	Rest/Web Service Use	r Option Rest/Web Service User	
	CreateDDOutService	PMDDOutService	CreateDDOutService	Contract User \vee	ROHINI01	^
	GenInstrissue	PMInstrumentIssueService	CreateInstrumentIssue	Predefined User ~	RAMYA03	
	Generate Instrument Stop	PMInsStopPayService	CreateInsStopPay	Predefined User ~	RAMYA03	
	GenPayMessage	PMSinglePaymentService	CreateSinglePayment	Contract User 🗸	RAVIS2	
~	GenStmtMessage	StatementBrowserService	CreateStatementBrowse	Contract User 🗸	PKHUSER1	
						>
	Maker NAG002	Date Time: 2019-03-22 08:50:14	Mod No 13	Record St	atus Open	Exit

2.3.3 External System Functions Maintenance

- Maintain the gateway preferences for the below Source codes for the service name "FCUBSEPSService" with operation code "CreateEPSNotification" to receive the notifications from OBPM
 - FCUBSCL
 - FCUBSRT
 - FCUBSTD

For all FCUBS corporate modules where outgoing payment is initiated, the source code will be "FCUBS <Module-ID>". For example, the source code for FX module will be "FCUBSFX"

- Maintain the gateway preferences for the below Source codes for the service name "PMDDOutService" with operation code "CreateDDOutService" to receive the notifications from OBPM
 - FCUBSCL



External System Functions						-	×
New Copy Close Print Er	nter Query						
	FGEPSNO			Description	Notif Test		
Action *					Bulk SMS Check		
	FCUBSEPSService						
Operation Code	CreateEPSNotification						
Fields							
Maker RAMYA_A	Date Time: 2018-03-16	i 18:30:26 Mod	i No 1	Rec	cord Status Open		
Checker RAMYA_A	Date Time: 2018-03-16	18:30:26		Au	uthorization Authorized Status	Exit	

2.3.4 Upload Source Preference Maintenance

In Upload Source Preference Maintenance screen (CODUPLDM), Post Upload Status field value should be selected as "Authorized".

Upload Source Preference	es Maintena	nce					- ×
New Copy Close U	Jnlock Print	Enter Query					
Sour	ce Code * FC	UBSCL					
Modu	ule Code * IF						
Error Handling				Post Uploa	ad		
	On Error * Re	eject				Status * Authorized	
On	Override * Ig	nore				Purge Days	
On Repairable E	xception Re	eject				Allow Deferred Processing Allow EOD with Deferred	
On Queue E	xception Re	eject				Deletion Allowed	
Function ID Preference							
Maker RAMYA_A		Date Time: 2	2014-05-20 17:53:03	Mod No	1	Record Status Open	Exit
Checker RAMYA_A		Date Time: 3	2014-05-20 17:53:03			Authorization Authorized Status	LXIL



Below are the scheduler jobs configured for the integration. Make sure that these jobs are running.

- EPSGENPAYMENT Scheduler job for processing Payment request
- EPS_NOTIFICATION Scheduler job for processing OBPM notifications
- EPSSTATEMENTPROCESS- Scheduler job for processing Cover Matching

Make sure that the below ADF file is executed in the database schema. This file contains the JSON template for the OBPM Single Payment Service

GenPayMessage.ADF



2.3.5 BIC Maintenance

Upload BIC directory & ensure that the same are listed at ISDBICDE, which FCUBS will use, to transact payments.

2.3.6 Other Common Maintenances

Refer FCUBS Core User Manual, for the other ${\rm Day\,0}$ maintenances to be done in FCUBS.

2.4 Maintenances to bedone in OBPM

This section describes the specific maintenances needed in Oracle Banking Payments (OBPM) to install & integrate the same with Oracle FLEXCUBE Universal Banking (FCUBS).

2.4.1 Source Maintenance

Maintain the Source code with which FCUBS will handoff payment requests at PMDSORCE- Source maintenance screen.

Source Maintenance Detailed					- ×
New Copy Close Unlock Print	Enter Query				
Source Code *	FCUBSTD		MIS Group		
Host Code *	LIEGE		UDF Group		
Description	FCUBS TD				
Source Type	Upload *				
Prefunded Payments					
	Prefunded Payments Allowed		Prefunded Payments GL	261377771	
Duplicate Check Fields					
Duplicate Check Period in Days	0				
Other Preferences					
SSI Handling	Not Required *			Inbound credit to GL	
	Notification Required		Intermediary Credit GL		
	Validate Debit Authority Incoming SWIFT			PSD Applicable	
Auto Queue Preferences					
System Action	Auto roll-over				
Duplicate Check Fields					
Maker DEEPIKA19	Date Time: 2018-05-01 12:47:38	Mod No	6	Record Status Open	Exit
Checker DEEPIKA19	Date Time: 2018-05-01 12:47:38		А	uthorization Status Authorized	

Following are the source codes FCUBS uses to initiate payment request:

- FCUBSCL
- FCUBSRT
- FCUBSTD

For all FCUBS corporate modules where outgoing payment is initiated, the source code will be "FCUBS<Module-ID>". For example, the source code for FX module will be "FCUBSFX".

Each record maintained in Source Maintenance Detailed screen (PMDSORCE) should have the below preferences:

- Prefunded Payments GL should match Inter System Bridge GL maintained in External Payment System Maintenance screen (IFDEPSMT) of FCUBS.
- To initiate a payment for Loan disbursement / Deposit maturity etc. FCUBS will credit the funds in an intersystem bridge GL. This is needs to be maintained as Prefunded GL in OBPM.

This GL should be maintained in FCUBS & replicated to OBPM.



2.4.2 Source Network Preference Maintenance

Maintain the FCUBS Source specific preferences for each network at PMDSORNW screen.

Source Network Preference	es Detailed			- >
New Copy Close Unl	lock Print Enter Query			
	Host Code * LIEGE			
	Source Code * FCUBSRT	Description	ECUBS RT	
	Network Code * SWIFT	Network Description		
Tra	insaction Type * Outgoing *	Payment Type		
Preferences				
	Authorization Rekey Required			
6		Authorization Limit		
Sanctions System	Sanction Check Required			
	Sancton Check Required	Authorization Limit Currency Authorization 1 Limit		
Pricing		Authorization 1 Limit Authorization 2 Limit		
	External Pricing Applicable	Network Release Limit		
Authorization Rekey Fields				
H 4 1 OF 1 - H				+ - 11
Rekey Field Name	Description			
Maker FCUSER	1 Date Time: 2014-01-01 23 26:09	Mod No 1	Record Status Open	Exit

The preference for various payment networks via which FCUBS will initiate a payment request needs to be maintained on this screen for the same Source codes as in the previous Section.

2.4.3 Network Rule maintenance

OBPM should maintain appropriate Network Rule maintenance (PMDNWRLE) to route the FCUBS request to the respective network.

- Based on the Payment type, FCUBS system will send one of the values (LCL, SW IFT, RTGS) in Service Level Proprietaryfield, which further will be used to build the network rules,
 - LCL- Local clearing payments
 - SWIFT SWIFT Payment messages
 - RTGS RTGS Payment messages



Netw	ork Rule Detailed						-
Nev	v Copy Close Unlock	Print Enter Query					
	Host Coo	le * LIEGE		Channel 1	ype * Single Paymer	ıt 👻	
K -	1 Of 1 🕨 🗎	Go				+	- ⊞
	Rule Name *	R	Ile Expression			Network Code *	
~	ACH	ValueOf { 'SERV CE_LEVEL' } EQUAL 'LC	Ľ		AC	H	*
	BOOK	ValueOf { 'SERVICE_LEVEL' } EQUAL 'BO	DOK'		BC	юк	
	RTGS	ValueOf { 'SERVICE_LEVEL' } EQUAL 'RT	'GS'		RT	GS	
Π	SWIFT	ValueOf { 'SERVICE_LEVEL' } EQUAL 'SV	VIFT		SV	VIFT	
	STEP2	ValueOf { 'SERVICE_LEVEL' } EQUAL 'SE	PA'		ST	EP2	
							~
٠ 🗌							•
Ехр	ression Details						
K -	🚺 1 Of 1 🕨 🗎	Go				+	- 8
ion	Scope	LOP Operand	Operator	ROP T	/pe ROP Data Type	e ROP Ope	rand
		SERVICE_LEVEL	Equal To	 Constant 	nt 💌 String 💌	LCL	<u>^</u>
	Maker DEEPIKA19	Date Time: 2014-01-01 00:50:09	Mod No	3	Record Status Op	en	
	Checker DEEPIKA19	Date Time: 2014-01-01 00:50:09			Authorization Aut Status	thorized	Exit

2.4.4 Notification maintenance

Maintain the FCUBS Source specific notification preferences for each network at PMDEXTNT screen.

External Notification Queue Detailed			- ×
New Copy Close Unlock Print	Enter Query		
Host Cod	e* LIEGE	Communication Type	Web Service *
Source Cod	e* FCUBSTD	Timeout in Seconds	
Notification System Clas	IS FCUBS *		
JMS Preferences			
Outqueue JNDI Nam	e	Q Profile	
WebService Preferences			
WebService UR	L http://10.184.158.19:78 43/FCUBSEPSService/ FCUBSEPSService	Service	FCUBSEPSService
ReST Preferences			
ReST UR	L		
Maker FCUSER4	Date Time: 2018-04-27 12:36:04	Mod No 1	Record Status Open Exit
Checker FCUSER4	Date Time: 2018-04-27 12:36:04	,	Authorization Status Authorized

The notification is a call from OBPM to the FCUBS Webservice – FCUBSEPSService that needs to be deployed. The gateway external system setup is required to be done for source code mentioned in the above screen shot. It is important to give the Notification System class as FCUBS and communication mode as Web Service.

2.4.5 External System Functions Maintenance

 Maintain the gateway preferences for the Source System which is maintained in the Source system field of External Payment System Maintenance screen (IFDEPSMT) in FCUBS, for the service names "PMInstrumentIssueService" and "PMInsStopPayService" with their respective operation codes.



External Sys	stem Functions				- ×
Enter Quer	у				
	External System * Function * Action * Service Name	PIDINSIS			E
	Operation Code	CreateInstrumentIssue			Ţ
Fields					
	ker RAMYA03 ker RAMYA03	Date Time: 2018-03-22 08:1 Date Time: 2018-03-22 08:1	o 1	Record Status Open Authorization Authorized Status	Exit

2. The service names "FCUBSDDServices" and "Create Transaction" with their respective operation codes.

External Syst	tem Functions					
New Copy	Close Print	Enter Query				
	External Syste	em * FCUBS		Des	cription FCUBS	
	Funct	ion * DDGONONL				
	Acti	ion * NEW			Bulk SMS Check	
	Service Na	me FCUBSDDService				
	Operation Co	de CreateTransaction				
Fields						
	er RAMYA03 er RAMYA03	Date Time: 2018-0 Date Time: 2018-0	Mod No	1	Record Status Open Authorization Authorized Status	



2.4.6 ECA System Maintenance

Create External Credit Approval Check system as 'FCUBS' in STDECAMT screen.

w	Сору	Close	Unlock	Print	Enter Query							
			Source	e System	FCUBS							
			De	scription	FLEXCUB							
	Ma	ker VAN	DIT04			Date Time: 201	4-01-01 12 39 38	8	Mod No	1	Record Status Open	

Map the ECA system 'FCUBS' in the PMDECAMT.

External Credit Approval System Detaile	d				- >
New Copy Close Unlock Print	Enter Query				
External Credit Approval System	FCUBS				
	Flexcube system				
Communication Type	JMS Queue *				
Other Preferences					
ECA System Class	FCUBS *				
Inter System Bridge GL	261100005				
JMS Preferences WebService Preference	ces ReST Preferences				
Preferences					
	MDB_QUEUE_RESPONS				
Outqueue JNDI Name					
Q Profile	OPROFILE				
Faster Payment Preferences					
Inqueue JNDI Name	MDB_QUEUE_RESPONS				
Outqueue JNDI Name	MDB_QUEUE				
Status Mapping					
Maker DEEPIKA19	Date Time: 2017-11-09 12:40:47	Mod No	395	Record Status Open	Exit
Checker DEEPIKA19	Date Time: 2017-11-09 12:40:47			Authorization Status Authorized	CAR

Maintain the In queue JNDI Name as MDB_QUEUE_RESPONSE, Outqueue JNDI Name as MDB_QUEUE & Q Profile – as per the MDB Queue created on the App Server as in Section 2.2. Q Profile should be the IP Address where the JMS Queue has been created. The OBPM System will post the ECA request to UBS via these MDB queues. Maintain Queue Profile in

'PMDQPROF'

Profile ID			Queue Authentication Required
Profile Description			
User ID			
Password			
Context Provider URL			
Initial Context Factory Class			
Queue Factory JNDI	MDBQCF		
Maker	Date Time:	Mod No	Record Status
Checker	Date Time:		Authorization



Queue profile requires the context provider URL of the Application Server where the queue is created. All other parameters are same as mentioned above.

¹⁰⁹ OBPM build the ECA request with details mentioned in section 2.2 and post to MDB_QUEUE. FCUBS via GW MDB pulls the gateway request and call internally the ECA block process to create or undo the ECA block. Once the process is completed, the FCUBS post the response via gateway infra to MDB_QUEUE_RESPONSE.

MDB_QUEUE_RESPONSE is configured with a redelivery Queue as jms/ACC_ENTRY_RES_BKP_IN mentioned in section 2.2. This Queue internally pulls the response via OBPM MDB to complete ECA processing in OBPM.

Following are the Services and Operations used by OBPM to post in to FCUBS

- FCUBSAccService QueryCustAccVal (Operation)
- FCUBSCAService CreateEcablk, CloseEcablk (Operation)

2.4.7 Accounting System Maintenance

Maintain the accounting system as 'FCUBS' in PMDACCMT.

External Accounting System Detailed					- X
New Copy Close Unlock Print	Enter Query				
External Accounting System*	* FCUBS			Description * External accounting handoff interface	
Preferences					
Outqueue JNDI Name	MDB_QUEUE				
Inqueue JNDI Name	MDB_QUEUE_RESPONS				
Q Profile					
Maker DEEPIKA19	Date Time: 2017-11-06 14:21:22	Mod No	4	Record Status Open	Exit
Checker DEEPIKA19	Date Time: 2017-11-06 14:21:22			Authorization Status Authorized	

Maintain the In queue JNDI Name as MDB_QUEUE_RESPONSE, Outqueue JNDI Name as MDB_QUEUE & Q Profile (refer section 2.4.5). The OBPM system will post the Accounting handoff request to FCUBS via these MDB queues.

Maintain Account System Mapping for the Accounting System and Networks (PMDACMAP)



	Copy Close	Linlock	Drint	Entor Quany						
lew	Copy Close	UNIOCK	FIIII	Enter Query						
		Host Cod	e * FINL/	AND			Default i	External Accounting System Code	FCUBS	
etwo	rk Specific Mai	ntenance								
•	1 Of 1 🍗 🗎		Go							+
	Network Co	de *	Externa	I Accounting 8	System Code					
S	WIFT		FCUBS	3						
	Maker SUBIT	ł		Date Time: 2	017-09-06 15:)2:43	Mod No	2	Record Status Open	E

⁶⁰⁹ OBPM build the Accounting Handoff request with details mentioned in section 2.2 and post to MDB_QUEUE. FCUBS via GW MDB pulls the gateway request and calls internally the External Accounting request. Once the process is completed, FCUBS posts the response via gateway infra to MDB_QUEUE_RESPONSE.

MDB_QUEUE_RESPONSE is configured with a redelivery Queue as jms/ACC_ENTRY_RES_BKP_IN mentioned in section 2.2. This Queue internally pulls the response via OBPM MDB to complete Accounting Handoff processing in OBPM.

Following is the Service and Operation used by OBPM to post in to FCUBS:

FCUBSIFService - CreateExtAccEcaEntries(Operation)

2.4.8 Customer Maintenance

Create the customers in FCUBS system, which will be automatically replicated and displayed at STDCIFCR in OBPM.

Creation of CIF, its amendments, closure & re-open status will get auto replicated to OBPM, with the latest data.

2.4.9 Account Maintenance

Create the accounts (Normal / Nostro type) in FCUBS system which will be automatically replicated and displayed at STDCRACC in OBPM.

Creation of accounts, its amendments, closure & re-open status will get auto replicated to OBPM with the latest data.

2.4.10 General Ledger Maintenance

Create the General Ledger in FCUBS system which will be automatically replicated and displayed at STDCRGLM in OBPM.

Creation of General Ledgers, its amendments, closure & re-open status will get auto replicated to OBPM with the latest data.



2.4.11 Transaction code Maintenance

Create the transaction code in FCUBS system which will be automatically replicated and displayed at STDCRTRN in OBPM.

Creation of transaction codes, its amendments, closure & re-open status will get auto replicated to OBPM with the latest data.

2.4.12OBPM to use FCUBS Dates

Maintain IS_CUSTOM_DATE parameter as 'Y' in cstb_param table. By this, OBPM will use the 'Today' from sttm_dates as the transaction booking date.

This parameter value should be modified to N in Production environment.

2.4.13 Other Payments Maintenances

Refer OPBM Payments Core User Manual, for the other Day 0 maintenances to be done.

2.5 FAQ's

This section describes the FAQ's for the scenarios noticed on accounting handoff between Oracle Banking Payments & Oracle FLEXCUBE Universal Banking systems, on the Codeployed set-up.

1. Accounting handoff is in Pending status:

OBPM isn't able to post the accounting entries to UBS accounting jms queue. If in the PM debugs, shows failed to initialize jndi factory, check the following in PMSSYSPM – System parameters:

- PM.CTX.FACTORY weblogic.jndi.WLInitialContextFactory
- PM_CTX_PROVIDER Provider URL** of the app server
- a. (** Provider URL will be the http URL of the app URL. E.g.: if Application URL is https://hostname:9011/FCJNeoWeb/, then provider URL will be t3://hostname:9010)
- In PMDQPROF screen Q profile Specify the correct Initial factory & provider URL (same as above). QCF should be MDBQCF. Ensure this MBDQCF is configured in WebLogic.
- c. Update the Provider URL in Pmtm_job_param & pmtm_system_parameters tables.
- d. Do restart the application after the above changes.

2. Accounting handoff is in Requested status:

The accounting is passed successfully by OBPM, but response from UBS system is not received yet.

- a. Check the MDB settings as indicated above & MDB gateway log.
- b. Check gwtm_in_log & gwtm_out_log tables for the exception details & message CLOB. The correlation ID in the accounting request XML of the transaction will be key between the two systems.



3. Accounting handoff is in Rejected status:

Accounting entries handed off by OBPM has been rejected by UBS.

- a. In OBPM application front end, go to the view transaction (PXDOVIEW / PBDOVIEW/ PADOVIEW), query the transaction. Click on View Q action. In Queue action log the sub screen, selecting the Accounting Response row, Click View response. Check the error & take corrective action as below:
- b. If error is "No data found for source combination" → Maintain in GWDETFUN a record for source code FCUBS & CreateExtAccEcaEntries (NEW) combination.
- c. If error is "User doesn't have rights to perform operation" \rightarrow Maintain in SMDUSRDF, for SYSTEM user, add roles for the respective branch.
- d. Additionally, ensure the below maintenance are done:
 - i. Maintain Source as FCUBS in CODSORCE
 - ii. Maintain Source Preference for FCUBS Source and IF Module in CODUPLDM
 - iii. Set Correlation pattern in GWDETSYS as Correlation ID. Not Message ID.

Relevant debugs to be analyzed:

MDB_Kernel11.1_gwlog _<Date>.log : GW MDB Log SYSTEM<Branchcode>: Db Dbg

