

Oracle Utilities Customer To Meter

Quick Install Guide

Release 2.7.0.3.0

F21743-01

September 2019

Oracle Utilities Customer To Meter Quick Install Guide, Release 2.7.0.3.0

Copyright © 2017, 2019 Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface	i
Related Documents	i-ii
Updates to Documentation	ii
Conventions	ii
Additional Resources	ii
Chapter 1	
Oracle Utilities Customer To Meter Installation Overview	1-1
Media Pack Contents	1-2
Documentation Packages.....	1-2
Installation Packages.....	1-2
Components for Oracle Utilities Customer To Meter	1-2
Application Overview	1-3
Supported Platforms	1-3
Operating Systems and Application Servers	1-3
SDK - Supported Combinations	1-5
Application Server Memory Requirements	1-5
Support for Software Patches and Upgrades	1-6
Installing Oracle Utilities Customer To Meter.....	1-6

Preface

Welcome to the Oracle Utilities Customer To Meter Quick Install Guide.

This guide provides information about installing Oracle Utilities Customer To Meter and is intended for anyone interested in the installation process.

- [Related Documents](#)
- [Updates to Documentation](#)
- [Conventions](#)
- [Additional Resources](#)

To complete the installation you should have:

- Administrative privileges on the host where you are installing the software.
- Experience installing and configuring application servers and other software.

Related Documents

For more information, refer to these Oracle documents:

Installation Guides and Release Notes

- *Oracle Utilities Customer To Meter Release Notes*
- *Oracle Utilities Customer To Meter Quick Install Guide*
- *Oracle Utilities Customer To Meter Installation Guide*
- *Oracle Utilities Customer To Meter Database Administrator's Guide*
- *Oracle Utilities Customer To Meter Optional Products Installation Guide*
- *Oracle Utilities Customer To Meter Licensing Information User Manual*

Administrative and Business User Guides

- *Oracle Utilities Customer To Meter Administrative User Guide*
- *Oracle Utilities Customer To Meter Business User Guide*

Supplemental Documents

- *Oracle Utilities Customer To Meter Server Administration Guide*
- *Oracle Utilities Customer To Meter Security Guide*

Updates to Documentation

This documentation is provided with the version of the product indicated. Additional and updated information about the operations and configuration of the product is available from the Knowledge Base section of My Oracle Support (<http://support.oracle.com>). Please refer to My Oracle Support for more information.

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

Additional Resources

For more information and support, visit the Oracle Support Web site at: <http://www.oracle.com/support/index.html>

Chapter 1

Oracle Utilities Customer To Meter Installation Overview

This chapter provides a high-level overview of the installation steps and required additional software for Oracle Utilities Customer To Meter, Release 2.7.0.3.0.

- [Media Pack Contents](#)
- [Application Overview](#)
- [Supported Platforms](#)
- [Application Server Memory Requirements](#)
- [Support for Software Patches and Upgrades](#)
- [Installing Oracle Utilities Customer To Meter](#)

For more information, refer to *Oracle Utilities Customer To Meter Installation Guide*.

Media Pack Contents

The Oracle Utilities Customer To Meter Media Pack consists of the following:

Documentation Packages

- Oracle Utilities Customer To Meter 2.7.0.3.0 Release Notes
- Oracle Utilities Customer To Meter 2.7.0.3.0 Quick Install Guide
- Oracle Utilities Customer To Meter 2.7.0.3.0 Install Documentation
- Oracle Utilities Customer To Meter 2.7.0.3.0 User Documentation

Installation Packages

- Oracle Utilities Application Framework V4.4.0.2.0 Multiplatform
- Oracle Utilities Application Framework V4.4.0.2.0 Prerequisite Single Fixes
- Oracle Utilities Customer To Meter 2.7.0.3.0 Multiplatform
- Oracle Utilities Customer To Meter 2.7.0.3.0 Oracle Database
- Oracle Utilities Customer To Meter 2.7.0.3.0 Reports
- Oracle Utilities Customer To Meter 2.7.0.3.0 Sample programs

Components for Oracle Utilities Customer To Meter

The system includes the following components:

- All application processes and HTML/JSP pages that make up the user interface
- The Installation Guide, which describes the installation/upgrade process
- The latest User Documentation
- Release Notes describing functional changes for this version
- Database installation with demo data
- Database upgrade scripts
- Data Dictionary
- System Table Guide
- XAI Client Software
- Conversion Tool
- Sample Reports

Application Overview

The application is split into multiple tiers:

Tier 1: Browser-Based Client

The web browsers listed below are supported when used on each of the operating systems indicated:

Browser	Windows Operating System
Internet Explorer 11.x	Microsoft Windows 7 SPx, 8.x, 10 (64-bit)
Firefox ESR 68.x	Microsoft Windows 7 SPx, 8.x, 10 (64-bit)
Google Chrome	Microsoft Windows 7 SPx, 8.x, 10 (64-bit)

Tier 2: Web Application Server

Oracle Utilities Customer To Meter supports the Oracle WebLogic web application server.

Tier 3: Database Server

Oracle Utilities Customer To Meter supports the Oracle database server.

Supported Platforms

The installation has been tested to operate on many operating system, application server, and database server combinations. For the software requirements for each of these combinations, refer to the **Installing Application Server Prerequisite Software** chapter in the *Installation Guide*.

Operating Systems and Application Servers

This section details the operating system and application server combinations on which this version of Oracle Utilities Customer To Meter is supported.

Application Server Operating Systems

- Oracle Linux 7.x for x86_64
- Oracle Solaris 11.x for SPARC (64-bit)
- IBM AIX 7.2 TLx for POWER (64-bit)
- HP-UX 11.31 (64-bit)

Prerequisite Application Server Software

- Oracle Database Client 12.1.0.2.+, 12.2.0.1.+, 18c, 19c
- Oracle Java SE Development Kit 1.8.0_x (Windows, Solaris and Linux platforms only)
- IBM 64-bit SDK for AIX 8.0.0.x (IBM platforms only)

- Hibernate ORM 4.1.0 and Hibernate 5.2.3 jars
- HP-UX 11i Java 8.0.x (HP platforms only)
- Oracle WebLogic Server 12c Release 2 (12.2.1.+) 64-bit

Notes

- Oracle Linux is 100% user space-compatible with Red Hat Enterprise Linux, therefore, OUAFA is also supported on Red Hat Enterprise Linux.
- Refer to the *Oracle Utilities Application Framework Database Administrator's Guide* for the Oracle Database Server Requirements.

Refer to the *Product Support Matrix (Document ID 1454143.1)* on My Oracle Support to determine if support for newer versions of the listed products have been added.

Please note that an “x” indicates that any version of the digit designed by the “x” is supported.

Example: Linux 7.x indicates that any version of Linux 7 (7.0, 7.1, 7.2 etc) will be supported.

Windows Server

- Windows Server is **not** supported for Production environments. Wherever Windows Server is referenced within this guide, it is supported for Test or Development environments **only**.

WebLogic Server

- Oracle WebLogic Server (Fusion Middleware Infrastructure) Release 2 (12.2.1.x) and any higher versions of Oracle are supported.
- Customers must download Oracle WebLogic Server from the Oracle Software Delivery Cloud.

Oracle Database Server

Prerequisite database server software (on any vendor supported platform where x is vendor supported version):

- Oracle Database Server Enterprise Edition 12.1.0.2.+
- Oracle Database Server Standard Edition 2 12.1.0.2.+
- Oracle Database Server Enterprise Edition 12.2.0.1.+
- Oracle Database Server Standard Edition 2 12.2.0.1.+
- Oracle Database Server Enterprise Edition 18c
- Oracle Database Server Standard Edition 18c
- Oracle Database Server Enterprise Edition 19c
- Oracle Database Server Standard Edition 19c

Note: Oracle Database Enterprise Edition and the Partitioning and Advanced Compression options are not mandatory but are recommended. Standard Edition should only be considered suitable for very small, pilot projects or development environments where scalability, performance, and database size-on-disk are not important

considerations. Oracle Database Enterprise Edition, including the Advanced Compression and Partitioning options, is strongly recommended in all other situations.

Oracle VM Support

This version of Oracle Utilities Customer To Meter is supported on Oracle VM Server for x86 for supported releases of Oracle Linux and Microsoft Windows operating systems.

Refer to My Oracle Support knowledge base article 249212.1 for Oracle’s support policy on VMWare.

SDK - Supported Combinations

Refer to the SDK documentation for supported platforms and installation instructions.

Application Server Memory Requirements

For each application server environment a minimum of 4 GB of real memory is required, plus 6 GB of swap space. The approximate disk space requirements in a standard installation are as follows (the size represents the MINIMUM required):

Location	Size	Usage
Install Dir ("\$\$PLEBASE") Location	10 GB recommended 5 GB minimum	This is the location where the application and Framework get installed. Startup, shutdown and other online log files are stored here. The size and space that is used should be monitored because various debugging options can significantly affect the size of log files. Note: This does not include the size of the edge product.
Log Dir ("\$\$PLOUTPUT") Location	10 GB recommended 2 GB minimum	This location is used for storing batch log files and output from batch jobs. The size of this space should be influenced by which batches are run and how often, and the amount of debugging information that is collected.
Location of the application web work files on the web servers	5 GB recommended 2 GB minimum	This location is used by various web server vendors to expand the application. It should be considered when installing these products. Refer to the individual web server documentation to determine the location of the temporary files.
Installation Temporary Area	10 GB minimum	The application gets installed from this location. You need enough space to uncompress the files and install the application.

Location	Size	Usage
Oracle Data Area	10 GB minimum	This location is where the Oracle database data files are stored. The size of this space should be based on the requirements of the production environment. For an initial or demo database install 4 GB should be sufficient.

Support for Software Patches and Upgrades

Due to the ongoing nature of software improvement, vendors will periodically issue patches and service packs for the operating systems, application servers and database servers on top of specific versions that Oracle products have already been tested against.

If it is necessary to apply an upgrade, please do so in a test environment that is running on the same platform as your production environment prior to updating the production environment itself. The exception to this is Hibernate software 4.1.0 which should not be upgraded.

Always contact Oracle Support prior to applying vendor updates that do not guarantee backward compatibility.

Installing Oracle Utilities Customer To Meter

Before installing Oracle Utilities Customer To Meter, ensure you install Oracle Utilities Customer Care and Billing. For instructions, refer to the [Installing Oracle Utilities Customer To Meter](#) section.

For additional information on installing Oracle Utilities Customer To Meter, refer to the *Oracle Utilities Customer To Meter Installation Guide*.

To install Oracle Utilities Customer To Meter V2.7.0.3.0

1. Install Oracle Utilities Customer To Meter database. Refer to *Oracle Utilities Customer To Meter Database Administrator's Guide* included in this package for complete details.
2. Install Oracle Utilities Meter Data Management V2.3.0.2.0. Refer to *Oracle Utilities Customer To Meter Installation Guide* included in this package for more details.
3. Install Oracle Utilities Operational Device Management V2.2.0.6.0. Refer to *Oracle Utilities Customer To Meter Installation Guide* included in this package for more details.
4. Install Oracle Utilities Application Framework V4.4.0.2.0 Prerequisite Single Fixes. Refer to *Oracle Utilities Customer To Meter Installation Guide* included in this package for more details.
5. Install Oracle Utilities Customer To Meter V2.7.0.3.0. Refer to *Oracle Utilities Customer To Meter Installation Guide* included in this package for more details.