Oracle® Retail Merchandising

Batch Schedule

Release 19.0

F26342-01

January 2020

ORACLE®

Oracle Retail Merchandising Batch Schedule, Release 19.0

F26342-01

Copyright © 2020, Oracle and/or its affiliates. All rights reserved.

Primary Author: Nathan Young

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Xeon are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Opteron, the AMD logo, and the AMD Opteron logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Value-Added Reseller (VAR) Language

Oracle Retail VAR Applications

The following restrictions and provisions only apply to the programs referred to in this section and licensed to you. You acknowledge that the programs may contain third party software (VAR applications) licensed to Oracle. Depending upon your product and its version number, the VAR applications may include:

(i) the **MicroStrategy** Components developed and licensed by MicroStrategy Services Corporation (MicroStrategy) of McLean, Virginia to Oracle and imbedded in the MicroStrategy for Oracle Retail Data Warehouse and MicroStrategy for Oracle Retail Planning & Optimization applications.

(ii) the **Wavelink** component developed and licensed by Wavelink Corporation (Wavelink) of Kirkland, Washington, to Oracle and imbedded in Oracle Retail Mobile Store Inventory Management.

(iii) the software component known as **Access Via™** licensed by Access Via of Seattle, Washington, and imbedded in Oracle Retail Signs and Oracle Retail Labels and Tags.

(iv) the software component known as **Adobe Flex™** licensed by Adobe Systems Incorporated of San Jose, California, and imbedded in Oracle Retail Promotion Planning & Optimization application.

You acknowledge and confirm that Oracle grants you use of only the object code of the VAR Applications. Oracle will not deliver source code to the VAR Applications to you. Notwithstanding any other term or condition of the agreement and this ordering document, you shall not cause or permit alteration of any VAR Applications. For purposes of this section, "alteration" refers to all alterations, translations, upgrades, enhancements, customizations or modifications of all or any portion of the VAR Applications including all

reconfigurations, reassembly or reverse assembly, re-engineering or reverse engineering and recompilations or reverse compilations of the VAR Applications or any derivatives of the VAR Applications. You acknowledge that it shall be a breach of the agreement to utilize the relationship, and/or confidential information of the VAR Applications for purposes of competitive discovery.

The VAR Applications contain trade secrets of Oracle and Oracle's licensors and Customer shall not attempt, cause, or permit the alteration, decompilation, reverse engineering, disassembly or other reduction of the VAR Applications to a human perceivable form. Oracle reserves the right to replace, with functional equivalent software, any of the VAR Applications in future releases of the applicable program.

Contents

Send Us Your Comments vii

Preface ix

Audience ix
Documentation Accessibility ix
Customer Support ix
Review Patch Documentation x
Improved Process for Oracle Retail Documentation Corrections x
Oracle Retail Documentation on the Oracle Technology Network xi
Conventions xi

1 Introduction to Merchandising Batch Processing

Batch Processing 1-1
Types of Batch Programs 1-1
Batch Window 1-2
Batch Schedule 1-2
Merchandising Batch Schedule 1-2
Batch Schedule 1-2

Send Us Your Comments

Oracle Retail Merchandising Batch Schedule, Release 19.0

Oracle welcomes customers' comments and suggestions on the quality and usefulness of this document.

Your feedback is important, and helps us to best meet your needs as a user of our products. For example:

- Are the implementation steps correct and complete?
- Did you understand the context of the procedures?
- Did you find any errors in the information?
- Does the structure of the information help you with your tasks?
- Do you need different information or graphics? If so, where, and in what format?
- Are the examples correct? Do you need more examples?

If you find any errors or have any other suggestions for improvement, then please tell us your name, the name of the company who has licensed our products, the title and part number of the documentation and the chapter, section, and page number (if available).

> **Note:** Before sending us your comments, you might like to check that you have the latest version of the document and if any concerns are already addressed. To do this, access the Online Documentation available on the Oracle Technology Network Web site. It contains the most current Documentation Library plus all documents revised or released recently.

Send your comments to us using the electronic mail address: retail-doc_us@oracle.com

Please give your name, address, electronic mail address, and telephone number (optional).

If you need assistance with Oracle software, then please contact your support representative or Oracle Support Services.

If you require training or instruction in using Oracle software, then please contact your Oracle local office and inquire about our Oracle University offerings. A list of Oracle offices is available on our Web site at `http://www.oracle.com`.

Preface

This batch schedule document details the integrated cyclical processing schedules for the Oracle Retail Merchandising applications:

- Oracle Retail Merchandising System (RMS)
- Oracle Retail Invoice Matching (ReIM)
- Oracle Retail Pricing
- Oracle Retail Sales Audit (ReSA)
- Oracle Retail Allocation
- Oracle Retail Data Extractor (RDE)

This guide describes the periodic and ad hoc phases of batch processing, as well as pre- and post-processing dependencies.

Audience

The audiences for this guide are as follows:

- Systems analysts and system operations personnel who need information about Merchandising processes, internally or in relation to systems across the enterprise
- Integrators and implementation staff who have the overall responsibility for implementing the Merchandising applications in their enterprise

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at `http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc`.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit `http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info` or visit `http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs` if you are hearing impaired.

Customer Support

To contact Oracle Customer Support, access My Oracle Support at the following URL:

https://support.oracle.com

When contacting Customer Support, please provide the following:

- Product version and program/module name
- Functional and technical description of the problem (include business impact)
- Detailed step-by-step instructions to re-create
- Exact error message received
- Screen shots of each step you take

Review Patch Documentation

When you install the application for the first time, you install either a base release (for example, 16.0) or a later patch release (for example, 16.0.030). If you are installing the base release, additional patch, and bundled hot fix releases, read the documentation for all releases that have occurred since the base release before you begin installation. Documentation for patch and bundled hot fix releases can contain critical information related to the base release, as well as information about code changes since the base release.

Improved Process for Oracle Retail Documentation Corrections

To more quickly address critical corrections to Oracle Retail documentation content, Oracle Retail documentation may be republished whenever a critical correction is needed. For critical corrections, the republication of an Oracle Retail document may at times not be attached to a numbered software release; instead, the Oracle Retail document will simply be replaced on the Oracle Technology Network Web site, or, in the case of Data Models, to the applicable My Oracle Support Documentation container where they reside.

This process will prevent delays in making critical corrections available to customers. For the customer, it means that before you begin installation, you must verify that you have the most recent version of the Oracle Retail documentation set. Oracle Retail documentation is available on the Oracle Technology Network at the following URL:

http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html

An updated version of the applicable Oracle Retail document is indicated by Oracle part number, as well as print date (month and year). An updated version uses the same part number, with a higher-numbered suffix. For example, part number E123456-02 is an updated version of a document with part number E123456-01.

If a more recent version of a document is available, that version supersedes all previous versions.

Oracle Retail Documentation on the Oracle Technology Network

Oracle Retail product documentation is available on the following web site:

http://www.oracle.com/technetwork/documentation/oracle-retail-100266.html

(Data Model documents are not available through Oracle Technology Network. You can obtain them through My Oracle Support.)

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
italic	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
`monospace`	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1

Introduction to Merchandising Batch Processing

This chapter is a brief introduction to Oracle Retail batch processing. It defines basic terms and concepts.

Batch Processing

Batch processing is the execution of a group of batch programs (jobs). The results are returned without user intervention. Batch programs are commonly used for the following reasons:

- To process large volumes of transaction data
- To interface with external systems
- To perform internal maintenance

Batch programs can process very large quantities of data quickly and efficiently. Batch programs can perform some updates that could be performed through online transactions, but much more quickly and with less impact on system performance. Batch processing is usually scheduled for times when systems are idle or least busy.

Batch programs can be run automatically using batch scheduler software. The batch scheduler allows batch jobs to be set up in a specific order, with restrictions attached to any program as needed. If an error occurs with a batch program, an administrator must correct the error and manually rerun the batch program that failed.

Types of Batch Programs

Oracle Retail batch programs are of several types:

- Upload programs bring data from external systems into the Oracle Retail database. For example, the sales upload program uploads daily transactions that occur at the point of sale (POS) for processing by the Oracle Retail Management System (RMS).
- Download programs extract data from RMS and format it so it can be used by external systems. For example, the posdnld program extracts new and changed information about an item/location for downloading to the point of sale.
- System maintenance programs perform tasks such as updating the system date. For example, the dtesys program increments the system date at the end of each batch cycle.

- Functional maintenance programs process data specific to a functional area. For example, the mrt.pc program creates individual transfers for an approved Mass Return Transfer.

Batch Window

Because of the impact on production systems, it is not always possible to run batch programs during business hours; however, there is a window of opportunity during each day or night when online systems are not being used. This time frame is the batch window. For example, a retailer with stores throughout the continental U.S. might require its online systems to be available from 8 AM Eastern Standard Time, when its East Coast offices open, until 9 PM Pacific Standard Time, when its West Coast stores close. This allows an eight-hour batch window for processing all batch jobs.

Batch Schedule

Order is critical when running batch programs. Some tasks need to be performed before others. A batch schedule ensures that every time batch processing is performed, the correct tasks are performed in the proper order.

For each individual user, the schedule is a suggested starting point for the installation. Some programs are specific to products that may not be installed, so these programs may not be used at all.

Merchandising Batch Schedule

The integrated Merchandising batch schedule combines the batch schedules of all Merchandising applications.

The integrated Merchandising batch schedule combines the batch modules for the following applications:

- Oracle Retail Merchandising
- Oracle Retail Trade Management
- Oracle Retail Sales Audit
- Oracle Retail Invoice Matching
- Oracle Retail Pricing
- Oracle Retail Allocation
- Oracle Retail Data Extractor (RDE)

Batch Schedule

View the whole Batch Schedule below.

Start Batch Cycle




Back to Start Batch Cycle
dummyctn
tampercln
genpreiss
ordautcl
allocbt
cmpupld
otbupld
tranupld
dealupld
ediupavl
prepost htsupld pre
htsupld
tcktdnld
cednld
edidlinv
edidlcon
lifstkup
stockcountupload
stockcountprocess
lclrbld
sitmain
likestorebatch
ediupack
vrplbld
prepost vrplbld post
poscdnld
prepost poscdnld post
vatdlxpl
stkschedxpld
invcdshp
cntrmain
batch_ditinsrt
stop Inventory RIB adaptor 24x7 (dummy)
wasteadj
stkvar
batch_compeffupd
batch_alloctsfupd
batch_depchrgupd
prepost batch_ordcostcompupd pre
batch_ordcostcompupd
prepost batch_ordcostcompupd post
batch_expprofupd
batch_itmcostcompupd
prepost batch_costcompupd post
elcexcprg
fcthreadexec
prepost fcexec pre
fcexec
trandataload
trandataprocess
export_diffgrp
export_diffs
export_merchhier
export_orghier
export_vat
export_stores
export_itemmaster
export_itemvat
export_relitem
export_itemloc
export_stg_purge
refmv10nentity
refmvlocprimaddr
batch_rfmvcurrconv
iindbatch
itm_indctn_purge
poindbatch
po_indctn_purge
replindbatch
repl_indctn_purge
sagetref
saimptlogtdup_upd
saimptlogti
savouch
saimptlogfin
saimpadj
satotals
sarules
sascheat
sapreexp
saprepost sapreexp post
saexpdw
saprepost saexpdw post
resa2dw
RDE
resa2rde
rfluaextemsde
saexpgl
saexpim
saordinvexp
saprepost saordinvexp post
ordinvupld
saexpsim
saprepost saexpsim post
resa2sim
saexpach
saexprms
saprepost saexprms post
uploadsales
salesprocess
salesgenrej
salesuploadarch
sapurge
RDE
cstsldsde
scoext
prepost sscext post
ownership_change_process.ksh
lcmt730
lcupld
lcmt798
lcup798
lcadnld
lcmt700
lcmdnld
lcmt707
mrt
mrtrtv
mrtupd
supmth
prepost supmth post
wfsilsupld
prepost wfordupld pre
wfordupld
prepost wfretupld pre
wfretupld
wfbillex
fcosttmplupld
fcosttmplprocess
fcosttmplpurge
fcustomerupload
fcustomerprocess
fcustupldpurge
wf_apply_supp_cc
dealfinc
prepost vendinvf pre
vendinvf
prepost vendinvf post
salstage
fifgldn1
fifgldn2
prepost dealact_sales pre
prepost dealact_po pre
prepost dealact_nor pre
salaprnd
stlgdnld
dealact
prepost dealinc pre
dealinc
prepost dealfct pre
dealfct
prepost dealfct post
prepost dealday pre
dealday
prepost dealday post
dealcls
prepost dealcls post
prepost vendinvc pre
vendinvc
prepost vendinvc post
stkdly
saldly
prepost salweek pre
salweek
prepost salweek post
A
salmth
prepost salmth post
fifgldn3
prepost saleoh pre
saleoh
salmaint post
cremhierdly
prepost recisdly pre
recisdly
prepost recisdly post
orddscnt
discotbapply
ordrev
edidlord
prepost replsizeprofile pre
replsizeprofile
prepost rplatupd pre
rplatupd
prepost rplatupd post
prepost rilmaint pre
rilmaint
prepost rilmaint post
repladj
cntrordb
prepost cntrordb post
prepost replroq pre
replroq
prepost reqext pre
reqext
prepost reqext post
prepost rpl pre
rplext
prepost rplext post
prepost supsplit pre
supsplit
cntrprss
ibexpl
prepost ibcalc pre
ibcalc
rplbld
supcnstr
rplsplit
prepost rplapprv pre
rplapprv
repl_wf_order_sync
refeodinventory
stkxpld
prepost stkupd pre
stkupd
start Inventory RIB adaptor 24x7 (dummy)
hstwkupd
hstmthupd
nwpyearend
nwppurge
prepost edidlprd pre
edidlprd
prepost edidlprd post
hstbld
hstbld_diff
hstbldmth
prepost hstbldmth post
hstbldmth_diff
hstprg
hstprg_diff
dfrtbld
Next RPAS and AIP
Next RPAS and AIP
Next RPAS and AIP

RPAS and AIP


Back to RMS Processing
Back to RMS Processing
Back to RMS Processing
gl_extract
bdi_rfi_fingenldgr_tx
pre_rmse_aip
bdi_rpas_merchhier_extract
bdi_rpas_store_ extract
bdi_store_extract
bdi_item_supplier_merchhier _extract
bdi_rdf_weeklysales_extract
bdi_mfp_onorder_extract
bdi_mfp_inventory_extract
bdi_mfp_tran_data_extract
bdi_rdf_itemuda_ extract
bdi_rpas_orghier_extract
bdi_store_wh_ orghier_extract
bdi_item_ udaitemlov extract
bdi_rpas_brand_ extract
bdi_rpas_supplier_extract
bdi_rpas_diff_ extract
bdi_rpas_uda_ extract
bdi_rdf_stockout_ extract
bdi_curr_conv_ rates_extract
bdi_calendar_ extract
bdi_onorder_ extract
bdi_inventory_ extract
bdi_tran_data_ extract
bdi_stockout_ extract
bdi_weeklysales_ extract
bdi_brand_extract
bdi_supplier_ extract
bdi_diff_extract
bdi_rpas_calendar_extract
bdi_rpas_curr_ conv_rates_extract
load_item_forecast DAILY
bdi_uda_ udavalues_extract
bdi_itemlochist_ extract
rmse_aip_alloc_in_well
rmse_aip_future_ delivery_alloc
rmse_aip_item_ master
rmse_aip_merch_hier
rmse_aip_future_ delivery_tsf
rmse_aip_rec_qty
rmse_aip_orghier
rmse_aip_store
rmse_aip_future_ delivery_order
rmse_aip_tsf_in_ well
rmse_aip_ substitute_items
rmse_aip_ suppliers
rmse_aip_wh_cur_inventory
rmse_aip_store_ cur_inventory
rmse_aip_wh
rmse_aip_item_ retail
rmse_aip_d_po
rmse_aip_item_loc_traits
rmse_aip_item_ sale
rmse_aip_item_ supp_country
rms_oi_forecast_history
load_item_forecast WEEKLY
Next ReIM and Allocation
Next ReIM and Allocation

RelM and Allocation



Pricing


Back to RelM and Allocation
Pricing
NightlyBatchCleanupBatch pre
ItemReclassBatch
NewItemLocation Batch
PriceEventExecution Batch
bdi_clearance_ extract
bdi_pricechange_ extract
bdi_promotionoffer _extract
ClearancePrice ChangePublishBatch
RegularPrice ChangePublishBatch
PurgeBatch
NightlyBatchCleanupBatch post
distropcpub
ordupd
prepost ordupd post
fc_pricechg
otbdlsal
otbdnld
otbdlord
sastdycr
dtesys
stop Inventory RIB adaptor 24x7 (dummy)
bdi_invavail_store_ extract
bdi_invavail_wh_ extract
bdi_cofutureavail_ extract
Next RDE

RDE


Back to Pricing
RDE
prditmsde
prdhiersde
prdrcstmpsde
prditmdelsde
prditmlsde
prditmudsde
prddiffsde
prdimsde
supsde
prditmsupsde
seasrsde
prditmsmsde
mcalperiodsde
orghiersde
promosde
phasesde
orgfinsde
emplysde
exchgrategensde
suptrsde
ivrcpildsde
prdattrsde
prdbrndsde
prdclrsde
rtlilsde
tndrtpsde
prditimsde
statussde
reasonsde
alcdetailssde
buyersde
couponsde
podetailssde
orglocsde
orglolsde
orgltmsde
orgchnsde
prditmlmsde
domianmemlkupsde
sinvcstilsdsde
slsiltsde
slsmkdnildsde
slsfcildsde
slsfciiwsde
invildsde
ncstiildsde
prcildsde
stlblwsde
scmpliildsde
scmplufildsde
wfslsildsde
stlblmthsde
gcnldsde
ivrtvildsde
ivtsfildsde
poonalcildsde
poonordildsde
slsdisctrxldsde
tndrtrxldsde
ivadjildsde
stkcntilsde
unavinvildsde
pricezonesde
chkbatchstatussde
manage_table_triggers
(enable)
start Inventory RIB
adaptor
(dummy)
start Inventory RIB
adaptor 24x7
(dummy)
Next End Batch Cycle

End Batch Cycle



RMS Purge


Back to End Batch Cycle
tsfclose
prepost docclose pre
docclose
prchstprg
invaprg
otbprg
schedprg
cmpprg
rtvprg
stkprg
prepost stkprg post
trunctbl
prepost fcstprg pre
fcstprg
prepost fcstprg post
async_job_status_ retry_cleanup
dlyprg
prepost dlyprg post
salesuploadpurge
dealprg
salprg
rms_oi_purge
rplprg
rplprg_month
rplathistprg
mrtprg
ccprg
costeventprg
rms_oi_pricecost refresh
raf_notification_ purge
file_upload_errors _purge
if_errors_purge
prepost tsfprg pre
tsfprg
prepost tsfprg post
ordprg
invprg
wfretcls
wfrtnprg
wfordcls
wfordprg
customer_order_purge
ownership_change _purge.ksh
batch_archive_ purge_hist
Next RDE End

RDE End


Back to RMS Purge
RDE
rtluasde W_DOMAIN_ MEMBER_DS_TL
rtluasde W_EMPLOYEE_DS
rtluasde W_EXCH_RATE_ GS
rtluasde W_INT_ORG_ ATTR_DS
rtluasde W_INT_ORG_DHS
rtluasde W_INT_ORG_DS
rtluasde W_INT_ORG_DS_TL
rtluasde W_RTL_CO_LINE_ STATUS_FS
rtluasde W_RTL_COPR_ HEAD_LC_DY_FS
rtluasde W_RTL_COMP_ PRICE_IT_LC_DY_ FS
rtluasde W_RTL_CUST_LYL_ ACCT_DS
rtluasde W_INVENTORY_ PRODUCT_ATTR_ DS
rtluasde W_INVENTORY_ PRODUCT_DS
rtluasde W_MCAL_PERIOD_ DS
rtluasde W_PARTY_ATTR_ DS
rtluasde W_PARTY_ORG_ DS
rtluasde W_PROD_CAT_ DHS
rtluasde W_RTL_CNG_CNSG _DS
rtluasde W_RTL_CO_HEAD_ DS
rtluasde W_RTL_STTRFC_ LC_DY_MI_FS
rtluasde W_RTL_CUST_LYL_ TRX_LC_DY_FS
rtluasde W_PRODUCT_ ATTR_DS
rtluasde W_PRODUCT_DS
rtluasde W_PRODUCT_DS_ TL
rtluasde W_REASON_DS
rtluasde W_RTL_BCOST_IT_ LC_DY_FS
rtluasde W_RTL_CHANNEL_ DS
rtluasde W_RTL_COPR_LINE _IT_LC_DY_FS
rtluasde W_RTL_CO_HEAD_ STATUS_FS
rtluasde W_RTL_LOC_COMP _MTX_DS
rtluasde W_RTL_CUST_LYL_ AWD_TRX_DY_FS
rtluasde W_RTL_INV_IT_ LC_DY_FS
rtluasde W_RTL_INVADJ_ IT_LC_DY_FS
rtluasde W_RTL_INVRC_IT_ LC_DY_FS
rtluasde W_RTL_INVRTV_ IT_LC_DY_FS
rtluasde W_RTL_INVTSF_ IT_LC_DY_FS
rtluasde W_RTL_IT_LC_DS
rtluasde W_RTL_CO_HEAD_ TNDR_LC_DY_FS
rtluasde W_RTL_CO_SHIP_ TYPE_DS
rtluasde W_RTL_SEASON_ PHASE_IT_DS
rtluasde W_RTL_PROMO_CE _DS
rtluasde W_RTL_IT_ SUPPLIER_DS
rtluasde W_RTL_ITEM_ GRP1_DS
rtluasde W_RTL_ITEM_ GRP2_DS
rtluasde W_RTL_LOC_LIST_ DS
rtluasde W_RTL_LOC_ TRAIT_DS
rtluasde W_RTL_MKDN_IT_ LC_DY_FS
rtluasde W_RTL_CO_SHIP_ METHOD_DS
rtluasde W_RTL_MCAL_DAY _GUNSHIFT_DS
rtluasde W_RTL_PHASE_DS
rtluasde W_RTL_CLSTR_ GRP_DS
rtluasde W_RTL_NCOST_IT_ LC_DY_FS
rtluasde W_RTL_ORG_FIN_ DS
rtluasde W_RTL_PRICE_IT_ LC_DY_FS
rtluasde W_RTL_PROD_HIE R_ATTR_LKP_DHS
rtluasde W_RTL_PRODUCT_ ATTR_DS
rtluasde W_RTL_PRODUCT_ ATTR_DS_TL
rtluasde W_RTL_CO_HEAD_ TP_LC_DY_FS
rtluasde W_RTL_PLAN1_PR OD1_LC1_T1_FS
rtluasde W_RTL_COUPON_ DS_TL
rtluasde W_RTL_PRODUCT_ BRAND_DS
rtluasde W_RTL_PRODUCT_ BRAND_DS_TL
rtluasde W_RTL_PRODUCT_ COLOR_DS
rtluasde W_RTL_PRODUCT_ IMAGE_DS
rtluasde W_RTL_PROMO_DS
rtluasde W_RTL_PROMO_ DS_TL
rtluasde W_RTL_CO_LINE_ FL_IT_LC_DY_FS
rtluasde W_RTL_PLAN2_PR OD2_LC2_T2_FS
rtluasde W_RTL_LOC_ TRAITS_DS_TL
rtluasde W_RTL_CLSTR_ GRP_HDR_LC_DS
rtlrdezip
rtluasde W_RTL_SEASON_ DS
rtluasde W_RTL_SEASON_ IT_DS
rtluasde W_RTL_SEASON_ PHASE_DS
rtluasde W_RTL_SLS_TRX_ IT_LC_DY_FS
rtluasde W_RTL_SLSFC_IT_ LC_DY_FS
rtluasde W_RTL_SLSFC_IT_ LC_WK_FS
rtluasde W_RTL_CO_LINE_ DS
rtluasde W_RTL_PLAN3_PR OD3_LC3_T3_FS
rtluasde W_RTL_MCAL_ DAY_SHIFT_DS
rtluasde W_RTL_CLSTR_ GRP_PRD_DS
rtluasde W_RTL_SLSPK_IT_ LC_DY_FS
rtluasde W_RTL_SLSWF_IT_ LC_DY_FS
rtluasde W_RTL_STCKLDGR _SC_LC_MH_FS
rtluasde W_RTL_STCKLDGR _SC_LC_WK_FS
rtluasde W_RTL_SUPP_IVC_ PO_IT_FS
rtluasde W_RTL_SUPPCM_ IT_LC_DY_FS
rtluasde W_RTL_PRODUCT_ ATTR_IMG_DS
rtluasde W_RTL_PLAN4_PR OD4_LC4_T4_FS
rtluasde W_RTL_MCAL_ DAY_UNSHIFT_DS
rtluasde W_RTL_SUPPCMUF _LC_DY_FS
rtluasde W_RTL_SUPPLIER_ TRAIT_DS
rtluasde W_RTL_TNDR_ TYPE_DS
rtluasde W_STATUS_DS
rtluasde W_RTL_PO_ONALC _IT_LC_DY_FS
rtluasde W_RTL_PO_ONORD _IT_LC_DY_FS
rtluasde W_RTL_PROD_ HIER_IMAGE_DS
rtluasde W_RTL_MCAL_ WEEK_SHIFT_DS
rtluasde W_RTL_INVSS_IT_L C_CNT_DY_FS
rtluasde W_RTL_SLSDSC_ TRX_IT_LC_DY_FS
rtluasde W_RTL_TRX_TNDR _LC_DY_FS
rtluasde W_RTL_GCN_TRX_ LC_DY_FS
rtluasde W_RTL_ALC_ DETAILS_DS
rtluasde W_RTL_BUYER_DS
rtluasde W_RTL_COUPON_ DS
rtluasde W_RTL_INVU_IT_LC _DY_FS
rtluasde W_RTL_CFPCP_LC_ DY_FS
rtluasde W_RTL_MCAL_ WEEK_UNSHIFT_ DS
rtluasde W_RTL_PO_ DETAILS_DS
rtluasde W_CODE_DS
rabeuasde W_RTL_IT_LC_DEL_ TMP
rabeuasde W_RTL_ITEM_DEL_ TMP
rabeuasde W_RTL_RECLASS_ DP_GP_TMP
rabeuasde W_RTL_RECLASS_ IT_SC_CL_TMP
rabeuasde RA_SRC_CURR_ PARAM_G
rtluasde W_RTL_LFPCP_LC_ DY_FS
rtluasde W_RTL_CUST_LYL_ PROG_DS
delete_tab_stats
gather_db_stats
end night batch (dummy)



ADHOC ONLY JOBS



CYCLIC ONLY JOBS