

REST API Services Deployment in Weblogic
Oracle FLEXCUBE Universal Banking
Release 12.87.06.0.0
[May] [2020]



Table of Contents

- 1. FLEXCUBE UNIVERSAL BANKING SOLUTIONS 1-1
 - 1.1 REST API SERVICES FULL DEPLOYMENT 1-1
 - 1.2 ENABLING LOGS FOR REST APPLICATION..... 1-6

1. FLEXCUBE Universal Banking Solutions


This document describes step to install REST Services into weblogic application server in full.

Prerequisite:

Before deploying the EAR, please create an XA Datasource **jdbc/fcliteAPIDS** that will be referring to the API DB. More details of creating the data source can be found in the Resource Creation document.

1.1 REST API Services Full Deployment

1. Launch weblogic console, the following screen is displayed.



username: Enter weblogic user name

password: Enter password for weblogic

2. Click on 'Login' and the following screen is displayed:

ORACLE WebLogic Server Administration Console 12c

Welcome, weblogic | Connected to: base_domain

Change Center
View changes and restarts
Configuration editing is enabled. Future changes will automatically be activated as you modify, add or delete items in this domain.

Domain Structure
base_domain
- Domain Partitions
- Environment
- Deployments
- Services
- Security Realms
- Interoperability
- Diagnostics

How do I...?
- Search the configuration
- Use the Change Center
- Record WLST Scripts
- Change Console preferences
- Manage Console extensions
- Monitor servers

System Status
Health of Running Servers
Failed (0)
Critical (0)
Overloaded (0)
Warning (0)
OK (1)

Home Page
- Information and Resources
Helpful Tools
- Configure applications
- Configure GridLink for RAC Data Source
- Configure a Dynamic Cluster
- Recent Task Status
- Set your console preferences

Domain Configurations
Domain
- Domain
Domain Partitions
- Domain Partitions
- Partition Work Managers
Environment
- Servers
- Clusters
- Server Templates
- Migrateable Targets
- Coherence Clusters
- Machines
- Virtual Hosts
- Virtual Targets
- Work Managers
- Concurrent Templates
- Resource Management
- Startup And Shutdown Classes
Application's Security Settings
- Security Realms

Resource Group Templates
- Resource Group Templates
Resource Groups
- Resource Group
Deployed Resources
- Deployments
Services
- Messaging
- Data Sources
- Provisioned Stores
- Foreign JMS Providers
- Work Contexts
- XML Registries
- XML Entity Caches
- JCOH
- Mail Sessions
- JTA
- OSO Frameworks

Interoperability
- WTC Servers
- J2E Connection Pools
Diagnostics
- Log Files
- Diagnostic Modules
- Health Diagnostic Modules
- Diagnostic Images
- Request Performance
- Archives
- Content
- SWP
- Interceptors
Charts and Graphs
- Monitoring Dashboard

WebLogic Server version: 12.2.1.0.0
Copyright (c) 2006, 2012, Oracle and/or its affiliates. All rights reserved.
Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

3. Following screen will be displayed once Deployments is selected from 'Domain Structure'.

ORACLE WebLogic Server Administration Console 12c

Welcome, weblogic | Connected to: base_domain

Change Center
View changes and restarts
Configuration editing is enabled. Future changes will automatically be activated as you modify, add or delete items in this domain.

Domain Structure
base_domain
- Domain Partitions
- Environment
- Deployments
- Services
- Security Realms
- Interoperability
- Diagnostics

How do I...?
- Install an enterprise application
- Configure an enterprise application
- Update (redeploy) an enterprise application
- Monitor the modules of an enterprise application
- Deploy ESB modules
- Install a Web application

System Status
Health of Running Servers
Failed (0)
Critical (0)
Overloaded (0)
Warning (0)
OK (1)

Summary of Deployments
Home - Summary of Deployments
Configuration | Control | Monitoring

This page displays the list of Java EE applications and standalone application modules installed to this domain.
You can update (redeploy) or delete installed applications and modules from the domain by selecting the checkbox next to the application name and then using the controls on this page.
To install a new application or module for deployment to Targets in this domain, click **Install**.

Customize this Table

Name	State	Health	Type	Targets	Scope	Domain Partitions	Deployment Order
Project1	Active	OK	Web Application	AdminServer	Global		100


Showing 1 to 1 of 1. Previous | Next

Showing 1 to 1 of 1. Previous | Next

WebLogic Server version: 12.2.1.0.0
Copyright (c) 2006, 2012, Oracle and/or its affiliates. All rights reserved.
Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

file:///C:/oracledoc/122101/.../admin/console/portal/_afpstrack_page/afpstrackAppDeploymentsControlPage.jspx


4. Click 'Install' from the Deployments following screen will be displayed.




Path

Enter the complete path of the EAR


5. Click on 'Next' and the following screen is displayed:




6. Click on 'Next' and the following screen is displayed:




7. Click on 'Next' and the following screen is displayed:




8. Click on 'Finish' and the following screen is displayed:




- Click on 'Save' and the following screen is displayed on top it says "All changes have been activated. No restarts are necessary. Settings updated successfully."



- If wsdl file is required then click on Testing TAB from the above screen.



11. Click on Expand /FCLiteWeb and the following screen will be displayed



We can find the “wsdl” file in the Test Point column.

1.2 Enabling logs for REST Application

To enable logging following properties needs to be set in the logging.xml as mentioned below. Once the parameters are set all the logs are stored in the file ofss-rest-api.log.

- Provide the below entry in the file {domain.home}\config\fmwconfig\servers\{server.name}\logging.xml


```

<log_handler name='ofss-handler' class='oracle.core.ojdl.logging.ODLHandlerFactory'
level='TRACE:1'>

    <property name='path'
value='${ domain.home }/servers/${ weblogic.Name }/logs/ofss-rest-api.log' />

    <property name='maxFileSize' value='10485760' />

    <property name='maxLogSize' value='104857600' />

    <property name='encoding' value='UTF-8' />

    <property name='useThreadName' value='true' />

    <property name='supplementalAttributes'
value='DSID,J2EE_APP.name,J2EE_MODULE.name,WEBSERVICE.name,WEBSERVICE_PORT.
name,oracle.soa.tracking.FlowId,oracle.soa.tracking.InstanceId,oracle.soa.tracking.SCAEntityId,oracle
.soa.tracking.FaultId,oracle.soa.tracking.RetryCount,composite_name' />

</log_handler>

<logger name='com.ofss' level='TRACE:1' useParentHandlers='false'>

    <handler name='ofss-handler' />

</logger>

```



REST API Services deployment in Flexcube
[May] [2020]
Version 12.87.06.0.0

Oracle Financial Services Software Limited
Oracle Park
Off Western Express Highway
Goregaon (East)
Mumbai, Maharashtra 400 063
India

Worldwide Inquiries:
Phone: +91 22 6718 3000
Fax: +91 22 6718 3001
<https://www.oracle.com/industries/financial-services/index.html>

Copyright © [2007], [2020], Oracle and/or its affiliates. All rights reserved.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

U.S. GOVERNMENT END USERS: Oracle programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, delivered to U.S. Government end users are "commercial computer software" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, use, duplication, disclosure, modification, and adaptation of the programs, including any operating system, integrated software, any programs installed on the hardware, and/or documentation, shall be subject to license terms and license restrictions applicable to the programs. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate failsafe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

This software or hardware and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.