

# Oracle Linux 8

## Release Notes for Oracle Linux 8.9



F87399-02  
November 2023



Oracle Linux 8 Release Notes for Oracle Linux 8.9,  
F87399-02  
Copyright © 2023, Oracle and/or its affiliates.

# Contents

## Preface

---

Conventions	viii
Documentation Accessibility	viii
Access to Oracle Support for Accessibility	viii
Diversity and Inclusion	viii

## 1 About Oracle Linux 8

---

System Requirements and Limitations	1-1
Available Architectures	1-1
Shipped Kernels	1-1
About the Unbreakable Enterprise Kernel	1-2
User Space Compatibility	1-2
Obtaining Installation Images	1-2
Upgrading From Oracle Linux 7 to Oracle Linux 8	1-3
Installing Oracle-Supported RDMA Packages	1-3

## 2 New Features and Changes

---

Kernel and System Libraries	2-1
Compilers and Development Toolsets	2-1
Dynamic Programming Languages, Web, and Database Servers	2-2
Infrastructure Services	2-3
Networking	2-3
Security	2-4
Support	2-6
Cloud Environments	2-6

## 3 Deprecated Features

---

Installation	3-1
Kickstart Commands	3-1
Software Management	3-1

rpmbuild --sign	3-2
Shells and Command Lines	3-2
OpenEXR	3-2
Dump Utility	3-2
hidepid=n Mount Option	3-2
ABRT Tool	3-2
udev Rename Device Helper Utility	3-2
ReaR Crontab	3-2
SQLite in Bacula	3-3
raw Command	3-3
Security	3-3
NSS SEED Ciphers	3-3
TLS 1.0 and TLS 1.1	3-3
DSA	3-3
fapolicyd.rules	3-3
SSL2 Client Hello	3-3
Runtime Disabling of SELinux	3-4
ipa SELinux Module	3-4
TPM 1.2	3-4
crypto-policies	3-4
Networking	3-4
PF_KEYv2 Kernel API	3-4
Network Scripts	3-5
dropwatch Tool	3-5
xinetd Service	3-5
cgdcboxd Package	3-5
WEP Wi-Fi Connection	3-5
xt_u32 Module	3-5
Kernel	3-5
rdma-rxe Driver	3-6
Linux firewire Subsystems and Associated User Space Components	3-6
crash-ptdump-command Package	3-6
Bootloader	3-6
kernelopts Environment Variable	3-6
File Systems and Storage	3-6
elevator Kernel Command	3-6
NFSv3 Over UDP	3-6
peripety Package	3-7
VDO Write Modes	3-7
VDO Manager	3-7
cramfs Kernel Module	3-7

High Availability and Clusters	3-7
pcs Commands Support for cluffer Tool	3-7
Dynamic programming languages, web, and database servers	3-7
mod_php Module	3-8
Compilers and Development Tools	3-8
libdwarf Library	3-8
gdb.i686 Packages	3-8
Identity Management	3-8
OpenSSH LDAP	3-8
DES and 3DES	3-8
SSSD libwbclient	3-8
Standalone ctdb	3-9
Samba NT4-style Domain Controllers	3-9
SMB1	3-9
Desktop	3-9
libgnome-keyring Library	3-9
Motif Toolkit	3-9
Virtualization	3-9
virsh iface-* Commands	3-9
Virtual Machine Manager	3-10
Virtual Machine Snapshots	3-10
Cirrus VGA Virtual GPU Type	3-10
Signatures Using SHA-1	3-10
SPICE Remote Display Protocol	3-10
Containers	3-10
container-tools Modules	3-10
CNI	3-11
Deprecated Packages	3-11

## 4 Known Issues

---

Installation and Upgrade Issues	4-1
Messages Referring to tmpfiles.d Files Appear During Upgrade	4-1
Installer Automatically Enables Ethernet Over USB Network Interface During a PXE Installation	4-2
Interactive Text-Based Installation Wizard Unable to Complete When An Alternate Language Is Selected	4-2
Graphical Installation Program Fails to Produce Error When an Unacceptable Kdump Value Is Entered	4-2
Graphical Installation Program Does Not Display the Reserved Memory That's Manually Set For Kdump	4-3
Scriptlet-Related Error for microcode_ctl Might Be Displayed During Upgrade	4-3

rhreg_ks Register Command Might Fail If python3-rhn-virtualization-host Package Is Installed	4-4
Package Conflict Between usbguard-1.0.0-2.el8.i686 And usbguard-1.0.0-8.el8.x86_64 on Oracle Linux 8 Upgrades	4-4
Presence of beignet Package Could Result in Dependency Issue During An Upgrade	4-5
ULN Registration Wizard Not Displayed on First Boot After An Installation	4-5
Graphics Controller Requirements for an Installation on an Oracle VM VirtualBox Guest	4-5
aarch64 Only: Installer Displays Error: 'Failed to set new efi boot target' on Systems With a Multipath-Enabled NVMe Controller	4-6
Mellanox NIC interface name subject to change after upgrading from RHCK or UEK R6 to UEK R7	4-6
openssh-askpass Installation Fails on Systems With Locked Channels	4-7
Removing container-selinux Package Might Also Remove The selinux-policy-targeted Package	4-7
Running dnf update glusterfs-* Command Fails to Upgrade Previously Installed Packages	4-8
Updating libss Package Might Fail if libss-devel Package Is Installed	4-8
ACPI Error Messages Displayed on Dell EMC PowerEdge Server During Boot	4-8
Oracle Linux 8 Doesn't Recognize SAS Controllers on Older Oracle Sun Hardware	4-9
File System Issues	4-10
BTRFS File System Not Supported on RHCK	4-10
OCFS2 File System Not Supported on RHCK	4-10
ext4: Frequent or Repeated System Shutdowns Can Cause File System Corruption	4-10
Systems With Btrfs Fail to Boot in FIPS Mode	4-11
Kernel Issues	4-11
KVM Guests Boot With "amd64_edac_mod: Unknown symbol" Errors on AMD 64-Bit Platforms	4-11
Output of modinfo Command Doesn't Show Retpoline Support	4-11
Kdump Might Fail on Some AMD Hardware	4-12
Kdump Fails to Generate a vmcore on FIPS Enabled System	4-12
Limitations of the LVM dm-writecache Caching Method	4-13
Error: "mcelog service does not support this processor"	4-13
Power Button Defaults to ACPI Suspend Mode	4-13
Certain SEV Guest Configurations Might Cause Hypervisor CPU Soft-Lockup Warnings	4-14
(aarch64) Some GUI Elements Aren't Displayed During Installation and Boot Using VGA Output	4-14
Virtual Function MAC Address Differences With Host After VF Migration	4-15

## 5 Package Changes from the Upstream Release

---

Changes to Binary Packages	5-1
Added Binary Packages for BaseOS by Oracle	5-1
Added Binary Packages for AppStream by Oracle:	5-2
Added Binary Packages for CodeReady Linux Builder by Oracle	5-2

Modified BaseOS Binary Packages	5-2
Modified Binary Packages for CodeReady Linux Builder by Oracle	5-16
Modified AppStream Binary Packages	5-21
Removed BaseOS Binary Packages	5-45
Removed AppStream Binary Packages	5-46
Removed CodeReady Linux Builder Binary Packages	5-47
Changes to Source Packages	5-49
Added Source Packages for BaseOS by Oracle	5-49
Added Source Packages for AppStream by Oracle	5-50
Modified BaseOS Source Packages	5-50
Modified AppStream Source Packages	5-52
Modified Source Packages for CodeReady Linux Builder by Oracle	5-56
Removed BaseOS Source Packages	5-57
Removed AppStream Source Packages	5-58

# Preface

[Oracle Linux 8: Release Notes for Oracle Linux 8.9](#) provides information about the new features and known issues in the Oracle Linux 8.9 release. The information applies to both x86\_64 and 64-bit Arm (aarch64) architectures. This document might be updated after first publication.

## Conventions

The following text conventions are used in this document:

Convention	Meaning
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility/>.

For information about the accessibility of the Oracle Help Center, see the Oracle Accessibility Conformance Report at <https://www.oracle.com/corporate/accessibility/templates/t2-11535.html>.

## Access to Oracle Support for Accessibility

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <https://www.oracle.com/corporate/accessibility/learning-support.html#support-tab>.

## Diversity and Inclusion

Oracle is fully committed to diversity and inclusion. Oracle respects and values having a diverse workforce that increases thought leadership and innovation. As part of our initiative to build a more inclusive culture that positively impacts our employees,



customers, and partners, we are working to remove insensitive terms from our products and documentation. We are also mindful of the necessity to maintain compatibility with our customers' existing technologies and the need to ensure continuity of service as Oracle's offerings and industry standards evolve. Because of these technical constraints, our effort to remove insensitive terms is ongoing and will take time and external cooperation.

# 1

## About Oracle Linux 8

The current Oracle Linux 8 release contains new features and enhancements that improve performance in different areas including automation and management, security, and compliance, container management, and developer tools. These enhancements are especially designed to make the OS adaptable to different types of deployment such as on-premises installations, hybrid deployments that combine on-premises and cloud installations, and full cloud deployment.

### **!** Important:

Upgrading from an Oracle Linux Developer Preview release to its later official version isn't supported. If you're running the Developer Preview version, you must reinstall the official Oracle Linux release upon its general availability.

## System Requirements and Limitations

To check whether a specific hardware can be used with the current Oracle Linux 8 release, see the Hardware Certification List at <https://linux.oracle.com/hardware-certifications>. Note that as hardware becomes available and validated, the hardware is added to the list.

Oracle Linux 8 for the aarch64 platform is primarily engineered for use with Ampere™ eMAG™-based EVK platform and the Marvell ThunderX2® processor. Other hardware might be supported and added to the Hardware Certification List in the future.

CPU, memory, disk, and file system limits for all Oracle Linux releases are described in [Oracle Linux: Limits](#).

## Available Architectures

The release is available on the following platforms:

- Intel® 64-bit (x86\_64)
- AMD 64-bit (x86\_64)
- Arm 64-bit (aarch64)

The Arm platform runs only with Unbreakable Enterprise Kernel Release (UEK).

## Shipped Kernels

On the x86\_64 platform, the current Oracle Linux 8 release ships with the following default kernel packages:

- 4.18.0-513.5.1 (Red Hat Compatible Kernel (RHCK))
- 5.15.0-200.131.27 (Unbreakable Enterprise Kernel Release 7 Update 2 (UEK R7U2))

For new installations, the UEK R7 is automatically enabled and installed. It also becomes the default kernel on first boot.

On the aarch64 platform, Oracle Linux ships with the UEK kernel only.

**! Important:**

If you're upgrading from a previous Oracle Linux 8 version, the kernel isn't automatically upgraded to UEK R7.

The Oracle Linux release is tested as a bundle, as shipped on the installation media image. When installed from the installation media image, the kernel's version included in the image is the minimum version that's supported. Downgrading kernel packages is unsupported, unless recommended by Oracle Support.

## About the Unbreakable Enterprise Kernel

The Unbreakable Enterprise Kernel (UEK) is a Linux kernel built by Oracle and supported through Oracle Linux support. UEK is tested on Arm (aarch64), Intel® x86, and AMD x86 (x86\_64) platforms. Each release contains added features, bug fixes, and updated drivers to provide support for key functional requirements, improve performance, and optimize the kernel for use on Oracle products such as Oracle's Engineered Systems, Oracle Cloud Infrastructure, and large enterprise deployments for Oracle customers.

Typically, a UEK release contains changes to the kernel ABI relative to a previous UEK release. These changes require recompilation of third-party kernel modules on the system. To minimize impact on interoperability during releases, the Oracle Linux team works with third-party vendors regarding hardware and software that have dependencies on kernel modules. Thus, before installing the latest UEK release, verify its support status with the application vendor.

The kernel ABI for a UEK release remains unchanged in all later updates to the initial release.

The kernel source code for UEK is available after the initial release through a public git source code repository at <https://github.com/oracle/linux-uek>.

For more information about UEK such as tutorials, notices, and release notes of different UEK versions, go to [Unbreakable Enterprise Kernel documentation](#).

## User Space Compatibility

Oracle Linux maintains user space compatibility with Red Hat Enterprise Linux (RHEL) that's independent of the kernel version that underlies the OS. Existing applications in user space continue to run unmodified on UEK R6 and UEK R7, with no required recertifications for RHEL certified applications.

## Obtaining Installation Images

The following installation images for the current Oracle Linux 8 release are available:

- Full ISO of Oracle Linux for typical installations on premises.

- Boot ISO of Oracle Linux for network installations
- Boot ISO of the official UEK release for installing on hardware which is supported only on UEK
- Source DVDs

You can download these images from the following locations. Note that the images in these locations are for both the x86\_64 and aarch64 platforms, unless indicated otherwise:

- Oracle Software Delivery Cloud at <https://edelivery.oracle.com>
- Oracle Linux yum server at <https://yum.oracle.com/oracle-linux-downloads.html>

To prepare a downloaded image for installing Oracle Linux, see [Oracle Linux 8: Installing Oracle Linux](#).

For information about the available ISO images for the three most recent updates to the Oracle Linux releases, see <https://yum.oracle.com/oracle-linux-isos.html>.

For developers who use the Raspberry Pi hardware platform, Oracle provides an unsupported developer release image, which includes the required firmware to boot this platform. For more information about using the Raspberry Pi hardware platform, see [Install Oracle Linux on a Raspberry Pi](#).



#### Note:

Aside from installation ISO images, you can also use Oracle Linux images to create compute instances on Oracle Cloud Infrastructure. For information about these images, see the release notes for the specific image that you're using on the [Oracle Cloud Infrastructure Documentation](#) page.

To use Oracle Linux on Oracle Cloud Infrastructure, see <https://docs.oracle.com/iaas/oracle-linux/home.htm>.

## Upgrading From Oracle Linux 7 to Oracle Linux 8

You can upgrade an Oracle Linux 7 system to the latest Oracle Linux 8 release by using the `leapp` utility. For step-by-step instructions and information about any known issues that might arise when upgrading the system, see [Oracle Linux 8: Upgrading Systems With Leapp](#).

## Installing Oracle-Supported RDMA Packages

Oracle Linux 8 releases earlier than Oracle Linux 8.7 ship with UEK R6 as the default kernel.

Starting with Oracle Linux 8.5, you also have the option of installing UEK R7. From Oracle Linux 8.7 onward, UEK R7 is the default kernel.

Oracle provides Remote Direct Memory Access (RDMA) packages for use with UEK R6 and UEK R7. The RDMA feature provides direct memory access between two systems that are connected by a network. RDMA improves high-throughput and low-latency networking in clusters.

To use RDMA features, you must first install the Oracle-supported RDMA packages. To do so, ensure that the system is subscribed to the appropriate channels on ULN or that you have enabled the appropriate repositories on the Oracle Linux yum server.

For more information about RDMA, including any known issues, see [Unbreakable Enterprise Kernel documentation](#) for the required kernel.

### RDMA With UEK R6

If you're subscribed to ULN, enable the following channels:

- `ol8_x86_64_UEKR6`
- `ol8_x86_64_baseos_latest`
- `ol8_x86_64_appstream`
- `ol8_x86_64_UEKR6_RDMA`

Note that if the system is newly registered on ULN, then the system is already subscribed to the `ol8_x86_64_UEKR6`, `ol8_x86_64_baseos_latest`, and `ol8_x86_64_appstream` channels by default. However, you must explicitly subscribe to the `ol8_x86_64_UEKR6_RDMA` channel before installing RDMA packages.

If you're using the Oracle Linux yum server, enable the following repositories:

- `ol8_UEKR6`
- `ol8_baseos_latest`
- `ol8_appstream`
- `ol8_UEKR6_RDMA`

Note that if the system already uses the Oracle Linux yum server, the `ol8_UEKR6`, `ol8_baseos_latest`, and `ol8_appstream` repositories are enabled by default. However, you must explicitly enable the `ol8_UEKR6_RDMA` repository before installing RDMA packages.

### RDMA With UEK R7

If you're subscribed to ULN, enable the following channels:

- `ol8_x86_64_UEKR7`
- `ol8_x86_64_baseos_latest`
- `ol8_x86_64_appstream`
- `ol8_x86_64_UEKR7_RDMA`

Note that if the system is newly registered on ULN, then the system is already subscribed to the `ol8_x86_64_UEKR6`, `ol8_x86_64_baseos_latest`, and `ol8_x86_64_appstream` channels by default. Disable `ol8_x86_64_UEKR6` and then explicitly subscribe to the `ol8_x86_64_UEKR7_RDMA` and `ol8_x86_64_UEKR7_RDMA` channels before installing RDMA packages.

If you're using the Oracle Linux yum server, enable the following repositories:

- `ol8_UEKR7`
- `ol8_baseos_latest`
- `ol8_appstream`
- `ol8_UEKR7_RDMA`

Note that if the system already uses the Oracle Linux yum server, the `ol8_UEKR6`, `ol8_baseos_latest`, and `ol8_appstream` repositories are enabled by default. Disable `ol8_UEKR6` and then explicitly subscribe to the `ol8_UEKR7_RDMA` and `ol8_UEKR7_RDMA` repositories before installing RDMA packages.

# 2

## New Features and Changes

This chapter describes the new features, major enhancements, bug fixes, and other changes that are included in this release of Oracle Linux 8.

### Kernel and System Libraries

The following notable features, enhancements, and changes apply to the Red Hat Compatible Kernel (RHCK) that's shipped with the current Oracle Linux 8.

#### **RHCK Can Handle AutoIBRS Configurations on AMD Processors**

RHCK can handle Automatic Indirect Branch Restricted Speculation (AutoIBRS) configurations on AMD processors. AutoIBRS is a feature provided by the AMD EPYC 9004 Genoa family of processors and later CPU versions. AutoIBRS is the default mitigation used for the Spectre v2 CPU to reduce vulnerabilities, boost performance, and improve scalability.

#### **Updated Intel® QAT Kernel Driver**

The Intel® Quick Assist Technology (QAT), as of version 6.2, includes both bug fixes and enhancements. The most notable enhancement includes added functionality for the following QAT GEN4 hardware accelerator devices:

- Intel Quick Assist Technology 401xx devices
- Intel Quick Assist Technology 402xx devices

#### **makedumpfile updated to version 1.7.2**

The `makedumpfile` utility is updated to version 1.7.2. This tool is used to reduce the size of dump files by compression and by excluding pages.

### Compilers and Development Toolsets

The following features, enhancements, and changes related to compilers and development tool sets are introduced in this Oracle Linux 8 release.

#### **Updated Compilers and Development Tools**

The following performance tools and debuggers are updated:

- Valgrind 3.21.0
- SystemTap 4.9
- elfutils 0.189

The following performance monitoring tools are updated:

- libpfm 4.13

The following compiler toolsets are updated :

- GCC Toolset 13
- LLVM Toolset 16.0.6
- Rust Toolset 1.71.1
- Go Toolset 1.20.10

### Backward Incompatibility From C++ Code Changes

Changes were applied to C++ to improve startup performance of C++ programs. For example, global `iostream` objects such as `std::cout`, `std::cin` are constructed inside the standard library rather than in source files that include the `<iostream>` header. However, the consequence is that code compiled with the GCC 13.1 toolset would fail if the incorrect `libstdc++.so` version is used at runtime. For more information about using the correct `libstdc++.so` at runtime, see [https://gcc.gnu.org/onlinedocs/libstdc++/manual/using\\_dynamic\\_or\\_shared.html#manual.intro.using.linkage.dynamic](https://gcc.gnu.org/onlinedocs/libstdc++/manual/using_dynamic_or_shared.html#manual.intro.using.linkage.dynamic).

## Dynamic Programming Languages, Web, and Database Servers

The following features, enhancements, and changes related to dynamic programming languages, web servers, and database servers are introduced in this Oracle Linux 8 release.

### `nodejs:20` Module Stream Support

The `nodejs:20` module stream is supported and includes `Node.js 20.9`, which is a Long Term Support (LTS) version. The following notable features are included:

- The V8 JavaScript engine is updated to version 11.3.
- The `npm` package manager is updated to version 9.8.0.
- `Node.js` includes the experimental Permission Model.
- `Node.js` includes the experimental Single Executable Application (SEA) feature.
- `Node.js` includes improvements to the Experimental ECMAScript modules (ESM) loader.
- The `node:test` module is now considered stable.

To install the `nodejs:20` module stream, run:

```
sudo dnf module install nodejs:20
```

For information about the length of support for Application Streams, see [Oracle Linux: Product Life Cycle Information](#).

### Python `tarfile` Extraction Functions Include a `filter` Argument

Python now includes a `filter` argument to `tarfile` extraction functions to disable some features of `tar` to enhance security. If a filter isn't specified, the `'data'` filter, which is the safest but most limited, is used by default.



### HTTP::Tiny Perl Module Updated to Perform TLS Verification By Default

The `HTTP::Tiny` Perl module is updated to perform TLS certificate verification by default when using HTTPS. The update adds the following dependencies to the `perl-HTTP-Tiny` package:

- `perl-IO-Socket-SSL`
- `perl-Mozilla-CA`
- `perl-Net-SSLeay`

The `verify_ssl` option is changed from 0 to 1 when the package is installed.

## Infrastructure Services

The following features, enhancements, and changes related to infrastructure services are introduced in this Oracle Linux 8 release.

### Postfix Can Handle SRV Lookups

DNS service records resolution (SRV) entries can be used by Postfix to automatically configure mail clients and balance server load. Furthermore, Postfix can handle temporary DNS issues and provides configurable options for fault-resilience in case of SRV record failures. You can configure SRV handling for Postfix by setting the following options in the Postfix server configuration:

- `use_srv_lookup=smtp`  
Enables discovery of the specified service by using DNS SRV records.
- `allow_srv_lookup_fallback=yes`  
Configures the service for SRV lookup fallback, so that Postfix falls back to using MX and IP address records in the case where an SRV entry lookup fails either because of misconfiguration or a missing entry, but continues to use SRV for the service.
- `ignore_srv_lookup_error=yes`  
Configures the service to stop using SRV when a lookup fails, and to switch to using MX or IP address records instead.

## Networking

The following features, enhancements, and changes related to networking are introduced in this Oracle Linux 8 release.

### iproute Updated to Version 6.2.0

The `iproute` package is updated to version 6.2.0. Notable changes include:

- **New `ip stats` command** to view and manage interface statistics. See the `ip-stats(8)` manual page for more information.
- **New `--threads` option for the `ss` command** to display thread information. See the `ss(8)` manual page for more information.
- **New `bridge fdb flush` command** to flush forwarding database entries. See the `bridge(8)` manual page for more information.

# Security

The following features, enhancements, and changes related to security are introduced in this Oracle Linux 8 release.

## SCAP Security Guide Updated ANSSI-BP-028 Security Profiles to Version 2.0

The Agence Nationale de la Sécurité des Systèmes d'Information (ANSSI) BP-028 profiles in the SCAP security guide were updated to align with the version 2.0 guidelines described at <https://cyber.gouv.fr/publications/recommandations-de-securite-relatives-un-systeme-gnulinux>.

## SCAP Security Guide Rule Update for Consistent Interactive User Configuration

Several rules were updated in the SCAP security guide to provide more consistent interactive user configuration. User accounts with UID greater than or equal to 1000 are considered interactive, unless the account username is `nobody` or `nfsnobody`, or the account login shell is set to `/sbin/nologin`. With these updates, SCAP users are no longer considered interactive users.

The following rules are updated for more consistent interactive user configuration :

- `accounts_umask_interactive_users`
- `accounts_user_dot_user_ownership`
- `accounts_user_dot_group_ownership`
- `accounts_user_dot_no_world_writable_programs`
- `accounts_user_interactive_home_directory_defined`
- `accounts_user_interactive_home_directory_exists`
- `accounts_users_home_files_groupownership`
- `accounts_users_home_files_ownership`
- `accounts_users_home_files_permissions`
- `file_groupownership_home_directories`
- `file_ownership_home_directories`
- `file_permissions_home_directories`
- `file_permissions_home_dirs`
- `no_forward_files`

## OpenSCAP Updated to 1.3.8

The OpenSCAP packages are updated to version 1.3.8. Notable changes include:

- Fixes to `systemd` probes to not ignore some `systemd` units.
- Addition of offline capabilities to the `shadow` OVAL probe.
- Addition of offline capabilities to the `sysctl` OVAL probe.
- Addition of `auristorfs` to the list of network file systems.
- Improved handling of tailoring files generated by `autotailor`.

### opencryptoki Updated to 3.21.0

The `opencryptoki` package is updated to version 3.21.0 and includes the following notable changes:

- Concurrent hardware security module (HSM) master key updates
- Added a new `protected-key` option to transform a chosen key into a protected key
- Added several key types, including DH, DSA, AES-XTS, Kyber, Dilithium, and generic secret key types
- Added EP11 host library version 4
- `pkcsslotd` no longer runs as root
- New commands:
  - `p11sak set-key-attr`: to change key attributes
  - `p11sak copy-key`: to copy a key
  - `p11sak import-key`: to import a key
  - `p11sak export-key`: to export a key

### Expanded `fanotify` Information in Audit Logs

The Audit service includes information about `fanotify` events in appropriate audit record fields, as follows:

- `fan_type`: Specifies the type of `fanotify` event.
- `fan_info`: Specifies added context information.
- `sub_trust` and `obj_trust`: Specify trust levels for a subject and an object in an event.

The `fanotify` information can clarify causes of access denials in certain cases, and thereby helps with creating policies for tools such as the `fapolicyd` framework.



#### Note:

This feature is available only in the RHCK kernel, not in the UEK7 kernel.

### `fapolicyd` Includes Rule Numbers in Audit Output

`Fapolicyd` is updated along with kernel and `Auditd` components to include the rule number when outputting to the audit log so that it's easier to troubleshoot policy related issues.



#### Note:

This feature is available only in the RHCK kernel, not in the UEK7 kernel.

### SCAP Security Guide Updated to Version 0.1.69

Updates to the SCAP Security Guide include the following notable changes:

- Password aging rules no longer ignore empty string as passwords.
- The remote OVAL content URL is updated to be more specific to Oracle Linux 9 to improve memory usage when scanning with `--fetch-remote-resources`.
- Rules related to `/var/log` and `/var/log/audit` are now only applicable if those partitions exist.
- Bash remediations are fixed to handle ISO9660 partitions in the `fstab`.

## Support

This Oracle Linux 8 release includes feature enhancements related to supportability.

### `sos` Updated to Version 4.6

The `sos` utility that's used to collect configuration, diagnostic, and troubleshooting data, is updated to version 4.6 to provide the following notable changes:

- The contents of the `/boot/grub2/custom.cfg` and `/boot/grub2/user.cfg` files are included in reports to help with troubleshooting boot issues.
- `sos` removes the `bindpw` option when used with the `sudo` plugin.
- Various improvements to remove and mask username and password information for plugins
- `sos` completes the tailed log collection even when the size of the log file is exceeded and when a plugin times out
- `sos` collects the `sos` report from the same cluster node as where it's run, when running on a Pacemaker cluster node
- The `sos report --clean` command obfuscates all MAC addresses.

For details on each release of `sos`, see [upstream release notes](#).

## Cloud Environments

The following features, enhancements, and changes related to cloud environments are introduced in this Oracle Linux 8 release.

### `cloud-init` Integration With NetworkManager

The `cloud-init` tool can use a `network-manager` keyfile to configure the network by using NetworkManager instead of the default `sysconfig` method for network setup.

To use NetworkManager as the primary network renderer, edit `/etc/cloud/cloud.cfg` and set `network-manager` as the first entry in the list:

```
network:
  renderers: ['network-manager', 'eni', 'netplan', 'sysconfig',
             'networkd']
```

# 3

## Deprecated Features

This chapter lists features and functionalities that are deprecated in Oracle Linux 8. While these features might be currently included and operative in the release, support is not guaranteed in future major releases. Thus, they should not be used in new Oracle Linux 8 deployments.

### Installation

The following installation related features and functionalities are deprecated in Oracle Linux 8.

#### Kickstart Commands

- `auth` OR `authconfig`
- `device`
- `deviceprobe`
- `dmraid`
- `install`
- `lilo`
- `lilocheck`
- `mouse`
- `multipath`
- `bootloader --upgrade`
- `ignoredisk --interactive`

Using the `--interactive` option causes a fatal installation error. You must remove this option from any kickstart files.

- `partition --active`
- `reboot --kexec`
- `autostep`

Even though specific options are listed as deprecated, the base command and the other options remain available and operative.

### Software Management

The following features and functionalities related to software management are deprecated in Oracle Linux 8.

```
rpmbuild --sign
```

Using `rpmbuild --sign` can cause a fatal error in the system. Use the `rpmsign` command instead.

## Shells and Command Lines

The following shell and command line components are deprecated in Oracle Linux 8.

### OpenEXR

As a consequence of the OpenEXR deprecation, the EXR image format is no longer supported in the `imagecodex` module.

### Dump Utility

With this removal of support for the `dump` utility, use other commands to back up file systems, for example, `tar`, `dd`, or `bacula`.

The `restore` component of the `dump` package remains supported and available as a separate `restore` package.

### hidepid=n Mount Option

As a `mount` option, `hidepid=n` controls access to `/proc/[pip]`. The option is incompatible with the `systemd` infrastructure and might cause certain `systemd` services to generate SELinux AVC denial messages, which would inhibit completion of other operations.

### ABRT Tool

The Automatic Bug Reporting Tool (ABRT) is used to detect and report application crashes. Instead of this tool, use the `systemd-coredump` tool for logging and storing core dumps that are generated when program crash.

### udev Rename Device Helper Utility

The `udev` helper utility `/usr/lib/udev/rename_device` for renaming network interfaces is deprecated.

### ReaR Crontab

The `/etc/cron.d/rear` crontab is deprecated in the `rear` package. The crontab utility monitors for any changes in the disk layout and runs `rear mkrescue` if changes are detected. If you require the `rear` functionality, configure the ReaR utility to run periodically.

## SQLite in Bacula

Support is deprecated for SQLite as a database backend of the Bacula backup system. You should migrate to one of the backends that Bacula supports, such as PostgreSQL or MySQL.

## `raw` Command

Use of the deprecated `/usr/bin/raw` command in future Oracle Linux releases might generate errors.

## Security

The following security related features and functionalities are deprecated in Oracle Linux 8.

### NSS SEED Ciphers

Support for TLS cipher suites that use a SEED cipher is deprecated in the Network Security Services (NSS) library from Mozilla. If your setup relies on SEED ciphers, you should enable support for other cipher suites in preparation for the complete removal of SEED ciphers from NSS.

### TLS 1.0 and TLS 1.1

These two protocols are disabled in the `DEFAULT` system-wide cryptographic policy level. If you require these protocols, switch the policy to the `LEGACY` level as follows:

```
sudo update-crypto-policies --set LEGACY
```

### DSA

Authentication mechanisms that are based on the deprecated Digital Signature Algorithm (DSA) keys no longer work in the default configuration. OpenSSH clients do not accept DSA host keys even when the system-wide cryptographic policy level is set to `LEGACY`.

#### `fapolicyd.rules`

Policies for allowing and denying execution rules used to be specified in the `/etc/fapolicyd/fapolicyd.rules` file. This file is being replaced by files inside the `/etc/fapolicyd/rules.d` directory.

The `fagenrules` script now merges all component rule files in this directory to the `/etc/fapolicyd/compiled.rules` file. Rules in `/etc/fapolicyd/fapolicyd.trust` are still processed by the `fapolicyd` framework but only for ensuring backward compatibility.

### SSL2 Client Hello

Secure Socket Layer 2's Client Hello message used to be supported by earlier versions of the Transport Layer Security (TLS) protocol. Being deprecated in the NSS library, this feature is now disabled by default.

If your application requires support for Client Hello, enable the feature by using the `SSL_ENABLE_V2_COMPATIBLE_HELLO` API.

## Runtime Disabling of SELinux

Setting the `SELINUX=disabled` option in `/etc/selinux/config` to disable SELinux at runtime has deprecated support. If you use only this option to disable SELinux, then SELinux remains enabled but with no loaded policy.

To completely disable SELinux, add the `selinux=0` parameter to the kernel command line.

## ipa SELinux Module

This module is no longer maintained and hence removed from the `selinux-policy` package. The functionality is now included in the `ipa-selinux` package.

## TPM 1.2

The Trusted Platform Module (TPM) is updated to 2.0 with multiple improvements. However, the updated version is not backward compatible with earlier versions. Consequently, version 1.2 is deprecated.

### crypto-policies

The introduction of scopes for `crypto-policies` directives in custom policies has resulted in the deprecation of the following derived properties of `crypto-policies`:

- `tls_cipher`
- `ssh_cipher`
- `ssh_group`
- `ike_protocol`
- `shal_in_dnssec`

Use of the `protocol` property now requires a scope. For more information, see the `crypto-policies(7)` manual page.

## Networking

The following network related features and functionalities are deprecated in Oracle Linux 8.

### PF\_KEYv2 Kernel API

The `PF_KEYv2` kernel API, used for configuring IPsec, is deprecated in favor of the `netlink` API, which is actively maintained to provide important security features and updates.



## Network Scripts

Network scripts are no longer available by default. New versions of `ifup` and `ifdown` scripts call the NetworkManager service through the `nmcli` tools. Therefore, to run these scripts in Oracle Linux 8, the NetworkManager service must be running.

Other commands in `/sbin/ifup-local`, `ifdown-pre-local`, and `ifdown-local` scripts are ignored. If you manually install the legacy `network-scripts` package and use the scripts, a warning is displayed about their deprecated state.

### dropwatch Tool

Instead of the `dropwatch` tool, use the replacement `perf` command line tool in future Oracle Linux deployments, which provides the same functionality.

### xinetd Service

The `xinetd` service is replaced by `systemd`.

### cgdcboxd Package

The deprecated control group data center bridging exchange daemon (`cgdcboxd`) monitors data center bridging (DCB) netlink events and manages the `net_prio` control group subsystem. Support for this feature might be removed.

## WEP Wi-Fi Connection

Instead of using this connection method, use the Wi-Fi Protected Access 3 (WPA3) or WPA2 connection methods.

### xt\_u32 Module

The `xt_32` module enables users to match arbitrary 32 bits in the packet header or payload for their `iptables`. Because this module is unsupported, migrate to the `nftables` packet filtering framework.

First, change the firewall to use `iptables` with native matches to incrementally replace individual rules. Then, use the `iptables-translate` command and accompanying utilities to migrate to `nftables`. If the `iptables` rules have no native match in `nftables`, use the raw payload matching feature of `nftables` instead.

For more information, see the *raw payload expression* section in the `nft(8)` manual page.

## Kernel

The following kernel related features and functionalities are deprecated in Oracle Linux 8.

## `rdma-rxe` Driver

Software Remote Direct Memory Access over Converged Ethernet (Soft-RoCE), or RXE, emulates RDMA. Because of instability issues, this driver is now deprecated.

## Linux `firewire` Subsystems and Associated User Space Components

The `firewire` subsystem provides interfaces to use and maintain any resources on the IEEE 1394 bus. This subsystem is deprecated in the `kernel` package and likewise, associated user space components that are provided by the `libavc1394`, `libdc1394`, and `libram1394` packages.

## `crash-ptdump-command` Package

The `crash-ptdump-command` package is a `ptdump` extension module for the `crash` utility. The package isn't maintained upstream and is deprecated in this Oracle Linux 8 release.

## Bootloader

The following features and functionalities that are related to the bootloader are deprecated in Oracle Linux 8.

## `kernelopts` Environment Variable

The `kernelopts` environment variable stores the defined kernel command line parameters for systems that use the GRUB2 bootloader. The variable was stored in the `/boot/grub2/grubenv` file for each kernel boot entry. The variable is deprecated and kernel command line parameters are stored in the Boot Loader Specification (BLS) snippet as a replacement.

## File Systems and Storage

The following features and functionalities related to file systems and storage are deprecated in Oracle Linux 8.

## `elevator` Kernel Command

The `elevator` kernel command line parameter sets the disk scheduler for all devices. If you require a different scheduler than what the kernel automatically selects, use `udev` rule or the TuneD service to configure the preferred scheduler.

## NFSv3 Over UDP

The NFS server no longer opens or listens on a User Datagram Protocol (UDP) socket by default. Therefore, NFSv3 over UDP is disabled and no longer supported.

## peripety Package

The `peripety` package is deprecated. The Peripety storage event notification daemon parses system storage logs into structured storage events to enable you investigate storage issues.

## VDO Write Modes

- `sync`
- `async-unsafe`
- `auto`

In place of these modes, `async` is the recommended write mode to use.

## VDO Manager

The VDO Manager is deprecated and is replaced by the LVM-VDO integration. To create VDO volumes, preferably use the `lvcreate` command instead.

You can use the `/usr/sbin/lvm_import_vdo` script in the `lvm2` package to convert existing volumes that were created with the VDO Manager. In this manner, these volumes can be managed through the LVM-VDO integration.

## cramfs Kernel Module

In place of the deprecated `cramfs` kernel module, use `squashfs`, which is the recommended replacement.

## High Availability and Clusters

The following features and functionalities that related to high availability and clusters are deprecated in Oracle Linux 8.

## pcs Commands Support for `clufter` Tool

The `clufter` tool is used for analyzing cluster configuration formats. The `pcs` commands that support the `clufter` tool are deprecated. Using these commands generate a warning about their deprecations. Sections that are related to these commands are removed from the `pcs` help display and the `pcs(8)` manual page.

Specifically, the following commands are deprecated:

- `pcs config import-cman`
- `pcs config export`

## Dynamic programming languages, web, and database servers

The following dynamic programming languages, web, and database servers are deprecated in Oracle Linux 8.

## `mod_php` Module

The `mod_php` module used to enable PHP on the Apache HTTP Server is available but is deprecated and not enabled in the default configuration. The module is no longer available in Oracle Linux 9. The module is deprecated in favor of the FastCGI Process Manager (`php-fpm`).

## Compilers and Development Tools

The following compilers and development tools are deprecated in Oracle Linux 8.

## `libdwarf` Library

In place of the deprecated `libdwarf` library, use the `elfutils` and `libdw` libraries for applications that need to process ELF/DWARF files.

As an alternative to the `libdwarf-tools` `dwarfdump` program, you can use the `binutils` `readelf` program or the `elfutils` `eu-readelf` program. Both programs can be used by passing the `--debug-dump` flag.

## `gdb.i686` Packages

These packages were distributed in earlier Oracle Linux releases to support 32-bit versions of the GNU Debugger (GDB). With the removal of support for 32-bit hardware, these packages are no longer supported or available. The 64-bit version of GDB in `gdb.x86_64` packages can debug 32-bit applications.

## Identity Management

The following identity management features are deprecated in Oracle Linux 8.

## OpenSSH LDAP

The `openssh-ldap` subpackage is deprecated in favor of SSSD and the `sss_ssh_authorizedkeys` helper on Oracle Linux 8.

## DES and 3DES

The Data Encryption Standard (DES) algorithm was deprecated and disabled by default in Oracle Linux 7. Single-DES (DES) and triple-DES (3DES) encryption types are removed in Oracle Linux 8.

## SSSD `libwbclient`

The SSSD implementation of the `libwbclient` package is deprecated and has been removed.

## Standalone `ctdb`

Standalone use of the `ctdb` clustered Samba service is deprecated. You can continue to use this service as a Pacemaker resource with the `ctdb` resource agent.

## Samba NT4-style Domain Controllers

Use of Samba configured as either a Primary Domain Controller (PDC) or Backup Domain Controller (BDC) in an NT3-style domain is deprecated. Oracle doesn't support using Samba as an AD domain controller.

## SMB1

The insecure Server Message Block version 1 (SMB1) protocol is deprecated. To improve security, SMB1 is disabled in the Samba server and client utilities.

## Desktop

The following desktop related features and functionalities are deprecated in Oracle Linux 8.

### `libgnome-keyring` Library

The `libgnome-keyring` library is deprecated in favor of the `libsecret` library, which is more compliant with security standards.

## Motif Toolkit

The Motif widget tool is deprecated, including the following packages:

- `motif`
- `openmotif`
- `openmotif21`
- `openmotif22`

Likewise, the `motif-static` package has been removed. In place of Motif, use the GTK toolkit.

## Virtualization

The following virtualization related features and functionalities are deprecated in Oracle Linux 8.

### `virsh iface-*` Commands

`virsh iface-*` commands such as `virsh iface-start`, `virsh iface-destroy`, and so on are deprecated. To configure and manage host network connections, use instead the NetworkManager tool and its related management applications, for example `nmcli`.

## Virtual Machine Manager

In place of the deprecated Virtual Machine Manager (`virt-manager`), use the web console, otherwise known as Cockpit.

## Virtual Machine Snapshots

Support for creating snapshots of VMs is limited only to those that don't use UEFI firmware. However, the operation might cause the QEMU monitor to become blocked and affects hypervisor operations.

As an alternative, use external snapshots.

## Cirrus VGA Virtual GPU Type

The Cirrus VGA GPU device is deprecated and support for it might be removed in KVM virtual machines. In its place, use `stdvga`, `virtio-vga`, or `qxi` devices.

## Signatures Using SHA-1

The use of SHA1-based signatures to perform SecureBoot image verification on UEFI (PE/COFF) executable files is deprecated. Instead, use signatures that are based on SHA-2 or later.

## SPICE Remote Display Protocol

With the deprecation of the SPICE remote display protocol, the functionality of attaching smart card readers to virtual machines (VMs) will be provided by third party remote virtualization solutions.

Also, the deprecation of this protocol has the following consequences:

- For remote console access, use the VNC protocol.
- For advanced remote display functions, use third-party tools such as RDP, HP RGS, or Mechdyne TGX.

## Containers

The following features and functionalities that are related to containers are deprecated in Oracle Linux 8.

### `container-tools` Modules

The `container-tools:1.0`, `container-tools:2.0`, and `container-tools:3.0` modules are deprecated and no longer support security updates.

Use newer supported stable module streams, such as `container-tools:4.0` instead.

## CNI

The Container Network Interface (CNI) network stack is deprecated in favor of Netavark.

## Deprecated Packages

The support status of deprecated packages remains unchanged within Oracle Linux 8. For more information about the length of support, see [Oracle Linux: Product Life Cycle Information](#).

The following packages are deprecated in Oracle Linux 8 and might be removed in a future release of Oracle Linux:

- 389-ds-base-legacy-tools
- abrt
- abrt-addon-ccpp
- abrt-addon-kerneloops
- abrt-addon-pstoreoops
- abrt-addon-vmcore
- abrt-addon-xorg
- abrt-cli
- abrt-console-notification
- abrt-dbus
- abrt-desktop
- abrt-gui
- abrt-gui-libs
- abrt-libs
- abrt-tui
- adobe-source-sans-pro-fonts
- adwaita-qt
- alsa-plugins-pulseaudio
- amanda
- amanda-client
- amanda-libs
- amanda-server
- ant-contrib
- antlr3
- antlr32
- aopalliance
- apache-commons-collections

- apache-commons-compress
- apache-commons-exec
- apache-commons-jxpath
- apache-commons-parent
- apache-ivy
- apache-parent
- apache-resource-bundles
- apache-sshd
- apiguardian
- aspnetcore-runtime-3.0
- aspnetcore-runtime-3.1
- aspnetcore-runtime-5.0
- aspnetcore-targeting-pack-3.0
- aspnetcore-targeting-pack-3.1
- aspnetcore-targeting-pack-5.0
- assertj-core
- authd
- auto
- autoconf213
- autogen
- autogen-libopts
- awscli
- base64coder
- batik
- batik-css
- batik-util
- bea-stax
- bea-stax-api
- bind-export-devel
- bind-export-libs
- bind-libs-lite
- bind-pkcs11
- bind-pkcs11-devel
- bind-pkcs11-libs
- bind-pkcs11-utils
- bind-sdb
- bind-sdb



- bind-sdb-chroot
- bluez-hid2hci
- boost-jam
- boost-signals
- bouncycastle
- bpg-algeti-fonts
- bpg-chveulebrivi-fonts
- bpg-classic-fonts
- bpg-courier-fonts
- bpg-courier-s-fonts
- bpg-dedaena-block-fonts
- bpg-dejavu-sans-fonts
- bpg-elite-fonts
- bpg-excelsior-caps-fonts
- bpg-excelsior-condenced-fonts
- bpg-excelsior-fonts
- bpg-fonts-common
- bpg-glaho-fonts
- bpg-gorda-fonts
- bpg-ingiri-fonts
- bpg-irubaqidze-fonts
- bpg-mikhail-stephan-fonts
- bpg-mrgvlovani-caps-fonts
- bpg-mrgvlovani-fonts
- bpg-nateli-caps-fonts
- bpg-nateli-condenced-fonts
- bpg-nateli-fonts
- bpg-nino-medium-cond-fonts
- bpg-nino-medium-fonts
- bpg-sans-fonts
- bpg-sans-medium-fonts
- bpg-sans-modern-fonts
- bpg-sans-regular-fonts
- bpg-serif-fonts
- bpg-serif-modern-fonts
- bpg-ucnobi-fonts
- brlapi-java

- bsh
- buildnumber-maven-plugin
- byaccj
- cal10n
- cbi-plugins
- cdparanoia
- cdparanoia-devel
- cdparanoia-libs
- cdrdao
- cmirror
- codehaus-parent
- codemodel
- compat-exiv2-026
- compat-guile18
- compat-hwloc1
- compat-libpthread-nonshared
- compat-libtiff3
- compat-openssl10
- compat-sap-c++-11
- compat-sap-c++-10
- compat-sap-c++-9
- createrepo\_c-devel
- ctags
- ctags-etags
- custodia
- cyrus-imapd-vzic
- dbus-c++
- dbus-c++-devel
- dbus-c++-glib
- dbxtool
- dhcp-libs
- directory-maven-plugin
- directory-maven-plugin-javadoc
- dirsplit
- dleyna-connector-dbus
- dleyna-core
- dleyna-renderer

- dleyna-server
- dnssec-trigger
- dnssec-trigger-panel
- dotnet-apphost-pack-3.0
- dotnet-apphost-pack-3.1
- dotnet-apphost-pack-5.0
- dotnet-host-fxr-2.1
- dotnet-host-fxr-2.1
- dotnet-hostfxr-3.0
- dotnet-hostfxr-3.1
- dotnet-hostfxr-5.0
- dotnet-runtime-2.1
- dotnet-runtime-3.0
- dotnet-runtime-3.1
- dotnet-runtime-5.0
- dotnet-sdk-2.1
- dotnet-sdk-2.1.5xx
- dotnet-sdk-3.0
- dotnet-sdk-3.1
- dotnet-sdk-5.0
- dotnet-targeting-pack-3.0
- dotnet-targeting-pack-3.1
- dotnet-targeting-pack-5.0
- dotnet-templates-3.0
- dotnet-templates-3.1
- dotnet-templates-5.0
- dotnet5.0-build-reference-packages
- dptfextract
- drpm
- drpm-devel
- dump
- dvd+rw-tools
- dyninst-static
- eclipse-ecf
- eclipse-ecf-core
- eclipse-ecf-runtime
- eclipse-emf

- eclipse-emf-core
- eclipse-emf-runtime
- eclipse-emf-xsd
- eclipse-equinox- osgi
- eclipse-jdt
- eclipse-license
- eclipse-p2-discovery
- eclipse-pde
- eclipse-platform
- eclipse-swt
- ed25519-java
- ee4j-parent
- elfutils-devel-static
- elfutils-libelf-devel-static
- enca
- enca-devel
- environment-modules-compat
- evince-browser-plugin
- exec-maven-plugin
- farstream02
- felix-gogo-command
- felix-gogo-runtime
- felix-gogo-shell
- felix-scr
- felix-osgi-compendium
- felix-osgi-core
- felix-osgi-foundation
- felix-parent
- file-roller
- fipscheck
- fipscheck-devel
- fipscheck-lib
- firewire
- fonts-tweak-tool
- forge-parent
- freeradius-mysql
- freeradius-perl

- freeradius-postgresql
- freeradius-rest
- freeradius-sqlite
- freeradius-unixODBC
- fuse-sshfs
- fusesource-pom
- future
- gamin
- gamin-devel
- gavl
- gcc-toolset-9
- gcc-toolset-9-annobin
- gcc-toolset-9-build
- gcc-toolset-9-perftools
- gcc-toolset-9-runtime
- gcc-toolset-9-toolchain
- gcc-toolset-10
- gcc-toolset-10-annobin
- gcc-toolset-10-binutils
- gcc-toolset-10-binutils-devel
- gcc-toolset-10-build
- gcc-toolset-10-dwz
- gcc-toolset-10-dyninst
- gcc-toolset-10-dyninst-devel
- gcc-toolset-10-elfutils
- gcc-toolset-10-elfutils-debuginfod-client
- gcc-toolset-10-elfutils-debuginfod-client-devel
- gcc-toolset-10-elfutils-devel
- gcc-toolset-10-elfutils-libelf
- gcc-toolset-10-elfutils-libelf-devel
- gcc-toolset-10-elfutils-libs
- gcc-toolset-10-gcc
- gcc-toolset-10-gcc-c++
- gcc-toolset-10-gcc-gdb-plugin
- gcc-toolset-10-gcc-gfortran
- gcc-toolset-10-gdb
- gcc-toolset-10-gdb-doc

- gcc-toolset-10-gdb-gdbserver
- gcc-toolset-10-libasan-devel
- gcc-toolset-10-libatomic-devel
- gcc-toolset-10-libitm-devel
- gcc-toolset-10-liblsan-devel
- gcc-toolset-10-libquadmath-devel
- gcc-toolset-10-libstdc++-devel
- gcc-toolset-10-libstdc++-docs
- gcc-toolset-10-libtsan-devel
- gcc-toolset-10-libubsan-devel
- gcc-toolset-10-ltrace
- gcc-toolset-10-make
- gcc-toolset-10-make-devel
- gcc-toolset-10-perftools
- gcc-toolset-10-runtime
- gcc-toolset-10-strace
- gcc-toolset-10-systemtap
- gcc-toolset-10-systemtap-client
- gcc-toolset-10-systemtap-devel
- gcc-toolset-10-systemtap-initscript
- gcc-toolset-10-systemtap-runtime
- gcc-toolset-10-systemtap-sdt-devel
- gcc-toolset-10-systemtap-server
- gcc-toolset-10-toolchain
- gcc-toolset-10-valgrind
- gcc-toolset-10-valgrind-devel
- gcc-toolset-11-make-devel
- gcc-toolset-12-annobin-annocheck
- gcc-toolset-12-annobin-docs
- gcc-toolset-12-annobin-plugin-gcc
- gcc-toolset-12-binutils
- gcc-toolset-12-binutils-devel
- gcc-toolset-12-binutils-gold
- GConf2
- GConf2-devel
- gegl
- genisoimage

- genwqe-tools
- genwqe-vpd
- genwqe-zlib
- genwqe-zlib-devel
- geoipupdate
- geronimo-annotation
- geronimo-jms
- geronimo-jpa
- geronimo-parent-poms
- gfbgraph
- gflags
- gflags-devel
- glassfish-annotation-api
- glassfish-el
- glassfish-fastinfoset
- glassfish-jaxb-core
- glassfish-jaxb-txw2
- glassfish-jsp
- glassfish-jsp-api
- glassfish-legal
- glassfish-master-pom
- glassfish-servlet-api
- glew-devel
- glib2-fam
- glog
- glog-devel
- gmock
- gmock-devel
- gnome-abrt
- gnome-boxes
- gnome-menus-devel
- gnome-online-miners
- gnome-shell-extension-disable-screenshield
- gnome-shell-extension-horizontal-workspaces
- gnome-shell-extension-no-hot-corner
- gnome-shell-extension-window-grouper
- gnome-themes-standard

- gnu-free-fonts-common
- gnu-free-mono-fonts
- gnu-free-sans-fonts
- gnu-free-serif-fonts
- gnupg2-smime
- gnuplot
- gnuplot-common
- gobject-introspection-devel
- google-gson
- google-noto-sans-syriac-eastern-fonts
- google-noto-sans-syriac-estrangela-fonts
- google-noto-sans-syriac-western-fonts
- google-noto-sans-tibetan-fonts
- google-noto-sans-ui-fonts
- gphoto2
- gsl-devel
- gssntlmssp
- gtest
- gtest-devel
- gtkmm24
- gtkmm24-devel
- gtkmm24-docs
- gtksourceview3
- gtksourceview3-devel
- gtkspell
- gtkspell-devel
- gtkspell3
- guile
- gutenprint-gimp
- gutenprint-libs-ui
- gvfs-afc
- gvfs-afp
- gvfs-archive
- hamcrest-core
- hawtjni
- hawtjni
- hawtjni-runtime



- HdrHistogram
- HdrHistogram-javadoc
- highlight-gui
- hivex-devel
- hostname
- hplip-gui
- httpcomponents-project
- hwloc-plugins
- hyphen-fo
- hyphen-grc
- hyphen-hsb
- hyphen-ia
- hyphen-is
- hyphen-ku
- hyphen-mi
- hyphen-mn
- hyphen-sa
- hyphen-tk
- ibus-sayura
- icedax
- icu4j
- idm-console-framework
- inkscape
- inkscape-docs
- inkscape-view
- iptables
- ipython
- isl
- isl-devel
- isorelax
- istack-commons-runtime
- istack-commons-tools
- iwl3945-firmware
- iwl4965-firmware
- iwl6000-firmware
- jacoco
- jaf

- jaf-javadoc
- jakarta-oro
- janino
- jansi-native
- jarjar
- java-1.8.0-ibm
- java-1.8.0-ibm-demo
- java-1.8.0-ibm-devel
- java-1.8.0-ibm-headless
- java-1.8.0-ibm-jdbc
- java-1.8.0-ibm-plugin
- java-1.8.0-ibm-src
- java-1.8.0-ibm-webstart
- java-1.8.0-openjdk-accessibility
- java-1.8.0-openjdk-accessibility-slowdebug
- java\_cup
- java-atk-wrapper
- javacc
- javacc-maven-plugin
- javaewah
- javaparser
- javapoet
- javassist
- javassist-javadoc
- jaxen
- jboss-annotations-1.2-api
- jboss-interceptors-1.2-api
- jboss-logmanager
- jboss-parent
- jctools
- jdepend
- jdependency
- jdom
- jdom2
- jetty
- jetty-continuation
- jetty-http

- jetty-io
- jetty-security
- jetty-server
- jetty-servlet
- jetty-util
- jffi
- jflex
- jgit
- jline
- jmc
- jnr-netdb
- jolokia-jvm-agent
- js-uglify
- jsch
- json\_simple
- jss-javadoc
- jtidy
- junit5
- jvnet-parent
- jzlib
- kernel-cross-headers
- ksc
- kurdit-unikurd-web-fonts
- kyotocabinet-libs
- ldapjdk-javadoc
- lensfun
- lensfun-devel
- lftp-scripts
- libaec
- libaec-devel
- libappindicator-gtk3
- libappindicator-gtk3-devel
- libatomic-static
- libavc1394
- libblocksruntime
- libcacard
- libcacard-devel

- libcgroup
- libcgroup-tools
- libchamplain
- libchamplain-devel
- libchamplain-gtk
- libcroco
- libcroco-devel
- libcxl
- libcxl-devel
- libdap
- libdap-devel
- libdazzle-devel
- libdbusmenu
- libdbusmenu-devel
- libdbusmenu-doc
- libdbusmenu-gtk3
- libdbusmenu-gtk3-devel
- libdc1394
- libdnet
- libdnet-devel
- libdv
- libdwarf
- libdwarf-devel
- libdwarf-static
- libdwarf-tools
- libeasyfc
- libeasyfc-gobject
- libepubgen-devel
- libertas-sd8686-firmware
- libertas-usb8388-firmware
- libertas-usb8388-olpc-firmware
- libgdither
- libGLEW
- libgovirt
- libguestfs-benchmarking
- libguestfs-devel
- libguestfs-gfs2

- libguestfs-gobject
- libguestfs-gobject-devel
- libguestfs-java
- libguestfs-java-devel
- libguestfs-javadoc
- libguestfs-man-pages-ja
- libguestfs-man-pages-uk
- libguestfs-tools
- libguestfs-tools-c
- libhugetlbfs
- libhugetlbfs-devel
- libhugetlbfs-utils
- libIDL
- libIDL-devel
- libidn
- libiec61883
- libindicator-gtk3
- libindicator-gtk3-devel
- libiscsi-devel
- libjose-devel
- libkkc
- libkkc-common
- libkkc-data
- libldb-devel
- liblogging
- libluksmeta-devel
- libmalaga
- libmcpp
- libmemcached
- libmemcached-libs
- libmetalink
- libmodulemd1
- libmongocrypt
- libmtp-devel
- libmusicbrainz5
- libmusicbrainz5-devel
- libnbd-devel

- liboauth
- liboauth-devel
- libpfm-static
- libpng12
- libpurple
- libpurple-devel
- libraw1394
- libreport-plugin-mailx
- libreport-plugin-rhtsupport
- libreport-plugin-ureport
- libreport-ol
- libreport-ol-bugzilla
- librpmem
- librpmem-debug
- librpmem-devel
- libsass
- libsass-devel
- libselinux-python
- libsqlite3x
- libtalloc-devel
- libtar
- libtdb-devel
- libtevent-devel
- libtpms-devel
- libunwind
- libusal
- libvarlink
- libverto-libevent
- libvirt-admin
- libvirt-bash-completion
- libvirt-daemon-driver-storage-gluster
- libvirt-daemon-driver-storage-iscsi-direct
- libvirt-devel
- libvirt-docs
- libvirt-gconfig
- libvirt-gobject
- libvirt-lock-sanlock

- libvirt-wireshark
- libvmem
- libvmem-debug
- libvmem-devel
- libvmmalloc
- libvmmalloc-debug
- libvmmalloc-devel
- libvncserver
- libwinpr-devel
- libwmf
- libwmf-devel
- libwmf-lite
- libXNVCtrl
- libyami
- log4j12
- log4j12-javadoc
- lohit-malayalam-fonts
- lohit-nepali-fonts
- lorax-composer
- lua-guestfs
- lucene
- lucene-analysis
- lucene-analyzers-smartcn
- lucene-queries
- lucene-queryparser
- lucene-sandbox
- lz4-java
- lz4-java-javadoc
- mailman
- mailx
- make-devel
- malaga
- malaga-suomi-voikko
- marisa
- maven-antrun-plugin
- maven-assembly-plugin
- maven-clean-plugin

- maven-dependency-analyzer
- maven-dependency-plugin
- maven-doxia
- maven-doxia-sitetools
- maven-install-plugin
- maven-invoker
- maven-invoker-plugin
- maven-parent
- maven-plugins-pom
- maven-reporting-api
- maven-reporting-impl
- maven-resolver-api
- maven-resolver-connector-basic
- maven-resolver-impl
- maven-resolver-spi
- maven-resolver-transport-wagon
- maven-resolver-util
- maven-scm
- maven-script-interpreter
- maven-shade-plugin
- maven-shared
- maven-verifier
- maven-wagon-file
- maven-wagon-http
- maven-wagon-http-shared
- maven-wagon-provider-api
- maven2
- meanwhile
- mercurial
- mercurial-hgk
- metis
- metis-devel
- mingw32-bzip2
- mingw32-bzip2-static
- mingw32-cairo
- mingw32-expat
- mingw32-fontconfig



- mingw32-freetype
- mingw32-freetype-static
- mingw32-gstreamer1
- mingw32-harfbuzz
- mingw32-harfbuzz-static
- mingw32-icu
- mingw32-libjpeg-turbo
- mingw32-libjpeg-turbo-static
- mingw32-libpng
- mingw32-libpng-static
- mingw32-libtiff
- mingw32-libtiff-static
- mingw32-openssl
- mingw32-readline
- mingw32-sqlite
- mingw32-sqlite-static
- mingw64-adwaita-icon-theme
- mingw64-bzip2
- mingw64-bzip2-static
- mingw64-cairo
- mingw64-expat
- mingw64-fontconfig
- mingw64-freetype
- mingw64-freetype-static
- mingw64-gstreamer1
- mingw64-harfbuzz
- mingw64-harfbuzz-static
- mingw64-icu
- mingw64-libjpeg-turbo
- mingw64-libjpeg-turbo-static
- mingw64-libpng
- mingw64-libpng-static
- mingw64-libtiff
- mingw64-libtiff-static
- mingw64-nettle
- mingw64-openssl
- mingw64-readline

- mingw64-sqlite
- mingw64-sqlite-static
- modello
- mojo-parent
- mongo-c-driver
- mousetweaks
- mozjs52
- mozjs52-devel
- mozjs60
- mozjs60-devel
- mozvoikko
- msv-javadoc
- msv-manual
- munge-maven-plugin
- mythes-mi
- mythes-ne
- nafees-web-naskh-fonts
- nbd
- nbdkit-devel
- nbdkit-example-plugins
- nbdkit-gzip-plugin
- nbdkit-plugin-python-common
- nbdkit-plugin-vddk
- ncompress
- ncurses-compat-libs
- net-tools
- netcf
- netcf-devel
- netcf-libs
- network-scripts
- network-scripts-ppp
- nkf
- nodejs-devel
- nodejs-packaging
- nss\_nis
- nss-pam-ldapd
- objectweb-asm

- objectweb-asm-javadoc
- objectweb-pom
- ocaml-bisect-ppx
- ocaml-camlp4
- ocaml-camlp4-devel
- ocaml-lwt
- ocaml-mmap
- ocaml-ocplib-endian
- ocaml-ounit
- ocaml-result
- ocaml-seq
- opencryptoki-tpmtok
- opencv-contrib
- opencv-core
- opencv-devel
- openhpi
- openhpi-libs
- OpenIPMI-perl
- openssh-cavs
- openssh-ldap
- openssl-ibmpkcs11
- opentest4j
- os-maven-plugin
- pakchois
- pandoc
- paps-libs
- paranamer
- parfait
- parfait-examples
- parfait-javadoc
- pcp-parfait-agent
- pcp-pmda-rpm
- pcp-pmda-vmware
- pcsc-lite-doc
- peripety
- perl-B-Debug
- perl-B-Lint

- perl-Class-Factory-Util
- perl-Class-ISA
- perl-DateTime-Format-HTTP
- perl-DateTime-Format-Mail
- perl-File-CheckTree
- perl-homedir
- perl-libxml-perl
- perl-Locale-Codes
- perl-Mozilla-LDAP
- perl-NKF
- perl-Object-HashBase-tools
- perl-Package-DeprecationManager
- perl-Pod-LaTeX
- perl-Pod-Plainer
- perl-prefork
- perl-String-CRC32
- perl-SUPER
- perl-Sys-Virt
- perl-tests
- perl-YAML-Syck
- phodav
- php-recode
- php-xmlrpc
- pidgin
- pidgin-devel
- pidgin-sipe
- pinentry-emacs
- pinentry-gtk
- pipewire0.2-devel
- pipewire0.2-libs
- platform-python-coverage
- plexus-ant-factory
- plexus-bsh-factory
- plexus-cli
- plexus-component-api
- plexus-component-factories-pom
- plexus-components-pom

- plexus-i18n
- plexus-interactivity
- plexus-pom
- plexus-velocity
- plymouth-plugin-throbgress
- pmreorder
- postgresql-test-rpm-macros
- powermock
- prometheus-jmx-exporter
- prometheus-jmx-exporter-openjdk11
- ptscotch-mpich
- ptscotch-mpich-devel
- ptscotch-mpich-devel-parmetis
- ptscotch-openmpi
- ptscotch-openmpi-devel
- purple-sipe
- pygobject2-doc
- pygtk2
- pygtk2-codegen
- pygtk2-devel
- pygtk2-doc
- python-nose-docs
- python-nss-doc
- python-podman-api
- python-psycopg2-doc
- python-pymongo-doc
- python-redis
- python-schedutils
- python-slip
- python-sqlalchemy-doc
- python-varlink
- python-virtualenv-doc
- python2-backports
- python2-backports-ssl\_match\_hostname
- python2-bson
- python2-coverage
- python2-docs

- python2-docs-info
- python2-funcsigs
- python2-ipaddress
- python2-mock
- python2-nose
- python2-numpy-doc
- python2-psycopg2-debug
- python2-psycopg2-tests
- python2-pymongo
- python2-pymongo-gridfs
- python2-pytest-mock
- python2-sqlalchemy
- python2-tools
- python2-virtualenv
- python3-bson
- python3-click
- python3-coverage
- python3-cpio
- python3-custodia
- python3-docs
- python3-flask
- python3-gevent
- python3-gobject-base
- python3-hivex
- python3-html5lib
- python3-hypothesis
- python3-ipatests
- python3-itsdangerous
- python3-jwt
- python3-libguestfs
- python3-mock
- python3-networkx-core
- python3-nose
- python3-nss
- python3-openipmi
- python3-pillow
- python3-ptyprocess

- python3-pydbus
- python3-pymongo
- python3-pymongo-gridfs
- python3-pyOpenSSL
- python3-pytoml
- python3-reportlab
- python3-schedutils
- python3-scons
- python3-semantic\_version
- python3-slip
- python3-slip-dbus
- python3-sqlalchemy
- python3-syspurpose
- python3-virtualenv
- python3-webencodings
- python3-werkzeug
- python38-asn1crypto
- python38-numpy-doc
- python38-psycopg2-doc
- python38-psycopg2-tests
- python39-numpy-doc
- python39-psycopg2-doc
- python39-psycopg2-tests
- qemu-kvm-block-gluster
- qemu-kvm-block-iscsi
- qemu-kvm-block-ssh
- qemu-kvm-hw-usbredir
- qemu-kvm-device-display-virtio-gpu-gl
- qemu-kvm-device-display-virtio-gpu-pci-gl
- qemu-kvm-device-display-virtio-vga-gl
- qemu-kvm-tests
- qpdf
- qpdf-doc
- qpidd-proton
- qrencode
- qrencode-devel
- qrencode-libs

- qt5-qtcanvas3d
- qt5-qtcanvas3d-examples
- rarian
- rarian-compat
- re2c
- recode
- redhat-lsb
- redhat-lsb-core
- redhat-lsb-cxx
- redhat-lsb-desktop
- redhat-lsb-languages
- redhat-lsb-printing
- redhat-lsb-submod-multimedia
- redhat-lsb-submod-security
- redhat-lsb-supplemental
- redhat-lsb-trialuse
- redhat-menus
- redhat-support-lib-python
- redhat-support-tool
- reflections
- regexp
- relaxngDatatype
- rhsm-gtk
- rpm-plugin-priorreset
- rpmdm
- rsyslog-udp spoof
- ruby-hivex
- ruby-libguestfs
- rubygem-abrt
- rubygem-abrt-doc
- rubygem-bson
- rubygem-bson-doc
- rubygem-bundler-doc
- rubygem-mongo
- rubygem-mongo-doc
- rubygem-net-telnet
- rubygem-xmlrpc



- s390utils-cmsfs
- samba-pidl
- samba-test
- samba-test-libs
- samyak-devanagari-fonts
- samyak-fonts-common
- samyak-gujarati-fonts
- samyak-malayalam-fonts
- samyak-odia-fonts
- samyak-tamil-fonts
- sane-frontends
- sanlk-reset
- sat4j
- scala
- scotch
- scotch-devel
- SDL\_sound
- selinux-policy-minimum
- sendmail
- sgabios
- sgabios-bin
- shrinkwrap
- sisu-inject
- sisu-mojos
- sisu-plexus
- skkdic
- SLOF
- smc-anjalioldlipi-fonts
- smc-dyuthi-fonts
- smc-fonts-common
- smc-kalyani-fonts
- smc-raghumalayalam-fonts
- smc-suruma-fonts
- softsm-devel
- sonatype-oss-parent
- sonatype-plugins-parent
- sos-collector

- sparsehash-devel
- spax
- spec-version-maven-plugin
- spice
- spice-client-win-x64
- spice-client-win-x86
- spice-glib
- spice-glib-devel
- spice-gtk
- spice-gtk-tools
- spice-gtk3
- spice-gtk3-devel
- spice-gtk3-vala
- spice-parent
- spice-protocol
- spice-qxl-wddm-dod
- spice-server
- spice-server-devel
- spice-qxl-xddm
- spice-server
- spice-streaming-agent
- spice-vdagent-win-x64
- spice-vdagent-win-x86
- sssd-libwbclient
- star
- stax-ex
- stax2-api
- stringtemplate
- stringtemplate4
- subscription-manager-initial-setup-addon
- subscription-manager-migration
- subscription-manager-migration-data
- subversion-javahl
- SuperLU
- SuperLU-devel
- supermin-devel
- swig

- swig-doc
- swig-gdb
- swtpm-devel
- swtpm-tools-pkcs11
- system-storage-manager
- tcl-brlapi
- testng
- tibetan-machine-uni-fonts
- timedatex
- tpm-quote-tools
- tpm-tools
- tpm-tools-pkcs11
- treelayout
- trousers
- trousers-lib
- tuned-profiles-compat
- tuned-profiles-nfv-host-bin
- tuned-utils-systemtap
- tycho
- uglify-js
- unbound-devel
- univocity-output-tester
- univocity-parsers
- usbguard-notifier
- usbredir-devel
- utf8cpp
- uthash
- velocity
- vinagre
- vino
- virt-dib
- virt-p2v-maker
- vm-dump-metrics-devel
- weld-parent
- wodim
- woodstox-core
- wqy-microhei-fonts

- wqy-unibit-fonts
- xdelta
- xmlgraphics-commons
- xmlstreambuffer
- xinetd
- xorg-x11-apps
- xorg-x11-drv-qxl
- xorg-x11-server-Xspice
- xpp3
- xsane-gimp
- xsom
- xz-java
- xz-java-javadoc
- yajl-devel
- yp-tools
- ypbind
- ypserv

# 4

## Known Issues

This chapter lists known issues in the current Oracle Linux 8 release. The list covers issues that might affect both x86 and aarch64 platforms. In the list, additional issues that are specific only to aarch64 platforms are labeled `aarch64 only`:

The following guides provide additional information about known issues that related to specific Oracle Linux components:

- Podman container management tool: [Oracle Linux: Podman User's Guide](#)
- System and Oracle Cloud Infrastructure instance upgrade using Leapp: [Oracle Linux 8: Upgrading Systems With Leapp](#)

## Installation and Upgrade Issues

The following are known installation and upgrade issues for Oracle Linux 8.6.

### Messages Referring to `tmpfiles.d` Files Appear During Upgrade

During an upgrade from Oracle Linux 8.5 to Oracle Linux 8.6, and with the appropriate Oracle Linux 8 repositories enabled, the `dnf upgrade` command displays messages similar to the following:

```
Running scriptlet: systemd-239-44.0.1.el8.x86_64
4550/4550
[/usr/lib/tmpfiles.d/dnssec-trigger.conf:1] Line references path below legacy
directory /var/run/, updating /var/run/dnssec-trigger → /run/dnssec-trigger;
please update the tmpfiles.d/ drop-in file accordingly.
[/usr/lib/tmpfiles.d/krb5-krb5kdc.conf:1] Line references path below legacy
directory /var/run/, updating /var/run/krb5kdc → /run/krb5kdc; please update
the tmpfiles.d/ drop-in file accordingly.
[/usr/lib/tmpfiles.d/nss-pam-ldapd.conf:2] Line references path below legacy
directory /var/run/, updating /var/run/nslcd → /run/nslcd; please update the
tmpfiles.d/ drop-in file accordingly.
[/usr/lib/tmpfiles.d/pesign.conf:1] Line references path below legacy
directory /var/run/, updating /var/run/pesign → /run/pesign; please update
the tmpfiles.d/ drop-in file accordingly.
[/usr/lib/tmpfiles.d/portreserve.conf:1] Line references path below legacy
directory /var/run/, updating /var/run/portreserve → /run/portreserve; please
update the tmpfiles.d/ drop-in file accordingly.
.
.
.
```

These messages can be safely ignored, as the upgrade or package installation completes successfully.

As an alternative workaround, update the configuration by following the instructions in the message. Change the legacy `var/run/<...>` directory path to `/run/<...>`.

(Bug ID 32852433)

## Installer Automatically Enables Ethernet Over USB Network Interface During a PXE Installation

During a Preboot Execution Environment (PXE) installation of Oracle Linux 8, the installer automatically enables the Ethernet over USB network interface with the `bootproto=dhcp` and `ONBOOT=yes` parameters. These default settings causes the `NetworkManager` service to fail to start.

To prevent this issue from occurring, or to resolve the issue if you have already encountered it, use one of the following workarounds:

- Prior to installation, disable the `ONBOOT` parameter for the Ethernet over USB network interface in the kickstart file, as follows:

```
network --bootproto=dhcp --device=enp0s20f0u8u3c2 --onboot=off --  
ipv6=auto
```

- During installation, on the Network & Host Name screen, do not select the **Connect automatically with priority** check box to connect automatically on every reboot for the Ethernet over USB network interface.
- If you have already encountered this issue, then after the installation, change the network configuration setting for the Ethernet over USB network interface to `ONBOOT=no`. Then reboot the system.

(Bug ID 31888490)

## Interactive Text-Based Installation Wizard Unable to Complete When An Alternate Language Is Selected

If you selected an alternate language while using the text-based installer to install the OS, you cannot proceed with the installation. The installation is blocked with [!] flags for **Software Selection** and **Installation Destination** regardless of what you have set for these two options.

However, this issue does not occur if you are performing an installation by using the default English language selection or by using the graphical installation program.

(Bug IDs 30535416, 29648703)

## Graphical Installation Program Fails to Produce Error When an Unacceptable Kdump Value Is Entered

A minor upstream usability error affects the graphical installation program during the configuration of Kdump.

If you specify an unacceptable value when manually configuring the Kdump memory reservation, you can click `Done` to return to the Installation Summary screen. The installer does not generate a warning or error message. Instead, the installer

automatically resets the value either to the last known acceptable value or the default value of 512 MB, which enables the installation to succeed. However, because this corrected setting is not displayed on the screen, you might not become aware that your specified value was ignored.

This issue does not occur with the text-based installer, which correctly returns an error if you enter an unacceptable value and prevents you from continuing.

(Bug IDs 31133351, 31182708)

## Graphical Installation Program Does Not Display the Reserved Memory That's Manually Set For Kdump

A minor usability error affects the graphical installation program during the configuration of Kdump. If you manually change the default memory size that is reserved for Kdump, the new setting is not displayed when the screen is refreshed. Instead, only the values for the total system memory and usable system memory are displayed. Consequently, the limits for the parameter "Memory to be reserved (Mb)" become unknown for future Kdump configuration.



### Note:

The default setting `auto` for Kdump memory reservation is adequate as the kernel determines what size to use when it boots

(Bug IDs 31133287 and 31182699)

## Scriptlet-Related Error for `microcode_ctl` Might Be Displayed During Upgrade

A scriptlet-related error message might be displayed during an upgrade of an Oracle Linux 8 release to its next version. When you run the `dnf update` command, an output similar to the following might appear:

```
Running scriptlet:
tuned-2.13.0-6.0.2.el8.noarch
1089/1089
Running scriptlet:
microcode_ctl-4:20191115-4.el8.x86_64
1089/1089
realpath: weak-updates/kmod-kvdo/vdo/kvdo.ko: No such file or directory
realpath: weak-updates/kmod-kvdo/uds/uds.ko: No such file or directory
dracut: installkernel failed in module kernel-modules-extra
warning: %posttrans(microcode_ctl-4:20191115-4.el8.x86_64) scriptlet failed,
exit status 1

Error in POSTTRANS scriptlet in rpm package microcode_ctl
Running scriptlet:
libgcc-8.3.1-4.5.0.7.el8.x86_64
1089/1089
Running scriptlet: glibc-common-2.28-101.0.1.el8.x86_64
1089/1089
Running scriptlet:
```

```
info-6.5-6.el8.x86_64
1089/1089
```

This error message is displayed if you use the Server with GUI environment to install Oracle Linux 8 and then you reboot the server by using RHCK. This installation method installs the kernel dependent, `kmod-kvdo` package or module, which is a different version in the previous Oracle Linux 8 release.

However, you can safely ignore the message because the `kmod-kvdo` package is successfully installed during the upgrade process.

 **Note:**

This error does not occur if you install the Minimal Install base environment or if you boot the server with UEK R6 or UEK R7.

(Bug ID 31292199)

## `rhnreg_ks` Register Command Might Fail If `python3-rhn-virtualization-host` Package Is Installed

Beginning with Oracle Linux 8.1, using the `rhnreg_ks` command to register a system with the Unbreakable Linux Network (ULN) might fail if the `python3-rhn-virtualization-hosts` package is installed on the system. This issue has been observed when the `libvirtd` service is not running.

To work around this issue, ensure that the `libvirtd` packages are installed on your system and that the service is enabled and running prior to issuing the `rhnreg_ks` command.

(Bug ID 30366521)

## Package Conflict Between `usbguard-1.0.0-2.el8.i686` And `usbguard-1.0.0-8.el8.x86_64` on Oracle Linux 8 Upgrades

Beginning with Oracle Linux 8.5, when you upgrade Oracle Linux 8 with both the `ol8_baseos_latest` and `ol8_appstream` yum repositories enabled, a conflict between the `usbguard-1.0.0-2.el8.i686` and `usbguard-1.0.0-8.el8.x86_64` packages occurs.

The following error is produced:

```
Problem: package usbguard-1.0.0-8.el8.x86_64 conflicts with usbguard
provided by usbguard-1.0.0-2.el8.i686
- cannot install the best candidate for the job
- problem with installed package usbguard-1.0.0-2.el8.i686
(try to add '--allowerase' to command line to replace conflicting
packages
or '--skip-broken' to skip uninstallable packages or '--nobest' to use
```



not  
only best candidate packages)

This conflict occurs because in Oracle Linux 8.6 and later releases, the `usbguard-1.0.0-2.el8.i686` and the `usbguard-1.0.0-8.el8.x86_64` packages conflict with each other and could no longer be installed together, unlike in previous Oracle Linux 8 releases.

To work around this issue, remove the `usbguard-1.0.0-2.el8.i686` package from your Oracle Linux 8 system prior to upgrading to the current release.

(Bug ID 34097708)

## Presence of `beignet` Package Could Result in Dependency Issue During An Upgrade

While upgrading a system to the current Oracle Linux 8 release, you might encounter a dependency issue if the `beignet` package exists on the system to be upgraded.

This issue exists specifically in cases where you upgrade systems running Oracle Linux 8.2 or earlier releases to the current Oracle Linux version. In these earlier releases, the `beignet` package requires earlier versions of the `clang-libs` package.

However, the `beignet` package is currently not available for Oracle Linux 8.4 and later Oracle Linux 8 releases. Therefore, the issue does not exist for these cases.

To work around this issue, remove the `beignet` package from the system prior to upgrading to the current Oracle Linux 8 release.

(Bug ID 31213935)

## ULN Registration Wizard Not Displayed on First Boot After An Installation

On new installations of Oracle Linux 8, the ULN registration wizard that presents the options to register with ULN and to use Oracle Ksplice isn't displayed on first boot.

As an alternative, you can register with ULN after the installation completes. For instructions, see <https://linux.oracle.com/>.

(Bug ID 29933974)

## Graphics Controller Requirements for an Installation on an Oracle VM VirtualBox Guest

To successfully install Oracle Linux 8 on an Oracle VM VirtualBox guest, where the graphical installation program is used and the default `Server with GUI` environment is selected, you must set the guest to use the `VMSVGA` graphics controller and configure the guest with at least 64MB of memory. Otherwise, the graphical display is unable to start correctly.

Beginning with Oracle VM VirtualBox 6.0, the `VMSVGA` graphics controller is the default controller for guests running Linux operating systems. This issue is more likely to appear if install Oracle Linux 8 on an existing guest that was created on an earlier Oracle VM VirtualBox release. To configure Oracle Linux 8 guests, Oracle recommends that you use Oracle VM VirtualBox 6.0 or later.

(Bug ID 30004543)

## aarch64 Only: Installer Displays Error: 'Failed to set new efi boot target' on Systems With a Multipath-Enabled NVMe Controller

The Oracle Linux 8.7 installer displays the following error on aarch64 systems that have a multipath-enabled NVMe controller:

```
Failed to set new efi boot target . This is most likely a kernel or
firmware bug.
```

To work around this issue, disable native multipath support for the installation at boot time by adding the `nvme_core.multipath=N` command-line argument on the target system.

(Bug IDs 34233800, 34215333, 31758304)

## Mellanox NIC interface name subject to change after upgrading from RHCK or UEK R6 to UEK R7

During a kernel upgrade of x86\_64 systems from RHCK or UEK R6 to UEK R7, the `mlx5_core` device name is subject to change, from `ens2f0` (RHCK or UEK R6) to `ens2f0np0` (UEK R7).

You might encounter this issue if you selected Server With GUI as the installation profile and under the following circumstances:

- When upgrading an Oracle Linux 8 system that's running RHCK or UEKR6 to UEK R7.
- When upgrading an Oracle Linux 8 system that's running RHCK or UEK R6 to Oracle Linux 9, which ships with UEK R7 by default.
- When upgrading an Oracle Linux 8 system that's already running UEK R7 to Oracle Linux 9.

### Note:

In the case where an Oracle Linux 8 system is already running UEK R7, if you previously configured the system to use backward-compatible device names (`ens2f0`), you might need to apply the workaround that follows to the GRUB configuration after the upgrade to Oracle Linux 9 has completed.

Note that fresh installations of UEK R7 on Oracle Linux 8 and Oracle Linux 9 use the default naming convention for UEK R7 (`enp2s0f0np0`) by default.

To retain backward-compatible (RHCK) device names for the `mlx5_core` driver-based network interface card (NIC), perform the following workaround after upgrading to UEK R7, prior to rebooting the system. We recommended that you back up the existing `grub.cfg` file before making this change.

1. Edit the `/etc/default/grub` file and append the end of the line in the `GRUB_CMDLINE_LINUX=` module as follows:

```
GRUB_CMDLINE_LINUX="console=xxxx mlx5_core.expose_pf_phys_port_name=0"
```

2. After editing the file, locate the `grub.cfg` file on the system, then run the command to update GRUB configuration, as appropriate:

- On BIOS-based systems, the `grub.cfg` output/target file is typically located at `/boot/grub2/grub.cfg` and you would run the following command:

```
sudo grub2-mkconfig -o /boot/grub2/grub.cfg
```

- On UEFI-based systems, the `grub.cfg` output/target file could be located at `/etc/grub2-efi.cfg` or `/boot/efi/EFI/redhat/grub.cfg`. Depending on the location of the file, you would run one of the following commands:

```
sudo grub2-mkconfig -o /etc/grub2-efi.cfg
```

```
sudo grub2-mkconfig -o /boot/efi/EFI/redhat/grub.cfg
```

3. Reboot the system for the changes to take effect.

(Bug IDs 34103369, 34145887, 35270018)

## openssh-askpass Installation Fails on Systems With Locked Channels

On Oracle Linux 8 systems that are locked to the `ol8_u8_baseos_base` repository, updating the `openssh-askpass` package for Oracle Linux 8.8 might fail because updating the package requires that the system is subscribed to the `baseos_latest` channel.

To work around this issue, ensure that the system is subscribed to the `baseos_latest` channel or repository to obtain the latest `openssh` packages.

If you need to lock the system to the `baseos_base` repository, you must also lock the `appstream` repository to the one that is provided in the Oracle Linux 8.8 ISO image. If you intend to lock a system to a particular update release for a period, consider configuring a mirror of all of the repositories that you require and schedule system updates appropriately.

Bug 35406432

## Removing `container-selinux` Package Might Also Remove The `selinux-policy-targeted` Package

If you remove the `container-selinux` package from the system after installing the current Oracle Linux 8 release, the `selinux-policy-targeted` package might also be removed.

When this problem occurs, you might also see an error message about being unable to load SELinux policy.

To avoid this issue, use the following syntax with the `dnf remove` command:

```
sudo dnf remove container-selinux --setopt=exclude=selinux-policy-targeted
```

(Bug ID 32860334)

## Running `dnf update glusterfs-*` Command Fails to Upgrade Previously Installed Packages

If `glusterfs-*`.i686 packages exist on an Oracle Linux 8 system which you then upgrade to the next update version, running the `dnf update glusterfs*` command later fails to upgrade GlusterFS packages.

As a workaround, first remove the `glusterfs-*`.i686 packages from the system, and then run the `dnf update glusterfs*` command.

(Bug ID 30279840)

## Updating `libss` Package Might Fail if `libss-devel` Package Is Installed

The `libss` package might fail to update if the `libss-devel` package is installed on the system.

This issue persists if UEK R6 is enabled. However, after updating the kernel and enabling UEK R7, the issue is no longer encountered.

However, this issue is fixed in UEK R7. Therefore, to work around this issue, enable the UEK R7 yum repository or ULN channel, and then install UEK R7. Reboot the system after the installation.

(Bug ID 32005190)

## ACPI Error Messages Displayed on Dell EMC PowerEdge Server During Boot

During a system boot of an Intel-based Dell EMC PowerEdge Server, error messages similar to the following might be displayed if the Dell Active Power Controller (DAPC) setting is enabled in the BIOS:

```
kernel: ACPI Error: No handler for Region [SYSI] (0000000061df8ef3)
[IPMI] (20190816/evregion-132)
kernel: ACPI Error: Region IPMI (ID=7) has no handler (20190816/
exfldio-265)
kernel: ACPI Error: Aborting method \_SB.PMI0._GHL due to previous
error (AE_NOT_EXIST) (20190816/psparse-531)
kernel: ACPI Error: Aborting method \_SB.PMI0._PMC due to previous
error (AE_NOT_EXIST) (20190816/psparse-531)
```

```
kernel: ACPI Error: AE_NOT_EXIST, Evaluating _PMC (20190816/power_meter-743)
```

To work around this issue, disable the `apci_power_meter` kernel module as follows:

```
echo "blacklist apci_power_meter" >> /etc/modprobe.d/hwmon.conf
```

After disabling the `apci_power_meter` kernel module, reboot the system for the change to take effect.

For environments that do not require the DAPC feature, as an alternative workaround, you can disable the DAPC BIOS setting.

(Bug ID 32105233)

## Oracle Linux 8 Doesn't Recognize SAS Controllers on Older Oracle Sun Hardware

The Oracle Linux 8 installer does not recognize some Serial Attached SCSI (SAS) controllers that are found in older Oracle Sun server models. If you attempt to install Oracle Linux 8 on these server models, the installer does not recognize the local disk and the installation fails. Examples of these server models include, but are not limited to, the following: Oracle Sun Fire X4170 M2 Server, Oracle Sun Fire X4170 M3 Server, Oracle Sun OVCA X3-2 Server, and the Oracle Sun X4-2 Server.

The following SAS controllers are removed from the `mpt2sas` driver in RHCK:

- SAS2004, PCI ID 0x1000:0x0070
- SAS2008, PCI ID 0x1000:0x0072
- SAS2108\_1, PCI ID 0x1000:0x0074
- SAS2108\_2, PCI ID 0x1000:0x0076
- SAS2108\_3, PCI ID 0x1000:0x0077
- SAS2116\_1, PCI ID 0x1000:0x0064
- SAS2116\_2, PCI ID 0x1000:0x0065
- SSS6200, PCI ID 0x1000:0x007E

The following SAS controllers are removed from the `megaraid_sas` driver in RHCK:

- Dell PERC5, PCI ID 0x1028:0x15
- SAS1078R, PCI ID 0x1000:0x60
- SAS1078DE, PCI ID 0x1000:0x7C
- SAS1064R, PCI ID 0x1000:0x411
- VERDE\_ZCR, PCI ID 0x1000:0x413
- SAS1078GEN2, PCI ID 0x1000:0x78
- SAS0079GEN2, PCI ID 0x1000:0x79
- SAS0073SKINNY, PCI ID 0x1000:0x73
- SAS0071SKINNY, PCI ID 0x1000:0x71

The workaround for this issue is to use the Unbreakable Enterprise Kernel Release 6 (UEK R6) boot ISO, and then run UEK R6 with Oracle Linux 8, as these controllers are supported in the Unbreakable Enterprise Kernel release.

(Bug ID 29120478)

## File System Issues

The following are known file systems issues that have been encountered in this release of Oracle Linux 8.

### BTRFS File System Not Supported on RHCK

The Btrfs file system is removed from RHCK in Oracle Linux 8, which means you cannot create or mount this file system when using this kernel. Also, any Btrfs user space packages that are provided are not supported with RHCK.

Support for the Btrfs file system is enabled in UEK R7 and UEK R6. Starting with Oracle Linux 8.3, during an installation, you have the option to create a Btrfs root file system, as well as select Btrfs as the file system type when formatting devices.

For further details about these changes, see the following documentation:

- For information about creating a Btrfs root file system during an installation, see [Oracle Linux 8: Installing Oracle Linux](#).
- For information about managing the Btrfs file system, see [Oracle Linux 8: Managing Local File Systems](#).
- For the latest information about other enhancements that have been made to Btrfs in UEK R6, see [Unbreakable Enterprise Kernel Release 6 Update 3: Release Notes \(5.4.17-2136\)](#).

For information about UEK R7, see [Unbreakable Enterprise Kernel Release 7: Release Notes \(5.15.0-0.30\)](#).

### OCFS2 File System Not Supported on RHCK

The OCFS2 file system is removed from RHCK in Oracle Linux 8, which means you cannot create or mount this file system when using this kernel. Also, OCFS2 user space packages that are provided are not supported with RHCK.

Note that support for OCFS2 file systems is enabled in UEK R7 and UEK R6. For the latest information and other enhancements that have been made to OCFS2 in UEK R6, see [Unbreakable Enterprise Kernel Release 6 Update 3: Release Notes \(5.4.17-2136\)](#). See also [Unbreakable Enterprise Kernel Release 7: Release Notes \(5.15.0-0.30\)](#).

### `ext4`: Frequent or Repeated System Shutdowns Can Cause File System Corruption

If a system that is using the `ext4` file system is repeatedly or frequently shut down, the file system might become corrupted. This issue is difficult to replicate and is therefore considered to be a corner-case issue. The issue exists in the upstream code and proposed patches are currently under review.

(Bug ID 27547113)

## Systems With Btrfs Fail to Boot in FIPS Mode

When booted in FIPS mode, a system using Btrfs fails with the following message:

```
FATAL: FIPS integrity test failed
Refusing to continue
```

## Kernel Issues

The following are known kernel issues that have been encountered in this release of Oracle Linux 8.

### KVM Guests Boot With "amd64\_edac\_mod: Unknown symbol" Errors on AMD 64-Bit Platforms

The following errors might be displayed repeatedly when KVM guests are booting on 64-bit AMD hosts:

```
[ 12.474069] amd64_edac_mod: Unknown symbol amd_register_ecc_decoder (err
[ 120)
[ 12.474083] amd64_edac_mod: Unknown symbol amd_report_gart_errors (err 0)
[ 12.852250] amd64_edac_mod: Unknown symbol amd_unregister_ecc_decoder
(err 0)
[ 12.852297] amd64_edac_mod: Unknown symbol amd_register_ecc_decoder (err
0)
.
.
.
```

These errors occur because the module code for the kernel erroneously returns `-EEXIST` for modules that failed to load and are in the process of being removed from the module list. The `amd64_edac_mod` module will not be loaded in a VM. These errors can be ignored, as they do not impact functionality in any way.

This issue occurs on Oracle Linux 8 hosts that are running RHCK *only* and is not encountered on UEK R6 hosts.

(Bug ID 29853602)

### Output of `modinfo` Command Doesn't Show Retpoline Support

A bug in the Oracle Linux 8 code causes Retpoline support to not be displayed in the output of the `modinfo -F retpoline` command, even though the `CONFIG_RETPOLINE` flag is set to `Y`, for example:

```
sudo modinfo -F retpoline
/usr/lib/modules/4.18.0-80.el8.x86_64/kernel/sound/usb/usx2y/snd-usb-
us1221.ko
.xz
```

The `CONFIG_RETPOLINE=Y` flag is still required to add and display Retpoline support. If the parameter is enabled, the kernel builds with a retpoline capable compiler.

To confirm that the `CONFIG_RETPOLINE` flag is enabled, search for the parameter in the kernel's `config-kernel` configuration file, for example:

```
cat /boot/config-5.4.17-2011.7.4.el8uek.x86_64 | grep RETPOLINE.
```

```
CONFIG_RETPOLINE=y
```

(Bug ID 29894295)

## Kdump Might Fail on Some AMD Hardware

Kdump might fail on some AMD hardware that is running the current Oracle Linux release. Impacted hardware includes the AMD EPYC CPU servers.

To work around this issue, modify the `/etc/sysconfig/kdump` configuration file and remove the `iommu=off` command-line option from the `KDUMP_COMMANDLINE_APPEND` variable. Restart the `kdump` service for the changes to take effect.

(Bug ID 31274238, 34312626)

## Kdump Fails to Generate a `vmcore` on FIPS Enabled System

When FIPS mode is enabled on a system, Kdump might fail to generate a `vmcore` when a system panic is triggered. The issue is caused if the Kdump initramfs image isn't also regenerated with FIPS mode enabled.

To resolve the issue, if FIPS mode is enabled on the system you must rebuild the Kdump initramfs image and restart the `kdump` service. The Kdump initramfs image is automatically rebuilt when the `kdump` service is restarted if `/etc/kdump.conf` is changed in any way.

```
sudo touch /etc/kdump.conf
sudo systemctl restart kdump
```

You can verify that Kdump is working correctly by running:

```
sudo systemctl status kdump
```

Check that the service is active and that a new image file was created by ensuring that the date and timestamp for the Kdump initramfs image corresponds with the date and time when you restarted the service:

```
ls -lah /etc/kdump.conf /boot/initramfs-$(uname -r)kdump.img
```

(Bug 35982140)



## Limitations of the LVM `dm-writecache` Caching Method

The new LVM `dm-writecache` caching method has certain limitations that don't exist with the `dm-cache` method, including the following:

- Can't attach or detach `dm-writecache` when a logical volume is active.
- Can't take a snapshot of a logical volume when the logical volume is using `dm-writecache`.
- Must use a `dm-writecache` block size that matches the existing file system block size when attaching `dm-writecache` to an inactive logical volume.
- Can't resize a logical volume when `dm-writecache` is attached to the volume.
- Can't use `pvmove` commands on devices that are used with `dm-writecache`.
- Can't use logical volumes with `dm-writecache` when using thin pools or the virtual data optimizer (VDO).

For more information about the `dm-writecache` caching method, see the File Systems and Storage features section of [Oracle Linux 8: Release Notes for Oracle Linux 8.2](#). See also the `lvmcache(7)` manual page.

## Error: "mcelog service does not support this processor"

An error indicating that the `mcelog` service doesn't support the processor can appear in the system log on systems with AMD processors, such as some Oracle Server hardware. The message might be displayed as follows:

```
mcelog: ERROR: AMD Processor family
23: mcelog does not support this processor. Please use the edac_mce_amd
module instead.
```

The `mcelog` daemon is a service that is used on x86\_64 platforms to log and handle hardware error messaging. However, on AMD systems, the `edac_mce_amd` kernel module handles machine exception logging. AMD systems do not require the `mcelog` daemon. Therefore, the `mcelog` error on these systems can be disregarded.

(Bug ID 29501190)

## Power Button Defaults to ACPI Suspend Mode

By default, the Oracle Linux 8 graphical user interface (GUI) console mode treats the hardware power button as the equivalent of the ACPI "Sleep" button, which puts the system into low-power sleep mode. This behavior is specific to the GNOME desktop environment.

In previous Oracle Linux releases, the hardware power button initiated a system shutdown. To ensure that Oracle Linux 8 behaves the same way, do the following:

1. Create a file named `/etc/dconf/db/local.d/01-shutdown-button-action` with following content:

```
[org/gnome/settings-daemon/plugins/power]
power-button-action='interactive'
```

2. Create a file named `/etc/dconf/db/local.d/locks/01-power` with the following content:

```
/org/gnome/settings-daemon/plugins/power/power-button-action
```

3. Run the following command:

```
sudo dconf update
```

4. Log out of the desktop environment and then log back in for the new settings to take effect.

(Bug ID 25597898)

## Certain SEV Guest Configurations Might Cause Hypervisor CPU Soft-Lockup Warnings

On older generation AMD systems that are based on the AMD Rome processors, such as E2 and E3 systems, a guest with more than 350GB memory that's configured to use Secure Encrypted Virtualization (SEV) memory encryption can trigger a CPU soft-lockup warning on the hypervisor host during guest boot or shutdown operations.

The time that's needed to flush the pinned memory that's being encrypted is proportional to the amount of guest memory. However, with larger amounts of memory in excess of 350GB, the time on the CPU to flush the memory becomes excessive, which consequently triggers a warning. After the memory is flushed, the hypervisor resumes normal operations.

Newer systems that are based on the AMD Milan processor, such as E4 systems, have hardware support that can minimize the time required for flushing the memory. Therefore, the CPU soft-hang issue isn't encountered.

As a workaround, if a SEV enabled guest with more than 350GB of memory is required, create the guest on a system that's based on the AMD Milan processor. If you are using systems with the AMD Rome processor, limit the guest memory to less than 350GB if the guest is configured with SEV memory encryption.

(Bug ID 34050377)

## (aarch64) Some GUI Elements Aren't Displayed During Installation and Boot Using VGA Output

During installations on the Arm platform, the Oracle Linux installer does not display some GUI elements, such as the progress update screen, on VGA output. Output is displayed on the serial console, instead.

Additionally, if you install Oracle Linux with GUI on an encrypted disk, for example, by choosing Server with GUI during the installation stage, and VGA is enabled, the password prompt doesn't appear on the VGA output at system boot, and consequently, the boot process can not be completed. The prompt appears only on a serial console, and therefore, you would need to switch to a serial console to provide the password there.

This issue is specific to systems on the Arm platform only and occurs regardless of whether you are using secure boot or non secure boot. Further, the issue applies to Oracle Linux 8 or Oracle Linux 9 systems that use UEKR6 or UEKR7. The issue occurs wherever Plymouth graphical elements are loaded in the GUI.

To resolve these GUI issues and to cause these elements to display on VGA output without using a serial console, add `plymouth.ignore-serial-consoles` to the kernel command line in the GRUB configuration. For instructions, see the *Managing Kernels and System Boot* chapter in [Oracle Linux 8: Managing Core System Configuration](#).

(Bug ID 35034465 and 35270637)

## Virtual Function MAC Address Differences With Host After VF Migration

On some VF hardware, after a VF migration, the MAC address of the VF might be different from the MAC address of the destination host, unless you preset the destination host's address on the VF guest before starting the migration. When migration is completed, the guest and host MAC addresses match without requiring a guest reboot.

As an alternative to presetting the address, reboot the guest after migration to synchronize the guest VF's MAC address with that of the destination host.

(Bug ID 35508407)

# 5

## Package Changes from the Upstream Release

The following sections list the changes to binary and source packages from the upstream release.

### Changes to Binary Packages

This section contains information about the removed, modified, and new **binary** packages in this release. For information about the **source** package changes, see [Changes to Source Packages](#).

### Added Binary Packages for BaseOS by Oracle

The following binary packages have been added to BaseOS by Oracle:

- bcache-tools
- btrfs-progs
- dtrace
- iwlax2xx-firmware
- kernel-uek
- kernel-uek-core
- kernel-uek-debug
- kernel-uek-debug-core
- kernel-uek-debug-devel
- kernel-uek-debug-modules
- kernel-uek-debug-modules-extra
- kernel-uek-devel
- kernel-uek-doc
- kernel-uek-modules
- kernel-uek-modules-extra
- linux-firmware-core
- NetworkManager-config-connectivity-oracle
- ocfs2-tools
- oracle-backgrounds
- oracle-indexhtml

- oraclelinux-release
- oraclelinux-release-el8
- oracle-logos
- oracle-logos-httpd
- oracle-logos-ipa

## Added Binary Packages for AppStream by Oracle:

The following binary packages have been added to AppStream by Oracle:

- dtrace-devel
- dtrace-testsuite
- libblockdev-btrfs
- oracle-database-preinstall-21c
- python3-dnf-plugin-ulninfo

## Added Binary Packages for CodeReady Linux Builder by Oracle

The following binary packages have been added to CodeReady Linux Builder by Oracle:

- qemu-kvm-tests
- shim-unsigned-ia32

## Modified BaseOS Binary Packages

The following binary packages from the BaseOS upstream release have been modified:

- autofs
- binutils
- biosdevname
- boom-boot
- boom-boot-conf
- boom-boot-grub2
- chkconfig
- chrony
- cockpit
- cockpit-bridge
- cockpit-doc
- cockpit-system
- cockpit-ws

- coreutils
- coreutils-common
- coreutils-single
- dbus
- dbus-common
- dbus-daemon
- dbus-libs
- dbus-tools
- dbxtool
- device-mapper
- device-mapper-event
- device-mapper-event-libs
- device-mapper-libs
- dnf
- dnf-automatic
- dnf-data
- dnf-plugins-core
- dracut
- dracut-caps
- dracut-config-generic
- dracut-config-rescue
- dracut-live
- dracut-network
- dracut-squash
- dracut-tools
- efibootmgr
- efi-filesystem
- expat
- expat-devel
- firewalld
- firewalld-filesystem
- fuse
- fuse3
- fuse3-devel
- fuse3-libs

- fuse-common
- fuse-devel
- fuse-libs
- fwupd
- fwupdate
- fwupdate-efi
- fwupdate-libs
- glibc
- glibc-all-langpacks
- glibc-common
- glibc-devel
- glibc-doc
- glibc-gconv-extra
- glibc-headers
- glibc-langpack-aa
- glibc-langpack-af
- glibc-langpack-agr
- glibc-langpack-ak
- glibc-langpack-am
- glibc-langpack-an
- glibc-langpack-anp
- glibc-langpack-ar
- glibc-langpack-as
- glibc-langpack-ast
- glibc-langpack-ayc
- glibc-langpack-az
- glibc-langpack-be
- glibc-langpack-bem
- glibc-langpack-ber
- glibc-langpack-bg
- glibc-langpack-bhb
- glibc-langpack-bho
- glibc-langpack-bi
- glibc-langpack-bn
- glibc-langpack-bo

- glibc-langpack-br
- glibc-langpack-brx
- glibc-langpack-bs
- glibc-langpack-byn
- glibc-langpack-ca
- glibc-langpack-ce
- glibc-langpack-chr
- glibc-langpack-cmn
- glibc-langpack-crh
- glibc-langpack-cs
- glibc-langpack-csb
- glibc-langpack-cv
- glibc-langpack-cy
- glibc-langpack-da
- glibc-langpack-de
- glibc-langpack-doi
- glibc-langpack-dsb
- glibc-langpack-dv
- glibc-langpack-dz
- glibc-langpack-el
- glibc-langpack-en
- glibc-langpack-eo
- glibc-langpack-es
- glibc-langpack-et
- glibc-langpack-eu
- glibc-langpack-fa
- glibc-langpack-ff
- glibc-langpack-fi
- glibc-langpack-fil
- glibc-langpack-fo
- glibc-langpack-fr
- glibc-langpack-fur
- glibc-langpack-fy
- glibc-langpack-ga
- glibc-langpack-gd



- glibc-langpack-gez
- glibc-langpack-gl
- glibc-langpack-gu
- glibc-langpack-gv
- glibc-langpack-ha
- glibc-langpack-hak
- glibc-langpack-he
- glibc-langpack-hi
- glibc-langpack-hif
- glibc-langpack-hne
- glibc-langpack-hr
- glibc-langpack-hsb
- glibc-langpack-ht
- glibc-langpack-hu
- glibc-langpack-hy
- glibc-langpack-ia
- glibc-langpack-id
- glibc-langpack-ig
- glibc-langpack-ik
- glibc-langpack-is
- glibc-langpack-it
- glibc-langpack-iu
- glibc-langpack-ja
- glibc-langpack-ka
- glibc-langpack-kab
- glibc-langpack-kk
- glibc-langpack-kl
- glibc-langpack-km
- glibc-langpack-kn
- glibc-langpack-ko
- glibc-langpack-kok
- glibc-langpack-ks
- glibc-langpack-ku
- glibc-langpack-kw
- glibc-langpack-ky

- glibc-langpack-lb
- glibc-langpack-lg
- glibc-langpack-li
- glibc-langpack-lij
- glibc-langpack-ln
- glibc-langpack-lo
- glibc-langpack-lt
- glibc-langpack-lv
- glibc-langpack-lzh
- glibc-langpack-mag
- glibc-langpack-mai
- glibc-langpack-mfe
- glibc-langpack-mg
- glibc-langpack-mhr
- glibc-langpack-mi
- glibc-langpack-miq
- glibc-langpack-mjw
- glibc-langpack-mk
- glibc-langpack-ml
- glibc-langpack-mn
- glibc-langpack-mni
- glibc-langpack-mr
- glibc-langpack-ms
- glibc-langpack-mt
- glibc-langpack-my
- glibc-langpack-nan
- glibc-langpack-nb
- glibc-langpack-nds
- glibc-langpack-ne
- glibc-langpack-nhn
- glibc-langpack-niu
- glibc-langpack-nl
- glibc-langpack-nn
- glibc-langpack-nr
- glibc-langpack-nso

- glibc-langpack-oc
- glibc-langpack-om
- glibc-langpack-or
- glibc-langpack-os
- glibc-langpack-pa
- glibc-langpack-pap
- glibc-langpack-pl
- glibc-langpack-ps
- glibc-langpack-pt
- glibc-langpack-quz
- glibc-langpack-raj
- glibc-langpack-ro
- glibc-langpack-ru
- glibc-langpack-rw
- glibc-langpack-sa
- glibc-langpack-sah
- glibc-langpack-sat
- glibc-langpack-sc
- glibc-langpack-sd
- glibc-langpack-se
- glibc-langpack-sgs
- glibc-langpack-shn
- glibc-langpack-shs
- glibc-langpack-si
- glibc-langpack-sid
- glibc-langpack-sk
- glibc-langpack-sl
- glibc-langpack-sm
- glibc-langpack-so
- glibc-langpack-sq
- glibc-langpack-sr
- glibc-langpack-ss
- glibc-langpack-st
- glibc-langpack-sv
- glibc-langpack-sw

- glibc-langpack-szl
- glibc-langpack-ta
- glibc-langpack-tcy
- glibc-langpack-te
- glibc-langpack-tg
- glibc-langpack-th
- glibc-langpack-the
- glibc-langpack-ti
- glibc-langpack-tig
- glibc-langpack-tk
- glibc-langpack-tl
- glibc-langpack-tn
- glibc-langpack-to
- glibc-langpack-tpi
- glibc-langpack-tr
- glibc-langpack-ts
- glibc-langpack-tt
- glibc-langpack-ug
- glibc-langpack-uk
- glibc-langpack-unm
- glibc-langpack-ur
- glibc-langpack-uz
- glibc-langpack-ve
- glibc-langpack-vi
- glibc-langpack-wa
- glibc-langpack-wae
- glibc-langpack-wal
- glibc-langpack-wo
- glibc-langpack-xh
- glibc-langpack-yi
- glibc-langpack-yo
- glibc-langpack-yue
- glibc-langpack-yuw
- glibc-langpack-zh
- glibc-langpack-zu

- glibc-locale-source
- glibc-minimal-langpack
- grub2-common
- grub2-efi-aa64-modules
- grub2-efi-ia32
- grub2-efi-ia32-cdboot
- grub2-efi-ia32-modules
- grub2-efi-x64
- grub2-efi-x64-cdboot
- grub2-efi-x64-modules
- grub2-pc
- grub2-pc-modules
- grub2-tools
- grub2-tools-efi
- grub2-tools-extra
- grub2-tools-minimal
- grubby
- initscripts
- iptables
- iptables-arptables
- iptables-devel
- iptables-ebtables
- iptables-libs
- iptables-services
- iptables-utils
- iscsi-initiator-utils
- iscsi-initiator-utils-iscsiuio
- iwl1000-firmware
- iwl100-firmware
- iwl105-firmware
- iwl135-firmware
- iwl2000-firmware
- iwl2030-firmware
- iwl3160-firmware
- iwl3945-firmware

- iwl4965-firmware
- iwl5000-firmware
- iwl5150-firmware
- iwl6000-firmware
- iwl6000g2a-firmware
- iwl6000g2b-firmware
- iwl6050-firmware
- iwl7260-firmware
- iwlax2xx-firmware
- kexec-tools
- kmod
- kmod-kvdo
- kmod-libs
- kmod-redhat-oracleasm
- krb5-devel
- krb5-libs
- krb5-pkinit
- krb5-server
- krb5-server-ldap
- krb5-workstation
- ksc
- libasan
- libatomic
- libatomic-static
- libblkid
- libblkid-devel
- libdb
- libdb-utils
- libdnf
- libertas-sd8686-firmware
- libertas-sd8787-firmware
- libertas-usb8388-firmware
- libertas-usb8388-olpc-firmware
- libfdisk
- libfdisk-devel

- libgcc
- libgfortran
- libgomp
- libgomp-offload-nvptx
- libipa\_hbac
- libitm
- libkadm5
- libkcapi
- libkcapi-hmaccalc
- liblsan
- libmount
- libnsl
- libquadmath
- libreport-filessystem
- libsmartcols
- libsmartcols-devel
- libsss\_autofs
- libsss\_certmap
- libsss\_idmap
- libsss\_nss\_idmap
- libsss\_simpleifp
- libsss\_sudo
- libstdc++
- libtsan
- libubsan
- libuuid
- libuuid-devel
- libxslt
- libzstd
- libzstd-devel
- linux-firmware
- linux-firmware-core
- lvm2
- lvm2-dbusd
- lvm2-libs

- lvm2-lockd
- mcelog
- mdadm
- microcode\_ctl
- mokutil
- mozjs52
- mozjs60
- netconsole-service
- net-snmp-libs
- NetworkManager
- NetworkManager-adsl
- NetworkManager-bluetooth
- NetworkManager-config-connectivity-oracle
- NetworkManager-config-server
- NetworkManager-dispatcher-routing-rules
- NetworkManager-initscripts-updown
- NetworkManager-libnm
- NetworkManager-ovs
- NetworkManager-ppp
- NetworkManager-team
- NetworkManager-tui
- NetworkManager-wifi
- NetworkManager-wwan
- network-scripts
- nscd
- nss\_db
- ntsysv
- nvme-cli
- nvmetcli
- opa-address-resolution
- opa-basic-tools
- opa-fastfabric
- opa-fm
- opa-libopamgt
- OpenIPMI



- OpenIPMI-lanserv
- OpenIPMI-libs
- OpenIPMI-perl
- os-prober
- parted
- platform-python
- policycoreutils
- policycoreutils-dbus
- policycoreutils-devel
- policycoreutils-newrole
- policycoreutils-python-utils
- policycoreutils-restorecond
- polkit
- polkit-devel
- polkit-docs
- polkit-libs
- procps-ng
- procps-ng-i18n
- python3-boom
- python3-configshell
- python3-dnf
- python3-dnf-plugin-post-transaction-actions
- python3-dnf-plugins-core
- python3-dnf-plugin-versionlock
- python3-firewall
- python3-hawkey
- python3-iscsi-initiator-utils
- python3-libdnf
- python3-libipa\_hbac
- python3-libs
- python3-libsss\_nss\_idmap
- python3-openipmi
- python3-policycoreutils
- python3-rtslib
- python3-sss

- python3-sssdconfig
- python3-sss-murmur
- python3-test
- rasdaemon
- readonly-root
- redhat-release
- sanlock-lib
- selinux-policy
- selinux-policy-devel
- selinux-policy-doc
- selinux-policy-minimum
- selinux-policy-mls
- selinux-policy-sandbox
- selinux-policy-targeted
- shim-ia32
- shim-x64
- sos
- sos-audit
- sqlite
- sqlite-devel
- sqlite-doc
- sqlite-libs
- sssd
- sssd-ad
- sssd-client
- sssd-common
- sssd-common-pac
- sssd-dbus
- sssd-ipa
- sssd-kcm
- sssd-krb5
- sssd-krb5-common
- sssd-ldap
- sssd-nfs-idmap
- sssd-polkit-rules

- sssd-proxy
- sssd-tools
- sssd-winbind-idmap
- systemd
- systemd-container
- systemd-devel
- systemd-journal-remote
- systemd-libs
- systemd-pam
- systemd-tests
- systemd-udev
- target-restore
- trace-cmd
- tuned
- tuned-profiles-atomic
- tuned-profiles-compat
- tuned-profiles-cpu-partitioning
- tuned-profiles-mssql
- tuned-profiles-oracle
- unzip
- util-linux
- util-linux-user
- uuid
- vim-minimal
- yum
- yum-utils

## Modified Binary Packages for CodeReady Linux Builder by Oracle

The following binary packages to CodeReady Linux Builder by Oracle have been modified:

- anaconda-widgets-devel
- crash-devel
- cups-filters-devel
- dconf-devel
- device-mapper-devel
- device-mapper-event-devel

- dotnet-sdk-3.1-source-built-artifacts
- dotnet-sdk-5.0-source-built-artifacts
- dotnet-sdk-6.0-source-built-artifacts
- dotnet-sdk-7.0-source-built-artifacts
- fwupd-devel
- galera
- gcc-plugin-devel
- gcc-toolset-10-gcc-plugin-devel
- glibc-benchtests
- glibc-nss-devel
- glibc-static
- guile-devel
- iscsi-initiator-utils-devel
- java-11-openjdk-demo-fastdebug
- java-11-openjdk-demo-slowdebug
- java-11-openjdk-devel-fastdebug
- java-11-openjdk-devel-slowdebug
- java-11-openjdk-fastdebug
- java-11-openjdk-headless-fastdebug
- java-11-openjdk-headless-slowdebug
- java-11-openjdk-jmods-fastdebug
- java-11-openjdk-jmods-slowdebug
- java-11-openjdk-slowdebug
- java-11-openjdk-src-fastdebug
- java-11-openjdk-src-slowdebug
- java-11-openjdk-static-libs-fastdebug
- java-11-openjdk-static-libs-slowdebug
- java-17-openjdk-demo-fastdebug
- java-17-openjdk-demo-slowdebug
- java-17-openjdk-devel-fastdebug
- java-17-openjdk-devel-slowdebug
- java-17-openjdk-fastdebug
- java-17-openjdk-headless-fastdebug
- java-17-openjdk-headless-slowdebug
- java-17-openjdk-jmods-fastdebug

- java-17-openjdk-jmods-slowdebug
- java-17-openjdk-slowdebug
- java-17-openjdk-src-fastdebug
- java-17-openjdk-src-slowdebug
- java-17-openjdk-static-libs-fastdebug
- java-17-openjdk-static-libs-slowdebug
- java-1.8.0-openjdk-accessibility-fastdebug
- java-1.8.0-openjdk-accessibility-slowdebug
- java-1.8.0-openjdk-demo-fastdebug
- java-1.8.0-openjdk-demo-slowdebug
- java-1.8.0-openjdk-devel-fastdebug
- java-1.8.0-openjdk-devel-slowdebug
- java-1.8.0-openjdk-fastdebug
- java-1.8.0-openjdk-headless-fastdebug
- java-1.8.0-openjdk-headless-slowdebug
- java-1.8.0-openjdk-slowdebug
- java-1.8.0-openjdk-src-fastdebug
- java-1.8.0-openjdk-src-slowdebug
- java-21-openjdk-demo-fastdebug
- java-21-openjdk-demo-slowdebug
- java-21-openjdk-devel-fastdebug
- java-21-openjdk-devel-slowdebug
- java-21-openjdk-fastdebug
- java-21-openjdk-headless-fastdebug
- java-21-openjdk-headless-slowdebug
- java-21-openjdk-jmods-fastdebug
- java-21-openjdk-jmods-slowdebug
- java-21-openjdk-slowdebug
- java-21-openjdk-src-fastdebug
- java-21-openjdk-src-slowdebug
- java-21-openjdk-static-libs-fastdebug
- java-21-openjdk-static-libs-slowdebug
- Judy
- Judy-devel
- kmod-devel

- libblockdev-crypto-devel
- libblockdev-devel
- libblockdev-fs-devel
- libblockdev-loop-devel
- libblockdev-lvm-devel
- libblockdev-mdraid-devel
- libblockdev-part-devel
- libblockdev-swap-devel
- libblockdev-utils-devel
- libblockdev-vdo-devel
- libcephfs2
- libcephfs-devel
- libdb-cxx
- libdb-cxx-devel
- libdb-devel-doc
- libdb-sql
- libdb-sql-devel
- libdnf-devel
- librados-devel
- libradosstriper1
- libradosstriper-devel
- librbd-devel
- libreoffice-sdk
- libreoffice-sdk-doc
- libsss\_nss\_idmap-devel
- libstdc++-static
- libvirt
- libvirt-client
- libvirt-daemon
- libvirt-daemon-config-network
- libvirt-daemon-config-nwfilter
- libvirt-daemon-driver-interface
- libvirt-daemon-driver-network
- libvirt-daemon-driver-nodedev
- libvirt-daemon-driver-nwfilter

- libvirt-daemon-driver-secret
- libvirt-daemon-driver-storage
- libvirt-daemon-driver-storage-core
- libvirt-daemon-driver-storage-disk
- libvirt-daemon-driver-storage-iscsi
- libvirt-daemon-driver-storage-iscsi-direct
- libvirt-daemon-driver-storage-logical
- libvirt-daemon-driver-storage-mpath
- libvirt-daemon-driver-storage-scsi
- libvirt-devel
- libvirt-docs
- libvirt-libs
- libvirt-nss
- libvirt-wireshark
- lvm2-devel
- mariadb
- mariadb-backup
- mariadb-common
- mariadb-devel
- mariadb-embedded
- mariadb-embedded-devel
- mariadb-errmsg
- mariadb-gssapi-server
- mariadb-oggraph-engine
- mariadb-server
- mariadb-server-galera
- mariadb-server-utils
- mariadb-test
- mozjs52-devel
- mozjs60-devel
- NetworkManager-libnm-devel
- nss\_hesiod
- ocaml-libguestfs
- ocaml-libguestfs-devel
- OpenIPMI-devel

- openscap-engine-sce-devel
- PackageKit
- PackageKit-glib-devel
- parted-devel
- procps-ng-devel
- sanlock-devel
- sblim-cmpi-devel
- sendmail-milter-devel
- tog-pegasus-devel

## Modified AppStream Binary Packages

The following binary packages from the AppStream upstream release have been modified:

- aardvark-dns
- abrt
- abrt-addon-ccpp
- abrt-addon-coredump-helper
- abrt-addon-kernelevents
- abrt-addon-pstoreoops
- abrt-addon-vmcore
- abrt-addon-xorg
- abrt-cli
- abrt-cli-ng
- abrt-console-notification
- abrt-dbus
- abrt-desktop
- abrt-gui
- abrt-gui-libs
- abrt-java-connector
- abrt-libs
- abrt-plugin-machine-id
- abrt-plugin-sosreport
- abrt-tui
- adwaita-gtk2-theme
- anaconda
- anaconda-core



- anaconda-dracut
- anaconda-gui
- anaconda-install-env-deps
- anaconda-tui
- anaconda-user-help
- anaconda-widgets
- ansible-pcp
- aspnetcore-runtime-3.0
- aspnetcore-runtime-3.1
- aspnetcore-runtime-5.0
- aspnetcore-runtime-6.0
- aspnetcore-runtime-7.0
- aspnetcore-targeting-pack-3.0
- aspnetcore-targeting-pack-3.1
- aspnetcore-targeting-pack-5.0
- aspnetcore-targeting-pack-6.0
- aspnetcore-targeting-pack-7.0
- authd
- autocorr-af
- autocorr-bg
- autocorr-ca
- autocorr-cs
- autocorr-da
- autocorr-de
- autocorr-en
- autocorr-es
- autocorr-fa
- autocorr-fi
- autocorr-fr
- autocorr-ga
- autocorr-hr
- autocorr-hu
- autocorr-is
- autocorr-it
- autocorr-ja

- autocorr-ko
- autocorr-lb
- autocorr-lt
- autocorr-mn
- autocorr-nl
- autocorr-pl
- autocorr-pt
- autocorr-ro
- autocorr-ru
- autocorr-sk
- autocorr-sl
- autocorr-sr
- autocorr-sv
- autocorr-tr
- autocorr-vi
- autocorr-zh
- binutils-devel
- blivet-data
- buildah
- buildah-tests
- clang
- clang-analyzer
- clang-devel
- clang-libs
- clang-resource-filesystem
- clang-tools-extra
- cloud-init
- cockpit-composer
- cockpit-machines
- cockpit-packagekit
- cockpit-pcp
- cockpit-session-recording
- cockpit-storaged
- compat-libgfortran-48
- compat-libpthread-nonshared

- composer-cli
- containernetworking-plugins
- containers-common
- cpp
- crash
- cups-filters
- cups-filters-libs
- dbus-devel
- dbus-x11
- dconf
- delve
- dnf-plugin-spacewalk
- dotnet
- dotnet-apphost-pack-3.0
- dotnet-apphost-pack-3.1
- dotnet-apphost-pack-5.0
- dotnet-apphost-pack-6.0
- dotnet-apphost-pack-7.0
- dotnet-host
- dotnet-hostfxr-3.0
- dotnet-hostfxr-3.1
- dotnet-hostfxr-5.0
- dotnet-hostfxr-6.0
- dotnet-hostfxr-7.0
- dotnet-runtime-3.0
- dotnet-runtime-3.1
- dotnet-runtime-5.0
- dotnet-runtime-6.0
- dotnet-runtime-7.0
- dotnet-sdk-3.0
- dotnet-sdk-3.1
- dotnet-sdk-5.0
- dotnet-sdk-6.0
- dotnet-sdk-7.0
- dotnet-targeting-pack-3.0

- dotnet-targeting-pack-3.1
- dotnet-targeting-pack-5.0
- dotnet-targeting-pack-6.0
- dotnet-targeting-pack-7.0
- dotnet-templates-3.0
- dotnet-templates-3.1
- dotnet-templates-5.0
- dotnet-templates-6.0
- dotnet-templates-7.0
- eclipse-ecf-core
- eclipse-ecf-runtime
- eclipse-emf-core
- eclipse-emf-runtime
- eclipse-emf-xsd
- eclipse-equinox-osgi
- eclipse-jdt
- eclipse-p2-discovery
- eclipse-pde
- eclipse-platform
- eclipse-swt
- efi-srpm-macros
- fapolicyd
- fapolicyd-selinux
- firefox
- firewall-applet
- firewall-config
- gcc
- gcc-c++
- gcc-gdb-plugin
- gcc-gfortran
- gcc-offload-nvptx
- gcc-plugin-annobin
- gcc-toolset-10-gcc
- gcc-toolset-10-gcc-c++
- gcc-toolset-10-gcc-gdb-plugin

- gcc-toolset-10-gcc-gfortran
- gcc-toolset-10-libasan-devel
- gcc-toolset-10-libatomic-devel
- gcc-toolset-10-libitm-devel
- gcc-toolset-10-liblsan-devel
- gcc-toolset-10-libquadmath-devel
- gcc-toolset-10-libstdc++-devel
- gcc-toolset-10-libstdc++-docs
- gcc-toolset-10-libtsan-devel
- gcc-toolset-10-libubsan-devel
- gcc-toolset-11-binutils
- gcc-toolset-11-binutils-devel
- gcc-toolset-11-gcc
- gcc-toolset-11-gcc-c++
- gcc-toolset-11-gcc-gdb-plugin
- gcc-toolset-11-gcc-gfortran
- gcc-toolset-11-gcc-plugin-devel
- gcc-toolset-11-gdb
- gcc-toolset-11-gdb-doc
- gcc-toolset-11-gdb-gdbserver
- gcc-toolset-11-libasan-devel
- gcc-toolset-11-libatomic-devel
- gcc-toolset-11-libgccjit
- gcc-toolset-11-libgccjit-devel
- gcc-toolset-11-libgccjit-docs
- gcc-toolset-11-libitm-devel
- gcc-toolset-11-liblsan-devel
- gcc-toolset-11-libquadmath-devel
- gcc-toolset-11-libstdc++-devel
- gcc-toolset-11-libstdc++-docs
- gcc-toolset-11-libtsan-devel
- gcc-toolset-11-libubsan-devel
- gcc-toolset-12-gdb
- gdb
- gdb-doc

- gdb-gdbserver
- gdb-headless
- git-clang-format
- glibc-utils
- gnome-boxes
- gnome-session
- gnome-session-kiosk-session
- gnome-session-wayland-session
- gnome-session-xsession
- gnome-themes-standard
- guile
- httpd
- httpd-devel
- httpd-filesystem
- httpd-manual
- httpd-tools
- icedtea-web
- icedtea-web-javadoc
- idm-pki-acme
- idm-pki-base
- idm-pki-base-java
- idm-pki-ca
- idm-pki-kra
- idm-pki-server
- idm-pki-symkey
- idm-pki-tools
- initial-setup
- initial-setup-gui
- ipa-client
- ipa-client-common
- ipa-client-epn
- ipa-client-samba
- ipa-common
- ipa-python-compat
- ipa-selinux

- ipa-server
- ipa-server-common
- ipa-server-dns
- ipa-server-trust-ad
- java-11-openjdk
- java-11-openjdk-demo
- java-11-openjdk-devel
- java-11-openjdk-headless
- java-11-openjdk-javadoc
- java-11-openjdk-javadoc-zip
- java-11-openjdk-jmods
- java-11-openjdk-src
- java-11-openjdk-static-libs
- java-17-openjdk
- java-17-openjdk-demo
- java-17-openjdk-devel
- java-17-openjdk-headless
- java-17-openjdk-javadoc
- java-17-openjdk-javadoc-zip
- java-17-openjdk-jmods
- java-17-openjdk-src
- java-17-openjdk-static-libs
- java-1.8.0-openjdk
- java-1.8.0-openjdk-accessibility
- java-1.8.0-openjdk-demo
- java-1.8.0-openjdk-devel
- java-1.8.0-openjdk-headless
- java-1.8.0-openjdk-javadoc
- java-1.8.0-openjdk-javadoc-zip
- java-1.8.0-openjdk-src
- java-21-openjdk
- java-21-openjdk-demo
- java-21-openjdk-devel
- java-21-openjdk-headless
- java-21-openjdk-javadoc

- java-21-openjdk-javadoc-zip
- java-21-openjdk-jmods
- java-21-openjdk-src
- java-21-openjdk-static-libs
- Judy
- kernel-rpm-macros
- kernelshark
- ksh
- leapp
- leapp-deps
- leapp-upgrade-el8toel9
- leapp-upgrade-el8toel9-deps
- lemon
- libasan6
- libblockdev
- libblockdev-btrfs
- libblockdev-crypto
- libblockdev-dm
- libblockdev-fs
- libblockdev-kbd
- libblockdev-loop
- libblockdev-lvm
- libblockdev-lvm-dbus
- libblockdev-mdraid
- libblockdev-mpath
- libblockdev-nvdim
- libblockdev-part
- libblockdev-plugins-all
- libblockdev-swap
- libblockdev-utils
- libblockdev-vdo
- libcmiCpImpl0
- libdb-devel
- libguestfs
- libguestfs-appliance



- libguestfs-bash-completion
- libguestfs-devel
- libguestfs-gfs2
- libguestfs-gobject
- libguestfs-gobject-devel
- libguestfs-inspect-icons
- libguestfs-java
- libguestfs-java-devel
- libguestfs-javadoc
- libguestfs-man-pages-ja
- libguestfs-man-pages-uk
- libguestfs-rescue
- libguestfs-rsync
- libguestfs-tools
- libguestfs-tools-c
- libguestfs-xfstools
- libitm-devel
- libquadmath-devel
- librados2
- librbd1
- libreoffice
- libreoffice-base
- libreoffice-calc
- libreoffice-core
- libreoffice-data
- libreoffice-draw
- libreoffice-emailmerge
- libreoffice-filters
- libreoffice-gdb-debug-support
- libreoffice-graphicfilter
- libreoffice-gtk3
- libreoffice-help-ar
- libreoffice-help-bg
- libreoffice-help-bn
- libreoffice-help-ca

- libreoffice-help-cs
- libreoffice-help-da
- libreoffice-help-de
- libreoffice-help-dz
- libreoffice-help-el
- libreoffice-help-en
- libreoffice-help-es
- libreoffice-help-et
- libreoffice-help-eu
- libreoffice-help-fi
- libreoffice-help-fr
- libreoffice-help-gl
- libreoffice-help-gu
- libreoffice-help-he
- libreoffice-help-hi
- libreoffice-help-hr
- libreoffice-help-hu
- libreoffice-help-id
- libreoffice-help-it
- libreoffice-help-ja
- libreoffice-help-ko
- libreoffice-help-lt
- libreoffice-help-lv
- libreoffice-help-nb
- libreoffice-help-nl
- libreoffice-help-nn
- libreoffice-help-pl
- libreoffice-help-pt-BR
- libreoffice-help-pt-PT
- libreoffice-help-ro
- libreoffice-help-ru
- libreoffice-help-si
- libreoffice-help-sk
- libreoffice-help-sl
- libreoffice-help-sv

- libreoffice-help-ta
- libreoffice-help-tr
- libreoffice-help-uk
- libreoffice-help-zh-Hans
- libreoffice-help-zh-Hant
- libreoffice-impress
- libreofficekit
- libreoffice-langpack-af
- libreoffice-langpack-ar
- libreoffice-langpack-as
- libreoffice-langpack-bg
- libreoffice-langpack-bn
- libreoffice-langpack-br
- libreoffice-langpack-ca
- libreoffice-langpack-cs
- libreoffice-langpack-cy
- libreoffice-langpack-da
- libreoffice-langpack-de
- libreoffice-langpack-dz
- libreoffice-langpack-el
- libreoffice-langpack-en
- libreoffice-langpack-es
- libreoffice-langpack-et
- libreoffice-langpack-eu
- libreoffice-langpack-fa
- libreoffice-langpack-fi
- libreoffice-langpack-fr
- libreoffice-langpack-ga
- libreoffice-langpack-gl
- libreoffice-langpack-gu
- libreoffice-langpack-he
- libreoffice-langpack-hi
- libreoffice-langpack-hr
- libreoffice-langpack-hu
- libreoffice-langpack-id

- libreoffice-langpack-it
- libreoffice-langpack-ja
- libreoffice-langpack-kk
- libreoffice-langpack-kn
- libreoffice-langpack-ko
- libreoffice-langpack-lt
- libreoffice-langpack-lv
- libreoffice-langpack-mai
- libreoffice-langpack-ml
- libreoffice-langpack-mr
- libreoffice-langpack-nb
- libreoffice-langpack-nl
- libreoffice-langpack-nn
- libreoffice-langpack-nr
- libreoffice-langpack-nso
- libreoffice-langpack-or
- libreoffice-langpack-pa
- libreoffice-langpack-pl
- libreoffice-langpack-pt-BR
- libreoffice-langpack-pt-PT
- libreoffice-langpack-ro
- libreoffice-langpack-ru
- libreoffice-langpack-si
- libreoffice-langpack-sk
- libreoffice-langpack-sl
- libreoffice-langpack-sr
- libreoffice-langpack-ss
- libreoffice-langpack-st
- libreoffice-langpack-sv
- libreoffice-langpack-ta
- libreoffice-langpack-te
- libreoffice-langpack-th
- libreoffice-langpack-tn
- libreoffice-langpack-tr
- libreoffice-langpack-ts

- libreoffice-langpack-uk
- libreoffice-langpack-ve
- libreoffice-langpack-xh
- libreoffice-langpack-zh-Hans
- libreoffice-langpack-zh-Hant
- libreoffice-langpack-zu
- libreoffice-math
- libreoffice-ogltrans
- libreoffice-opensymbol-fonts
- libreoffice-pdfimport
- libreoffice-pyuno
- libreoffice-ure
- libreoffice-ure-common
- libreoffice-wiki-publisher
- libreoffice-writer
- libreoffice-xll
- libreoffice-xsltfilter
- libreport
- libreport-anaconda
- libreport-cli
- libreport-gtk
- libreport-newt
- libreport-plugin-bugzilla
- libreport-plugin-kerneloops
- libreport-plugin-logger
- libreport-plugin-mailx
- libreport-plugin-reportuploader
- libreport-plugin-ureport
- libreport-web
- libreswan
- libstdc++-devel
- libstdc++-docs
- libvirt
- libvirt-client
- libvirt-daemon

- libvirt-daemon-config-network
- libvirt-daemon-config-nwfilter
- libvirt-daemon-driver-interface
- libvirt-daemon-driver-network
- libvirt-daemon-driver-nodedev
- libvirt-daemon-driver-nwfilter
- libvirt-daemon-driver-qemu
- libvirt-daemon-driver-secret
- libvirt-daemon-driver-storage
- libvirt-daemon-driver-storage-core
- libvirt-daemon-driver-storage-disk
- libvirt-daemon-driver-storage-gluster
- libvirt-daemon-driver-storage-iscsi
- libvirt-daemon-driver-storage-iscsi-direct
- libvirt-daemon-driver-storage-logical
- libvirt-daemon-driver-storage-mpath
- libvirt-daemon-driver-storage-rbd
- libvirt-daemon-driver-storage-scsi
- libvirt-daemon-kvm
- libvirt-devel
- libvirt-docs
- libvirt-libs
- libvirt-lock-sanlock
- libvirt-nss
- libvirt-wireshark
- libxslt-devel
- llvm
- llvm-devel
- llvm-doc
- llvm-googletest
- llvm-libs
- llvm-static
- llvm-test
- llvm-toolset
- lorax

- lorax-composer
- lorax-lmc-novirt
- lorax-lmc-virt
- lorax-templates-generic
- lorax-templates-rhel
- lua-guestfs
- mecab-ipadic
- mecab-ipadic-EUCJP
- mod\_ldap
- mod\_proxy\_html
- mod\_session
- mod\_ssl
- netavark
- net-snmp
- net-snmp-agent-libs
- net-snmp-devel
- net-snmp-perl
- net-snmp-utils
- netstandard-targeting-pack-2.1
- NetworkManager-cloud-setup
- nginx
- nginx-all-modules
- nginx-filesystem
- nginx-mod-devel
- nginx-mod-http-image-filter
- nginx-mod-http-perl
- nginx-mod-http-xslt-filter
- nginx-mod-mail
- nginx-mod-stream
- npm
- openchange
- openscap
- openscap-devel
- openscap-engine-sce
- openscap-python3

- openscap-scanner
- openscap-utils
- open-vm-tools
- open-vm-tools-desktop
- open-vm-tools-salt-minion
- open-vm-tools-sdmp
- osinfo-db
- pacemaker-cluster-libs
- pacemaker-libs
- pacemaker-schemas
- PackageKit
- PackageKit-command-not-found
- PackageKit-cron
- PackageKit-glib
- PackageKit-gstreamer-plugin
- PackageKit-gtk3-module
- pcp
- pcp-conf
- pcp-devel
- pcp-doc
- pcp-export-pcp2elasticsearch
- pcp-export-pcp2graphite
- pcp-export-pcp2influxdb
- pcp-export-pcp2json
- pcp-export-pcp2spark
- pcp-export-pcp2xml
- pcp-export-pcp2zabbix
- pcp-export-zabbix-agent
- pcp-gui
- pcp-import-collectl2pcp
- pcp-import-ganglia2pcp
- pcp-import-iostat2pcp
- pcp-import-mrtg2pcp
- pcp-import-sar2pcp
- pcp-libs



- pcp-libs-devel
- pcp-pmda-activemq
- pcp-pmda-apache
- pcp-pmda-bash
- pcp-pmda-bcc
- pcp-pmda-bind2
- pcp-pmda-bonding
- pcp-pmda-bpftrace
- pcp-pmda-cifs
- pcp-pmda-cisco
- pcp-pmda-dbping
- pcp-pmda-denki
- pcp-pmda-dm
- pcp-pmda-docker
- pcp-pmda-ds389
- pcp-pmda-ds389log
- pcp-pmda-elasticsearch
- pcp-pmda-gfs2
- pcp-pmda-gluster
- pcp-pmda-gpfs
- pcp-pmda-gpsd
- pcp-pmda-hacluster
- pcp-pmda-haproxy
- pcp-pmda-infiniband
- pcp-pmda-json
- pcp-pmda-libvirt
- pcp-pmda-lio
- pcp-pmda-lmsensors
- pcp-pmda-logger
- pcp-pmda-lustre
- pcp-pmda-lustrecomm
- pcp-pmda-mailq
- pcp-pmda-memcache
- pcp-pmda-mic
- pcp-pmda-mongodb

- pcp-pmda-mounts
- pcp-pmda-mssql
- pcp-pmda-mysql
- pcp-pmda-named
- pcp-pmda-netcheck
- pcp-pmda-netfilter
- pcp-pmda-news
- pcp-pmda-nfsclient
- pcp-pmda-nginx
- pcp-pmda-nvidia-gpu
- pcp-pmda-openmetrics
- pcp-pmda-openvswitch
- pcp-pmda-oracle
- pcp-pmda-pdns
- pcp-pmda-perfevent
- pcp-pmda-podman
- pcp-pmda-postfix
- pcp-pmda-postgresql
- pcp-pmda-rabbitmq
- pcp-pmda-redis
- pcp-pmda-roomtemp
- pcp-pmda-rsyslog
- pcp-pmda-samba
- pcp-pmda-sendmail
- pcp-pmda-shping
- pcp-pmda-slurm
- pcp-pmda-smart
- pcp-pmda-snmp
- pcp-pmda-sockets
- pcp-pmda-statsd
- pcp-pmda-summary
- pcp-pmda-systemd
- pcp-pmda-trace
- pcp-pmda-unbound
- pcp-pmda-weblog

- pcp-pmda-zimbra
- pcp-pmda-zswap
- pcp-selinux
- pcp-system-tools
- pcp-testsuite
- pcp-zeroconf
- perl-PCP-LogImport
- perl-PCP-LogSummary
- perl-PCP-MMV
- perl-PCP-PMDA
- perl-Sys-Guestfs
- perl-XML-Parser
- pesign
- platform-python
- platform-python-debug
- platform-python-devel
- plymouth
- plymouth-core-libs
- plymouth-graphics-libs
- plymouth-plugin-fade-throbber
- plymouth-plugin-label
- plymouth-plugin-script
- plymouth-plugin-space-flares
- plymouth-plugin-throbgress
- plymouth-plugin-two-step
- plymouth-scripts
- plymouth-system-theme
- plymouth-theme-charge
- plymouth-theme-fade-in
- plymouth-theme-script
- plymouth-theme-solar
- plymouth-theme-spinfinity
- plymouth-theme-spinner
- podman
- podman-docker

- podman-remote
- podman-tests
- policycoreutils-gui
- policycoreutils-sandbox
- postgresql
- postgresql-contrib
- postgresql-docs
- postgresql-plperl
- postgresql-plpython3
- postgresql-pltcl
- postgresql-private-devel
- postgresql-private-libs
- postgresql-server
- postgresql-server-devel
- postgresql-static
- postgresql-test
- postgresql-test-rpm-macros
- postgresql-upgrade
- postgresql-upgrade-devel
- pykickstart
- python2
- python2-debug
- python2-devel
- python2-libs
- python2-test
- python2-tkinter
- python2-tools
- python3-abrt
- python3-abrt-addon
- python3-abrt-container-addon
- python3-abrt-doc
- python3-blivet
- python3-blockdev
- python3-clang
- python3-dnf-plugin-modulesync

- python3-dnf-plugin-spacewalk
- python3-idle
- python3-idm-pki
- python3-ipaclient
- python3-ipalib
- python3-ipaserver
- python3-ipatests
- python3-kickstart
- python3-leapp
- python3-libguestfs
- python3-libmount
- python3-libreport
- python3-pcp
- python3-rhncfg
- python3-rhncfg-actions
- python3-rhncfg-client
- python3-rhncfg-management
- python3-rhn-check
- python3-rhn-client-tools
- python3-rhnlib
- python3-rhnpush
- python3-rhn-setup
- python3-rhn-setup-gnome
- python3-rhn-virtualization-common
- python3-rhn-virtualization-host
- python3-sanlock
- python3-spacewalk-backend-libs
- python3-spacewalk-oscaps
- python3-spacewalk-usix
- python3-test
- python3-tkinter
- rear
- redfish-finder
- redhat-lsb
- redhat-lsb-core

- redhat-lsb-cxx
- redhat-lsb-desktop
- redhat-lsb-languages
- redhat-lsb-printing
- redhat-lsb-submod-multimedia
- redhat-lsb-submod-security
- redhat-rpm-config
- rhel-system-roles
- rhncfg
- rhncfg-actions
- rhncfg-client
- rhncfg-management
- rhn-check
- rhn-client-tools
- rhn-custom-info
- rhnlib
- rhnpush
- rhnsd
- rhn-setup
- rhn-setup-gnome
- rhn-virtualization-host
- rpmdevtools
- rpmlint
- ruby-libguestfs
- runc
- sank-reset
- sanlock
- scap-security-guide
- scap-security-guide-doc
- scap-workbench
- scl-utils
- scl-utils-build
- sendmail
- sendmail-cf
- sendmail-doc

- sendmail-milter
- setroubleshoot
- setroubleshoot-plugins
- setroubleshoot-server
- skopeo
- skopeo-tests
- snactor
- sos-collector
- spacewalk-oscapp
- spacewalk-remote-utils
- spacewalk-usix
- spice-streaming-agent
- sssd-idp
- sysstat
- systemtap
- systemtap-client
- systemtap-devel
- systemtap-exporter
- systemtap-initscript
- systemtap-runtime
- systemtap-runtime-java
- systemtap-runtime-python3
- systemtap-runtime-virtguest
- systemtap-runtime-virthost
- systemtap-sdt-devel
- systemtap-server
- thunderbird
- tog-pegasus
- tog-pegasus-libs
- tuned-gtk
- tuned-profiles-postgresql
- tuned-utils
- tuned-utils-systemtap
- vim-common
- vim-enhanced

- vim-filesystem
- vim-X11
- virt-dib
- virt-install
- virt-manager
- virt-manager-common
- virt-p2v-maker
- WALinuxAgent
- WALinuxAgent-udev
- wget
- xdg-desktop-portal
- xsane
- xsane-common
- xsane-gimp
- zstd

## Removed BaseOS Binary Packages

The following binary packages from the BaseOS upstream release have been removed:

- dnf-plugin-subscription-manager
- grub2-ppc64le-modules
- kpatch
- kpatch-dnf
- NetworkManager-config-connectivity-redhat
- python3-cloud-what
- python3-subscription-manager-rhsm
- python3-syspurpose
- redhat-indexhtml
- redhat-logos
- redhat-logos-httpd
- redhat-release-eula
- rhsm-icons
- subscription-manager
- subscription-manager-cockpit
- subscription-manager-plugin-ostree
- subscription-manager-rhsm-certificates



## Removed AppStream Binary Packages

The following binary packages from the AppStream upstream release have been removed:

- `ansible-collection-microsoft-sql`
- `ansible-collection-redhat-rhel_mgmt`
- `coreos-installer`
- `coreos-installer-bootinfra`
- `coreos-installer-dracut`
- `insights-client`
- `libreport-plugin-rhtsupport`
- `libreport-rhel`
- `libreport-rhel-anaconda-bugzilla`
- `libreport-rhel-bugzilla`
- `redhat-backgrounds`
- `redhat-cloud-client-configuration`
- `redhat-logos-ipa`
- `redhat-support-lib-python`
- `redhat-support-tool`
- `rhc`
- `rhc-worker-playbook`
- `rhsm-gtk`
- `rt-tests`
- `spice-client-win-x64`
- `spice-client-win-x86`
- `spice-qxl-wddm-dod`
- `spice-vdagent-win-x64`
- `spice-vdagent-win-x86`
- `subscription-manager-initial-setup-addon`
- `subscription-manager-migration`
- `subscription-manager-migration-data`
- `toolbox`
- `toolbox-tests`
- `virtio-win`
- `virt-who`

## Removed CodeReady Linux Builder Binary Packages

The following binary packages from the CodeReady Linux Builder upstream release have been removed:

- asio
- Cython
- Cython-debugsource
- galera-debuginfo
- galera-debugsource
- hivex-debuginfo
- hivex-debugsource
- Judy-debuginfo
- Judy-debugsource
- libiscsi-debuginfo
- libiscsi-debugsource
- libiscsi-utils-debuginfo
- libnbd-debuginfo
- libnbd-debugsource
- libserf-debuginfo
- libserf-debugsource
- libvirt-client-debuginfo
- libvirt-daemon-debuginfo
- libvirt-daemon-driver-interface-debuginfo
- libvirt-daemon-driver-network-debuginfo
- libvirt-daemon-driver-nodedev-debuginfo
- libvirt-daemon-driver-nwfilter-debuginfo
- libvirt-daemon-driver-secret-debuginfo
- libvirt-daemon-driver-storage-core-debuginfo
- libvirt-daemon-driver-storage-disk-debuginfo
- libvirt-daemon-driver-storage-iscsi-debuginfo
- libvirt-daemon-driver-storage-iscsi-direct-debuginfo
- libvirt-daemon-driver-storage-logical-debuginfo
- libvirt-daemon-driver-storage-mpath-debuginfo
- libvirt-daemon-driver-storage-scsi-debuginfo
- libvirt-dbus-debuginfo

- libvirt-dbus-debugsource
- libvirt-debuginfo
- libvirt-debugsource
- libvirt-libs-debuginfo
- libvirt-nss-debuginfo
- libvirt-python-debugsource
- libvirt-wireshark-debuginfo
- mariadb-backup-debuginfo
- mariadb-debuginfo
- mariadb-debugsource
- mariadb-embedded-debuginfo
- mariadb-gssapi-server-debuginfo
- mariadb-oggraph-engine-debuginfo
- mariadb-server-debuginfo
- mariadb-server-utils-debuginfo
- mariadb-test-debuginfo
- mod\_dav\_svn-debuginfo
- nbdfuse-debuginfo
- netcf-debuginfo
- netcf-debugsource
- netcf-libs-debuginfo
- ocaml-hivex-debuginfo
- ocaml-libguestfs-debuginfo
- ocaml-libnbd-debuginfo
- perl-hivex-debuginfo
- perl-Sys-Virt-debuginfo
- perl-Sys-Virt-debugsource
- pybind11
- pytest
- python39-Cython-debuginfo
- python3-hivex-debuginfo
- python3-libnbd-debuginfo
- python3-libvirt-debuginfo
- python3x-pyparsing
- python-atomicwrites

- python-attrs
- python-iniconfig
- python-more-itertools
- python-packaging
- python-pluggy
- python-py
- python-wcwidth
- ruby-hivex-debuginfo
- SLOF
- subversion-debuginfo
- subversion-debugsource
- subversion-devel-debuginfo
- subversion-gnome-debuginfo
- subversion-libs-debuginfo
- subversion-perl-debuginfo
- subversion-ruby-debuginfo
- subversion-tools-debuginfo
- utf8proc-debuginfo
- utf8proc-debugsource

## Changes to Source Packages

This section contains information about the removed, modified, and new **source** packages in this release. For information about the **binary** package changes, see [Changes to Binary Packages](#) .

### Added Source Packages for BaseOS by Oracle

The following source packages have been added to the BaseOS by Oracle:

- bcache-tools
- btrfs-progs
- dtrace
- kernel-uek
- ocfs2-tools
- oracle-indexhtml
- oraclelinux-release
- oraclelinux-release-el8
- oracle-logos

## Added Source Packages for AppStream by Oracle

The following source packages have been added to AppStream by Oracle:

- `dtrace`
- `oracle-database-preinstall-21c`
- `python3-dnf-plugin-ulninfo`

## Modified BaseOS Source Packages

The following source packages from the BaseOS upstream release have been modified:

- `autofs`
- `binutils`
- `biosdevname`
- `boom-boot`
- `chkconfig`
- `chrony`
- `cockpit`
- `coreutils`
- `dbus`
- `dbxtool`
- `dnf`
- `dnf-plugins-core`
- `dracut`
- `efibootmgr`
- `efi-rpm-macros`
- `expat`
- `firewalld`
- `fuse`
- `fwupd`
- `fwupdate`
- `gcc`
- `glibc`
- `grub2`
- `grubby`
- `initscripts`

- iptables
- iscsi-initiator-utils
- kexec-tools
- kmod
- kmod-kvdo
- kmod-redhat-oracleasm
- krb5
- ksc
- libdb
- libdnf
- libkcapi
- libreport
- libxslt
- linux-firmware
- lvm2
- mcelog
- mdadm
- microcode\_ctl
- mokutil
- mozjs52
- mozjs60
- net-snmp
- NetworkManager
- nvme-cli
- nvmetcli
- opa-ff
- opa-fm
- OpenIPMI
- os-prober
- parted
- policycoreutils
- polkit
- procps-ng
- python3
- python-configshell

- python-rtslib
- rasdaemon
- redhat-release
- sanlock
- selinux-policy
- shim
- sos
- sqlite
- sssd
- systemd
- trace-cmd
- tuned
- unzip
- util-linux
- vim
- zstd

## Modified AppStream Source Packages

The following source packages from the AppStream upstream release have been modified:

- abrt
- abrt-java-connector
- anaconda
- anaconda-user-help
- ansible-pcp
- authd
- binutils
- buildah
- ceph
- clang
- cloud-init
- cockpit-appstream
- cockpit-composer
- cockpit-session-recording
- compat-libgfortran-48
- containernetworking-plugins

- containers-common
- crash
- cups-filters
- dbus
- dconf
- delve
- dnf-plugins-core
- dnf-plugin-spacewalk
- dotnet3.0
- dotnet3.1
- dotnet5.0
- dotnet6.0
- dotnet7.0
- eclipse
- eclipse-ecf
- eclipse-emf
- efi-rpm-macros
- fapolicyd
- firefox
- firewalld
- gcc
- gcc-toolset-10-gcc
- gcc-toolset-11-binutils
- gcc-toolset-11-gcc
- gcc-toolset-11-gdb
- gcc-toolset-12-gdb
- gdb
- glibc
- gnome-boxes
- gnome-session
- gnome-themes-standard
- guile
- httpd
- icedtea-web
- initial-setup



- ipa
- java-11-openjdk
- java-17-openjdk
- java-1.8.0-openjdk
- java-21-openjdk
- Judy
- ksh
- leapp
- leapp-repository
- libblockdev
- libdb
- libguestfs
- libreoffice
- libreport
- libreswan
- libvirt
- libxslt
- llvm
- lorax
- lorax-templates-rhel
- mecab-ipadic
- net-snmp
- NetworkManager
- nginx
- nodejs
- openchange
- openscap
- open-vm-tools
- osinfo-db
- pacemaker
- PackageKit
- pcp
- perl-XML-Parser
- pesign
- pki-core

- plymouth
- podman
- policycoreutils
- postgresql
- pykickstart
- python2
- python3
- python-blivet
- rear
- redfish-finder
- redhat-lsb
- redhat-rpm-config
- rhel-system-roles
- rhncfg
- rhn-client-tools
- rhn-custom-info
- rhnlib
- rhnpush
- rhnsd
- rhn-virtualization
- rpmdevtools
- rpmlint
- runc
- sanlock
- sblim-cmpi-devel
- scap-security-guide
- scap-workbench
- sendmail
- setroubleshoot
- setroubleshoot-plugins
- skopeo
- sos-collector
- spacewalk-backend
- spacewalk-oscapp
- spacewalk-remote-utils

- spacewalk-usix
- spice-streaming-agent
- sqlite
- sssd
- sysstat
- systemtap
- thunderbird
- tog-pegasus
- trace-cmd
- tuned
- util-linux
- vim
- virt-manager
- virt-p2v
- WALinuxAgent
- wget
- xdg-desktop-portal
- xsane
- zstd

## Modified Source Packages for CodeReady Linux Builder by Oracle

The following binary packages to CodeReady Linux Builder by Oracle have been modified:

- anaconda
- ceph
- crash
- cups-filters
- dconf
- dotnet3.1
- dotnet5.0
- dotnet6.0
- dotnet7.0
- fwupd
- galera
- gcc
- gcc-toolset-10-gcc

- glibc
- guile
- iscsi-initiator-utils
- java-11-openjdk
- java-17-openjdk
- java-1.8.0-openjdk
- java-21-openjdk
- Judy
- kmod
- libblockdev
- libdb
- libdnf
- libguestfs
- libreoffice
- libvirt
- lvm2
- mariadb
- mozjs52
- mozjs60
- NetworkManager
- OpenIPMI
- openscap
- PackageKit
- parted
- procps-ng
- sanlock
- sblim-cmpi-devel
- sendmail
- sssd
- tog-pegasus

## Removed BaseOS Source Packages

The following source packages from the BaseOS upstream release have been removed:

- kpatch
- libica

- `redhat-indexhtml`
- `redhat-logos`
- `subscription-manager`

## Removed AppStream Source Packages

The following source packages from the AppStream upstream release have been removed:

- `ansible-collection-microsoft-sql`
- `ansible-collection-redhat-rhel_mgmt`
- `coreos-installer`
- `insights-client`
- `libica`
- `redhat-cloud-client-configuration`
- `redhat-logos`
- `redhat-support-lib-python`
- `redhat-support-tool`
- `rhc`
- `rhc-worker-playbook`
- `rt-tests`
- `spice-client-win`
- `spice-qxl-wddm-dod`
- `spice-vdagent-win`
- `subscription-manager`
- `subscription-manager-migration-data`
- `toolbox`
- `virtio-win`
- `virt-who`