

Oracle® Service Bus

Interoperability Solutions for WebLogic

10g Release 3 (10.3)

October 2008

ORACLE®

Oracle Service Bus Interoperability Solutions for WebLogic, 10g Release 3 (10.3)

Copyright © 2007, 2008, Oracle and/or its affiliates. All rights reserved.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this software or related documentation is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, the following notice is applicable:

U.S. GOVERNMENT RIGHTS Programs, software, databases, and related documentation and technical data delivered to U.S. Government customers are "commercial computer software" or "commercial technical data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, duplication, disclosure, modification, and adaptation shall be subject to the restrictions and license terms set forth in the applicable Government contract, and, to the extent applicable by the terms of the Government contract, the additional rights set forth in FAR 52.227-19, Commercial Computer Software License (December 2007). Oracle USA, Inc., 500 Oracle Parkway, Redwood City, CA 94065.

This software is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications which may create a risk of personal injury. If you use this software in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure the safe use of this software. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software in dangerous applications.

Oracle is a registered trademark of Oracle Corporation and/or its affiliates. Other names may be trademarks of their respective owners.

This software and documentation may provide access to or information on content, products and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services.

Contents

Interoperability with WebLogic

Oracle Service Bus Interoperability with WebLogic 8.1 Domains	1-1
Oracle Service Bus Interoperability with WebLogic 7.0 Domains	1-2
Guidelines for Naming WebLogic Domains and Servers	1-2

Interoperability with WebLogic

Oracle Service Bus Interoperability with WebLogic 8.1 Domains

When your scenario requires interoperability between an Oracle Service Bus domain and a BEA WebLogic Platform 8.1 domain, you must set up your Oracle Service Bus domain as follows:

1. Apply any patches required for WebLogic Platform 8.1 domains. For the latest information about patches, see “Known Limitations” in the [Oracle Service Bus Release Notes](#).
2. Establish domain trust between all WebLogic Server domains participating in the transaction.

For information about how to do so, see “Enabling Trust Between WebLogic Server Domains” in [Configuring Security for a WebLogic Domain](#) in *Securing WebLogic Server*.

3. Ensure that you set the **Security Interoperability Mode** attribute in the WebLogic Server Administration Console to **compatibility**.

The **Security Interoperability Mode** attribute specifies the security mode to use for XA calls in cross-domain transactions. You can set this attribute on the WebLogic Server Administration Console from either the domain-wide security settings or from the Java Transaction API (JTA) configuration page for the WebLogic Server domain. For more information, see [Domain: Security: General](#) and [Domains: Configuration: JTA](#) in the *WebLogic Server Administration Console Online Help*.

4. Use different listening ports for the Oracle Service Bus and WebLogic 8.1 domains. Also, ensure that the Debug and Pointbase ports are different (you can check the `db.properties`

file to determine which ports are specified). Both Oracle Service Bus and WebLogic 8.1 domains are initially set up with default ports, which may conflict if they not changed.

Oracle Service Bus Interoperability with WebLogic 7.0 Domains

Oracle Service Bus is not certified to interoperate with WebLogic Platform 7.0.

Guidelines for Naming WebLogic Domains and Servers

For information about naming WebLogic domains and servers, see [Oracle Service Bus Interoperability Solutions for JMS](#).

Related Topics

For Oracle Service Bus use cases, including use cases that involve interoperability between WebLogic Domains, see [Modeling Message Flow in Oracle Service Bus](#) in the *Oracle Service Bus User Guide*.